

NELAC NY 11769
NRPP 101193 AL
NRSB ARL0017

EPA Method #402-R-92-004
Liquid Scintillation
NRPP Device Code 8088
NRSB Device Code 12193

Laboratory Report for:

Property Tested: Project # 47:11652-X

ECS Mid-Atlantic
14026 Thunderbolt Place Suite 100
Chantilly VA 20151

Naomi Brooks Elementary School
600 Russell Road
Alexandria VA 22301


Log Number	Device Number	Test Exposure	Duration	Area Tested	Result pCi/L
8672275	5167033	01/15/2025 10:39 am	01/17/2025 11:05 am	First Floor Principial's Office	< 0.4
8672276	5167034	01/15/2025 10:39 am	01/17/2025 11:05 am	First Floor Principial's Office Duplicate	< 0.4
8672277	5167035	01/15/2025 10:40 am	01/17/2025 11:05 am	First Floor Psychologist's Office	< 0.4
8672278	5167036	01/15/2025 10:40 am	01/17/2025 11:57 am	First Floor Asst. Princpal's Office	< 0.4
8672279	5167037	01/15/2025 10:40 am	01/17/2025 11:57 am	First Flr Asst. Principal's Office Field Blank	< 0.4
8672280	5167038	01/15/2025 10:41 am	01/17/2025 11:06 am	First Floor Main Office	< 0.4
8672281	5167039	01/15/2025 10:42 am	01/17/2025 11:06 am	First Floor Nurse's Office	< 0.4
8672282	5167040	01/15/2025 10:42 am	01/17/2025 11:06 am	First Floor Nurse's Cot Room	< 0.4
8672283	5167041	01/15/2025 10:43 am	01/17/2025 11:06 am	First Floor Copy Room	0.4
8672284	5167042	01/15/2025 10:45 am	01/17/2025 11:07 am	First Floor Room 1	< 0.4
8672285	5167043	01/15/2025 10:47 am	01/17/2025 11:08 am	First Floor Room 2	< 0.4

Comment: To complete your tests for 5167063 and 096 (also rec'd), please provide in writing, the start/end times. ANSI/AARST MA-MFLB standards: Results may have been influenced by an improper testing environment (Kitchen). Results are for informational purposes.

Test Performed By: Placed: Catherine Bourne 17SS012 Retrieved: Catherine Bourne 17SS012

Distributed by: Environmental Hazards Services

Date Received: 01/22/2025 Date Logged: 01/22/2025 Date Analyzed: 01/23/2025 Date Reported: 01/23/2025

Report Reviewed By: 

Report Approved By: 

Disclaimer:

Shawn Price, Director of Laboratory Operations, AccuStar Labs

The counting uncertainty of this radon measurement is +/- 10 %. Factors contributing to uncertainty include statistical variations, daily and seasonal variations in radon concentrations, sample collection techniques and operation of the dwelling. Interference with test conditions may influence the test results.

This report may only be transferred to a third party in its entirety. Laboratory personnel were not involved in the placement or retrieval of the samples. Analytical results relate to the samples as received by the laboratory. Results shown on this report represent levels of radon gas measured between the dates shown in the room or area of the site identified above as "Property Tested". Incorrect information will affect results. The results may not be construed as either predictive or supportive of measurements conducted in any area of this structure at any other time. AccuStar Labs, its employees and agents are not responsible for the consequences of any action taken or not taken based upon the results reported or any verbal or written interpretation of the results.

NELAC NY 11769
NRPP 101193 AL
NRSB ARL0017

EPA Method #402-R-92-004
Liquid Scintillation
NRPP Device Code 8088
NRSB Device Code 12193

Laboratory Report for:

Property Tested: Project # 47:11652-X

ECS Mid-Atlantic
14026 Thunderbolt Place Suite 100
Chantilly VA 20151

Naomi Brooks Elementary School
600 Russell Road
Alexandria VA 22301


Log Number	Device Number	Test Exposure	Duration	Area Tested	Result pCi/L
8672286	5167044	01/15/2025 10:49 am	01/17/2025 11:08 am	First Floor Room 3	< 0.4
8672287	5167045	01/15/2025 10:49 am	01/17/2025 11:08 am	First Floor Room 3 Duplicate	< 0.4
8672288	5167046	01/15/2025 10:50 am	01/17/2025 11:09 am	First Floor Room 4	< 0.4
8672289	5167047	01/15/2025 10:51 am	01/17/2025 11:09 am	First Floor Room 5	< 0.4
8672290	5167048	01/15/2025 10:51 am	01/17/2025 11:09 am	First Floor Room 5 Field Blank	< 0.4
8672291	5167049	01/15/2025 10:52 am	01/17/2025 11:09 am	First Floor Room 8	< 0.4
8672292	5167050	01/15/2025 10:52 am	01/17/2025 11:09 am	First Floor Room 7	< 0.4
8672293	5167051	01/15/2025 10:54 am	01/17/2025 11:11 am	First Floor Room 9	< 0.4
8672294	5167052	01/15/2025 10:55 am	01/17/2025 11:11 am	First Floor Room 10	< 0.4
8672295	5167053	01/15/2025 10:55 am	01/17/2025 11:11 am	First Floor Room 10 Duplicate	< 0.4
8672296	5167054	01/15/2025 10:55 am	01/17/2025 11:11 am	First Floor Room 11	< 0.4

Comment: To complete your tests for 5167063 and 096 (also rec'd), please provide in writing, the start/end times. ANSI/AARST MA-MFLB standards: Results may have been influenced by an improper testing environment (Kitchen). Results are for informational purposes.

Test Performed By: Placed: Catherine Bourne 17SS012 Retrieved: Catherine Bourne 17SS012

Distributed by: Environmental Hazards Services

Date Received: 01/22/2025 Date Logged: 01/22/2025 Date Analyzed: 01/23/2025 Date Reported: 01/23/2025

Report Reviewed By: 

Report Approved By: 

Disclaimer:

Shawn Price, Director of Laboratory Operations, AccuStar Labs

The counting uncertainty of this radon measurement is +/- 10 %. Factors contributing to uncertainty include statistical variations, daily and seasonal variations in radon concentrations, sample collection techniques and operation of the dwelling. Interference with test conditions may influence the test results.

This report may only be transferred to a third party in its entirety. Laboratory personnel were not involved in the placement or retrieval of the samples. Analytical results relate to the samples as received by the laboratory. Results shown on this report represent levels of radon gas measured between the dates shown in the room or area of the site identified above as "Property Tested". Incorrect information will affect results. The results may not be construed as either predictive or supportive of measurements conducted in any area of this structure at any other time. AccuStar Labs, its employees and agents are not responsible for the consequences of any action taken or not taken based upon the results reported or any verbal or written interpretation of the results.

NELAC NY 11769
NRPP 101193 AL
NRSB ARL0017

EPA Method #402-R-92-004
Liquid Scintillation
NRPP Device Code 8088
NRSB Device Code 12193

Laboratory Report for:

Property Tested: Project # 47:11652-X

ECS Mid-Atlantic
14026 Thunderbolt Place Suite 100
Chantilly VA 20151

Naomi Brooks Elementary School
600 Russell Road
Alexandria VA 22301


Log Number	Device Number	Test Exposure	Duration	Area Tested	Result pCi/L
8672297	5167056	01/15/2025 10:57 am	01/17/2025 11:12 am	First Floor Room 15B	0.4
8672298	5167057	01/15/2025 10:58 am	01/17/2025 11:14 am	First Floor Room 12	0.4
8672299	5167058	01/15/2025 10:59 am	01/17/2025 11:15 am	First Floor Room 13	0.4
8672300	5167059	01/15/2025 10:59 am	01/17/2025 11:15 am	First Floor Room 13 Field Blank	< 0.4
8672301	5167060	01/15/2025 11:02 am	01/17/2025 11:15 am	First Floor Room 14	0.4
8672302	5167061	01/15/2025 11:02 am	01/17/2025 11:17 am	First Floor Room 15A	< 0.4
8672303	5167062	01/15/2025 11:04 am	01/17/2025 11:18 am	First Floor Room 16	0.4
8672304	5167064	01/15/2025 11:06 am	01/17/2025 11:30 am	First Floor Room 17 Classroom	< 0.4
8672305	5167065	01/15/2025 11:08 am	01/17/2025 11:32 am	First Floor Room 17 Office	0.4
8672306	5167066	01/15/2025 11:08 am	01/17/2025 11:32 am	First Floor Room 17 Office Duplicate	< 0.4
8672307	5167067	01/15/2025 11:10 am	01/17/2025 11:32 am	First Floor Room 22 Staff Room	< 0.4


Comment: To complete your tests for 5167063 and 096 (also rec'd), please provide in writing, the start/end times. ANSI/AARST MA-MFLB standards: Results may have been influenced by an improper testing environment (Kitchen). Results are for informational purposes.

Test Performed By: Placed: Catherine Bourne 17SS012 Retrieved: Catherine Bourne 17SS012

Distributed by: Environmental Hazards Services

Date Received: 01/22/2025 Date Logged: 01/22/2025 Date Analyzed: 01/23/2025 Date Reported: 01/23/2025

Report Reviewed By: 

Report Approved By: 

Disclaimer:

Shawn Price, Director of Laboratory Operations, AccuStar Labs

The counting uncertainty of this radon measurement is +/- 10 %. Factors contributing to uncertainty include statistical variations, daily and seasonal variations in radon concentrations, sample collection techniques and operation of the dwelling. Interference with test conditions may influence the test results.

This report may only be transferred to a third party in its entirety. Laboratory personnel were not involved in the placement or retrieval of the samples. Analytical results relate to the samples as received by the laboratory. Results shown on this report represent levels of radon gas measured between the dates shown in the room or area of the site identified above as "Property Tested". Incorrect information will affect results. The results may not be construed as either predictive or supportive of measurements conducted in any area of this structure at any other time. AccuStar Labs, its employees and agents are not responsible for the consequences of any action taken or not taken based upon the results reported or any verbal or written interpretation of the results.

NELAC NY 11769
NRPP 101193 AL
NRSB ARL0017

EPA Method #402-R-92-004
Liquid Scintillation
NRPP Device Code 8088
NRSB Device Code 12193

Laboratory Report for:

Property Tested: Project # 47:11652-X

ECS Mid-Atlantic
14026 Thunderbolt Place Suite 100
Chantilly VA 20151

Naomi Brooks Elementary School
600 Russell Road
Alexandria VA 22301


Log Number	Device Number	Test Exposure	Duration	Area Tested	Result pCi/L
8672308	5167068	01/15/2025 11:15 am	01/17/2025 11:33 am	First Floor Library	< 0.4
8672309	5167069	01/15/2025 11:16 am	01/17/2025 11:33 am	First Floor Library Office	0.4
8672310	5167070	01/15/2025 11:16 am	01/17/2025 11:33 am	First Floor Speech Room	< 0.4
8672311	5167071	01/15/2025 11:17 am	01/17/2025 11:33 am	First Floor Library	0.4
8672312	5167072	01/15/2025 11:18 am	01/17/2025 11:35 am	First Floor Social Worker Office	< 0.4
8672313	5167073	01/15/2025 11:18 am	01/17/2025 11:35 am	First Floor Social Worker Office Duplicate	< 0.4
8672314	5167074	01/15/2025 11:20 am	01/17/2025 11:37 am	First Floor Conference Room	< 0.4
8672315	5167075	01/15/2025 11:22 am	01/17/2025 11:38 am	First Floor Teachers Lounge	< 0.4
8672316	5167076	01/15/2025 11:24 am	01/17/2025 11:40 am	First Floor Room 18	< 0.4
8672317	5167077	01/15/2025 11:24 am	01/17/2025 11:40 am	First Floor Room 19	< 0.4
8672318	5167078	01/15/2025 11:26 am	01/17/2025 11:40 am	First Floor Room 20	0.4

Comment: To complete your tests for 5167063 and 096 (also rec'd), please provide in writing, the start/end times. ANSI/AARST MA-MFLB standards: Results may have been influenced by an improper testing environment (Kitchen). Results are for informational purposes.

Test Performed By: Placed: Catherine Bourne 17SS012 Retrieved: Catherine Bourne 17SS012

Distributed by: Environmental Hazards Services

Date Received: 01/22/2025 Date Logged: 01/22/2025 Date Analyzed: 01/23/2025 Date Reported: 01/23/2025

Report Reviewed By: 

Report Approved By: 

Disclaimer:

Shawn Price, Director of Laboratory Operations, AccuStar Labs

The counting uncertainty of this radon measurement is +/- 10 %. Factors contributing to uncertainty include statistical variations, daily and seasonal variations in radon concentrations, sample collection techniques and operation of the dwelling. Interference with test conditions may influence the test results.

This report may only be transferred to a third party in its entirety. Laboratory personnel were not involved in the placement or retrieval of the samples. Analytical results relate to the samples as received by the laboratory. Results shown on this report represent levels of radon gas measured between the dates shown in the room or area of the site identified above as "Property Tested". Incorrect information will affect results. The results may not be construed as either predictive or supportive of measurements conducted in any area of this structure at any other time. AccuStar Labs, its employees and agents are not responsible for the consequences of any action taken or not taken based upon the results reported or any verbal or written interpretation of the results.

NELAC NY 11769
NRPP 101193 AL
NRSB ARL0017

EPA Method #402-R-92-004
Liquid Scintillation
NRPP Device Code 8088
NRSB Device Code 12193

Laboratory Report for:

Property Tested: Project # 47:11652-X

ECS Mid-Atlantic
14026 Thunderbolt Place Suite 100
Chantilly VA 20151

Naomi Brooks Elementary School
600 Russell Road
Alexandria VA 22301


Log Number	Device Number	Test Exposure	Duration	Area Tested	Result pCi/L
8672319	5167079	01/15/2025 11:26 am	01/17/2025 11:43 am	First Floor Room 21	< 0.4
8672320	5167080	01/15/2025 11:28 am	01/17/2025 11:44 am	First Floor Custodial Office	0.4
8672321	5167081	01/15/2025 11:30 am	01/17/2025 11:45 am	First Floor Kitchen Office	< 0.4
8672322	5167082	01/15/2025 11:30 am	01/17/2025 11:45 am	First Floor Kitchen	< 0.4
8672323	5167083	01/15/2025 11:32 am	01/17/2025 11:45 am	First Floor Cafeteria	< 0.4
8672324	5167084	01/15/2025 11:32 am	01/17/2025 11:45 am	First Floor Cafeteria	< 0.4
8672325	5167085	01/15/2025 11:32 am	01/17/2025 11:46 am	First Floor Engineer's Office	< 0.4
8672326	5167086	01/15/2025 11:35 am	01/17/2025 11:48 am	First Floor Gym	< 0.4
8672327	5167087	01/15/2025 11:35 am	01/17/2025 11:48 am	First Floor Gym	< 0.4
8672328	5167088	01/15/2025 11:37 am	01/17/2025 11:49 am	First Floor Gym Office	< 0.4
8672329	5167089	01/15/2025 11:39 am	01/17/2025 11:50 am	First Floor Room 25	< 0.4

Comment: To complete your tests for 5167063 and 096 (also rec'd), please provide in writing, the start/end times. ANSI/AARST MA-MFLB standards: Results may have been influenced by an improper testing environment (Kitchen). Results are for informational purposes.

Test Performed By: Placed: Catherine Bourne 17SS012 Retrieved: Catherine Bourne 17SS012

Distributed by: Environmental Hazards Services

Date Received: 01/22/2025 Date Logged: 01/22/2025 Date Analyzed: 01/23/2025 Date Reported: 01/23/2025

Report Reviewed By: 

Report Approved By: 

Disclaimer:

Shawn Price, Director of Laboratory Operations, AccuStar Labs

The counting uncertainty of this radon measurement is +/- 10 %. Factors contributing to uncertainty include statistical variations, daily and seasonal variations in radon concentrations, sample collection techniques and operation of the dwelling. Interference with test conditions may influence the test results.

This report may only be transferred to a third party in its entirety. Laboratory personnel were not involved in the placement or retrieval of the samples. Analytical results relate to the samples as received by the laboratory. Results shown on this report represent levels of radon gas measured between the dates shown in the room or area of the site identified above as "Property Tested". Incorrect information will affect results. The results may not be construed as either predictive or supportive of measurements conducted in any area of this structure at any other time. AccuStar Labs, its employees and agents are not responsible for the consequences of any action taken or not taken based upon the results reported or any verbal or written interpretation of the results.

NELAC NY 11769
NRPP 101193 AL
NRSB ARL0017

EPA Method #402-R-92-004
Liquid Scintillation
NRPP Device Code 8088
NRSB Device Code 12193

Laboratory Report for:

Property Tested: Project # 47:11652-X

ECS Mid-Atlantic
14026 Thunderbolt Place Suite 100
Chantilly VA 20151

Naomi Brooks Elementary School
600 Russell Road
Alexandria VA 22301


Log Number	Device Number	Test Date	Exposure Start	Exposure End	Duration	Area Tested	Result pCi/L
8672330	5167090	01/15/2025	11:40 am	01/17/2025	11:51 am	First Floor Room 30	< 0.4
8672331	5167091	01/15/2025	11:40 am	01/17/2025	11:51 am	First Floor Room 27	< 0.4
8672332	5167092	01/15/2025	11:40 am	01/17/2025	11:51 am	First Floor Room 27 Duplicate	< 0.4
8672333	5167093	01/15/2025	11:42 am	01/17/2025	11:52 am	First Floor Room 26	< 0.4
8672334	5167094	01/15/2025	11:42 am	01/17/2025	11:54 am	First Floor Room 28	< 0.4
8672335	5167095	01/15/2025	11:43 am	01/17/2025	11:54 am	First Floor Room 29	< 0.4
8672336	5167063	01/15/2025		01/17/2025		Not Indicated	
8672337	5167096	01/15/2025		01/17/2025		Not Indicated	


Comment: To complete your tests for 5167063 and 096 (also rec'd), please provide in writing, the start/end times. ANSI/AARST MA-MFLB standards: Results may have been influenced by an improper testing environment (Kitchen). Results are for informational purposes.

Test Performed By: Placed: Catherine Bourne 17SS012 Retrieved: Catherine Bourne 17SS012

Distributed by: Environmental Hazards Services

Date Received: 01/22/2025 Date Logged: 01/22/2025 Date Analyzed: 01/23/2025 Date Reported: 01/23/2025

Report Reviewed By: 

Report Approved By: 

Disclaimer:

Shawn Price, Director of Laboratory Operations, AccuStar Labs

The counting uncertainty of this radon measurement is +/- 10 %. Factors contributing to uncertainty include statistical variations, daily and seasonal variations in radon concentrations, sample collection techniques and operation of the dwelling. Interference with test conditions may influence the test results.

This report may only be transferred to a third party in its entirety. Laboratory personnel were not involved in the placement or retrieval of the samples. Analytical results relate to the samples as received by the laboratory. Results shown on this report represent levels of radon gas measured between the dates shown in the room or area of the site identified above as "Property Tested". Incorrect information will affect results. The results may not be construed as either predictive or supportive of measurements conducted in any area of this structure at any other time. AccuStar Labs, its employees and agents are not responsible for the consequences of any action taken or not taken based upon the results reported or any verbal or written interpretation of the results.