BID COVER SHEET

To the Board of School Directors of the Pennridge School District, Perkasie, Pennsylvania:

Gentlemen:

We, the undersigned, herewith propose and agree to furnish to the Pennridge School Board any one or all of the items for which we have indicated a price, at that price set opposite each item as indicated below.

This proposal is subject to all the terms of these specifications as listed. We hereby agree to enter into a written contract to furnish such items or item as may be awarded to us, and to furnish such security as these specifications require.

Shop Fluids – Bid #26-105

Total Bid Amount: _____

Discount: _____

Name & Title _____

Company Name _____

Address _____

_____

E-Mail Address _____

Phone #_____FAX #_____

Date _____

Non-Collusion Affidavit	_____ **Yes**	_____ **No**
Insurance Certificate	_____ **Yes**	_____ **No**

PENNRIDGE SCHOOL DISTRICT
DISTRICT ADMINISTRATION OFFICE
1200 NORTH FIFTH STREET
PERKASIE, PA 18944-2295

DATE: March 5, 2025

INVITATION TO BID

Notice is hereby given that sealed bids on the following

will be received at

the District Administration Office until

2:00 P.M., Wednesday, April 2, 2025

at which time they will be publicly opened and read aloud:

BID NO. 26-105

Shop Fluids

Specifications, if not attached, may be obtained at
the Office of the Business Administrator

The Pennridge School Board reserves the right to reject any and all bids, or any part thereof, to waive defects in same, or to accept any proposal it deems to be in the best interest of The School District.

Sean Daubert
Chief Operating Officer

Instruction to Bidders and General Bid Conditions

1. Bids will be received no later than **2:00 P.M.** on **Wednesday, April 2, 2025,** in the Pennridge District Administration Office; 1200 N. 5th Street; Perkasie, PA 18944-2295. Please send all bids to the attention of the Administrative Assistant for Bidding.

2. All bids must be submitted in a sealed envelope marked **"SEALED BID FOR Shop Fluids – BID #26-105."** The company's name must be clearly marked on the outside of the sealed envelope. In the event that a vendor responds to more than one bid, each bid must be sealed in its own envelope. Bids will not be considered unless submitted on the Pennridge School District's forms. Emailed bids will not be accepted.

3. All bids must be typewritten, or legibly written in ink, and must be signed by the bidder on the Bid Cover Sheet. Bids altered in any way, (i.e. erasures, white out, etc.) will not be accepted.

4. Bids must show both unit and total prices. Should figures be irreconcilable, the unit price shall govern, and award shall be made on that basis. Bid figures shall include all charges including delivery at the destination (F.O.B.) called for in these specifications, and shall include all discounts except the cash discount. Bidders shall state on the Bid Cover Sheet what discount, if any, is offered for prompt payment of bills and if such cash discount is offered, it shall also be stated within what period of time the discount will be allowed. The School District is exempt from Federal Excise Tax and State Sales Tax and will execute a Tax Exemption Certificate when requested.

5. Trade names, where used in the specifications, are intended to describe the product and quality desired. Use of such names is not intended to discourage bidders from submitting prices on articles of equal quality. Bidders are required to identify and describe any such items bid as alternates. **Do not provide alternates for items marked "NO SUBSTITUTIONS."**

6. The bidder agrees to the following terms if award is made to it: the bidder will not assign in whole or part any rights or privileges which may accrue to it under the terms of the contract; the bidder will not assign or transfer the award, unless specific permission to do so is granted in writing by the Board; and the bidder will not subcontract any of the duties or responsibilities thereunder.

7. All bidders must enter information as to probable time of delivery for items upon which bids are submitted. Orders placed, as a result of bids, will imply a contractual obligation of the vendor to supply the items within the time specified on the bid by the District.

8. **All delivery trucks are required to have lift gates for delivery, due to the fact that the school buildings do not have loading docks.**

9. An offer by a merchant to buy or sell goods in a signed writing which by its terms gives assurance that it will be held open is not revocable, for lack of consideration, during the time stated or if no time is stated for a reasonable time, **but in no event may such period of irrevocability exceed three (3) months**; but *any such term of assurance on a form supplied by the offeree must be separately signed by the offeror.* 13 Pa. C.S.A. § 2205

10. Bid quantities, as submitted by the District are responsible estimates; however, the successful bidder shall agree to furnish such additional amounts of each item as are required by the School District at a cost no higher than the bid price specified in the award.

11. It is mutually understood and agreed by and between the Pennridge School District and the bidder that the District may make its award for one or more than one of the projects or items set forth in these specifications, or may make the award for all the projects or items set forth in these specifications. The District has the right to accept or reject all or any portion of any or all bids submitted, and to make the award in the best interest of the School District.

12. The bidder agrees, if awarded the contract, to furnish and deliver the said materials at such time, at such place and in such quantities as herein specified, and that all of the materials shall be subject to the Inspection and approval of the Pennridge School District. In the event that any of the said materials shall be rejected as unsuitable or not in conformance with these specifications, such materials shall at once be removed and returned to the bidder at his expense, and other materials of proper quality as set forth in these specifications shall be furnished in place thereof at the expense of the successful bidder.

13. In the event that the successful bidder shall neglect or refuse to furnish and deliver the said materials or any part thereof as provided in the specifications or to replace any which are rejected as stated in the preceding paragraph, then, in such event, the District is authorized and empowered to purchase materials in conformity with this contract from such party or parties in such quantities and in such manner as it shall select at the expense of the successful bidder, or to cancel this contract reserving to itself, nevertheless, all rights of damages which may be incurred by the District.

14. All samples must be submitted prior to the date of the opening of bids in order to insure consideration of said items. These samples shall be plainly marked with the name of the product as well as that of the bidder. After the awards are made, all samples will be returned to the unsuccessful bidders at the expense of the bidders. In the case of the successful bidders, these samples will be retained until final delivery on these items is made.

15. The bidder does hereby agree that, if awarded the contract under these specifications, he will indemnify and save harmless the Pennridge School District from all suits and actions of every nature and description growing out of any contract or contracts, written or verbal, entered into between the Pennridge School District and the successful bidder.

16. **Bid Security:** (For bids $10,000 or more.) Bidders are required to submit with their bid a **BOND** in the amount of 10% of the total cost of the project or items bid or a **CERTIFIED CHECK** in the amount of 5% of the total cost. The successful bidder for the furnishing of any services involving labor and/or materials shall be required to furnish **PERFORMANCE AND PAYMENT BONDS** in the amount of 100% of the bid.

17. **Material Safety Data Sheets:** Successful bidders must supply (per shipment), where applicable, "Material Safety Data Sheets" in compliance with the Employee Right to Know laws. Failure to provide the Material Safety Data Sheets may result in withholding of payment until received.

18. **Discrimination Prohibited:** According to Section 755, Public School Code of Pennsylvania, 1949 as amended, the contractor agrees:

    a. That in the hiring of employees for the performance of work under this contract, or any sub-contract hereunder, no contractor, sub-contractor, nor any person acting on behalf of such contractor or sub-contractor, shall, by reason of race, creed or color, discriminate against any citizen of the Commonwealth of Pennsylvania who is qualified and available to perform the work to which the employment relates;

    b. That no contractor, sub-contractor, nor any person on his behalf, shall in any manner discriminate against or intimidate any employee hired for the performance of work under his contract on account of race, creed or color;

    c. That there may be deducted from the amount payable to the contractor under this contract, a penalty of five dollars ($5) for each person for each calendar day during which such person was discriminated against or intimidated, in violation of the provisions of the contract; and,

    d. That this contract may be cancelled or terminated by the School District and all money due or to become due hereunder may be forfeited, for a second or any subsequent violation of the terms or conditions of this portion of the contract.

21. **Human Relations Act:** The provisions of the Pennsylvania Human Relations Act, Act 222 of 10/27/55 (P.L. 744) (43 P.S. Section 951, et. seq.) of the Commonwealth of Pennsylvania prohibit discrimination because of race, color, religious creed, ancestry, age, sex, national origin, handicap or disability, by employers, employment agencies, labor organizations, contractors and others. The

contractor shall agree to comply with the provisions of this Act as amended that are made part of this specification. Your attention is directed to the language of the Commonwealth's non-discrimination clause in 16 PA. Code 349.101.

22. **Competent Workmen:** According to Section 752 of the Public School Code of 1949, no person shall be employed to do work under such contract except competent and first-class workmen and mechanics. No workmen shall be regarded as competent and first class, within the meaning of this Act, except those who are duly skilled in their respective branches of labor, and who shall be paid not less than such rates of wages and for such hours; work as shall be established and current rates of wages paid for such hours by employers of organized labor in doing of similar work in the district where work is being done.

23. **Pennsylvania Prevailing Wage Rates:** This regulation and the general Pennsylvania prevailing minimum wage rates (Act 422 of 1961, P.L. 987, as amended), as determined by the Secretary of Labor and Industry, which shall be paid for each craft or classification of all workers needed to perform the contract during the anticipated term therefore in the locality in which public work is performed, are made part of this specification.

24. **Standard of Quality:** The various materials and products specified in the specifications by name or description are given to establish a standard of quality and of cost for bid purposes. It is not the intent to limit the bidder, the bid or the evaluation of the bid to any one material or product specified, but rather to describe the minimum standard. When proprietary names are used, they shall be followed by the words "or alternatives of the quality necessary to meet the specifications." A bid containing an alternative which does not meet the specifications may be declared non-responsive. A bid containing an alternative may be accepted but, if an award is made to that bidder, the bidder will be required to replace any alternatives which do not meet the specifications.

25. **Provision for the Use of Steel and Steel Products Made in the U.S.:** In accordance with Act 3 of the 1978 General Assembly of the Commonwealth of Pennsylvania, if any steel or steel products are to be used or supplied in the performance of the contract, only those produced in the United States as defined therein shall be used or supplied in the performance of the contract or any subcontracts thereunder.

    In accordance with Act 161 of 1982, cast iron products shall also be included and produced in the United States. Act 141 of 1984 further defines "steel products" to include machinery and equipment. The act also provides clarifications and penalties.

26. **Non-Collusion Affidavit:** The Non-Collusion Affidavit is material to any contract awarded pursuant to this bid. According to the Pennsylvania Antibid-Rigging Act, 73 P.S. §§ 1611 et seq., governmental agencies may require Non-Collusion Affidavits to be submitted together with bids. The Non-Collusion Affidavit must be executed by the member, officer or employee of the bidder who makes the final decision on prices and the amount quoted in the bid.

    Bid rigging and other efforts to restrain competition and the making of false sworn statements in connection with the submission of bids are unlawful and may be subject to criminal prosecution. The person who signs the Affidavit should examine it carefully before signing and assure himself or herself that each statement is true and accurate, making diligent inquiry, as necessary, of all other persons employed by or associated with the bidder with responsibilities for the preparation, approval or submission of the bid.

    In the case of a bid submitted by a joint venture, each party to the venture must be identified in the bid documents, and an Affidavit must be submitted separately on behalf of each party.

    The term "complementary bid" as used in the Affidavit has the meaning commonly associated with that term in the bidding process, and includes the knowing submission of bids higher than the bid of another firm, any intentionally high or noncompetitive bid, and any other form of bid submitted for the purpose of giving a false appearance of competition.

    Failure to file an Affidavit in compliance with these instructions will result in disqualification of the bid. Please see the Instruction to Bidders sheet to determine whether a Non-Collusion Affidavit is required for this bid.

Non-Collusion Affidavit

Contract/Bid # 26-105

State of _____:s.s.

County of _____:

I state that I am _____ (name and title) of _____ (name of firm) and that I am authorized to make this affidavit on behalf of my firm, and its owners, directors, and officers. I am the person responsible in my firm for the price(s) and the amount of this bid.

I state that:

(1) The price(s) and amount of this bid have been arrived at independently and without consultation, communication or agreement with any other contractor, bidder or potential bidder.

(2) Neither the price(s) nor the amount of this bid, and neither the approximate price(s) nor the approximate amount of this bid, have been disclosed to any other firm or person who is a bidder or potential bidder, and they will not be disclosed before bid opening

(3) No attempt has been made or will be made to induce any firm or person to refrain from bidding on this contract, or to submit a bid higher than this bid, or to submit any intentionally high or noncompetitive bid or other form of complementary bid.

(4) The bid of my firm is made in good faith and not pursuant to any agreement or discussion with, or inducement from, any firm or person to submit a complementary or other noncompetitive bid.

(5) _____ (name of firm), its affiliates, subsidiaries, officers, directors and employees are not currently under investigation by any governmental agency and have not in the last four years been convicted or found liable for any act prohibited by State or Federal law in any jurisdiction, involving conspiracy or collusion with respect to bidding on any public contract, except as follows:

I state that _____ (name of firm) understands and acknowledges that the above representations are material and important, and will be relied on by _____ (name of public entity) in awarding the contract(s) for which this bid is submitted. I understand and my firm understands that any misstatement in this affidavit is and shall be treated as fraudulent concealment from _____ (name of public entity) of the true facts relating to the submission of bids for this contract.

_____ (Name of Company)

By: _____ (Signature and Company Position)

SWORN TO AND SUBSCRIBED
BEFORE ME THIS _____ DAY
OF _____, 20___.

_____ (Notary Public) My Commission Expires

Pennridge School District
Shop Fluid Bid
For the Period July 1, 2025 thru June 30, 2026

Supply of Windshield Washer Solvent
Services shall conform to the following requirements:
Washer solvent must have a max. freeze point of -20 degrees F.
Premixed gallon containers must have a -20 degrees F freeze point
Glass cleaner, Bug removal, Anti-Freeze protection
- **Packing;** Bulk, Storage Tank provided by supplier

Estimated annual usage: 312 gallons.

Fuel Additive
Services shall conform to the following requirements:
- Must use POWER SERVICE DIESEL FUEL SUPPLEMENT
- Must be an all-season additive and anti-gel for ULSD with 5% bio-diesel.
- Must provide lubricity to meet or exceed all manufacturer's specifications.
- Provide anti-gel protection.
- Lower CFPP and PP 25degrees to 35degrees F.
- Disperse water – both dissolved and free water.
- Improve fuel injector cleanliness to meet or exceed Cummins L-10 specification.
- Must inhibit corrosion to meet or exceeds Cummins N14 specification.
- Must oxidative and thermal stability.
- Must raise cetane 4 – 6 points.
- Must dissolve gums, varnishes, and carbon deposits and prevent new ones from forming.
- Must protect seals and gaskets.
- Must neutralize acid.
- Treatment ratio shall be 1 gallon for 1,500 gallons of fuel.
- Must comply with federal low sulfur content for use in on-road and off road diesel vehicles.
- **Packing:** 55 gallons drum and delivery must be within 48 hours of order placement.
- **Estimated Annual usage: 220 gallons**

Heavy Duty Gear Oil 85w140
Services shall conform to the following requirements:
- Extreme pressure, heavy duty lubricant for use on hypoid or spiral bevel axles, gears, and steering boxes of automotive equipment.
- Must contain extreme pressure additives which impart high load carrying capacity to the oil.
- Must contain anti-corrosive and anti-oxidation additives to aid in corrosion protection of gear box components and prevent rapid oil oxidation.
- Must not attack yellow metal components found in some gear systems.
- Must meet or exceed the following specifications:

SAE – J2360
API – G
- **Packing: 55 Gallon Drum**
- **Estimated annual usage: 55 gallon**

Extended life Antifreeze Concentrate
The extended life antifreeze concentrate must meet the following specifications:
- The antifreeze concentrate must be a universal type that meets and/or exceeds the manufacturer's recommendations. Specific engine manufacturers are Ford, GM, Cummins, International. The supplier shall provide a written guarantee that the product will not void any warranties and the manufacturer will bear full responsibility for any damage directly caused by the supplied product.

Must be free of nitrites, amines, phosphates (NAP) borates & silicates.

- Must contain a bittering agent that will make the antifreeze unpalatable and difficult to swallow.
- Must provide a minimum service life of 5 years or 150,000 miles.
- Must be pre-charged with additives to control wet sleeve cylinder liner pitting due to cavitations, erosion, and corrosion.
- Must meet all of the primary ASTM antifreeze/coolant specifications, the American Trucking Association Technical and Maintenance council's Recommended Practices and the U.S. Federal Specifications including:

Detroit Diesel 93K217	Mercedes DBL-7700
Cavitation Test ASTM D-6210	Volvo/Mack/Paccar TMCRP329
John Deere H24A1 & H24C1	
Navistar CEMS-B1-Type 111A	ASTM DR 7583
Caterpillar EC-1	Cummins 14603

- Supplier will remove waste antifreeze at each delivery without charge.
  Mixture must have a minimum freeze point of -35 degrees F max.
  Mixture must have a maximum boiling point of 265 degrees min. using standard 15 psi radiator cap.
- **Packing:** 55 gallon drums
- **Estimated annual usage: 330 gallons.**

Shop & Brake Parts Washer Rental and Service

Services shall conform to the following requirements:

- Vendor shall service all parts washers once every 16 weeks.
  Vendor to provide one (1) model# 33 cyclonic parts washer tank with solvent
- Vendor to provide one (1) model# 26 brake wash parts cleaner on wheels for cleaning of brake systems.
- Parts washing solvent are to be replaced at time of service and any filters on the machines must be replaced.
- Parts washing brushes and hoses to be inspected and replaced as needed.
- Equipment is to be wiped down during service and any problems found must be reported to the Shop Supervisor.
- All equipment must be labeled with precautions and safety information as well as solvent properties and emergency first aid requirements (MSDS information).
- At each service, the vendor will provide any updates to the MSDS sheet for school district records.

Motor Oil Specification, Gas and Diesel Engines

Characteristics. The performance and physical characteristics for each type shall be as follows:

- **Type I** – Multi-grade motor oil for passenger car& Light Truck:
  Grade 5W20 Full Synthetic
  API SN Plus, SN & ILSAC GF-5
  DEXOS – 1 Gen 2 Motor Oil
  Energy Conserving ECII.
- **Note:** *Suppliers shall meet all minimum requirements and shall be licensed to display the API Certification mark. All motor oils shall be API licensed and meet latest ILSAC minimum performance standards. Suppliers shall provide a copy of the API license or other documentation of certification.*
- **Physical Requirements.** The motor oils shall be compounded from virgin base stock only and suitable additives to provide the performance requirements of this specification.
- **Packing:** motor oil shall be furnished in 55 gallon drums and each drum shall be labeled with the API "Starburst" certification symbol.
- **Estimated Annual Usage: 55 gallons**

- **Type I** – Multi-grade motor oil for passenger car& Light Truck:
  Grade 5W30 Full Synthetic
  API SN Plus, SN & ILSAC GF-5
  DEXOS – 1 Gen 2 Motor Oil
  Energy Conserving ECII.

- **Note:** *Suppliers shall meet all minimum requirements and shall be licensed to display the API Certification mark. All motor oils shall be API licensed and meet latest ILSAC minimum performance standards. Suppliers shall provide a copy of the API license or other documentation of certification.*
- **Physical Requirements.** The motor oils shall be compounded from virgin base stock only and suitable additives to provide the performance requirements of this specification.
- **Packing:** motor oil shall be furnished in 55-gallon drums and each drum shall be labeled with the API "Starburst" certification symbol.
- **Estimated Annual Usage: 330 gallons**

- **Type IV – Premium Synthetic Blend** multi-grade motor oil for severe duty diesel engine service and moderate duty diesel and pre API SM specified gasoline engines:
- **Grade 15W40 CJ-4/SN**

- **Note:** *Suppliers shall meet all minimum requirements and shall be licensed to display the API Certification mark. All motor oils shall be API licensed and meet latest ILSAC minimum performance standards. Suppliers shall provide a copy of the API license or other documentation of certification.*
- **Physical Requirements.** The motor oils shall be compounded from virgin base stock only and suitable additives to provide the performance requirements of this specification.
- **Additive Package**. Additive package shall be copper free. Should an additive package change occur during the contract period, the awarded vendor shall notify the Transportation Department Head Mechanic / Supervisor.
- **Inspection and Rejection:** Inspection for final acceptance shall be made at the place of delivery and/or after laboratory testing to determine whether the product meets the specification requirements. Samples for inspection and after delivery testing shall be selected by simple random sampling. If defects are detected during the course of delivery, or after the product has been delivered, the Pennridge School District School District reserves the right to reject the defective product and require replacement at no cost to the Pennridge School District or cancel the contract and surcharge the contractor for any expense incurred by the cancellation of the contract and in securing satisfactory materials, if the vendor fails to apply timely and corrective measures.
- **Delivery.** Once orders are placed, delivery shall take place within 48 hours. Suppliers shall provide MSDS sheets with first delivery and maintain tank labeling throughout the contract.
- **Packing:** motor oil shall be bulk deliveries with a minimum delivery of 300 gallons. 500 gallon bulk oil tank & pump shall be supplied and maintained by awarded supplier.
- **Estimated Annual Usage: 1,700 gallons.**

Oil Samples

Oil supplier is to provide oil sample service for the following tests:
Tests: Elemental Analysis Values in PPM By Weight & Oil Quality - to include Water % by Volume, %Soot, %Glycol, %Fuel, SAE/ISO Grade, Vis@ 40degrees C &
100 degrees C
Mailing costs for tests are to be included.
Estimated Annual Usage: 400 samples.

Chassis Grease NLGI #2

Services shall conform to the following requirements:
- **Physical Requirements.** The grease shall be a homogenous combination of refined mineral oil, suitable thickeners and additives and such other constituents as may be necessary to meet the requirements of this specification. The chemical and physical characteristics shall be as specified in the following:
  NLGI #2 Multipurpose, Extreme Pressure Grease (Lithium complex with molybdenum disulfide).
  Appearance – Normal – Gray Color
  Resistance to Water Washout
  Rust & Corrosion protection

Resistance to Temperature Extremes
Penetration – 265-295

- **Additive Package**. Additive package shall be copper free. Should an additive package change occur during the contract period, the awarded vendor shall notify the Transportation Department Technician Supervisor.
- **Inspection and Rejection:** Inspection for final acceptance shall be made at the place of delivery and/or after laboratory testing to determine whether the product meets the specification requirements. Samples for inspection and after delivery testing shall be selected by simple random sampling. If defects are detected during the course of delivery, or after the product has been delivered, the Pennridge School District reserves the right to reject the defective product and require replacement at no cost to the Pennridge School District or cancel the contract and surcharge the contractor for any expense incurred by the cancellation of the contract and in securing satisfactory materials, if the vendor fails to apply timely and corrective measures.
- **Delivery.** Once orders are placed, delivery shall take place within 48 hours. Kegs labeled with the manufacturers name, product brand name and number. Suppliers shall provide an MSDS sheet with each delivery.
- **Packaging:** 120 lbs. keg
- **Estimated Annual Usage: 2 Keg**
- **Packaging:** grease gun tubes
- **Estimated Annual Usage: 10 Tubes**

Wheel Bearing Grease NLGI LX#2

Services shall conform to the following requirements:

- **Physical Requirements.** The grease shall be a homogenous combination of refined mineral oil, suitable thickeners and additives and such other constituents as may be necessary to meet the requirements of this specification. The chemical and physical characteristics shall be as specified in the following:

NLGI LX#2 Multipurpose, Extreme Pressure Grease (Lithium complex).
Appearance – Normal – Red Color
Resistance to Water Washout
Rust & Corrosion protection
Increased Fretting Protection
Excellent mechanical Stability
Resistance to Temperature Extremes
Good Pump ability

- **Additive Package**. Additive package shall be copper free. Should an additive package change occur during the contract period, the awarded vendor shall notify the Transportation Department Technician Supervisor.
- **Inspection and Rejection:** Inspection for final acceptance shall be made at the place of delivery and/or after laboratory testing to determine whether the product meets the specification requirements. Samples for inspection and after delivery testing shall be selected by simple random sampling. If defects are detected during the course of delivery, or after the product has been delivered, the Pennridge School District reserves the right to reject the defective product and require replacement at no cost to the Pennridge School District or cancel the contract and surcharge the contractor for any expense incurred by the cancellation of the contract and in securing satisfactory materials, if the vendor fails to apply timely and corrective measures.
- **Delivery.** Once orders are placed, delivery shall take place within 48 hours. Kegs labeled with The manufacturers name, product brand name and number. Suppliers shall provide an MSDS sheet with each delivery.
- **Packing:** 35 lb. bucket
- **Estimated Annual Usage: 1 Bucket**

Domestic Automatic Transmission Fluid

Services shall conform to the following requirements:
This automatic transmission fluid shall be compounded from high quality virgin petroleum base oils and necessary additives. Product shall conform to the following requirements, unless otherwise noted on the request for proposals or invitation for bids.

- ***Classification. The transmission fluid shall be Dextron III/ Mercon and meet or exceed the***

following performance requirements or manufacturers specifications for GM Dextron IIIH and Ford Mercon requirements.

- ***Physical Requirements. The transmission fluid shall be compounded from virgin base stock only and suitable additives to provide the performance requirements of this specification.***
- **Additive Package**. Additive package shall be copper free. Should an additive package change occur during the contract period, the awarded vendor shall notify the Transportation Department Technician Supervisor.
- **Inspection and Rejection:** Inspection for final acceptance shall be made at the place of delivery and/or after laboratory testing to determine whether the product meets the specification requirements. Samples for inspection and after delivery testing shall be selected by simple random sampling. If defects are detected during the course of delivery, or after the product has been delivered, the Pennridge School District reserves the right to reject the defective product and require replacement at no cost to the Pennridge School District, or cancel the contract and surcharge the contractor for any expense incurred by the cancellation of the contract and in securing satisfactory materials, if the vendor fails to apply timely and corrective measures.
- **Delivery.** Once orders are placed, delivery shall take place within 48 hours. Suppliers shall provide an MSDS sheet with each delivery. Also, supplier shall attach their product label on the tank at first delivery and maintain tank labeling throughout the contract.
- **Packaging:** 55 gallon Drums
- **Estimated Annual usage: 55gallons.**

Trans Synthetic Automatic Transmission Fluid

Services shall conform to the following requirements:
This automatic transmission fluid shall be compounded from high VI synthetic base fluids. Product shall conform to the following requirements, unless otherwise noted on the request for proposals or invitation for bids.

- ***Classification. The transmission fluid shall meet or exceed the following performance requirements or manufacturers specifications:.***

OEM requirements
Allison TES-295 (AN-031002)
Allison C-4 (33014203)
Dexron-111 (G-347464
Must provide high/low temperature performance
Must provide shear stability
Must provide corrosion & foaming resistance
Must provide thermal & oxidation stability

- **Additive Package**. Should an additive package change occur during the contract period, the awarded vendor shall notify the Transportation Department Technician Supervisor.
- **Inspection and Rejection:** Inspection for final acceptance shall be made at the place of delivery and/or after laboratory testing to determine whether the product meets the specification requirements. Samples for inspection and after delivery testing shall be selected by simple random sampling. If defects are detected during the course of delivery, or after the product has been delivered, the Pennridge School District reserves the right to reject the defective product and require replacement at no cost to the Pennridge School District, or cancel the contract and surcharge the contractor for any expense incurred by the cancellation of the contract and in securing satisfactory materials, if the vendor fails to apply timely and corrective measures.
- **Delivery.** Once orders are placed, delivery shall take place within 48 hours. Suppliers shall provide an MSDS sheet with each delivery. Also, supplier shall attach their product label on the tank at first delivery and maintain tank labeling throughout the contract.
- **Packaging:** 55 gallon Drums
- **Estimated Annual usage: 165gallons.**

Diesel Exhaust Fluid

Physical requirements:
Must meet or exceed OEM Specs.
Must meet ISO Standards 22241
Must be an American Petroleum Institute (API) certified diesel exhaust fluid

Must be a nontoxic solution of 67.5% deionized water & 32.5% high purity synthetic urea
Supplier to supply 275gallon tote storage tank & 110 centrifugal pump, top mounting plate, 3" suction hose, 12' dispense hose, SS drum valve coupler, SS auto shut-off nozzle, Electronic meter

- **Inspection and Rejection:** Inspection for final acceptance shall be made at the place of delivery and/or after laboratory testing to determine whether the product meets the specification requirements. Samples for inspection and after delivery testing shall be selected by simple random sampling. If defects are detected during the course of delivery, or after the product has been delivered, the Pennridge School District reserves the right to reject the defective product and require replacement at no cost to the Pennridge School District, or cancel the contract and surcharge the contractor for any expense incurred by the cancellation of the contract and in securing satisfactory materials, if the vendor fails to apply timely and corrective measures
- **Delivery.** Once orders are placed, delivery shall take place within 48 hours. Suppliers shall provide an MSDS sheet with each delivery. Also, supplier shall attach their product label on the tank at first delivery and maintain tank labeling throughout the contract.
- **Packaging:** 275 bulk delivery
- **Estimated Annual usage: 1,000 gallons.**

Other:

1. All questions regarding the specific needs of the department shall be addressed to the Head Mechanic/Supervisor – KEN GILBERT – 215-453-2344.

2. MSDS information to be supplied by awarded vendor at time of product delivery.

Vendor Name: _____

Bid Response Form

Windshield Washer Solvent *– Gallon / Bulk*
*Yr. 2025-2026*_____

Fuel Additive *- Drum.*
*Yr. 2025-2026*_____

Heavy Duty Gear Oil *– Drum*
*Yr. 2025-2026*_____

Hydraulic Vehicle Lift Oil *- Drum*
*Yr. 2025-2026*_____

Extended Life Antifreeze Concentrate *- Drum*
*Yr. 2025-2026*_____

Parts Washer Rental/Service *- Annual*
*Yr. 2025-2026*_____

Motor Oil 5W30 Full Synthetic- *Drum*
*Yr. 2025-2026*_____

Motor Oil 15W40CJ-4/SN *- Gallon/bulk*
*Yr. 2025-2026*_____

Chassis Grease *– Keg*
*Yr. 2025-2026*_____

Oil Samples *– $ Per Test*
*Yr. 2025-2026*_____

Chassis Grease *- Tubes/Case*
*Yr. 2025-2026*_____

Wheel Bearing Grease *– Bucket*
*Yr. 2025-2026*_____

Domestic Transmission Fluid- *Drum*
*Yr. 2025-2026*_____

Trans Synthetic Automatic Transmission Fluid *– Drum*
*Yr. 2025-2026*_____

DEF *– Gallon/Bulk*
*Yr. 2025-2026*_____