



February 28, 2025

Brian Heitmann  
Seneca Falls Central School District  
98 Clinton Street  
Seneca Falls, NY 13148

RE: Project: SENECA FALLS MS 2/19  
Pace Project No.: 70338979

Dear Brian Heitmann:

Enclosed are the analytical results for sample(s) received by the laboratory on February 20, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script, appearing to read "Michelle Cohen".

Michelle Cohen  
michelle.cohen@pacelabs.com  
516-370-6000  
Project Manager

Enclosures

cc: James Bruni, Seneca Falls Central School District



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## **CERTIFICATIONS**

Project: SENECA FALLS MS 2/19

Pace Project No.: 70338979

---

### **Pace Analytical Services, LLC - Melville, NY**

575 Broad Hollow Rd, Melville, NY 11747

Connecticut Certification #: PH-0435

Delaware Certification # NY 10478

Maryland Certification #: 208

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

New Jersey Certification #: NY158

New York Certification #: 10478 Primary Accrediting Body

Pennsylvania Certification #: 68-00350

Rhode Island Certification #: LAO00340

Texas Certification #: T104704582

Florida Certification #: E871198

---

## **REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: SENECA FALLS MS 2/19

Pace Project No.: 70338979

Sample: **2ND FLOOR BATHROOMS** Lab ID: **70338979001** Collected: 02/19/25 09:45 Received: 02/20/25 06:00 Matrix: Drinking Water  
BF

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>&lt;1.0</b>	ug/L	1.0	1		02/27/25 15:11	7439-92-1	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: SENECA FALLS MS 2/19

Pace Project No.: 70338979

<b>Sample: ACROSS FROM NURSE BF</b>		<b>Lab ID: 70338979002</b>	Collected: 02/19/25 09:26	Received: 02/20/25 06:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		02/27/25 15:13	7439-92-1	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SENECA FALLS MS 2/19  
Pace Project No.: 70338979

Sample: MAIN OFFICE SINK		Lab ID: 70338979003		Collected: 02/19/25 09:25		Received: 02/20/25 06:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/27/25 16:22	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SENECA FALLS MS 2/19  
Pace Project No.: 70338979

Sample: GYM HALL BF		Lab ID: 70338979004		Collected: 02/19/25 09:32		Received: 02/20/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/27/25 16:27	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SENECA FALLS MS 2/19  
Pace Project No.: 70338979

Sample: TEACHERS LOUNGE SINK		Lab ID: 70338979005		Collected: 02/19/25 09:28		Received: 02/20/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8							
		Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/27/25 16:28	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SENECA FALLS MS 2/19  
Pace Project No.: 70338979

Sample: BOYS LOCKER ROOM BF		Lab ID: 70338979006		Collected: 02/19/25 09:39		Received: 02/20/25 06:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/27/25 16:30	7439-92-1		

REPORT OF LABORATORY ANALYSIS





ANALYTICAL RESULTS

Project: SENECA FALLS MS 2/19  
Pace Project No.: 70338979

Sample: GIRLS LOCKER ROOM BF		Lab ID: 70338979007		Collected: 02/19/25 09:33		Received: 02/20/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/27/25 16:32	7439-92-1		

REPORT OF LABORATORY ANALYSIS



## ANALYTICAL RESULTS

Project: SENECA FALLS MS 2/19

Pace Project No.: 70338979

<b>Sample: KITCHEN ICE MACHINE</b>		<b>Lab ID: 70338979008</b>		Collected: 02/19/25 09:36		Received: 02/20/25 06:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/27/25 16:33	7439-92-1		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SENECA FALLS MS 2/19  
Pace Project No.: 70338979

Sample: KITCHEN 3 BAY SINK		Lab ID: 70338979009		Collected: 02/19/25 09:35		Received: 02/20/25 06:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	3.0	ug/L	1.0	1		02/27/25 16:35	7439-92-1		

REPORT OF LABORATORY ANALYSIS



## QUALITY CONTROL DATA

Project: SENECA FALLS MS 2/19

Pace Project No.: 70338979

QC Batch:	386934	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70338979001, 70338979002, 70338979003, 70338979004, 70338979005, 70338979006, 70338979007, 70338979008, 70338979009		

METHOD BLANK:	2032263	Matrix:	Water
Associated Lab Samples:	70338979001, 70338979002, 70338979003, 70338979004, 70338979005, 70338979006, 70338979007, 70338979008, 70338979009		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	02/27/25 14:52	

LABORATORY CONTROL SAMPLE:	2032264					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	51.5	103	85-115	

MATRIX SPIKE SAMPLE:		2032266					
		70339414069	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	121	50	145	48	70-130	M1

MATRIX SPIKE SAMPLE:		2032268					
		70339414070	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	1.1	50	52.2	102	70-130	

SAMPLE DUPLICATE: 2032265					
		70339414069	Dup		
Parameter	Units	Result	Result	RPD	Qualifiers
Lead	ug/L	121	115	5	

SAMPLE DUPLICATE: 2032267					
		70339414070	Dup		
Parameter	Units	Result	Result	RPD	Qualifiers
Lead	ug/L	1.1	1.0	5	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## QUALIFIERS

Project: SENECA FALLS MS 2/19

Pace Project No.: 70338979

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### ANALYTE QUALIFIERS

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: SENECA FALLS MS 2/19

Pace Project No.: 70338979

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70338979001	2ND FLOOR BATHROOMS BF	EPA 200.8	386934		
70338979002	ACROSS FROM NURSE BF	EPA 200.8	386934		
70338979003	MAIN OFFICE SINK	EPA 200.8	386934		
70338979004	GYM HALL BF	EPA 200.8	386934		
70338979005	TEACHERS LOUNGE SINK	EPA 200.8	386934		
70338979006	BOYS LOCKER ROOM BF	EPA 200.8	386934		
70338979007	GIRLS LOCKER ROOM BF	EPA 200.8	386934		
70338979008	KITCHEN ICE MACHINE	EPA 200.8	386934		
70338979009	KITCHEN 3 BAY SINK	EPA 200.8	386934		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

WO#: 70338979



Company Name: Seneca Falls Central School District  
Street Address: 95 Troy St. Seneca Falls, NY 13148  
Phone #: 315-568-5500  
E-Mail: Bheitmann@senecafallsd.org  
Cc E-Mail:

Customer Project ID:

Project Name: Seneca Falls Middle School

Site Collection Info/Facility ID (as applicable):

Invoice To:

Invoice E-Mail:

Purchase Order # (if applicable):

Quote #:

County / State origin of sample(s): New York

Reportable [ ] Yes [ ] No

Rush (Pre-approval required):

[ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other

Field Filtered (if applicable): [ ] Yes [ ] No

Analysis:

Regulatory Program (DWM, RCRA, etc.) as applicable:

Composite Start Date

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

\*\*Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL, (7) 10mL, (8) 5mL, (9) 1mL, (10) 0.5mL, (11) 0.1mL, (12) 0.05mL, (13) 0.01mL, (14) 0.005mL, (15) 0.001mL, (16) 0.0005mL, (17) 0.0001mL, (18) 0.00005mL, (19) 0.00001mL, (20) Other.

\*\*Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sed. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Identify Container Preservative Type\*\*\*

Analysis Requested

Proj. Mgr:

AccNum / Client ID:

Table #:

Profile / Template:

Prelog / Bottle Ord. ID:

Sample Comment

Preservation non-conformance identified for sample

Customer Remarks / Special Instructions / Hospital/Other

Thermal Stability: 0.2 2.9 3.1 w

Corrosion: 2/19/25 1250

Delivered by: [ ] In-Person [ ] Courier

[ ] FedEx [ ] UPS [ ] Other

Page: 1 of 1

ENV-FRM-CORQ-0010-02-110123







WO#: 70338979

Client Name:

Project #

PM: MC1

Due Date: 03/06/25

CLIENT: SENECA CSD

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Commercial ☐ Pace ☐ Other

Tracking #:

Custody Seal on Cooler/Box Present: ☐ Yes ☒ No Seals intact: ☐ Yes ☐ No Temperature Blank Present: ☐ Yes ☒ No  
Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ Ziploc ☒ None ☐ Other Type of Ice: ☒ Wet ☐ Blue ☐ None

Thermometer Used: TH211 Correction Factor: +0.2 ☐ Samples on ice, cooling process has begun  
Cooler Temperature(°C): 2.9 Cooler Temperature Corrected(°C): 3.1 Date/Time 5035A kits placed in freezer

Temp should be above freezing to 6.0°C

USDA Regulated Soil ( ☒ N/A, water sample)

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? ☐ Yes ☐ No

Did samples originate from a foreign source including Hawaii and Puerto Rico? ☐ Yes ☐ No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.

Date and Initials of person examining contents:

2/21/25 PD

	COMMENTS:
Chain of Custody Present: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name & Signature on COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72hr): <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: (Triple volume provided for MS/MSD) <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Containers Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	11.
Filtered volume received for Dissolved tests: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Note: if sediment is visible in the dissolved container.
Sample Labels match COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12.
-Includes date/time/ID/Analysis Matrix: SL <input checked="" type="checkbox"/> WT <input type="checkbox"/> OIL <input type="checkbox"/> OTHER	

Date and Initials of person checking preservation:

2/21/25 PD

All containers needing preservation have been <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <input type="checkbox"/> HNO <sub>3</sub> <input type="checkbox"/> H <sub>2</sub> SO <sub>4</sub> <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
pH paper Lot # 231224	Sample #
All containers needing preservation are found to be in compliance with method recommendation? (HNO <sub>3</sub> , H <sub>2</sub> SO <sub>4</sub> , HCl, NaOH>9 Sulfide, <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A NAOH>12 Cyanide)	
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water).	
Per Method, VOA pH is checked after analysis	Initial when completed: Lot # of added preservative: Date/Time preservative added:
Samples checked for dechlorination: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
KI starch test strips Lot #	Positive for Res. Chlorine? Y N
Residual chlorine strips Lot #	15.
SM 4500 CN samples checked for sulf <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Positive for Sulfide? Y N
Lead Acetate Strips Lot #	
Headspace in ALK Bottle (>6mm): <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16.
Headspace in VOA Vials (>6mm): <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	17.
Trip Blank Present: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Trip Blank Custody Seals Present: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted:

Date/Time:

Comments/ Resolution:

\* PM (Project Manager) review (which includes the SCUR) is documented electronically in LIMS.



February 28, 2025

Brian Heitmann  
Seneca Falls Central School District  
98 Clinton Street  
Seneca Falls, NY 13148

RE: Project: ELIZABETH CADY STANTON 2/19  
Pace Project No.: 70338980

Dear Brian Heitmann:

Enclosed are the analytical results for sample(s) received by the laboratory on February 20, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script, reading 'Michelle Cohen'.

Michelle Cohen  
michelle.cohen@pacelabs.com  
516-370-6000  
Project Manager

Enclosures

cc: James Bruni, Seneca Falls Central School District



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## **CERTIFICATIONS**

Project: ELIZABETH CADY STANTON 2/19

Pace Project No.: 70338980

---

### **Pace Analytical Services, LLC - Melville, NY**

575 Broad Hollow Rd, Melville, NY 11747

Connecticut Certification #: PH-0435

Delaware Certification # NY 10478

Maryland Certification #: 208

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

New Jersey Certification #: NY158

New York Certification #: 10478 Primary Accrediting Body

Pennsylvania Certification #: 68-00350

Rhode Island Certification #: LAO00340

Texas Certification #: T104704582

Florida Certification #: E871198

---

## **REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: ELIZABETH CADY STANTON 2/19

Pace Project No.: 70338980

<b>Sample: OUTSIDE MAIN OFFICE BF</b>		<b>Lab ID: 70338980001</b>	Collected: 02/19/25 10:32	Received: 02/20/25 06:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.9	ug/L	1.0	1		02/27/25 16:36	7439-92-1	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: ELIZABETH CADY STANTON 2/19

Pace Project No.: 70338980

<b>Sample: 4TH GRADE HALL BF</b>		<b>Lab ID: 70338980002</b>		Collected: 02/19/25 10:35		Received: 02/20/25 06:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/27/25 16:38	7439-92-1		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: ELIZABETH CADY STANTON 2/19  
Pace Project No.: 70338980

Sample: 5TH GRADE HALL BF		Lab ID: 70338980003		Collected: 02/19/25 10:33		Received: 02/20/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/27/25 16:40	7439-92-1		

REPORT OF LABORATORY ANALYSIS



## ANALYTICAL RESULTS

Project: ELIZABETH CADY STANTON 2/19

Pace Project No.: 70338980

<b>Sample: 2ND FLOOR BOYS ROOM BF</b>		<b>Lab ID: 70338980004</b>	Collected: 02/19/25 10:40	Received: 02/20/25 06:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		02/27/25 16:44	7439-92-1	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: ELIZABETH CADY STANTON 2/19  
Pace Project No.: 70338980

Sample: OFFICE BREAK ROOM SINK		Lab ID: 70338980005		Collected: 02/19/25 10:44		Received: 02/20/25 06:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/27/25 16:46	7439-92-1		

REPORT OF LABORATORY ANALYSIS





## ANALYTICAL RESULTS

Project: ELIZABETH CADY STANTON 2/19

Pace Project No.: 70338980

<b>Sample: FRONT ENTRANCE GIRLS BATHROOM</b>		<b>Lab ID: 70338980006</b>	Collected: 02/19/25 10:38	Received: 02/20/25 06:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.5	ug/L	1.0	1		02/27/25 16:48	7439-92-1	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: ELIZABETH CADY STANTON 2/19

Pace Project No.: 70338980

<b>Sample: FRONT ENTRANCE BOYS BATHROOM</b>		<b>Lab ID: 70338980007</b>	Collected: 02/19/25 10:37	Received: 02/20/25 06:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		02/27/25 16:49	7439-92-1	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## QUALITY CONTROL DATA

Project: ELIZABETH CADY STANTON 2/19

Pace Project No.: 70338980

QC Batch:	386934	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville

Associated Lab Samples: 70338980001, 70338980002, 70338980003, 70338980004, 70338980005, 70338980006, 70338980007

METHOD BLANK: 2032263

Matrix: Water

Associated Lab Samples: 70338980001, 70338980002, 70338980003, 70338980004, 70338980005, 70338980006, 70338980007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	02/27/25 14:52	

LABORATORY CONTROL SAMPLE: 2032264

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	51.5	103	85-115	

MATRIX SPIKE SAMPLE: 2032266

Parameter	Units	70339414069 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	121	50	145	48	70-130	M1

MATRIX SPIKE SAMPLE: 2032268

Parameter	Units	70339414070 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	1.1	50	52.2	102	70-130	

SAMPLE DUPLICATE: 2032265

Parameter	Units	70339414069 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	121	115	5	

SAMPLE DUPLICATE: 2032267

Parameter	Units	70339414070 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	1.1	1.0	5	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## QUALIFIERS

Project: ELIZABETH CADY STANTON 2/19

Pace Project No.: 70338980

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### ANALYTE QUALIFIERS

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: ELIZABETH CADY STANTON 2/19

Pace Project No.: 70338980

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70338980001	OUTSIDE MAIN OFFICE BF	EPA 200.8	386934		
70338980002	4TH GRADE HALL BF	EPA 200.8	386934		
70338980003	5TH GRADE HALL BF	EPA 200.8	386934		
70338980004	2ND FLOOR BOYS ROOM BF	EPA 200.8	386934		
70338980005	OFFICE BREAK ROOM SINK	EPA 200.8	386934		
70338980006	FRONT ENTRANCE GIRLS BATHROOM	EPA 200.8	386934		
70338980007	FRONT ENTRANCE BOYS BATHROOM	EPA 200.8	386934		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





Client: Seneca CSD Profile #: 12770

Work ID: Elizabeth Lady Stanton ES of Loc #146

**Client:**

**Work ID:**

**Profile #:**

of

**Use Point Number Spreadsheet**

### Multiday Project

Add SCLOGFD to first sample for field charge

[illegible]

Container Codes

	Glass	Plastic
WG8U	40mL unimpres clear vial	BP4U 125mL unimpres amber glass
WG9C	40mL Ascorbic-HCl clear vial	BP3U 250mL unimpres plastic
WG9H	40mL HCl clear vial	BP2U 500mL unimpres plastic
WG9T	40mL Sulfuric clear vial	BP1U 1L unimpres plastic
WG9V	40mL Na Thiosulfate vial	BP4N 125mL HNO3 plastic
WG9Y	40mL Citrate-Na Thiosulfate	BP3N 250mL HNO3 plastic
WG9P	40mL amber vial - TSP	BP2N 500mL HNO3 plastic
WG9A	40mL Ascorbic/Maleic Acid 40mL	BP3S 500mL H2SO4 plastic
WG6T	Na Thio 60mL Vial	BP2S 500mL H2SO4 plastic
WG9S	Ammonium Cl/Cu/SO4 40mL	BP3C NaOH 250mL bottle
WG9Q	1L Unpres Jar (cont Ed)	BP3T 250mL Trizma
WG9U	8oz clear soil jar	BP35 250mL Ammonium Acetate
WG4Q	4oz clear soil jar	BP3R 250mL NH4SO4-NH4OH
		BP1Z 1L NaOH, Zn Acetate
		BP1N 1L HNO3 plastic
		BP1R 1L Thiosulfate Amber Bottle

Misc.	
SP5T	120mL CoriForm Na Thio
R	Tetracore Kit
WG2U	2oz Unpreserved Jar
WG7U	4oz Unpreserved Jar
WG8U	8oz Unpreserved Jar
WGDU	16oz Unpreserved Jar
	Zinlock Bag
TEDL	Tedlar Bag
BG1H	1 L HCL Clear Glass
GN	General
WP	Wipe
LLHG	1 Low Hg Bottles
BG1N	1 L HNO3 Clear Glass

IOC	
BBP1U	1L unpreserved plastic
BBP3N*	250mL HNO3 plastic
BBP3C	250mL Sodium Hydroxide
AAG2U	500mL unpreserved amber glass
BP3U	250mL unpreserved plastic

- Can also be a BP4N

Matrix	
WT	Water
SL	Solid
NAL	Non-aqueous Liquid
OL	Oil
WP	Wipe
DW	Drinking Water

SOC	
VG9T	40mL Na Thio amber vial
DG9A	40mL Ascorbic acid/malic Acid vials
DG9Y	Citrate/Na Thiosulfate 40mL
DG6T	Na Thiosulfate 60mL vial
DG6T	Monoc/Ascorbic/Na Thio 60mL
AG3U	250mL unpres amber glass
AG3T	Na Thiosulfate 250mL bottle
BP1B	Na Thiosulfate Amber bottle
AG1T	Na Thiosulfate 1L Amber
AG1A	500 mL 20% Na Thio

Sender Initials

### Additional Comments

WO#: 70338980

PM: MC1  
Due Date: 03/06/25

**CLIENT: SENECA CSD**

WO#: 70338980

Client Name:

Project #

PM: MC1

Due Date: 03/06/25

CLIENT: SENECA CSD

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Commercial ☐ Pace ☐ Other

Tracking #:

Custody Seal on Cooler/Box Present: ☐ Yes ☒ No Seals intact: ☐ Yes ☒ No Temperature Blank Present: ☐ Yes ☒ No

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ Ziploc ☒ None ☐ Other Type of Ice: ☒ Wet ☐ Blue ☐ None

Thermometer Used: TH211 Correction Factor: +0.2 ☐ Samples on ice, cooling process has begun

Cooler Temperature(°C): 2.9 Cooler Temperature Corrected(°C): 3.1 Date/Time 5035A kits placed in freezer

Temp should be above freezing to 6.0°C

USDA Regulated Soil ( ☒ N/A, water sample)

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? ☐ Yes ☒ No

Did samples originate from a foreign source including Hawaii and Puerto Rico? ☐ Yes ☒ No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.

Date and Initials of person examining contents:

2/21/25 PD

	COMMENTS:
Chain of Custody Present: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name & Signature on COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72hr): <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: (Triple volume provided for MS/MSD) <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Containers Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	11.
Filtered volume received for Dissolved tests <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Note: if sediment is visible in the dissolved container.
Sample Labels match COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12.
-Includes date/time/ID/Analysis Matrix: SL <input checked="" type="checkbox"/> WTR <input type="checkbox"/> OIL <input type="checkbox"/> OTHER	

Date and Initials of person checking preservation:

2/21/25 PD

All containers needing preservation have been <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <input type="checkbox"/> HNO <sub>3</sub> <input type="checkbox"/> H <sub>2</sub> SO <sub>4</sub> <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
pH paper Lot # 231224	Sample #
All containers needing preservation are found to be in compliance with method recommendation? (HNO <sub>3</sub> , H <sub>2</sub> SO <sub>4</sub> , HCl, NaOH>9 Sulfide, <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
NAOH>12 Cyanide)	
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water).	
Per Method, VOA pH is checked after analysis	Initial when completed: Lot # of added preservative: Date/Time preservative added:
Samples checked for dechlorination: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
KI starch test strips Lot #	Positive for Res. Chlorine? Y N
Residual chlorine strips Lot #	15.
SM 4500 CN samples checked for sulf <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Positive for Sulfide? Y N
Lead Acetate Strips Lot #	16.
Headspace in ALK Bottle (>6mm): <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	17.
Headspace in VOA Vials (>6mm): <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Trip Blank Present: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Trip Blank Custody Seals Present <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted:

Date/Time:

Comments/ Resolution:

\* PM (Project Manager) review (which includes the SCUR) is documented electronically in LIMS.





February 28, 2025

Brian Heitmann  
Seneca Falls Central School District  
98 Clinton Street  
Seneca Falls, NY 13148

RE: Project: FRANK M KNIGHT ELEMENTARY 2/19  
Pace Project No.: 70338985

Dear Brian Heitmann:

Enclosed are the analytical results for sample(s) received by the laboratory on February 20, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script, appearing to read "Michelle Cohen".

Michelle Cohen  
michelle.cohen@pacelabs.com  
516-370-6000  
Project Manager

Enclosures

cc: James Bruni, Seneca Falls Central School District



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## **CERTIFICATIONS**

Project: FRANK M KNIGHT ELEMENTARY 2/19

Pace Project No.: 70338985

---

### **Pace Analytical Services, LLC - Melville, NY**

575 Broad Hollow Rd, Melville, NY 11747

Connecticut Certification #: PH-0435

Delaware Certification # NY 10478

Maryland Certification #: 208

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

New Jersey Certification #: NY158

New York Certification #: 10478 Primary Accrediting Body

Pennsylvania Certification #: 68-00350

Rhode Island Certification #: LAO00340

Texas Certification #: T104704582

Florida Certification #: E871198

---

## **REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: FRANK M KNIGHT ELEMENTARY 2/19  
Pace Project No.: 70338985

Sample: ROOM 26 BF		Lab ID: 70338985001		Collected: 02/19/25 10:16		Received: 02/20/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/27/25 17:54	7439-92-1		

REPORT OF LABORATORY ANALYSIS



## ANALYTICAL RESULTS

Project: FRANK M KNIGHT ELEMENTARY 2/19

Pace Project No.: 70338985

<b>Sample: ROOM 33 BF</b>		<b>Lab ID: 70338985002</b>		Collected: 02/19/25 10:11		Received: 02/20/25 06:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/27/25 18:01	7439-92-1		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: FRANK M KNIGHT ELEMENTARY 2/19  
Pace Project No.: 70338985

Sample: ROOM 34 BF		Lab ID: 70338985003		Collected: 02/19/25 10:11		Received: 02/20/25 06:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/27/25 18:06	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: FRANK M KNIGHT ELEMENTARY 2/19  
Pace Project No.: 70338985

Sample: ROOM 35 BF		Lab ID: 70338985004		Collected: 02/19/25 10:09		Received: 02/20/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/27/25 18:08	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: FRANK M KNIGHT ELEMENTARY 2/19  
Pace Project No.: 70338985

Sample: ROOM 36 BF		Lab ID: 70338985005		Collected: 02/19/25 10:07		Received: 02/20/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/27/25 18:09	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: FRANK M KNIGHT ELEMENTARY 2/19  
Pace Project No.: 70338985

Sample: ROOM 37 BF		Lab ID: 70338985006		Collected: 02/19/25 10:06		Received: 02/20/25 06:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/27/25 18:11	7439-92-1		

REPORT OF LABORATORY ANALYSIS





ANALYTICAL RESULTS

Project: FRANK M KNIGHT ELEMENTARY 2/19  
Pace Project No.: 70338985

Sample: ROOM 38 BF		Lab ID: 70338985007		Collected: 02/19/25 10:05		Received: 02/20/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8							
		Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/27/25 18:13	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: FRANK M KNIGHT ELEMENTARY 2/19  
Pace Project No.: 70338985

Sample: ROOM 39 BF		Lab ID: 70338985008		Collected: 02/19/25 10:04		Received: 02/20/25 06:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/27/25 18:14	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: FRANK M KNIGHT ELEMENTARY 2/19  
Pace Project No.: 70338985

Sample: ROOM 40 BF		Lab ID: 70338985009		Collected: 02/19/25 10:02		Received: 02/20/25 06:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/27/25 18:19	7439-92-1		

REPORT OF LABORATORY ANALYSIS



## ANALYTICAL RESULTS

Project: FRANK M KNIGHT ELEMENTARY 2/19

Pace Project No.: 70338985

<b>Sample: 1ST GRADE HALL BF</b>		<b>Lab ID: 70338985010</b>		Collected: 02/19/25 10:21		Received: 02/20/25 06:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/27/25 18:21	7439-92-1		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: FRANK M KNIGHT ELEMENTARY 2/19  
Pace Project No.: 70338985

Sample: KITCHEN SINK		Lab ID: 70338985011		Collected: 02/19/25 10:19		Received: 02/20/25 06:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/27/25 18:22	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: FRANK M KNIGHT ELEMENTARY 2/19  
Pace Project No.: 70338985

Sample: NEXT TO KITCHEN WF		Lab ID: 70338985012		Collected: 02/19/25 10:19		Received: 02/20/25 06:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.1	ug/L	1.0	1		02/27/25 18:24	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: FRANK M KNIGHT ELEMENTARY 2/19  
Pace Project No.: 70338985

Sample: KINDERGARDEN HALL BF		Lab ID: 70338985013		Collected: 02/19/25 10:12		Received: 02/20/25 06:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/27/25 18:26	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: FRANK M KNIGHT ELEMENTARY 2/19  
Pace Project No.: 70338985

Sample: LIBRARY BATHROOM BF		Lab ID: 70338985014		Collected: 02/19/25 10:15		Received: 02/20/25 06:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/27/25 18:27	7439-92-1		

REPORT OF LABORATORY ANALYSIS





## QUALITY CONTROL DATA

Project: FRANK M KNIGHT ELEMENTARY 2/19

Pace Project No.: 70338985

QC Batch:	386973	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70338985001, 70338985002, 70338985003, 70338985004, 70338985005, 70338985006, 70338985007, 70338985008, 70338985009, 70338985010, 70338985011, 70338985012, 70338985013, 70338985014		

METHOD BLANK:	2032434	Matrix:	Water
Associated Lab Samples:	70338985001, 70338985002, 70338985003, 70338985004, 70338985005, 70338985006, 70338985007, 70338985008, 70338985009, 70338985010, 70338985011, 70338985012, 70338985013, 70338985014		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	02/27/25 17:51	

LABORATORY CONTROL SAMPLE:	2032435					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	52.2	104	85-115	

MATRIX SPIKE SAMPLE:		2032437					
		70338985001	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	<1.0	50	52.9	105	70-130	

MATRIX SPIKE SAMPLE:	2032439						
		70338985002	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	<1.0	50	50.3	100	70-130	

SAMPLE DUPLICATE: 2032436					
Parameter	Units	70338985001 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE: 2032438					
		70338985002	Dup		
Parameter	Units	Result	Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## QUALIFIERS

Project: FRANK M KNIGHT ELEMENTARY 2/19

Pace Project No.: 70338985

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: FRANK M KNIGHT ELEMENTARY 2/19

Pace Project No.: 70338985

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70338985001	ROOM 26 BF	EPA 200.8	386973		
70338985002	ROOM 33 BF	EPA 200.8	386973		
70338985003	ROOM 34 BF	EPA 200.8	386973		
70338985004	ROOM 35 BF	EPA 200.8	386973		
70338985005	ROOM 36 BF	EPA 200.8	386973		
70338985006	ROOM 37 BF	EPA 200.8	386973		
70338985007	ROOM 38 BF	EPA 200.8	386973		
70338985008	ROOM 39 BF	EPA 200.8	386973		
70338985009	ROOM 40 BF	EPA 200.8	386973		
70338985010	1ST GRADE HALL BF	EPA 200.8	386973		
70338985011	KITCHEN SINK	EPA 200.8	386973		
70338985012	NEXT TO KITCHEN WF	EPA 200.8	386973		
70338985013	KINDERGARDEN HALL BF	EPA 200.8	386973		
70338985014	LIBRARY BATHROOM BF	EPA 200.8	386973		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**CHAIN-OF-CUSTODY Analytical Request Document**  
Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

... ..

**NO#: 70338985**



70338985

Customer Project #: <b>Frank M. Knight Elementary School</b>										Specify Container Size **									
Project Name: <b>Frank M. Knight Elementary School</b>										Identify Container Preservative Type***									
Site Collection Info/Facility ID (as applicable):										*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) H2SO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other									
Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [ ] ET										County / State origin of sample(s): New York									
Data Deliverables:										Regulatory Program (DW, RCRA, etc.) as applicable: Reportable: [ ] Yes [ ] No									
[ ] Level II [ ] Level III [ ] Level IV										Rush (Pre-approval required):									
[ ] EQUIS										[ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other									
[ ] Other										Field Filtered (if applicable): [ ] Yes [ ] No									
* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Wastewater (B), Vapor (V), Surface Water (SW), Sediment (SED), Sludge (SL), Cask (CK), Leachate (LL), Bioroid (BS), Other (OT)										Analysis:									
Customer Sample ID										Collected or Composite End									
Room 26 BF										Date Time									
Room 33 BF										Date Time									
Room 34 BF										Date Time									
Room 35 BF										Date Time									
Room 36 BF										Date Time									
Room 37 BF										Date Time									
Room 38 BF										Date Time									
Room 39 BF										Date Time									
Room 40 BF										Date Time									
1st Grade Hall BF										Date Time									
Additional Instructions (if any):										Collected By: <b>Nicholas Kibby</b>									
Relinquished by/Company: (Signature)										Signature: <b>Nicholas Kibby</b>									
Date/Time: <b>2/19/25 12:50</b>										Date/Time: <b>2/19/25 12:50</b>									
Relinquished by/Company: (Signature)										Signature: <b>Batt SC</b>									
Date/Time: <b>2-19-25 15:53</b>										Date/Time: <b>2-19-25 15:53</b>									
Relinquished by/Company: (Signature)										Signature: <b>Nicholas Kibby</b>									
Date/Time: <b>1/5 2/20/25 6:00</b>										Date/Time: <b>2/20/25 6:00</b>									
Relinquished by/Company: (Signature)										Signature: <b>Nicholas Kibby</b>									
Date/Time: <b>1/5 2/20/25 6:00</b>										Date/Time: <b>2/20/25 6:00</b>									









WO#: 70338985

Client Name:

Seneca CSD

Project #

PM: MC1

Due Date: 03/06/25

CLIENT: SENECA CSD

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Commercial ☐ Pace ☐ Other

Tracking #:

Custody Seal on Cooler/Box Present: ☐ Yes ☒ No Seals intact: ☐ Yes ☒ No Temperature Blank Present: ☐ Yes ☒ No  
Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ Ziploc ☒ None ☐ Other Type of Ice: ☒ Wet ☐ Blue ☐ None

Thermometer Used: TH211 Correction Factor: +0.2 ☐ Samples on ice, cooling process has begun  
Cooler Temperature(°C): 2.9 Cooler Temperature Corrected(°C): 3.1 Date/Time 5035A kits placed in freezer

Temp should be above freezing to 6.0°C

USDA Regulated Soil ( ☒ N/A, water sample)

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? ☐ Yes ☒ No

Did samples originate from a foreign source including Hawaii and Puerto Rico? ☐ Yes ☒ No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.

Date and Initials of person examining contents:

2/21/25 PD

		COMMENTS:
Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: (Triple volume provided for MS/MSD)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	11.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Note: if sediment is visible in the dissolved container.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12.
-Includes date/time/ID/Analysis Matrix:	SL <input checked="" type="checkbox"/> WT <input type="checkbox"/> OIL <input type="checkbox"/> OTHER	

Date and Initials of person checking preservation:

2/21/25 PD

All containers needing preservation have been pH paper Lot # 231224	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.	<input type="checkbox"/> HNO <sub>3</sub> <input type="checkbox"/> H <sub>2</sub> SO <sub>4</sub> <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
All containers needing preservation are found to be in compliance with method recommendation? (HNO <sub>3</sub> , H <sub>2</sub> SO <sub>4</sub> , HCl, NaOH>9 Sulfide, NAOH>12 Cyanide)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		Sample #
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water).			Initial when completed:
Per Method, VOA pH is checked after analysis			Lot # of added preservative:
Samples checked for dechlorination:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.	Date/Time preservative added:
KI starch test strips Lot #			
Residual chlorine strips Lot #			Positive for Res. Chlorine? Y N
SM 4500 CN samples checked for sulf	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.	Positive for Sulfide? Y N
Lead Acetate Strips Lot #			
Headspace in ALK Bottle (>6mm):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16.	
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	17.	
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted:

Date/Time:

Comments/ Resolution:

\* PM (Project Manager) review (which includes the SCUR) is documented electronically in LIMS.



February 28, 2025

Brian Heitmann  
Seneca Falls Central School District  
98 Clinton Street  
Seneca Falls, NY 13148

RE: Project: SENECA FALLS HIGH SCHOOL 2/19  
Pace Project No.: 70338987

Dear Brian Heitmann:

Enclosed are the analytical results for sample(s) received by the laboratory on February 20, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads "Michelle Cohen".

Michelle Cohen  
michelle.cohen@pacelabs.com  
516-370-6000  
Project Manager

Enclosures

cc: James Bruni, Seneca Falls Central School District



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





## **CERTIFICATIONS**

Project: SENECA FALLS HIGH SCHOOL 2/19

Pace Project No.: 70338987

---

### **Pace Analytical Services, LLC - Melville, NY**

575 Broad Hollow Rd, Melville, NY 11747

Connecticut Certification #: PH-0435

Delaware Certification # NY 10478

Maryland Certification #: 208

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

New Jersey Certification #: NY158

New York Certification #: 10478 Primary Accrediting Body

Pennsylvania Certification #: 68-00350

Rhode Island Certification #: LAO00340

Texas Certification #: T104704582

Florida Certification #: E871198

---

## **REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: SENECA FALLS HIGH SCHOOL 2/19

Pace Project No.: 70338987

<b>Sample: KITCHEN SINK ISLAND</b>		<b>Lab ID: 70338987001</b>	Collected: 02/19/25 09:08	Received: 02/20/25 06:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		02/27/25 18:29	7439-92-1	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: SENECA FALLS HIGH SCHOOL 2/19

Pace Project No.: 70338987

<b>Sample: KITCHEN SINK WALL SIDE</b>		<b>Lab ID: 70338987002</b>	Collected: 02/19/25 09:08	Received: 02/20/25 06:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		02/27/25 18:30	7439-92-1	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: SENECA FALLS HIGH SCHOOL 2/19

Pace Project No.: 70338987

<b>Sample: CAFETERIA HALL BF</b>		<b>Lab ID: 70338987003</b>		Collected: 02/19/25 09:10		Received: 02/20/25 06:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/27/25 18:32	7439-92-1		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: SENECA FALLS HIGH SCHOOL 2/19

Pace Project No.: 70338987

<b>Sample: TILT SKILLET</b>		<b>Lab ID: 70338987004</b>		Collected: 02/19/25 09:18		Received: 02/20/25 06:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/27/25 18:34	7439-92-1		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: SENECA FALLS HIGH SCHOOL 2/19

Pace Project No.: 70338987

Sample: STEAM KETTLE		Lab ID: 70338987005		Collected: 02/19/25 09:18		Received: 02/20/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/27/25 18:38	7439-92-1		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: SENECA FALLS HIGH SCHOOL 2/19

Pace Project No.: 70338987

<b>Sample: 2ND FLOOR MAIN HALL BF</b>		<b>Lab ID: 70338987006</b>	Collected: 02/19/25 09:48	Received: 02/20/25 06:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		02/27/25 18:40	7439-92-1	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: SENECA FALLS HIGH SCHOOL 2/19

Pace Project No.: 70338987

<b>Sample: 2ND FLOOR SOCIAL STUDIES BF</b>		<b>Lab ID: 70338987007</b>		Collected: 02/19/25 09:50		Received: 02/20/25 06:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/27/25 18:44	7439-92-1		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





## ANALYTICAL RESULTS

Project: SENECA FALLS HIGH SCHOOL 2/19

Pace Project No.: 70338987

Sample: CUSTODIAL OFFICE ICE MACHINE		Lab ID: 70338987008		Collected: 02/19/25 09:02		Received: 02/20/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/27/25 18:49	7439-92-1		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: SENECA FALLS HIGH SCHOOL 2/19

Pace Project No.: 70338987

<b>Sample: END OF BAND WING BF</b>		<b>Lab ID: 70338987009</b>	Collected: 02/19/25 09:23	Received: 02/20/25 06:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		02/27/25 18:57	7439-92-1	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SENECA FALLS HIGH SCHOOL 2/19  
Pace Project No.: 70338987

Sample: LIBRARY BATHROOM BF		Lab ID: 70338987010		Collected: 02/19/25 09:20		Received: 02/20/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/27/25 18:58	7439-92-1		

REPORT OF LABORATORY ANALYSIS



## ANALYTICAL RESULTS

Project: SENECA FALLS HIGH SCHOOL 2/19

Pace Project No.: 70338987

<b>Sample: BOYS LOCKER ROOM BF</b>		<b>Lab ID: 70338987011</b>	Collected: 02/19/25 09:14	Received: 02/20/25 06:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.1	ug/L	1.0	1		02/27/25 19:00	7439-92-1	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: SENECA FALLS HIGH SCHOOL 2/19

Pace Project No.: 70338987

<b>Sample: GIRLS LOCKER ROOM BF</b>		<b>Lab ID: 70338987012</b>	Collected: 02/19/25 09:13	Received: 02/20/25 06:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		02/27/25 19:02	7439-92-1	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## QUALITY CONTROL DATA

Project: SENECA FALLS HIGH SCHOOL 2/19

Pace Project No.: 70338987

QC Batch: 386973

Analysis Method: EPA 200.8

QC Batch Method: EPA 200.8

Analysis Description: 200.8 MET No Prep Drinking Water

Laboratory: Pace Analytical Services - Melville

Associated Lab Samples: 70338987001, 70338987002, 70338987003, 70338987004, 70338987005, 70338987006

METHOD BLANK: 2032434

Matrix: Water

Associated Lab Samples: 70338987001, 70338987002, 70338987003, 70338987004, 70338987005, 70338987006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	02/27/25 17:51	

LABORATORY CONTROL SAMPLE: 2032435

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	52.2	104	85-115	

MATRIX SPIKE SAMPLE: 2032437

Parameter	Units	70338985001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	52.9	105	70-130	

MATRIX SPIKE SAMPLE: 2032439

Parameter	Units	70338985002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	50.3	100	70-130	

SAMPLE DUPLICATE: 2032436

Parameter	Units	70338985001 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE: 2032438

Parameter	Units	70338985002 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## QUALITY CONTROL DATA

Project: SENECA FALLS HIGH SCHOOL 2/19

Pace Project No.: 70338987

QC Batch: 386977 Analysis Method: EPA 200.8  
QC Batch Method: EPA 200.8 Analysis Description: 200.8 MET No Prep Drinking Water  
Laboratory: Pace Analytical Services - Melville  
Associated Lab Samples: 70338987007, 70338987008, 70338987009, 70338987010, 70338987011, 70338987012

METHOD BLANK: 2032452 Matrix: Water  
Associated Lab Samples: 70338987007, 70338987008, 70338987009, 70338987010, 70338987011, 70338987012

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	02/27/25 18:41	

LABORATORY CONTROL SAMPLE: 2032453

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	52.0	104	85-115	

MATRIX SPIKE SAMPLE: 2032455

Parameter	Units	70338987007 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	50.7	101	70-130	

MATRIX SPIKE SAMPLE: 2032457

Parameter	Units	70338987008 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	52.9	106	70-130	

SAMPLE DUPLICATE: 2032454

Parameter	Units	70338987007 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE: 2032456

Parameter	Units	70338987008 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## QUALIFIERS

Project: SENECA FALLS HIGH SCHOOL 2/19

Pace Project No.: 70338987

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





## QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: SENECA FALLS HIGH SCHOOL 2/19

Pace Project No.: 70338987

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70338987001	KITCHEN SINK ISLAND	EPA 200.8	386973		
70338987002	KITCHEN SINK WALL SIDE	EPA 200.8	386973		
70338987003	CAFETERIA HALL BF	EPA 200.8	386973		
70338987004	TILT SKILLET	EPA 200.8	386973		
70338987005	STEAM KETTLE	EPA 200.8	386973		
70338987006	2ND FLOOR MAIN HALL BF	EPA 200.8	386973		
70338987007	2ND FLOOR SOCIAL STUDIES BF	EPA 200.8	386977		
70338987008	CUSTODIAL OFFICE ICE MACHINE	EPA 200.8	386977		
70338987009	END OF BAND WING BF	EPA 200.8	386977		
70338987010	LIBRARY BATHROOM BF	EPA 200.8	386977		
70338987011	BOYS LOCKER ROOM BF	EPA 200.8	386977		
70338987012	GIRLS LOCKER ROOM BF	EPA 200.8	386977		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

Sample Identification # and Location	Date/Time Collected	Date/Time Analyzed	Container ID	Analyte	Results	NYSDOH Level	Units
FRANK KNIGHT							
ROOM 26 BF	2/19/2025 10:16	2/27/2025 17:54	70338985001	Lead	<1.0	5	ug/L
ROOM 33 BF	2/19/2025 10:11	2/27/2025 18:01	70338985002	Lead	<1.0	5	ug/L
ROOM 34 BF	2/19/2025 10:11	2/27/2025 18:06	70338985003	Lead	<1.0	5	ug/L
ROOM 35 BF	2/19/2025 10:09	2/27/2025 18:08	70338985004	Lead	<1.0	5	ug/L
ROOM 36 BF	2/19/2025 10:07	2/27/2025 18:09	70338985005	Lead	<1.0	5	ug/L
ROOM 37 BF	2/19/2025 10:06	2/27/2025 18:11	70338985006	Lead	<1.0	5	ug/L
ROOM 38 BF	2/19/2025 10:05	2/27/2025 18:13	70338985007	Lead	<1.0	5	ug/L
ROOM 39 BF	2/19/2025 10:04	2/27/2025 18:14	70338985008	Lead	<1.0	5	ug/L
ROOM 40 BF	2/19/2025 10:02	2/27/2025 18:19	70338985009	Lead	<1.0	5	ug/L
1ST GRADE HALL BF	2/19/2025 10:21	2/27/2025 18:21	70338985010	Lead	<1.0	5	ug/L
KITCHEN SINK	2/19/2025 10:19	2/27/2025 18:22	70338985011	Lead	<1.0	5	ug/L
NEXT TO KITCHEN WF	2/19/2025 10:19	2/27/2025 18:24	70338985012	Lead	1.1	5	ug/L
KINDERGARDEN HALL BF	2/19/2025 10:12	2/27/2025 18:26	70338985013	Lead	<1.0	5	ug/L
LIBRARY BATHROOM BF	2/19/2025 10:15	2/27/2025 18:27	70338985014	Lead	<1.0	5	ug/L
CADY STANTON							
OUTSIDE MAIN OFFICE BF	2/19/2025 10:32	2/27/2025 16:36	70338980001	Lead	1.9	5	ug/L
4TH GRADE HALL BF	2/19/2025 10:35	2/27/2025 16:38	70338980002	Lead	<1.0	5	ug/L
5TH GRADE HALL BF	2/19/2025 10:33	2/27/2025 16:40	70338980003	Lead	<1.0	5	ug/L
2ND FLOOR BOYS ROOM BF	2/19/2025 10:40	2/27/2025 16:44	70338980004	Lead	<1.0	5	ug/L
OFFICE BREAK ROOM SINK	2/19/2025 10:44	2/27/2025 16:46	70338980005	Lead	<1.0	5	ug/L
FRONT ENTRANCE GIRLS BATHROOM	2/19/2025 10:38	2/27/2025 16:48	70338980006	Lead	1.5	5	ug/L
FRONT ENTRANCE BOYS BATHROOM	2/19/2025 10:37	2/27/2025 16:49	70338980007	Lead	<1.0	5	ug/L
HIGH SCHOOL							
KITCHEN SINK ISLAND	2/19/2025 09:08	2/27/2025 18:29	70338987001	Lead	<1.0	5	ug/L
KITCHEN SINK WALL SIDE	2/19/2025 09:08	2/27/2025 18:30	70338987002	Lead	<1.0	5	ug/L
CAFETERIA HALL BF	2/19/2025 09:10	2/27/2025 18:32	70338987003	Lead	<1.0	5	ug/L
TILT SKILLET	2/19/2025 09:18	2/27/2025 18:34	70338987004	Lead	<1.0	5	ug/L
STEAM KETTLE	2/19/2025 09:18	2/27/2025 18:38	70338987005	Lead	<1.0	5	ug/L
2ND FLOOR MAIN HALL BF	2/19/2025 09:48	2/27/2025 18:40	70338987006	Lead	<1.0	5	ug/L
2ND FLOOR SOCIAL STUDIES BF	2/19/2025 09:50	2/27/2025 18:44	70338987007	Lead	<1.0	5	ug/L
CUSTODIAL OFFICE ICE MACHINE	2/19/2025 09:02	2/27/2025 18:49	70338987008	Lead	<1.0	5	ug/L
END OF BAND WING BF	2/19/2025 09:23	2/27/2025 18:57	70338987009	Lead	<1.0	5	ug/L
LIBRARY BATHROOM BF	2/19/2025 09:20	2/27/2025 18:58	70338987010	Lead	<1.0	5	ug/L
BOYS LOCKER ROOM BF	2/19/2025 09:14	2/27/2025 19:00	70338987011	Lead	1.1	5	ug/L
GIRLS LOCKER ROOM BF	2/19/2025 09:13	2/27/2025 19:02	70338987012	Lead	<1.0	5	ug/L
MIDDLE SCHOOL							
2ND FLOOR BATHROOMS BF	2/19/2025 09:45	2/27/2025 15:11	70338979001	Lead	<1.0	5	ug/L
ACROSS FROM NURSE BF	2/19/2025 09:26	2/27/2025 15:13	70338979002	Lead	<1.0	5	ug/L
MAIN OFFICE SINK	2/19/2025 09:25	2/27/2025 16:22	70338979003	Lead	<1.0	5	ug/L
GYM HALL BF	2/19/2025 09:32	2/27/2025 16:27	70338979004	Lead	<1.0	5	ug/L
TEACHERS LOUNGE SINK	2/19/2025 09:28	2/27/2025 16:28	70338979005	Lead	<1.0	5	ug/L
BOYS LOCKER ROOM BF	2/19/2025 09:39	2/27/2025 16:30	70338979006	Lead	<1.0	5	ug/L
GIRLS LOCKER ROOM BF	2/19/2025 09:33	2/27/2025 16:32	70338979007	Lead	<1.0	5	ug/L
KITCHEN ICE MACHINE	2/19/2025 09:36	2/27/2025 16:33	70338979008	Lead	<1.0	5	ug/L
KITCHEN 3 BAY SINK	2/19/2025 09:35	2/27/2025 16:35	70338979009	Lead	3.0	5	ug/L

CHAIN-OF-CUSTODY Analytical Request Document  
Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Company Name: Seneca Falls Central School District  
Street Address: 105 Troy St. Seneca Falls, NY 13148  
Phone #: 315-568-5500  
E-Mail: Bheitmann@senecafallsd.org  
Cc E-Mail:

Customer Project #:

Project Name:  
Seneca Falls High School (Mynderse Academy)

Site Collection Info/Facility ID (as applicable):

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [ ] ET  
Data Deliverables:  
[ ] Level II [ ] Level III [ ] Level IV  
[ ] EQUIS  
[ ] Other

Regulatory Program (DWR, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No  
Rush (Pre-approval required):  
[ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other

Date Results Requested:  
[ ] Other

\* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Effluent (EF), Biosolids (BS), Other (OT)

(B), Vapor (V), Surface Water (SW), Sediment (SD), Sludge (SL), Chalk (CX)

Customer Sample ID	Matrix	Composite Start		Collected or Composite End		Res. Chlorine
		Comp / Grab	Date	Date	Time	
Kitchen Sink Island	DW	G		2/19/25	0908	
Kitchen Sink Wall Side	DW	G			0908	
Cafeteria Hall BF	DW	G			0910	
Tilt Skillet	DW	G			0918	
Steam Kettle	DW	G			0918	
2nd Floor Main Hall BF	DW	G			0948	
2nd Floor Social Studies BF	DW	G			0950	
Castodial Office Ice Machine DW	DW	G		2-19-25	0902	
End of Band Wing BF - DW	DW	G			0923	
Library Bathroom BF	DW	G			0920	

Collected By: (Printed Name) Nicholas Kibby  
Signature: Nicholas Kibby

Received by/Company (Signature):  
2/19/25 1250 Buff SS  
2-19-25 15153  
Received by/Company (Signature):  
2-19-25 15153  
Received by/Company (Signature):  
2-19-25 15153

Date/Time:  
2/19/25 1250  
2-19-25 15153  
2-19-25 15153  
2-19-25 15153

Page 1 of 2  
Page 1 of 2  
Page 1 of 2  
Page 1 of 2

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at <https://www.pacelabs.com/resource-library/price-terms-and-conditions/>

WO#: 70338987



70338987

Specify Container Size \*\*

Identify Container Preservative Type\*\*\*

Analysis Requested

Proj. Mgr:  
AcctNum / Client ID:  
Table #:  
Profile / Template:  
Prelog / Bottle Ord. ID:  
Sample Comment

Lab Use Only	Preservation non-conformance identified for sample	Sample Comment	
		AcctNum / Client ID:	Table #:
Lead			
X			
X			
X			
X			
X			
X			
X			
X			
X			
X			
X			
X			
X			

Customer Remarks / Special Instructions / Preservation

Collected By: (Printed Name) Nicholas Kibby  
Signature: Nicholas Kibby

Received by/Company (Signature):  
2/19/25 1250 Buff SS  
2-19-25 15153  
Received by/Company (Signature):  
2-19-25 15153

Date/Time:  
2/19/25 1250  
2-19-25 15153  
2-19-25 15153

Page 1 of 2  
Page 1 of 2  
Page 1 of 2  
Page 1 of 2

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at <https://www.pacelabs.com/resource-library/price-terms-and-conditions/>



Pace® Location Requested (City/State):  
Pace Analytical Long Island NY  
575 Broad Hollow Rd, Melville, NY 11747

Company Name: Seneca Falls Central School District  
Street Address: 105 Troy St. Seneca Falls, NY 13148

Customer Project #:

Project Name:  
Seneca Falls High School (Mynders Academy)  
Site Collection Info/Facility ID (as applicable):

### CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Contact/Report To: Brian Heitmann  
Phone #: 315-568-5500  
E-Mail: Bheitmann@senecafallscsd.org  
Cc E-Mail:

Invoice To:  
Invoice E-Mail:  
Purchase Order # (if applicable):  
Quote #:

County / State of sample(s): New York

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable ☐ Yes ☐ No

Rush (Pre-approval required):  
☐ Same Day ☐ 1 Day ☐ 2 Day ☐ 3 Day ☐ Other

Date Results Requested:  
☐ Other ☐ Field Filtered (if applicable): ☐ Yes ☐ No

Analysis:  
Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wines (W), Tissues (TS), Bioaerosols (B), Vapor (V), Surface Water (SW), Sediment (SE), Sludge (SL), Cattle (CA), Leachate (L), Blood (BL), Other (OT)

Customer Sample ID:

Composite Start Date Time

Collected or Composite End Date Time

Res. Chlorine Results Units

Boys Locker Room BF

DW G

2/19/25 0914

2/19/25 0913

A

Girls Locker Room BF

DW G

2/19/25 0913

2/19/25 0913

A

Additional Instructions

Collected by: Nicholas Kibby  
(Printed Name)

Signature: Nicholas Kibby

Received by/Company: (Signature)

PAR

2/19/25 1250

Buff SC

Received by/Company: (Signature)

Received by/Company: (Signature)

15 2/20/25

2/19/25 15:53

Received by/Company: (Signature)

Received by/Company: (Signature)

2/20/25 6:00

2/19/25

1250

TH2U

47

Customer Remarks / Special Instructions

Obs. Temp. (°F) Corrected Temp. (°F) Oils (ppm) Vol. (mL) Date/Time

2.94 2.94 3.1 W

Delivered by: ☐ In-Person, ☐ Courier ☐ FedEx ☐ UPS ☐ Other

Page: 1 of 1

ENY-FRM-CORD-0010-02-10123 ©

W0#: 70338987

PM: MC1 Due Date: 03/06/25  
CLIENT: SENECA CSO



Specify Container Size \*\*

\*\*Container Size: (1) 1L (2) 500mL (3) 250mL (4) 125mL (5) 100mL (6) 40mL (7) 10mL (8) 5mL (9) 1mL (10) 0.5mL (11) 0.1mL

Identify Container Preservative Type \*\*\*

\*\*\* Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) NaOH, (11) Other

Analysis Requested

Proj. Mgr.  
AcctNum / Client ID:  
Table #:  
Profile / Template:  
Prelog / Bottle Ord. ID:  
Sample Comment

Lead





WO#: 70338987

Client Name: Seneca CSD Project #  
Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Commercial ☐ Pace ☐ Other  
Tracking #:

PM: MC1 Due Date: 03/06/25  
CLIENT: SENECA CSD

Custody Seal on Cooler/Box Present: ☐ Yes ☒ No Seals intact: ☐ Yes ☒ No Temperature Blank Present: ☐ Yes ☒ No  
Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ Ziploc ☒ None ☐ Other Type of Ice: ☒ Wet ☐ Blue ☐ None  
Thermometer Used: TH211 Correction Factor: +0.2 ☐ Samples on ice, cooling process has begun  
Cooler Temperature (°C): 2.9 Cooler Temperature Corrected (°C): 3.1 Date/Time 5035A kits placed in freezer \_\_\_\_\_  
Temp should be above freezing to 6.0°C

USDA Regulated Soil ( ☒ N/A, water sample)

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or  
VA (check map)? ☐ Yes ☐ No

Did samples originate from a foreign source including Hawaii and Puerto Rico? ☐ Yes ☐ No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.

Date and Initials of person examining contents:

2/21/25 PD

	COMMENTS:
Chain of Custody Present: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name & Signature on COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72hr): <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: (Triple volume provided for MS/MSD) <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Containers Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note: if sediment is visible in the dissolved container.
Sample Labels match COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12.
-Includes date/time/ID/Analysis Matrix: SL <input checked="" type="checkbox"/> WT <input type="checkbox"/> OIL OTHER	

Date and Initials of person checking preservation:

2/21/25 PD

All containers needing preservation have been <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <input type="checkbox"/> HNO <sub>3</sub> <input type="checkbox"/> H <sub>2</sub> SO <sub>4</sub> <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
pH paper Lot # <u>231224</u>	Sample #
All containers needing preservation are found to be in compliance with method recommendation? (HNO <sub>3</sub> , H <sub>2</sub> SO <sub>4</sub> , HCl, NaOH>9 Sulfide, <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A NAOH>12 Cyanide)	
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water).	
Per Method, VOA pH is checked after analysis	Initial when completed: Lot # of added preservative: Date/Time preservative added:
Samples checked for dechlorination: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
KI starch test strips Lot #	Positive for Res. Chlorine? Y N
Residual chlorine strips Lot #	15.
SM 4500 CN samples checked for sulf <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Positive for Sulfide? Y N
Lead Acetate Strips Lot #	
Headspace in ALK Bottle (>6mm): <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16.
Headspace in VOA Vials (>6mm): <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	17.
Trip Blank Present: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Trip Blank Custody Seals Present <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted:

Date/Time:

Comments/ Resolution:

\* PM (Project Manager) review (which includes the SCUR) is documented electronically in LIMS.