



### CERTIFICATE OF ANALYSIS

**Customer :** Garden State Environmental  
555 South Broad Street, Suite K  
Glen Rock, NJ 07452

**Project ID :** Palisades Park #9138 - Lindbergh Elementary School, 401 Glen Avenue, Palisades Park, NJ 07650  
**PAS Project ID :** P25-01608

**Matrix :** Drinking Water  
**Report Date :** 3/6/2025

PAS Sample ID	Client ID	Analysis	Results	Units	DF	PQL	MDL	MCL	Method	Date Sampled	Date Analyzed
P25-01608-01	PPLE-B-B-01A	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	2/18/25 11:09	3/3/25 17:54
P25-01608-02	PPLE-B-B-02A	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	2/18/25 11:10	3/3/25 17:58
P25-01608-03	PPLE-B-S-03A	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	2/18/25 11:13	3/3/25 18:02
P25-01608-04	PPLE-B-K-01A	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	2/18/25 11:14	3/3/25 18:06
P25-01608-05	PPLE-B-S-06A	Lead	4.73	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	2/18/25 11:16	3/3/25 18:10
P25-01608-06	PPLE-B-S-07A	Lead	2.23	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	2/18/25 11:18	3/3/25 18:14
P25-01608-07	PPLE-B-DS-01A	Lead	1.32 J	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	2/18/25 11:20	3/3/25 18:18
P25-01608-08	PPLE-B-WC-05A	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	2/18/25 11:22	3/3/25 18:30
P25-01608-09	PPLE-B-WC-01A	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	2/18/25 11:23	3/3/25 18:34
P25-01608-10	PPLE-1-WC-03A	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	2/18/25 11:27	3/3/25 18:38
P25-01608-11	PPLE-1-BF-03A	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	2/18/25 11:27	3/3/25 18:42
P25-01608-12	PPLE-1-WC-04A	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	2/18/25 11:30	3/3/25 18:46
P25-01608-13	PPLE-1-BF-04A	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	2/18/25 11:30	3/3/25 18:50
P25-01608-14	PPLE-1-S-08A	Lead	3.14	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	2/18/25 11:31	3/3/25 18:54
P25-01608-15	PPLE-2-BF-05A	Lead	2.00	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	2/18/25 11:35	3/3/25 18:58
P25-01608-16	PPLE-2-WC-08A	Lead	5.41	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	2/18/25 11:35	3/3/25 19:23
P25-01608-17	PPLE-1-WC-09A	Lead	1.32 J	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	2/18/25 11:39	3/3/25 19:27
P25-01608-18	PPLE-2-WC-10A	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	2/18/25 11:43	3/3/25 19:31
P25-01608-19	PPLE-2-BF-06A	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	2/18/25 11:43	3/3/25 19:35
P25-01608-20	PPLE-3-WC-11A	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	2/18/25 11:47	3/3/25 19:39
P25-01608-21	PPLE-3-BF-07A	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	2/18/25 11:47	3/3/25 19:43
P25-01608-22	PPLE-1-S-04A	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	2/18/25 11:53	3/3/25 19:47
P25-01608-23	PPLE-1-DS-01A	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	2/18/25 11:53	3/3/25 20:00
P25-01608-24	PPLE-1-S-05A	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	2/18/25 11:54	3/3/25 20:04
P25-01608-25	PPLE-1-DS-02A	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	2/18/25 11:55	3/3/25 20:08
P25-01608-26	PPLE-2-18-FBA	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	2/18/25 11:56	3/3/25 20:11

Except for the parameters tested, York Analytical makes no representation as to the fitness or quality of the water sample taken.

PQL = Practical Quantitation Limit  
MDL = Minimum Detection Limit  
MCL = Maximum Contaminant Level  
DF = Dilution Factor  
ND = Analyzed for but not detected  
J = Estimated result

\* NJ Dept of Education & Dept of Children & Families Action Level

All samples are analyzed in accordance with  
New Jersey Department of Environmental  
Protection Protocol

Kelly Hogan - Quality Assurance Officer



part of  
**ALS Limited**

**CHAIN  
OF  
CUSTODY**

Customer: Garden State Environmental  
 Address: 555 S. Broad St.  
 Glen Rock, NJ 07452  
 Phone: (201) 652-1119 Office

School Name: Palisades Park #9138 - Lindbergh Elementary School  
 School Address: 401 Glen Avenue, Palisades Park, NJ 07650  
 Sampled By: *Caroline Poskrobko*  
 Print Name: Caroline Poskrobko  
 RESULTS TO: labreports@gseconsultants.com

Sample ID Location	Date: 2/19/2025 Time Sampled	Matrix Code	Grab or Comp	Flush Sample	Filter Present	# Containers	Glass or Plastic	Analysis	LAB ID
PPLE-B-B-01A; Pre-K-LS-2	11:09 AM	DW	Grab			1	250 ml Plastic	Lead	P25-01608-01
PPLE-B-B-02A; Pre-K-LS-1	11:10 AM	DW	Grab			1	250 ml Plastic	Lead	-02
PPLE-B-S-03A; Kitchen Middle Island	11:13 AM	DW	Grab			1	250 ml Plastic	Lead	-03
PPLE-B-K-01A; Kitchen Kettle	11:14 AM	DW	Grab			1	250 ml Plastic	Lead	-04
PPLE-B-S-06A; Kitchen 3 COMP Left	11:16 AM	DW	Grab			1	250 ml Plastic	Lead	-05
PPLE-B-S-07A; Kitchen 3 COMP Right	11:18 AM	DW	Grab			1	250 ml Plastic	Lead	-06
PPLE-B-DS-01A; Kitchen 3 COMP Right	11:20 AM	DW	Grab			1	250 ml Plastic	Lead	-07
PPLE-B-WC-05A; Café Right	11:22 AM	DW	Grab		X	1	250 ml Plastic	Lead	-08
PPLE-B-WC-01A; Café Left	11:23 AM	DW	Grab		X	1	250 ml Plastic	Lead	-09
PPLE-1-WC-03A; Hall by Room 12	11:27 AM	DW	Grab		X	1	250 ml Plastic	Lead	-10
PPLE-1-BF-03A; Hall by Room 12	11:27 AM	DW	Grab		X	1	250 ml Plastic	Lead	-11
PPLE-1-WC-04A; Hall by Nurse's	11:30 AM	DW	Grab		X	1	250 ml Plastic	Lead	-12
PPLE-1-BF-04A; Hall by Nurse's	11:30 AM	DW	Grab		X	1	250 ml Plastic	Lead	-13
PPLE-1-S-08A; Nurse Bathroom	11:31 AM	DW	Grab			1	250 ml Plastic	Lead	-14
PPLE-2-BF-05A; Hall by 22	11:35 AM	DW	Grab		X	1	250 ml Plastic	Lead	P25-01608-15

SAMPLES REC'D UNPRESERVED. PRESERVED IN LAB.

Deliverables: PDF Std.  PDF Reduce  PDF Full  EDD  Date/Time Preserved with HNO3: @ 1455 on 02/24

**MATRIX CODES:** GW = Ground Water, WW = Waste Water, SW = Surface Water, DW = Drinking Water, S = Soil, L = Liquid, SD = Sludge, B = Blank, K = Solid (specify):

**PRESERVATIVE CODES:** 0 = Ice, 1 = HCl, 2 = H2SO4, 3 = NaOH, 4 = HNO3, 5 = Other

	Print Name:	Signature:	Company:	Date + Time
Relinquished:	Caroline Poskrobko	<i>Caroline Poskrobko</i>	GSE	2/18/2025; 2:15 PM
Received:	<i>Benny Hedges</i>	<i>Benny Hedges</i>	GAL	2/21/25 1700
Relinquished:	<i>Benny Hedges</i>	<i>Benny Hedges</i>	GAL	2/21/25 1707
Received:	<i>ZANE FINCEY</i>	<i>ZANE FINCEY</i>	VAL	02/24/25 0900
Relinquished:				
Received:				



part of  
**ALS Limited**

**CHAIN  
OF  
CUSTODY**

Customer:	Garden State Environmental
Address:	555 S. Broad St. Glen Rock, NJ 07452
Phone:	(201) 652-1119 Office

School Name:	Palisades Park #9138 - Lindbergh Elementary School
School Address:	401 Glen Avenue, Palisades Park, NJ 07650
Sampled By:	Caroline Poskrobko
Print Name:	Caroline Poskrobko
RESULTS TO:	labreports@gseconsultants.com

Sample ID Location	Date: 2/18/25 Time Sampled	Matrix Code	Grab or Comp	Flush Sample	Filter Present	# Containers	Class or Plastic	Analysis	LAB ID
PPLE-2-WC-08A; Hall by 28	11:35 AM	DW	Grab		X	1	250 ml Plastic	Lead	P25-D1608-16
PPLE-1-WC-09A; Across 107	11:39 AM	DW	Grab		X	1	250 ml Plastic	Lead	-17
PPLE-2-WC-10A; Hall by 201	11:43 AM	DW	Grab		X	1	250 ml Plastic	Lead	-18
PPLE-2-BF-06A; Hall by 201	11:43 AM	DW	Grab		X	1	250 ml Plastic	Lead	-19
PPLE-3-WC-11A; Hall by 301	11:47 AM	DW	Grab		X	1	250 ml Plastic	Lead	-20
PPLE-3-BF-07A; Hall by 301	11:47 AM	DW	Grab		X	1	250 ml Plastic	Lead	-21
PPLE-1-S-04A; Module A1	11:53 AM	DW	Grab			1	250 ml Plastic	Lead	-22
PPLE-1-DS-01A; Module A1	11:53 AM	DW	Grab			1	250 ml Plastic	Lead	-23
PPLE-1-S-05A; Module A2	11:54 AM	DW	Grab			1	250 ml Plastic	Lead	-24
PPLE-1-DS-02A; Module A2	11:55 AM	DW	Grab			1	250 ml Plastic	Lead	-25
PPLE-2-18-FBA' Field Blank	11:56 AM	DW	Grab			1	250 ml Plastic	Lead	P25-D1608-26
		DW	Grab			1	250 ml Plastic	Lead	
		DW	Grab			1	250 ml Plastic	Lead	
		DW	Grab			1	250 ml Plastic	Lead	
		DW	Grab			1	250 ml Plastic	Lead	

SAMPLES REC'D UNPRESERVED. PRESERVED IN LAB.

Page 2 of 2

Deliverables: PDF Std.  PDF Reduce  PDF Full  EDD

Date/Time Preserved with HNO3: @ 1455 on 2/18/25

**MATRIX CODES:** GW = Ground Water, WW = Waste Water, SW = Surface Water, DW = Drinking Water, S = Soil, L = Liquid, SD = Sludge, B = Blank, K = Solid (specify):

**PRESERVATION CODES:** 0 = Ice, 1 = HCl, 2 = H2SO4, 3 = NaOH, 4 = HNO3, 5 = Other

	Print Name:	Signature:	Company:	Date + Time
Relinquished:	Caroline Poskrobko	Caroline Poskrobko	GSE	2/18/2025, 2:15 PM
Received:	<i>[Signature]</i>	<i>[Signature]</i>	UAT	2/18/25 1100
Relinquished:	<i>[Signature]</i>	<i>[Signature]</i>	UAT	2/18/25 1107
Received:	<i>[Signature]</i>	<i>[Signature]</i>	UAT	02/24/25 0500
Relinquished:				
Received:				