


96ft Turf Width
20ft
Turf Length
All Purpose Turf
(1,920 sq ft)
20ft
Utility Closet
74' 1/2"
Wt Rm Width
Entrance/
Exit
10ft
24ft
Equipment Storage
Closet
36' 3/4"
Wt Rm Length
30' 3/4"
Office
Weightroom
(2,643 sq ft)
Entrance/Exit
12.ft
Water
Utility Closet
3ft
61.04 ft
7ft


Storage Locker 2
Storage Locker 1
Sleds
Plyo Boxes
Utility Closet
DB/KB storage Rack 1-3
GHD/RH 1
GHD/RH 2
GHD/RH 3
GHD/RH 4
GHD/RH 5
Equipment Storage Closet
Adjustable Benches (can also be in the racks)
Specialty Bar Storage
Office
Band storage rack
2
4
6
8
10
1
3
5
7
9
Water
The only cinderblock wall that can be used for medicine balls and plyoballs.
Utility Closet




Sample Dumbbell
Block L with white weight numbers




Sample Black Bumper Plate
Block L with white weight numbers





Sample Purple Bumper Plate
Block L with white weight numbers




copyright
all rights reserved


copyright
all rights reserved


all rights reserved


copyright
all rights reserved


SEIZE THE DAY


LAKEWOOD
PRIDE

FIRST★PLACE TURF

SpeedTurf

A Specialty Non-Infill Turf Designed for Agility and Cross Training


PHYSICAL PROPERTIES	SPECIFICATION
Fiber	Monotape P.E. fiber & monofilament nylon
Yarn Size	1,000/8 Ply – 8,000 Denier Monofilament spring-set nylon
Gauge	3/16"
Stitch Rate	16 stitches per 3
Pile Height	30 mm – 1 1/8" P.E. & 25 mm 1" nylon
Face Weight	48 oz with 8 year fade warranty
Primary Back	8 oz composite back
Secondary Back	Urethane precoat with 5mm foam
Width	12' or 15'
Shipping Weight	8 lbs per linear ft

BASE LAYER

Reinforced foam base layer offers superior shock absorption and reduces muscular fatigue and shin splints.

FIBERS

The fibers are easy to clean and disinfect, dramatically reducing the risk of staph infections and mold growth.




WHITE | RED | VEGAS GOLD | NAVY | FLA BLUE | CLAY | FIELD GREEN | BLACK

Available in 8 Standard Colors

BACKING

Composite backing secures the fibers in place providing maximum durability.




96'
20'
18'
94'