
APPENDIX G

AMBIENT NOISE MEASUREMENT DATA

Session Report

11/6/2024

Information Panel

Name	S001_BGI070014_06112024_090023
Start Time	11/6/2024 6:13:23 AM
Stop Time	11/6/2024 6:28:23 AM
Device Name	BGI070014
Model Type	SoundPro DL
Device Firmware Rev	R.13H
Comments	

Summary Data Panel

Description	Meter	Value	Description	Meter	Value
Leq	1	58.6 dB	L90	1	43.9 dB
Lmax	1	73.9 dB	Lmin	1	40.6 dB
Exchange Rate	1	3 dB	Weighting	1	A
Response	1	SLOW	Bandwidth	1	OFF
Exchange Rate	2	5 dB	Weighting	2	A
Response	2	FAST			


Statistics Table

dB:	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	%
40:	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.08	0.12	0.14	0.39
41:	0.11	0.13	0.12	0.09	0.09	0.12	0.13	0.11	0.10	0.11	1.10
42:	0.14	0.13	0.16	0.21	0.25	0.37	0.66	0.55	0.49	0.36	3.31
43:	0.32	0.55	0.68	0.61	0.54	0.57	0.42	0.39	0.48	0.47	5.04
44:	0.49	0.57	0.43	0.60	0.49	0.65	0.73	0.73	0.88	0.81	6.39
45:	0.96	0.83	0.91	1.17	0.94	1.03	1.00	0.88	1.11	0.96	9.78
46:	0.67	0.86	0.76	1.03	0.95	0.95	0.82	1.16	0.87	0.85	8.92
47:	0.91	0.94	0.49	0.61	0.70	0.88	0.70	0.62	0.60	0.61	7.06
48:	0.53	0.62	0.67	0.87	0.80	0.84	0.97	0.64	0.58	0.50	7.01
49:	0.61	0.54	0.60	0.55	0.42	0.47	0.48	0.47	0.42	0.48	5.04
50:	0.63	0.70	0.51	0.58	0.68	0.54	0.49	0.55	0.53	0.42	5.65
51:	0.41	0.42	0.47	0.42	0.43	0.35	0.35	0.42	0.46	0.46	4.19
52:	0.45	0.47	0.35	0.44	0.38	0.38	0.31	0.33	0.34	0.37	3.81

53:	0.31	0.29	0.22	0.24	0.29	0.28	0.23	0.23	0.24	0.23	2.57
54:	0.32	0.29	0.27	0.26	0.22	0.22	0.20	0.22	0.22	0.20	2.41
55:	0.21	0.23	0.22	0.22	0.25	0.26	0.26	0.24	0.24	0.28	2.40
56:	0.28	0.28	0.17	0.22	0.20	0.21	0.20	0.20	0.20	0.20	2.15
57:	0.19	0.20	0.28	0.21	0.22	0.23	0.20	0.20	0.20	0.20	2.14
58:	0.18	0.21	0.22	0.24	0.28	0.23	0.25	0.22	0.21	0.21	2.26
59:	0.25	0.25	0.18	0.20	0.22	0.24	0.23	0.18	0.20	0.17	2.12
60:	0.18	0.20	0.16	0.17	0.20	0.20	0.19	0.19	0.20	0.19	1.89
61:	0.18	0.18	0.17	0.17	0.15	0.17	0.17	0.16	0.18	0.18	1.71
62:	0.17	0.23	0.18	0.11	0.17	0.18	0.18	0.17	0.18	0.18	1.76
63:	0.17	0.19	0.17	0.16	0.16	0.16	0.21	0.23	0.22	0.17	1.84
64:	0.17	0.20	0.17	0.20	0.24	0.23	0.20	0.20	0.30	0.30	2.20
65:	0.18	0.17	0.20	0.09	0.13	0.13	0.16	0.15	0.12	0.12	1.44
66:	0.12	0.12	0.15	0.13	0.11	0.11	0.12	0.11	0.12	0.12	1.21
67:	0.11	0.12	0.16	0.17	0.14	0.17	0.16	0.15	0.14	0.17	1.48
68:	0.18	0.16	0.13	0.11	0.13	0.13	0.14	0.12	0.11	0.13	1.35
69:	0.10	0.09	0.10	0.06	0.09	0.11	0.11	0.11	0.12	0.05	0.94
70:	0.02	0.01	0.01	0.01	0.01	0.00	0.01	0.01	0.01	0.01	0.09
71:	0.01	0.01	0.02	0.01	0.02	0.01	0.03	0.01	0.00	0.01	0.13
72:	0.00	0.02	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.09
73:	0.01	0.01	0.02	0.03	0.01	0.01	0.01	0.01	0.01	0.00	0.11

Statistics Chart

S001_BGI070014_06112024_090023: Statistics Chart




Exceedance Table

.	0%	1%	2%	3%	4%	5%	6%	%7	%8	%9
0%:		69.3	68.3	67.7	67.0	66.2	65.4	64.8	64.4	63.9
10%:	63.4	62.8	62.2	61.6	61.0	60.5	60.0	59.5	59.0	58.5
20%:	58.2	57.7	57.2	56.7	56.2	55.8	55.4	55.0	54.5	54.1
30%:	53.7	53.3	52.9	52.7	52.4	52.1	51.9	51.7	51.4	51.1
40%:	50.9	50.7	50.5	50.3	50.2	50.0	49.8	49.6	49.4	49.2
50%:	49.0	48.8	48.7	48.5	48.4	48.3	48.2	48.0	47.8	47.7
60%:	47.5	47.4	47.3	47.1	47.0	46.9	46.7	46.6	46.5	46.4
70%:	46.3	46.2	46.1	46.0	45.8	45.7	45.7	45.5	45.4	45.3
80%:	45.2	45.2	45.0	44.9	44.8	44.7	44.6	44.4	44.3	44.1
90%:	43.9	43.7	43.4	43.3	43.1	42.9	42.7	42.5	42.2	41.4
100%:	40.5									




Exceedance Chart

S001_BGI070014_06112024_090023: Exceedance Chart



Logged Data Chart

S001_BGI070014_06112024_090023: Logged Data Chart



Session Report

11/6/2024

Information Panel

Name	S002_BGI070014_06112024_090041
Start Time	11/6/2024 6:39:22 AM
Stop Time	11/6/2024 6:54:22 AM
Device Name	BGI070014
Model Type	SoundPro DL
Device Firmware Rev	R.13H
Comments	

Summary Data Panel

Description	Meter	Value	Description	Meter	Value
Leq	1	52.7 dB	L90	1	39.4 dB
Lmax	1	70.5 dB	Lmin	1	37.1 dB
Exchange Rate	1	3 dB	Weighting	1	A
Response	1	SLOW	Bandwidth	1	OFF
Exchange Rate	2	5 dB	Weighting	2	A
Response	2	FAST			


Statistics Table

dB:	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	%
37:	0.00	0.04	0.08	0.09	0.13	0.26	0.20	0.24	0.19	0.54	1.76
38:	0.49	0.39	0.24	0.19	0.33	0.42	0.49	0.69	0.72	0.72	4.66
39:	0.67	0.63	0.69	0.71	0.84	0.85	0.65	0.54	0.48	0.41	6.47
40:	0.49	0.59	0.66	0.59	0.60	0.62	0.76	0.63	0.64	0.58	6.15
41:	0.70	0.65	0.48	0.66	0.64	0.58	0.67	0.66	0.84	0.96	6.83
42:	0.78	0.53	0.53	0.66	0.66	0.64	0.64	0.69	0.74	0.71	6.58
43:	0.74	0.68	0.74	0.59	0.65	0.74	0.76	0.74	0.76	0.67	7.08
44:	0.66	0.66	0.39	0.56	0.76	0.62	0.62	0.61	0.60	0.68	6.15
45:	0.66	0.55	0.60	0.70	0.64	0.64	0.54	0.55	0.58	0.64	6.10
46:	0.76	0.72	0.71	0.65	0.67	0.61	0.65	0.62	0.57	0.52	6.47
47:	0.52	0.61	0.40	0.45	0.45	0.41	0.39	0.41	0.45	0.43	4.53
48:	0.36	0.38	0.40	0.49	0.51	0.61	0.59	0.61	0.55	0.55	5.06
49:	0.56	0.55	0.55	0.60	0.53	0.62	0.61	0.54	0.50	0.66	5.73

50:	0.62	0.66	0.41	0.49	0.48	0.44	0.52	0.51	0.43	0.44	4.99
51:	0.46	0.40	0.49	0.50	0.45	0.47	0.44	0.43	0.39	0.37	4.40
52:	0.41	0.39	0.40	0.36	0.39	0.31	0.32	0.35	0.30	0.35	3.57
53:	0.30	0.35	0.28	0.30	0.31	0.32	0.33	0.29	0.36	0.20	3.03
54:	0.23	0.18	0.18	0.21	0.17	0.18	0.16	0.15	0.15	0.17	1.78
55:	0.15	0.11	0.13	0.12	0.12	0.11	0.14	0.13	0.16	0.14	1.30
56:	0.15	0.15	0.10	0.13	0.17	0.14	0.11	0.09	0.10	0.09	1.23
57:	0.09	0.09	0.10	0.10	0.12	0.13	0.11	0.10	0.07	0.08	1.00
58:	0.09	0.10	0.10	0.07	0.09	0.07	0.08	0.08	0.07	0.08	0.83
59:	0.09	0.11	0.08	0.09	0.09	0.11	0.11	0.11	0.10	0.07	0.96
60:	0.06	0.07	0.08	0.06	0.06	0.06	0.09	0.06	0.05	0.03	0.62
61:	0.05	0.04	0.04	0.05	0.04	0.04	0.04	0.04	0.04	0.04	0.43
62:	0.05	0.05	0.05	0.02	0.05	0.05	0.05	0.04	0.03	0.03	0.42
63:	0.05	0.04	0.07	0.07	0.04	0.02	0.03	0.02	0.03	0.02	0.40
64:	0.03	0.02	0.02	0.02	0.02	0.03	0.02	0.02	0.02	0.02	0.24
65:	0.03	0.03	0.04	0.02	0.02	0.03	0.02	0.02	0.02	0.03	0.27
66:	0.02	0.03	0.03	0.03	0.02	0.03	0.02	0.02	0.04	0.03	0.27
67:	0.03	0.04	0.06	0.05	0.03	0.01	0.01	0.01	0.01	0.01	0.27
68:	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.12
69:	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.05	0.01	0.20
70:	0.01	0.01	0.01	0.01	0.02	0.02	0.00	0.00	0.00	0.00	0.08

Statistics Chart

S002_BGI070014_06112024_090041: Statistics Chart




Exceedance Table

.	0%	1%	2%	3%	4%	5%	6%	%7	%8	%9
0%:		65.6	62.5	60.3	59.1	58.0	57.0	56.1	55.4	54.6
10%:	54.1	53.6	53.3	53.0	52.7	52.4	52.1	51.9	51.6	51.4
20%:	51.2	50.9	50.7	50.5	50.3	50.1	49.9	49.8	49.6	49.4
30%:	49.2	49.1	48.9	48.7	48.5	48.4	48.2	47.9	47.7	47.4
40%:	47.2	47.0	46.8	46.6	46.5	46.3	46.2	46.0	45.9	45.7
50%:	45.5	45.4	45.2	45.1	44.9	44.7	44.6	44.4	44.3	44.1
60%:	43.9	43.8	43.6	43.5	43.4	43.2	43.1	42.9	42.8	42.6
70%:	42.5	42.3	42.2	42.0	41.9	41.8	41.6	41.5	41.3	41.2
80%:	41.0	40.8	40.7	40.5	40.4	40.2	40.1	39.9	39.6	39.5
90%:	39.4	39.2	39.1	38.9	38.8	38.7	38.5	38.2	37.9	37.6
100%:	37.0									




Exceedance Chart

S002_BGI070014_06112024_090041: Exceedance Chart



Logged Data Chart

S002_BGI070014_06112024_090041: Logged Data Chart



Session Report

11/6/2024

Information Panel

Name	S003_BGI070014_06112024_090050
Start Time	11/6/2024 7:06:49 AM
Stop Time	11/6/2024 7:21:49 AM
Device Name	BGI070014
Model Type	SoundPro DL
Device Firmware Rev	R.13H
Comments	

Summary Data Panel

Description	Meter	Value	Description	Meter	Value
Leq	1	50.5 dB	L90	1	41.5 dB
Lmax	1	66.3 dB	Lmin	1	39.1 dB
Exchange Rate	1	3 dB	Weighting	1	A
Response	1	SLOW	Bandwidth	1	OFF
Exchange Rate	2	5 dB	Weighting	2	A
Response	2	FAST			


Statistics Table

dB:	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	%
39:	0.00	0.02	0.06	0.20	0.16	0.18	0.24	0.39	0.45	0.43	2.14
40:	0.40	0.45	0.38	0.43	0.46	0.32	0.37	0.48	0.32	0.60	4.21
41:	0.50	0.59	0.40	0.64	0.48	0.67	0.59	0.90	1.15	1.55	7.48
42:	1.51	1.50	1.54	1.61	1.82	1.86	1.79	2.00	1.51	1.63	16.76
43:	1.72	1.71	1.74	1.20	1.28	1.15	1.08	1.19	1.35	1.38	13.82
44:	1.30	1.34	0.82	1.16	1.13	1.28	1.07	0.81	0.89	0.84	10.63
45:	0.85	0.82	1.00	1.04	0.93	0.82	0.92	0.98	1.04	0.90	9.32
46:	0.95	1.12	1.07	1.05	0.99	1.01	0.91	0.90	0.92	0.90	9.83
47:	0.85	0.79	0.49	0.71	0.62	0.64	0.57	0.60	0.50	0.41	6.18
48:	0.39	0.40	0.33	0.31	0.30	0.25	0.31	0.34	0.31	0.30	3.23
49:	0.28	0.26	0.26	0.28	0.24	0.23	0.25	0.23	0.24	0.29	2.57
50:	0.31	0.31	0.16	0.23	0.24	0.22	0.21	0.20	0.23	0.19	2.29
51:	0.21	0.20	0.21	0.17	0.16	0.18	0.18	0.18	0.16	0.16	1.81

52:	0.18	0.18	0.18	0.22	0.18	0.17	0.16	0.15	0.15	0.18	1.73
53:	0.18	0.15	0.10	0.14	0.12	0.11	0.13	0.13	0.13	0.15	1.35
54:	0.13	0.12	0.13	0.13	0.11	0.10	0.10	0.10	0.09	0.07	1.08
55:	0.10	0.11	0.09	0.11	0.08	0.09	0.08	0.07	0.08	0.10	0.91
56:	0.08	0.09	0.05	0.06	0.06	0.07	0.06	0.06	0.06	0.06	0.66
57:	0.06	0.05	0.06	0.06	0.06	0.06	0.08	0.08	0.05	0.06	0.62
58:	0.11	0.07	0.06	0.07	0.09	0.07	0.09	0.08	0.04	0.04	0.72
59:	0.04	0.05	0.03	0.03	0.04	0.05	0.04	0.05	0.03	0.04	0.40
60:	0.03	0.03	0.04	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.33
61:	0.04	0.04	0.09	0.02	0.02	0.02	0.02	0.03	0.04	0.03	0.35
62:	0.02	0.04	0.02	0.01	0.03	0.02	0.03	0.02	0.03	0.02	0.25
63:	0.06	0.06	0.08	0.03	0.03	0.02	0.03	0.05	0.06	0.04	0.46
64:	0.03	0.03	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.15
65:	0.01	0.01	0.01	0.01	0.02	0.02	0.08	0.07	0.07	0.04	0.34
66:	0.07	0.16	0.13	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.38

Statistics Chart

S003_BGI070014_06112024_090050: Statistics Chart




Exceedance Table

.	0%	1%	2%	3%	4%	5%	6%	%7	%8	%9
---	----	----	----	----	----	----	----	----	----	----

0%:		63.6	60.7	58.3	56.9	55.4	54.4	53.6	52.9	52.2
10%:	51.7	51.1	50.6	50.2	49.8	49.4	49.0	48.7	48.3	48.0
20%:	47.8	47.6	47.4	47.2	47.1	46.9	46.8	46.7	46.6	46.5
30%:	46.4	46.3	46.2	46.1	46.0	45.9	45.8	45.7	45.6	45.5
40%:	45.4	45.3	45.2	45.1	45.0	44.8	44.7	44.6	44.5	44.4
50%:	44.3	44.2	44.2	44.0	44.0	43.9	43.8	43.7	43.7	43.6
60%:	43.5	43.4	43.3	43.3	43.2	43.1	43.0	43.0	42.9	42.9
70%:	42.8	42.8	42.7	42.6	42.6	42.5	42.5	42.4	42.4	42.3
80%:	42.3	42.2	42.1	42.1	42.0	41.9	41.9	41.8	41.7	41.6
90%:	41.5	41.4	41.2	41.0	40.8	40.6	40.3	40.1	39.8	39.6
100%:	39.0									


Exceedance Chart

S003_BGI070014_06112024_090050: Exceedance Chart



Logged Data Chart

S003_BGI070014_06112024_090050: Logged Data Chart



Session Report

11/6/2024

Information Panel

Name	S004_BGI070014_06112024_090058
Start Time	11/6/2024 7:30:43 AM
Stop Time	11/6/2024 7:45:43 AM
Device Name	BGI070014
Model Type	SoundPro DL
Device Firmware Rev	R.13H
Comments	

Summary Data Panel

Description	Meter	Value	Description	Meter	Value
Leq	1	62.4 dB	L90	1	47.7 dB
Lmax	1	81.1 dB	Lmin	1	40 dB
Exchange Rate	1	3 dB	Weighting	1	A
Response	1	SLOW	Bandwidth	1	OFF
Exchange Rate	2	5 dB	Weighting	2	A
Response	2	FAST			


Statistics Table

dB:	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	%
40:	0.01	0.02	0.01	0.01	0.01	0.01	0.02	0.03	0.04	0.08	0.24
41:	0.05	0.07	0.07	0.04	0.06	0.05	0.06	0.03	0.05	0.06	0.55
42:	0.06	0.16	0.14	0.10	0.07	0.08	0.07	0.10	0.10	0.10	1.00
43:	0.14	0.11	0.19	0.19	0.18	0.17	0.15	0.18	0.18	0.10	1.58
44:	0.16	0.16	0.13	0.18	0.15	0.18	0.20	0.16	0.19	0.13	1.65
45:	0.10	0.12	0.12	0.09	0.08	0.10	0.06	0.09	0.07	0.07	0.90
46:	0.10	0.17	0.09	0.13	0.27	0.28	0.27	0.24	0.25	0.24	2.04
47:	0.20	0.21	0.17	0.27	0.25	0.25	0.25	0.32	0.24	0.20	2.36
48:	0.21	0.17	0.29	0.33	0.23	0.19	0.23	0.14	0.17	0.21	2.17
49:	0.18	0.17	0.16	0.17	0.14	0.12	0.15	0.16	0.20	0.26	1.71
50:	0.31	0.36	0.22	0.31	0.34	0.26	0.24	0.28	0.25	0.27	2.83
51:	0.21	0.20	0.18	0.21	0.21	0.18	0.22	0.22	0.23	0.27	2.13
52:	0.24	0.22	0.18	0.15	0.30	0.22	0.19	0.22	0.27	0.30	2.30

53:	0.36	0.35	0.15	0.27	0.31	0.29	0.33	0.37	0.30	0.30	3.03
54:	0.27	0.26	0.31	0.25	0.28	0.33	0.34	0.37	0.33	0.63	3.36
55:	0.45	0.40	0.53	0.39	0.44	0.42	0.68	0.66	0.56	0.63	5.15
56:	0.45	0.45	0.37	0.44	0.42	0.41	0.48	0.49	0.53	0.53	4.57
57:	0.58	0.51	0.54	0.52	0.69	0.82	0.85	0.76	0.91	0.85	7.05
58:	0.76	0.80	0.80	0.88	0.79	0.85	0.67	0.80	0.82	0.93	8.10
59:	0.73	0.91	0.66	0.80	0.98	0.79	0.89	0.82	0.68	0.62	7.89
60:	0.59	0.55	0.55	0.64	0.64	0.60	0.57	0.66	0.53	0.52	5.85
61:	0.52	0.50	0.60	0.58	0.50	0.47	0.67	0.70	0.79	0.74	6.08
62:	0.75	0.69	0.67	0.37	0.59	0.62	0.50	0.59	0.58	0.59	5.94
63:	0.67	0.73	0.57	0.51	0.48	0.46	0.50	0.49	0.52	0.46	5.39
64:	0.49	0.47	0.48	0.33	0.33	0.45	0.56	0.64	0.49	0.56	4.80
65:	0.37	0.38	0.37	0.29	0.40	0.36	0.35	0.35	0.32	0.34	3.53
66:	0.33	0.32	0.25	0.26	0.19	0.19	0.15	0.16	0.16	0.14	2.16
67:	0.14	0.13	0.14	0.15	0.14	0.14	0.10	0.10	0.11	0.11	1.25
68:	0.12	0.14	0.13	0.08	0.12	0.11	0.12	0.08	0.10	0.09	1.07
69:	0.10	0.12	0.08	0.09	0.07	0.07	0.13	0.07	0.05	0.06	0.82
70:	0.07	0.07	0.06	0.05	0.05	0.07	0.05	0.06	0.10	0.07	0.65
71:	0.06	0.07	0.12	0.05	0.12	0.11	0.04	0.04	0.04	0.04	0.69
72:	0.04	0.05	0.03	0.03	0.03	0.04	0.03	0.04	0.03	0.03	0.36
73:	0.03	0.03	0.03	0.03	0.03	0.04	0.04	0.02	0.02	0.04	0.32
74:	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.03	0.01	0.01	0.14
75:	0.02	0.01	0.01	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.10
76:	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
77:	0.01	0.00	0.01	0.00	0.00	0.01	0.00	0.00	0.01	0.01	0.04
78:	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.03
79:	0.01	0.00	0.01	0.00	0.01	0.00	0.00	0.01	0.00	0.01	0.04
80:	0.01	0.01	0.02	0.00	0.01	0.01	0.01	0.01	0.01	0.01	0.08
81:	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02

Statistics Chart

S004_BGI070014_06112024_090058: Statistics Chart




Exceedance Table

.	0%	1%	2%	3%	4%	5%	6%	%7	%8	%9
0%:		72.3	70.7	69.2	68.2	67.3	66.6	66.1	65.8	65.5
10%:	65.2	64.9	64.7	64.6	64.4	64.1	63.9	63.7	63.5	63.3
20%:	63.1	62.9	62.8	62.6	62.4	62.3	62.1	61.9	61.8	61.7
30%:	61.5	61.3	61.1	61.0	60.8	60.6	60.4	60.3	60.1	59.9
40%:	59.8	59.6	59.5	59.4	59.3	59.1	59.0	58.9	58.8	58.7
50%:	58.5	58.4	58.3	58.2	58.0	57.9	57.8	57.7	57.5	57.4
60%:	57.3	57.1	56.9	56.7	56.5	56.3	56.1	55.9	55.7	55.5
70%:	55.3	55.1	54.9	54.7	54.4	54.0	53.7	53.4	53.0	52.7
80%:	52.3	51.8	51.3	50.8	50.5	50.1	49.8	49.1	48.6	48.2
90%:	47.7	47.3	46.9	46.5	45.9	44.8	44.3	43.6	43.0	42.0
100%:	39.9									




Exceedance Chart

S004_BGI070014_06112024_090058: Exceedance Chart



Logged Data Chart

S004_BGI070014_06112024_090058: Logged Data Chart



Session Report

11/7/2024

Information Panel

Name	S001_BLH080004_07112024_094029
Start Time	11/6/2024 6:13:27 AM
Stop Time	11/6/2024 6:28:27 AM
Device Name	BLH080004
Model Type	SoundPro DL
Device Firmware Rev	R.13J
Comments	

Summary Data Panel

Description	Meter	Value	Description	Meter	Value
Leq	1	60.1 dB	L90	1	53.1 dB
Lmax	1	63.9 dB	Lmin	1	48.7 dB
Exchange Rate	1	3 dB	Weighting	1	A
Response	1	SLOW	Bandwidth	1	OFF
Exchange Rate	2	3 dB	Weighting	2	C
Response	2	FAST			


Statistics Table

dB:	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	%
48:	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.09	0.02	0.16
49:	0.05	0.10	0.08	0.07	0.12	0.17	0.10	0.12	0.25	0.32	1.39
50:	0.37	0.37	0.26	0.38	0.28	0.25	0.29	0.26	0.28	0.26	2.99
51:	0.29	0.25	0.15	0.31	0.32	0.34	0.23	0.30	0.25	0.15	2.58
52:	0.23	0.30	0.27	0.26	0.19	0.27	0.22	0.22	0.23	0.18	2.35
53:	0.21	0.18	0.32	0.41	0.32	0.34	0.30	0.27	0.33	0.38	3.06
54:	0.38	0.27	0.17	0.25	0.20	0.30	0.39	0.30	0.33	0.25	2.84
55:	0.23	0.33	0.41	0.42	0.42	0.27	0.28	0.33	0.34	0.29	3.32
56:	0.28	0.32	0.27	0.20	0.20	0.27	0.28	0.29	0.22	0.23	2.56
57:	0.21	0.22	0.13	0.17	0.19	0.24	0.33	0.34	0.29	0.23	2.36
58:	0.26	0.32	0.43	0.29	0.27	0.27	0.33	0.31	0.32	0.46	3.26
59:	0.61	0.56	0.56	0.74	0.73	1.20	1.55	1.53	1.57	1.67	10.72
60:	1.99	1.86	1.40	2.00	2.23	2.41	2.58	2.66	2.60	2.66	22.38

61:	2.97	3.04	3.02	3.23	2.87	2.77	2.52	2.18	2.65	2.19	27.43
62:	2.00	1.78	1.59	1.47	1.29	1.21	0.91	0.72	0.44	0.38	11.80
63:	0.33	0.16	0.06	0.07	0.06	0.06	0.01	0.01	0.01	0.01	0.78

Statistics Chart

S001_BLH080004_07112024_094029: Statistics Chart




Exceedance Table

.	0%	1%	2%	3%	4%	5%	6%	%7	%8	%9
0%:		62.8	62.6	62.5	62.4	62.3	62.2	62.2	62.1	62.0
10%:	62.0	61.9	61.9	61.8	61.8	61.7	61.7	61.7	61.6	61.6
20%:	61.5	61.5	61.5	61.4	61.4	61.3	61.3	61.3	61.2	61.2
30%:	61.2	61.1	61.1	61.1	61.1	61.0	61.0	61.0	60.9	60.9
40%:	60.9	60.8	60.8	60.7	60.7	60.7	60.6	60.6	60.5	60.5
50%:	60.5	60.4	60.4	60.3	60.3	60.3	60.2	60.2	60.1	60.0
60%:	60.0	59.9	59.9	59.8	59.8	59.7	59.6	59.6	59.5	59.4
70%:	59.3	59.2	59.0	58.9	58.6	58.3	58.0	57.6	57.3	56.7
80%:	56.4	56.0	55.6	55.3	55.1	54.7	54.4	54.0	53.7	53.4
90%:	53.1	52.6	52.2	51.8	51.4	51.0	50.6	50.3	50.0	49.7
100%:	48.6									


Exceedance Chart

S001_BLH080004_07112024_094029: Exceedance Chart



Logged Data Chart

S001_BLH080004_07112024_094029: Logged Data Chart



Session Report

11/7/2024

Information Panel

Name	S002_BLH080004_07112024_094045
Start Time	11/6/2024 6:39:26 AM
Stop Time	11/6/2024 6:54:26 AM
Device Name	BLH080004
Model Type	SoundPro DL
Device Firmware Rev	R.13J
Comments	

Summary Data Panel

Description	Meter	Value	Description	Meter	Value
Leq	1	60.2 dB	L90	1	55.7 dB
Lmax	1	68.3 dB	Lmin	1	51.8 dB
Exchange Rate	1	3 dB	Weighting	1	A
Response	1	SLOW	Bandwidth	1	OFF
Exchange Rate	2	3 dB	Weighting	2	C
Response	2	FAST			


Statistics Table

dB:	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	%
51:	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.03
52:	0.04	0.09	0.04	0.01	0.01	0.04	0.05	0.09	0.13	0.07	0.58
53:	0.14	0.12	0.22	0.25	0.19	0.24	0.13	0.26	0.35	0.36	2.26
54:	0.34	0.34	0.19	0.29	0.35	0.50	0.37	0.40	0.34	0.30	3.42
55:	0.45	0.32	0.45	0.54	0.60	0.48	0.43	0.43	0.59	0.65	4.94
56:	0.58	0.70	0.60	0.60	0.57	0.70	0.64	0.69	0.64	0.61	6.32
57:	0.74	0.72	0.51	0.73	0.81	0.92	0.93	0.86	0.86	0.82	7.89
58:	0.74	0.70	0.56	0.58	0.57	0.56	0.43	0.43	0.38	0.32	5.28
59:	0.35	0.47	0.43	0.47	0.48	0.43	0.62	0.73	0.92	1.18	6.09
60:	1.68	2.13	1.41	1.86	2.23	2.96	2.87	3.14	3.26	3.73	25.27
61:	3.62	4.04	3.38	2.78	2.85	2.75	2.50	1.98	1.80	1.68	27.39
62:	1.67	1.53	1.53	1.19	1.00	0.77	0.48	0.33	0.37	0.23	9.10
63:	0.28	0.27	0.09	0.08	0.07	0.05	0.03	0.03	0.02	0.02	0.93

64:	0.02	0.02	0.02	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.19
65:	0.02	0.02	0.01	0.02	0.02	0.01	0.03	0.01	0.01	0.02	0.18
66:	0.01	0.02	0.00	0.01	0.01	0.00	0.00	0.01	0.00	0.00	0.07
67:	0.01	0.01	0.01	0.00	0.00	0.00	0.01	0.01	0.01	0.01	0.05
68:	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.03

Statistics Chart

S002_BLH080004_07112024_094045: Statistics Chart




Exceedance Table

.	0%	1%	2%	3%	4%	5%	6%	%7	%8	%9
0%:		63.0	62.7	62.4	62.3	62.2	62.1	62.1	62.0	61.9
10%:	61.9	61.8	61.8	61.7	61.7	61.6	61.6	61.5	61.5	61.4
20%:	61.4	61.4	61.3	61.3	61.3	61.2	61.2	61.1	61.1	61.1
30%:	61.1	61.0	61.0	61.0	61.0	60.9	60.9	60.9	60.8	60.8
40%:	60.8	60.8	60.7	60.7	60.7	60.6	60.6	60.6	60.6	60.5
50%:	60.5	60.4	60.4	60.4	60.3	60.3	60.3	60.2	60.1	60.1
60%:	60.0	60.0	59.9	59.9	59.8	59.7	59.6	59.4	59.2	58.9
70%:	58.6	58.4	58.2	58.1	57.9	57.8	57.7	57.6	57.5	57.3
80%:	57.2	57.1	56.9	56.8	56.6	56.5	56.3	56.1	56.0	55.8
90%:	55.7	55.4	55.2	55.0	54.8	54.5	54.2	53.9	53.6	53.1

100%: 51.7


Exceedance Chart

S002_BLH080004_07112024_094045: Exceedance Chart



Logged Data Chart

S002_BLH080004_07112024_094045: Logged Data Chart



Session Report

11/7/2024

Information Panel

Name	S003_BLH080004_07112024_094054
Start Time	11/6/2024 7:06:52 AM
Stop Time	11/6/2024 7:21:52 AM
Device Name	BLH080004
Model Type	SoundPro DL
Device Firmware Rev	R.13J
Comments	

Summary Data Panel

Description	Meter	Value	Description	Meter	Value
Leq	1	55.6 dB	L90	1	52.9 dB
Lmax	1	64.8 dB	Lmin	1	50.9 dB
Exchange Rate	1	3 dB	Weighting	1	A
Response	1	SLOW	Bandwidth	1	OFF
Exchange Rate	2	3 dB	Weighting	2	C
Response	2	FAST			


Statistics Table

dB:	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	%
50:	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
51:	0.10	0.17	0.08	0.09	0.15	0.21	0.20	0.16	0.29	0.35	1.81
52:	0.34	0.32	0.47	0.77	0.72	0.77	0.73	0.94	1.35	1.43	7.83
53:	1.42	1.93	1.86	1.64	1.83	2.19	2.40	2.57	2.24	2.64	20.72
54:	2.77	2.49	1.58	2.20	2.40	2.49	2.53	2.40	2.45	2.11	23.42
55:	2.31	1.99	2.36	2.15	2.27	2.09	2.08	1.95	1.93	1.54	20.65
56:	1.53	1.23	0.95	1.07	1.06	0.96	0.96	0.99	0.83	0.90	10.48
57:	0.81	0.77	0.45	0.64	0.65	0.60	0.55	0.50	0.47	0.58	6.03
58:	0.49	0.47	0.39	0.41	0.37	0.40	0.41	0.39	0.40	0.27	4.00
59:	0.23	0.27	0.26	0.23	0.22	0.18	0.23	0.21	0.20	0.20	2.22
60:	0.18	0.21	0.14	0.19	0.11	0.10	0.09	0.09	0.08	0.06	1.26
61:	0.08	0.08	0.10	0.13	0.07	0.07	0.08	0.07	0.07	0.07	0.82
62:	0.04	0.04	0.03	0.03	0.02	0.02	0.04	0.05	0.05	0.05	0.39

63:	0.04	0.03	0.03	0.04	0.03	0.02	0.02	0.02	0.02	0.02	0.27
64:	0.01	0.01	0.02	0.01	0.01	0.01	0.00	0.01	0.00	0.00	0.09

Statistics Chart

S003_BLH080004_07112024_094054: Statistics Chart




Exceedance Table

.	0%	1%	2%	3%	4%	5%	6%	%7	%8	%9
0%:		61.5	60.4	59.8	59.3	58.9	58.6	58.3	58.1	57.9
10%:	57.7	57.5	57.3	57.2	57.0	56.9	56.7	56.6	56.5	56.4
20%:	56.3	56.2	56.1	56.0	56.0	55.9	55.8	55.8	55.7	55.7
30%:	55.6	55.5	55.5	55.5	55.4	55.4	55.3	55.3	55.2	55.2
40%:	55.1	55.1	55.0	55.0	54.9	54.9	54.9	54.8	54.8	54.7
50%:	54.7	54.6	54.6	54.6	54.5	54.5	54.4	54.4	54.4	54.3
60%:	54.3	54.2	54.2	54.1	54.1	54.0	54.0	53.9	53.9	53.9
70%:	53.8	53.8	53.8	53.7	53.7	53.6	53.6	53.6	53.5	53.5
80%:	53.4	53.4	53.3	53.3	53.2	53.2	53.1	53.1	53.0	52.9
90%:	52.9	52.8	52.7	52.7	52.6	52.4	52.3	52.2	51.9	51.5
100%:	50.8									




Exceedance Chart

S003_BLH080004_07112024_094054: Exceedance Chart



Logged Data Chart

S003_BLH080004_07112024_094054: Logged Data Chart



Session Report

11/7/2024

Information Panel

Name	S004_BLH080004_07112024_094103
Start Time	11/6/2024 7:30:47 AM
Stop Time	11/6/2024 7:45:47 AM
Device Name	BLH080004
Model Type	SoundPro DL
Device Firmware Rev	R.13J
Comments	

Summary Data Panel


Description	Meter	Value	Description	Meter	Value
Leq	1	54.6 dB	L90	1	52.8 dB
Lmax	1	60.5 dB	Lmin	1	51 dB
Exchange Rate	1	3 dB	Weighting	1	A
Response	1	SLOW	Bandwidth	1	OFF
Exchange Rate	2	3 dB	Weighting	2	C
Response	2	FAST			

Statistics Table

dB:	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	%
51:	0.01	0.12	0.09	0.13	0.18	0.12	0.11	0.09	0.13	0.21	1.17
52:	0.33	0.38	0.66	0.74	0.73	0.90	1.28	1.67	1.90	2.01	10.59
53:	2.00	2.18	2.48	2.60	2.86	3.13	3.06	2.88	3.82	3.29	28.31
54:	3.23	3.40	2.20	3.11	2.89	2.88	2.77	2.59	2.21	2.23	27.49
55:	2.13	2.02	2.05	2.08	1.86	1.76	1.73	1.48	1.39	1.34	17.84
56:	1.45	1.42	1.24	1.07	0.87	0.84	0.81	0.72	0.58	0.47	9.47
57:	0.54	0.40	0.25	0.26	0.36	0.35	0.36	0.26	0.22	0.26	3.26
58:	0.24	0.20	0.16	0.13	0.17	0.18	0.09	0.12	0.10	0.09	1.47
59:	0.08	0.09	0.05	0.05	0.03	0.02	0.02	0.01	0.01	0.01	0.36
60:	0.02	0.01	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.04

Statistics Chart

S004_BLH080004_07112024_094103: Statistics Chart




Exceedance Table

.	0%	1%	2%	3%	4%	5%	6%	%7	%8	%9
0%:		58.3	57.8	57.4	57.1	56.9	56.7	56.5	56.4	56.3
10%:	56.2	56.1	56.0	56.0	55.9	55.8	55.7	55.7	55.6	55.5
20%:	55.5	55.4	55.4	55.3	55.3	55.2	55.2	55.1	55.1	55.0
30%:	55.0	54.9	54.9	54.8	54.8	54.7	54.7	54.6	54.6	54.6
40%:	54.5	54.5	54.5	54.4	54.4	54.4	54.3	54.3	54.2	54.2
50%:	54.2	54.2	54.1	54.1	54.0	54.0	54.0	53.9	53.9	53.9
60%:	53.8	53.8	53.8	53.8	53.7	53.7	53.7	53.7	53.6	53.6
70%:	53.5	53.5	53.5	53.4	53.4	53.4	53.4	53.3	53.3	53.2
80%:	53.2	53.2	53.1	53.1	53.1	53.0	53.0	52.9	52.9	52.8
90%:	52.8	52.7	52.7	52.6	52.5	52.5	52.4	52.2	52.1	51.8
100%:	50.9									



Exceedance Chart

S004_BLH080004_07112024_094103: Exceedance Chart



Logged Data Chart

S004_BLH080004_07112024_094103: Logged Data Chart

