

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
 Telephone: 856-858-4800 Fax:cs@emsl.com
 EMSL-CIN-01

EMSL Order ID: 012512682
LIMS Reference ID: AD12682
EMSL Customer ID: EPIC62

Attention: James Eberts
 Epic Environmental Services, LLC [EPIC62]
 80 Fork Bridge Road
 Pittsgrove, NJ 08318
 (856) 205-1077
 jeberts@epicenviro.com

Project Name: Pitman HS LIW
Customer PO: 24-2158C
EMSL Sales Rep: Justin Monturano
Received: 03/10/2025 14:40
Reported: 03/24/2025 17:14

Analytical Results

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: PHS-FB/Field Blank Lims Reference ID: AD12682-01 Matrix: Drinking Water Sampled: 03/08/25 08:00:00									
Metals									
Lead	ND		1	1.00	µg/L	03/12/25 16:39	03/18/25 09:08	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-WC-HALL1 Lims Reference ID: AD12682-02 Matrix: Drinking Water Sampled: 03/08/25 08:02:00									
Metals									
Lead	ND		1	1.00	µg/L	03/12/25 16:39	03/18/25 09:14	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-WC-HALL2 Lims Reference ID: AD12682-03 Matrix: Drinking Water Sampled: 03/08/25 08:02:00									
Metals									
Lead	ND		1	1.00	µg/L	03/12/25 16:39	03/18/25 09:16	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-BF-HALL2 Lims Reference ID: AD12682-04 Matrix: Drinking Water Sampled: 03/08/25 08:04:00									
Metals									
Lead	ND		1	1.00	µg/L	03/12/25 16:39	03/18/25 09:18	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-SO-TRAIN Lims Reference ID: AD12682-05 Matrix: Drinking Water Sampled: 03/08/25 08:06:00									
Metals									
Lead	2.10		1	1.00	µg/L	03/12/25 16:39	03/18/25 09:20	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-IM-TRAIN Lims Reference ID: AD12682-07 Matrix: Drinking Water Sampled: 03/08/25 08:08:00									
Metals									
Lead	ND		1	1.00	µg/L	03/12/25 16:39	03/18/25 09:23	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-SO-D3 Lims Reference ID: AD12682-08 Matrix: Drinking Water Sampled: 03/08/25 08:09:00									
Metals									
Lead	ND		1	1.00	µg/L	03/12/25 16:39	03/18/25 09:25	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-SO-KIT Lims Reference ID: AD12682-10 Matrix: Drinking Water Sampled: 03/08/25 08:11:00									
Metals									
Lead	1.62		1	1.00	µg/L	03/12/25 16:39	03/18/25 09:31	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-SO-KIT2 Lims Reference ID: AD12682-12 Matrix: Drinking Water Sampled: 03/08/25 08:11:00									
Metals									
Lead	ND		1	1.00	µg/L	03/12/25 16:39	03/18/25 09:33	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
 Telephone: 856-858-4800 Fax:cs@emsl.com
 EMSL-CIN-01

EMSL Order ID: 012512682
LIMS Reference ID: AD12682
EMSL Customer ID: EPIC62

Attention: James Eberts
 Epic Environmental Services, LLC [EPIC62]
 80 Fork Bridge Road
 Pittsgrove, NJ 08318
 (856) 205-1077
 jeberts@epicenviro.com

Project Name: Pitman HS LIW
Customer PO: 24-2158C
EMSL Sales Rep: Justin Monturano
Received: 03/10/2025 14:40
Reported: 03/24/2025 17:14

Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: PHS-WC-CAFE Lims Reference ID: AD12682-14 Matrix: Drinking Water Sampled: 03/08/25 08:13:00									
Metals									
Lead	ND		1	1.00	µg/L	03/12/25 16:39	03/18/25 09:39	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-WC-HALL3 Lims Reference ID: AD12682-15 Matrix: Drinking Water Sampled: 03/08/25 08:15:00									
Metals									
Lead	ND		1	1.00	µg/L	03/12/25 16:39	03/18/25 09:41	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-BF-HALL3 Lims Reference ID: AD12682-16 Matrix: Drinking Water Sampled: 03/08/25 08:15:00									
Metals									
Lead	ND		1	1.00	µg/L	03/12/25 16:39	03/18/25 09:43	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-WC-HALL4 Lims Reference ID: AD12682-17 Matrix: Drinking Water Sampled: 03/08/25 08:17:00									
Metals									
Lead	ND		1	1.00	µg/L	03/12/25 16:39	03/18/25 09:46	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-BF-HALL4 Lims Reference ID: AD12682-18 Matrix: Drinking Water Sampled: 03/08/25 08:17:00									
Metals									
Lead	ND		1	1.00	µg/L	03/12/25 16:39	03/18/25 09:48	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-WC-HALL5 Lims Reference ID: AD12682-19 Matrix: Drinking Water Sampled: 03/08/25 08:20:00									
Metals									
Lead	ND		1	1.00	µg/L	03/12/25 16:39	03/18/25 09:50	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-SO-BAND Lims Reference ID: AD12682-20 Matrix: Drinking Water Sampled: 03/08/25 08:22:00									
Metals									
Lead	1.05		1	1.00	µg/L	03/12/25 16:39	03/18/25 09:52	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-WC-BAND Lims Reference ID: AD12682-22 Matrix: Drinking Water Sampled: 03/08/25 08:24:00									
Metals									
Lead	ND		1	1.00	µg/L	03/12/25 16:41	03/18/25 19:34	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-SO-DRESS1 Lims Reference ID: AD12682-23 Matrix: Drinking Water Sampled: 03/08/25 08:27:00									
Metals									
Lead	6.39		1	1.00	µg/L	03/12/25 16:41	03/18/25 19:40	PL	EPA 200.8 (DA)/EPA 200.8



EMSL Analytical, Inc.

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012512682
LIMS Reference ID: AD12682
EMSL Customer ID: EPIC62

Attention: James Eberts
Epic Environmental Services, LLC [EPIC62]
80 Fork Bridge Road
Pittsgrove, NJ 08318
(856) 205-1077
jeberts@epicenviro.com

Project Name: Pitman HS LIW

Customer PO: 24-2158C
EMSL Sales Rep: Justin Monturano
Received: 03/10/2025 14:40
Reported: 03/24/2025 17:14

Analytical Results
(Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method	
Sample: PHS-SO-DRESS2			Lims Reference ID: AD12682-25			Matrix: Drinking Water		Sampled: 03/08/25 08:29:00		
Metals										
Lead	2.67		1	1.00	µg/L	03/12/25 16:41	03/18/25 19:41	PL	EPA 200.8 (DA)/EPA 200.8	
Sample: PHS-WC-WREST1			Lims Reference ID: AD12682-27			Matrix: Drinking Water		Sampled: 03/08/25 08:35:00		
Metals										
Lead	ND		1	1.00	µg/L	03/12/25 16:41	03/18/25 19:43	PL	EPA 200.8 (DA)/EPA 200.8	
Sample: PHS-BF-WREST1			Lims Reference ID: AD12682-28			Matrix: Drinking Water		Sampled: 03/08/25 08:36:00		
Metals										
Lead	ND		1	1.00	µg/L	03/12/25 16:41	03/18/25 19:45	PL	EPA 200.8 (DA)/EPA 200.8	



EMSL Analytical, Inc.

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012512682
LIMS Reference ID: AD12682
EMSL Customer ID: EPIC62

Attention: James Eberts
Epic Environmental Services, LLC [EPIC62]
80 Fork Bridge Road
Pittsgrove, NJ 08318
(856) 205-1077
jeberts@epicenviro.com

Project Name: Pitman HS LIW

Customer PO: 24-2158C
EMSL Sales Rep: Justin Monturano
Received: 03/10/2025 14:40
Reported: 03/24/2025 17:14

Certified Analyses included in this Report

Analyte	Certifications
EPA 200.8 in Drinking Water	
Lead	NJDEP

List of Certifications

Code	Description	Number	Expires
PADEP	Pennsylvania Department of Environmental Protection	68-00367	11/30/2025
NYSDOH	New York State Department of Health	10872	04/01/2025
NJDEP	New Jersey Department of Environmental Protection	03036	06/30/2025
MADEP	Massachusetts Department of Environmental Protection	M-NJ337	06/30/2025
CTDPH	Connecticut Department of Public Health	PH-0270	06/23/2026
California ELAP	California Water Boards	1877	06/30/2025
AIHA LAP	EMSL Analytical, Inc. Cinnaminson, NJ AIHA-LAP, LLC-ELLAP Accredited	100194	05/01/2025
A2LA	A2LA Environmental Certificate	2845.01	07/31/2026

Please see the specific Field of Testing (FOT) on www.emsl.com <<http://www.emsl.com>> for a complete listing of parameters for which EMSL is certified.



EMSL Analytical, Inc.

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012512682
LIMS Reference ID: AD12682
EMSL Customer ID: EPIC62

Attention: James Eberts
Epic Environmental Services, LLC [EPIC62]
80 Fork Bridge Road
Pittsgrove, NJ 08318
(856) 205-1077
jeberts@epicenviro.com

Project Name: Pitman HS LIW

Customer PO: 24-2158C
EMSL Sales Rep: Justin Monturano
Received: 03/10/2025 14:40
Reported: 03/24/2025 17:14

Notes and Definitions

Item	Definition
(Dig)	For metals analysis, sample was digested.
[2C]	Reported from the second channel in dual column analysis.
DA	Direct Analysis
DF	Dilution Factor
MDL	Method Detection Limit.
ND	Analyte was NOT DETECTED at or above the detection limit.
NR	Spike/Surrogate showed no recovery.
Q	Qualifier
RCS	Respirable Crystalline Silica
RL	Reporting Limit
Wet	Sample is not dry weight corrected.

Measurement of uncertainty and any applicable definitions of method modifications are available upon request. Per EPA NLLAP policy, sample results are not blank corrected.

Owen McKenna Laboratory Manager or other approved signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted.



EMSL ANALYTICAL, INC.
LABORATORY PRODUCTS TRAINING

EMSL ANALYTICAL, INC.
LABORATORY PRODUCTS TRAINING

Environmental Chemistry Chain of Custody

EMSL Order Number (Lab Use Only):

AD12682

EMSL Analytical, Inc.
200 Route 130 North

Cinnaminson, NJ 08077
PHONE: 1-800-220-3675
FAX: (856) 786-5974

Report To Contact Name: James Eberts				Bill To Company: Epic Environmental Services, LLC							
Company Name: Epic Environmental Services, LLC				Attention To: James Eberts / Timothy Eberts							
Street: 80 Fork Bridge Road				Street: 80 Fork Bridge Road							
City: Pittsgrove		State/Province: NJ		Zip/Postal Code: 08318		City: Pittsgrove					
State/Province: NJ		Zip/Postal Code: 08318		City: Pittsgrove		State/Province: NJ					
Phone: 856-205-1077		Fax:		Phone: 856-205-1077		Fax:					
Project Name: Ptman HS LIW				Email Results To: Mailing List		Purchase Order: 24-2158C					
U.S. State where Samples Collected: NJ				Number of Samples in Shipment: 28		Date of Shipment: 3/10/2025					
Sample for Compliance? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> If yes, NPDES? <input type="checkbox"/> Other (Specify):											
Samples Collected by: EMSL <input type="checkbox"/> Client <input checked="" type="checkbox"/> check one				Sampled By (Signature): Casey Lyons		Samples Received Chilled (Y/N)					
Standard Turnaround Time: <input checked="" type="checkbox"/> 2 Weeks				The following TATs are subject to lab approval: <input type="checkbox"/> 1 Week <input type="checkbox"/> 4 Days <input type="checkbox"/> 3 Days <input type="checkbox"/> 2 Days <input type="checkbox"/> 1 Day							
Failure to complete will hinder processing of samples			Matrix	Preservative	List Test(s) Needed				Comments		
Client Sample ID	Comp	Grab	Collect Date/Time	W=Water S=Soil A=Air SL=Sludge O= Other	1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	EPA 200.8	Field pH	Field pH Test Time		Field Temp. Deg C	Field Temp. Test Time
1 PHS -FB	<input type="checkbox"/>	<input checked="" type="checkbox"/>	3/8/25 0800	W	2	X					Field Blank
2 PHS-WC-HALL1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0802	W		X					
3 PHS-WC-HALL2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0804	W		X					Rec'd PHS.
4 PHS-BF-HALL2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0804	W		X					
5 PHS-SO-TRAIN	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0806	W		X					
Released By (Signature)			Date & Time		Received By			Date & Time			
Casey Lyons			3/10/2025 1400		Angele D'Amico			3/10/25 1440			
Angele D'Amico			3/10/25 1440		Timothy Eberts (WT)			3/10/25 1440			
Please indicate reporting requirements: <input checked="" type="checkbox"/> Results Only <input type="checkbox"/> Results and QC <input type="checkbox"/> Reduced Deliverables <input type="checkbox"/> Disk Deliverable <input type="checkbox"/> Other								Instructions or Comments:		Note: Field pH and Field Temperature are tested on the same day as the date of sample collection.	
Analyze FIRST DRAW Samples. Analyze FLUSH samples if corresponding First Draw result is above 15.5 ppb											

28



EMSL ANALYTICAL, INC.
LABORATORY PRODUCTS TRAINING

EMSL ANALYTICAL, INC.
LABORATORY PRODUCTS TRAINING

Environmental Chemistry Chain of Custody

EMSL Order Number (Lab Use Only):

PHONE:
FAX:

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Failure to complete will hinder processing of samples				Matrix	Preservative	List Test(s) Needed								Comments	
Client Sample ID	Comp	Grab	Collect Date/Time	W=Water S=Soil A=Air SL=Sludge O= Other	1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	EPA					Field pH	Field pH Test Time	Field Temp Deg C		Field Temp Test Time
6			PHS-SO-TRAIN (Flush) 3/8/25 0807	W	2	200.8									Flush
7			PHS-IM-TRAIN 0808	W											
8			PHS-SO-D3 0809	W											
9		X	↓ (Flush) 0810	W											Flush
10		X	PHS-SO-KIT 0811	W											
11		X	↓ (Flush) 0812	W											Flush
12		X	PHS-SO-KIT2 0811	W											
13		X	↓ (Flush) 0812	W											Flush
14		X	PHS-WC-CAFE 0813	W											
15		X	PHS-WC-HALL3 0815	W											
16		X	PHS-BF-HALL3 0815	W											
17		X	PHS-WC-HALL4 0817	W											
18		X	PHS-BF-HALL4 0817	W											
19		X	PHS-WC-HALL5 0820	W											
20		X	PHS-SO-BAND 0822	W											
21		X	↓ (Flush) 0823	W											Flush
22		X	↓ PHS-WC-BAND 0824	W	↓										

(Lab) Received Temperature: _____ °C

AD12682



EMSL ANALYTICAL, INC.
LABORATORY • PRODUCTS • TRAINING

EMSL ANALYTICAL, INC.
LABORATORY • PRODUCTS • TRAINING

Environmental Chemistry Chain of Custody

EMSL Order Number (Lab Use Only):

PHONE:
FAX:

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Failure to complete will hinder processing of samples				Matrix	Preservative	List Test(s) Needed								Comments	
Client Sample ID	Comp	Grab	Collect Date/Time	W=Water S=Soil A=Air SL=Sludge O= Other	1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	EPA					Field pH	Field pH Test Time	Field Temp Deg C		Field Temp Test Time
23 PHS-SO-DRESS1	<input type="checkbox"/>	<input type="checkbox"/>	3/8/25 0827	W	2	200.8									
24 ↓ (Flush)	<input type="checkbox"/>	<input type="checkbox"/>	0828	W	↓										Flush
25 PHS-SO-DRESS2	<input type="checkbox"/>	<input type="checkbox"/>	0829	W	↓										
26 ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0830	W	↓										Flush
27 PHS-WC-WREST1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0835	W	↓										
28 PHS-BF-WREST1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0836	W	↓										
—	<input type="checkbox"/>	<input checked="" type="checkbox"/>	—	W	—										—
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W											
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W											
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W											
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W											
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W											
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W											
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W											
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W											

(Lab) Received Temperature: _____ °C