



April 03, 2025

Scott Gillette
OHM BOCES Sauquoit Valley Central School
District
2601 Oneida Street
Sauquoit, NY 13456

RE: Project: SAUQUOIT VALLEY ELM SCHOOL
Pace Project No.: 70345328

Dear Scott Gillette:

Enclosed are the analytical results for sample(s) received by the laboratory on March 27, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Alexandria Correa
alexandria.correa@pacelabs.com
516-370-6000
Project Manager

Enclosures

cc: OHM BOCES Safety Services, OHM BOCES Sauquoit
Valley Central School District



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Pace Analytical Services, LLC - Melville, NY

575 Broad Hollow Rd, Melville, NY 11747

Connecticut Certification #: PH-0435

Delaware Certification # NY 10478

Maryland Certification #: 208

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

New Jersey Certification #: NY158

New York Certification #: 10478 Primary Accrediting Body

Pennsylvania Certification #: 68-00350

Rhode Island Certification #: LAO00340

Texas Certification #: T104704582

Florida Certification #: E871198

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 18		Lab ID: 70345328001		Collected: 03/26/25 06:34		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	4.4	ug/L	1.0	1		04/01/25 13:45	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 7 BUBBLER		Lab ID: 70345328002		Collected: 03/26/25 05:04		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		04/01/25 13:47	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 7 BOTTLE		Lab ID: 70345328003		Collected: 03/26/25 05:03		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		04/01/25 13:48	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 2 HALL LEFT		Lab ID: 70345328004		Collected: 03/26/25 05:02		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	8.0	ug/L	1.0	1		04/01/25 13:50	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 3 HALL RIGHT		Lab ID: 70345328005	Collected: 03/26/25 05:02	Received: 03/27/25 06:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	6.6	ug/L	1.0	1		04/01/25 13:51	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 46A		Lab ID: 70345328006		Collected: 03/26/25 05:08		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	11.9	ug/L	1.0	1		04/01/25 13:53	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL
Pace Project No.: 70345328

Sample: ES 46B		Lab ID: 70345328007		Collected: 03/26/25 05:09		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	79.0	ug/L	1.0	1		04/01/25 13:55	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL
Pace Project No.: 70345328

Sample: ES 46C		Lab ID: 70345328008		Collected: 03/26/25 05:10		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	30.7	ug/L	1.0	1		04/01/25 13:56	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 46D		Lab ID: 70345328009		Collected: 03/26/25 05:10		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	38.5	ug/L	1.0	1		04/01/25 13:58	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 46H		Lab ID: 70345328010		Collected: 03/26/25 05:14		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.4	ug/L	1.0	1		04/01/25 14:05	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 46F		Lab ID: 70345328011		Collected: 03/26/25 05:14		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	3.3	ug/L	1.0	1		04/01/25 14:10	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 46G		Lab ID: 70345328012		Collected: 03/26/25 05:14		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.3	ug/L	1.0	1		04/01/25 14:15	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 46E		Lab ID: 70345328013		Collected: 03/26/25 05:12		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	74.0	ug/L	1.0	1		04/01/25 14:16	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 48		Lab ID: 70345328014		Collected: 03/26/25 05:17		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	13.2	ug/L	1.0	1		04/01/25 14:18	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 51D		Lab ID: 70345328015		Collected: 03/26/25 05:23		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.1	ug/L	1.0	1		04/01/25 14:22	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 51B		Lab ID: 70345328016		Collected: 03/26/25 05:22		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	6.9	ug/L	1.0	1		04/01/25 14:24	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL
Pace Project No.: 70345328

Sample: ES 45 BUBBLER		Lab ID: 70345328017		Collected: 03/26/25 05:18		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		04/01/25 14:25	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 51C		Lab ID: 70345328018		Collected: 03/26/25 05:22		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		04/01/25 14:27	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 51A		Lab ID: 70345328019	Collected: 03/26/25 05:22	Received: 03/27/25 06:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	30.9	ug/L	1.0	1		04/01/25 14:29	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL
Pace Project No.: 70345328

Sample: ES 52		Lab ID: 70345328020		Collected: 03/26/25 05:27		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	594	ug/L	1.0	1		04/01/25 14:30	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL
Pace Project No.: 70345328

Sample: ES 45 BOTTLE		Lab ID: 70345328021	Collected: 03/26/25 05:18	Received: 03/27/25 06:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		04/01/25 14:32	7439-92-1	

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 55		Lab ID: 70345328022		Collected: 03/26/25 05:31		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	51.6	ug/L	1.0	1		04/01/25 14:33	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 54B		Lab ID: 70345328023		Collected: 03/26/25 05:30		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	3.1	ug/L	1.0	1		04/01/25 14:35	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 54A		Lab ID: 70345328024		Collected: 03/26/25 05:29		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		04/01/25 14:36	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 53		Lab ID: 70345328025		Collected: 03/26/25 05:25		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	3.3	ug/L	1.0	1		04/01/25 14:41	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 58 BUBBLER		Lab ID: 70345328026		Collected: 03/26/25 05:34		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		04/01/25 14:43	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 58 BOTTLE		Lab ID: 70345328027	Collected: 03/26/25 05:34	Received: 03/27/25 06:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		04/01/25 14:44	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL
Pace Project No.: 70345328

Sample: ES 61 SINK		Lab ID: 70345328028		Collected: 03/26/25 05:37		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.2	ug/L	1.0	1		04/01/25 14:46	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL
Pace Project No.: 70345328

Sample: ES 61 BUBBLER		Lab ID: 70345328029		Collected: 03/26/25 05:37		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.2	ug/L	1.0	1		04/01/25 14:47	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 60		Lab ID: 70345328030		Collected: 03/26/25 05:35		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.2	ug/L	1.0	1		04/01/25 14:52	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL
Pace Project No.: 70345328

Sample: ES 62		Lab ID: 70345328031		Collected: 03/26/25 05:41		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	47.4	ug/L	1.0	1		04/01/25 15:00	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 63 SINK		Lab ID: 70345328032		Collected: 03/26/25 05:42		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.9	ug/L	1.0	1		04/01/25 15:05	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL
Pace Project No.: 70345328

Sample: ES 67 SINK		Lab ID: 70345328033		Collected: 03/26/25 05:44		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.5	ug/L	1.0	1		04/01/25 15:06	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 69 BUBBLER		Lab ID: 70345328034		Collected: 03/26/25 05:45		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.4	ug/L	1.0	1		04/01/25 15:08	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL
Pace Project No.: 70345328

Sample: ES 69 SINK		Lab ID: 70345328035		Collected: 03/26/25 05:45		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		04/01/25 15:09	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL
Pace Project No.: 70345328

Sample: ES 73 SINK		Lab ID: 70345328036		Collected: 03/26/25 05:47		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.1	ug/L	1.0	1		04/01/25 15:11	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 63 BUBBLER		Lab ID: 70345328037		Collected: 03/26/25 05:42		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.5	ug/L	1.0	1		04/01/25 15:13	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL
Pace Project No.: 70345328

Sample: ES 72 SINK		Lab ID: 70345328038		Collected: 03/26/25 05:52		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.1	ug/L	1.0	1		04/01/25 15:14	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL
Pace Project No.: 70345328

Sample: ES 75 SINK		Lab ID: 70345328039		Collected: 03/26/25 05:49		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.2	ug/L	1.0	1		04/01/25 15:19	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 75 BUBBLER		Lab ID: 70345328040	Collected: 03/26/25 05:49	Received: 03/27/25 06:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		04/01/25 15:21	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL
Pace Project No.: 70345328

Sample: ES 73 BUBBLER		Lab ID: 70345328041		Collected: 03/26/25 05:48		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8							
		Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		04/01/25 15:22	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL
Pace Project No.: 70345328

Sample: ES 68 BUBBLER		Lab ID: 70345328042		Collected: 03/26/25 05:56		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8							
		Pace Analytical Services - Melville							
Lead	2.0	ug/L	1.0	1		04/01/25 15:24	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL
Pace Project No.: 70345328

Sample: ES 70 BUBBLER		Lab ID: 70345328043		Collected: 03/26/25 05:52		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8							
		Pace Analytical Services - Melville							
Lead	1.1	ug/L	1.0	1		04/01/25 15:26	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL
Pace Project No.: 70345328

Sample: ES 70 SINK		Lab ID: 70345328044		Collected: 03/26/25 05:52		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		04/01/25 15:27	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 72 BUBBLER		Lab ID: 70345328045	Collected: 03/26/25 05:52	Received: 03/27/25 06:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		04/01/25 15:29	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 23 BOTTLE		Lab ID: 70345328046		Collected: 03/26/25 06:35		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		04/01/25 15:30	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 23 BUBBLER		Lab ID: 70345328047		Collected: 03/26/25 06:35		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		04/01/25 15:32	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL
Pace Project No.: 70345328

Sample: ES 86 SINK		Lab ID: 70345328048		Collected: 03/26/25 06:01		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	3.3	ug/L	1.0	1		04/01/25 15:34	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL
Pace Project No.: 70345328

Sample: ES 68 SINK		Lab ID: 70345328049		Collected: 03/26/25 05:56		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.9	ug/L	1.0	1		04/01/25 15:38	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 83 SINK		Lab ID: 70345328050	Collected: 03/26/25 06:08	Received: 03/27/25 06:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		04/01/25 15:43	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 83 BUBBLER		Lab ID: 70345328051	Collected: 03/26/25 06:08	Received: 03/27/25 06:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		04/01/25 15:48	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL
Pace Project No.: 70345328

Sample: ES 84 SINK		Lab ID: 70345328052		Collected: 03/26/25 06:07		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.4	ug/L	1.0	1		04/01/25 15:53	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL
Pace Project No.: 70345328

Sample: ES 84 BUBBLER		Lab ID: 70345328053		Collected: 03/26/25 06:07		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.4	ug/L	1.0	1		04/01/25 15:57	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 81 BUBBLER		Lab ID: 70345328054	Collected: 03/26/25 06:11	Received: 03/27/25 06:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		04/01/25 15:59	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 81 SINK		Lab ID: 70345328055		Collected: 03/26/25 06:11		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		04/01/25 16:01	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL
Pace Project No.: 70345328

Sample: ES 91		Lab ID: 70345328056		Collected: 03/26/25 06:14		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	13.9	ug/L	1.0	1		04/01/25 16:02	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 90		Lab ID: 70345328057		Collected: 03/26/25 06:13		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.5	ug/L	1.0	1		04/01/25 16:04	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 92		Lab ID: 70345328058		Collected: 03/26/25 06:15		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.3	ug/L	1.0	1		04/01/25 16:05	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 94		Lab ID: 70345328059		Collected: 03/26/25 06:16		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.7	ug/L	1.0	1		04/01/25 16:07	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 102 BUBBLER		Lab ID: 70345328060	Collected: 03/26/25 06:17	Received: 03/27/25 06:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		04/01/25 16:09	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 102 BOTTLE		Lab ID: 70345328061	Collected: 03/26/25 06:17	Received: 03/27/25 06:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		04/01/25 16:10	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 101		Lab ID: 70345328062		Collected: 03/26/25 06:21		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.5	ug/L	1.0	1		04/01/25 16:12	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL
Pace Project No.: 70345328

Sample: ES 99		Lab ID: 70345328063		Collected: 03/26/25 06:20		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8							
		Pace Analytical Services - Melville							
Lead	2.2	ug/L	1.0	1		04/01/25 16:17	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 98		Lab ID: 70345328064		Collected: 03/26/25 06:18		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	24.6	ug/L	1.0	1		04/01/25 16:18	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 28		Lab ID: 70345328065		Collected: 03/26/25 06:23		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		04/01/25 16:20	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 38 BOTTLE		Lab ID: 70345328066	Collected: 03/26/25 06:23	Received: 03/27/25 06:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		04/01/25 16:22	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 38 BUBBLER		Lab ID: 70345328067		Collected: 03/26/25 06:23		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		04/01/25 16:23	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: S 34		Lab ID: 70345328068		Collected: 03/26/25 06:28		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		04/01/25 16:25	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 25		Lab ID: 70345328069		Collected: 03/26/25 06:29		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.7	ug/L	1.0	1		04/01/25 16:27	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 19 BUBBLER		Lab ID: 70345328070	Collected: 03/26/25 06:31	Received: 03/27/25 06:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		04/01/25 16:47	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 19 BOTTLE		Lab ID: 70345328071	Collected: 03/26/25 06:31	Received: 03/27/25 06:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		04/01/25 16:49	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Sample: ES 17		Lab ID: 70345328072		Collected: 03/26/25 06:31		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	6.5	ug/L	1.0	1		04/01/25 16:51	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SAUQUOIT VALLEY ELM SCHOOL
Pace Project No.: 70345328

Sample: ES 85 SINK		Lab ID: 70345328073		Collected: 03/26/25 06:03		Received: 03/27/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	3.9	ug/L	1.0	1		04/01/25 16:55	7439-92-1		

REPORT OF LABORATORY ANALYSIS



QUALITY CONTROL DATA

Project: SAUQUOIT VALLEY ELM SCHOOL
Pace Project No.: 70345328

QC Batch:	391981	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70345328001, 70345328002, 70345328003, 70345328004, 70345328005, 70345328006, 70345328007, 70345328008, 70345328009		

METHOD BLANK: 2060999 Matrix: Water
Associated Lab Samples: 70345328001, 70345328002, 70345328003, 70345328004, 70345328005, 70345328006, 70345328007, 70345328008, 70345328009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	04/01/25 13:12	

LABORATORY CONTROL SAMPLE: 2061000						
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	48.4	97	85-115	

MATRIX SPIKE SAMPLE:		2061002					
		70345692003	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	<1.0	50	50.9	101	70-130	

MATRIX SPIKE SAMPLE:		2061004					
		70345692004	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	<1.0	50	50.1	100	70-130	

SAMPLE DUPLICATE: 2061001					
Parameter	Units	70345692003 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE: 2061003					
Parameter	Units	70345692004 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

QC Batch:	392003	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70345328010, 70345328011, 70345328012, 70345328013, 70345328014, 70345328015, 70345328016, 70345328017, 70345328018, 70345328019, 70345328020, 70345328021, 70345328022, 70345328023, 70345328024, 70345328025, 70345328026, 70345328027, 70345328028, 70345328029		

METHOD BLANK:	2061073	Matrix:	Water
Associated Lab Samples:	70345328010, 70345328011, 70345328012, 70345328013, 70345328014, 70345328015, 70345328016, 70345328017, 70345328018, 70345328019, 70345328020, 70345328021, 70345328022, 70345328023, 70345328024, 70345328025, 70345328026, 70345328027, 70345328028, 70345328029		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	04/01/25 13:59	

LABORATORY CONTROL SAMPLE:	2061074					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	49.3	99	85-115	

MATRIX SPIKE SAMPLE:		2061076					
		70345328010	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	1.4	50	52.0	101	70-130	

MATRIX SPIKE SAMPLE:		2061078					
		70345328011	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	3.3	50	53.3	100	70-130	

SAMPLE DUPLICATE: 2061075					
		70345328010	Dup		
Parameter	Units	Result	Result	RPD	Qualifiers
Lead	ug/L	1.4	1.4	2	

SAMPLE DUPLICATE: 2061077

Parameter	Units	70345328011 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	3.3	3.3	0	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

QC Batch:	392004	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70345328030, 70345328031, 70345328032, 70345328033, 70345328034, 70345328035, 70345328036, 70345328037, 70345328038, 70345328039, 70345328040, 70345328041, 70345328042, 70345328043, 70345328044, 70345328045, 70345328046, 70345328047, 70345328048, 70345328049		

METHOD BLANK:	2061080	Matrix:	Water
Associated Lab Samples:	70345328030, 70345328031, 70345328032, 70345328033, 70345328034, 70345328035, 70345328036, 70345328037, 70345328038, 70345328039, 70345328040, 70345328041, 70345328042, 70345328043, 70345328044, 70345328045, 70345328046, 70345328047, 70345328048, 70345328049		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	04/01/25 14:49	

LABORATORY CONTROL SAMPLE:	2061081					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	49.2	98	85-115	

MATRIX SPIKE SAMPLE:		2061083					
		70345328030	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	2.2	50	52.1	100	70-130	

MATRIX SPIKE SAMPLE:		2061085					
		70345328031	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	47.4	50	91.2	88	70-130	

SAMPLE DUPLICATE: 2061082					
		70345328030	Dup		
Parameter	Units	Result	Result	RPD	Qualifiers
Lead	ug/L	2.2	2.2	4	

SAMPLE DUPLICATE: 2061084					
Parameter	Units	70345328031 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	47.4	47.4	0	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

QC Batch:	392005	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70345328050, 70345328051, 70345328052, 70345328053, 70345328054, 70345328055, 70345328056, 70345328057, 70345328058, 70345328059, 70345328060, 70345328061, 70345328062, 70345328063, 70345328064, 70345328065, 70345328066, 70345328067, 70345328068, 70345328069		

METHOD BLANK:	2061087	Matrix:	Water
Associated Lab Samples:	70345328050, 70345328051, 70345328052, 70345328053, 70345328054, 70345328055, 70345328056, 70345328057, 70345328058, 70345328059, 70345328060, 70345328061, 70345328062, 70345328063, 70345328064, 70345328065, 70345328066, 70345328067, 70345328068, 70345328069		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	04/01/25 15:40	

LABORATORY CONTROL SAMPLE:	2061088					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	47.5	95	85-115	

MATRIX SPIKE SAMPLE:		2061090					
		70345328050	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	<1.0	50	59.5	118	70-130	

MATRIX SPIKE SAMPLE:		2061092					
		70345328051	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	<1.0	50	61.5	121	70-130	

SAMPLE DUPLICATE:	2061089				
Parameter	Units	70345328050 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE:	2061091				
Parameter	Units	70345328051 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

QC Batch: 392047

Analysis Method: EPA 200.8

QC Batch Method: EPA 200.8

Analysis Description: 200.8 MET No Prep Drinking Water

Laboratory: Pace Analytical Services - Melville

Associated Lab Samples: 70345328070, 70345328071, 70345328072, 70345328073

METHOD BLANK: 2061380

Matrix: Water

Associated Lab Samples: 70345328070, 70345328071, 70345328072, 70345328073

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	04/01/25 16:28	

LABORATORY CONTROL SAMPLE: 2061381

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	49.2	98	85-115	

MATRIX SPIKE SAMPLE: 2061383

Parameter	Units	70345659001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	1.1	50	61.4	121	70-130	

SAMPLE DUPLICATE: 2061382

Parameter	Units	70345659001 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	1.1	1.1	2	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70345328001	ES 18	EPA 200.8	391981		
70345328002	ES 7 BUBBLER	EPA 200.8	391981		
70345328003	ES 7 BOTTLE	EPA 200.8	391981		
70345328004	ES 2 HALL LEFT	EPA 200.8	391981		
70345328005	ES 3 HALL RIGHT	EPA 200.8	391981		
70345328006	ES 46A	EPA 200.8	391981		
70345328007	ES 46B	EPA 200.8	391981		
70345328008	ES 46C	EPA 200.8	391981		
70345328009	ES 46D	EPA 200.8	391981		
70345328010	ES 46H	EPA 200.8	392003		
70345328011	ES 46F	EPA 200.8	392003		
70345328012	ES 46G	EPA 200.8	392003		
70345328013	ES 46E	EPA 200.8	392003		
70345328014	ES 48	EPA 200.8	392003		
70345328015	ES 51D	EPA 200.8	392003		
70345328016	ES 51B	EPA 200.8	392003		
70345328017	ES 45 BUBBLER	EPA 200.8	392003		
70345328018	ES 51C	EPA 200.8	392003		
70345328019	ES 51A	EPA 200.8	392003		
70345328020	ES 52	EPA 200.8	392003		
70345328021	ES 45 BOTTLE	EPA 200.8	392003		
70345328022	ES 55	EPA 200.8	392003		
70345328023	ES 54B	EPA 200.8	392003		
70345328024	ES 54A	EPA 200.8	392003		
70345328025	ES 53	EPA 200.8	392003		
70345328026	ES 58 BUBBLER	EPA 200.8	392003		
70345328027	ES 58 BOTTLE	EPA 200.8	392003		
70345328028	ES 61 SINK	EPA 200.8	392003		
70345328029	ES 61 BUBBLER	EPA 200.8	392003		
70345328030	ES 60	EPA 200.8	392004		
70345328031	ES 62	EPA 200.8	392004		
70345328032	ES 63 SINK	EPA 200.8	392004		
70345328033	ES 67 SINK	EPA 200.8	392004		
70345328034	ES 69 BUBBLER	EPA 200.8	392004		
70345328035	ES 69 SINK	EPA 200.8	392004		
70345328036	ES 73 SINK	EPA 200.8	392004		
70345328037	ES 63 BUBBLER	EPA 200.8	392004		
70345328038	ES 72 SINK	EPA 200.8	392004		
70345328039	ES 75 SINK	EPA 200.8	392004		
70345328040	ES 75 BUBBLER	EPA 200.8	392004		
70345328041	ES 73 BUBBLER	EPA 200.8	392004		
70345328042	ES 68 BUBBLER	EPA 200.8	392004		
70345328043	ES 70 BUBBLER	EPA 200.8	392004		
70345328044	ES 70 SINK	EPA 200.8	392004		
70345328045	ES 72 BUBBLER	EPA 200.8	392004		
70345328046	ES 23 BOTTLE	EPA 200.8	392004		
70345328047	ES 23 BUBBLER	EPA 200.8	392004		
70345328048	ES 86 SINK	EPA 200.8	392004		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: SAUQUOIT VALLEY ELM SCHOOL

Pace Project No.: 70345328

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70345328049	ES 68 SINK	EPA 200.8	392004		
70345328050	ES 83 SINK	EPA 200.8	392005		
70345328051	ES 83 BUBBLER	EPA 200.8	392005		
70345328052	ES 84 SINK	EPA 200.8	392005		
70345328053	ES 84 BUBBLER	EPA 200.8	392005		
70345328054	ES 81 BUBBLER	EPA 200.8	392005		
70345328055	ES 81 SINK	EPA 200.8	392005		
70345328056	ES 91	EPA 200.8	392005		
70345328057	ES 90	EPA 200.8	392005		
70345328058	ES 92	EPA 200.8	392005		
70345328059	ES 94	EPA 200.8	392005		
70345328060	ES 102 BUBBLER	EPA 200.8	392005		
70345328061	ES 102 BOTTLE	EPA 200.8	392005		
70345328062	ES 101	EPA 200.8	392005		
70345328063	ES 99	EPA 200.8	392005		
70345328064	ES 98	EPA 200.8	392005		
70345328065	ES 28	EPA 200.8	392005		
70345328066	ES 38 BOTTLE	EPA 200.8	392005		
70345328067	ES 38 BUBBLER	EPA 200.8	392005		
70345328068	S 34	EPA 200.8	392005		
70345328069	ES 25	EPA 200.8	392005		
70345328070	ES 19 BUBBLER	EPA 200.8	392047		
70345328071	ES 19 BOTTLE	EPA 200.8	392047		
70345328072	ES 17	EPA 200.8	392047		
70345328073	ES 85 SINK	EPA 200.8	392047		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

LAB USE ONLY - Affix Workorder/Login Label Here

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Customer Name: OHM BOCES_Sauquoit Valley Central School District

Street Address: 2601 Oneida Street, Sauquoit, NY 13456

Customer Project #: SAUQUOIT VALLEY MIDDLE SCHOOL

Site Collection Info/Facility ID (as applicable):

Time Zone Collected: [] AK [] PT [] MT [] CT [] ET

Data Deliverables: [] Level II [] Level III [] Level IV [] EQUIS [] Other

Rush (Pre-approval required): [] Same Day [] 1 Day [] 2 Day [] 3 Day [] Other

Field Filtered (if applicable): [] Yes [] No

Analysis: DW PWSID # or WW Permit # as applicable: [] Yes [] No

Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Time	Collected on Composite End Date	# Cont.	Res. Chlorine Results	Units
ES 46F			3/26	514A				
ES 46G			3/26	514A				
ES 46E			3/26	512A				
ES 48			3/26	517A				
ES 51D			3/26	523A				
ES 51B			3/26	522A				
GS 45 BOBBIER			3/26	518A				
ES 51C			3/26	522A				
ES 51A			3/26	522A				
ES 52			3/26	527A				

Additional Instructions from Pace:

Collected By: (Printed Name) Signature: SCOTT GILLETTE

Received by Company: (Signature) Date/Time: 3-24 12:33

Relinquished by Company: (Signature) Date/Time: 3/27/24

Relinquished by Company: (Signature) Date/Time: 3/27/24

Relinquished by Company: (Signature) Date/Time: 3/27/24

Relinquished by Company: (Signature) Date/Time: 3/27/24

Tracking Number: 3-24 12:33

Delivered by: [] In-Person [] Courier [] FedEx [] UPS [] Other

Page: 1 of 1

ENV-FRM-CORQ-0019_v02_110123 ©

[illegible]

Pace®

Pace® Location Requested (City/State):
Pace Analytical Long Island NY
575 Broad Hollow Rd, Melville, NY 11747

Company Name:
OHM BOCES Sauquoit Valley Central School District

Street Address:
2601 Oneida Street
Sauquoit, NY 13456

Contact/Report To:
Scott Gillette

Phone #:
315-983-1694

E-Mail:
sgillette@svcsd.org

Cc E-Mail:

Customer Project #: SAUQUOIT VALLEY MIDDLE SCHOOL
CSM

Project Name:

Site Collection Info/Facility ID (as applicable):

Time Zone Collected: [] AK [] PT [] MT [] CT [] ET New York

Data Deliverables:
[] Level II [] Level III [] Level IV
[] EQUIS

Invoiced To:
Kathy Wakefield

Invoice E-Mail:
kwakefield@svcsd.org

Purchase Order # (if applicable):

Quote #:

County / State origin of sample(s): New York

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [] Yes [] No

Rush (Pre-approval required):
[] Same Day [] 1 Day [] 2 Day [] 3 Day [] Other

Date Results Requested:
Analysis:
Field Filtered (if applicable): [] Yes [] No

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW) Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID		Matrix *	Comp / Grab	Composite Start		Collected or Composite End		# Cont.	Res. Chlorine
				Date	Time	Date	Time		Results Units
CS83	BUBBLER			3/26	608				
CS84	SINK			3/26	607A				
CS84	BUBBLER			3/26	607				
CS81	BUBBLER			3/26	611A				
CS81	SINK			3/26	611A				
CS91				3/26	614A				
CS90				3/26	613A				
CS92				3/26	615A				
CS94				3/26	616A				
CS102	BUBBLER			3/26	617A				

Additional Instructions from Pace®:
ks 3/27 br

Relinquished by/Company: (Signature)
[Signature]

Date/Time:
3/27/25 0100

Relinquished by/Company: (Signature)

Date/Time:

Relinquished by/Company: (Signature)

Date/Time:

Relinquished by/Company: (Signature)

Date/Time:

Chain-of-Custody Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY - Affix Workorder/Login Label Here

Scan QR Code for instructions

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) Encore, (8) TerraCore, (9) 90mL, (10) Other

Specify Container Size **

Identify Container Preservative Type***
H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Analyst's Requested

Preservation non-conformance identified for sample:

Proj. Mgr:
Alexandria Correa

AccNum / Client ID:
Table #:

Profile / Template:
10621

Prelog / Bottle Ord. ID:
EZ 3235836

Sample Comment

200.8 MET ICPMS Drinking Water

Customer Remarks / Special Conditions / Possible Hazards:

Coolers:

Thermometer ID:

Correction Factor (°C):

Obs Temp (°C):

Corrected Temp (°C):

On Ice:

Tracking Number:

Date/Time:
3-24 12:35

Date/Time:
3/26/25 2210

Date/Time:
3/27/25 600

Date/Time:

Delivered by: [] In-Person [] Courier

[] FedEx [] UPS [] Other

Page: 1 of 1

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Company Name:	OHM BOCES Sauquoit Valley Central School District	Contact/Report To:	Scott Gillette
Street Address:	2601 Oneida Street Sauquoit, NY 13456	Phone #:	315-983-1694
		E-Mail:	sgillette@svcsd.org
Customer Project #:		Cc E-Mail:	
Project Name:	SAUQUOIT VALLEY MIDDLE SCHOOL <i>CLM</i>	Invoice To:	Kathy Wakefield
		Invoice E-Mail:	kwakefield@svcsd.org
		Purchase Order # (if applicable):	
Site Collection Info/Facility ID (as applicable):		Quote #:	
Time Zone Collected:	[] AK [] PT [] MT [] CT [] ET	County / State origin of sample(s):	New York
Data Deliverables:		Reportable	[] Yes [] No
[] Level II [] Level III [] Level IV		Rush (Pre-approval required):	DW PWSID # or WW Permit # as applicable:
[] EQUIS		[] Same Day [] 1 Day [] 2 Day [] 3 Day [] Other	
[] Other		Date Results Requested:	Field Filtered (if applicable): [] Yes [] No
Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)		Analysis:	

SAVVOITCSP

10621

Profile #:

SAQUON Valley ELM School

Client:

Work ID:

COC Page

Use Point Number Spreadsheet

Multiday Project

Add SCLOGFD to first sample for field charge

Matrix	WG9U	VG9C	VG9H	VG9S	VG9T	DG9Y	DG9P	DG9A	DG8T	DG9S	AG4U	AG3U	AG2U	AG1U	AG34	AG3S	AG4E	AG3T	AG2R	AG1T	AG1H	AG1A	AG5U	AG44	CG1U	WG90	WG40	BP4U	BP3U	BP2U	BP1U	BP3S	BP2S	BP4N	BP3N	BP2N	BP3C	BP3T	BP3S	BP3R	BP1Z	BP1N	BP1B	SP5T	R	WG2U	WG3U	WG4U	WG5U	WG6U	WG7U	WG8U	ZPLC	GN	WP	TEOL	BG1H	LLHG	BG1N	IOC	SOC																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								</

	Location	Not counted/ Broken	Bathroom Sink	Classroom Sink	Kitchen Sink	Science Sink	Custodial Sink	Drinking Fountain Bubbler	Drinking Fountain Bottle fill	Hose Bibb
ES45	Cafeteria		2					1	1	
ES46	Kitchen Start at dishwasher F), H) are POTABLE				2					
	Kitchen NON POTABLE A) B) C) D) E) G)				-6					
ES47	Kitchen bathroom		1		1					
ES48	Kitchen Kettle									
ES49	Custodian inside Kitchen						1			
ES50	Kitchen Hallway to outside									1
ES51	Art - 301 A) B) C) D)			4						
ES52	Rm 305			1						
ES53	Rm 308			1						
ES54	Nurse - 307 B) is small room		1		2					
ES55	Rm 310			1						
ES56	Girls Bathroom (312)		3							
ES57	Janitor's Closet by (312)						1			
ES58	D. Fountain (312)							1	1	
ES59	Boy's Bathroom (312)		3							
ES60	Rm 312			1						
ES61	Rm 309	Bubbler		1				1		
ES62	Rm 314			1						
ES63	Rm 311			1				1		
ES64	Boiler Room Bath		1							
ES65	Single Bathroom 320		1							
ES66	Janitor's Closet (327)						1			
ES67	Rm 331		1	1				1		
ES68	Rm 329		1	1				1		
ES69	Rm 315		1	1				1		
ES70	Rm 323			1				1		
ES71	323/321 Shared bath		1							
ES72	Rm 321	Bubbler		1				1		
ES73	Rm 317			1				1		
ES74	317/319 Shared Bath		1							
ES75	Rm 319			1				1		
ES76										
ES77										
ES78										
ES79										
ES80										

3 R D F L O O R

Water Survey

District: Sauquoit Valley CSD
Building: Elementary School

3/17/2025

ALL FIXTURES ALPHABETICAL LEFT TO RIGHT UNLESS OTHERWISE NOTED

Space ID	Location	Not counted/ Broken	Bathroom Sink	Classroom Sink	Kitchen Sink	Science Sink	Custodial Sink	Drinking Fountain Bubbler	Drinking Fountain Bottle fill	Hose Bibb
	Individual Totals		63	30	5	0	7	25	7	1
ES1	Cave custodian Basement						1			
ES2	Hall sink Basement left side				1 ✓					
ES3	Hall sink basement Right side				1 ✓					
ES4	Single Unisex Bathroom		1							
ES5	Sink Girls/Boys Bath		3							
ES6	Women's Room inside girl gang		1							
ES7	Fountain Basement hall							1 ✓	1 ✓	
ES8										
ES9										
ES10										
ES11										
ES12										

B
a
s
e
m
e
n
t

WO#: 70345328

Client Name: SauquoitCSD
Project # _____
Courier: ☒ Fed Ex ☒ USPS ☐ Client ☐ Commercial ☐ Pace ☐ Other _____
Tracking # _____

PM: ALC Due Date: 04/07/25
CLIENT: SauquoitCSD

Custody Seal on Cooler/Box Present ☒ Yes ☒ No Seals Intact ☒ Yes ☒ No Temperature Blank Present ☐ Yes ☒ No
Packing Material ☐ Bubble Wrap ☐ Bubble Bags ☐ Z-pinch ☒ None ☐ Other _____ Type of Ice: Wet ☒ Blue ☒ None
Thermometer Used Th11 Correction Factor: 10.2 Samples on ice: cooling process has begun
Cooler Temperature (°C) 18.3 Cooler Temperature Corrected (°C) 18.5 Date/Time 5035A kits placed in freezer: _____
*temp should be above freezing to 50°C

USDA Regulated Soil (☒ N/A water sample)

Did samples originate in a quarantine zone within the United States: AL AR CA FL GA ID LA MS NC NM NY OK OR SC TN TX or VA (check map)? ☐ Yes ☒ No

Did samples originate from a foreign source including Hawaii and Puerto Rico? ☐ Yes ☒ No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.
Date and Initials of person examining contents: ML 3/27/25

				COMMENTS
Chain of Custody Present	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No		1	
Chain of Custody Filled Out	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No		2	
Chain of Custody Relinquished	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No		3	
Sampler Name & Signature on COC	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> N/A		4	
Samples Arrived within Hold Time	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No		5	
Short Hold Time Analysis (<72hr)	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No		6	
Rush Turn Around Time Requested	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No		7	
Sufficient Volume (Triple volume provided for MS/MSD)	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No		8	
Correct Containers Used	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No		9	
Pace Containers Used	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No		10	
Containers Intact	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11	
Filtered volume received for Dissolved tests	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> N/A		12	Note: sediment is visible in the dissolved container
Sample Labels match COC includes date, time, ID/Analysis, Matrix	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> OTHER		13	

Date and Initials of person checking preservation: ML 3/27/25

A: containers needing preservation have been	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13	<input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
pH paper Lot # <u>231224</u>			Sample #
A: containers needing preservation are found to be in compliance with method recommendations	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> N/A		
(HNO ₃ , H ₂ SO ₄ , HCl, NaOH) > 3 Sulfide	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> N/A		
NaOH > 12 Cyanide			
Exceptions: VOA, Conform, 100,000 Oil and Grease			
DRD/3015 (water)			
Per Method: VOA pH is checked after analysis			
Samples checked for dechlorination	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14	
Ki starch test strips Lot #			Positive for Res. Chlorine? <input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N
Residual chlorine strips Lot #			Positive for Sulfide? <input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N
SM 4500 CN samples checked for sulfide	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15	
Lead Acetate Strips Lot #			
Headspace in ALK Bottle (>5mm)	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16	
Headspace in VOA Vials (>5mm)	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> N/A	17	
Top Blank Present	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> N/A		
Top Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> N/A		

Client Notification/ Resolution
Person Contacted _____
Comments/ Resolution _____

Field Data Required? ☒ Y ☐ N
Date/Time _____

PM (Project Manager) review (which includes the SCUR) is documented electronically in MS