

Kingswood Regional High School

2023 Youth Risk Behavior Survey Report

Time Trends by Sex and by Grade

Carroll County Public Health Region

Introduction

The 2023 Youth Risk Behavior Survey (YRBS) report presents data on health-risk behaviors by sex and grade. We hope this report is useful in understanding high school student behaviors and assists you in developing educational programs, curriculum and communication tools to encourage and support healthy behaviors among students in your communities.


School-level Estimates

The 2023 survey response rate at Kingswood Regional High School was 75%, meaning 537 of 720 enrolled students took the survey. School-level estimates are based on students in attendance who did not opt out of participation in the YRBS on a given date and time during the school year. Results could be less representative of the school as a whole if specific classrooms or classroom types were not included in the survey, or if students with certain characteristics were absent or otherwise tended not to participate.

State and Regional Estimates

State and regional estimates are calculated from a random sample developed using scientific survey methods¹. These methods use weighting to account for student, classroom, school, and regional factors in order to ensure the respondents are representative of students in the region and in the state. Surveys that have a sample selected according to CDC's randomization protocol, appropriate documentation of school and classroom selection, and an overall response rate of $\geq 60\%$ ² are weighted. The random sample is not designed to provide school-level estimates. Note: region-level results were first made available in 2015.

Responses by Sex and Grade*



*Total students in bar graphs may not reflect the total surveyed as some students may choose not to self-identify by sex or grade.

Help and Assistance

Community projects and support

Regional Public Health Network Substance Misuse Prevention Coordinators are available to assist schools in coordinating community projects that promote healthy behaviors and educate school officials and stakeholders. Coordinators may also assist schools in obtaining school and community grant funding.

Your contact is: Carroll County Public Health Region: Jennifer Thomas;
Phone: 603-301-1252 x305; Email: jennifer.thomas@granitew.org; Website: <http://www.c3ph.org/>

Questions on this report

Health Statistics and Data Management
Division of Public Health Services - State of NH
NH.YouthRiskBehaviorSurvey@dhhs.nh.gov; (603) 271-4988

Change Log

v1.0: Final report released April 2024

Footnotes

¹For more details on the YRBS methodology see "Overview and Methods for the Youth Risk Behavior Surveillance System — United States, 2021" available at <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC10156160/>

²Overall response rate is computed as (number of participating schools/number of eligible sampled schools) X (number of usable questionnaires/number of eligible students sampled in participating schools), rounded to the nearest integer.


This report is produced in a partnership with the NH Department of Education and the NH Department of Health and Human Services.

Category: Drug Use - Behaviors
 Percent of students who tried marijuana for the first time before age 13 years

School
8.3%

Region
6.7%

NH
4.6%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	6.6
2015	-	-	6.1
2017	-	-	5.3
2019	7.1	5.5	4.7
2021	6.8	6.0	4.3
2023	8.3	6.7	4.6
Sex (2023)			
Female	9.5	6.5	4.7
Male	7.3	6.9	4.5
Grade (2023)			
09th	8.7	6.4	4.7
10th	9.2	9.0	5.2
11th	8.8	5.7	4.1
12th	5.3	5.3	3.9

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: How old were you when you tried marijuana for the first time?
 a: I have never tried marijuana; b: 8 years old or younger; c: 9 or 10 years old; d: 11 or 12 years old; e: 13 or 14 years old; f: 15 or 16 years old; g: 17 years old or older
 Numerator: bcd; denominator: abcdefg
 Question number: 2023q51; 2021q49; 2019q44; 2017q44; 2015q42; 2013q46



Category: Drug Use - Behaviors
 Percent of students who currently used marijuana (one or more times) during the past 30 days

School
23.7%

Region
24.1%

NH
19.8%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	24.4
2015	-	-	22.2
2017	-	-	23.1
2019	29.3	33.0	26.1
2021	21.2	26.0	17.8
2023	23.7	24.1	19.8
Sex (2023)			
Female	28.8	27.8	20.5
Male	19.6	21.3	19.0
Grade (2023)			
09th	15.3	11.4	11.0
10th	22.2	25.2	18.9
11th	30.8	29.8	22.4
12th	28.8	29.8	27.4

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 30 days, how many times did you use marijuana?

a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times

Numerator: bcdef; denominator: abcdef

Question number: 2023q52; 2021q50; 2019q45; 2017q45; 2015q43; 2013q47

Category: Drug Use - Behaviors
 Percent of students who ever used synthetic marijuana (also called Spice, fake weed, K2, or Black Mamba) one or more times during their life

School
12.6%

Region
11.0%

NH
9.6%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	13.8
2015	-	-	9.2
2017	-	-	5.6
2019	8.6	8.5	8.6
2021	9.4	11.4	10.1
2023	12.6	11.0	9.6
Sex (2023)			
Female	9.5	11.0	9.5
Male	15.2	10.9	9.8
Grade (2023)			
09th	9.2	6.5	5.3
10th	13.7	12.9	9.1
11th	13.7	11.9	11.6
12th	14.3	12.4	12.8

Notes

- *: School results are calculated directly from survey responses and may not be representative of the school as a whole.
- +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
- : Data not available (question not asked in that year and/or region not weighted).
- s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During your life, how many times have you used synthetic marijuana (also called Spice, fake weed, K2, King Kong, Yucatan Fire, or Skunk)?

a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times

Numerator: bcdef; denominator: abcdefg

Question number: 2023q53; 2021q51; 2019q46; 2017q49; 2015q50; 2013q48

Category: Drug Use - Behaviors

Percent of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it

School
10.2%

Region
9.9%

NH
8.9%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	10.5	10.3	9.8
2023	10.2	9.9	8.9
Sex (2023)			
Female	9.9	9.1	10.1
Male	10.5	10.1	7.4
Grade (2023)			
09th	9.3	10.2	9.0
10th	9.8	9.3	9.1
11th	9.8	11.5	8.4
12th	10.7	8.4	8.4

Notes

- *: School results are calculated directly from survey responses and may not be representative of the school as a whole.
- +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
- : Data not available (question not asked in that year and/or region not weighted).
- s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During your life, how many times have you taken prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?

a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times

Numerator: bcdef; denominator: abcdef

Question number: 2023q54; 2021q52




Category: Drug Use - Behaviors

Percent of students who currently took a prescription drug without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times) during the past 30 days

School
5.9%

Region
5.6%

NH
5.2%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	7.6
2015	-	-	6.8
2017	-	-	5.2
2019	3.7	4.1	4.3
2021	5.4	6.6	4.4
2023	5.9	5.6	5.2
Sex (2023)			
Female	3.0	3.0	5.0
Male	8.3	7.6	5.3
Grade (2023)			
09th	3.9	6.6	4.7
10th	5.2	5.3	5.6
11th	7.8	5.1	5.1
12th	7.1	5.3	4.9

Notes

- *: School results are calculated directly from survey responses and may not be representative of the school as a whole.
- +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
- : Data not available (question not asked in that year and/or region not weighted).
- s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 30 days, how many times did you take a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times

Numerator: bcdef; denominator: abcdef




Question number: 2023q55; 2021q53; 2019q51; 2017q51; 2015q52; 2013q55

Category: Drug Use - Behaviors
 Percent of students who used cocaine (any form of cocaine, such as powder, crack, or freebase) one or more times during the past 30 days

School
5.7%

Region
4.6%

NH
3.0%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	4.9
2015	-	-	4.9
2017	-	-	-
2019	-	-	-
2021	-	-	-
2023	5.7	4.6	3.0
Sex (2023)			
Female	3.4	3.3	2.2
Male	7.6	5.4	3.8
Grade (2023)			
09th	3.3	2.9	1.7
10th	7.8	5.0	3.2
11th	5.9	5.3	2.8
12th	5.3	4.8	4.0

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?

a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times

Numerator: bcdef; denominator: abcdef

Question number: 2023q56; 2015q45; 2013q49

Category: Drug Use - Behaviors

Percent of students who ever used inhalants (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high) one or more times during their life

School
10.1%

Region
8.6%

NH
7.1%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	8.0
2015	-	-	6.4
2017	-	-	-
2019	-	-	-
2021	-	-	-
2023	10.1	8.6	7.1
Sex (2023)			
Female	8.5	7.5	6.8
Male	11.4	9.4	7.4
Grade (2023)			
09th	9.2	8.2	7.6
10th	12.4	11.1	6.9
11th	7.8	6.3	6.8
12th	9.6	8.0	6.6

Notes

- *: School results are calculated directly from survey responses and may not be representative of the school as a whole.
- +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
- : Data not available (question not asked in that year and/or region not weighted).
- s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?

a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times

Numerator: bcdef; denominator: abcdef




Question number: 2023q57; 2015q46; 2013q50

Category: Drug Use - Behaviors
 Percent of students who ever used heroin (also called smack, junk, or China White) one or more times during their life

School
4.8%

Region
3.6%

NH
2.2%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	2.7
2015	-	-	2.4
2017	-	-	1.8
2019	0.9	0.8	1.5
2021	1.5	2.3	1.4
2023	4.8	3.6	2.2
Sex (2023)			
Female	2.6	1.7	1.2
Male	6.6	5.0	3.1
Grade (2023)			
09th	s	2.4	1.1
10th	5.9	4.6	2.4
11th	6.8	3.6	2.2
12th	s	3.6	2.8

Notes
 *: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During your life, how many times have you used heroin (also called smack, junk, or China White)?

a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times

Numerator: bcdef; denominator: abcdef

Question number: 2023q58; 2021q54; 2019q47; 2017q46; 2015q47; 2013q51




Category: Drug Use - Behaviors

Percent of students who ever used methamphetamines (also called speed, crystal meth, crank, ice, or meth) one or more times during their life

School
5.5%

Region
3.9%

NH
2.3%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	2.9
2015	-	-	2.5
2017	-	-	1.8
2019	1.3	1.1	1.7
2021	1.5	2.7	1.6
2023	5.5	3.9	2.3
Sex (2023)			
Female	2.6	2.1	1.5
Male	7.9	5.2	2.9
Grade (2023)			
09th	3.3	2.5	1.1
10th	7.2	6.3	2.5
11th	6.8	3.6	2.5
12th	4.4	3.0	2.5

Notes

- *: School results are calculated directly from survey responses and may not be representative of the school as a whole.
- +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
- : Data not available (question not asked in that year and/or region not weighted).
- s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During your life, how many times have you used methamphetamines (also called speed, crystal meth, crank, ice, or meth)?

a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times

Numerator: bcdef; denominator: abcdef

Question number: 2023q59; 2021q55; 2019q48; 2017q47; 2015q48; 2013q52



Category: Drug Use - Behaviors
 Percent of students who ever used ecstasy (also called "MDMA" or "Molly," one or more times during their life)

School
5.1%

Region
4.1%

NH
3.1%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	2.6	3.4	2.5
2023	5.1	4.1	3.1
Sex (2023)			
Female	3.4	3.6	2.5
Male	6.6	4.3	3.7
Grade (2023)			
09th	3.3	3.6	1.6
10th	6.5	5.3	3.2
11th	4.9	4.0	3.0
12th	5.3	3.4	4.2

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During your life, how many times have you used ecstasy (also called MDMA or Molly)?

a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times

Numerator: bcdef; denominator: abcdef


Question number: 2023q60; 2021q56

Category: Drug Use - Behaviors
Percent of students who were offered, sold, or given an illegal drug on school property during the past 12 months

School
25.5%

Region
24.6%

NH
19.9%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	20.1
2015	-	-	16.5
2017	-	-	16.3
2019	23.7	26.0	20.3
2021	22.4	23.8	15.9
2023	25.5	24.6	19.9
Sex (2023)			
Female	28.2	27.7	20.2
Male	23.1	21.8	19.5
Grade (2023)			
09th	21.7	20.3	17.0
10th	34.0	30.2	21.3
11th	24.3	29.3	22.4
12th	20.2	18.6	18.5

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.




How the question was actually asked: During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?
 a: Yes; b: No
 Numerator: a; denominator: ab
 Question number: 2023q61; 2021q57; 2019q52; 2017q52; 2015q53; 2013q56

Category: Drug Use - Perceptions
 Percent of students who recall hearing, reading, or seeing a public message about avoiding alcohol or other illegal drugs during the past 12 months

School
70.4%

Region
63.8%

NH
62.7%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	66.9
2015	-	-	79.6
2017	-	-	68.6
2019	66.6	67.0	70.2
2021	65.3	64.2	59.6
2023	70.4	63.8	62.7
Sex (2023)			
Female	73.5	64.7	64.7
Male	67.8	63.0	60.9
Grade (2023)			
09th	64.9	65.5	63.2
10th	74.5	65.6	62.9
11th	73.8	64.8	65.3
12th	70.2	59.3	60.1

Notes

- *: School results are calculated directly from survey responses and may not be representative of the school as a whole.
- +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
- : Data not available (question not asked in that year and/or region not weighted).
- s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 12 months, do you recall hearing, reading, or seeing a public message about avoiding alcohol or other illegal drugs?

a: Yes; b: No; c: Not sure

Numerator: a; denominator: abc

Question number: 2023q62; 2021q58; 2019q53; 2017q53; 2015q78; 2013q99

Category: Drug Use - Perceptions




Percent of students who think people are at great risk of harming themselves (physically or in other ways) if they take a prescription drug without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax)

School
43.5%

Region
47.0%

NH
44.6%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	63.0
2015	-	-	62.8
2017	-	-	63.2
2019	57.3	57.3	56.7
2021	52.3	49.2	48.9
2023	43.5	47.0	44.6
Sex (2023)			
Female	45.4	51.9	50.2
Male	42.1	43.0	39.5
Grade (2023)			
09th	42.2	43.5	37.8
10th	46.6	51.5	44.5
11th	49.5	52.6	50.0
12th	36.0	41.5	47.1

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: How much do you think people risk harming themselves (physically or in other ways) if they take a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

a: No risk; b: Slight risk; c: Moderate risk; d: Great risk

Numerator: d; denominator: abcd


Question number: 2023q90; 2021q95; 2019q90; 2017q87; 2015q86; 2013q84

Category: Drug Use - Perceptions
 Percent of students who reported that their friends feel it would be wrong or very wrong for them to smoke marijuana

School
40.0%

Region
39.6%

NH
45.5%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	41.0
2015	-	-	42.9
2017	-	-	37.3
2019	29.4	27.9	37.7
2021	39.9	35.9	45.5
2023	40.0	39.6	45.5
Sex (2023)			
Female	35.1	36.6	45.2
Male	44.0	42.6	46.1
Grade (2023)			
09th	45.6	56.9	60.8
10th	44.6	40.2	47.9
11th	34.7	30.1	39.1
12th	32.1	31.6	33.4

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: How wrong do your friends feel it would be for you to smoke marijuana?

a: Very wrong; b: Wrong; c: A little bit wrong; d: Not at all wrong; e: Not sure

Numerator: ab; denominator: abcde



Question number: 2023q92; 2021q97; 2019q92; 2017q90; 2015q89; 2013q87

Category: Drug Use - Perceptions
 Percent of students who reported that their friends feel it would be wrong or very wrong for them to take a prescription drug without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax)

School
78.3%

Region
78.8%

NH
80.8%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	77.7
2015	-	-	81.4
2017	-	-	80.5
2019	84.5	84.3	83.6
2021	79.8	77.4	81.1
2023	78.3	78.8	80.8
Sex (2023)			
Female	82.4	83.2	84.0
Male	75.0	75.5	78.2
Grade (2023)			
09th	75.3	78.6	79.3
10th	80.4	80.2	80.6
11th	86.0	80.9	81.9
12th	73.9	76.2	82.3

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: How wrong do your friends feel it would be for you to take a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

a: Very wrong; b: Wrong; c: A little bit wrong; d: Not at all wrong; e: Not sure

Numerator: ab; denominator: abcde

Question number: 2023q93; 2021q98; 2019q93; 2017q91; 2015q90; 2013q88

Category: Drug Use - Perceptions
 Percent of students who reported that their parents feel it would be wrong or very wrong for them to smoke marijuana

School
72.2%

Region
73.2%

NH
77.8%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	82.4
2015	-	-	83.0
2017	-	-	78.8
2019	74.9	72.6	78.5
2021	77.4	73.9	79.7
2023	72.2	73.2	77.8
Sex (2023)			
Female	69.6	71.7	79.4
Male	74.2	74.4	76.4
Grade (2023)			
09th	81.0	85.0	85.3
10th	70.9	78.0	80.3
11th	66.7	68.1	75.6
12th	67.6	61.2	69.6

Notes

- *: School results are calculated directly from survey responses and may not be representative of the school as a whole.
- +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
- : Data not available (question not asked in that year and/or region not weighted).
- s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: How wrong do your parents feel it would be for you to smoke marijuana?

a: Very wrong; b: Wrong; c: A little bit wrong; d: Not at all wrong; e: Not sure

Numerator: ab; denominator: abcde

Question number: 2023q96; 2021q101; 2019q96; 2017q94; 2015q93; 2013q91



Category: Drug Use - Perceptions

Percent of students who reported that their parents feel it would be wrong or very wrong for them to take a prescription drug without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax)

School
91.2%

Region
91.9%

NH
92.0%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	94.1
2015	-	-	94.9
2017	-	-	94.2
2019	96.8	96.9	95.5
2021	91.6	91.6	93.0
2023	91.2	91.9	92.0
Sex (2023)			
Female	93.8	95.6	93.9
Male	89.0	89.3	90.2
Grade (2023)			
09th	89.1	90.7	91.8
10th	93.2	92.7	91.7
11th	93.1	92.5	93.3
12th	90.1	92.0	91.8

Notes

- *: School results are calculated directly from survey responses and may not be representative of the school as a whole.
- +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
- : Data not available (question not asked in that year and/or region not weighted).
- s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: How wrong do your parents feel it would be for you to take a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

a: Very wrong; b: Wrong; c: A little bit wrong; d: Not at all wrong; e: Not sure

Numerator: ab; denominator: abcde

Question number: 2023q97; 2021q102; 2019q97; 2017q95; 2015q94; 2013q92




Category: Drug Use - Perceptions
 Percent of students who think it would be very easy for them to get some marijuana if they wanted to

School
32.3%

Region
34.3%

NH
27.1%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	47.1
2015	-	-	41.6
2017	-	-	41.4
2019	38.3	41.9	39.0
2021	24.1	29.6	24.4
2023	32.3	34.3	27.1
Sex (2023)			
Female	35.9	33.2	25.8
Male	29.7	35.1	28.1
Grade (2023)			
09th	23.1	19.0	16.2
10th	37.0	35.6	27.1
11th	36.1	41.9	32.4
12th	33.3	39.9	33.2

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: If you wanted to get some marijuana, how hard or easy would it be for you to get some?

a: Very hard; b: Sort of hard; c: Sort of easy; d: Very easy

Numerator: d; denominator: abcd



Question number: 2023q99; 2021q104; 2019q99; 2017q98; 2015q98; 2013q96

Category: Drug Use - Perceptions
 Percent of students who think it would be very easy for them to get a prescription drug without a doctor's prescription if they wanted to (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax)

School
7.4%

Region
7.4%

NH
6.4%



Year	School*	Region+	NH+
	%	%	%
2013	-	-	17.1
2015	-	-	14.7
2017	-	-	13.5
2019	8.2	8.1	10.0
2021	5.1	5.9	6.3
2023	7.4	7.4	6.4
Sex (2023)			
Female	7.3	7.3	6.1
Male	7.1	7.6	6.6
Grade (2023)			
09th	4.8	6.0	5.2
10th	9.6	8.8	6.9
11th	6.2	7.8	6.4
12th	7.2	6.5	6.8

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: If you wanted to get a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription, how hard or easy would it be for you to get some?

a: Very hard; b: Sort of hard; c: Sort of easy; d: Very easy

Numerator: d; denominator: abcd




Question number: 2023q100; 2021q105; 2019q100; 2017q99; 2015q99; 2013q98

Category: Alcohol Use - Behaviors
 Percent of students who drove a car or other vehicle when they had been drinking alcohol (among students who had driven a car or other vehicle) during the past 30 days

School
7.0%

Region
6.8%

NH
4.3%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	8.4
2015	-	-	6.3
2017	-	-	5.8
2019	2.9	4.3	4.7
2021	4.8	5.2	4.6
2023	7.0	6.8	4.3
Sex (2023)			
Female	4.9	4.9	2.9
Male	8.7	8.1	5.7
Grade (2023)			
09th	s	5.9	5.0
10th	10.0	5.3	3.6
11th	5.5	8.0	3.9
12th	5.5	6.8	4.8

Notes

- *: School results are calculated directly from survey responses and may not be representative of the school as a whole.
- +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
- : Data not available (question not asked in that year and/or region not weighted).
- s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?

a: I did not drive a car or other vehicle during the past 30 days; b: 0 times; c: 1 time; d: 2 or 3 times; e: 4 or 5 times; f: 6 or more times

Numerator: cdef; denominator: bcdef

Question number: 2023q13; 2021q13; 2019q13; 2017q13; 2015q13; 2013q13


Category: Alcohol Use - Behaviors
 Percent of students who had their first drink of alcohol before age 13 years (other than a few sips)

School
18.4%

Region
15.4%

NH
12.2%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	11.9
2015	-	-	10.8
2017	-	-	10.7
2019	12.4	12.0	10.4
2021	12.4	12.5	10.0
2023	18.4	15.4	12.2
Sex (2023)			
Female	17.2	15.1	12.2
Male	19.4	15.0	11.9
Grade (2023)			
09th	21.1	18.5	13.9
10th	23.8	19.7	13.0
11th	12.1	12.5	11.6
12th	12.5	9.5	9.3

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: How old were you when you had your first drink of alcohol other than a few sips?
 a: I have never had a drink of alcohol other than a few sips; b: 8 years old or younger; c: 9 or 10 years old; d: 11 or 12 years old; e: 13 or 14 years old; f: 15 or 16 years old; g: 17 years old or older
 Numerator: bcd; denominator: abcdefg
 Question number: 2023q47; 2021q45; 2019q40; 2017q40; 2015q38; 2013q40




Category: Alcohol Use - Behaviors
 Percent of students who had at least one drink of alcohol, on at least one day during the past 30 days

School
28.9%

Region
27.4%

NH
23.1%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	32.9
2015	-	-	29.9
2017	-	-	29.6
2019	29.6	32.1	26.8
2021	24.0	25.9	21.3
2023	28.9	27.4	23.1
Sex (2023)			
Female	31.0	30.1	25.8
Male	27.3	25.1	20.4
Grade (2023)			
09th	21.7	19.6	12.6
10th	27.8	23.4	20.2
11th	30.2	29.2	25.7
12th	37.4	37.3	34.9

Notes

- *: School results are calculated directly from survey responses and may not be representative of the school as a whole.
- + : Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
- : Data not available (question not asked in that year and/or region not weighted).
- s : To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 30 days, on how many days did you have at least one drink of alcohol?

a: 0 days; b: 1 or 2 days; c: 3 to 5 days; d: 6 to 9 days; e: 10 to 19 days; f: 20 to 29 days; g: All 30 days

Numerator: bcdefg; denominator: abcdefg




Question number: 2023q48; 2021q46; 2019q41; 2017q41; 2015q39; 2013q41

Category: Alcohol Use - Behaviors
 Percent of students who had four or more drinks of alcohol in a row for female students or five or more drinks of alcohol in a row for male students, on at least one day during the past 30 days

School
14.1%

Region
15.0%

NH
11.6%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	16.5	19.4	14.4
2021	13.3	15.1	11.2
2023	14.1	15.0	11.6
Sex (2023)			
Female	13.9	15.0	12.6
Male	14.4	14.8	10.7
Grade (2023)			
09th	7.9	6.9	5.3
10th	14.5	13.2	10.0
11th	17.2	17.2	13.0
12th	18.9	23.0	18.7

Notes

- *: School results are calculated directly from survey responses and may not be representative of the school as a whole.
- +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
- : Data not available (question not asked in that year and/or region not weighted).
- s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row, that is, within a couple of hours (if you are female) or 5 or more drinks of alcohol in a row, that is, within a couple of hours (if you are male)?

a: 0 days; b: 1 day; c: 2 days; d: 3 to 5 days; e: 6 to 9 days; f: 10 to 19 days; g: 20 or more days

Numerator: bcdefg; denominator: abcdefg



Question number: 2023q49; 2021q47; 2019q42

Category: Alcohol Use - Behaviors
 Percent of students who usually got the alcohol they drank by someone giving it to them (among students who currently drank alcohol) during the past 30 days

School
37.0%

Region
33.5%

NH
39.2%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	40.3
2015	-	-	42.3
2017	-	-	40.1
2019	46.9	38.0	35.9
2021	48.8	42.1	40.5
2023	37.0	33.5	39.2
Sex (2023)			
Female	47.1	48.1	43.3
Male	28.2	18.9	34.7
Grade (2023)			
09th	16.7	25.2	32.1
10th	32.6	30.1	36.8
11th	46.7	38.9	43.5
12th	51.2	36.7	41.2

Notes

- *: School results are calculated directly from survey responses and may not be representative of the school as a whole.
- +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
- : Data not available (question not asked in that year and/or region not weighted).
- s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.




How the question was actually asked: During the past 30 days, how did you usually get the alcohol you drank?
 a: I did not drink alcohol during the past 30 days; b: I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station; c: I bought it at a restaurant, bar, or club; d: I bought it at a public event such as a concert or sporting event; e: I gave someone else money to buy it for me; f: Someone gave it to me; g: I took it from a store or family member; h: I got it some other way
 Numerator: f; denominator: bcdefgh
 Question number: 2023q50; 2021q48; 2019q43; 2017q43; 2015q41; 2013q44

Category: Alcohol Use - Perceptions
 Percent of students who reported that their friends feel it would be wrong or very wrong for them to have one or two drinks of an alcoholic beverage nearly every day (beer, wine, or liquor)

School
57.5%

Region
60.0%

NH
62.6%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	53.3
2015	-	-	57.1
2017	-	-	56.7
2019	61.1	58.8	65.4
2021	56.0	53.5	62.7
2023	57.5	60.0	62.6
Sex (2023)			
Female	58.8	62.3	65.7
Male	56.7	58.7	59.9
Grade (2023)			
09th	51.7	60.9	64.8
10th	64.2	58.7	64.5
11th	56.4	62.4	60.7
12th	58.9	59.8	61.1

Notes
 *: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: How wrong do your friends feel it would be for you to have one or two drinks of an alcoholic beverage (beer, wine, or liquor) nearly every day?

a: Very wrong; b: Wrong; c: A little bit wrong; d: Not at all wrong; e: Not sure

Numerator: ab; denominator: abcde




Question number: 2023q91; 2021q96; 2019q91; 2017q89; 2015q88; 2013q86

Category: Alcohol Use - Perceptions
 Percent of students who approve or strongly approve of someone their age having one or two drinks of alcohol nearly every day (beer, wine, or liquor)

School
8.5%

Region
7.7%

NH
6.1%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	7.3
2015	-	-	8.1
2017	-	-	6.3
2019	4.7	6.0	5.0
2021	5.6	6.7	5.0
2023	8.5	7.7	6.1
Sex (2023)			
Female	7.5	6.1	4.5
Male	9.3	9.3	7.6
Grade (2023)			
09th	8.1	8.5	4.9
10th	8.8	8.7	6.1
11th	10.0	8.3	6.3
12th	6.4	5.0	6.6

Notes
 *: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: How do you feel about someone your age having one or two drinks of alcohol (beer, wine, or liquor) nearly every day?

a: Strongly approve; b: Approve; c: Neither approve nor disapprove; d: Disapprove; e: Strongly disapprove

Numerator: ab; denominator: abcde

Question number: 2023q94; 2021q99; 2019q94; 2017q92; 2015q95; 2013q93




Category: Alcohol Use - Perceptions

Percent of students who reported that their parents feel it would be wrong or very wrong for them to have one or two drinks of an alcoholic beverage nearly every day (beer, wine or liquor)

School
83.0%

Region
84.3%

NH
86.3%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	88.7
2015	-	-	89.3
2017	-	-	89.1
2019	89.8	89.2	90.9
2021	84.5	84.3	87.9
2023	83.0	84.3	86.3
Sex (2023)			
Female	84.9	86.2	88.5
Male	81.4	82.5	84.4
Grade (2023)			
09th	82.9	85.7	87.3
10th	85.0	87.2	87.1
11th	82.0	82.4	87.1
12th	81.8	82.0	84.5

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: How wrong do your parents feel it would be for you to have one or two drinks of an alcoholic beverage (beer, wine, or liquor) nearly every day?

a: Very wrong; b: Wrong; c: A little bit wrong; d: Not at all wrong; e: Not sure

Numerator: ab; denominator: abcde

Question number: 2023q95; 2021q100; 2019q95; 2017q93; 2015q92; 2013q90




Category: Alcohol Use - Perceptions

Percent of students who think it would be very easy for them to get some alcohol if they wanted to (beer, wine, or liquor)

School
31.9%

Region
30.3%

NH
28.5%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	41.5
2015	-	-	37.6
2017	-	-	38.9
2019	26.3	29.5	31.6
2021	27.0	26.7	25.1
2023	31.9	30.3	28.5
Sex (2023)			
Female	30.8	29.6	27.9
Male	32.9	30.9	29.1
Grade (2023)			
09th	25.0	26.7	20.5
10th	31.3	29.5	28.2
11th	36.1	34.9	31.3
12th	36.0	30.2	34.8

Notes

- *: School results are calculated directly from survey responses and may not be representative of the school as a whole.
- +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
- : Data not available (question not asked in that year and/or region not weighted).
- s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: If you wanted to get some alcohol (beer, wine, or liquor) how hard or easy would it be for you to get some?

a: Very hard; b: Sort of hard; c: Sort of easy; d: Very easy

Numerator: d; denominator: abcd

Question number: 2023q98; 2021q103; 2019q98; 2017q97; 2015q97; 2013q95



Category: Sexual and Dating Violence
 Percent of students who were ever physically forced to have sexual intercourse when they did not want to

School
13.0%

Region
12.7%

NH
9.9%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	5.7
2015	-	-	6.3
2017	-	-	5.8
2019	8.6	7.9	6.7
2021	9.7	10.2	8.8
2023	13.0	12.7	9.9
Sex (2023)			
Female	22.2	19.9	14.3
Male	5.4	6.0	5.5
Grade (2023)			
09th	9.0	7.5	7.0
10th	16.9	13.7	9.8
11th	14.4	14.2	11.0
12th	11.3	14.3	11.4

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: Have you ever been physically forced to have sexual intercourse when you did not want to?

a: Yes; b: No

Numerator: a; denominator: ab

Question number: 2023q20; 2021q22; 2019q20; 2017q20; 2015q18; 2013q18




Category: Sexual and Dating Violence

Percent of students who experienced sexual violence (being forced by anyone to do sexual things that they did not want to, one or more times) during the past 12 months

School
15.3%

Region
13.3%

NH
12.2%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	9.5
2019	12.3	11.2	10.1
2021	13.9	15.0	11.4
2023	15.3	13.3	12.2
Sex (2023)			
Female	26.7	21.0	18.6
Male	6.6	6.3	6.2
Grade (2023)			
09th	13.2	8.5	9.5
10th	18.2	17.5	13.1
11th	15.0	14.2	13.8
12th	14.0	12.6	12.5

Notes

- *: School results are calculated directly from survey responses and may not be representative of the school as a whole.
- +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
- : Data not available (question not asked in that year and/or region not weighted).
- s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)

a: 0 times; b: 1 time; c: 2 or 3 times; d: 4 or 5 times; e: 6 or more times

Numerator: bcde; denominator: abcde



Question number: 2023q21; 2021q24; 2019q21; 2017q21

Category: Sexual and Dating Violence
 Percent of students who experienced sexual dating violence (one or more times, among students who dated or went out with someone during the past 12 months)

School
14.2%

Region
12.9%

NH
11.0%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	10.2
2015	-	-	11.7
2017	-	-	7.3
2019	8.3	8.4	7.8
2021	10.0	12.8	9.6
2023	14.2	12.9	11.0
Sex (2023)			
Female	23.2	18.1	16.5
Male	6.1	7.1	5.5
Grade (2023)			
09th	12.0	12.2	9.6
10th	16.5	16.8	12.1
11th	9.2	8.6	11.1
12th	17.9	13.9	10.9

Notes

- *: School results are calculated directly from survey responses and may not be representative of the school as a whole.
- +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
- : Data not available (question not asked in that year and/or region not weighted).
- s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)

a: I did not date or go out with anyone during the past 12 months; b: 0 times; c: 1 time; d: 2 or 3 times; e: 4 or 5 times; f: 6 or more times

Numerator: cdef; denominator: bcdef


Question number: 2023q22; 2021q25; 2019q22; 2017q22; 2015q19; 2013q20

Category: Sexual and Dating Violence
 Percent of students who experienced physical dating violence (one or more times, among students who dated or went out with someone) during the past 12 months

School
13.8%

Region
12.0%

NH
10.3%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	7.4
2015	-	-	7.8
2017	-	-	7.9
2019	8.0	8.3	7.0
2021	8.7	9.0	8.7
2023	13.8	12.0	10.3
Sex (2023)			
Female	14.9	13.5	10.2
Male	12.9	10.3	10.3
Grade (2023)			
09th	11.5	10.2	9.6
10th	18.3	16.2	10.8
11th	13.8	13.8	11.1
12th	10.0	7.5	9.3

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)

a: I did not date or go out with anyone during the past 12 months; b: 0 times; c: 1 time; d: 2 or 3 times; e: 4 or 5 times; f: 6 or more times

Numerator: cdef; denominator: bcdef

Question number: 2023q23; 2021q26; 2019q23; 2017q23; 2015q21; 2013q19

Category: Sexual and Dating Violence


Percent of students who reported someone they were dating or going out with purposely tried to control them or emotionally hurt them one or more times (among students who dated or went out with someone) during the past 12 months

School
36.8%

Region
33.0%

NH
29.0%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	25.5
2019	35.4	30.5	26.5
2021	33.7	30.3	31.8
2023	36.8	33.0	29.0
Sex (2023)			
Female	46.9	38.6	35.7
Male	27.1	26.3	21.9
Grade (2023)			
09th	37.9	32.7	28.0
10th	38.3	31.6	28.8
11th	35.4	33.6	30.1
12th	34.6	33.2	28.6

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 12 months, how many times did someone you were dating or going out with purposely try to control you or emotionally hurt you? (Count such things as being told who you could and could not spend time with, being humiliated in front of others, or being threatened if you did not do what they wanted.)

a: I did not date or go out with anyone during the past 12 months; b: 0 times; c: 1 time; d: 2 or 3 times; e: 4 or 5 times; f: 6 or more times

Numerator: cdef; denominator: bcdef

Question number: 2023q24; 2021q27; 2019q24; 2017q24

Category: Sexual and Dating Violence



Percent of students who reported someone did sexual things to them that they did not want to do one or more times (by pressuring them, lying to them, making promises about the future, threatening to end their relationship, or threatening to spread rumors about them, during the 12 months before the survey)

School
15.4%

Region
15.5%

NH
13.3%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	-	-	-
2023	15.4	15.5	13.3
Sex (2023)			
Female	23.0	22.9	18.2
Male	9.5	8.8	8.6
Grade (2023)			
09th	11.0	13.3	10.7
10th	21.3	18.2	13.6
11th	14.6	15.1	14.6
12th	12.9	14.5	14.3

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 12 months, how many times did someone do sexual things to you that you did not want to do by pressuring you, lying to you, making promises about the future, threatening to end your relationship, or threatening to spread rumors about you?

a: 0 times; b: 1 time; c: 2 or 3 times; d: 4 or 5 times; e: 6 or more times

Numerator: bcde; denominator: abcde

Question number: 2023q25

Category: Sexual and Dating Violence




Percent of students who purposely tried to control or emotionally hurt someone they were dating or going out with one or more times (such things as telling them who they could and could not spend time with, humiliating them in front of others, or threatening them if they did not do what you wanted, during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)

School
12.4%

Region
9.7%

NH
10.2%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	-	-	-
2023	12.4	9.7	10.2
Sex (2023)			
Female	13.1	10.3	12.3
Male	11.7	8.8	8.0
Grade (2023)			
09th	9.6	9.7	9.4
10th	11.2	10.5	10.3
11th	15.9	9.9	10.6
12th	12.8	8.5	9.9

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 12 months, how many times did you purposely try to control or emotionally hurt someone you were dating or going out with? (Count such things as telling them who they could and could not spend time with, humiliating them in front of others, or threatening them if they did not do what you wanted.)

a: I did not date or go out with anyone during the past 12 months; b: 0 times; c: 1 time; d: 2 or 3 times; e: 4 or 5 times; f: 6 or more times

Numerator: cdef; denominator: bcdef

Question number: 2023q26



Category: Sexual Risk - Behaviors
 Percent of students who ever had sexual intercourse

School
44.1%

Region
42.9%

NH
34.2%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	42.8
2015	-	-	39.4
2017	-	-	38.9
2019	49.3	48.2	39.8
2021	38.1	38.9	29.3
2023	44.1	42.9	34.2
Sex (2023)			
Female	43.6	44.5	34.1
Male	44.3	41.8	34.3
Grade (2023)			
09th	26.4	19.4	15.1
10th	44.8	44.3	29.0
11th	59.2	53.5	42.7
12th	52.8	54.9	52.2

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: Have you ever had sexual intercourse?

a: Yes; b: No

Numerator: a; denominator: ab

Question number: 2023q63; 2021q59; 2019q54; 2017q54; 2015q54; 2013q57



Category: Sexual Risk - Behaviors
 Percent of students who had sexual intercourse for the first time before age 13 years

School
5.1%

Region
3.6%

NH
2.8%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	4.0
2015	-	-	2.8
2017	-	-	2.4
2019	2.5	2.3	2.3
2021	4.2	4.1	2.3
2023	5.1	3.6	2.8
Sex (2023)			
Female	3.6	3.1	2.7
Male	5.9	4.1	2.9
Grade (2023)			
09th	5.7	3.4	2.4
10th	4.2	4.7	3.1
11th	s	1.8	3.0
12th	5.6	4.2	2.4

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: How old were you when you had sexual intercourse for the first time?
 a: I have never had sexual intercourse; b: 11 years old or younger; c: 12 years old; d: 13 years old; e: 14 years old; f: 15 years old; g: 16 years old; h: 17 years old or older
 Numerator: bc; denominator: abcdefgh
 Question number: 2023q64; 2021q60; 2019q55; 2017q55; 2015q55; 2013q58



Category: Sexual Risk - Behaviors
 Percent of students who had sexual intercourse with four or more persons during their life

School
10.9%

Region
9.0%

NH
5.9%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	8.6
2019	9.7	10.7	7.2
2021	5.9	6.1	4.9
2023	10.9	9.0	5.9
Sex (2023)			
Female	10.5	9.8	5.5
Male	11.0	8.4	6.3
Grade (2023)			
09th	5.6	5.3	2.2
10th	7.6	5.9	4.4
11th	16.5	9.7	7.0
12th	15.9	14.3	10.2

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During your life, with how many people have you had sexual intercourse?
 a: I have never had sexual intercourse; b: 1 person; c: 2 people; d: 3 people; e: 4 people; f: 5 people; g: 6 or more people
 Numerator: efg; denominator: abcdefg
 Question number: 2023q65; 2021q61; 2019q56; 2017q56

Category: Sexual Risk - Behaviors




Percent of students who used a condom to prevent both pregnancy and sexually transmitted diseases the last time they and their partner had sexual intercourse (such as herpes, chlamydia, or HIV, among students who have had sexual intercourse)

School
24.3%

Region
25.1%

NH
31.0%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	-	-	-
2023	24.3	25.1	31.0
Sex (2023)			
Female	24.5	28.5	32.4
Male	24.4	22.2	30.1
Grade (2023)			
09th	25.6	28.8	30.3
10th	28.4	30.4	34.4
11th	27.1	31.2	32.1
12th	16.7	13.1	28.7

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: The last time you and your partner had sexual intercourse and used a condom, what was the main reason that you used a condom? (Select only one response.)

a: I have never had sexual intercourse; b: I have had sexual intercourse, but my partner and I did not use a condom the last time; c: To prevent pregnancy; d: To prevent sexually transmitted diseases like herpes, chlamydia, or HIV; e: To prevent both pregnancy and sexually transmitted diseases; f: For some other reason

Numerator: e; denominator: bcdef

Question number: 2023q68

Category: Sexual Risk - Behaviors




Percent of students who used or whose partner used emergency contraception or the morning after pill (also called Plan B One-Step, Next Choice, or Ella, during the 12 months before the survey, among students who had sexual intercourse)

School
15.7%

Region
13.1%

NH
17.6%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	-	-	-
2023	15.7	13.1	17.6
Sex (2023)			
Female	19.6	16.8	19.8
Male	12.6	9.6	15.6
Grade (2023)			
09th	s	10.8	9.8
10th	14.5	13.9	16.8
11th	11.3	10.3	19.4
12th	27.1	15.2	18.9

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 12 months, did you or your partner use emergency contraception or the morning after pill, also called Plan B One-Step, Next Choice, or Ella?

a: I have never had sexual intercourse; b: Yes; c: No; d: Not Sure

Numerator: b; denominator: bcd

Question number: 2023q69

Category: Sexual Risk - Behaviors




Percent of students who used a guide or list of places to find sexual health services (such as birth control, condoms, or HIV or other sexually transmitted disease (STD) testing or treatment, during the 12 months before the survey, among students who needed to find a place to get sexual health services)

School
32.9%

Region
26.7%

NH
24.9%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	-	-	-
2023	32.9	26.7	24.9
Sex (2023)			
Female	43.2	29.9	32.3
Male	24.7	23.8	17.2
Grade (2023)			
09th	20.0	25.8	25.7
10th	48.1	26.0	29.6
11th	27.3	18.7	22.1
12th	27.0	35.9	23.7

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 12 months, have you used a guide or list of places to find sexual health services, such as birth control, condoms, or HIV or other sexually transmitted disease (STD) testing or treatment?

a: I did not need to find a place to get sexual health services during the past 12 months; b: Yes; c: No

Numerator: b; denominator: bc

Question number: 2023q70

Category: Sexual Risk - Behaviors
 Percent of students who verbally asked for consent the last time they had sexual contact (among students who had ever had sexual contact)

School
79.4%

Region
81.9%

NH
82.1%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	-	-	-
2023	79.4	81.9	82.1
Sex (2023)			
Female	78.2	78.6	77.4
Male	80.9	85.8	87.0
Grade (2023)			
09th	81.0	87.7	83.2
10th	84.5	84.3	81.4
11th	76.1	77.6	82.4
12th	75.8	81.2	82.1

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: The last time you had sexual contact, did you ask for consent verbally?

a: I have never had sexual contact; b: Yes; c: No

Numerator: b; denominator: bc

Question number: 2023q71

Category: Sexual Risk - Behaviors
 Percent of students who gave verbal consent the last time they had sexual contact (among students who had ever had sexual contact)

School
76.0%

Region
77.6%

NH
78.2%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	-	-	-
2023	76.0	77.6	78.2
Sex (2023)			
Female	74.2	75.1	74.9
Male	78.0	80.7	81.8
Grade (2023)			
09th	74.6	82.6	76.5
10th	81.2	80.3	77.9
11th	71.6	73.9	78.6
12th	75.8	76.3	79.1

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: The last time you had sexual contact, did you give your consent verbally?

a: I have never had sexual contact; b: Yes; c: No

Numerator: b; denominator: bc

Question number: 2023q72

Category: Suicide, Sadness and Helplessness
 Percent of students who ever felt sad or hopeless (almost every day for two or more weeks in a row so that they stopped doing some usual activities) during the past 12 months

School
41.3%

Region
39.0%

NH
39.6%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	25.4
2015	-	-	27.2
2017	-	-	28.0
2019	38.7	36.4	33.6
2021	46.7	44.0	44.2
2023	41.3	39.0	39.6
Sex (2023)			
Female	58.1	52.6	51.1
Male	27.6	26.8	28.2
Grade (2023)			
09th	36.4	35.4	35.8
10th	43.8	43.0	39.7
11th	38.5	37.7	41.6
12th	45.6	38.2	41.6

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?


a: Yes; b: No
 Numerator: a; denominator: ab
 Question number: 2023q30; 2021q35; 2019q30; 2017q29; 2015q26; 2013q25

Category: Suicide, Sadness and Helplessness
 Percent of students who ever seriously considered attempting suicide during the past 12 months

School
23.6%

Region
22.1%

NH
21.3%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	14.4
2015	-	-	15.3
2017	-	-	16.1
2019	24.4	20.5	18.4
2021	27.3	25.5	24.7
2023	23.6	22.1	21.3
Sex (2023)			
Female	32.9	28.4	26.5
Male	15.8	16.0	15.8
Grade (2023)			
09th	21.3	19.7	19.7
10th	28.5	24.9	21.3
11th	19.6	21.2	21.5
12th	23.5	21.3	22.6

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 12 months, did you ever seriously consider attempting suicide?

a: Yes; b: No

Numerator: a; denominator: ab

Question number: 2023q31; 2021q36; 2019q31; 2017q30; 2015q27; 2013q26



Category: Suicide, Sadness and Helplessness
Percent of students who made a plan about how they would attempt suicide during the past 12 months

School
17.8%

Region
18.2%

NH
16.9%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	17.0	15.3	13.3
2021	23.0	23.1	19.3
2023	17.8	18.2	16.9
Sex (2023)			
Female	23.6	21.9	20.7
Male	12.8	14.3	12.8
Grade (2023)			
09th	12.9	13.4	16.8
10th	23.2	20.6	17.4
11th	23.3	19.8	16.8
12th	11.7	17.3	15.8

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 12 months, did you make a plan about how you would attempt suicide?

a: Yes; b: No

Numerator: a; denominator: ab

Question number: 2023q32; 2021q37; 2019q32


Category: Suicide, Sadness and Helplessness
 Percent of students who attempted suicide (one or more times) during the past 12 months

School
10.8%

Region
10.0%

NH
8.5%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	6.7
2015	-	-	6.8
2017	-	-	5.9
2019	10.5	6.5	7.0
2021	13.3	13.0	9.8
2023	10.8	10.0	8.5
Sex (2023)			
Female	13.2	12.1	10.3
Male	8.6	7.5	6.5
Grade (2023)			
09th	7.7	8.3	7.8
10th	14.5	12.0	9.3
11th	9.1	9.1	8.4
12th	10.0	8.4	7.9

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 12 months, how many times did you actually attempt suicide?

a: 0 times; b: 1 time; c: 2 or 3 times; d: 4 or 5 times; e: 6 or more times

Numerator: bcde; denominator: abcde



Question number: 2023q33; 2021q38; 2019q33; 2017q31; 2015q28; 2013q27

Category: Suicide, Sadness and Helplessness
 Percent of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse during the past 12 months

School
3.4%

Region
3.1%

NH
2.6%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	2.5
2015	-	-	2.5
2017	-	-	2.0
2019	2.1	1.2	2.0
2021	4.1	3.2	2.8
2023	3.4	3.1	2.6
Sex (2023)			
Female	2.8	3.4	3.0
Male	3.9	2.9	2.1
Grade (2023)			
09th	s	2.6	2.1
10th	4.8	4.6	3.1
11th	s	0.4	2.3
12th	s	4.1	2.5

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?

a: I did not attempt suicide during the past 12 months; b: Yes; c: No

Numerator: b; denominator: abc

Question number: 2023q34; 2021q39; 2019q34; 2017q32; 2015q29; 2013q28




Category: Suicide, Sadness and Helplessness
 Percent of students who never or rarely got help they need when they felt sad, empty, hopeless, angry, or anxious

School
57.8%

Region
54.9%

NH
54.3%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	57.1	60.0	57.1
2023	57.8	54.9	54.3
Sex (2023)			
Female	52.8	51.3	51.8
Male	63.1	59.2	57.7
Grade (2023)			
09th	59.3	58.9	55.2
10th	56.8	57.7	55.4
11th	55.8	55.9	55.1
12th	58.1	47.5	51.6

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: When you feel sad, empty, hopeless, angry, or anxious, how often do you get the kind of help you need?
 a: I do not feel sad, empty, hopeless, angry, or anxious; b: Never; c: Rarely; d: Sometimes; e: Most of the time; f: Always
 Numerator: bc; denominator: bcdef
 Question number: 2023q35; 2021q40

Category: Suicide, Sadness and Helplessness




Percent of students who asked for help from someone before their suicide attempt (such as a doctor, counselor, or hotline, during the 12 months before the survey, among students who attempted suicide during the 12 months before the survey)

School
21.3%

Region
21.4%

NH
33.4%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	-	-	-
2023	21.3	21.4	33.4
Sex (2023)			
Female	20.9	14.9	35.8
Male	19.4	32.6	29.4
Grade (2023)			
09th	s	29.6	27.1
10th	20.8	25.8	34.9
11th	45.5	9.7	36.2
12th	s	23.3	36.0

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: If you attempted suicide during the past 12 months, did you ask for help from someone such as a doctor, counselor, or hotline before your attempt?

a: I did not attempt suicide during the past 12 months; b: Yes; c: No

Numerator: b; denominator: bc




Question number: 2023q36

Category: Suicide, Sadness and Helplessness
 Percent of students who asked for help before attempting suicide (among students who attempted suicide during the 12 months before the survey)

School
59.3%

Region
23.9%

NH
34.8%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	-	-	-
2023	59.3	23.9	34.8
Sex (2023)			
Female	62.9	19.1	36.6
Male	52.2	32.6	31.4
Grade (2023)			
09th	66.7	33.1	27.3
10th	66.7	27.1	35.9
11th	60.0	18.7	38.5
12th	s	23.3	38.0

Notes

- *: School results are calculated directly from survey responses and may not be representative of the school as a whole.
- +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
- : Data not available (question not asked in that year and/or region not weighted).
- s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: If you attempted suicide during the past 12 months and asked for help from someone before your attempt, who did you ask for help? (Select only one response.)

a: I did not attempt suicide during the past 12 months; b: I attempted suicide during the past 12 months, but I did not ask for help before my attempt; c: Called or texted a hotline; d: Doctor, nurse, or other health professional; e: Teacher, counselor, or other adult in school; f: Parent, guardian, or other adult family member; g: Friend or sibling; h: Someone else

Numerator: cdefgh; denominator: bcdefgh

Question number: 2023q37




Category: Tobacco Use - Behaviors
Percent of students who smoked a cigarette (even one or two puffs)

School
18.1%

Region
20.2%

NH
14.8%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	-	-	-
2023	18.1	20.2	14.8
Sex (2023)			
Female	15.4	21.4	14.0
Male	20.4	19.1	15.6
Grade (2023)			
09th	9.5	8.9	9.4
10th	18.0	19.7	13.1
11th	20.4	24.1	16.3
12th	27.0	28.7	20.5

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: Have you ever smoked a cigarette, even one or two puffs?

a: Yes; b: No

Numerator: a; denominator: ab

Question number: 2023q38




Category: Tobacco Use - Behaviors
 Percent of students who smoked a cigarette before age 13 years (even one or two puffs)

School
8.8%

Region
5.4%

NH
4.6%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	-	-	-
2023	8.8	5.4	4.6
Sex (2023)			
Female	7.5	5.9	4.4
Male	9.8	5.1	4.7
Grade (2023)			
09th	6.8	4.9	4.7
10th	9.4	6.6	4.7
11th	8.7	6.0	3.9
12th	10.0	4.1	4.1

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: How old were you when you first smoked a cigarette, even one or two puffs?
 a: I have never smoked a cigarette, not even one or two puffs; b: 8 years old or younger; c: 9 or 10 years old; d: 11 or 12 years old; e: 13 or 14 years old; f: 15 or 16 years old; g: 17 years old or older
 Numerator: bcd; denominator: abcdefg
 Question number: 2023q39




Category: Tobacco Use - Behaviors
 Percent of students who currently smoked cigarettes (on at least one day) during the past 30 days

School
7.0%

Region
6.3%

NH
3.9%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	13.8
2015	-	-	9.3
2017	-	-	7.8
2019	7.5	8.4	5.5
2021	-	-	-
2023	7.0	6.3	3.9
Sex (2023)			
Female	7.4	5.4	3.2
Male	6.8	7.0	4.6
Grade (2023)			
09th	3.3	3.7	2.6
10th	9.3	7.2	4.0
11th	5.0	5.2	3.9
12th	10.3	9.2	5.2

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 30 days, on how many days did you smoke cigarettes?

a: 0 days; b: 1 or 2 days; c: 3 to 5 days; d: 6 to 9 days; e: 10 to 19 days; f: 20 to 29 days; g: All 30 days

Numerator: bcdefg; denominator: abcdefg


Question number: 2023q40; 2019q35; 2017q34; 2015q31; 2013q30

Category: Tobacco Use - Behaviors
 Percent of students who smoked more than 10 cigarettes per day (among students who currently smoked cigarettes) during the past 30 days

School
30.6%

Region
19.7%

NH
18.2%



Year	School*	Region+	NH+
	%	%	%
2013	-	-	13.7
2015	-	-	14.2
2017	-	-	11.8
2019	15.0	16.4	16.1
2021	-	-	-
2023	30.6	19.7	18.2
Sex (2023)			
Female	s	18.2	8.0
Male	42.1	21.6	25.7
Grade (2023)			
09th	s	14.1	16.7
10th	s	30.9	18.9
11th	s	30.3	16.8
12th	s	3.8	16.3

Notes

- *: School results are calculated directly from survey responses and may not be representative of the school as a whole.
- +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
- : Data not available (question not asked in that year and/or region not weighted).
- s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?
 a: I did not smoke cigarettes during the past 30 days; b: Less than 1 cigarette per day; c: 1 cigarette per day; d: 2 to 5 cigarettes per day; e: 6 to 10 cigarettes per day; f: 11 to 20 cigarettes per day; g: More than 20 cigarettes per day
 Numerator: fg; denominator: bcdefg
 Question number: 2023q41; 2019q36; 2017q35; 2015q32; 2013q31




Category: Tobacco Use - Behaviors
 Percent of students who ever used an electronic vapor product

School
38.3%

Region
35.0%

NH
32.6%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	41.1
2019	56.8	57.1	49.8
2021	37.9	38.8	31.0
2023	38.3	35.0	32.6
Sex (2023)			
Female	42.2	38.3	36.5
Male	35.2	32.4	28.6
Grade (2023)			
09th	27.2	21.9	21.7
10th	37.7	33.9	30.8
11th	52.0	49.8	36.1
12th	40.4	34.5	42.5

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: Have you ever used an electronic vapor product?

a: Yes; b: No

Numerator: a; denominator: ab

Question number: 2023q42; 2021q41; 2019q37; 2017q36




Category: Tobacco Use - Behaviors
 Percent of students who currently used an electronic vapor product (on at least one day) during the past 30 days

School
23.4%

Region
20.2%

NH
16.7%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	25.0
2017	-	-	23.8
2019	41.7	40.8	33.8
2021	19.0	22.5	16.2
2023	23.4	20.2	16.7
Sex (2023)			
Female	26.6	22.9	18.6
Male	21.0	18.0	14.9
Grade (2023)			
09th	19.5	13.8	11.2
10th	19.3	20.4	16.6
11th	30.6	27.2	18.4
12th	26.4	18.9	21.0

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 30 days, on how many days did you use an electronic vapor product?

a: 0 days; b: 1 or 2 days; c: 3 to 5 days; d: 6 to 9 days; e: 10 to 19 days; f: 20 to 29 days; g: All 30 days

Numerator: bcdefg; denominator: abcdefg

Question number: 2023q43; 2021q42; 2019q38; 2017q37; 2015q37

Category: Tobacco Use - Behaviors



Percent of students who usually got their electronic vapor products by buying them themselves in a convenience store, supermarket, discount store, or gas station (among students who currently used electronic vapor products) during the 30 days before the survey

School
Suppressed

Region
5.2%

NH
4.6%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	s	3.0	5.2
2023	s	5.2	4.6
Sex (2023)			
Female	s	1.3	4.1
Male	0.0	9.4	5.2
Grade (2023)			
09th	0.0	0.0	2.2
10th	0.0	2.1	3.5
11th	s	5.6	5.4
12th	0.0	12.2	6.6

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 30 days, how did you usually get your electronic vapor products? (Select only one response.)

a: I did not use any electronic vapor products during the past 30 days; b: I got or bought them from a friend, family member, or someone else; c: I bought them myself in a vape shop or tobacco shop; d: I bought them myself in a convenience store, supermarket, discount store, or gas station; e: I bought them myself at a mall or shopping center kiosk or stand; f: I bought them myself on the Internet, such as from a product website, vape store website, or other website like eBay, Amazon, Facebook Marketplace, or Craigslist; g: I took them from a store or another person

Numerator: d; denominator: bcdefgh

Question number: 2023q44; 2021q43

Category: Tobacco Use - Behaviors



Percent of students who tried to quit using all tobacco products (including cigarettes, electronic vapor products, smokeless tobacco, cigars, shisha or hookah tobacco, or pipe tobacco, among students who used any tobacco products) during the 12 months before the survey

School
45.4%

Region
50.9%

NH
52.7%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	52.4	52.3	48.5
2023	45.4	50.9	52.7
Sex (2023)			
Female	45.7	58.5	55.1
Male	45.1	42.3	50.1
Grade (2023)			
09th	50.0	52.3	54.2
10th	52.9	63.8	55.4
11th	42.9	44.0	51.9
12th	38.2	45.7	50.8

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 12 months, did you ever try to quit using all tobacco products?

a: I did not use cigarettes, electronic vapor products, smokeless tobacco, cigars, shisha or hookah tobacco, or pipe tobacco during the past 12 months; b: Yes; c: No

Numerator: b; denominator: bc

Question number: 2023q45; 2021q44

Category: Tobacco Use - Behaviors
 Percent of students who usually smoked menthol cigarettes (among students who smoked cigarettes during the 30 days before the survey)

School
35.4%

Region
23.1%

NH
22.0%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	-	-	-
2023	35.4	23.1	22.0
Sex (2023)			
Female	31.7	16.4	18.6
Male	39.0	28.1	25.4
Grade (2023)			
09th	s	11.2	14.8
10th	40.0	35.0	26.5
11th	35.3	18.2	19.7
12th	39.1	21.6	24.9

Notes

- *: School results are calculated directly from survey responses and may not be representative of the school as a whole.
- +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
- : Data not available (question not asked in that year and/or region not weighted).
- s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: Menthol cigarettes are cigarettes that taste like mint. During the past 30 days, were the cigarettes that you usually smoked menthol?

a: I did not smoke cigarettes during the past 30 days; b: Yes; c: No; d: Not Sure

Numerator: b; denominator: bcd

Question number: 2023q46




Category: Tobacco Use - Behaviors
 Percent of students who currently smoked cigarettes daily

School
2.7%

Region
1.3%

NH
0.8%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	2.8
2017	-	-	1.7
2019	1.5	1.7	1.4
2021	-	-	-
2023	2.7	1.3	0.8
Sex (2023)			
Female	2.6	1.2	0.4
Male	2.9	1.3	1.3
Grade (2023)			
09th	s	0.5	0.6
10th	4.0	2.6	0.9
11th	s	1.6	0.8
12th	s	0.0	1.0

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

Standard High School YRBS Supplemental (QNword) Variable Definition:

This indicator is derived from the following question:

Q40: During the past 30 days, on how many days did you smoke cigarettes? a: 0 days; b: 1 or 2 days; c: 3 to 5 days; d: 6 to 9 days; e: 10 to 19 days; f: 20 to 29 days; g: All 30 days

Numerator: g; denominator: abcdefg

Question ID: qndaycig




Category: Tobacco Use - Behaviors
 Percent of students who currently used electronic vapor products daily

School
12.3%

Region
7.3%

NH
5.9%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	11.8	11.2	9.5
2021	5.0	5.8	5.3
2023	12.3	7.3	5.9
Sex (2023)			
Female	14.9	8.7	6.5
Male	10.3	6.1	5.3
Grade (2023)			
09th	6.7	3.6	2.8
10th	10.3	7.4	5.5
11th	18.4	11.7	6.5
12th	16.4	6.5	9.1

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

Standard High School YRBS Supplemental (QNword) Variable Definition:

This indicator is derived from the following question:

Q43: During the past 30 days, on how many days did you use an electronic vapor product? a: 0 days; b: 1 or 2 days; c: 3 to 5 days; d: 6 to 9 days; e: 10 to 19 days; f: 20 to 29 days; g: All 30 days

Numerator: g; denominator: abcdefg


Question ID: qndayevp

Category: Tobacco Use - Behaviors
 Percent of students who currently smoked cigarettes frequently (on 20 or more days)

School
2.9%

Region
1.6%

NH
1.0%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	5.5
2015	-	-	3.7
2017	-	-	2.2
2019	1.9	1.9	1.7
2021	-	-	-
2023	2.9	1.6	1.0
Sex (2023)			
Female	2.6	1.2	0.5
Male	3.2	1.7	1.5
Grade (2023)			
09th	s	0.9	0.8
10th	4.0	2.6	1.0
11th	s	1.6	0.9
12th	s	1.0	1.2

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

Standard High School YRBS Supplemental (QNword) Variable Definition:

This indicator is derived from the following question:

Q40: During the past 30 days, on how many days did you smoke cigarettes? a: 0 days; b: 1 or 2 days; c: 3 to 5 days; d: 6 to 9 days; e: 10 to 19 days; f: 20 to 29 days; g: All 30 days

Numerator: fg; denominator: abcdefg

Question ID: qnfrcg



Category: Tobacco Use - Behaviors
 Percent of students who currently used electronic vapor products frequently (on 20 or more days)

School
13.7%

Region
8.9%

NH
7.6%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	16.7	15.4	13.5
2021	8.0	8.4	7.2
2023	13.7	8.9	7.6
Sex (2023)			
Female	16.7	11.2	8.5
Male	11.4	7.0	6.7
Grade (2023)			
09th	8.1	4.2	4.0
10th	11.0	10.0	7.3
11th	20.4	12.3	8.1
12th	18.2	9.2	11.4

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

Standard High School YRBS Supplemental (QNword) Variable Definition:

This indicator is derived from the following question:

Q43: During the past 30 days, on how many days did you use an electronic vapor product? a: 0 days; b: 1 or 2 days; c: 3 to 5 days; d: 6 to 9 days; e: 10 to 19 days; f: 20 to 29 days; g: All 30 days

Numerator: fg; denominator: abcdefg

Question ID: qnfrevp

Category: Tobacco Use - Behaviors
 Percent of students who currently smoked cigarettes or used electronic vapor products (on at least one day during the 30 days before the survey)

School
23.9%

Region
19.9%

NH
16.6%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	42.7	41.7	34.6
2021	-	-	-
2023	23.9	19.9	16.6
Sex (2023)			
Female	26.7	22.8	18.3
Male	21.8	17.6	14.9
Grade (2023)			
09th	19.5	13.1	11.1
10th	19.9	20.5	16.3
11th	30.9	26.5	18.2
12th	27.8	19.0	21.1

Notes

- *: School results are calculated directly from survey responses and may not be representative of the school as a whole.
- +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
- : Data not available (question not asked in that year and/or region not weighted).
- s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

Standard High School YRBS Supplemental (QNword) Variable Definition:

This indicator is derived from the following questions:

Q40: During the past 30 days, on how many days did you smoke cigarettes? a: 0 days; b: 1 or 2 days; c: 3 to 5 days; d: 6 to 9 days; e: 10 to 19 days; f: 20 to 29 days; g: All 30 days

Q43: During the past 30 days, on how many days did you use an electronic vapor product? a: 0 days; b: 1 or 2 days; c: 3 to 5 days; d: 6 to 9 days; e: 10 to 19 days; f: 20 to 29 days; g: All 30 days

Numerator: bcdefg for Q40 or Q43; denominator: abcdefg for Q40 or Q43



Question ID: qntb5

Category: Vehicle and Bicycle Safety
 Percent of students who rarely or never wore a bicycle helmet (among students who had ridden a bicycle) during the past 12 months

School
58.4%

Region
54.6%

NH
55.4%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	60.0
2015	-	-	56.3
2017	-	-	57.4
2019	53.4	54.1	54.4
2021	57.1	56.1	57.3
2023	58.4	54.6	55.4
Sex (2023)			
Female	56.3	53.9	52.6
Male	59.5	54.5	57.6
Grade (2023)			
09th	54.3	46.4	52.0
10th	53.8	55.7	55.4
11th	65.8	56.6	58.7
12th	63.9	60.9	56.5

Notes

- *: School results are calculated directly from survey responses and may not be representative of the school as a whole.
- +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
- : Data not available (question not asked in that year and/or region not weighted).
- s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.


How the question was actually asked: When you rode a bicycle during the past 12 months, how often did you wear a helmet?
 a: I did not ride a bicycle during the past 12 months; b: Never wore a helmet; c: Rarely wore a helmet; d: Sometimes wore a helmet; e: Most of the time wore a helmet; f: Always wore a helmet
 Numerator: bc; denominator: bcdef
 Question number: 2023q9; 2021q9; 2019q9; 2017q9; 2015q9; 2013q9

Category: Vehicle and Bicycle Safety
Percent of students who did not always wear a seat belt (when riding in a car driven by someone else)

School
34.5%

Region
36.8%

NH
34.0%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	42.8
2015	-	-	39.9
2017	-	-	37.2
2019	34.1	32.6	32.6
2021	35.9	37.0	32.6
2023	34.5	36.8	34.0
Sex (2023)			
Female	34.3	36.5	33.9
Male	34.3	37.3	33.8
Grade (2023)			
09th	42.6	39.0	35.2
10th	31.6	39.3	36.3
11th	31.4	35.9	31.3
12th	30.2	33.5	32.2

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: How often do you wear a seat belt when riding in a car driven by someone else?

a: Never; b: Rarely; c: Sometimes; d: Most of the time; e: Always

Numerator: abcd; denominator: abcde

Question number: 2023q10; 2021q10; 2019q10; 2017q11; 2015q11; 2013q11



Category: Vehicle and Bicycle Safety
 Percent of students who rarely or never wear a seat belt when driving (among students who drive a car)

School
9.0%

Region
5.6%

NH
4.8%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	8.3
2015	-	-	7.7
2017	-	-	6.3
2019	7.4	5.9	4.8
2021	8.0	6.9	4.5
2023	9.0	5.6	4.8
Sex (2023)			
Female	4.8	1.8	3.2
Male	12.3	8.6	6.2
Grade (2023)			
09th	s	2.2	7.6
10th	5.8	3.5	2.7
11th	9.5	5.4	4.1
12th	14.0	8.6	5.9

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: How often do you wear a seat belt when driving a car?

a: I do not drive a car; b: Never; c: Rarely; d: Sometimes; e: Most of the time; f: Always

Numerator: bc; denominator: bcdef

Question number: 2023q11; 2021q11; 2019q11; 2017q10; 2015q10; 2013q10



Category: Vehicle and Bicycle Safety

Percent of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey)

School
17.6%

Region
18.8%

NH
15.6%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	17.4
2015	-	-	15.8
2017	-	-	14.4
2019	13.5	14.5	14.9
2021	21.2	17.5	15.1
2023	17.6	18.8	15.6
Sex (2023)			
Female	20.0	22.4	17.9
Male	15.5	15.7	13.4
Grade (2023)			
09th	13.5	14.6	16.1
10th	24.5	22.9	17.0
11th	17.1	15.8	14.3
12th	12.2	21.1	14.5

Notes
 *: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?

a: 0 times; b: 1 time; c: 2 or 3 times; d: 4 or 5 times; e: 6 or more times

Numerator: bcde; denominator: abcde

Question number: 2023q12; 2021q12; 2019q12; 2017q12; 2015q12; 2013q12




Category: Vehicle and Bicycle Safety

Percent of students who texted or e-mailed while driving a car or other vehicle (on at least one day during the past 30 days, among students who had driven a car or other vehicle) during the past 30 days

School
48.8%

Region
52.5%

NH
46.7%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	47.7
2015	-	-	43.7
2017	-	-	41.7
2019	39.9	44.5	44.2
2021	38.2	48.9	42.9
2023	48.8	52.5	46.7
Sex (2023)			
Female	48.3	51.8	48.0
Male	49.2	52.6	45.7
Grade (2023)			
09th	17.1	26.8	14.4
10th	29.7	30.8	25.5
11th	69.6	68.5	54.3
12th	62.4	60.9	60.7

Notes

- *: School results are calculated directly from survey responses and may not be representative of the school as a whole.
- +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
- : Data not available (question not asked in that year and/or region not weighted).
- s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?
a: I did not drive a car or other vehicle during the past 30 days; b: 0 days; c: 1 or 2 days; d: 3 to 5 days; e: 6 to 9 days; f: 10 to 19 days; g: 20 to 29 days; h: All 30 days

Numerator: cdefgh; denominator: bcdefgh

Question number: 2023q14; 2021q14; 2019q14; 2017q14; 2015q14; 2013q14

Category: Vehicle and Bicycle Safety




Percent of students who drove a car or other vehicle when they had been using marijuana (also called pot or weed, one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)

School
17.2%

Region
17.3%

NH
13.6%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	-	-	-
2023	17.2	17.3	13.6
Sex (2023)			
Female	17.1	13.7	11.7
Male	17.3	20.0	15.3
Grade (2023)			
09th	s	14.6	13.5
10th	14.7	12.0	10.7
11th	23.1	21.0	13.2
12th	17.2	19.0	15.5

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 30 days, how many times did you drive a car or other vehicle when you had been using marijuana (also called pot or weed)?

a: I did not drive a car or other vehicle during the past 30 days; b: I drove a car or other vehicle, but not when I had been using marijuana; c: 1 time; d: 2 or 3 times; e: 4 or 5 times; f: 6 or more times

Numerator: cdef; denominator: bcdef

Question number: 2023q15

Category: Vehicle and Bicycle Safety




Percent of students who rode in a car or other vehicle driven by someone who had been using marijuana (also called pot or weed, one or more times during the 30 days before the survey)

School
23.6%

Region
23.2%

NH
18.6%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	-	-	-
2023	23.6	23.2	18.6
Sex (2023)			
Female	29.2	26.0	19.7
Male	19.3	20.4	17.3
Grade (2023)			
09th	17.6	15.3	12.4
10th	24.0	22.8	17.1
11th	30.8	26.8	21.2
12th	22.6	27.3	23.9

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been using marijuana (also called pot or weed)?

a: 0 times; b: 1 time; c: 2 or 3 times; d: 4 or 5 times; e: 6 or more times

Numerator: bcde; denominator: abcde

Question number: 2023q16



Category: Physical Inactivity and Unhealthy Dietary Behaviors
Percent of students who spent three or more hours per day on screen time

School
77.3%

Region
77.6%

NH
77.6%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	81.6	77.6	78.8
2023	77.3	77.6	77.6
Sex (2023)			
Female	81.0	81.0	79.4
Male	74.1	74.8	75.9
Grade (2023)			
09th	76.7	75.8	77.8
10th	75.5	78.8	78.4
11th	77.2	80.8	76.7
12th	80.7	75.3	78.1

Notes
 *: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: On an average school day, how many hours do you spend in front of a TV, computer, smart phone, or other electronic device watching shows or videos, playing games, accessing the Internet, or using social media (also called "screen time")? (Do not count time spent doing schoolwork.)

a: Less than 1 hour per day; b: 1 hour per day; c: 2 hours per day; d: 3 hours per day; e: 4 hours per day; f: 5 or more hours per day

Numerator: def; denominator: abcdef


Question number: 2023q75; 2021q75

Category: Physical Inactivity and Unhealthy Dietary Behaviors
Percent of students who had obesity

School
14.8%

Region
13.1%

NH
12.5%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	11.2
2015	-	-	12.2
2017	-	-	12.8
2019	12.0	12.6	12.7
2021	15.6	14.4	13.3
2023	14.8	13.1	12.5
Sex (2023)			
Female	11.3	9.7	9.6
Male	17.6	15.9	15.1
Grade (2023)			
09th	12.9	10.6	12.4
10th	16.3	14.6	13.5
11th	15.5	15.0	11.8
12th	14.7	11.6	12.2

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

Standard High School YRBS Supplemental (QNword) Variable Definition:

Students who were >= 95th percentile for body mass index (BMI), based on sex- and age-specific reference data from the 2000 CDC growth charts.

BMI is calculated from Q1 (How old are you?), Q2 (What is your sex?), Q6 (How tall are you without your shoes on?), and Q7 (How much do you weight without your shoes on?)

Question ID: qnobese



Category: Physical Inactivity and Unhealthy Dietary Behaviors
Percent of students who were overweight

School
14.4%

Region
15.5%

NH
13.3%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	13.8
2015	-	-	14.5
2017	-	-	14.1
2019	15.9	12.7	14.0
2021	13.1	14.7	13.6
2023	14.4	15.5	13.3
Sex (2023)			
Female	17.9	19.1	13.1
Male	11.7	12.6	13.4
Grade (2023)			
09th	15.8	15.2	15.2
10th	16.3	17.5	12.3
11th	8.2	10.3	14.0
12th	15.7	19.1	11.5

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

Standard High School YRBS Supplemental (QNword) Variable Definition:

Students who were >= 85th percentile but <95th percentile for body mass index (BMI), based on sex- and age-specific reference data from the 2000 CDC growth charts.

BMI is calculated from Q1 (How old are you?), Q2 (What is your sex?), Q6 (How tall are you without your shoes on?), and Q7 (How much do you weight without your shoes on?)

Question ID: qnowt


Category: Other Health Risks
 Percent of students who described their grades in school as mostly A's or B's during the past 12 months

School
77.0%

Region
81.0%

NH
77.1%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	73.4
2015	-	-	74.5
2017	-	-	77.6
2019	77.6	80.3	77.0
2021	68.6	76.0	75.8
2023	77.0	81.0	77.1
Sex (2023)			
Female	80.1	85.0	82.4
Male	74.5	78.1	72.4
Grade (2023)			
09th	80.6	84.0	74.0
10th	74.4	79.7	74.7
11th	77.1	79.1	77.6
12th	76.7	82.3	83.5

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 12 months, how would you describe your grades in school?

a: Mostly A's; b: Mostly B's; c: Mostly C's; d: Mostly D's; e: Mostly F's; f: None of these grades; g: Not sure

Numerator: ab; denominator: abcdefg




Question number: 2023q8; 2021q8; 2019q8; 2017q8; 2015q8; 2013q8

Category: Other Health Risks
 Percent of students who had a concussion from playing a sport or being physically active (one or more times) during the past 12 months

School
26.6%

Region
22.6%

NH
17.6%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	14.4
2019	18.8	15.4	14.7
2021	14.6	14.6	12.3
2023	26.6	22.6	17.6
Sex (2023)			
Female	25.1	18.3	15.7
Male	28.0	25.7	19.5
Grade (2023)			
09th	30.5	25.2	17.7
10th	25.2	23.1	18.7
11th	28.0	23.9	18.4
12th	21.2	17.3	15.1

Notes

- *: School results are calculated directly from survey responses and may not be representative of the school as a whole.
- +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
- : Data not available (question not asked in that year and/or region not weighted).
- s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 12 months, how many times did you have a concussion from playing a sport or being physically active?

a: 0 times; b: 1 time; c: 2 times; d: 3 times; e: 4 or more times

Numerator: bcde; denominator: abcde




Question number: 2023q76; 2021q76; 2019q74; 2017q73

Category: Other Health Risks
 Percent of students who were tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea during the past 12 months

School
7.5%

Region
8.9%

NH
6.7%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	7.3	8.6	9.2
2021	4.7	6.1	5.7
2023	7.5	8.9	6.7
Sex (2023)			
Female	7.4	9.1	8.3
Male	7.7	8.9	5.1
Grade (2023)			
09th	s	3.2	3.0
10th	10.6	9.3	5.8
11th	10.9	8.8	7.5
12th	6.2	14.0	10.5

Notes

- *: School results are calculated directly from survey responses and may not be representative of the school as a whole.
- +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
- : Data not available (question not asked in that year and/or region not weighted).
- s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 12 months, have you been tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea?

a: Yes; b: No; c: Not sure

Numerator: a; denominator: abc

Question number: 2023q77; 2021q77; 2019q76

Category: Other Health Risks
 Percent of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work) during the past 12 months

School
74.2%

Region
75.7%

NH
81.1%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	82.7
2017	-	-	82.8
2019	80.4	82.5	83.6
2021	73.3	76.8	78.5
2023	74.2	75.7	81.1
Sex (2023)			
Female	75.8	77.7	82.3
Male	73.2	74.4	80.0
Grade (2023)			
09th	76.2	79.1	83.5
10th	75.5	75.8	80.2
11th	73.3	76.0	80.7
12th	72.6	72.3	80.3

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?
 a: During the past 12 months; b: Between 12 and 24 months ago; c: More than 24 months ago; d: Never; e: Not sure
 Numerator: a; denominator: abcde
 Question number: 2023q78; 2021q78; 2019q77; 2017q75; 2015q68




Category: Other Health Risks
 Percent of students who reported that their mental health was most of the time or always not good

School
32.9%

Region
31.4%

NH
32.7%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	38.0	39.5	36.2
2023	32.9	31.4	32.7
Sex (2023)			
Female	46.8	45.7	43.3
Male	21.6	18.6	22.1
Grade (2023)			
09th	28.5	30.8	29.0
10th	36.4	38.7	33.2
11th	39.0	29.4	34.1
12th	28.9	25.8	34.8

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 30 days, how often was your mental health not good? (Poor mental health includes stress, anxiety, and depression.)

a: Never; b: Rarely; c: Sometimes; d: Most of the time; e: Always

Numerator: de; denominator: abcde

Question number: 2023q79; 2021q81




Category: Other Health Risks
Percent of students who experienced unstable housing (during the 30 days before the survey)

School
4.4%

Region
2.8%

NH
2.2%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	2.5
2019	1.9	1.6	2.2
2021	2.7	2.4	1.6
2023	4.4	2.8	2.2
Sex (2023)			
Female	2.6	0.6	1.3
Male	5.9	4.5	3.0
Grade (2023)			
09th	4.0	2.9	1.5
10th	3.3	2.7	2.3
11th	5.0	1.8	2.0
12th	6.2	4.0	2.8

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 30 days, where did you usually sleep?

a: In my parent's or guardian's home; b: In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing; c: In a shelter or emergency housing; d: In a motel or hotel; e: In a car, park, campground, or other public place; f: I do not have a usual place to sleep; g: Somewhere else

Numerator: bcdef; denominator: abcdefg



Question number: 2023q80; 2021q83; 2019q83; 2017q82

Category: Other Health Risks
 Percent of students who always or most of the time went hungry because there was not enough food in their home during the past 30 days

School
3.5%

Region
2.1%

NH
1.8%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	2.5	2.6	2.0
2023	3.5	2.1	1.8
Sex (2023)			
Female	2.6	1.4	1.6
Male	4.2	2.8	2.0
Grade (2023)			
09th	3.3	1.0	1.4
10th	4.6	3.0	1.8
11th	s	2.2	1.6
12th	s	2.1	2.3

Notes

- *: School results are calculated directly from survey responses and may not be representative of the school as a whole.
- +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
- : Data not available (question not asked in that year and/or region not weighted).
- s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 30 days, how often did you go hungry because there was not enough food in your home?

a: Never; b: Rarely; c: Sometimes; d: Most of the time; e: Always

Numerator: de; denominator: abcde


Question number: 2023q81; 2021q86

Category: Other Health Risks
 Percent of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned during the past 30 days

School
5.6%

Region
4.4%

NH
4.4%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	4.5
2019	4.7	4.7	4.2
2021	3.4	3.8	3.3
2023	5.6	4.4	4.4
Sex (2023)			
Female	5.6	3.7	4.4
Male	5.6	4.8	4.3
Grade (2023)			
09th	s	4.0	3.3
10th	5.3	4.3	4.5
11th	7.9	3.8	4.5
12th	7.1	4.8	4.8

Notes

- *: School results are calculated directly from survey responses and may not be representative of the school as a whole.
- +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
- : Data not available (question not asked in that year and/or region not weighted).
- s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 30 days, did you ever sleep away from your parents or guardians because you were kicked out, ran away, or were abandoned?

a: Yes; b: No

Numerator: a; denominator: ab

Question number: 2023q82; 2021q84; 2019q84; 2017q83



Category: Other Health Risks
Percent of students who had ever been told by a doctor or nurse that they had asthma

School
21.7%

Region
22.3%

NH
21.4%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	22.1
2015	-	-	22.3
2017	-	-	-
2019	24.2	24.5	22.6
2021	18.5	20.4	19.6
2023	21.7	22.3	21.4
Sex (2023)			
Female	23.4	21.8	21.2
Male	20.4	22.6	21.5
Grade (2023)			
09th	17.2	17.5	19.6
10th	25.3	27.4	23.0
11th	22.8	18.3	20.9
12th	21.4	25.9	21.8

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: Has a doctor or nurse ever told you that you have asthma?

a: Yes; b: No; c: Not sure

Numerator: a; denominator: abc

Question number: 2023q83; 2021q80; 2019q79; 2015q70; 2013q72



Category: Other Health Risks
Percent of students who currently have asthma

School
13.4%

Region
14.8%

NH
13.8%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	11.5
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	-	-	-
2023	13.4	14.8	13.8
Sex (2023)			
Female	16.5	16.5	14.7
Male	10.9	12.7	12.8
Grade (2023)			
09th	9.9	10.2	12.6
10th	16.7	20.5	14.3
11th	11.9	7.8	14.0
12th	14.4	19.0	13.9

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: Do you still have asthma?

a: I have never had asthma; b: Yes; c: No; d: Not sure

Numerator: b; denominator: abcd

Question number: 2023q84; 2013q73




Category: Other Health Risks
Percent of students who strongly agree or agree that in their community they feel like they matter to people

School
51.5%

Region
52.2%

NH
54.8%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	47.3
2015	-	-	-
2017	-	-	51.5
2019	-	-	-
2021	-	-	-
2023	51.5	52.2	54.8
Sex (2023)			
Female	44.4	48.4	51.9
Male	57.2	56.1	57.8
Grade (2023)			
09th	53.1	46.1	56.5
10th	45.5	51.4	53.3
11th	55.4	52.0	52.2
12th	54.9	60.4	56.8

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: Do you agree or disagree that in your community you feel like you matter to people?

a: Strongly agree; b: Agree; c: Not sure; d: Disagree; e: Strongly disagree

Numerator: ab; denominator: abcde

Question number: 2023q101; 2017q81; 2013q80

Category: Other Health Risks
 Percent of students who would feel comfortable seeking help from one or more adults besides their parents if they had an important question affecting their life

School
84.9%

Region
85.8%

NH
82.6%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	-	-	-
2023	84.9	85.8	82.6
Sex (2023)			
Female	88.1	89.9	84.1
Male	82.2	82.4	81.1
Grade (2023)			
09th	83.7	79.2	80.7
10th	86.4	87.0	81.3
11th	82.0	87.9	83.4
12th	87.5	89.4	85.4

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: Besides your parents, how many adults would you feel comfortable seeking help from if you had an important question affecting your life?

a: 0 adults; b: 1 adult; c: 2 adults; d: 3 adults; e: 4 adults; f: 5 or more adults

Numerator: bcdef; denominator: abcdef

Question number: 2023q102




Category: Other Health Risks
 Percent of students who do not believe that students help decide what happens in their school

School
29.2%

Region
30.3%

NH
25.1%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	26.6	28.3	23.4
2023	29.2	30.3	25.1
Sex (2023)			
Female	27.3	28.0	25.0
Male	30.5	32.3	25.3
Grade (2023)			
09th	19.9	25.6	19.6
10th	38.5	35.0	24.1
11th	32.0	32.6	28.2
12th	27.4	29.0	29.1

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: Do you agree or disagree that students help decide what goes on in your school?

a: Strongly agree; b: Agree; c: Not sure; d: Disagree; e: Strongly disagree

Numerator: de; denominator: abcde




Question number: 2023q103; 2021q106

Category: Bullying, Electronic Bullying and Fighting
 Percent of students who carried a weapon on school property (such as a gun, knife, or club, on at least one day) during the past 30 days

School
7.4%

Region
6.4%

NH
3.9%



Year	School*	Region+	NH+
	%	%	%
2013	-	-	-
2015	-	-	-
2017	-	-	3.6
2019	4.6	3.6	2.8
2021	5.2	5.5	2.9
2023	7.4	6.4	3.9
Sex (2023)			
Female	3.0	2.2	2.3
Male	10.8	9.7	5.3
Grade (2023)			
09th	s	2.7	2.5
10th	9.0	8.0	4.3
11th	13.5	9.2	4.7
12th	5.2	5.6	3.8

Notes

- *: School results are calculated directly from survey responses and may not be representative of the school as a whole.
- +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
- : Data not available (question not asked in that year and/or region not weighted).
- s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?

a: 0 days; b: 1 day; c: 2 or 3 days; d: 4 or 5 days; e: 6 or more days

Numerator: bcde; denominator: abcde




Question number: 2023q17; 2021q16; 2019q16; 2017q16

Category: Bullying, Electronic Bullying and Fighting
 Percent of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least one day) during the past 30 days

School
12.2%

Region
11.4%

NH
10.3%



Year	School*	Region+	NH+
	%	%	%
2013	-	-	5.7
2015	-	-	5.4
2017	-	-	5.2
2019	8.1	7.5	6.9
2021	8.1	23.2	9.6
2023	12.2	11.4	10.3
Sex (2023)			
Female	16.1	13.9	12.5
Male	8.8	8.8	7.9
Grade (2023)			
09th	12.3	10.2	10.5
10th	14.8	14.4	10.9
11th	8.7	8.1	10.0
12th	11.2	12.8	9.3

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

a: 0 days; b: 1 day; c: 2 or 3 days; d: 4 or 5 days; e: 6 or more days

Numerator: bcde; denominator: abcde

Question number: 2023q18; 2021q17; 2019q17; 2017q17; 2015q15; 2013q15




Category: Bullying, Electronic Bullying and Fighting
Percent of students who ever saw someone get physically attacked, beaten, stabbed, or shot in their neighborhood

School
21.8%

Region
18.8%

NH
17.4%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	18.3	17.5	17.0
2023	21.8	18.8	17.4
Sex (2023)			
Female	22.0	17.0	15.7
Male	21.6	19.7	18.7
Grade (2023)			
09th	21.3	17.8	17.1
10th	24.5	20.5	19.1
11th	17.3	16.0	17.3
12th	21.6	19.3	15.4

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: Have you ever seen someone get physically attacked, beaten, stabbed, or shot in your neighborhood?

a: Yes; b: No

Numerator: a; denominator: ab

Question number: 2023q19; 2021q21



Category: Bullying, Electronic Bullying and Fighting
 Percent of students who were ever bullied on school property during the past 12 months

School
29.9%

Region
27.3%

NH
24.2%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	22.8
2015	-	-	22.1
2017	-	-	21.4
2019	25.8	25.2	23.0
2021	26.3	24.6	20.0
2023	29.9	27.3	24.2
Sex (2023)			
Female	39.6	32.2	27.8
Male	22.0	22.2	20.3
Grade (2023)			
09th	34.2	29.8	29.0
10th	32.9	33.0	24.5
11th	29.8	26.7	23.1
12th	19.1	17.9	19.7

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 12 months, have you ever been bullied on school property?

a: Yes; b: No

Numerator: a; denominator: ab


Question number: 2023q27; 2021q33; 2019q27; 2017q26; 2015q23; 2013q22

Category: Bullying, Electronic Bullying and Fighting
 Percent of students who were ever electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media) during the past 12 months

School
23.6%

Region
24.4%

NH
21.5%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	19.0
2019	24.5	19.9	20.1
2021	25.0	23.5	21.8
2023	23.6	24.4	21.5
Sex (2023)			
Female	33.5	33.1	27.0
Male	15.9	16.5	15.9
Grade (2023)			
09th	21.3	23.3	22.6
10th	30.3	27.5	22.6
11th	21.2	27.3	20.0
12th	19.0	18.6	20.4

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 12 months, have you ever been electronically bullied? (Count being bullied through texting, Instagram, Facebook, or other social media.)
 a: Yes; b: No
 Numerator: a; denominator: ab
 Question number: 2023q28; 2021q34; 2019q28; 2017q27

Category: Bullying, Electronic Bullying and Fighting
 Percent of students who had been the victim of teasing or name calling because someone thought they were gay, lesbian, or bisexual (during the 12 months before the survey)

School
20.6%

Region
18.8%

NH
17.2%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	-	-	-
2023	20.6	18.8	17.2
Sex (2023)			
Female	26.4	20.6	19.3
Male	15.6	16.8	14.6
Grade (2023)			
09th	13.5	17.0	17.9
10th	22.2	17.8	17.2
11th	26.9	21.5	17.9
12th	20.0	18.3	15.7

Notes

- *: School results are calculated directly from survey responses and may not be representative of the school as a whole.
- +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
- : Data not available (question not asked in that year and/or region not weighted).
- s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 12 months, have you ever been the victim of teasing or name calling because someone thought you were gay, lesbian, or bisexual?

a: Yes; b: No

Numerator: a; denominator: ab

Question number: 2023q29




Category: Other life experience
Percent of students who had ever lived with someone who was having a problem with alcohol or drug use

School
43.5%

Region
38.4%

NH
33.6%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	39.8	38.4	31.8
2023	43.5	38.4	33.6
Sex (2023)			
Female	52.4	47.1	37.9
Male	36.2	30.7	29.0
Grade (2023)			
09th	37.7	37.1	29.8
10th	48.3	40.0	35.4
11th	46.5	39.5	35.2
12th	41.6	37.3	33.7

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: Have you ever lived with someone who was having a problem with alcohol or drug use?

a: Yes; b: No

Numerator: a; denominator: ab

Question number: 2023q85; 2021q89



Category: Other life experience
 Percent of students who had ever lived with someone who was depressed, mentally ill, or suicidal

School
47.2%

Region
44.6%

NH
42.5%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	41.7	41.5	41.1
2023	47.2	44.6	42.5
Sex (2023)			
Female	60.3	55.3	51.2
Male	36.5	35.2	33.6
Grade (2023)			
09th	42.4	38.3	37.2
10th	51.7	47.1	43.5
11th	50.5	46.2	44.2
12th	44.0	45.7	45.4

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: Have you ever lived with someone who was depressed, mentally ill, or suicidal?

a: Yes; b: No

Numerator: a; denominator: ab

Question number: 2023q86; 2021q90




Category: Other life experience
 Percent of students who had ever been given money, a place to stay, food, or something else of value in exchange for sex

School
5.0%

Region
5.1%

NH
3.1%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	-	-	-
2023	5.0	5.1	3.1
Sex (2023)			
Female	3.5	4.4	2.9
Male	6.3	5.5	3.3
Grade (2023)			
09th	s	3.1	2.0
10th	5.3	3.4	3.2
11th	7.9	6.2	3.3
12th	5.4	7.5	3.7

Notes

- *: School results are calculated directly from survey responses and may not be representative of the school as a whole.
- +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
- : Data not available (question not asked in that year and/or region not weighted).
- s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.



How the question was actually asked: Have you ever been given money, a place to stay, food, or something else of value in exchange for sex?
 a: Yes; b: No
 Numerator: a; denominator: ab
 Question number: 2023q87

Category: Other life experience
 Percent of students who had ever been forced to work or do something illegal by someone who got money or something of value for what they did

School
6.2%

Region
5.7%

NH
4.0%



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	4.4	6.4	4.0
2023	6.2	5.7	4.0
Sex (2023)			
Female	3.9	2.8	3.0
Male	8.0	8.2	4.8
Grade (2023)			
09th	4.0	2.5	3.1
10th	7.3	6.5	4.0
11th	8.9	5.5	4.2
12th	4.4	7.2	4.4

Notes

- *: School results are calculated directly from survey responses and may not be representative of the school as a whole.
- +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
- : Data not available (question not asked in that year and/or region not weighted).
- s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: Have you ever been forced to work or do something illegal by someone who got money or something of value for what you did?

a: Yes; b: No

Numerator: a; denominator: ab

Question number: 2023q88; 2021q94




Category: Other life experience
Percent of students who had ever seen pornography, also called porn, either on purpose or by accident

School
78.6%

Region
73.5%

NH
71.7%

■ School ● Region ▲ NH



	School*	Region+	NH+
	%	%	%
Year			
2013	-	-	-
2015	-	-	-
2017	-	-	-
2019	-	-	-
2021	75.3	73.3	75.2
2023	78.6	73.5	71.7
Sex (2023)			
Female	76.1	66.6	64.2
Male	80.5	79.1	78.8
Grade (2023)			
09th	70.3	63.8	67.0
10th	84.1	79.9	70.8
11th	82.0	81.6	74.9
12th	79.3	68.2	74.9

Notes

*: School results are calculated directly from survey responses and may not be representative of the school as a whole.
 +: Region and state results are calculated using the CDC weighted sample methodology to be representative of the population of these areas. Caution should be used when comparing with the school results.
 -: Data not available (question not asked in that year and/or region not weighted).
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 30 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: Have you ever seen pornography, also called porn, either on purpose or by accident? (Count any porn that you saw, including pictures, on TV, phones, computers, or iPads or other tablets, in books, magazines, or movie theaters.)

a: Yes; b: No

Numerator: a; denominator: ab

Question number: 2023q89; 2021q93