

Clark County School District No. 161

NONINSTRUCTIONAL OPERATIONS

8310F3

Automated External Defibrillators

**CLARK COUNTY SCHOOL DISTRICT AUTOMATED
EXTERNAL DEFIBRILLATOR (AED) INCIDENT
REPORT**

Date of Incident: _____ Time of Incident: _____

Location of Incident (which building, where in building, etc.): _____

Patient's Age: _____ Patient's Sex: _____ Male _____ Female

CPR prior to defibrillation: _____ Attempted _____ Not Attempted

Cardiac Arrest: _____ Not Witnessed _____ Witnessed by Bystander
_____ Witnessed by AED team member

Estimated time (in minutes) from arrest to CPR: _____

Shock: _____ Indicated _____ Not Indicated

Estimated time (in minutes) from arrest to 1st AED shock: _____

Number of shocks: _____

Additional Comments: _____

Patient Outcome at Incident Site:

_____ Return of pulse and breathing <input type="checkbox"/>	_____ No return of pulse or breathing
_____ Return of pulse with no breathing	_____ Became responsive
<input type="checkbox"/> Return of pulse, then loss of pulse	<input type="checkbox"/> Remained unresponsive

Name of AED Operator: _____

Transporting Ambulance: _____

Name of Facility Patient was Transported To: _____

Name of Emergency Health Care Provider: _____

Signature of Health Care Provider

Date of Report

This report is to be completed by the Emergency Health Care Provider or AED User within 5 business days of use of an AED.

The completed report must be mailed/returned to: _____