

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

CERTIFICATE OF ANALYSIS

Rene Metzgar
Stillwater Twp Elementary School
904 Stillwater Rd
Stillwater Township, NJ 07875

Project Name and Number: **BOE Lead Testing**
Workorder: **25D1144**
Purchase Order: **P202500672**

May 06, 2025

This report relates only to the sample(s) as received by the laboratory on April 23, 2025. Laboratory reports may not be reproduced, except in full, without the written approval of the laboratory.

The issuance of the final Certificate of Analysis takes precedence over any previous Preliminary Report. Caution is advised for the utilization of preliminary data included in reports labeled as "Preliminary Report" and should not be used for regulatory purposes. A laboratory signature is provided on final reports only.

If you have any questions in reference to this laboratory report, please contact your Pace Analytical Services, LLC-Fairfield project coordinator.

Note: This cover page is included as part of the Analytical Report and must be retained as a permanent record thereof.



Abeer Hamad For Victor G. Cervantes, Project
Manager

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25D1144-01

Matrix: Drinking Water

Date Collected: 04/23/2025 07:49

Sample ID: Field Blank

Date Received: 04/23/2025 13:15

Total Metals - Pace Analytical Services, LLC-Fairfield

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	04/29/2025 21:02	04/29/2025 21:02	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25D1144-02

Matrix: Drinking Water

Date Collected: 04/23/2025 07:50

Sample ID: B112-TL

Date Received: 04/23/2025 13:15

Total Metals - Pace Analytical Services, LLC-Fairfield

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00411		mg/L	0.000492	0.00200	EPA 200.8	04/29/2025 21:07	04/29/2025 21:07	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25D1144-03

Matrix: Drinking Water

Date Collected: 04/23/2025 07:52

Sample ID: B110 Sink

Date Received: 04/23/2025 13:15

Total Metals - Pace Analytical Services, LLC-Fairfield

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.0134		mg/L	0.000492	0.00200	EPA 200.8	04/29/2025 21:12	04/29/2025 21:12	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25D1144-04

Matrix: Drinking Water

Date Collected: 04/23/2025 07:53

Sample ID: B110 3xKC

Date Received: 04/23/2025 13:15

Total Metals - Pace Analytical Services, LLC-Fairfield

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00953		mg/L	0.000492	0.00200	EPA 200.8	04/29/2025 21:17	04/29/2025 21:17	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25D1144-05

Matrix: Drinking Water

Date Collected: 04/23/2025 07:55

Sample ID: B110 1 FP

Date Received: 04/23/2025 13:15

Total Metals - Pace Analytical Services, LLC-Fairfield

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.0186		mg/L	0.000492	0.00200	EPA 200.8	04/29/2025 21:22	04/29/2025 21:22	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25D1144-06

Matrix: Drinking Water

Date Collected: 04/23/2025 07:57

Sample ID: C110 Sink

Date Received: 04/23/2025 13:15

Total Metals - Pace Analytical Services, LLC-Fairfield

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	05/05/2025 14:24	05/05/2025 14:24	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25D1144-07 **Matrix:** Drinking Water **Date Collected:** 04/23/2025 07:58
Sample ID: C110 Water Ftn **Date Received:** 04/23/2025 13:15

Total Metals - Pace Analytical Services, LLC-Fairfield

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	04/29/2025 21:26	04/29/2025 21:26	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25D1144-08

Matrix: Drinking Water

Date Collected: 04/23/2025 08:00

Sample ID: C111 Sink

Date Received: 04/23/2025 13:15

Total Metals - Pace Analytical Services, LLC-Fairfield

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00289		mg/L	0.000492	0.00200	EPA 200.8	04/29/2025 21:31	04/29/2025 21:31	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25D1144-09 **Matrix:** Drinking Water **Date Collected:** 04/23/2025 08:01
Sample ID: C111 Water Ftn **Date Received:** 04/23/2025 13:15

Total Metals - Pace Analytical Services, LLC-Fairfield

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	04/29/2025 21:36	04/29/2025 21:36	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25D1144-10 **Matrix:** Drinking Water **Date Collected:** 04/23/2025 08:03
Sample ID: C1114 Water Ftn **Date Received:** 04/23/2025 13:15

Total Metals - Pace Analytical Services, LLC-Fairfield

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	04/29/2025 21:41	04/29/2025 21:41	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25D1144-11 **Matrix:** Drinking Water **Date Collected:** 04/23/2025 08:06
Sample ID: A124 Water Ftn **Date Received:** 04/23/2025 13:15

Total Metals - Pace Analytical Services, LLC-Fairfield

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	04/29/2025 21:55	04/29/2025 21:55	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25D1144-12 **Matrix:** Drinking Water **Date Collected:** 04/23/2025 08:09
Sample ID: A112 Water Ftn **Date Received:** 04/23/2025 13:15

Total Metals - Pace Analytical Services, LLC-Fairfield

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	04/29/2025 22:00	04/29/2025 22:00	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25D1144-13

Matrix: Drinking Water

Date Collected: 04/23/2025 08:10

Sample ID: A112 Sink 1

Date Received: 04/23/2025 13:15

Total Metals - Pace Analytical Services, LLC-Fairfield

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	04/29/2025 22:05	04/29/2025 22:05	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25D1144-14
Sample ID: A112 Sink 2

Matrix: Drinking Water

Date Collected: 04/23/2025 08:11
Date Received: 04/23/2025 13:15

Total Metals - Pace Analytical Services, LLC-Fairfield

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00337		mg/L	0.000492	0.00200	EPA 200.8	04/29/2025 22:09	04/29/2025 22:09	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25D1144-15 **Matrix:** Drinking Water **Date Collected:** 04/23/2025 08:15
Sample ID: B23 Water Ftm **Date Received:** 04/23/2025 13:15

Total Metals - Pace Analytical Services, LLC-Fairfield

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	04/29/2025 22:14	04/29/2025 22:14	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25D1144-16 **Matrix:** Drinking Water **Date Collected:** 04/23/2025 08:17
Sample ID: B&G Water Ftn **Date Received:** 04/23/2025 13:15

Total Metals - Pace Analytical Services, LLC-Fairfield

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	04/29/2025 22:19	04/29/2025 22:19	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25D1144-17
Sample ID: B10 Water Ftn

Matrix: Drinking Water

Date Collected: 04/23/2025 08:19
Date Received: 04/23/2025 13:15

Total Metals - Pace Analytical Services, LLC-Fairfield

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	05/05/2025 14:29	05/05/2025 14:29	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25D1144-18

Matrix: Drinking Water

Date Collected: 04/23/2025 08:20

Sample ID: B10 Sink

Date Received: 04/23/2025 13:15

Total Metals - Pace Analytical Services, LLC-Fairfield

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	04/29/2025 22:24	04/29/2025 22:24	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25D1144-19

Matrix: Drinking Water

Date Collected: 04/23/2025 08:22

Sample ID: C11 Sink

Date Received: 04/23/2025 13:15

Total Metals - Pace Analytical Services, LLC-Fairfield

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.0108		mg/L	0.000492	0.00200	EPA 200.8	04/29/2025 22:28	04/29/2025 22:28	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25D1144-20

Matrix: Drinking Water

Date Collected: 04/23/2025 08:24

Sample ID: C12 Sink

Date Received: 04/23/2025 13:15

Total Metals - Pace Analytical Services, LLC-Fairfield

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	04/29/2025 22:33	04/29/2025 22:33	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25D1144-21 **Matrix:** Drinking Water **Date Collected:** 04/23/2025 08:25
Sample ID: C12 Water Ftn **Date Received:** 04/23/2025 13:15

Total Metals - Pace Analytical Services, LLC-Fairfield

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	04/29/2025 22:38	04/29/2025 22:38	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25D1144-22
Sample ID: C16 Water Ftn

Matrix: Drinking Water

Date Collected: 04/23/2025 08:27
Date Received: 04/23/2025 13:15

Total Metals - Pace Analytical Services, LLC-Fairfield

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	04/29/2025 22:52	04/29/2025 22:52	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25D1144-23

Matrix: Drinking Water

Date Collected: 04/23/2025 08:28

Sample ID: C16 Sink

Date Received: 04/23/2025 13:15

Total Metals - Pace Analytical Services, LLC-Fairfield

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	04/29/2025 22:57	04/29/2025 22:57	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25D1144-24

Matrix: Drinking Water

Date Collected: 04/23/2025 08:31

Sample ID: A23 Sink

Date Received: 04/23/2025 13:15

Total Metals - Pace Analytical Services, LLC-Fairfield

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	04/29/2025 23:02	04/29/2025 23:02	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25D1144-25
Sample ID: A20 Hall Water Ftn

Matrix: Drinking Water

Date Collected: 04/23/2025 08:32
Date Received: 04/23/2025 13:15

Total Metals - Pace Analytical Services, LLC-Fairfield

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	04/29/2025 23:07	04/29/2025 23:07	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25D1144-26
Sample ID: A17 Copy Rm Sink

Matrix: Drinking Water

Date Collected: 04/23/2025 08:34
Date Received: 04/23/2025 13:15

Total Metals - Pace Analytical Services, LLC-Fairfield

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00380		mg/L	0.000492	0.00200	EPA 200.8	04/29/2025 23:11	04/29/2025 23:11	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25D1144-27 **Matrix:** Drinking Water **Date Collected:** 04/23/2025 08:37
Sample ID: A14 Girls Water Ftn **Date Received:** 04/23/2025 13:15

Total Metals - Pace Analytical Services, LLC-Fairfield

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	04/29/2025 23:16	04/29/2025 23:16	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Qualifiers

U Compound not detected

Abbreviations

DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the Reporting Detection Limit (RDL)
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference
<	Less than reporting limit
≤	Less than or equal to reporting limit
>	Greater than reporting limit
≥	Greater than or equal to reporting limit
MDL	Method Detection Limit
RDL	Reporting Detection Limit
MCL/AL	Maximum Contaminant Level/Action Level
mg/kg wet	Results reported as wet weight
TTLC	Total Threshold Limit Concentration
STLC	Soluble Threshold Limit Concentration
TCLP	Toxicity Characteristic Leachate Procedure

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Laboratory Certification List for this report.

Laboratory	Certification				
	NJ	NY	PA	CT	
Pace Analytical Services, LLC Ewing 812 Silvia Street Ewing, NJ 08628	11005	12046	68-05417		
Pace Analytical Services, LLC-Fairfield 1275 Bloomfield Ave, Ste 37D Fairfield, NJ 07004	07010	11634	68-02903		



Pace Analytical Services, LLC Fairfield NJ
1275 Bloomfield Avenue, Fairfield, NJ 07004 (973) 227-0422

CHAIN OF CUSTODY



25D1144

Page 1 of 5

Stillwater Twp Elementary School
BOE Lead Testing

Client: Stillwater Twp Elementary School

904 Stillwater Rd Stillwater Township, NJ 07875

Project: BOE Lead Testing

Project Mgr: Rene Metzgar

(p) (973) 383-8954, (c)

Project #:

PO #:

Comments: ***** 9 am 1st draw Call Michael Maggio ahead of time for access*****

862-268-1777
4/23
25D1144

Turn Around Time

☐ Standard 2 Weeks

Rush (Choose One Below) **

☐ 24 Hr. ☐ 72 Hr.

☐ 48 Hr. ☐ 1 Week

☐ Other (provide Date/Time)

Date: _____ Time: _____

** May Need Lab Approval

Report / Electronic Format

☐ Results Only/Lvl 2

☐ NJ DEP Reduced

☐ NJ DEP Full

☐ State Forms/E2

PWSID # 1920317

☐ Email Delivery

☐ Hazsite EDD

☐ EQUIS EDD

☐ Excel

SRP # _____

Lab ID	Sample Source: Field ID	Sampled		Sample Type	Matrix	Analysis Requested		
		Date	Time			Field Analysis	Time	Measurement
	Field Blank	4/23/25	0749	Grab	DW	ICP-MS Lead		
						Container	Qty	1
						250mL Plastic HNO3	1	
	B112-TL	4/23/25	0750	Grab	DW	ICP-MS Lead		
						Container	Qty	1
						250mL Plastic HNO3	1	
	B110 Sink	4/23/25	0752	Grab	DW	ICP-MS Lead		
						Container	Qty	1
						250mL Plastic HNO3	1	
	B110 3xKC	4/23/25	0753	Grab	DW	ICP-MS Lead		
						Container	Qty	1
						250mL Plastic HNO3	1	

D. Diaz / Pace
Dante Diaz

Released By

Date / Time

4/23/25 / 1315

Received By

Frank Lovell

Date / Time

4.23.25 13:15

Released By

Date / Time

Received By

Date / Time



Pace Analytical Services, LLC Fairfield NJ
1275 Bloomfield Avenue, Fairfield, NJ 07004 (973) 227-0422

CHAIN OF CUSTODY

Page 2 of 5

Lab ID	Sample Source: Field ID	Sampled Date Time	SampleType	Matrix	Analysis Requested	Field Analysis	Time	Measurement
	B110 1 FP	4/23/25/ 0755	Grab	DW	ICP-MS Lead			
						Container	Qty	1
						250mL Plastic HNO3	1	
	C110 Sink	4/23/25/ 0757	Grab	DW	ICP-MS Lead			
						Container	Qty	1
						250mL Plastic HNO3	1	
	C110 Water Ftn	4/23/25/ 0758	Grab	DW	ICP-MS Lead			
						Container	Qty	1
						250mL Plastic HNO3	1	
	C111 Sink	4/23/25/ 0800	Grab	DW	ICP-MS Lead			
						Container	Qty	1
						250mL Plastic HNO3	1	
	C111 Water Ftn	4/23/25/ 0801	Grab	DW	ICP-MS Lead			
						Container	Qty	1
						250mL Plastic HNO3	1	
	C1114 Water Ftn	4/23/25/ 0803	Grab	DW	ICP-MS Lead			
						Container	Qty	1
						250mL Plastic HNO3	1	
	A124 Water Ftn	4/23/25/ 0806	Grab	DW	ICP-MS Lead			
						Container	Qty	1
						250mL Plastic HNO3	1	

D. Diaz / Pace

Released By

Wanda Diaz

Date / Time

4/23/25/ 1315

Received By

Frank Lowell

Date / Time

4.23.25 13:15

Released By

Date / Time

Received By

Date / Time



Pace Analytical Services, LLC Fairfield NJ
1275 Bloomfield Avenue, Fairfield, NJ 07004 (973) 227-0422

CHAIN OF CUSTODY

Page 3 of 5

Lab ID	Sample Source: Field ID	Sampled Date Time	SampleType	Matrix	Analysis Requested	Field Analysis	Time	Measurement
	A112 Water Ftn	4/23/25/0809	Grab	DW	ICP-MS Lead			
						Container	Qty	1
						250mL Plastic HNO3	1	
	A112 Sink 1	4/23/25/0810	Grab	DW	ICP-MS Lead			
						Container	Qty	1
						250mL Plastic HNO3	1	
	A112 Sink 2	4/23/25/0811	Grab	DW	ICP-MS Lead			
						Container	Qty	1
						250mL Plastic HNO3	1	
	B23 Water Ftn	4/23/25/0815	Grab	DW	ICP-MS Lead			
						Container	Qty	1
						250mL Plastic HNO3	1	
	B&G Water Ftn	4/23/25/0817	Grab	DW	ICP-MS Lead			
						Container	Qty	1
						250mL Plastic HNO3	1	
	B10 Water Ftn	4/23/25/0819	Grab	DW	ICP-MS Lead			
						Container	Qty	1
						250mL Plastic HNO3	1	
	B10 Sink	4/23/25/0820	Grab	DW	ICP-MS Lead			
						Container	Qty	1
						250mL Plastic HNO3	1	

Released By D. Diaz / Pace Date / Time 4/23/25/1315 Received By Frank Lowell Date / Time 4.23.23 1317

Released By _____ Date / Time _____ Received By _____ Date / Time _____



Pace Analytical Services, LLC Fairfield NJ
1275 Bloomfield Avenue, Fairfield, NJ 07004 (973) 227-0422

CHAIN OF CUSTODY

Page 4 of 5

Lab ID	Sample Source: Field ID	Sampled Date Time	SampleType	Matrix	Analysis Requested	Field Analysis	Time	Measurement
	C11 Sink	4/23/25/0822	Grab	DW	ICP-MS Lead			
						Container	Qty	1
						250mL Plastic HNO3	1	
	C12 Sink	4/23/25/0824	Grab	DW	ICP-MS Lead			
						Container	Qty	1
						250mL Plastic HNO3	1	
	C12 Water Ftn	4/23/25/0825	Grab	DW	ICP-MS Lead			
						Container	Qty	1
						250mL Plastic HNO3	1	
	C16 Water Ftn	4/23/25/0827	Grab	DW	ICP-MS Lead			
						Container	Qty	1
						250mL Plastic HNO3	1	
	C16 Sink	4/23/25/0828	Grab	DW	ICP-MS Lead			
						Container	Qty	1
						250mL Plastic HNO3	1	
	A23 Sink	4/23/25/0831	Grab	DW	ICP-MS Lead			
						Container	Qty	1
						250mL Plastic HNO3	1	
	A20 Hall Water Ftn	4/23/25/0832	Grab	DW	ICP-MS Lead			
						Container	Qty	1
						250mL Plastic HNO3	1	

D. Diaz / Pace

Released By

Manito Diaz

Date / Time

4/23/25/1315

Received By

Frank

Date / Time

4.23.25 13:15

Released By

Date / Time

Received By

Date / Time



Pace Analytical Services, LLC Fairfield NJ
1275 Bloomfield Avenue, Fairfield, NJ 07004 (973) 227-0422

CHAIN OF CUSTODY

Lab ID	Sample Source: Field ID	Sampled Date Time	SampleType	Matrix	Analysis Requested	Field Analysis	Time	Measurement
	A17 Copy Rm Sink	4/23/25/0834	Grab	DW	ICP-MS Lead			
						Container	Qty	1
						250mL Plastic HNO3	1	
	A14 Girls Water Ftn	4/23/25/0837	Grab	DW	ICP-MS Lead			
						Container	Qty	1
						250mL Plastic HNO3	1	

Released By

D. Diaz / Pace
Vanita Diaz

Date / Time

4/23/25/1315

Received By

For Lowell

Date / Time

4.23.25 13:15

Released By

Date / Time

Received By

Date / Time

25D1144

Sample Condition Upon Receipt Form (SCUR)



Affix Sample Label Here

Date and Initials of person:
Examining contents: 4.23.25 br
Label: 4.23.25 br
Deliver to location: _____
pH: _____

Thermometer Used: 71TR05 Date: 4.23.25 Time: 13:15 Initials: br

State of Origin: _____

Cooler #1 Temp: °C 21.5 (Visual) 0 (Correction Factor) 21.5 (Actual) ☐ Samples on ice, cooling process has begun

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☒ Pace ☐ Other _____

Shipping Method: ☐ First Overnight ☐ Priority Overnight ☐ Standard Overnight ☐ Ground ☐ Other _____

Tracking # _____

Custody Seal on Cooler/Box Present: ☐ Yes ☒ No Seals Intact: ☐ Yes ☐ No Ice: Wet Blue Melted None

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☒ None ☐ Other _____ ☐ No ☐ N/A

Samples were collected by Pace employee ☒ Yes ☐ No ☐ N/A

Comments:

Chain of Custody Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Chain of Custody Filled Out	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Relinquished Signature on COC	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Sampler Name and Signature on COC	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Samples Arrived within Hold Time	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Rush TAT requested on COC	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Sufficient Volume	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Correct Containers Used	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Sample Labels match COC (sample IDs & date/time of collection)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
All containers needing acid/base preservation have been checked.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Preservation Information: Preservative: _____ Lot #/Trace #: _____ Date: _____ Time: _____ Initials: _____
All Containers needing preservation are found to be in compliance with EPA recommendation: Exceptions: Vials, Microbiology, O&G, Metals	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Headspace in VOA Vials? (>6mm):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	

Additional Login Comments:

Client notification/ Resolution

Person Contacted: _____ Date/Time: _____

Comments/Resolution: