

## Special Education Facilities

<b>Building Name</b>		<b>Room #</b>
Governor Mifflin SHS		18
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
8 feet, 6 inches x 16 feet, 6 inches	140sqft	5
<b>Implementation Date</b>		
2022-06-14		
<b>Uploaded Files</b>		

### 1Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Governor Mifflin SHS		16
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
17 feet, 6 inches x 16 feet, 6 inches	288sqft	10
<b>Implementation Date</b>		
2022-06-14		
<b>Uploaded Files</b>		

--

## 2Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Governor Mifflin MS		231
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
29 feet, 0 inches x 28 feet, 0 inches	812sqft	29
Implementation Date		
2022-06-30		
Uploaded Files		

## 3Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

The location of the class has been maintained for at least 3 school years.	Yes	
--	-----	--

<b>Building Name</b>		<b>Room #</b>
Mifflin Park El Sch		211
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
34 feet, 0 inches x 24 feet, 6 inches	833sqft	29
<b>Implementation Date</b>		
2022-06-20		
<b>Uploaded Files</b>		

#### 4Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Governor Mifflin SHS		153
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
31 feet, 0 inches x 24 feet, 0 inches	744sqft	26
<b>Implementation Date</b>		

2022-06-14
<b>Uploaded Files</b>

#### 5Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Governor Mifflin SHS		152
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
36 feet, 0 inches x 23 feet, 0 inches	828sqft	29
<b>Implementation Date</b>		
2022-06-14		
<b>Uploaded Files</b>		

#### 6Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	

The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Intermediate Sch		246
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
31 feet, 0 inches x 26 feet, 0 inches	806sqft	28
<b>Implementation Date</b>		
2022-06-30		
<b>Uploaded Files</b>		

#### 7Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Brecknock El Sch		186
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>

35 feet, 0 inches x 23 feet, 6 inches	822sqft	29
<b>Implementation Date</b>		
2022-06-20		
<b>Uploaded Files</b>		

#### 8Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Governor Mifflin SHS		128A
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
22 feet, 0 inches x 26 feet, 8 inches	586sqft	20
<b>Implementation Date</b>		
2022-06-14		
<b>Uploaded Files</b>		

#### 9Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	

The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Governor Mifflin SHS		151
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
32 feet, 0 inches x 26 feet, 5 inches	845sqft	30
<b>Implementation Date</b>		
2024-07-11		
<b>Uploaded Files</b>		

#### 10Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>	<b>Room #</b>
Governor Mifflin MS	127
<b>School Building</b>	<b>Building Description</b>

		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
32 feet, 0 inches x 32 feet, 0 inches	1024sqft	36
<b>Implementation Date</b>		
2022-06-30		
<b>Uploaded Files</b>		

#### 11Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Mifflin Park El Sch		111
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
16 feet, 0 inches x 18 feet, 0 inches	288sqft	10
<b>Implementation Date</b>		
2022-06-20		
<b>Uploaded Files</b>		

#### 12Assurance Check



Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Governor Mifflin SHS		121
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
22 feet, 0 inches x 30 feet, 0 inches	660sqft	23
<b>Implementation Date</b>		
2022-06-14		
<b>Uploaded Files</b>		

### 13Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>	<b>Room #</b>
----------------------	---------------

Intermediate Sch		248
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
25 feet, 0 inches x 17 feet, 0 inches	425sqft	15
<b>Implementation Date</b>		
2022-06-20		
<b>Uploaded Files</b>		

#### 14Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Governor Mifflin MS		123
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
34 feet, 0 inches x 25 feet, 0 inches	850sqft	30
<b>Implementation Date</b>		
2022-06-30		
<b>Uploaded Files</b>		

#### 15 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Cumru El Sch		14
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
25 feet, 0 inches x 37 feet, 0 inches	925sqft	33
<b>Implementation Date</b>		
2022-06-20		
<b>Uploaded Files</b>		

#### 16 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Cumru El Sch		26
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
21 feet, 6 inches x 16 feet, 0 inches	344sqft	12
<b>Implementation Date</b>		
2022-06-20		
<b>Uploaded Files</b>		

#### 17Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Governor Mifflin SHS		110
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
18 feet, 10 inches x 22 feet, 0 inches	414sqft	14
<b>Implementation Date</b>		
2022-06-14		
<b>Uploaded Files</b>		

#### 18Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Brecknock El Sch		177
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
35 feet, 0 inches x 23 feet, 6 inches	822sqft	29
<b>Implementation Date</b>		
2022-06-20		
<b>Uploaded Files</b>		

#### 19Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Governor Mifflin SHS		116
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
15 feet, 6 inches x 28 feet, 0 inches	434sqft	15
<b>Implementation Date</b>		
2022-06-14		
<b>Uploaded Files</b>		

#### 20Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	