

Special Education Facilities

Building Name		Room #
Mifflin Park El Sch		108
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
24 feet, 0 inches x 30 feet, 0 inches	720sqft	25
Implementation Date		
2022-06-20		
Uploaded Files		

1Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Governor Mifflin SHS		110A
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
18 feet, 10 inches x 22 feet, 0 inches	414sqft	14
Implementation Date		
2022-06-14		
Uploaded Files		

--

2Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Governor Mifflin MS		124
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
34 feet, 0 inches x 25 feet, 0 inches	850sqft	30
Implementation Date		
2022-06-20		
Uploaded Files		

3Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

The location of the class has been maintained for at least 3 school years.	Yes	
--	-----	--

Building Name		Room #
Cumru El Sch		22
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
36 feet, 0 inches x 21 feet, 0 inches	756sqft	27
Implementation Date		
2024-07-05		
Uploaded Files		

4Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		Room #
Governor Mifflin MS		130
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
27 feet, 0 inches x 28 feet, 0 inches	756sqft	27
Implementation Date		

2022-06-30
Uploaded Files

5Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Cumru El Sch		44
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
23 feet, 0 inches x 35 feet, 0 inches	805sqft	28
Implementation Date		
2022-06-20		
Uploaded Files		

6Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	

The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Cumru El Sch		36
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
25 feet, 0 inches x 41 feet, 0 inches	1025sqft	36
Implementation Date		
2022-06-20		
Uploaded Files		

7Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Brecknock El Sch		191
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom

16 feet, 0 inches x 22 feet, 0 inches	352sqft	12
Implementation Date		
2022-06-20		
Uploaded Files		

8Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Governor Mifflin SHS		128
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
60 feet, 0 inches x 44 feet, 0 inches	2640sqft	94
Implementation Date		
2022-06-14		
Uploaded Files		

9Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	

The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Intermediate Sch		238
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
22 feet, 0 inches x 31 feet, 0 inches	682sqft	24
Implementation Date		
2022-06-20		
Uploaded Files		

10Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name	Room #
Governor Mifflin MS	232
School Building	Building Description

		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
28 feet, 0 inches x 12 feet, 0 inches	336sqft	12
Implementation Date		
2022-06-30		
Uploaded Files		

11Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Mifflin Park El Sch		308
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
26 feet, 0 inches x 24 feet, 0 inches	624sqft	22
Implementation Date		
2022-06-20		
Uploaded Files		

12Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Governor Mifflin SHS		208
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
22 feet, 0 inches x 30 feet, 0 inches	660sqft	23
Implementation Date		
2022-06-22		
Uploaded Files		

13Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name	Room #
----------------------	---------------

Governor Mifflin SHS		112
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
22 feet, 0 inches x 30 feet, 0 inches	660sqft	23
Implementation Date		
2022-06-14		
Uploaded Files		

14Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Cumru El Sch		32
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
24 feet, 0 inches x 36 feet, 0 inches	864sqft	30
Implementation Date		
2024-07-11		
Uploaded Files		

15Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		Room #
Governor Mifflin SHS		116A
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
15 feet, 6 inches x 28 feet, 0 inches	434sqft	15
Implementation Date		
2022-05-26		
Uploaded Files		

16Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Governor Mifflin MS		102
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
32 feet, 0 inches x 26 feet, 0 inches	832sqft	29
Implementation Date		
2022-06-30		
Uploaded Files		

17Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Governor Mifflin SHS		15
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
16 feet, 6 inches x 17 feet, 9 inches	292sqft	10
Implementation Date		
2024-08-19		
Uploaded Files		

18Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		Room #
Governor Mifflin SHS		128
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
59 feet, 1 inches x 41 feet, 10 inches	2471sqft	88
Implementation Date		
2024-08-19		
Uploaded Files		

19Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		Room #
Governor Mifflin SHS		141A
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
30 feet, 0 inches x 30 feet, 0 inches	900sqft	32
Implementation Date		
2024-08-19		
Uploaded Files		

20Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No