



### K-12 Talaalada iyo Macluumaadka Caafimaadka

Gacaliyeyaal Waalidiinta iyo Ilaaliyeyasha,

Fadlan la socda in Sharciga Ohio dajiyay sharuudo la xariira talaalka iyo siinta dawooyinka marka ardayga ku sugan yahay dugsiya. Fadlan akhri kaddibna dhamaystir macluumaadka hoose.

- 1) Sharciga Ohio wuxuu rabaa in DHAMAAN ardayda qaataan inta ugu yar talaalada ku qoran dusha dambe foomkaan si ay u tagaan dugsiya. Ardayga wuxuu haystaa 14 maalin in uu soo gudbiyo warqado qoran oo ku saabsan talaalada ama haddii kale waxaa dhici karto in ardayga laga reebo dugsiya ilaa warqadahaas laga soo gudbiyo.
- 2) Ha isku haleynin in dugsigii hore soo gudbiyo diiwaanka, waalida/ilaaliyaha ayaa mas'uul ka ah in ay keenaan diiwaanka talaalka. (ORC 3313.67 iyo 3313.671)
- 3) Haddii loo baahdo in daawada la siiyo saacadaha dugsiya, fadlan waxaad foomamka loo baahan yahay ka codsataa kliinikada caafimaadka dugsiya.
- 4) Dugsiya ma qaadi karo mas'uuliyadda la xariirta daweynta cunug xanuunsan ama dhaawacan wixii ka baxsan siinta kaalmada kowaad.
- 5) Ardayga soo galaya Dugsiyada Magaalada Westerville ee ka imaanaya waddan shisheeye oo ay kajirto tiibisho waxaa laga rabaa in baaritaankooda maqaarka ee tiibishida uu ahaado mid taban, ama in raajato nadiif ah oo lagu sameeyo gudaha dalka maraykanka, KA HOR inta aan la gaarin maalinta kowaad ee imaanshahaaga dugsiya.

6) **Macluumaadka Caafimaadka:** Fadlan calaamee DHAMAAN inta lagu dabaqi karo

Magaca Ardayga:	Taariikhda Diiwaan Gelinta:	
Dugsiga Westerville:	Kooxda:	Taariikhda Dhalashada:
Dugsiga ugu dambeeyay ee uu Dhigtay:		
<input type="checkbox"/> Xasaasiyadda Raashinka:	<input type="checkbox"/> ADD/ADHD	
<input type="checkbox"/> Xasaasiyadaha Kale:	<input type="checkbox"/> Neefka	
<input type="checkbox"/> Loo Baahan Yahay Epi-Pen	<input type="checkbox"/> Loo Baahan Yahay Qalabka Lagu Neefsado	
<input type="checkbox"/> Dawooyinka Kale:	<input type="checkbox"/> Lama Haayo Taariikhda Caafimaadka	
<input type="checkbox"/> Macluumaadka Kale:		

7) **Talaalada:** Fadlan dhamaystir Jadwalka Talaalka hoose ee loo baahan yahay ama soo gudbi koobiga diiwaanka talaalka ardaygaada

Isticmaalka xafiiska keliya:

Kaddib marka la fiiriyay, talaalada hoos lagu muujiyay waa:  Kuma Jiro Faylka  Ma Dhamaystirna

Waa Socotaa Hawsha Iyo Waa La Gaaray Waqtigii Loo Baahnaa

Darajada/Qiyaasta Loo Baahan Yahay Dusha dambe ka fiiri tafaasiisha	1	2	3	4	5	6
K-12 DTaP, DT, Td, Tdap						
K-12 Qalal						
K-12 Cagaarshow B (HBV)						
K-12 MMR (jadeeco, qaamoo qashiir, jadeecada jarmalka)						
K-11 Talaalka Waafgaabada (Busbus)			ama	Taariikhda Cudurka Busbuska:		
ama						
MMRV (isu geynta mmr/varicella)						
7-12 Xoojiyaha (Booster) Tdap						
7, 8 & 12 Tallaalka Meningitis						
Wax Kale						
Tiibishada maqaarka ee taban ama raajada xabadka oo nadiif ah(oo lagu qaaday wadanka maraykanka) ayaa loo baahan yahay KA HOR diiwaan gelinta WCS ee ardayda ka timid wadan kale.Tan waxaa hoos imaanaya ardayda xanaanada caruurta oo kudhashay meel kabaxsan wadanka maraykanka.			Taariikhda La Siiyay	Taariikhda la akhriyay	Natiijada	Natiijada CXR

Waxaan fahamsanahay in aan mas'uul ka ahay in aan diiwaanka talaalka u keeno shaqaalaha kliinikada dugsiya ugu dambayn maalinta 14<sup>aad</sup> dugsiya.

8) Saxiixa Waalidka/Masuulka \_\_\_\_\_ Taariikhda \_\_\_\_\_

FADLAN, KALKAALIYAHA DUGSIGA U SOO CELI FOOMKAAN AMA UGU SOO DIR FAKS AHAAN UGU DAMBAYN: \_\_\_\_\_

TALLAALADA	Tallaalka Imaanshaha Dugsiga DAYRTA 2023
DTaP/DT Tdap/Td Gawracatada, Xiiq-dheerta, Teetanada	<p><b>K-12</b> Afar ama in ka badan oo ah DTaP ama DT, ama isku-darkasta. Haddii dhammaan afarta qiyaasood la bixiyay <i>ka hor maalinta dhalashada da'da afraad</i>, qiyaas shanaad <i>ayaa loo baahan yahay</i>. Haddii qiyaasta afraad la siiyay ugu yaraan lix bilood ka dib qiyaasta saddexaad, iyo markay ahayd maalinta dhalashada da'da afraad ama kadib, markaa qiyaas shanaad looma baahna.*</p> <p><b>Fasalada 7-12</b> Hal qiyaas oo tallaalka Tdap ah waa in la siiyaa marka la joogo da'da toban sano ama ka dib. **</p>
POLIO (CUDURKA DABAYSHA)	<p><b>K-12</b> Saddex qiyaasood ama ka badan oo IPV ah. <i>Qiyaasta UGU DAMBAYSA waa in la qaataa maalinta dhalashada da'da afraad ama ka dib</i>, iyada oo aan loo eegin tirada qiyaasihii hore. ***</p>
MMR Jadeeco, Qaamo-qashiir, Jadeeco Jarmal (Rubella)	<p><b>K-12</b> Laba qiyaasood oo MMR ah. Qiyaasta koowaad waa in la qaataa maalinta dhalashada sanadka koowaad ama ka dib. Qiyaasta labaad waa in la qaataa ugu yaraan 28 maalmood ka dib qiyaasta koowaad.</p>
HEP B Cagaarshowga B	<p><b>K-12</b> Saddex qiyaasood oo cagaarshowga B ah. Qiyaasta labaad waa in la qaataa ugu yaraan 28 maalmood ka dib qiyaasta koowaad. Qiyaasta saddexaad waa in la qaataa ugu yaraan 16 toddobaad ka dib qiyaasta koowaad iyo ugu yaraan siddeed toddobaad ka dib qiyaasta labaad. Qiyaasta ugu dambeysa ee taxanaha ah (dawada saddexaad ama afraad) waa in aan la qaadan ka hor da'da 24 toddobaad.</p>
VARICELLA (Busbus)	<p><b>K-12</b> Laba qiyaasood oo tallaalka varicella ah waa in la bixiyaa ka hor inta aan la bilaabin. Qiyaasta koowaad waa in la qaataa maalinta dhalashada sanadka koowaad ama ka dib. Qiyaasta labaad waa in la qaataa ugu yaraan saddex bilood ka dib qiyaasta koowaad; si kastaba ha ahaatee, haddii qiyaasta labaad la qaato ugu yaraan 28 maalmood ka dib qiyaasta koowaad, waxaa loo arkaa mid ansax ah.</p>
MCV4 Meningococcal	<p><b>Fasalada 7-11</b> Hal qiyaas oo ah tallaalka meningococcal (serogroup A, C, W, iyo Y) waa in la qaataa markay tahay ama ka dib maalinta dhalashada da'da toban sano.</p> <p><b>Fasalada 12</b> Laba qiyaasood oo ah MCV4 halka lagu gaaro da'da 16 jir sano, oo ay u dhaxayso ugu yaraan siddeed toddobaad qiyaasaha. Haddii qiyaasta hore la qaatay maalinta dhalashada sanadka lix iyo tobnad, kaliya hal qiyaas ayaa loo baahan yahay. ****</p>

**FIIRO GAAR AH:**

- Tallaalka waa in lagu bixiyaa si waafaqsan nooca ugu dambeeyay ee *Jadwalka Tallaalka Carruurta iyo Qaan-gaarka ee lagu taliyay ee da'aha 18 sano ama ka yar ama jadwalka tallaalka ee dadka da'doodu tahay afar bilood - 18 sano ee ka goor dambe billaabay ama dib dhacay in ka badan hal bil*, sida ay daabacday Guddiga La-talinta ee Xarunta Xakamaynta iyo Kahortagga Cudurrada ee Hab-raacyada Tallaalka. Jadwalka ayaa la heli karaa si loo daabacdo ama laga soo dagsan kartaa [www.cdc.gov/vaccines/schedules/index.html](http://www.cdc.gov/vaccines/schedules/index.html).
- Qiyaasaha tallaalka ee la bixiyay wax ka yar ama la eg afar maalmood ka hor muddada ama da'da ugu yar ee u dhaxaysa ayaa ansax ah (muddada nimcada). Qiyaasaha la bixiyay in ka badan ama la eg shan maalmood ka hor muddada ama da'da ugu yar ee u dhaxaysa ma ahan qiyaaso ansax ah waana in lagu celiyaa marka da'da ku habboon tahay. Haddii MMR iyo varicella **aan** la qaadan isku maalin, qiyaasaha **waa in** la kala fogeeyaa ugu yaraan 28 maalmood iyada oo aanay jirin waqti dib-dhac.
- Wixii macluumaad dheeraad ah, fadlan tixraac [Xeerka Ohio ee dib loo eegay ee 3313.67](#) iyo [3313.671](#) ee imaanshaha dugsiga iyo [Diiwaanka Joornaalka Agaasimaha ODH ee tallaallada](#). looga baahan yahay xanaanada carruurta iyo dugsiga. Dukumeentiyadan waxaa ku taxan tallaallada loo baahan yahay oo lagu taliyay waxayna muujinayaan ka-dhaafitaanada tallaallada.
- Fadlan kala xiriir Waaxda Caafimaadka Ohio ee Barnaamijka Tallaalka lambarka 800-282-0546 ama 614-466-4643 waxii su'aalo ama walaac ah.

*\*Mudada u dhaxaysa ee lagu taliyay ee DTaP ama DT ee ardadya fasalka barbaarinta waa afar toddobaad inta u dhaxaysa qiyaasta koowaad iyo labaad, iyo qiyaasta labaad iyo saddexaad; iyo lix bilood inta u dhaxaysa qiyaasaha saddexaad iyo afraad iyo qiyaasta afraad iyo shanaad. Haddii qiyaasta shanaad la qaato ka hor maalinta dhalashada da'da afraad, qiyaas lixaad ayaa lagula talinayaa laakiin qasab ma ahan.*

*\*\* Tdap waa la qaadan karaa iyada oo aan loo eegin inta u dhaxaysa tallaalka ugu dambeeyay ee loogu talagalay teetanada ama gowracatada. Carruurta da'doodu tahay toddobo sano ama ka weyn oo leh taariikh DTaP aan dhammaystirnayn waa in loo siiyaa Tdap sida inay tahay qiyaasta ugu horreysa ee taxanaha habsan u qaadashada. Haddii taxanuhu bilaabmay da'da toddobo ilaa sagaal sano, qiyaasta afraad waa inay noqotaa Tdap oo la siiyo da'da 11-12 sano. Haddii qiyaasta saddexaad ee Tdap lagu siiyo da'da 10 sano, looma baahna qiyaas dheeraad ah da'da 11-12 sano.*

*\*\*\* Qiyaasta ugu dambeysa ee dabaysha ee taxanaha IPV waa in lagu qaataa da'da afar sano ama ka weyn oo leh ugu yaraan lix bilood inta u dhaxaysa qiyaasta ugu dambeysay iyo tii hore. Kaliya OPV trivalent (tOPV) ayaa buuxiyo shuruudaha tallaalka Mareykanka. Qiyaasaha OPV ee la bixiyay kahor Abriil 1, 2016, waa in la tirsadaa (haddii aan si gaar ah loogu xusin marka la qaadayay inta lagu jiro ololaha). Qiyaasaha OPV ee la bixiyay Abriil 1, 2016 ama ka dib, waa inaan la tirsan. Haddii isku-darka IPV iyo OPV un la qaatay, afar qiyaas oo labada tallaalka midkood ah ah ayaa loo baahan yahay.*

*\*\*\*\* Waxaa lagu taliyay MCV4 ee ay u dhaxayso ugu yaraan siddeed toddobaad inta u dhaxaysa qiyaasaha koowaad iyo labaad. Haddii qiyaasta koowaad ee MCV4 la qaatay maalinta dhalashada lix iyo toban sano ama ka dib, qiyaas labaad looma baahna. Haddii ardaygu dhigto fasalka labo iyo tobnad oo uu jiro 15 sano ama uu ka yar yahay, hal qiyaas oo keliya ayaa loo baahan yahay. Hadda, ma jiraan shuruudo lagu galayo dugsiga ee tallaalka meningococcal B.*

Markii ugu dambeysay ee la cusbooneysiisay 12/15/2022.



Westerville City Schools  
K-12 Immunizations & Health Information

Dear Parents & Guardians,

Please be aware that Ohio Law stipulates requirements for immunizations and medication administration in school. Please read and complete the information below.

- 1) Ohio Law requires ALL students have a minimum of the immunizations listed on the back side of this form to attend school. After 14 days of starting school, if no documentation of required immunizations or exemption form is received, student will not be permitted to attend school until documentation is submitted.
- 2) Do not rely on the previous school to submit records, it is the parent/guardian responsibility to provide immunization records. (ORC 3313.67 and 3313.671)
- 3) If Medication is to be taken during school hours, please request forms from the school health clinic.
- 4) The school cannot assume responsibility for treatment of an ill or injured child beyond the administration of first aid.
- 5) Students entering Westerville City Schools that were born in or are traveling from any TB endemic country are required to have a negative TB skin test, or a clear chest x-ray performed in the U. S. BEFORE the first day of school attendance.

6) **Medical Information:** Please Check ALL that apply

Student's Name: _____		Date Enrolled: _____
School: _____	Gr: _____	Date of Birth: _____
Last School of Attendance: _____		
<input type="checkbox"/> Food Allergies to:	<input type="checkbox"/> ADD/ADHD	
<input type="checkbox"/> Other Allergies to:	<input type="checkbox"/> Asthma	
<input type="checkbox"/> Epi-Pen Needed	<input type="checkbox"/> Inhaler Needed	
<input type="checkbox"/> Other Medications:	<input type="checkbox"/> No Medical History	
<input type="checkbox"/> Other Information: _____		

7) **Immunizations:** Please complete the required Immunization Table below or submit a copy of your student's immunization record

For Office use:

After review, immunizations indicated below are:  Not on File  Incomplete  In Process & Now Due

Grade/Required Doses See details on back page	1	2	3	4	5	6
K-12 DTaP, DT, Td, Tdap						
K-12 Polio						
K-12 Hepatitis B (HBV)						
K-12 MMR (measles, mumps, rubella)						
K-11 Varicella Vaccine (Chicken Pox)			or	Date of Chicken Pox Disease: _____		
or						
MMRV (mmr/varicella combined)						
7-12 Tdap Booster						
7, 8 & 12 Meningitis Vaccine						
Other						
Negative TB test or negative chest x-ray required BEFORE enrollment for students that were born or are traveling from a TB endemic country.			Date Administered	Date Read	Result	CXR Result

I understand that it is my responsibility to provide immunization records to the school clinic staff by the 14<sup>th</sup> day of school.

8) Signature of Parent/Guardian \_\_\_\_\_ Date \_\_\_\_\_

PLEASE RETURN OR FAX THIS FORM TO THE SCHOOL NURSE BY: \_\_\_\_\_

# Ohio Immunization Summary for School Attendance, 2025-2026



Vaccine/Grade	K	1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th	11th	12th	
<b>DTaP</b> Diphtheria, Tetanus, Pertussis	4 or more doses													
<b>Hep B</b> Hepatitis B	3 or more doses													
<b>MMR</b> Measles, Mumps, Rubella	2 doses													
<b>Polio</b>	3 or more doses													
<b>Varicella</b> (Chickenpox)	2 doses													
<b>Tdap</b> Tetanus, Diphtheria, Pertussis									1 dose					
<b>MCV4</b> Meningococcal ACWY									1st dose				2nd dose	

## Important Notes:

- Vaccine should be administered according to the most recent version of the [Recommended Child and Adolescent Immunization Schedule](#) for ages 18 years or younger or the [Catch-up immunization schedule for persons aged four months-18 years who start late or who are more than one month behind](#), as published by the Centers for Disease Control and Prevention’s Advisory Committee on Immunization Practices.
- Vaccine doses administered less than or equal to four days before the minimum interval or age are valid (grace period). Doses administered greater than or equal to five days earlier than the minimum interval or age are not valid doses and should be repeated when age appropriate.
- If MMR and varicella are **not** given on the same day, the doses must be separated by at least 28 days with no grace period.
- For additional information, please refer to the [Ohio Revised Code 3313.67](#) and [3313.671](#) and the [Ohio Department of Health \(ODH\) Director’s Journal Entry](#) regarding school immunization requirements, recommended vaccines, and exemptions to immunizations.
- Please contact the Ohio Department of Health Immunization Program at 800-282-0546 or 614-466-4643 with questions.**



## Ohio School Immunization Requirement Details

<p><b>DTaP</b> Diphtheria, Tetanus, Pertussis</p>	<p><b>Grades K-12</b></p> <p>Four or more doses of DTaP or DT vaccine, or any combination. If all four doses were given before the fourth birthday, a fifth dose is required. If the fourth dose was administered at least six months after the third dose, and on or after the fourth birthday, a fifth dose is not required.</p> <p><i>Recommended DTaP or DT minimum intervals for kindergarten students are four weeks between the first and second doses, and the second and third doses; and six months between the third and fourth doses and the fourth and fifth doses.</i></p>
<p><b>Hep B</b> Hepatitis B</p>	<p><b>Grades K-12</b></p> <p>Three doses of hepatitis B vaccine. The second dose must be administered at least 28 days after the first dose. The third dose must be given at least 16 weeks after the first dose and at least eight weeks after the second dose. The last dose in the series (third or fourth dose) must not be administered before age 24 weeks.</p>
<p><b>MMR</b> Measles, Mumps, Rubella</p>	<p><b>Grades K-12</b></p> <p>Two doses of MMR vaccine. The first dose must be administered on or after the first birthday. The second dose must be administered at least 28 days after the first dose.</p>
<p><b>Polio</b></p>	<p><b>Grades K-12</b></p> <p>Three or more doses of IPV vaccine. The FINAL dose must be administered on or after the fourth birthday with at least six months between the final and previous dose, regardless of the number of previous doses.</p> <p><i>If any combination of IPV and OPV was received, four doses of either vaccine are required. Only trivalent OPV (tOPV) counts toward the U.S. vaccination requirements. Doses of OPV administered before April 1, 2016, should be counted (unless specifically noted as administered during a campaign). Doses of OPV administered on or after April 1, 2016, should <b>not</b> be counted.</i></p>
<p><b>Varicella</b> (Chickenpox)</p>	<p><b>Grades K-12</b></p> <p>Two doses of varicella vaccine must be administered prior to entry. The first dose must be administered on or after the first birthday. The second dose should be administered at least three months after the first dose; however, if the second dose is administered at least 28 days after the first dose, it is considered valid.</p>
<p><b>Tdap</b> Tetanus, Diphtheria, Pertussis</p>	<p><b>Grades 7-12</b></p> <p>One dose of Tdap vaccine must be administered on or after the tenth birthday. Tdap can be given regardless of the interval since the last tetanus or diphtheria-toxoid containing vaccine.</p> <p><i>Children aged seven years or older with an incomplete history of DTaP should be given Tdap as the first dose in the catch-up series. If the series began at age seven to nine years, the fourth dose must be a Tdap given at age 11-12 years. If the third dose of Tdap is given at age 10 years, no additional dose is needed at age 11-12 years.</i></p>
<p><b>Meningococcal</b> Meningococcal ACWY</p>	<p><b>Grades 7-11</b></p> <p>One dose of meningococcal (serogroup A, C, W, and Y) vaccine must be administered on or after the 10<sup>th</sup> birthday.</p> <p><b>Grade 12</b></p> <p>Two doses of meningococcal (serogroup A, C, W, and Y) vaccine. Second dose on or after age 16 years. If the first dose was given on or after the 16<sup>th</sup> birthday, only one dose is required.</p>