



part of  
**ALS Limited**

**CHAIN  
OF  
CUSTODY**

Customer:	Garden State Environmental
Address:	555 S. Broad St.
	Glen Rock, NJ 07452
Phone:	(201) 652-1119 Office

School Name:	Stafford BOE (McKinley Elementary School) (9001)
School Address:	1000 Mckinley Avenue, Stafford NJ
Sampled By:	<i>Michael Blaney</i>
Print Name:	Michael Blaney
RESULTS TO:	labreports@gseconsultants.com

Sample ID Location	Date / / Time Sampled	Matrix Code	Grab or Comp	Flush Sample	Fiber Present	# Containers	Glass or Plastic	Analysis	LAB ID
SMES-1-WC01A (Café)	4/23/2025 09:15	DW	Grab	no	yes	1	250 ml Plastic	Lead	P25-03551-01
SMES-1-BF01A (Café)	4/23/2025 09:15	DW	Grab	no	yes	1	250 ml Plastic	Lead	02
SMES-1-S01A (kitchen right of 3comp)	4/23/2025 09:17	DW	Grab	no	no	1	250 ml Plastic	Lead	03
SMES-1-S02A (kitchen 3 comp right)	4/23/2025 09:17	DW	Grab	no	no	1	250 ml Plastic	Lead	04
SMES-1-S03A (kitchen 3 comp left)	4/23/2025 09:17	DW	Grab	no	no	1	250 ml Plastic	Lead	05
SMES-1-S05A (kitchen island)	4/23/2025 09:17	DW	Grab	no	no	1	250 ml Plastic	Lead	06
SMES-1-S04A (kitchen 2 comp)	4/23/2025 09:18	DW	Grab	no	no	1	250 ml Plastic	Lead	07
SMES-1-PF01A (kitchen pot filler)	4/23/2025 09:18	DW	Grab	no	no	1	250 ml Plastic	Lead	08
SMES-1-WC02A (out of café)	4/23/2025 09:20	DW	Grab	no	yes	1	250 ml Plastic	Lead	09
SMES-1-BF02A (out of café)	4/23/2025 09:20	DW	Grab	no	yes	1	250 ml Plastic	Lead	10
SMES-1-B01A (Room 85)	4/23/2025 09:22	DW	Grab	no	no	1	250 ml Plastic	Lead	11
SMES-1-B02A (Room 89)	4/23/2025 09:22	DW	Grab	no	no	1	250 ml Plastic	Lead	12
SMES-1-B03A (Room 87)	4/23/2025 09:23	DW	Grab	no	no	1	250 ml Plastic	Lead	13
SMES-1-B04A (Room 88)	4/23/2025 09:24	DW	Grab	no	no	1	250 ml Plastic	Lead	14
SMES-1-B05A (Room 89)	4/23/2025 09:25	DW	Grab	no	no	1	250 ml Plastic	Lead	P25-03551-15

SAMPLES REC'D UNPRESERVED. PRESERVED IN LAB.

Page 1 of 4	Deliverables:	PDF Std. X	PDF Reduce	PDF Full	EDD	Date/Time Preserved with HNO3: 5/5/25 15:52
-------------	---------------	------------	------------	----------	-----	---

<b>MATRIX CODES:</b>	GW = Ground Water, WW = Waste Water, SW = Surface Water, DW = Drinking Water, S = Soil, L = Liquid, SD = Sludge, B = Blank, K = Solid (specify):
----------------------	--

<b>PRESERVATION CODES:</b>	0 = Ice, 1 = HCl, 2 = H2SO4, 3 = NaOH, 4 = HNO3, 5 = Other
----------------------------	--

	Print Name:	Signature:	Company:	Date + Time
Relinquished:	Michael Blaney	<i>Michael Blaney</i>	GSE	4/27/25 @ 6:00 pm
Received:	<i>Michael Blaney</i>	<i>Michael Blaney</i>	Yak	5/9/25 10:38 AM
Relinquished:	<i>Michael Blaney</i>	<i>Michael Blaney</i>	Yak	5/2/25 18:35
Received:	<i>Romy Horta</i>	<i>Romy Horta</i>		5/2/25 16:55
Relinquished:	<i>Felipe Lopez</i>	<i>Felipe Lopez</i>		
Received:	<i>Lynn Souza</i>	<i>Lynn Souza</i>	YAL	

Customer: Garden State Environmental  
 Address: 555 S. Broad St.  
 Glen Rock, NJ 07452  
 Phone: (201) 652-1119 Office

School Name: **Stafford BOE (McKinley Elementary School) (9001)**  
 School Address: **1000 Mckinley Avenue, Stafford NJ**  
 Sampled By: *Mr. M...*  
 Print Name: **Michael Blaney**  
 RESULTS TO: **labreports@gseconsultants.com**

Sample ID Location	Date / / Time Sampled	Matrix Code	Grab or Comp	Flush Sample	Filter Present	# Containers	Glass or Plastic	Analysis	LAB ID
SMES-1-B06A (Room 90)	4/23/2025 09:26	DW	Grab	no	no	1	250 ml Plastic	Lead	P25-03551-16
SMES-1-B07A (Room 91)	4/23/2025 09:27	DW	Grab	no	no	1	250 ml Plastic	Lead	17
SMES-1-B08A (Room 92)	4/23/2025 09:27	DW	Grab	no	no	1	250 ml Plastic	Lead	18
SMES-1-B09A (Room 93)	4/23/2025 09:28	DW	Grab	no	no	1	250 ml Plastic	Lead	19
SMES-1-B10A (Room 94)	4/23/2025 09:29	DW	Grab	no	no	1	250 ml Plastic	Lead	20
SMES-1-B11A (Room 95)	4/23/2025 09:29	DW	Grab	no	no	1	250 ml Plastic	Lead	21
SMES-1-B13A (Room 97)	4/23/2025 09:30	DW	Grab	no	no	1	250 ml Plastic	Lead	22
SMES-1-B14A (Room 98)	4/23/2025 09:31	DW	Grab	no	no	1	250 ml Plastic	Lead	23
SMES-1-B15A (Room 99)	4/23/2025 09:31	DW	Grab	no	no	1	250 ml Plastic	Lead	24
SMES-1-B16A (Room 100)	4/23/2025 09:32	DW	Grab	no	no	1	250 ml Plastic	Lead	25
SMES-1-S06A (nurse)	4/23/2025 09:35	DW	Grab	no	no	1	250 ml Plastic	Lead	26
SMES-1-WC03A (nurse hall)	4/23/2025 09:36	DW	Grab	no	yes	1	250 ml Plastic	Lead	27
SMES-1-BF03A (nurse hall)	4/23/2025 09:36	DW	Grab	no	yes	1	250 ml Plastic	Lead	28
SMES-1-B17A (Room 116)	4/23/2025 09:38	DW	Grab	no	no	1	250 ml Plastic	Lead	29
SMES-1-B18A (Room 115)	4/23/2025 09:38	DW	Grab	no	no	1	250 ml Plastic	Lead	P25-03551-30

SAMPLES REC'D UNPRESERVED. PRESERVED IN LAB.

Page 2 of 4 Deliverables: PDF Std.  PDF Reduce  PDF Full  EDD  Date/Time Preserved with HNO3: 5/5/25 15:52

MATRIX CODES: GW = Ground Water, WW = Waste Water, SW = Surface Water, DW = Drinking Water, S = Soil, L = Liquid, SD = Sludge, B = Blank, K = Solid (specify):

PRESERVATION CODES: 0 = Ice, 1 = HCl, 2 = H2SO4, 3 = NaOH, 4 = HNO3, 5 = Other

	Print Name:	Signature:	Company:	Date + Time
Relinquished:	Michael Blaney	<i>Mr. M...</i>	GSE	4/27/25 @ 6:00 pm
Received:	<i>Michael Blaney</i>	<i>Michael Blaney</i>	YAL	5/8/25 1038AM
Relinquished:	<i>Ferry Hoegas</i>	<i>Ferry Hoegas</i>		5/2/25 1653
Received:	<i>Ferry Hoegas</i>	<i>Ferry Hoegas</i>		
Relinquished:	<i>Lynn Souza</i>	<i>Lynn Souza</i>	YAL	
Received:				

Customer: Garden State Environmental  
Address: 555 S. Broad St.  
Glen Rock, NJ 07452  
Phone: (201) 652-1119 Office

School Name: **Stafford BOE (McKinley Elementary School) (9001)**  
School Address: **1000 Mckinley Avenue, Stafford NJ**  
Sampled By: *Jim M...*  
Print Name: **Michael Blaney**  
RESULTS TO: **labreports@gseconsultants.com**

Sample ID Location	Date / Time Sampled	Matrix Code	Grab or Comp	Flush Sample	Filter Present	# Containers	Glass or Plastic	Analysis	LAB ID
SMES-1-B19A (Room 114)	4/23/2025 09:39	DW	Grab	no	no	1	250 ml Plastic	Lead	P25-03551-31
SMES-1-B20A (Room 113)	4/23/2025 09:40	DW	Grab	no	no	1	250 ml Plastic	Lead	32
SMES-1-B21A (Room 112)	4/23/2025 09:41	DW	Grab	no	no	1	250 ml Plastic	Lead	33
SMES-1-B22A (Room 111)	4/23/2025 09:41	DW	Grab	no	no	1	250 ml Plastic	Lead	34
SMES-1-B23A (Room 110)	4/23/2025 09:42	DW	Grab	no	no	1	250 ml Plastic	Lead	35
SMES-1-B24A (Room 109)	4/23/2025 09:43	DW	Grab	no	no	1	250 ml Plastic	Lead	36
SMES-1-B25A (Room 108)	4/23/2025 09:43	DW	Grab	no	no	1	250 ml Plastic	Lead	37
SMES-1-B26A (Room 107)	4/23/2025 09:44	DW	Grab	no	no	1	250 ml Plastic	Lead	38
SMES-1-B27A (Room 106)	4/23/2025 09:44	DW	Grab	no	no	1	250 ml Plastic	Lead	39
SMES-1-B29A (Room 104)	4/23/2025 09:45	DW	Grab	no	no	1	250 ml Plastic	Lead	40
SMES-1-B30A (Room 103)	4/23/2025 09:46	DW	Grab	no	no	1	250 ml Plastic	Lead	41
SMES-1-B32A (Room 101)	4/23/2025 09:47	DW	Grab	no	no	1	250 ml Plastic	Lead	42
SMES-1-S07A (Rm 11 faculty room)	4/23/2025 09:48	DW	Grab	no	no	1	250 ml Plastic	Lead	43
SMES-1-WC04A (out of Rm. C117)	4/23/2025 09:50	DW	Grab	no	no	1	250 ml Plastic	Lead	44
SMES-1-WC05A (C123 hall right)	4/23/2025 09:53	DW	Grab	no	no	1	250 ml Plastic	Lead	P25-03551-45

SAMPLES REC'D UNPRESERVED. PRESERVED IN LAB.

Page 3 of 4 Deliverables: PDF Std.  PDF Reduce  PDF Full  EDD  Date/Time Preserved with HNO3: 5/15/25 15:52

MATRIX CODES: GW = Ground Water, WW = Waste Water, SW = Surface Water, DW = Drinking Water, S = Soil, L = Liquid, SD = Sludge, B = Blank, K = Solid (specify):

PRESERVATION CODES: 0 = Ice, 1 = HCl, 2 = H2SO4, 3 = NaOH, 4 = HNO3, 5 = Other

	Print Name:	Signature:	Company:	Date + Time
Relinquished:	Michael Blaney	<i>Jim M...</i>	GSE	4/27/25 @ 6:00 pm
Received:	<i>Michael Blaney</i>	<i>Michael Blaney</i>	York	5/8/25 10:38 AM
Relinquished:	<i>Michael Blaney</i>	<i>Michael Blaney</i>		5/8/25
Received:	<i>Terry Hooper</i>	<i>Terry Hooper</i>		5/2/25 1335
Relinquished:	<i>Bry Hooper</i>	<i>Bry Hooper</i>		5/2/25 1655
Received:	<i>Lyan Souza</i>	<i>Lyan Souza</i>	YAL	

Customer: Garden State Environmental  
Address: 555 S. Broad St.  
Glen Rock, NJ 07452  
Phone: (201) 652-1119 Office

School Name: **Stafford BOE (McKinley Elementary School) (9001)**  
School Address: **1000 Mckinley Avenue, Stafford NJ**  
Sampled By: *Tom Wood*  
Print Name: **Michael Blaney**  
RESULTS TO: **labreports@gseconsultants.com**

Sample ID Location	Date / / Time Sampled	Matrix Code	Grab or Comp	Flush Sample	Filter Present	# Containers	Glass or Plastic	Analysis	LAB ID
SMES-1-WC06A (C123 hall left)	4/23/2025 09:54	DW	Grab	no	no	1	250 ml Plastic	Lead	P25-03551-46
SMES-1-WC07A (Out of stage left)	4/23/2025 09:57	DW	Grab	no	no	1	250 ml Plastic	Lead	47
SMES-1-WC08A (Out of stage right)	4/23/2025 09:57	DW	Grab	no	no	1	250 ml Plastic	Lead	48
SMES-1-WC09A (Intermediate hall R)	4/23/2025 09:59	DW	Grab	no	no	1	250 ml Plastic	Lead	49
SMES-1-WC10A (Intermediate hall L)	4/23/2025 10:00	DW	Grab	no	yes	1	250 ml Plastic	Lead	50
SMES-1-BF04A (Intermediate hall L)	4/23/2025 10:00	DW	Grab	no	yes	1	250 ml Plastic	Lead	51
SMES-4-23-FBA (Field Blank)	4/23/2025 10:07	DW	Grab	no	no	1	250 ml Plastic	Lead	P25-03551-52
		DW	Grab			1	250 ml Plastic	Lead	
		DW	Grab			1	250 ml Plastic	Lead	
		DW	Grab			1	250 ml Plastic	Lead	
		DW	Grab			1	250 ml Plastic	Lead	
		DW	Grab			1	250 ml Plastic	Lead	
		DW	Grab			1	250 ml Plastic	Lead	
		DW	Grab			1	250 ml Plastic	Lead	
		DW	Grab			1	250 ml Plastic	Lead	
		DW	Grab			1	250 ml Plastic	Lead	

SAMPLES REC'D UNPRESERVED. PRESERVED IN LAB.

Page 4 of 4

Deliverables: PDF Std.  PDF Reduce  PDF Full  EDD  Date/Time Preserved with HNO3: **5/15/25 15:52**

**MATRIX CODES:** GW = Ground Water, WW = Waste Water, SW = Surface Water, DW = Drinking Water, S = Soil, L = Liquid, SD = Sludge, B = Blank, K = Solid (specify):

**PRESERVATION CODES:** 0 = Ice, 1 = HCl, 2 = H2SO4, 3 = NaOH, 4 = HNO3, 5 = Other

	Print Name:	Signature:	Company:	Date + Time
Relinquished:	Michael Blaney	<i>Tom Wood</i>	GSE	4/27/25 @ 6:00 pm
Received:	<i>Michael Blaney</i>	<i>Tom Wood</i>	<i>York</i>	5/10/25 10:38 AM
Relinquished:	<i>Tommy H. Jones</i>	<i>Tommy H. Jones</i>		5/12/25
Received:	<i>Tommy H. Jones</i>	<i>Tommy H. Jones</i>		5/12/25 1:33 PM
Relinquished:	<i>Tommy H. Jones</i>	<i>Tommy H. Jones</i>		5/12/25 16:55
Received:	<i>LYAN SOUSA</i>	<i>Lyan Sousa</i>	YAL	