

Customer: Garden State Environmental
Address: 555 S. Broad St.
Glen Rock, NJ 07452
Phone: (201) 652-1119 Office

School Name: **Stafford BOE Ocean Acres Elementary School (9001)**
School Address: **489 Nautilus Drive, Stafford NJ**
Sampled By: *Jim M...*
Print Name: **Michael Blaney**
RESULTS TO: **labreports@gseconsultants.com**

Sample ID Location	Date / / Time Sampled	Matrix Code	Grab or Comp	Flush Sample	Filter Present	# Container	Glass or Plastic	Analysis	LAB ID
SOAES-1-WC01A (out of gym right)	4/25/2025 09:40	DW	Grab	no	yes	1	250 ml Plastic	Lead	P25-03561-01
SOAES-1-BF01A (out of gym right)	4/25/2025 09:40	DW	Grab	no	yes	1	250 ml Plastic	Lead	02
SOAES-1-B01A (out of gym left)	4/25/2025 09:40	DW	Grab	no	no	1	250 ml Plastic	Lead	03
SOAES-1-S01A (Kitchen front island)	4/25/2025 09:42	DW	Grab	no	no	1	250 ml Plastic	Lead	04
SOAES-1-S02A (Kitchen 3 comp left)	4/25/2025 09:42	DW	Grab	no	no	1	250 ml Plastic	Lead	05
SOAES-1-S03A (Kitchen 3 comp right)	4/25/2025 09:43	DW	Grab	no	no	1	250 ml Plastic	Lead	06
SOAES-1-S04A (Kitchen back island)	4/25/2025 09:43	DW	Grab	no	no	1	250 ml Plastic	Lead	07
SOAES-1-IM01A (Kitchen ice maker)	4/25/2025 09:45	DW	Grab	no	no	1	250 ml Plastic	Lead	08
SOAES-1-S05A (Teachers room)	4/25/2025 09:46	DW	Grab	no	no	1	250 ml Plastic	Lead	09
SOAES-1-B02A (Room E210)	4/25/2025 09:47	DW	Grab	no	no	1	250 ml Plastic	Lead	10
SOAES-1-B03A (Room E211)	4/25/2025 09:48	DW	Grab	no	no	1	250 ml Plastic	Lead	11
SOAES-1-B04A (Room E212)	4/25/2025 09:49	DW	Grab	no	no	1	250 ml Plastic	Lead	12
SOAES-1-B05A (Room E213)	4/25/2025 09:50	DW	Grab	no	no	1	250 ml Plastic	Lead	13
SOAES-1-B06A (Room E214)	4/25/2025 09:51	DW	Grab	no	no	1	250 ml Plastic	Lead	14
SOAES-1-B07A (Room E215)	4/25/2025 09:52	DW	Grab	no	no	1	250 ml Plastic	Lead	P25-03561-15

SAMPLES REC'D UNPRESERVED. PRESERVED IN LAB.

Page 1 of 4 Deliverables: PDF Std. X PDF Reduce PDF Full EDD Date/Time Preserved with HNO3: 5/6/25 8:50

MATRIX CODES: GW = Ground Water, WW = Waste Water, SW = Surface Water, DW = Drinking Water, S = Soil, L = Liquid, SD = Sludge, B = Blank, K = Solid (specify):

PRESERVATION CODES: 0 = Ice 1 = HCl 2 = H2SO4 3 = NaOH 4 = HNO3 5 = Other

	Print Name:	Signature:	Company	Date + Time
Relinquished:	Michael Blaney	<i>Jim M...</i>	GSE	4/27/25 @ 8:10 PM
Received:	<i>Michael Blaney</i>	<i>Michael Blaney</i>	<i>Yok</i>	5/6/25 10:58 PM
Relinquished:	<i>Michael Blaney</i>	<i>Michael Blaney</i>		5/6/25 1335
Received:	<i>Michael Blaney</i>	<i>Michael Blaney</i>		5/6/25 1657
Relinquished:	<i>Michael Blaney</i>	<i>Michael Blaney</i>		
Received:	<i>Michael Blaney</i>	<i>Michael Blaney</i>		

Customer:	Garden State Environmental
Address:	555 S. Broad St.
	Glen Rock, NJ 07452
Phone:	(201) 652-1119 Office

School Name:	Stafford BOE Ocean Acres Elementary School (9001)
School Address:	489 Nautilus Drive, Stafford NJ
Sampled By:	<i>Trin M...</i>
Print Name:	Michael Blaney
RESULTS TO:	labreports@gseconsultants.com

Sample ID Location	Date / / Time Sampled	Matrix Code	Grab or Comp	Flush Sample	Filter Present	# Containers	Glass or Plastic	Analysis	LAB ID
SOAES-1-B08A (Room E216)	4/25/2025 09:53	DW	Grab	no	no	1	250 ml Plastic	Lead	P25-03561-16
SOAES-1-B09A (Room E217)	4/25/2025 09:54	DW	Grab	no	no	1	250 ml Plastic	Lead	17
SOAES-1-B10A (Room C203)	4/25/2025 09:56	DW	Grab	no	no	1	250 ml Plastic	Lead	18
SOAES-1-B11A (Room C202)	4/25/2025 09:57	DW	Grab	no	no	1	250 ml Plastic	Lead	19
SOAES-1-B12A (Room C205)	4/25/2025 09:58	DW	Grab	no	no	1	250 ml Plastic	Lead	20
SOAES-1-B13A (Room C204)	4/25/2025 09:59	DW	Grab	no	no	1	250 ml Plastic	Lead	21
SOAES-1-B14A (Room C207)	4/25/2025 10:00	DW	Grab	no	no	1	250 ml Plastic	Lead	22
SOAES-1-B15A (Room C206)	4/25/2025 10:01	DW	Grab	no	no	1	250 ml Plastic	Lead	23
SOAES-1-B17A (Out of Room 108)	4/25/2025 10:02	DW	Grab	no	no	1	250 ml Plastic	Lead	24
SOAES-1-B18A (Room F110)	4/25/2025 10:05	DW	Grab	no	no	1	250 ml Plastic	Lead	25
SOAES-1-B19A (Room F112)	4/25/2025 10:06	DW	Grab	no	no	1	250 ml Plastic	Lead	26
SOAES-1-B20A (Room F114)	4/25/2025 10:07	DW	Grab	no	no	1	250 ml Plastic	Lead	27
SOAES-1-B21A (Room F113)	4/25/2025 10:08	DW	Grab	no	no	1	250 ml Plastic	Lead	28
SOAES-1-B22A (Room F116)	4/25/2025 10:09	DW	Grab	no	no	1	250 ml Plastic	Lead	29
SOAES-1-B23A (Room F115)	4/25/2025 10:09	DW	Grab	no	no	1	250 ml Plastic	Lead	P25-03561-30

SAMPLES REC'D UNPRESERVED. PRESERVED IN LAB.

Page 2 of 4	Deliverables:	PDF Std. X	PDF Reduce	PDF Full	EDD	Date/Time Preserved with HNO3: 5/6/25 8:5
-------------	---------------	------------	------------	----------	-----	---

MATRIX CODES:	GW = Ground Water, WW = Waste Water, SW = Surface Water, DW = Drinking Water, S = Soil, L = Liquid, SD = Sludge, B = Blank, K = Solid (specify):
----------------------	--

PRESERVATIVE CODES:	0 = Ice 1 = HCl 2 = H2SO4 3 = NaOH 4 = HNO3 5 = Other
----------------------------	---

Relinquished:	Print Name:	Signature:	Company:	Date + Time
Relinquished:	Michael Blaney	<i>Trin M...</i>	GSE	4/27/25 @ 8:10 PM
Received:		<i>Michael Blaney</i>	Yok	5/8/25 10:38 AM
Relinquished:		<i>Michael Blaney</i>		5/8/25
Received:		<i>Michael Blaney</i>		5/2/25 1335
Relinquished:		<i>Michael Blaney</i>		5/2/25 1655
Received:	<i>Lynn Souza</i>	<i>Lynn Souza</i>		

Customer:	Garden State Environmental
Address:	555 S. Broad St.
	Glen Rock, NJ 07452
Phone:	(201) 652-1119 Office

School Name:	Stafford BOE Ocean Acres Elementary School (9001)
School Address:	489 Nautilus Drive, Stafford NJ
Sampled By:	<i>Michael Blaney</i>
Print Name:	Michael Blaney
RESULTS TO:	labreports@gseconsultants.com

Sample ID Location	Date: / / Time Sampled	Matrix Code	Grab or Comp	Flush Sample	Filter Present	# Containers	Glass or Plastic	Analysis	LAB ID
SOAES-1-B24A (Room B102)	4/25/2025 10:11	DW	Grab	no	no	1	250 ml Plastic	Lead	P25-03561-31
SOAES-1-B25A (Room B103)	4/25/2025 10:13	DW	Grab	no	no	1	250 ml Plastic	Lead	32
SOAES-1-B26A (Room B104)	4/25/2025 10:14	DW	Grab	no	no	1	250 ml Plastic	Lead	33
SOAES-1-B27A (Room B105)	4/25/2025 10:15	DW	Grab	no	no	1	250 ml Plastic	Lead	34
SOAES-1-B28A (Room B106)	4/25/2025 10:16	DW	Grab	no	no	1	250 ml Plastic	Lead	35
SOAES-1-B29A (Room B107)	4/25/2025 10:17	DW	Grab	no	no	1	250 ml Plastic	Lead	36
SOAES-1-B30A (Room G25)	4/25/2025 10:18	DW	Grab	no	no	1	250 ml Plastic	Lead	37
SOAES-1-B31A (library side tech room)	4/25/2025 10:19	DW	Grab	no	no	1	250 ml Plastic	Lead	38
SOAES-1-B32A (Room G22)	4/25/2025 10:20	DW	Grab	no	no	1	250 ml Plastic	Lead	39
SOAES-1-B33A (Room G21)	4/25/2025 10:20	DW	Grab	no	no	1	250 ml Plastic	Lead	40
SOAES-1-B34A (main office hall)	4/25/2025 10:20	DW	Grab	no	no	1	250 ml Plastic	Lead	41
SOAES-1-WC02A (main office hall)	4/25/2025 10:21	DW	Grab	no	yes	1	250 ml Plastic	Lead	42
SOAES-1-BF02A (main office hall)	4/25/2025 10:21	DW	Grab	no	yes	1	250 ml Plastic	Lead	43
SOAES-1-S06A (nurse)	4/25/2025 10:21	DW	Grab	no	no	1	250 ml Plastic	Lead	44
SOAES-1-B35A (Room A4)	4/25/2025 10:22	DW	Grab	no	no	1	250 ml Plastic	Lead	P25-03561-45

SAMPLES REC'D UNPRESERVED. PRESERVED IN LAB.

Page 3 of 4	Deliverables:	PDF Std. X	PDF Reduce	PDF Full	EDD	Date/Time Preserved with HNO3: 5/6/25 8:50
-------------	---------------	------------	------------	----------	-----	--

MATRIX CODES:	GW = Ground Water, WW = Waste Water, SW = Surface Water, DW = Drinking Water, S = Soil, L = Liquid, SD = Sludge, B = Blank, K = Solid (specify):
----------------------	--

PRESERVATION CODES:	0 = Ice, 1 = HCl, 2 = H2SO4, 3 = NaOH, 4 = HNO3, 5 = Other
----------------------------	--

Relinquished:	Print Name:	Signature:	Company:	Date + Time
Relinquished:	Michael Blaney	<i>Michael Blaney</i>	GSE	4/27/25 @ 8:10 PM
Received:	<i>Michael Blaney</i>	<i>Michael Blaney</i>	York	5/9/25 10:58 AM
Relinquished:	<i>Michael Blaney</i>	<i>Michael Blaney</i>		5/2/25
Received:	<i>Michael Blaney</i>	<i>Michael Blaney</i>		5/2/25 1335
Relinquished:	<i>Michael Blaney</i>	<i>Michael Blaney</i>		5/2/25 1655
Received:	<i>Michael Blaney</i>	<i>Michael Blaney</i>		

Customer:	Garden State Environmental
Address:	555 S. Broad St.
	Glen Rock, NJ 07452
Phone:	(201) 652-1119 Office

School Name:	Stafford BOE Ocean Acres Elementary School (9001)
School Address:	489 Nautilus Drive, Stafford NJ
Sampled By:	<i>Michael Blaney</i>
Print Name:	Michael Blaney
RESULTS TO:	labreports@gseconsultants.com

Sample ID Location	Date: / / Time Sampled	Matrix Code	Grab or Comp	Flush Sample	Filter Present	# Containers	Glass or Plastic	Analysis	LAB ID
SOAES-1-B36A (Room A3)	4/25/2025 10:22	DW	Grab	no	no	1	250 ml Plastic	Lead	P25-03561-46
SOAES-1-B37A (Room A6)	4/25/2025 10:22	DW	Grab	no	no	1	250 ml Plastic	Lead	47
SOAES-1-B38A (Room A5)	4/25/2025 10:23	DW	Grab	no	no	1	250 ml Plastic	Lead	48
SOAES-1-B39A (out of Room A6)	4/25/2025 10:23	DW	Grab	no	no	1	250 ml Plastic	Lead	49
SOAES-1-B40A (Room A8)	4/25/2025 10:24	DW	Grab	no	no	1	250 ml Plastic	Lead	50
SOAES-1-B41A (Room A7)	4/25/2025 10:24	DW	Grab	no	no	1	250 ml Plastic	Lead	51
SOAES-1-B42A (Room A10)	4/25/2025 10:24	DW	Grab	no	no	1	250 ml Plastic	Lead	52
SOAES-1-B43A (Room A9)	4/25/2025 10:25	DW	Grab	no	no	1	250 ml Plastic	Lead	53
SOAES-1-B44A (Room A12)	4/25/2025 10:25	DW	Grab	no	no	1	250 ml Plastic	Lead	54
SOAES-1-B45A (Room A11)	4/25/2025 10:25	DW	Grab	no	no	1	250 ml Plastic	Lead	55
SOAES-4-25-FBA (Field Blank)	4/25/2025 10:26	DW	Grab	no	no	1	250 ml Plastic	Lead	P25-03561-56
		DW	Grab			1	250 ml Plastic	Lead	
		DW	Grab			1	250 ml Plastic	Lead	
		DW	Grab			1	250 ml Plastic	Lead	
		DW	Grab			1	250 ml Plastic	Lead	

SAMPLES REC'D UNPRESERVED. PRESERVED IN LAB.

Page 9 of 9	Deliverables:	PDF Std. X	PDF Reduce	PDF Full	EDD	Date/Time Preserved with HNO3: 5/6/25 8:50
-------------	---------------	------------	------------	----------	-----	--

MATRIX CODES:	GW = Ground Water, WW = Waste Water, SW = Surface Water,	PRESERVATION CODES: 0 = Ice 1 = HCl 2 = H2SO4 3 = NaOH 4 = HNO3 5 = Other
	DW = Drinking Water, S = Soil, L = Liquid, SD = Sludge, B = Blank, K = Solid (specify):	

Print Name:	Signature:	Company:	Date + Time
Michael Blaney	<i>Michael Blaney</i>	GSE	4/27/25 @ 8:10 PM
Relinquished:	<i>Michael Blaney</i>	<i>Yosh</i>	5/2/25 1038AM
Received:	<i>Michael Blaney</i>		5/2/25
Relinquished:	<i>Michael Blaney</i>		5/2/25 1335
Received:	<i>Michael Blaney</i>		5/2/25 1655
Relinquished:	<i>Michael Blaney</i>		
Received:	<i>Michael Blaney</i>		