



Microbac Laboratories, Inc., Sayre Division

CERTIFICATE OF ANALYSIS

S5E0311

Wyoming County Health Department

Project Name: Letchworth Central School

Andy Meyer  
5362 Mungers Mill RD  
Silver Springs, NY 14550

Project / PO Number: N/A  
Received: 05/09/2025  
Reported: 05/30/2025

Analytical Testing Parameters

Client Sample ID:	MSBLRC	Collected By:	Todd Brant
Sample Matrix:	Drinking Water	Collection Date:	05/06/2025 4:43
Lab Sample ID:	S5E0311-01		

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1722	05/14/25 2043	DLO

Client Sample ID:	MSBLRS	Collected By:	Todd Brant
Sample Matrix:	Drinking Water	Collection Date:	05/06/2025 4:44
Lab Sample ID:	S5E0311-02		

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1722	05/14/25 2048	DLO

Client Sample ID:	MSBLR(L)	Collected By:	Todd Brant
Sample Matrix:	Drinking Water	Collection Date:	05/06/2025 4:45
Lab Sample ID:	S5E0311-03		

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1722	05/14/25 2049	DLO

Client Sample ID:	MSBLRS (M)	Collected By:	Todd Brant
Sample Matrix:	Drinking Water	Collection Date:	05/06/2025 4:45
Lab Sample ID:	S5E0311-04		

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1722	05/14/25 2051	DLO



Microbac Laboratories, Inc., Sayre Division

CERTIFICATE OF ANALYSIS

S5E0311

Client Sample ID: MSBLRS (R)  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-05

Collected By: Todd Brant  
Collection Date: 05/06/2025 4:45

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	0.0014	0.0050 AL	0.0010	mg/L		05/14/25 1722	05/14/25 2052	DLO

Client Sample ID: MSGGRDF  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-06

Collected By: Todd Brant  
Collection Date: 05/06/2025 4:47

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	0.0020	0.0050 AL	0.0010	mg/L		05/14/25 1722	05/14/25 2054	DLO

Client Sample ID: MSGRLRS  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-07

Collected By: Todd Brant  
Collection Date: 05/06/2025 4:49

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1722	05/14/25 2058	DLO

Client Sample ID: MSGRLRS  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-08

Collected By: Todd Brant  
Collection Date: 05/06/2025 4:50

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1722	05/14/25 2100	DLO



Microbac Laboratories, Inc., Sayre Division

CERTIFICATE OF ANALYSIS

S5E0311

Client Sample ID: MSGRLRS (L)

Sample Matrix: Drinking Water

Lab Sample ID: S5E0311-09

Collected By: Todd Brant

Collection Date: 05/06/2025 4:51

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1722	05/14/25 2101	DLO

Client Sample ID: MSGRLRS (M)

Sample Matrix: Drinking Water

Lab Sample ID: S5E0311-10

Collected By: Todd Brant

Collection Date: 05/06/2025 4:51

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1722	05/14/25 2103	DLO

Client Sample ID: MSGRLRS (R)

Sample Matrix: Drinking Water

Lab Sample ID: S5E0311-11

Collected By: Todd Brant

Collection Date: 05/06/2025 4:52

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1722	05/14/25 2104	DLO

Client Sample ID: SOS

Sample Matrix: Drinking Water

Lab Sample ID: S5E0311-12

Collected By: Todd Brant

Collection Date: 05/06/2025 4:53

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	0.0055	0.0050 AL	0.0010	mg/L		05/14/25 1722	05/14/25 2107	DLO



Microbac Laboratories, Inc., Sayre Division

CERTIFICATE OF ANALYSIS

S5E0311

Client Sample ID: HS 108  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-13

Collected By: Todd Brant  
Collection Date: 05/06/2025 4:54

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	0.0024	0.0050 AL	0.0010	mg/L		05/14/25 1722	05/14/25 2109	DLO

Client Sample ID: HS  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-14

Collected By: Todd Brant  
Collection Date: 05/06/2025 4:56

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1722	05/14/25 2110	DLO

Client Sample ID: MS  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-15

Collected By: Todd Brant  
Collection Date: 05/06/2025 4:57

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1722	05/14/25 2112	DLO

Client Sample ID: MC  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-16

Collected By: Todd Brant  
Collection Date: 05/06/2025 4:58

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	0.0026	0.0050 AL	0.0010	mg/L		05/14/25 1722	05/14/25 2116	DLO



Microbac Laboratories, Inc., Sayre Division

CERTIFICATE OF ANALYSIS

S5E0311

Client Sample ID: MR125  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-17

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:00

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1722	05/14/25 2118	DLO

Client Sample ID: MR127  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-18

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:01

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1722	05/14/25 2120	DLO

Client Sample ID: MR129  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-19

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:02

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	0.0012	0.0050 AL	0.0010	mg/L		05/14/25 1722	05/14/25 2121	DLO

Client Sample ID: MR130  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-20

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:03

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1722	05/14/25 2123	DLO



Microbac Laboratories, Inc., Sayre Division

CERTIFICATE OF ANALYSIS

S5E0311

Client Sample ID: MR131  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-21

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:03

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	0.0011	0.0050 AL	0.0010	mg/L		05/14/25 1723	05/14/25 2130	DLO

Client Sample ID: MR132  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-22

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:05

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	0.0091	0.0050 AL	0.0010	mg/L		05/14/25 1723	05/14/25 2134	DLO

Client Sample ID: MR133  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-23

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:05

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1723	05/14/25 2136	DLO

Client Sample ID: MR134  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-24

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:06

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	0.0022	0.0050 AL	0.0010	mg/L		05/14/25 1723	05/14/25 2138	DLO



Microbac Laboratories, Inc., Sayre Division

CERTIFICATE OF ANALYSIS

S5E0311

Client Sample ID: M5HDF  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-25

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:07

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1723	05/14/25 2139	DLO

Client Sample ID: MFS  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-26

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:08

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1723	05/14/25 2141	DLO

Client Sample ID: MSGLS  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-27

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:09

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	0.0011	0.0050 AL	0.0010	mg/L		05/14/25 1723	05/14/25 2145	DLO

Client Sample ID: MSBLS  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-28

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:10

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	0.0016	0.0050 AL	0.0010	mg/L		05/14/25 1723	05/14/25 2147	DLO



Microbac Laboratories, Inc., Sayre Division

CERTIFICATE OF ANALYSIS

S5E0311

Client Sample ID: MR126  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-29

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:10

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1723	05/14/25 2148	DLO

Client Sample ID: MR124  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-30

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:11

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1723	05/14/25 2150	DLO

Client Sample ID: MR122  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-31

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:11

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1723	05/14/25 2151	DLO

Client Sample ID: MR120  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-32

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:12

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	0.0013	0.0050 AL	0.0010	mg/L		05/14/25 1723	05/14/25 2154	DLO



Microbac Laboratories, Inc., Sayre Division

CERTIFICATE OF ANALYSIS

S5E0311

Client Sample ID: MSBL (L)  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-33

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:13

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1723	05/14/25 2156	DLO

Client Sample ID: MSBL (M)  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-34

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:13

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1723	05/14/25 2157	DLO

Client Sample ID: MSBL (R)  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-35

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:14

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1723	05/14/25 2159	DLO

Client Sample ID: MSDF  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-36

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:14

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1723	05/14/25 2203	DLO



Microbac Laboratories, Inc., Sayre Division

CERTIFICATE OF ANALYSIS

S5E0311

Client Sample ID: MSBF  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-37

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:15

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1723	05/14/25 2205	DLO

Client Sample ID: MSGRL (L)  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-38

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:15

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1723	05/14/25 2207	DLO

Client Sample ID: MSGRL (M)  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-39

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:16

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1723	05/14/25 2208	DLO

Client Sample ID: MSGRL (R)  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-40

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:16

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1723	05/14/25 2210	DLO



Microbac Laboratories, Inc., Sayre Division

CERTIFICATE OF ANALYSIS

S5E0311

Client Sample ID: MR135  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-41

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:17

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1724	05/14/25 2217	DLO

Client Sample ID: MR138 (L)  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-42

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:18

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	0.0047	0.0050 AL	0.0010	mg/L		05/14/25 1724	05/14/25 2222	DLO

Client Sample ID: MR138 (R)  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-43

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:19

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1724	05/14/25 2223	DLO

Client Sample ID: MR142C  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-44

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:21

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1724	05/14/25 2225	DLO



Microbac Laboratories, Inc., Sayre Division

CERTIFICATE OF ANALYSIS

S5E0311

Client Sample ID: MSAL  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-45

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:23

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	0.0014	0.0050 AL	0.0010	mg/L		05/14/25 1724	05/14/25 2226	DLO

Client Sample ID: MGHWRSL  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-46

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:23

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1724	05/14/25 2228	DLO

Client Sample ID: MGHWRSR  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-47

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:24

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1724	05/14/25 2232	DLO

Client Sample ID: MR146 (H)  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-48

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:25

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1724	05/14/25 2234	DLO



Microbac Laboratories, Inc., Sayre Division

CERTIFICATE OF ANALYSIS

S5E0311

Client Sample ID: MR146 (L)  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-49

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:26

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1724	05/14/25 2235	DLO

Client Sample ID: MR146 (M)  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-50

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:26

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1724	05/14/25 2237	DLO

Client Sample ID: MR146 (R)  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-51

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:27

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1724	05/14/25 2238	DLO

Client Sample ID: MAHDFR  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-52

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:28

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1724	05/14/25 2241	DLO



Microbac Laboratories, Inc., Sayre Division

CERTIFICATE OF ANALYSIS

S5E0311

Client Sample ID: MAHDFL  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-53

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:28

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1724	05/14/25 2243	DLO

Client Sample ID: HSCBL (L)  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-54

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:30

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1724	05/14/25 2245	DLO

Client Sample ID: HSCGRL (R)  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-55

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:31

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	0.0033	0.0050 AL	0.0010	mg/L		05/14/25 1724	05/14/25 2246	DLO

Client Sample ID: NOS  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-56

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:32

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1724	05/14/25 2251	DLO



Microbac Laboratories, Inc., Sayre Division

CERTIFICATE OF ANALYSIS

S5E0311

Client Sample ID: NOLS  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-57

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:33

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/14/25 1724	05/14/25 2252	DLO

Client Sample ID: BOSGRL (L)  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-58

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:34

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	0.0134	0.0050 AL	0.0010	mg/L		05/14/25 1724	05/14/25 2254	DLO

Client Sample ID: BOSGRL (M)  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-59

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:34

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	0.0031	0.0050 AL	0.0010	mg/L		05/14/25 1724	05/14/25 2255	DLO

Client Sample ID: BOSGRL (R)  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-60

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:35

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	0.0113	0.0050 AL	0.0010	mg/L		05/14/25 1724	05/14/25 2257	DLO



Microbac Laboratories, Inc., Sayre Division

CERTIFICATE OF ANALYSIS

S5E0311

Client Sample ID: BOSBL  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-61

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:36

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	0.0571	0.0050 AL	0.0010	mg/L		05/15/25 1221	05/15/25 1530	DLO

Client Sample ID: MSGRL (L)  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-62

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:37

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	0.0012	0.0050 AL	0.0010	mg/L		05/15/25 1221	05/15/25 1532	DLO

Client Sample ID: MSMHDF  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-63

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:38

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/15/25 1221	05/15/25 1533	DLO

Client Sample ID: MR313  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-64

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:40

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	0.0019	0.0050 AL	0.0010	mg/L		05/15/25 1221	05/15/25 1535	DLO



Microbac Laboratories, Inc., Sayre Division

CERTIFICATE OF ANALYSIS

S5E0311

Client Sample ID: MR308  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-65

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:41

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	0.0011	0.0050 AL	0.0010	mg/L		05/15/25 1221	05/15/25 1536	DLO

Client Sample ID: MR310  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-66

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:42

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	0.0012	0.0050 AL	0.0010	mg/L		05/15/25 1221	05/15/25 1541	DLO

Client Sample ID: MR310B  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-67

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:42

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	0.0017	0.0050 AL	0.0010	mg/L		05/15/25 1221	05/15/25 1542	DLO

Client Sample ID: MR405  
Sample Matrix: Drinking Water  
Lab Sample ID: S5E0311-68

Collected By: Todd Brant  
Collection Date: 05/06/2025 5:43

Analyses Performed by: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.0010	0.0050 AL	0.0010	mg/L		05/15/25 1221	05/15/25 1544	DLO

Results in **bold** have exceeded a limit defined for this project. Limits are provided for reference but as regulatory limits change frequently, Microbac Laboratories, Inc. advises the recipient of this report to confirm such limits and units of concentration with the appropriate Federal, state or local authorities before acting on the data.



Microbac Laboratories, Inc., Sayre Division

CERTIFICATE OF ANALYSIS

S5E0311

Definitions

AL:	US EPA Action Level
MDL:	Minimum Detection Limit
mg/L:	Milligrams per Liter
RL:	Reporting Limit

---

Project Requested Certification(s)

Microbac Laboratories, Inc. - Dayville  
11549

New York State Department of Health

---

Report Comments

*Samples were received in proper condition and the reported results conform to applicable accreditation standard unless otherwise noted.*

*The data and information on this, and other accompanying documents, represents only the sample(s) analyzed. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included. **The services were provided under and subject to Microbac's standard terms and conditions which can be located and reviewed at <https://www.microbac.com/standard-terms-conditions>.***

Reviewed and Approved By:

Renee Lantz  
Customer Relationship Specialist  
Reported: 05/30/2025 18:42



250 West 84th Dr., Merrillville, IN 46410 | 219.769.8378 p | 219.769.1664 f

## CHAIN OF CUSTODY RECORD

Number

Instructions on back

TO BE COMPLETED BY MICROBAC

Temperature Upon Receipt: (°C) 5.0

Therm ID 10

Holding Time 4

Samples Received on Ice? ☒ Yes ☐ No ☐ N/A

Custody Seals Intact? ☒ Yes ☐ No ☒ N/A

Turnaround Time

☐ Routine (5 to 7 business days)

☐ RUSH\* (notify lab)

(needed by)

Report Type

☒ Results Only ☐ Level 1 ☐ Level 2 ☐ Level 3 ☐ Level 4 ☐ EDD

Lab Report Address

Client Name: Wyoming CounHealth Department

Address: 5362A Mungers Mill Road

City, State, Zip: Silver Springs, NY 14550

Contact: Andy Meyer

Telephone No.: (585) 786-8894

Send Report via: ☐ Mail ☐ Fax ☒ e-mail (address)

Project: Letchworth Central School

Sampled by (PRINT): TOOD Brant

Invoice Address

Client Name:

Address:

City, State, Zip:

Contact:

Telephone No.:

Send Invoice via: ☐ Mail ☐ Fax ☒ e-mail (address)

Location: 5550 School Road, Gainesville, PO No.:

Sampler Signature: Tadel Brant

Sampler Phone No.: 585-483-5550

Compliance Monitoring? ☒ Yes ☐ No

☐ Agency/Program

\* Matrix Types: Soil/Solid (S), Sludge, Oil, Wipe, Drinking Water (DW), Groundwater (GW), Surface Water (SW), Waste Water (WW), Other (specify):

\*\* Preservative Types: (1) HNO<sub>3</sub>, (2) H<sub>2</sub>SO<sub>4</sub>, (3) HCl, (4) NaOH, (5) Zinc Acetate, (6) Methanol, (7) Sodium Bisulfate, (8) Sodium Thiosulfate, (9) Hexane, (U) Unpreserved

### REQUESTED ANALYSIS

Additional Note

Wyoming County Health Department  
PM: Joseph Palanza

Lab ID	Client Sample ID	Date Collected	Time Collected	No. of Containers	Matrix	Grab / Comp	Preservative Types **
	MSBLRC	05/06/25	4:43 AM	1	SW	G	HNO <sub>3</sub>
	MSBLRS	05/06/25	4:44 AM	1			
	MSBLRS(L)	05/06/25	4:45 AM	1			
	MSBLRS(M)	05/06/25	4:45 AM	1			
	MSBLRS(R)	05/06/25	4:45 AM	1			
	MSGGRDF	05/06/25	4:47 AM	1			
	MSGRLRS	05/06/25	4:49 AM	1			
	MSGRLRS	05/06/25	4:50 AM	1			
	MSGRLRS(L)	05/06/25	4:51 AM	1			
	MSGRLRS(M)	05/06/25	4:51 AM	1			

Possible Hazard Identification  
Comments

☒ Hazardous ☐ Non-Hazardous ☐ Radioactive

Sample Disposition ☒ Dispose as appropriate ☐ Return ☐ Archive

Relinquished By (signature)

Andy Meyer  
Relinquished By (signature)

Relinquished By (signature)

Date/Time

5/8/25  
Date/Time

Date/Time

Received By (signature)

Kim  
Received By (signature)

Received By (signature)

Date/Time

5-8-25 11am  
Date/Time

Date/Time

5/9/25 810  
Page 1 of 8



250 West 84th Dr., Merrillville, IN 46410 | 219.769.8378 p | 219.769.1664 f

## CHAIN OF CUSTODY RECORD

Number

Instructions on back

TO BE COMPLETED BY MICROBAC

Temperature Upon Receipt (°C)

Therm ID

Holding Time

Samples Received on Ice? ☐ Yes ☐ No ☐ N/A

Custody Seals Intact? ☐ Yes ☐ No ☐ N/A

Turnaround Time

☐ Routine (5 to 7 business days)

☐ RUSH\* (notify lab)

(needed by)

Report Type

☒ Results Only ☐ Level 1 ☐ Level 2 ☐ Level 3 ☐ Level 4 ☐ EDD

Send Invoice via: ☐ Mail ☐ Fax ☒ e-mail (address)

Compliance Monitoring? ☒ Yes ☐ No

☐ Agency/Program

Lab Report Address

Client Name: Wyoming CounHealth Department

Address: 5362A Mungers Mill Road

City, State, Zip: Silver Springs, NY 14550

Contact: Andy Meyer

Telephone No.: (585) 786-8894

Send Report via: ☐ Mail ☐ Fax ☒ e-mail (address)

Project: Letchworth Central School

Invoice Address

Client Name:

Address:

City, State, Zip:

Contact:

Telephone No.:

Location: 5550 School Road, Gainesville, PO No.:

Sampler Signature: Todd Bryant

Sampler Phone No.: 585-493-3850

Sampled by (PRINT): TODD BRYANT

\* Matrix Types: Soil/Solid (S), Sludge, Oil, Wipe, Drinking Water (DW), Groundwater (GW), Surface Water (SW), Waste Water (WW), Other (specify)

\*\* Preservative Types: (1) HNO3, (2) H2SO4, (3) HCl, (4) NaOH, (5) Zinc Acetate, (6) Methanol, (7) Sodium Bisulfate, (8) Sodium Thiosulfate, (9) Hexane, (U) Unpreserved

REQUESTED ANALYSIS

Additional Notes

Wyoming County Health Department  
PM: Joseph Palanza



Lab ID	Client Sample ID	Date Collected	Time Collected	No. of Containers	Matrix	Grab / Comp	Preservative Types **
	MSGRLRS(R)	05/06/25	4:52 AM	1	OW	G	HNO3
	SOS	05/06/25	4:53 AM	1			
	HS108	05/06/25	4:54 AM	1			
	HS	05/06/25	4:56 AM	1			
	MS	05/06/25	4:57 AM	1			
	MC	05/06/25	4:58 AM	1			
	MR125	05/06/25	5:00 AM	1			
	MR127	05/06/25	5:01 AM	1			
	MR129	05/06/25	5:02 AM	1			
	MR130	05/06/25	5:03 AM	1			

Possible Hazard Identification  
Comments

☒ Hazardous ☐ Non-Hazardous ☐ Radioactive

Sample Disposition ☒ Dispose as appropriate ☐ Return ☐ Archive

Relinquished By (signature)

Andy Meyer

Relinquished By (signature)

Date/Time

5/8/25

Date/Time

Received By (signature)

Kimm

Received By (signature)

Date/Time

5-8-25 11am

Date/Time

5/9/25 8:10

Page 2 of 8



250 West 84th Dr., Merrillville, IN 46410 | 219.769.8378 p | 219.769.1664 f

## CHAIN OF CUSTODY RECORD

Number:

Instructions on back

TO BE COMPLETED BY MICROBAC

Temperature Upon Receipt (°C)

Therm ID

Holding Time

Samples Received on Ice? ☐ Yes ☒ No ☐ N/A

Custody Seals Intact? ☐ Yes ☒ No ☐ N/A

Lab Report Address

Client Name: Wyoming CounHealth Department

Address: 5362A Mungers Mill Road

City, State, Zip: Silver Springs, NY 14550

Contact: Andy Meyer

Telephone No.: (585) 786-8894

Send Report via: ☐ Mail ☐ Fax ☒ e-mail (address)

Project: Letchworth Central School

Sampled by (PRINT): Todd Brant

Invoice Address

Client Name:

Address:

City, State, Zip:

Contact:

Telephone No.:

Turnaround Time

☐ Routine (5 to 7 business days)

☐ RUSH\* (notify lab)

(needed by)

Report Type

☒ Results Only ☐ Level 1 ☐ Level 2 ☐ Level 3 ☐ Level 4 ☐ EDD

Send Invoice via: ☐ Mail ☐ Fax ☒ e-mail (address)

Location: 5550 School Road, Gainesville, FL PO No.:

Compliance Monitoring? ☒ Yes ☐ No

☐ Agency/Program

Sampler Signature: Todd Brant

Sampler Phone No.: 585-493-3556

\* Matrix Types: Soil/Solid (S), Sludge, Oil, Wipe, Drinking Water (DW), Groundwater (GW), Surface Water (SW), Waste Water (WW), Other (specify)

\*\* Preservative Types: (1) HNO<sub>3</sub>, (2) H<sub>2</sub>SO<sub>4</sub>, (3) HCl, (4) NaOH, (5) Zinc Acetate, (6) Methanol, (7) Sodium Bisulfate, (8) Sodium Thiosulfate, (9) Hexane, (U) Unpreserved

REQUESTED ANALYSIS

Lab ID	Client Sample ID	Date Collected	Time Collected	No. of Containers	Matrix	Grab / Comp	Preservative Types**	Additional Notes
	MR131	05/06/25	5:03AM	1	ow	G	HNO <sub>3</sub>	
	MR132	05/06/25	5:05AM	1				
	MR133	05/06/25	5:05AM	1				
	MR134	05/06/25	5:06AM	1				
	M5HDF	05/06/25	5:07AM	1				
	MFS	05/06/25	5:08AM	1				
	MSGLS	05/06/25	5:09AM	1				
	MSBLS	05/06/25	5:10AM	1				
	MR126	05/06/25	5:10AM	1				
	MR124	05/06/25	5:11AM	1				

Possible Hazard Identification  
Comments

☒ Hazardous ☐ Non-Hazardous ☐ Radioactive

Sample Disposition ☐ Dispose as appropriate ☐ Return ☐ Archive

Relinquished By (signature)

Relinquished By (signature)

Relinquished By (signature)

Date/Time

5/8/25  
Date/Time

Date/Time

Received By (signature)

Received By (signature)

Received By (signature)

Date/Time

5-8-25 11am  
Date/Time

Date/Time

5/9/25 8:10  
Page 3 of 8





250 West 84th Dr., Merrillville, IN 46410 | 219.769.8378 p | 219.769.1664 f

## CHAIN OF CUSTODY RECORD

Number:

Instructions on back

TO BE COMPLETED BY MICROBAC

Temperature Upon Receipt (°C):

Therm ID

Holding Time

Samples Received on Ice? ☐ Yes ☒ No ☐ N/A

Custody Seals Intact? ☐ Yes ☒ No ☐ N/A

Turnaround Time

☐ Routine (5 to 7 business days)

☐ RUSH\* (notify lab)

(needed by)

Report Type

☒ Results Only ☐ Level 1 ☐ Level 2 ☐ Level 3 ☐ Level 4 ☐ EDD

Lab Report Address

Client Name: Wyoming CounHealth Department

Address: 5362A Mungers Mill Road

City, State, Zip: Silver Springs, NY 14550

Contact: Andy Meyer

Telephone No.: (585) 786-8894

Send Report via: ☐ Mail ☐ Fax ☒ e-mail (address)

Project: Letchworth Central School

Invoice Address

Client Name:

Address:

City, State, Zip:

Contact:

Telephone No.:

Send Invoice via: ☐ Mail ☐ Fax ☒ e-mail (address)

Location: 5550 School Road, Gainesville, FL PO No.:

Compliance Monitoring? ☒ Yes ☐ No

☐ Agency/Program

Sampled by (PRINT): Todd Brant

Sampler Signature: Todd Brant

Sampler Phone No.: 385-493-3550

\* Matrix Types: Soil/Solid (S), Sludge, Oil, Wipe, Drinking Water (DW), Groundwater (GW), Surface Water (SW), Waste Water (WW), Other (specify)

\*\* Preservative Types: (1) HNO<sub>3</sub>, (2) H<sub>2</sub>SO<sub>4</sub>, (3) HCl, (4) NaOH, (5) Zinc Acetate, (6) Methanol, (7) Sodium Bisulfate, (8) Sodium Thiosulfate, (9) Hexane, (U) Unpreserved

REQUESTED ANALYSIS

Additional Note:

Wyoming County Health Department  
PM: Joseph Palanza



Lab ID	Client Sample ID	Date Collected	Time Collected	No. of Containers	Matrix	Grab / Comp	Preservative Types **
	MR122	05/06/25	5:11 AM	1	DW	G	HNO <sub>3</sub>
	MR120	05/06/25	5:12 AM	1			
	MSBL(L)	05/06/25	5:13 AM	1			
	MSBL(M)	05/06/25	5:13 AM	1			
	MSBL(R)	05/06/25	5:14 AM	1			
	MSDF	05/06/25	5:14 AM	1			
	MSBF	05/06/25	5:15 AM	1			
	MSGRL(L)	05/06/25	5:15 AM	1			
	MSGRL(M)	05/06/25	5:16 AM	1			
	MSGRL(R)	05/06/25	5:16 AM	1			

Possible Hazard Identification  
Comments

☒ Hazardous ☐ Non-Hazardous ☐ Radioactive

Sample Disposition ☒ Dispose as appropriate ☐ Return ☐ Archive

Relinquished By (signature)

Andy Meyer

Relinquished By (signature)

Relinquished By (signature)

Date/Time

5/6/25

Date/Time

Date/Time

Received By (signature)

Kimm

Received By (signature)

Received By (signature)

Date/Time

5-8-25 11am

Date/Time

Date/Time

5/9/25 810  
Page 4 of 8



250 West 84th Dr., Merrillville, IN 46410 | 219.769.8378 p | 219.769.1664 f

## CHAIN OF CUSTODY RECORD

Number

Instructions on back

TO BE COMPLETED BY MICROBAC

Temperature Upon Receipt (°C)

Therm ID

Holding Time

Samples Received on Ice? ☐ Yes ☐ No ☐ N/A

Custody Seals Intact? ☐ Yes ☐ No ☐ N/A

Turnaround Time

☐ Routine (5 to 7 business days)

☐ RUSH\* (notify lab)

(needed by)

Report Type

☒ Results Only ☐ Level 1 ☐ Level 2 ☐ Level 3 ☐ Level 4 ☐ EDD

Lab Report Address

Client Name: Wyoming CounHealth Department

Address: 5362A Mungers Mill Road

City, State, Zip: Silver Springs, NY 14550

Contact: Andy Meyer

Telephone No.: (585) 786-8894

Send Report via: ☐ Mail ☐ Fax ☒ e-mail (address)

Project: Letchworth Central School

Sampled by (PRINT): Todd Brand

Invoice Address

Client Name:

Address:

City, State, Zip:

Contact:

Telephone No.:

Location: 5550 School Road, Gainesville, PO No.:

Sampler Signature: Todd Brand

Sampler Phone No.: 585-443-3550

Send Invoice via: ☐ Mail ☐ Fax ☒ e-mail (address)

Compliance Monitoring? ☒ Yes ☐ No

☐ Agency/Program

\* Matrix Types: Soil/Solid (S), Sludge, Oil, Wipe, Drinking Water (DW), Groundwater (GW), Surface Water (SW), Waste Water (WW), Other (specify)

\*\* Preservative Types: (1) HNO3, (2) H2SO4, (3) HCl, (4) NaOH, (5) Zinc Acetate, (6) Methanol, (7) Sodium Bisulfate, (8) Sodium Thiosulfate, (9) Hexane, (U) Unpreserved

### REQUESTED ANALYSIS

Lab ID	Client Sample ID	Date Collected	Time Collected	No. of Containers	Matrix	Grab / Comp	Preservative Types **	Additional Notes
	MR135	05/06/25	5:17 AM	1	DW	G	HNO3	
	MR138(L)	05/06/25	5:18 AM	1				
	MR138(R)	05/06/25	5:19 AM	1				
	MR142C	05/06/25	5:21 AM	1				
	MSAL	05/06/25	5:23 AM	1				
	MGHWRS	05/06/25	5:23 AM	1				
	MGHWRSR	05/06/25	5:24 AM	1				
	MR146H	05/06/25	5:25 AM	1				
	MR146(L)	05/06/25	5:26 AM	1				
	MR146(M)	05/06/25	5:26 AM	1				

Possible Hazard Identification  
Comments

☒ Hazardous ☐ Non-Hazardous ☐ Radioactive

Sample Disposition ☒ Dispose as appropriate ☐ Return ☐ Archive

Relinquished By (signature)

Relinquished By (signature)

Relinquished By (signature)

Date/Time

5/6/25

Date/Time

Received By (signature)

Received By (signature)

Received By (signature)

Date/Time

5-8-25 11am

Date/Time

5/9/25 810

Page 5 of 8

Wyoming County Health Department  
PM: Joseph Palanza





250 West 84th Dr., Merrillville, IN 46410 | 219.769.8378 p | 219.769.1664 f

## CHAIN OF CUSTODY RECORD

Number:

Instructions on back

TO BE COMPLETED BY MICROBAC

Temperature Upon Receipt (°C)  
Therm ID

Holding Time

Samples Received on Ice? ☐ Yes ☐ No ☐ N/A

Custody Seals Intact? ☐ Yes ☐ No ☐ N/A

Turnaround Time

☐ Routine (5 to 7 business days)  
☐ RUSH\* (notify lab)

(needed by)

Report Type

☒ Results Only ☐ Level 1 ☐ Level 2 ☐ Level 3 ☐ Level 4 ☐ EDD

Send Invoice via: ☐ Mail ☐ Fax ☒ e-mail (address)

Compliance Monitoring? ☒ Yes ☐ No  
☐ Agency/Program

Lab Report Address

Client Name: Wyoming CounHealth Department

Address: 5362A Mungers Mill Road

City, State, Zip: Silver Springs, NY 14550

Contact: Andy Meyer

Telephone No.: (585) 786-8894

Send Report via: ☐ Mail ☐ Fax ☒ e-mail (address)

Project: Letchworth Central School

Invoice Address

Client Name:

Address:

City, State, Zip:

Contact:

Telephone No.:

Location: 5550 School Road, Gainesville, PO No.:

Sampler Signature: Todd Brand

Sampler Phone No.: 585-493-3550

Sampled by (PRINT): Todd Brand

\* Matrix Types: Soil/Solid (S), Sludge, Oil, Wipe, Drinking Water (DW), Groundwater (GW), Surface Water (SW), Waste Water (WW), Other (specify)

\*\* Preservative Types: (1) HNO<sub>3</sub>, (2) H<sub>2</sub>SO<sub>4</sub>, (3) HCl, (4) NaOH, (5) Zinc Acetate, (6) Methanol, (7) Sodium Bisulfate, (8) Sodium Thiosulfate, (9) Hexane, (U) Unpreserved

### REQUESTED ANALYSIS

Additional Notes

Wyoming County Health Department  
PM: Joseph Palanza

Lab ID	Client Sample ID	Date Collected	Time Collected	No. of Containers	Matrix	Grab / Comp	Preservative Types **
	MR146(R)	05/06/25	5:27 AM	1	OW	G	HNO <sub>3</sub>
	MAHDFR	05/06/25	5:28 AM	1			
	MAHDFL	05/06/25	5:28 AM	1			
	<del>HSCBL(R)</del>	<del>05/06/25</del>	<del>5:30 AM</del>	<del>1</del>			
	HSCBL(L)	05/06/25	5:30 AM	1			
	HSCGRL(R)	05/06/25	5:31 AM	1			
	<del>HSCGRL(L)</del>	<del>05/06/25</del>	<del>5:31 AM</del>	<del>1</del>			
	NOS	05/06/25	5:32 AM	1			
	NOLS	05/06/25	5:33 AM	1			
	BOSGRL(L)	05/06/25	5:34 AM	1			

Possible Hazard Identification  
Comments

☒ Hazardous ☐ Non-Hazardous ☐ Radioactive

Sample Disposition ☐ Dispose as appropriate ☐ Return ☐ Archive

Relinquished By (signature)

Relinquished By (signature)

Relinquished By (signature)

Date/Time

5/9/25

Date/Time

Received By (signature)

Received By (signature)

Received By (signature)

Date/Time

5-8-25 Nam

Date/Time

5/9/25 8:10



250 West 84th Dr., Merrillville, IN 46410 | 219.769.8378 p | 219.769.1664 f

## CHAIN OF CUSTODY RECORD

Number

Instructions on back

TO BE COMPLETED BY MICROBAC

Temperature Upon Receipt (°C)

Therm ID

Holding Time

Samples Received on Ice? ☒ Yes ☐ No ☐ N/A

Custody Seals Intact? ☒ Yes ☐ No ☐ N/A

Turnaround Time

☐ Routine (5 to 7 business days)

☐ RUSH\* (notify lab)

(needed by)

Report Type

☒ Results Only ☐ Level 1 ☐ Level 2 ☐ Level 3 ☐ Level 4 ☐ EDD

Send Invoice via: ☐ Mail ☐ Fax ☒ e-mail (address)

Compliance Monitoring? ☒ Yes ☐ No

☐ Agency/Program

Lab Report Address

Client Name: Wyoming CounHealth Department

Address: 5362A Mungers Mill Road

City, State, Zip: Silver Springs, NY 14550

Contact: Andy Meyer

Telephone No.: (585) 786-8894

Send Report via: ☐ Mail ☐ Fax ☒ e-mail (address)

Project: Letchworth Central School

Invoice Address

Client Name:

Address:

City, State, Zip:

Contact:

Telephone No.:

Location: 5550 School Road, Gainesville, FL PO No.:

Sampler Signature: Todd Brant

Sampler Phone No.: 585-493-3550

Sampled by (PRINT): Todd Brant

\* Matrix Types: Soil/Solid (S), Sludge, Oil, Wipe, Drinking Water (DW), Groundwater (GW), Surface Water (SW), Waste Water (WW), Other (specify)

\*\* Preservative Types: (1) HNO<sub>3</sub>, (2) H<sub>2</sub>SO<sub>4</sub>, (3) HCl, (4) NaOH, (5) Zinc Acetate, (6) Methanol, (7) Sodium Bisulfate, (8) Sodium Thiosulfate, (9) Hexane, (U) Unpreserved

### REQUESTED ANALYSIS

Additional Notes

Wyoming County Health Department  
PM: Joseph Palanza



Lab ID	Client Sample ID	Date Collected	Time Collected	No. of Containers	Matrix	Grab / Comp	Preservative Types **
	BOSGRL(M)	05/06/25	5:34 AM	1	DW	G	HNO <sub>3</sub>
	BOSGRL(R)	05/06/25	5:35 AM	1			
	BOSBL	05/06/25	5:36 AM	1			
	MSGRL(L)	05/06/25	5:37 AM	1			
	<del>MSGRL(R)</del>	<del>05/06/25</del>					
	MSMHDF	05/06/25	5:38 AM	1			
	MR313	05/06/25	5:40 AM	1			
	MR308	05/06/25	5:41 AM	1			
	MR310	05/06/25	5:42 AM	1			
	MR310B	05/06/25	5:42 AM	1			

Possible Hazard Identification  
Comments

☒ Hazardous ☐ Non-Hazardous ☐ Radioactive

Sample Disposition ☒ Dispose as appropriate ☐ Return ☐ Archive

Relinquished By (signature)

Relinquished By (signature)

Relinquished By (signature)

Date/Time

Date/Time

Date/Time

Received By (signature)

Received By (signature)

Received By (signature)

Date/Time

Date/Time

Date/Time

5/9/25 8:10  
Page 7 of 8



250 West 84th Dr., Merrillville, IN 46410 | 219.769.8378 p | 219.769.1664 f

## CHAIN OF CUSTODY RECORD

Number

Instructions on back

TO BE COMPLETED BY MICROBAC

Temperature Upon Receipt (°C)

Therm ID

Holding Time

Samples Received on Ice? ☐ Yes ☐ No ☐ N/A

Custody Seals Intact? ☐ Yes ☐ No ☐ N/A

### Lab Report Address

Client Name: Wyoming CounHealth Department

Address: 5362A Mungers Mill Road

City, State, Zip: Silver Springs, NY 14550

Contact: Andy Meyer

Telephone No.: (585) 786-8894

Send Report via: ☐ Mail ☐ Fax ☒ e-mail (address)

Project: Letchworth Central School

Sampled by (PRINT): Todd Brant

### Invoice Address

Client Name:

Address:

City, State, Zip:

Contact:

Telephone No.:

### Turnaround Time

☐ Routine (5 to 7 business days)

☐ RUSH\* (notify lab)

(needed by)

Report Type

☒ Results Only ☐ Level 1 ☐ Level 2 ☐ Level 3 ☐ Level 4 ☐ EDD

Send Invoice via: ☐ Mail ☐ Fax ☒ e-mail (address)

Location: 5550 School Road, Gainesville, FL PO No.:

Compliance Monitoring? ☒ Yes ☐ No

☐ Agency/Program

Sampler Signature: Todd Brant

Sampler Phone No.: 585-492-3550

\* Matrix Types: Soil/Solid (S), Sludge, Oil, Wipe, Drinking Water (DW), Groundwater (GW), Surface Water (SW), Waste Water (WW), Other (specify).

\*\* Preservative Types: (1) HNO<sub>3</sub>, (2) H<sub>2</sub>SO<sub>4</sub>, (3) HCl, (4) NaOH, (5) Zinc Acetate, (6) Methanol, (7) Sodium Bisulfate, (8) Sodium Thiosulfate, (9) Hexane, (U) Unpreserved

REQUESTED ANALYSIS

Additional Notes

Wyoming County Health Department  
PM: Joseph Palanza



Page 26 of 26

Lab ID	Client Sample ID	Date Collected	Time Collected	No. of Containers	Matrix	Grab / Comp	Preservative Types **
	MR405	05/06/25	8:43 AM	1	pw	G	HNO <sub>3</sub>

Possible Hazard Identification  
Comments

☒ Hazardous ☐ Non-Hazardous ☐ Radioactive

Sample Disposition ☒ Dispose as appropriate ☐ Return ☐ Archive

Relinquished By (signature)

Relinquished By (signature)

Relinquished By (signature)

Date/Time

Date/Time

Date/Time

Received By (signature)

Received By (signature)

Received By (signature)

Date/Time

Date/Time

Date/Time