

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
 Telephone: 856-858-4800 Fax:cs@emsl.com
 EMSL-CIN-01

EMSL Order ID: 012521364
LIMS Reference ID: AD21364
EMSL Customer ID: EPIC62

Attention: James Eberts
 Epic Environmental Services, LLC [EPIC62]
 80 Fork Bridge Road
 Pittsgrove, NJ 08318
 (856) 205-1077
 jeberts@epicenviro.com

Project Name: Haddon Twp HS LIW
Customer PO: 24-2294C
EMSL Sales Rep: Justin Monturano
Received: 05/19/2025 13:30
Reported: 06/04/2025 18:39

Analytical Results

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: HTHS - FB/Field Blank									
				Lims Reference ID:	AD21364-01	Matrix: Drinking Water		Sampled: 05/17/25 00:00:00	
Metals									
Lead	ND		1	1.00	µg/L	06/02/25 14:39	06/04/25 10:49	PL	EPA 200.8 (DA)/EPA 200.8
Sample: HTHS - CS - 02 - FAM1									
				Lims Reference ID:	AD21364-02	Matrix: Drinking Water		Sampled: 05/17/25 07:11:00	
Metals									
Lead	1.25		1	1.00	µg/L	06/02/25 14:39	06/04/25 10:55	PL	EPA 200.8 (DA)/EPA 200.8
Sample: HTHS - CS - 02 - FAM2									
				Lims Reference ID:	AD21364-04	Matrix: Drinking Water		Sampled: 05/17/25 07:13:00	
Metals									
Lead	1.32		1	1.00	µg/L	06/02/25 14:39	06/04/25 10:57	PL	EPA 200.8 (DA)/EPA 200.8
Sample: HTHS - CS - 02 - FAM3									
				Lims Reference ID:	AD21364-06	Matrix: Drinking Water		Sampled: 05/17/25 07:15:00	
Metals									
Lead	1.58		1	1.00	µg/L	06/02/25 14:39	06/04/25 10:58	PL	EPA 200.8 (DA)/EPA 200.8
Sample: HTHS - CS - 02 - FAM4									
				Lims Reference ID:	AD21364-08	Matrix: Drinking Water		Sampled: 05/17/25 07:17:00	
Metals									
Lead	ND		1	1.00	µg/L	06/02/25 14:39	06/04/25 11:00	PL	EPA 200.8 (DA)/EPA 200.8
Sample: HTHS - CS - 02 - FAM6									
				Lims Reference ID:	AD21364-10	Matrix: Drinking Water		Sampled: 05/17/25 07:19:00	
Metals									
Lead	ND		1	1.00	µg/L	06/02/25 14:39	06/04/25 11:06	PL	EPA 200.8 (DA)/EPA 200.8
Sample: HTHS - CS - 02 - FAM5									
				Lims Reference ID:	AD21364-12	Matrix: Drinking Water		Sampled: 05/17/25 07:21:00	
Metals									
Lead	ND		1	1.00	µg/L	06/02/25 14:39	06/04/25 11:08	PL	EPA 200.8 (DA)/EPA 200.8
Sample: HTHS - CS - 02 - FAM9									
				Lims Reference ID:	AD21364-14	Matrix: Drinking Water		Sampled: 05/17/25 07:23:00	
Metals									
Lead	1.18		1	1.00	µg/L	06/02/25 14:39	06/04/25 11:10	PL	EPA 200.8 (DA)/EPA 200.8
Sample: HTHS - CS - 02 - FAM8									
				Lims Reference ID:	AD21364-16	Matrix: Drinking Water		Sampled: 05/17/25 07:25:00	
Metals									
Lead	ND		1	1.00	µg/L	06/02/25 14:39	06/04/25 11:12	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
 Telephone: 856-858-4800 Fax:cs@emsl.com
 EMSL-CIN-01

EMSL Order ID: 012521364
LIMS Reference ID: AD21364
EMSL Customer ID: EPIC62

Attention: James Eberts
 Epic Environmental Services, LLC [EPIC62]
 80 Fork Bridge Road
 Pittsgrove, NJ 08318
 (856) 205-1077
 jeberts@epicenviro.com

Project Name: Haddon Twp HS LIW
Customer PO: 24-2294C
EMSL Sales Rep: Justin Monturano
Received: 05/19/2025 13:30
Reported: 06/04/2025 18:39

Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: HTHS - KC - 01 - KIT3 Lims Reference ID: AD21364-33 Matrix: Drinking Water Sampled: 05/17/25 07:50:00									
Metals									
Lead	ND		1	1.00	µg/L	06/02/25 14:39	06/04/25 11:39	PL	EPA 200.8 (DA)/EPA 200.8
Sample: HTHS - KC - 01 - KIT4 Lims Reference ID: AD21364-35 Matrix: Drinking Water Sampled: 05/17/25 07:53:00									
Metals									
Lead	ND		1	1.00	µg/L	06/02/25 14:39	06/04/25 11:41	PL	EPA 200.8 (DA)/EPA 200.8
Sample: HTHS - KC - 01 - KIT5 Lims Reference ID: AD21364-37 Matrix: Drinking Water Sampled: 05/17/25 07:56:00									
Metals									
Lead	ND		1	1.00	µg/L	06/02/25 15:12	06/03/25 20:09	PL	EPA 200.8 (DA)/EPA 200.8
Sample: HTHS - KC - 01 - KIT1 Lims Reference ID: AD21364-39 Matrix: Drinking Water Sampled: 05/17/25 07:59:00									
Metals									
Lead	1.29		1	1.00	µg/L	06/02/25 15:12	06/03/25 20:15	PL	EPA 200.8 (DA)/EPA 200.8
Sample: HTHS - KC - 01 - KIT2 Lims Reference ID: AD21364-41 Matrix: Drinking Water Sampled: 05/17/25 08:01:00									
Metals									
Lead	ND		1	1.00	µg/L	06/02/25 15:12	06/03/25 20:17	PL	EPA 200.8 (DA)/EPA 200.8
Sample: HTHS - WC - 01 - HALL1 Lims Reference ID: AD21364-43 Matrix: Drinking Water Sampled: 05/17/25 08:04:00									
Metals									
Lead	ND		1	1.00	µg/L	06/02/25 15:12	06/03/25 20:19	PL	EPA 200.8 (DA)/EPA 200.8
Sample: HTHS - BF - 01 - HALL1 Lims Reference ID: AD21364-44 Matrix: Drinking Water Sampled: 05/17/25 08:04:00									
Metals									
Lead	ND		1	1.00	µg/L	06/02/25 15:12	06/03/25 20:21	PL	EPA 200.8 (DA)/EPA 200.8
Sample: HTHS - BF - 01 - CAFE Lims Reference ID: AD21364-45 Matrix: Drinking Water Sampled: 05/17/25 08:06:00									
Metals									
Lead	ND		1	1.00	µg/L	06/02/25 15:12	06/03/25 20:28	PL	EPA 200.8 (DA)/EPA 200.8
Sample: HTHS - WC - 02 - HALL5 Lims Reference ID: AD21364-46 Matrix: Drinking Water Sampled: 05/17/25 08:08:00									
Metals									
Lead	ND		1	1.00	µg/L	06/02/25 15:12	06/03/25 20:30	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
 Telephone: 856-858-4800 Fax:cs@emsl.com
 EMSL-CIN-01

EMSL Order ID: 012521364
LIMS Reference ID: AD21364
EMSL Customer ID: EPIC62

Attention: James Eberts
 Epic Environmental Services, LLC [EPIC62]
 80 Fork Bridge Road
 Pittsgrove, NJ 08318
 (856) 205-1077
 jeberts@epicenviro.com

Project Name: Haddon Twp HS LIW

Customer PO: 24-2294C
EMSL Sales Rep: Justin Monturano
Received: 05/19/2025 13:30
Reported: 06/04/2025 18:39

Certified Analyses included in this Report

Analyte	Certifications
EPA 200.8 in Drinking Water	
Lead	NJDEP

List of Certifications

Code	Description	Number	Expires
PADEP	Pennsylvania Department of Environmental Protection	2845.25	11/30/2025
NYSDOH	New York State Department of Health ELAP	10872	04/01/2025
NJDEP	New Jersey Department of Environmental Protection	03036	06/30/2025
MADEP	Massachusetts Department of Environmental Protection	M-NJ337	06/30/2025
CTDPH	Connecticut Department of Public Health	PH-0270	06/23/2026
California ELAP	California Water Boards	1877	06/30/2025
AIHA LAP	American Industrial Hygiene Association (AIHA LAP, LLC)	100194	05/01/2025
A2LA	A2LA Environmental Certificate	2845.01	07/31/2026

Please see the specific Field of Testing (FOT) on www.emsl.com <<http://www.emsl.com>> for a complete listing of parameters for which EMSL is certified.



EMSL Analytical, Inc.

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012521364
LIMS Reference ID: AD21364
EMSL Customer ID: EPIC62

Attention: James Eberts
Epic Environmental Services, LLC [EPIC62]
80 Fork Bridge Road
Pittsgrove, NJ 08318
(856) 205-1077
jeberts@epicenviro.com

Project Name: Haddon Twp HS LIW

Customer PO: 24-2294C
EMSL Sales Rep: Justin Monturano
Received: 05/19/2025 13:30
Reported: 06/04/2025 18:39

Notes and Definitions

Item	Definition
(Dig)	For metals analysis, sample was digested.
[2C]	Reported from the second channel in dual column analysis.
DA	Direct Analysis
DF	Dilution Factor
MDL	Method Detection Limit.
ND	Analyte was NOT DETECTED at or above the detection limit.
NR	Spike/Surrogate showed no recovery.
Q	Qualifier
RCS	Respirable Crystalline Silica
RL	Reporting Limit
Wet	Sample is not dry weight corrected.

Measurement of uncertainty and any applicable definitions of method modifications are available upon request. Per EPA NLLAP policy, sample results are not blank corrected.

Owen McKenna Laboratory Manager or other approved signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted.



EMSL ANALYTICAL, INC.
LABORATORY • PRODUCTS • TRAINING

EMSL ANALYTICAL, INC.
LABORATORY • PRODUCTS • TRAINING

Environmental Chemistry Chain of Custody

EMSL Order Number (Lab Use Only):

AD21364

200 Route 130 North

Cinnaminson, NJ 08077

PHONE: 1-800-220-3675

FAX: (856) 786-5974

Report To Contact Name: James Eberts				Bill To Company: Epic Environmental Services, LLC								
Company Name: Epic Environmental Services, LLC				Attention To: James Eberts / Timothy Eberts								
Street: 80 Fork Bridge Road				Street: 80 Fork Bridge Road								
City: Pittsgrove		State/Province: NJ		Zip/Postal Code: 08318		City: Pittsgrove						
State/Province: NJ		Zip/Postal Code: 08318		City: Pittsgrove		State/Province: NJ						
Phone : 856-205-1077		Fax :		Phone: 856-205-1077		Fax:						
Project Name: Haddon Twp HS LIW				Email Results To: jeberts@epicenviro.com / teberts@epicen		Purchase Order: 24-2294C						
U.S. State where Samples Collected: NJ				Number of Samples in Shipment: 68		Date of Shipment: 5/19/25						
Sample for Compliance? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> If yes, NPDES? <input type="checkbox"/> Other (Specify):												
Samples Collected by: EMSL <input type="checkbox"/> Client <input checked="" type="checkbox"/> check one				Sampled By (Signature): Casey Lyons		Samples Received Chilled (Y/N)						
Standard Turnaround Time: <input checked="" type="checkbox"/> 2 Weeks				The following TATs are subject to lab approval: <input type="checkbox"/> 1 Week <input type="checkbox"/> 4 Days <input type="checkbox"/> 3 Days <input type="checkbox"/> 2 Days <input type="checkbox"/> 1 Day								
Failure to complete will hinder processing of samples			Matrix		Preservative		List Test(s) Needed					
Client Sample ID	Comp	Grab	Collect Date/Time	W=Water S=Soil A=Air SL=Sludge O= Other	1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	EPA 200.8		Field pH	Field pH Test Time	Field Temp. Deg C	Field Temp. Test Time	Comments
1 HTHS -FB	<input type="checkbox"/>	<input checked="" type="checkbox"/>	5/17/25 N/A	W	2	X						Field Blank
2 CS-02-FAM1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0711	W	↓	X						
3 ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0712	W	↓	X						Flush
4 CS-02-FAM2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0713	W	↓	X						
5 ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0714	W	↓	X						Flush
Released By (Signature)				Date & Time		Received By		Date & Time				
Casey Lyons				5/19/25		Shirley (WT)		5/19/25 1330				
Please indicate reporting requirements: <input checked="" type="checkbox"/> Results Only <input type="checkbox"/> Results and QC <input type="checkbox"/> Reduced Deliverables <input type="checkbox"/> Disk Deliverable <input type="checkbox"/> Other								Instructions or Comments:				
Analyze FIRST DRAW Samples. Analyze FLUSH samples if corresponding First Draw result is above 15.5 ppb								Note: Field pH and Field Temperature are tested on the same day as the date of sample collection.				
								Rec'd Plus. (Lab) Received Temperature: _____ °C				



EMSL ANALYTICAL, INC.
LABORATORY PRODUCTS TRAINING

EMSL ANALYTICAL, INC.
LABORATORY PRODUCTS TRAINING

Environmental Chemistry Chain of Custody

EMSL Order Number (Lab Use Only):

AD21364

PHONE:

FAX:

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

HTHS

Failure to complete will hinder processing of samples				Matrix	Preservative	List Test(s) Needed						Comments		
Client Sample ID	Comp	Grab	Collect Date/Time	W=Water S=Soil A=Air SL=Sludge O= Other	1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	EPA 200. 8				Field pH	Field pH Test Time		Field Temp Deg C	Field Temp Test Time
6 CS-02-FAM3	<input type="checkbox"/>	<input type="checkbox"/>	5/17/25 0715	W	2									
7 ↓ (Flush)	<input type="checkbox"/>	<input type="checkbox"/>	0716	W										Flush
8 CS-02-FAM4	<input type="checkbox"/>	<input type="checkbox"/>	0717	W										
9 ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0718	W										Flush
10 CS-02-FAM6	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0719	W										
11 ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0720	W										Flush
12 CS-02-FAM5	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0721	W										
13 ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0722	W										Flush
14 CS-02-FAM9	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0723	W										
15 ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0724	W										Flush
16 CS-02-FAM8	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0725	W										
17 ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0726	W										Flush
18 CS-02-FAM7	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0727	W										
19 ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0728	W										Flush
20 08 01-CUST	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0730	W										
21 ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0731	W										Flush
22 80-02-NURSE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	↓ 0733	W	↓									

(Lab) Received Temperature: _____ °C



EMSL ANALYTICAL, INC.
LABORATORY PRODUCTS TRAINING

EMSL ANALYTICAL, INC.
LABORATORY PRODUCTS TRAINING

Environmental Chemistry Chain of Custody

EMSL Order Number (Lab Use Only):

AD21364

PHONE:
FAX:

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

HTHS
↓

Failure to complete will hinder processing of samples				Matrix	Preservative	List Test(s) Needed						Comments		
Client Sample ID	Comp	Grab	Collect Date/Time	W=Water S=Soil A=Air SL=Sludge O= Other	1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	EPA				Field pH	Field pH Test Time		Field Temp Deg C	Field Temp Test Time
23 SO-02-NURSE (Flush)	<input type="checkbox"/>	<input type="checkbox"/>	5/17/25 0735	W	2	200.8								Flush
24 DW-02-GRLLR	<input type="checkbox"/>	<input type="checkbox"/>	0737	W										
25 ↓ (Flush)	<input type="checkbox"/>	<input type="checkbox"/>	0738	W										Flush
26 DW-01-GYMLB	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0740	W										
27 ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0741	W										Flush
28 IM-01-TRAIN	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0743	W										Ice Machine
29 HB-01-TRAIN	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0745	W										
30 ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0746	W										Flush
31 WC-01-HALL3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0748	W										
32 BF-01-HALL3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0748	W										
33 KC-01-KIT3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0750	W										
34 ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0751	W										Flush
35 KC-01-KIT4	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0753	W										
36 ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0754	W										Flush
37 KC-01-KIT5	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0756	W										
38 ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0757	W										Flush
39 KC-01-KIT1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	↓ 0759	W	↓									

(Lab) Received Temperature: _____ °C



EMSL ANALYTICAL, INC.
LABORATORY PRODUCTS TRAINING

EMSL ANALYTICAL, INC.
LABORATORY PRODUCTS TRAINING

**Environmental Chemistry
Chain of Custody**
EMSL Order Number (Lab Use Only):

AD21364

PHONE:
FAX:

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Failure to complete will hinder processing of samples				Matrix	Preservative	List Test(s) Needed						Comments		
Client Sample ID	Comp	Grab	Collect Date/Time	W=Water S=Soil A=Air SL=Sludge O= Other	1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	EPA 200. 8				Field pH	Field pH Test Time		Field Temp Deg C	Field Temp Test Time
HTHS 40 KC-01-KIT1 (Flush)	<input type="checkbox"/>	<input type="checkbox"/>	5/17/25 0800	W	2									Flush
41 KC-01-KIT2	<input type="checkbox"/>	<input type="checkbox"/>	0801	W										
42 ↓ (Flush)	<input type="checkbox"/>	<input type="checkbox"/>	0802	W										Flush
43 WC-01-HALL1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0804	W										
44 BF-01-HALL1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0804	W										
45 BF-01-CAFE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0806	W										
46 WC-02-HALL5	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0808	W										
47 WC BF-02-HALL5	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0809	W										
48 WC-03-HALL1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0811	W										
49 BF-03-HALL1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0812	W										
50 WC-01-HALL2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0814	W										
50 BF-01-HALL2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0815	W										
52 WC-02-HALL4	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0817	W										
53 BF-02-HALL4	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0818	W										
5455 WC-03-HALL2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0820	W										
5556 BF-03-HALL2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0821	W										
5652 ↓ SO-02-ATTEN	<input type="checkbox"/>	<input checked="" type="checkbox"/>	↓ 0823	W	↓									

(Lab) Received Temperature: _____ °C



EMSL ANALYTICAL, INC.
LABORATORY PRODUCTS TRAINING

EMSL ANALYTICAL, INC.
LABORATORY PRODUCTS TRAINING

Environmental Chemistry Chain of Custody

EMSL Order Number (Lab Use Only):

AD21364

PHONE:
FAX:

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Failure to complete will hinder processing of samples				Matrix	Preservative	List Test(s) Needed						Comments		
Client Sample ID	Comp	Grab	Collect Date/Time	W=Water S=Soil A=Air SL=Sludge O= Other	1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	EPA				Field pH	Field pH Test Time		Field Temp Deg C	Field Temp Test Time
5785 HTHS - 50-02-ATTEN (Flush)	<input type="checkbox"/>	<input type="checkbox"/>	5/17/25 0824	W	2	200.8								Flush
58 50-02-ATTR	<input type="checkbox"/>	<input type="checkbox"/>	0826	W										
5965 ↓ (Flush)	<input type="checkbox"/>	<input type="checkbox"/>	0827	W										Flush
60 WC-02-HALL1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0829	W										
61 BF-02-HALL1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0830	W										
62 50-02-OFFR1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0832	W										
6304 ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0833	W										Flush
6405 WC-02-AUDLB	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0835	W										
6566 50-02-MEDIA	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0837	W										
6607 ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0838	W										Flush
67 WC-02-HALL2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0840	W										
68 BF-02-HALL2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	↓ 0841	W	↓									
_____	<input type="checkbox"/>	<input checked="" type="checkbox"/>	_____	W	_____									_____
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W										
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W										
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W										
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W										

(Lab) Received Temperature: _____ °C