April 2023 | Preliminary Environmental Assessment Report

John W. North High School

Riverside Unified School District

Prepared for:

Riverside Unified School District
Contact: Rene Castro, Jr., Assistant Director
3070 Washington Street
Riverside, CA 92504

Prepared by:

PlaceWorks
Michael Watson, PG, Senior Geologist
2850 Inland Empire Blvd, Suite B
Ontario, CA 91764
909.989.4449
info@PlaceWorks.com
www.PlaceWorks.com

PLACEWORKS

April 27, 2023

Lina Hijazi
Project Manager
Department of Toxic Substances Control (DTSC)
5796 Cypress Avenue
Cypress, CA 90630

Subject: Preliminary Environmental Assessment Report – John W. North High School

Dear Ms. Hijazi:

Enclosed please find the Preliminary Environmental Assessment Report for the approximately 1.1-acre project on the existing John W. North High School campus located in Riverside, California. PlaceWorks is submitting the Preliminary Environmental Assessment Report on behalf of Riverside Unified School District to the Department of Toxic Substances Control as part of the ongoing assessment of the school site.

The school site is identified with DTSC Site Code: 404991.

Sincerely,

PLACEWORKS

Michael Watson, PG 8177
Senior Geologist

Enclosures




Table of Contents

Section **Page**

Executive Summary iv
1. Introduction 1
1.1 PEA OBJECTIVES 1
1.2 SCOPE OF WORK 2
1.3 PUBLIC PARTICIPATION 4
2. Site Description 5
2.1 DESCRIPTION AND LOCATION 5
2.1.1 Site Location Map 6
2.1.2 Designated Contact Person and Mailing Address 6
2.1.3 U.S. Environmental Protection Agency (USEPA) Identification Number 6
2.2 SITE AND VICINITY DESCRIPTION 6
2.3 PHYSICAL SETTING 7
2.3.1 Topography 7
2.3.2 Geologic Information 7
2.3.3 Naturally Occurring Asbestos Containing Minerals 7
2.3.4 Radon 8
2.3.5 Groundwater and Surface Water Information 8
2.4 SITE INSPECTION RESULTS 8
3. Site History and Background Information 11
3.1 CURRENT AND HISTORICAL LAND USES 11
3.1.1 Facility Ownership/Operators 11
3.1.2 Business Type 11
3.1.3 Years of Operation 11
3.1.4 Business/Manufacturing Activities 11
3.2 PREVIOUS REPORTS 11
3.3 PAST USAGE OF THE SITE 11
3.3.1 Historical Aerial Photographs 12
3.3.2 Historical Topographic Maps 13
3.3.3 Prior Agricultural Use 14
3.3.4 Mines 14
3.3.5 Illegal Drug Manufacturing 14
3.3.7 Sanborn Fire Insurance Maps 14
3.4 SURROUNDING PROPERTY LAND USES 15
4. Environmental Records Review 17
4.1 STANDARD ENVIRONMENTAL RECORDS REVIEW 17
4.2.6 State of California Division of Geologic Energy Management Records 36
4.2.7 Vapor Migration 36
5. Sampling Activities and Results 37
5.1 UTILITY CLEARANCE 37
5.2 SAMPLING PROCEDURES 37
5.2.1 Soil Sampling Methods and Procedures 38
5.2.2 Quality Control Sampling Procedures 38
5.2.3 Decontamination Procedures 38
5.2.4 Investigative Derived Waste 38
5.3 ANALYTICAL RESULTS 39

Table of Contents

Section **Page**

5.4 DISCUSSION OF RESULTS 39
5.4.1 Soil Description 39
5.4.2 Pesticides 39
5.4.3 Lead 39
5.4.4 Arsenic 40
6. Human Health Screening Evaluation 41
6.1 CONCEPTUAL SITE MODEL 41
6.2 CHEMICALS OF CONCERN SELECTION 41
6.3 PESTICIDE SCREENING 41
6.4 LEAD SCREENING 43
6.5 ARSENIC SCREENING 43
6.6 UNCERTAINTY ANALYSIS 44
7. Ecological Screening Evaluation 45
7.1 SITE CHARACTERIZATION 45
7.2 BIOLOGICAL CHARACTERIZATION 45
7.3 ECOLOGICAL PATHWAY ASSESSMENT 45
7.4 ECOLOGICAL SCREENING EVALUATION SUMMARY 45
8. Quality Assurance/Quality Control Implementation 47
8.1 DATA VALIDATION 48
8.2 ACCURACY 49
8.3 PRECISION 49
8.4 SENSITIVITY 49
8.5 COMPLETENESS 49
8.6 DATA VALIDATION CHART 49
9. Health and Safety Procedures 51
10. Conclusions and Recommendations 53
11. References 57

Table of Contents

List of Figures

Figure

Figure 1 Regional Location
Figure 2 Aerial Photograph
Figure 3 Sampling Locations
Figure 4 Conceptual Site Model

List of Tables

Table

Table 1 Sampling and Analysis Program
Table 2 Summary Table of Organochlorine Pesticides in Soil
Table 3 Summary Table of Arsenic and Lead in Soil

List of Appendices

Appendix A. Site Photographs
Appendix B. Research Documentation
Appendix C. Environmental Database Search Report
Appendix D. Laboratory Reports
Appendix E. Background Arsenic Data Set
Appendix F. Quality Assurance Project Plan
Appendix G. Health and Safety Plan

Executive Summary

PlaceWorks has performed a Preliminary Environmental Assessment (PEA) on behalf of Riverside Unified School District (District) for the proposed new gymnasium and science classroom buildings at the existing John W. North High School campus located at 1550 3rd Street in Riverside, Riverside County, California (Figure 1 *Regional Location* and Figure 2 *Aerial Photograph*). For the purposes of this PEA, the project site is being defined as an approximately 1.1-acre area of the existing J. W. North High School campus, where new construction is proposed and has been marked in Figure 2 *Aerial Photograph*. This PEA was prepared by PlaceWorks on behalf of Riverside Unified School District (District) pursuant to the California Education Code which requires that all new school sites or existing school sites with new construction obtain a "No Further Action" (NFA) determination from the California Environmental Protection Agency Department of Toxic Substances Control (DTSC) prior to proceeding with acquisition and/or construction of a school. The PEA Workplan was prepared in accordance with the guidelines of the DTSC, as detailed in the PEA Guidance Manual (January 1994; revised October 2015).

The district proposes to modernize the J. W. North High School campus and as a part of the modernization, the district will construct a new two-story classroom and a new gymnasium building. The district plans to seek matching state funds in the new construction of the two-story classroom building and new gymnasium, which is the focus of this report and will be constructed within the 1.1-acre project site.

The project site was historically occupied by an orchard from at least 1931 to about 1953 and then became part of the J. W. North High School campus. The part of the project site that is proposed for the new classroom building has been landscaped since 1966. The part of the project site that is proposed for the new gymnasium has been partially hardscaped and landscaped since 1966, with an expansion of the hardscaped area in about 2016.

The District has decided to complete a PEA for the following reasons:

- Evaluate if there are any impacts to shallow soils from historical agriculture.
- Evaluate if there are any impacts to shallow soils from lead-based paint from the existing older structures surrounding the proposed gymnasium site.

Based on information developed during the PEA using the DTSC's PEA Guidance Manual, the DTSC will make an informed decision regarding the potential risks posed by the site.

The field sampling program implemented for the investigation on the project site is summarized below:

- Soil sampling activities were conducted at the site on March 24, 2023 due to historical usage of the project site for agriculture.

- A total of 16 soil samples plus 2 duplicates were collected from the project area. Samples were collected from 8 locations from 0 to 0.5 feet below ground surface (bgs) and from 2.5 to 3.0 feet bgs.

- Eight discrete soil samples and one duplicate soil samples were analyzed for organochlorine pesticides by a State certified laboratory using United States Environmental Protection Agency (EPA) Method 8081A to evaluate the possible impacts to soil from former agriculture. In addition, three additional deeper soil samples were analyzed for organochlorine pesticides by EPA Method 8081A to evaluate the possible impacts to soil from termiticides from nearby older school buildings.

- Eight discrete soil samples plus one duplicate were collected at surface to 0.5 feet and analyzed discretely for arsenic by EPA Method 6010B to evaluate the possible impacts to soil from former agriculture.

- Three discrete soil samples plus one duplicate were also analyzed for lead by EPA Method 6010B to evaluate the possible impacts to soil from lead-based paint from nearby older school buildings.

The results of the field program are summarized below:

- In the eleven discrete soil samples plus one duplicate sample collected there were two OCPs detected above the laboratory detection limits. 4,4'-DDE was detected in two discrete samples plus one discrete duplicate sample. The maximum concentration of 4,4'-DDE was detected in B-7@2.5' at 0.12 milligrams per kilogram (mg/kg. 4,4'-DDT was detected in one sample (B-7@2.5') at a concentration of 0.011 mg/kg. Table 2 provides a summary of the OCP concentrations detected in soil at the site, and Appendix D includes the complete OCP results. All concentrations of OCPs detected were below their respective EPA Region 9 Regional Screening Level and the DTSC Screening Level for discrete samples.

- Lead was detected above laboratory detection limits in all three discrete soil samples plus one discrete duplicate sample analyzed. Lead concentrations ranged from 5.0 mg/kg to 13.9 mg/kg. None of the samples or duplicate samples analyzed had lead concentrations that exceeded the DTSC Screening Level for lead of 80 mg/kg. Table 3 provides a summary of the lead concentrations detected in soil at the site.

- Arsenic concentrations ranged from 2.08 mg/kg to 4.25 mg/kg in the eight soil samples and one duplicate analyzed. The project site arsenic concentrations were compared to a background data set collected from a school site located approximately 2.25 miles southwest of the site with arsenic concentrations ranging from 2.64 mg/kg to 4.8 mg/kg. The background site is located on the same geologic formation as the project site as identified on Geology of the Riverside East 7.5' Quadrangle (Morton and Cox 2001). A copy of the background arsenic concentrations with laboratory data and maps showing the background site and sample locations are presented in Appendix E. All concentrations of arsenic on site were similar to the background concentrations and discussed in more detail in Section 6.4. Table 3 provides a summary of the arsenic concentrations detected in soil at the site.

Executive Summary

- Risk estimates were calculated for the site using the PEA screening level assessment method. The risk estimates show that the levels at the site do not pose a human health risk to the students or to the staff using an unrestricted residential land use scenario.

- Laboratory data obtained were validated to assure that Data Quality Objectives (DQOs) were met, and the data were suitable for use in a human health and ecological screening evaluation.

Recommendations

The results of the PEA support the following conclusions and recommendations:

Based on the PEA objectives, the environmental quality goals of the District, and the results of the PEA investigation, PlaceWorks has determined that no further assessment is required for the site. Therefore, PlaceWorks recommends that the PEA be finalized. Per California Education Code Section 17213.1, Section 3, PlaceWorks concludes that further assessment of the site is not necessary and is requesting approval of the PEA.

1. Introduction

This document presents a Preliminary Environmental Assessment (PEA) for a new classroom building and gymnasium located on the existing J. W. North High School. It was prepared by PlaceWorks on behalf of Riverside Unified School District pursuant to the California Education Code which requires that all new school sites or existing school sites with new construction obtain a "No Further Action" (NFA) determination from the California Environmental Protection Agency Department of Toxic Substances Control (DTSC) prior to proceeding with acquisition and/or construction of a school. The approximately 1.1-acre project site is located on the northeast and central portions of campus in Riverside, California. The proposed project site is southwest of the Interstate 215/State Route 60 Freeway (Moreno Valley Freeway), south of Third Street, and east of Chicago Avenue and located within the J. W. North High School campus (Figure 1).

The project site is located on portions of Assessor's Parcel Numbers (APNs) 2501-400-06 and 2501-4000-07. The project site currently consists of two areas on the J. W. North High School campus. The northern area of the site is the proposed classroom building, which currently consists of approximately 0.37 acres of landscaped vacant land on the northeast portion of the campus. Portable classrooms are located adjacent to the east of the northern area, and a classroom building is located adjacent to the south of the northern area. The southern area of the site is the proposed gymnasium building, which currently consists of approximately 0.73 acres of basketball courts and landscaped areas. The existing gymnasium is adjacent to the northwest of the southern area, and the cafeteria is located to the north, and a classroom building is located to the east.

The project site was historically occupied by an orchard from at least 1931 to about 1953 and then became part of the J. W. North High School Campus. The part of the project site that is proposed for the new classroom building has been landscaped since 1966. The part of the project site that is proposed for the new gymnasium has been partially hardscaped and landscaped since 1966, with an expansion of the hardscaped area in about 2016.

The District has decided to complete a PEA for the following reasons:

- Evaluate if there are any impacts to shallow soil from historical agriculture.
- Evaluate if there are any impacts to shallow soils from lead-based paint from the existing gymnasium.

Soil samples have been collected from the surface and from 2.5 feet below ground surface (bgs) at 8 locations within the proposed project site, for a total of 16 soil samples plus 2 duplicates. Figure 3 shows the proposed sampling locations.

1.1 PEA OBJECTIVES

In accordance with the State of California regulations AB 137 and Senate Bill (SB) 162 which were approved in 1999, DTSC services are required to provide environmental oversight and certification for all new school

site acquisitions and expansions that use state funding. AB 2644 and AB 972 modified the review and approval process for PEAs. These regulations amended California Education Code Sections 17210.1 and 17213.1. The DTSC has agreed to work cooperatively with the District to provide environmental reviews of school sites. The review process will require completion of a PEA report for the school site that has potential environmental concerns.

The overall objectives of this PEA are to:

- Evaluate historical information for indications of the past use, storage, disposal, or release of hazardous waste/substances at the site;
- Evaluate available information for indications of naturally-occurring hazardous materials at the site;
- Establish through a field sampling and analysis program the nature of hazardous wastes/substances that may be present in soil at the site, their concentration and general extent; and
- Estimate the potential threat to public health and/or the environment posed by hazardous constituents, if any, at the site using a residential land-use scenario.

Based on information developed during the PEA and the conservative human and ecological risk evaluation set forth in the DTSC's Preliminary Endangerment Assessment Guidance Manual, the DTSC will then make an informed decision regarding potential risks posed by the site.

Possible outcomes of the PEA decision include, but are not limited to, the requirement for further investigation through the Remedial Investigation/Feasibility Study process if the site is found to be significantly impacted by hazardous substances release(s); the need to perform a Removal Action if localized impacts by hazardous substances release(s) are found; implementation of mitigation actions to address any potential risks; and an issuance of a "No Further Action" (NFA) finding if the site is found not to be significantly impacted and risks to human health and the environment are found to be within acceptable levels based on the conservative screening-level risk assessment.

1.2 SCOPE OF WORK

The scope of work implemented to prepare this PEA included:

- Researching available site background information regarding former and current land use;
- Implementing field and laboratory data collection and evaluation to further assess environmental conditions at the site; and
- Preparing this PEA report.

Several information sources were reviewed as part of the background research for development of this PEA report. These sources were reviewed to develop an understanding of current and past land uses and practices that may have involved the handling, use, storage, and/or disposal of hazardous substances or wastes.

1. Introduction

Information was obtained and used to develop a general site history in an attempt to identify potential sources of chemical impact, if any.

The approach utilized to perform the background research is very similar to that used in completing a Phase I under the American Society for Testing and Materials (ASTM) Practice for Environmental Site Assessments (ESAs): Phase I Assessments Process (ASTM Standard E 1527-21). Specific sources of information reviewed, and activities performed by PlaceWorks in conducting the background research included:

- Site inspections and observations of the site and surrounding area within ¼-mile (site photographs are included in Appendix A);
- Review of available aerial photographs (included in Appendix B);
- Review of current U.S. Geological Survey (USGS) 7.5-minute topographic maps (included in Appendix B);
- Evaluation of environmental database list searches (included in Appendix C);
- Review of agency files at federal, state, and local regulatory agencies and offices for the site and;
- Review of agency files for listed facilities within ¼-mile of the site that were identified as having a potential to have impacted the site (included in Appendix C).

The scope for the field and laboratory investigation is discussed in Section 6. The field sampling program implemented for the investigation is summarized below:

- Soil sampling activities were conducted at the site on March 24, 2023 due to historical usage of the project site for agriculture.
- A total of 16 soil samples plus 2 duplicates were collected from the project area. Samples were collected from 8 locations from 0 to 0.5 feet below ground surface (bgs) and from 2.5 to 3.0 feet bgs.
- Eight discrete soil samples and one duplicate soil samples were analyzed for organochlorine pesticides by a State certified laboratory using United States Environmental Protection Agency (EPA) Method 8081A to evaluate the possible impacts to soil from former agriculture. In addition, three additional deeper soil samples were analyzed for organochlorine pesticides by EPA Method 8081A to evaluate the possible impacts to soil from termiticides from nearby older school buildings.
- Eight discrete soil samples plus one duplicate were collected at surface to 0.5 feet and analyzed discretely for arsenic by EPA Method 6010B to evaluate the possible impacts to soil from former agriculture.
- Three discrete soil samples plus one duplicate were also analyzed for lead by EPA Method 6010B to evaluate the possible impacts to soil from lead-based paint from nearby older school buildings.

1.3 PUBLIC PARTICIPATION

Per Assembly Bill (AB) 972, prior to the commencement of the proposed PEA sampling, the public that was within the line of site will be notified of the planned investigation activities. The field work notice will follow a format developed by DTSC in accordance with Education Code section 17210.1, subdivision (b). The District will make the PEA available for public review and comment when the PEA is submitted to the DTSC for review. A public hearing will be conducted for the PEA (Option A under AB 972) that will be advertised in the local newspaper. Upon completion of the 30-day public review and public hearing, a letter will be sent to the DTSC from Riverside Unified School District outlining the public notification process including the date of the public hearing and the dates of the 30-day public review.

2. Site Description

Numerous information sources were reviewed as part of the background research for development of this PEA Workplan. These sources were reviewed to develop an understanding of current and past land uses and practices that may have involved the handling, use, storage, and/or disposal of hazardous substances or wastes.

PlaceWorks researched specific sources of information to develop historical background information on the proposed school site. In addition, the following activities were conducted:

- Review of any previous reports for the site,
- Review of current and historical U.S. Geological Survey (USGS) 7½-minute topographic maps;
- Available aerial photographs were reviewed;
- Review of federal, state and local agency files;
- Review of environmental database list searches;
- Site owner/operator records;
- Interviews with persons knowledgeable of site history and operations; and
- Available applicable information from the District.

2.1 DESCRIPTION AND LOCATION

The approximately 1.1-acre project site is comprised of two portions of the existing J.W. North High School campus. The area proposed for the new two-story classroom is located in the northern portion of the campus. The area is a landscaped area south of the parking lot along 3rd Street and is west of the portables along the eastern edge of the campus. The area proposed for the new gymnasium is located in the central portion of the campus. Currently the area is comprised of hardscaped basketball courts and is situated north of the parking lot located along Linden Street. The location of the project site is outlined in Figure 2 *Aerial Photograph*. The proposed project site is 1550 3rd Street in the city of Riverside, Riverside County, California. The proposed project site is located on the J. W. North High School Campus which is associated with the assessor parcel numbers (APNs) 250-140-006 and 250-140-007.

Based on a review of historical documents included in Appendix A, the proposed project site appears to have been occupied by an orchard from at least 1931 to about 1953 and then became part of the J. W. North High School Campus around 1966. The project areas consist of the proposed classroom building which is a landscaped portion of the campus and the proposed gymnasium which is mostly a hardscaped and partially landscaped portion of the campus (Figure 2).

2. Site Description

Figure 1, *Regional Location*, shows the regional location of the project site. Figure 2, *Aerial Photograph*, is an aerial photograph that shows current site conditions with the school boundary marked and the location of the project sites outlined. Figure 3, *Sampling Locations*, shows the project site with the proposed sampling locations marked.

Surrounding the school site to the north, south, west and east are office and commercial developments. There are residential developments to the southwest and southeast of the project site. The project site is approximately 250-feet southwest of Interstate 215-State Route 60 (Moreno Valley Freeway).

2.1.1 Site Location Map

The United States Geological Survey (USGS) topographic map for the site is the Riverside East, California Quadrangle. The USGS topographic map was used as the source for site setting information. The project site is in the City of Riverside, Riverside County at approximately 33.98088º north latitude and 117.34505º west longitude, in a portion of Section 19 of Township 2 South, Range 4 West of the San Bernardino Base Line and Meridian

2.1.2 Designated Contact Person and Mailing Address

Rene Castro Jr., Assistant Director
Riverside Unified School District
3070 Washington Street
Riverside, CA 92504

2.1.3 U.S. Environmental Protection Agency (USEPA) Identification Number

The proposed project site does not have a USEPA Identification Number.

2.2 SITE AND VICINITY DESCRIPTION

For the purposes of this PEA, the project site is being defined as an approximately 1.1-acre area of the existing J. W. North High School campus, where new construction had been proposed and has been marked in Figure 2 *Aerial Photograph*. The area proposed for the new two-story classroom is located in the northern portion of the campus. The area is a landscaped area south of the parking lot along 3rd Street and is west of the portables along the eastern edge of the campus. The area proposed for the new gymnasium is located in the central portion of the campus. Currently the area is comprised of hardscaped basketball courts and is situated north of the parking lot located along Linden Street.

Figure 1, *Regional Location*, provides a map depicting the regional location of the project site. Figure 2, *Aerial Photograph*, is an aerial photograph of the proposed project site showing the school site and proposed project site boundaries. Figure 3 shows the proposed sampling locations.

To the north, east, south, and west of the J. W. North High School is commercial and residential developments. Longfellow Elementary School is located approximately 0.57-miles to the southwest of the high school campus.

Additionally, the Interstate 215-State Route 60 Freeway is approximately 250 feet northeast from the high school campus.

2.3 PHYSICAL SETTING

Subsurface explorations were not performed for this evaluation; therefore, site geology and hydrology were evaluated on the basis of readily available public information or references, and/or based upon our experience and understanding of subsurface conditions in the subject property area

2.3.1 Topography

Topographically, the project site generally slopes to the west northwest. Based on a review of the USGS 7.5-minute Topographic Series Riverside East, California Quadrangle Map (USGS 2022), surface elevation of the campus and project site is 964 feet above mean sea level (msl).

2.3.2 Geologic Information

Based on a review of the United States Geological Survey (USGS) 7.5-minute Topographic Series, Riverside East, California Quadrangle Map (USGS 2022), the property is located in the northern part of the Peninsular Ranges Geomorphic Province. The Peninsular Ranges Geomorphic Province extends approximately 900 miles southward from the Los Angeles Basin to Baja California, Mexico and is characterized by elongated northwest-trending mountain ranges separated by sediment-floored valleys (Yerkes et al. 1965). The most dominant structural features of the province are the northwest-trending fault zones, most of which die out, merge with, or are terminated by the steep reverse faults at the southern margin of the San Gabriel Mountains within the Transverse Ranges Geomorphic Province. Topographically, the site gently slopes to the west northwest. Based on a review of the USGS 7.5-minute Topographic Series, Riverside East, California Quadrangle Map (USGS 2022), surface elevation of the site is approximately 964 feet above mean sea level (msl).

No active faults are known to have been mapped within a half mile radius of the property (DOC 2022). The proposed project site and high school campus is approximately 6.1 miles southwest of the San Jacinto fault zone. The United States Department of Agriculture Natural Resources Conservation Services mapped the soil beneath the proposed new classroom building and gymnasium project site and is reported in the EDR radius report included in Appendix A. The soil component is Hanford coarse sandy loam, which is characterized by moderate infiltration rates and is moderately well to well-drained soil with a moderately coarse texture.

2.3.3 Naturally Occurring Asbestos Containing Minerals

Based on a review of A General Location Guide for Ultramafic Rocks in California – Areas More Likely to Contain Naturally Occurring Asbestos (California Geological Survey 2000) and Reported Historic Asbestos Mines, Historic Asbestos Prospects, and Other Natural Occurrences of Asbestos in California (Van Gosen and Clinkenbeard 2011), the site is not located within a ten-mile radius from an area thought to contain naturally occurring asbestos (NOA).

2.3.4 Radon

The Indoor Radon Abatement Act of 1988 directs the United States Environmental Protection Agency to identify and lists areas of the United States with the potential for elevated indoor radon levels. The U.S. EPA's Map of Radon Zones assigns one of three zones based on radon potential:

- Zone 1 counties have a predicted average indoor radon screening level greater than 4 pico curies per liter (pCi/L)
- Zone 2 counties with a predicted average indoor radon screening level between 2 and 4 pCi/L
- Zone 3 counties with a predicted average indoor radon screening level less than 2 pCi/L

The EDR GeoCheck report indicates that the site is within Zone 2 (Appendix C). The California Department of Health Services recommends action to be taken to reduce radon levels inside buildings if they are 4 pCi/L or greater.

2.3.5 Groundwater and Surface Water Information

The project site is located in the Upper Santa Ana Valley Basin, specifically, the Riverside-Arlington subbasin. The Riverside-Arlington groundwater subbasin underlies a portion of the Santa Ana River Valley in northwestern Riverside County and southwestern San Bernardino County. The subbasin is bound on the northwest by impermeable plutonic rocks of the Pedley Hills and Jurupa Hills and by the Chino Basin groundwater adjudication boundary. The northeast boundary of the subbasin is the Rialto-Colton fault. The subbasin is bound on the southeast by impermeable rocks of the Box Springs Mountains and on the south by Arlington Mountain. The subbasin is bound on the west by the La Sierra Hills and by the adjoining Temescal subbasin, which is separated from the Riverside-Arlington subbasin by a narrow bedrock constriction. The Santa Ana River flows over the northern portion of the subbasin (SWRCB 2018).

Based on a review of Geotracker, groundwater in the site vicinity is approximately 180 feet below ground surface (State Water Resources Control Board 2010).

2.4 SITE INSPECTION RESULTS

A site visit to observe site conditions was conducted by PlaceWorks on March 24, 2023. No weather-related conditions or other conditions that would limit our ability to observe the site occurred during our site reconnaissance.

Summarized below are observations relative to specific physical features identified in the PEA Guidance Manual and site photographs are included as Appendix A.

Physical Feature	***Observations***
Site boundaries:	The project site is located on the existing J.W. North Campus. The project site is bounded on the north by 3rd Street, on the south by W Linden Street, and on the west by Chicago Avenue.

2. Site Description

Locations and boundaries of all onsite operations (present and past):	Based on a review of historical information; the project site appears to have been an orchard from at least 1931 until around 1953. The project site has been part of the John W. North High School campus since at least 1966.
Foundations of former structures:	None noted by PlaceWorks.
Storage tanks and storage areas:	None noted by PlaceWorks.
Odors:	None noted by PlaceWorks.
Pools of liquid:	None noted by PlaceWorks.
Electrical or hydraulic equipment known or likely to contain PCBs:	None noted by PlaceWorks.
Unidentified substance containers (including empty drum storage):	None noted by PlaceWorks
Stained soil and pavement, corrosion, and degradation of floors and walls:	None noted by PlaceWorks.
Drains and Sumps:	None noted by PlaceWorks.
Pits, ponds, and lagoons:	None noted by PlaceWorks.
Surface drainage pathways:	None noted by PlaceWorks.
Stressed vegetation (from other than insufficient water):	None noted by PlaceWorks. .
Solid waste and wastewater:	None noted by PlaceWorks.
Wells (including dry wells, irrigation wells, injection wells):	None noted by PlaceWorks.
Septic systems:	None noted by PlaceWorks
High-pressure gas or fuel transmission lines:	No high-pressure gas pipelines were identified as being located on the site.
Railroad tracks:	No railroad tracks were identified within 1,500 feet of the site.

2. Site Description

This page intentionally left blank.

3. Site History and Background Information

3.1 CURRENT AND HISTORICAL LAND USES

3.1.1 Facility Ownership/Operators

Riverside Unified School District is the current owner of the project site. The project site was historically occupied by an orchard from at least 1931 to about 1953 and then became part of the J. W. North High School Campus. The part of the project site that is proposed for the new classroom building has been landscaped since 1966. The part of the project site that is proposed for the new gymnasium has been hardscaped since 1966.

3.1.2 Business Type

The site was formerly utilized for agricultural purposes from at least 1931 to about 1953 and has been developed land with presence of the school facility since 1966.

3.1.3 Years of Operation

Based on a review of historical aerial photographs, the site was formerly utilized for agricultural purposes from at least 1931 to about 1953 and has been the site of the J. W. North campus since 1966 with structure developments around the site beginning at around 1953.

3.1.4 Business/Manufacturing Activities

Based on a review of historical aerial photographs, the site was utilized for agriculture purposes from at least 1931 to 1953. The site was established as John. W. North High School campus in 1965 and has since been part of the school campus.

3.2 PREVIOUS REPORTS

There were no previous reports provided by the District or reviewed by PlaceWorks in the preparation of this PEA.

3.3 PAST USAGE OF THE SITE

Past usage of the site was assessed through a review of aerial photographs and topographic maps. Copies of the aerial photographs and topographic maps are included in Appendix A. The project site was historically occupied by an orchard from at least 1931 to about 1953 and then became part of the J. W. North High School Campus. The part of the project site that is proposed for the new classroom building has been landscaped since at least 1966. The part of the project site that is proposed for the new gymnasium has been landscaped and hardscaped since at least 1966, with an expansion of the hardscaped area in about 2016.

3. Site History and Background Information

3.3.1 Historical Aerial Photographs

PlaceWorks reviewed aerial photographs for the site obtained from EDR for the years of 1931, 1938, 1949, 1953, 1966, 1968, 1975, 1978, 1985, 1989, 1994, 2002, 2006, 2009, 2012, and 2016 have been reviewed for the subject site. Copies of the aerial photographs are included in Appendix A.

- 1931 – The project site and what will become the J. W. North High School campus is occupied by an orchard and the surrounding area appears to be predominately orchards and rural agriculture. There are a few structures located to the southwest, south, and southeast of the campus. There are no structures within the project site, but there appears to be approximately 10-structures visible in the area that will become the J. W. North High School campus.

- 1938 – The project site and surrounding area appear relatively unchanged in comparison to the 1931 aerial photograph.

- 1949 – The project site and surrounding area appear relatively unchanged in comparison to the 1938 aerial photograph.

- 1953 – The project site appears relatively unchanged in comparison to the 1949 aerial photograph. There are more structures present to the southwest, south, and southeast of the project site; however, orchards and agriculture still dominate the area around the project site.

- 1966 – The project site is now a part of the J. W. North High School campus. The surrounding area is more developed, and present-day Interstate 215-State Route 60 is present to the northeast of the campus. There is a mix of residential and commercial development and vacant, undeveloped parcels around the campus. The area for the proposed two-story classroom building appears landscaped and there are no structures present. The area for the proposed gymnasium appears to be mostly landscaped with the northeastern portion of the area hardscaped for a parking lot.

- 1968 – The project site and surrounding area appear relatively unchanged in comparison to the 1966 aerial photograph.

- 1975 – The project site and surrounding area appear relatively unchanged in comparison to the 1968 aerial photograph. There no longer appears to be agricultural land uses in the surrounding area. The area is predominately developed with residential and commercial uses with a few vacant parcels around the campus.

- 1978 – The project site and surrounding area appear relatively unchanged in comparison to the 1975 aerial photograph.

- 1985 – The project site and surrounding area appear relatively unchanged in comparison to the 1975 aerial photograph.

- 1989 – The project site appears relatively unchanged in comparison to the 1985 aerial photograph. The surrounding area appears predominately built out.

- 1994 – The project site and surrounding area appear relatively unchanged in comparison to the 1989 aerial photograph.
- 2002 – The project site and surrounding area appear relatively unchanged in comparison to the 1994 aerial photograph
- 2006 – The project site and surrounding area appear relatively unchanged in comparison to the 2002 aerial photograph.
- 2009 – The project site and surrounding area appear relatively unchanged in comparison to the 2006 aerial photograph.
- 2012 – The project site and surrounding area appear relatively unchanged in comparison to the 2009 aerial photograph.
- 2016 – The proposed gymnasium area is no longer used as a parking lot and the hardscape has been expanded and repurposed with basketball courts, although the southwestern portion of this area is still landscaped. The remainder project site and surrounding area appear relatively unchanged in comparison to the 2012 aerial photograph.

3.3.2 Historical Topographic Maps

Historical Topographic Maps obtained from EDR for the years Historical Topographic Maps dated 1907, 1915, 1950, 1951, 1954, 1967, 1975, 1980, 2012, 2015, and 2018 were reviewed for the project site. Copies of the topographic maps are included in Appendix A. The topographic review showed that the site was occupied by an orchard from about 1942 to around 1967 when the became a part of John W. North High School campus.

- 1907 – There are no structures or roads marked within the project site boundary. The surrounding area is undeveloped with no structures marked on the topographic map.
- 1915 – The site and surrounding area appear relatively unchanged in comparison to the 1907 topographic map.
- 1950 – The project site appears relatively unchanged in comparison to the 1915 topographic map. An irrigation ditch and a dirt road are depicted on the topographic map. About a mile northeast of the project site there is a landing strip denoted.
- 1951 – The site and surrounding area appear relatively unchanged in comparison to the 1950 topographic map.
- 1954 – The project site appears relatively unchanged in comparison to the 1951 topographic map. There is a windmill depicted south of the project site. Development in the surrounding area remains sparse.
- 1967 – The project site appears relatively unchanged in comparison to the 1954 topographic map. State Route 99 and Interstate Freeway 5 are shown west of the project site.

- 1975 – The site and surrounding area appear relatively unchanged in comparison to the 1967 topographic map.
- 1980 – The site and surrounding area appear relatively unchanged in comparison to the 1975 topographic map.
- 2012 – Only waterways, roads and topography are shown on newer topographic maps. The irrigation ditch is still depicted on the project site. The existing roads are depicted to the north and east of the project site.
- 2015 – The site and surrounding area appear relatively unchanged in comparison to the 2012 topographic map.
- 2018 – The irrigation ditch is no longer depicted on the project site. The remainder of the site and surrounding area appear relatively unchanged in comparison to the 2015 topographic map.

3.3.3 Prior Agricultural Use

Based on the site visit and the review of historical aerial photographs and topographic maps, the project site appears to have been used for an orchard from 1933 to 1966. From 1966 to the present, the project site is part of John W. North High School

3.3.4 Mines

Based on the review of historical sources (aerial photographs and topographic maps), there is no evidence to indicate that the project site or the John W. North High School campus was ever utilized for mining operations.

3.3.5 Illegal Drug Manufacturing

The proposed project site was not identified by the California Hazardous Material Incident Report System (CHMIRS) which is maintained by the California Office of Emergency Services and contains information regarding hazardous material incidents such as accidental releases or spills. The J. W. North High School is not listed on CHIMRS. Drug-related waste was not observed on the site during the site inspection.

3.3.6 Prior U.S. Government Ownership

Based on the review of the EDR, historical aerial photographs, and topographic maps reviewed, the project site appears to have never been owned or utilized by the U.S. Government.

3.3.7 Sanborn Fire Insurance Maps

EDR indicated that there are no Sanborn Fire Insurance Maps available for the project site and surrounding area. A certified search of Sanborn Maps is included in Appendix A.

3.4 SURROUNDING PROPERTY LAND USES

Based on historical aerial photographs and topographic maps, the adjoining land use was also predominately agriculture until residential development expanded around the late 1950s/ early 1960s. Commercial and residential development currently surrounds the project site.

3. Site History and Background Information

This page intentionally left blank.

4. Environmental Records Review

4.1 STANDARD ENVIRONMENTAL RECORDS REVIEW

PlaceWorks utilized the electronic database service EDR to complete the environmental records review. The database search was used to identify properties that may be listed in the referenced Agency records, located within the American Society for Testing and Materials (ASTM)-specified search radii indicated below:

Database	Approximate Search Distance	Project site Listed?	Number of Sites within Search Area
Federal NPL (Superfund) sites	1 mile	No	0
Federal Delisted NPL sites	1 mile	No	0
Federal sites subject to CERCLA removals & CERCLA orders	0.5 mile	No	1
Federal CERCLA sites with NFRAP	0.5 mile	No	1
Federal RCRA facilities undergoing Corrective Action	1 mile	No	1
Federal RCRA TSD facilities	0.5 mile	No	0
Federal RCRA generators	0.25 mile	No	23
Federal institutional controls / engineering controls registries	0.5 mile	No	0
Federal ERNS list	Site & Adjoining	No	0
State- and tribal (Superfund) equivalent sites	1 mile	No	1
State- and tribal hazardous waste facilities	1 mile	No	12
State and tribal landfills and solid waste disposal facilities	0.5 mile	No	0
State and tribal leaking storage tanks	0.5 mile	No	40
State and tribal registered storage tanks	0.25 mile	No	14
State and tribal voluntary cleanup sites	0.5 mile	No	0
State and tribal brownfield sites	0.5 mile	No	0
Orphans	Site & Adjoining	No	3
HAZNET	Site & Adjoining	Yes	4

A review of selected regulatory agency databases for documented environmental concerns on the site, or in close proximity to the site, was conducted by EDR. A copy of the radius report, dated November 3, 2022 is included in Appendix B. The project site is listed on the HAZNET database and is identified as a RCRA Generator.

4.1.1 Federal NPL (Superfund) sites

The National Priorities List (NPL) is a list of contaminated sites that are considered the highest priority for clean-up by the EPA.

- The project site is not listed on the NPL List.

4. Environmental Records Review

- The database did not identify any NPL sites within a mile radius of the project site.

4.1.2 Federal Delisted NPL Sites

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425. (e), sites may be deleted from the NPL where no further response is appropriate.

- The project site is not listed on the delisted NPL List.
- The database did not identify any delisted NPL sites within a mile radius of the project site.

4.1.3 Federal sites subject to CERCLA removals & CERCLA orders

The Comprehensive Environmental Response, Compensation, and Liability Act Information System (CERCLIS) list identifies sites which are suspected to have contamination and require additional investigation to assess if they should be considered for inclusion on the NPL.

- The project site is not listed on the CERCLIS List.
- The database search identified one CERCLIS listing within a half mile radius of the project site.
    - Devoe Coatings at 2625 Durahart Street, approximately 0.38-miles northwest of the project site. The site formerly consisted of a two- story manufacturing building and several single-story buildings. Operations at Devoe consisted of batching pigments and solvents to formulate paint of particular colors. On June 17, 1997, Regional Water Quality Control Board-Santa Ana issued a determination of no further action for the site.

4.1.4 Federal CERCLIS sites with NFRAP

CERCLIS-NFRAP status indicates that a site was once on the CERCLIS List but has No Further Response Actions Planned (NFRAP). Sites on the CERCLIS-NFRAP List were removed from the CERCLIS List in February 1995 because, after an initial investigation was performed, no contamination was found, contamination was removed quickly, or the contamination was not significant enough to warrant NPL status.

- The project site is not listed on the CERCLIS-NFRAP List.
- The database search identified one CERCLIS-NFRAP site within a half mile radius of the project site.
    - All Woods Laminating & Milling Inc. at 1850 Mass Avenue, approximately 0.349-miles northwest of the project site. This facility is not on the NPL as it does not qualify for the NPL based on existing information. The site ID is listed as 0904049 and the EPA ID is listed as CAD983594185.

4.1.5 Federal RCRA facilities undergoing Corrective Action

The RCRA CORRACTS Facilities list catalogues facilities that treat, store, or dispose of hazardous waste and have been associated with corrective action activity.

- The project site is not listed as a RCRA CORRACTS TSD facility.
- The database search identified one RCRA CORRACTS TSD facility within a one-mile radius of the project site.
    - University of CA Riverside Campus at Riverside Campus, approximately 0.791-miles southeast of the project site. This was an ISD facility that closed without getting an operating permit. The site ID is listed as 0901566 and the EPA ID is listed as CAD073134777.

4.1.6 Federal RCRA TSD facilities

The Resource Conservation and Recovery Act (RCRA) non-CORRACTS TSD Facilities List tracks facilities which treat, store, or dispose of hazardous waste and are not associated with corrective action activity.

- The project site is not listed as a RCRA non-CORRACTS TSD facility.
- The database search did not identify any RCRA non-CORRACTS TSD facilities within a half mile radius of the project site.

4.1.7 Federal RCRA Generators

The RCRA Generator list is maintained by the EPA to track facilities that generate hazardous waste.

- The project site is on the RCRA Generators list.
    - North High School is listed as a large quantity generator of hazardous waste. The hazardous waste summary lists corrosive waste, lead, and halogenated solvents. No violations are recorded for the campus.
- The database search identified 23 RCRA Generators within a quarter mile radius of the project site.

A. Emerald Mold at 1473 Linden Street, approximately 0.006-miles southeast of the project site, is listed as a small quantity generator of hazardous waste. No violations are listed for the facility on the EPA Enforcement and Compliance History database. This site is not expected to have impacted the project site.

B. Riverside County Linden Clinic at 1520 Linden Street, approximately 0.012-miles south of the project site, is listed as a small quantity generator of hazardous waste. No violations are listed for the facility on the EPA Enforcement and Compliance History database. This site is not expected to have impacted the project site.

4. Environmental Records Review

C. FMC Technologies Inc. at 1540 Linden Street, approximately 0.012-miles south of the project site, is listed as a small quantity generator of hazardous waste. The hazardous waste summary lists ignitable waste, corrosive waste, and spent solvents. No violations are listed for the facility on the EPA Enforcement and Compliance History database. This site is not expected to have impacted the project site.

D. Sherwin-Williams Company at 1560 Linden Street, approximately 0.012-miles south of the project site, is listed as a small quantity generator of hazardous waste. The hazardous waste summary lists ignitable waste and spent solvents. Violations are listed for the facility on the EPA Enforcement and Compliance History database. The facility was cited for pre-transportation violations in April and July 2020, but the facility returned to compliance in October 2020.

E. Master Printing at 3369 Chicago Avenue, approximately 0.014-miles west of the project site, is listed as a small quantity generator of hazardous waste. No violations are listed for the facility on the EPA Enforcement and Compliance History database. This site is not expected to have impacted the project site.

F. Electrocoat at 1525 3rd Street, approximately 0.019-miles north of the project site, is listed as a small quantity generator of hazardous waste. No violations are listed for the facility on the EPA Enforcement and Compliance History database. This site is not expected to have impacted the project site.

G. MB Print and Silk Screening Co at 3215 Chicago Avenue, approximately 0.068-miles north of the project site, is listed as a small quantity generator of hazardous waste. No violations are listed for the facility on the EPA Enforcement and Compliance History database. This site is not expected to have impacted the project site.

H. Thermoclad Co 1541 7th Street, approximately 0.080-miles south of the project site, is listed as a small quantity generator of hazardous waste. No violations are listed for the facility on the EPA Enforcement and Compliance History database. This site is not expected to have impacted the project site.

I. West Coast Painting 1611 7th Street, approximately 0.080-miles south of the project site, is listed as a large quantity generator of hazardous waste. The hazardous waste summary lists ignitable waste and spent solvents. No violations are listed for the facility on the EPA Enforcement and Compliance History database. This site is not expected to have impacted the project site.

J. Environmental Metals Corp 1521 7th Street, approximately 0.083-miles south of the project site, is listed as a small quantity generator of hazardous waste. No violations are listed for the facility on the EPA Enforcement and Compliance History database. This site is not expected to have impacted the project site.

K. TRM Copy Center 3390 Durahart Street, approximately 0.090-miles west of the project site, is listed as a small quantity generator of hazardous waste. No violations are listed for the facility on the EPA Enforcement and Compliance History database. This site is not expected to have impacted the project site.

L. Breaker Tech LTD 3464 Durahart Street, approximately 0.096-miles west of the project site, is listed as a small quantity generator of hazardous waste. The hazardous waste summary lists ignitable waste and tetrachloroethylene. No violations are listed for the facility on the EPA Enforcement and Compliance History database. This site is not expected to have impacted the project site.

M. Baxter Healthcare Corp 3333 Durahart Street, approximately 0.106-miles west of the project site, is listed as a small quantity generator of hazardous waste. No violations are listed for the facility on the EPA Enforcement and Compliance History database. This site is not expected to have impacted the project site.

N. Interstate Brand at 1781 3rd Street, approximately 0.115-miles west northwest of the project site, is listed as a small quantity generator of hazardous waste. The hazardous waste summary lists tetrachloroethylene. No violations are listed for the facility on the EPA Enforcement and Compliance History database. This site is not expected to have impacted the project site.

O. Joytech International Inc. at 3421 Gato Court, approximately 0.117-miles east of the project site, is listed as a small quantity generator of hazardous waste. No violations are listed for the facility on the EPA Enforcement and Compliance History database. This site is not expected to have impacted the project site.

P. Caddock Electronics Inc. at 3127 Chicago Avenue, approximately 0.134-miles north of the project site, is listed as a small quantity generator of hazardous waste. No violations are listed for the facility on the EPA Enforcement and Compliance History database. This site is not expected to have impacted the project site.

Q. Tosco 31001 at 1395 Blaine Street, approximately 0.158-miles northeast of the project site, is listed as a small quantity generator of hazardous waste. No violations are listed for the facility on the EPA Enforcement and Compliance History database. This site is not expected to have impacted the project site.

R. Riverside Transit Agency at 1825 3rd Street, approximately 0.171-miles west northwest of the project site, is listed as a small quantity generator of hazardous waste. The hazardous waste summary lists ignitable waste. No violations are listed for the facility on the EPA Enforcement and Compliance History database. This site is not expected to have impacted the project site.

S. Entrada Apartments at 1705 Seventh Street, approximately 0.177-miles south of the project site, is listed as a small quantity generator of hazardous waste. The hazardous waste summary lists benzene and acetic acid. No violations are listed for the facility on the EPA Enforcement and Compliance History database. This site is not expected to have impacted the project site.

T. Budget Car and Truck Riverside at 1521 University Avenue, approximately 0.224-miles south of the project site, is listed as a small quantity generator of hazardous waste. No violations are listed for the facility on the EPA Enforcement and Compliance History database. This site is not expected to have impacted the project site.

U. Texaco Service Station 120593 at 1300 Blaine Street, approximately 0.237-miles east of the project site, is listed as a small quantity generator of hazardous waste. The hazardous waste summary lists ignitable waste. No violations are listed for the facility on the EPA Enforcement and Compliance History database. This site is not expected to have impacted the project site.

V. Shell Service Station at 3261 Iowa Avenue, approximately 0.247-miles east of the project site, is listed as a small quantity generator of hazardous waste. The hazardous waste summary lists ignitable waste and benzene. No violations are listed for the facility on the EPA Enforcement and Compliance History database. This site is not expected to have impacted the project site.

4. Environmental Records Review

4.1.8 Federal Institutional Control / Engineering Controls

A listing of sites with institutional and or engineering controls in place is maintained by the EPA. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

- The project site is not listed as having an institutional or engineering control.

4.1.9 Federal ERNS List

The Emergency Response Notification System records and stores information on reported releases of oil and hazardous substances. The list is maintained by the National Response Center United States Coast Guard.

- The project site is not listed on the ERNS List.

4.1.10 State-and Tribal (Superfund) equivalent sites

Identifies confirmed release sites where DTSC is involved in remediation, either in a lead or oversight capacity. These confirmed release sites are generally high-priority and high potential risk.

- The project site is not listed on state- and tribal-equivalent NPL.
- The database search identified one state-and tribal equivalent NPL site within a one-mile radius of the project site.
    - University of California Riverside at 1060 Martin Luther King Boulevard, approximately 0.812-miles south of the project site. The site consists of seven pits located in the Agricultural Operations yard of the University of California, Riverside. The site is currently managed by a Land Use Covenant. The Operations and Maintenance Agreement for groundwater monitoring was terminated in 2020 after groundwater monitoring indicated groundwater appears to have not been impacted by site activities.

4.1.11 State- and tribal Hazardous Waste Facilities

The Department of Toxic Substances Control's (DTSC's) Site Mitigation and Brownfields Reuse Program's (SMBRP's) EnviroStor database identifies sites that have known contamination or sites for which there may be reasons to investigate further. The database includes the following site types: Federal Superfund sites (National Priorities List (NPL)); State Response, including Military Facilities and State Superfund; Voluntary Cleanup; and School sites. EnviroStor provides similar information to the information that was available in CalSites, and provides additional site information, including, but not limited to, identification of formerly contaminated properties that have been released for reuse, properties where environmental deed restrictions have been

recorded to prevent inappropriate land uses, and risk characterization information that is used to assess potential impacts to public health and the environment at contaminated sites.

- The project site is not listed on state- and tribal- equivalent CERCLIS.
- The database search identified 12 state- and tribal- equivalent CERCLIS sites within a mile radius of the project site.
    - Thermoclad Company at 1541 7th Street, approximately 0.080-miles south of the project site, is listed as having had a site screening assessment completed in March 2006. The EPA determined that the site is not eligible for CERCLA.
    - California Spray Chemical Company at 3530 Chicago Avenue, approximately 0.080-miles south of the project site, is listed as having had a site screening assessment completed in June 2006. The case is listed as inactive – needs evaluation as of 2006.
    - Devo Marine Coating Company at 2625 Durahart Street, approximately 0.384-miles north of the project site, is listed as having had a PEA completed in September 2002 and a site screening assessment completed in June 2007. The case is listed as having been referred to other agency.
    - Eastside Elementary School at University Avenue and Ottawa Avenue, approximately 0.415-miles south southwest of the project site, is listed as a school investigation site. The case is listed as inactive – needs evaluation as of February 2007.
    - Alcan, Inc. at 3016 Kansas Avenue, approximately 0.545-miles northwest of the project site, is listed as having had a site screening assessment completed in June 2006 and a site reassessment in March 2012. The case is listed as having been referred to other agency as of 2013.
    - Valerion Corporation at 2280 Iowa Avenue, approximately 0.564-miles northeast of the project site, is listed as having had a site screening assessment completed in October 1994. The case is listed as having been referred to other agency.
    - Longfellow Elementary School at 3610 Eucalyptus Avenue, approximately 0.653-miles southwest of the project site, is listed as a school investigation site. Currently, the case is listed as no action required as of December 2021.
    - University of California Riverside at 900 University Avenue, approximately 0.791-miles southeast of the project site, is listed as an ISD facility that closed without getting an operating permit. The case is listed as having been referred to other agency as of 1998.
    - University of California Riverside at 1060 Martin Luther King Boulevard, approximately 0.812-miles southeast of the project site, is listed as a certified O&M – Land Use Restrictions Only as of December 2010.

- Riverside Fertilizer Works at 2622 3rd Street, approximately 0.866-miles west of the project site, is listed as having had a site screening assessment completed in June 2006. The case is listed as inactive – needs evaluation as of 2006.

- 1x Riverside Scrap Iron & Metal at 2993 Sixth Street, approximately 0.945-miles west of the project site, is listed as having had a site characterization report completed in October 2022. The case is listed active as of 2016.

- Weiland & Company at 3491 Commerce Street, approximately 0.959-miles west of the project site, is listed as having had a site screening assessment completed in June 2006. The case is listed as inactive – needs evaluation as of 2006.

4.1.12 State and Tribal- equivalent Landfill and/or Solid Waste Disposal Sites

The database search did not identify any State Landfills or Solid Waste Disposal Sites within a one-half mile radius of the project site.

- The project site is not listed on state- and tribal- equivalent landfill and/or solid waste disposal site lists.
- The database search did not identify any state-and tribal equivalent landfill and/or solid waste disposal site within a half mile radius of the project site.

4.1.13 State and Tribal Leaking Storage Tanks

The State Water Resources Control Board Leaking Underground Storage Tank Information System contains an inventory of Leaking Underground Storage Tank (LUST) Incident Reports.

- The project site is not listed on the State and Tribal LUST list.
- The database search identified 36 LUST facilities within a half-mile radius of the project site.

W. Arco #1841 at 1505 Third Street, approximately 0.043- mile north of the project site, is listed because of a leak of gasoline reported March 1, 1989. Currently the cleanup status of the case is listed as completed – case closed as of November 10, 2008. Based on the current regulatory status of the case, it is not expected to have had an impact on the project site.

    - This case is listed twice in the EDR report.

X. Merit Oil Company at 1751 3rd Street, approximately 0.089-mile north northwest of the project site, is listed because of a leak of gasoline reported February 23, 1999. Currently the cleanup status of the case is listed as completed – case closed as of April 10, 2000. Based on the current regulatory status of the case, it is not expected to have had an impact on the project site.

    - This case is listed twice in the EDR report.

Y. Hostess/Interstate Brands Corporation at 1781 3rd Street, approximately 0.115-mile north northwest of the project site, is listed because of a leak of diesel reported July 22, 1997. Currently the cleanup status of the case is listed as completed – case closed as of October 23, 1997. Based on the current regulatory status of the case, it is not expected to have had an impact on the project site.

- This case is listed twice in the EDR report.

Z. Continental Baking Co. at 1781 3rd Street, approximately 0.115-mile north northwest of the project site, is listed because of a leak of gasoline reported April 12, 1989. Currently the cleanup status of the case is listed as completed – case closed as of July 17, 1989. Based on the current regulatory status of the case, it is not expected to have had an impact on the project site.

- This case is listed twice in the EDR report.

AA. 76 Station #5856 at 1395 Blaine Street, approximately 0.158-mile north northeast of the project site, is listed because of a leak of gasoline reported June 3, 2008. Currently the cleanup status of the case is listed as completed – case closed as of August 31, 2011. Based on the current regulatory status of the case, it is not expected to have had an impact on the project site.

- This case is listed twice in the EDR report.

BB. Mobil #18-D9M at 1360 Blaine Street, approximately 0.165-mile north northeast of the project site, is listed because of a leak of gasoline reported February 17, 1998. Currently the cleanup status of the case is listed as completed – case closed as of March 18, 2010. Based on the current regulatory status of the case, it is not expected to have had an impact on the project site.

CC. MCSPI at 3035 Chicago Avenue, approximately 0.168-mile north of the project site, is listed because of a leak of waste oil / motor / hydraulic / lubricating oil reported January 30, 2006. Currently the cleanup status of the case is listed as completed – case closed as of July 10, 2006. Based on the current regulatory status of the case, it is not expected to have had an impact on the project site.

DD. Riverside Transit Agency at 1825 Third Street, approximately 0.171-mile north northwest of the project site, is listed because of a leak of diesel reported July 9, 1997. Currently the cleanup status of the case is listed as completed – case closed as of February 23, 1999. Based on the current regulatory status of the case, it is not expected to have had an impact on the project site.

- This case is listed twice in the EDR report.

EE. Charger 4 at 3750 Chicago Avenue, approximately 0.205-mile south of the project site, is listed because of a leak of gasoline reported July 30, 2004. Currently the cleanup status of the case is listed as completed – case closed as of April 15, 2014. Based on the current regulatory status of the case, it is not expected to have had an impact on the project site.

- This case is listed twice in the EDR report.

4. Environmental Records Review

FF. Texaco Blaine/Exxon Service Station #2899 at 1300 Blaine Street, approximately 0.237-mile northeast of the project site, is listed because of a leak of gasoline reported August 7, 1987. Currently the cleanup status of the case is listed as completed – case closed as of July 11, 1988. Based on the current regulatory status of the case, it is not expected to have had an impact on the project site.

- This case is listed twice in the EDR report.

GG. Texaco Blaine at 1300 Blaine Street, approximately 0.237-mile northeast of the project site, is listed because of a leak of gasoline reported June 12, 2002. Currently the cleanup status of the case is listed as completed – case closed as of May 18, 2005. Based on the current regulatory status of the case, it is not expected to have had an impact on the project site.

HH. Shell Iowa Avenue at 3261 Iowa Avenue, approximately 0.247-mile northeast of the project site, is listed because of a leak of gasoline reported August 17, 2004. Currently the cleanup status of the case is listed as completed – case closed as of April 7, 2006. Based on the current regulatory status of the case, it is not expected to have had an impact on the project site.

- This case is listed twice in the EDR report.

II. Shell Blaine at 3261 Iowa Avenue, approximately 0.247-mile northeast of the project site, is listed because of a leak of gasoline reported May 2, 1994. Currently the cleanup status of the case is listed as completed – case closed as of May 16, 1996. Based on the current regulatory status of the case, it is not expected to have had an impact on the project site.

JJ. Grove 186 at Cole Street, approximately 0.261-mile east of the project site, is listed because of a leak of diesel reported August 10, 1988. Currently the cleanup status of the case is listed as completed – case closed as of December 11, 1989. Based on the current regulatory status of the case, it is not expected to have had an impact on the project site.

KK. Unocal #3779 at 1490 University Avenue, approximately 0.287-mile south of the project site, is listed because of a leak reported March 27, 1993. Currently the cleanup status of the case is listed as completed – case closed as of May 20, 1993. Based on the current regulatory status of the case, it is not expected to have had an impact on the project site.

- This case is listed twice in the EDR report.

LL. Luxfer USA Limited at 1995 Third Street, approximately 0.360-mile west of the project site, is listed because of a leak of diesel, gasoline, and waste oil reported October 23, 2002. Currently the cleanup status of the case is listed as completed – case closed as of August 9, 2011. Based on the current regulatory status of the case, it is not expected to have had an impact on the project site.

MM. Devoe Marine Coating at 2625 Durahart Street, approximately 0.384-mile northwest of the project site, is listed because of a leak of chlorinated hydrocarbons reported July 20, 1987. Currently the cleanup status of the case is listed as completed – case closed as of June 17, 1997. Based on the current regulatory status of the case, it is not expected to have had an impact on the project site.

- This case is listed twice in the EDR report.

NN. LAUS Investment Company at 2620 Durahart Street, approximately 0.385-mile north of the project site, is listed because of a leak of gasoline reported February 23, 1989. Currently the cleanup status of the case is listed as completed – case closed as of April 4, 1989. Based on the current regulatory status of the case, it is not expected to have had an impact on the project site.

OO. Exxon Service Station #3645 at 1295 University Avenue, approximately 0.388-mile southeast of the project site, is listed because of a leak of gasoline reported November 5, 1987. Currently the cleanup status of the case is listed as completed – case closed as of June 8, 2005. Based on the current regulatory status of the case, it is not expected to have had an impact on the project site.

- This case is listed twice in the EDR report.

PP. Thrifty Oil #344 Arco #9714 at 1294 University Avenue, approximately 0.391-mile southeast of the project site, is listed because of a leak of gasoline reported May 26, 1998. Currently the cleanup status of the case is listed as completed – case closed as of January 10, 2014. Based on the current regulatory status of the case, it is not expected to have had an impact on the project site.

- This case is listed twice in the EDR report.

QQ. Texaco Service Station at 1221 University Avenue, approximately 0.428-mile southeast of the project site, is listed because of a leak of gasoline reported July 5, 1996. Currently the cleanup status of the case is listed as completed – case closed as of July 28, 1997. Based on the current regulatory status of the case, it is not expected to have had an impact on the project site.

- This case is listed twice in the EDR report.

RR. SCIND Massachusetts Point at 1989 Massachusetts Avenue, approximately 0.454-mile northwest of the project site, is listed because of a leak of tetrachloroethylene (PCE) and trichloroethylene (TCE) reported. Currently the cleanup status of the case is listed as open – remediation as of December 18, 2018. Based on the Santa Ana Regional Water Quality Control Board's regulatory oversight of the case and its downgradient location from the project site, it is not expected to have had an impact on the project site.

SS. J D Diffenbaugh at 2375 Chicago Avenue, approximately 0.456-mile north of the project site, is listed due to a leak of gasoline reported April 19, 1989. Currently the cleanup status of the case is listed as completed – case closed as of August 2, 1989. Based on the current regulatory status of the case, it is not expected to have had an impact on the project site.

- This case is listed twice in the EDR report.

TT. Mobil #18-402 at 1147 University Avenue, approximately 0.496-mile southeast of the project site, is listed due to a leak of gasoline reported January 11, 1999. Currently the cleanup status of the case is

listed as completed – case closed as of January 13, 2011. Based on the current regulatory status of the case, it is not expected to have had an impact on the project site.

- This case is listed twice in the EDR report.

4.1.14 State and Tribal Registered Underground Storage Tanks

The State Water Resources Control Board's Hazardous Substance Storage Container Database maintains a list of USTs regulated by the Resource Conservation and Recovery Act.

- The project site is not listed on the registered UST list.
- The database search identified 14 registered UST facilities within a quarter mile radius of the project site.
  - Signal Fluid Solutions Inc at 3403 Niki Way, approximately 0.016-mile east of the project site, is listed as having a permit for an Aboveground Storage Tank (AST). The Facility ID is listed as FA0032044 and the CERS ID is listed as 10531903.
  - Arco #1841 at 1505 3rd Street, approximately 0.043-mile north of the project site, is listed as having a permit for an Underground Storage Tank (UST) through the Riverside County Department of Environmental Health. The Facility ID is listed as 37 and the CERS ID is not listed.
  - Merit Oil Company at 1751 3rd Street, approximately 0.089-mile north northwest of the project site, is listed as having a permit for an UST through the Riverside County Department of Environmental Health. The Facility ID is listed as FA00013969 and the CERS ID is listed as 10422505.
  - Imperial Retail Store Inc. at 1395 Blaine Street, approximately 0.158-miles northeast of the project site, is listed as having a permit for an UST through the Riverside County Department of Environmental Health. The Facility ID is listed as FA0028742 and the CERS ID is listed as 10509799.
  - Tosco Corporation #31001 at 1395 Blaine Street, approximately 0.158-miles northeast of the project site, is listed as having a permit for an UST through the Riverside County Department of Environmental Health. The Facility ID is listed as 774 and the CERS ID is not listed.
  - Arco Gas & Mini Mart at 1360 Blaine Street, approximately 0.165-mile east of the project site, is listed as having a permit for an UST through the Riverside County Department of Environmental Health. The Facility ID is listed as FA0040301 and the CERS ID is listed as 10508689.
  - Riverside Ultramar at 1360 Blaine Street, approximately 0.165-mile east of the project site, is listed as having a permit for an UST through the Riverside County Department of Environmental Health. The Facility ID is listed as 80509 and the CERS ID is not listed.

- Riverside Transit Agency at 1825 3rd Street, approximately 0.171-miles west northwest of the project site, is listed as having a permit for an UST through the Riverside County Department of Environmental Health. The Facility ID is listed as 650 and the CERS ID is listed as 10511449.
- Buy Rite #203 at 3750 Chicago Avenue, approximately 0.205-mile south of the project site, is listed as having a permit for an UST through the Riverside County Department of Environmental Health. The Facility ID is listed as 124 and the CERS ID is not listed.
- Valvoline Instant Oil Change GN0119 at 3335 Iowa Avenue, approximately 0.223-mile east of the project site, is listed as having a permit for an AST. The Facility ID is listed as FA0037550 and the CERS ID is listed as 10165653.
- Texaco Station at 1300 Blaine Street, approximately 0.237-mile east of the project site, is listed as having a permit for an UST through the Riverside County Department of Environmental Health. The Facility ID is listed as 758 and the CERS ID is not listed.
- Shell/ Gharabiklou & Miller at 3261 Iowa Avenue, approximately 0.247-mile east of the project site, is listed as having a permit for an UST through the Riverside County Department of Environmental Health. The Facility ID is listed as 700 and the CERS ID is not listed.
- UCR Shell at 3261 Iowa Avenue, approximately 0.247-mile east of the project site, is listed as having a permit for an UST. The Facility ID is listed as FA0044747and the CERS ID is listed as 10496332.

4.1.15 State and Tribal Voluntary Cleanup Site

The DTSC maintains a list of low threat level properties with either confirmed or unconfirmed releases and the project proponents have request that DTSC oversee investigation and/or cleanup activities and have agreed to provide coverage for DTSC's costs.

- The project site is not listed on the state and tribal voluntary cleanup program.
- The database search did not identify any state and tribal voluntary cleanup program sites within a half mile radius of the project site.

4.1.16 Orphan Sites

The EDR database identified one facility that was indicated as being potentially in the area and was not mapped due to incomplete address information.

- Smith Property at 4088 Mission Inn Avenue is approximately 1.72-miles west of the project site and is outside of the radius of concern for the project site.

- UCR – Parking Lot 6 is approximately 1.13-mile southeast of the project site and is outside of the radius of concern for the project site.
- UCR Pesticide Pits is approximately 1.01-mile east southeast of the project site and is outside of the radius of concern for the project site.

4.2 ADDITIONAL ENVIRONMENTAL RECORDS REVIEW

In conformance with ASTM inquiry was made with the additional agencies described below.

4.2.1 Local Brownfield Lists

The DTSC's Site Mitigation and Brownfields Reuse Program's (SMBRP's) EnviroStor database identifies sites that have known contamination or sites for which there may be reasons to investigate further. There were no brownfield sites identified on the EnviroStor database within a half mile radius of the project site.

4.2.2 Local Lists of Hazardous Waste Contaminated Sites

A record search was done on the following databases: Clandestine Drug Labs Register, Calsite Database, School Property Evaluation Program, CERS Hazardous Waste database, and Toxic Pits Cleanup Sites.

- The project site is listed on the Local List of Hazardous Waste Contaminated Sites.
    - RUSD – North High School is listed as a CERS HAZ hazardous waste generator. Site ID is listed as 181410 and the CERS ID is listed as 10531438.
    - The high school is also listed as a HAZNET site.
        - In 2019 the campus had 0.401 tons of unspecified aqueous solution transferred off-site. In 2018 the campus had 0.20 tons of unspecified aqueous solution transferred off-site. In 2017 the campus had 0.35 tons of unspecified aqueous solution transferred off-site. In 2016 the campus had 0.108 tons of unspecified solvent mixture transferred off-site. In 2015 the campus had 0.05 tons of unspecified aqueous solution transferred off-site. In 2014 the campus had 0.085 tons of unspecified solvent mixture transferred off-site. In 2013 the campus had 0.075 tons of laboratory waste, 1.251 tons of latex waste, and 0.025 tons of unspecified aqueous solution transferred off-site.
- The database search identified 28 Hazardous Waste Contaminated Sites within a quarter mile search radius.
    - Sherwin-Williams Company 4364 at 1560 Linden Street, approximately 0.012-mile south of the project site, is listed as a CERS HAZ hazardous waste generator. Site ID is listed as 175757 and the CERS ID is listed as 10511137.

- Signal Fluid Solutions Inc at 3403 Niki Way, approximately 0.016-mile east of the project site, is listed as a chemical storage facility. The site ID is listed as 173263 and the CERS ID is listed as 10531903.
- DirectV-LC2h6 at 1520 Linden Street, approximately 0.021-mile south of the project site, is listed as a CERS HAZ hazardous waste generator. Site ID is listed as 611703 and the CERS ID is listed as 10895815.
- Experienced Tractor Parts at 3443 Niki Way, approximately 0.050-mile east of the project site, is listed as a CERS HAZ hazardous waste generator. Site ID is listed as 177072 and the CERS ID is listed as 10511308.
- AT&T Mobility – Riverside East Overlay (USID12318) at 3230 Trade Center Drive, approximately 0.053-mile north of the project site, is listed as a CERS HAZ hazardous waste generator. Site ID is listed as 8811 and the CERS ID is listed as 10175913.
- Metric Machining Inc at 3263 Trade Center Drive, approximately 0.068-mile north of the project site, is listed as a CERS HAZ hazardous waste generator. Site ID is listed as 408762 and the CERS ID is listed as 10707010.
- Riverside Auto RPR at 1735 3rd Street, approximately 0.069-mile northwest of the project site, is listed as a CERS HAZ hazardous waste generator. Site ID is listed as 185614 and the CERS ID is listed as 10511437.
- West Coast Drywall & Paint at 1611 7th Street, approximately 0.080-mile south of the project site, is listed as a CERS HAZ hazardous waste generator. Site ID is listed as 564145 and the CERS ID is listed as 10837318.
- Mitchell Glass at 3595 Presley Avenue, approximately 0.088-mile south of the project site, is listed as a CERS HAZ hazardous waste generator. Site ID is listed as 374256 and the CERS ID is listed as 10685662.
- Merit Oil Company at 1751 3rd Street, approximately 0.089-mile north northwest of the project site, is listed as a CERS HAZ hazardous waste generator. Site ID is listed as 134326 and the CERS ID is listed as 10422505.
- Reisner Enterprises Inc DBA West Corp Engineering at 1403 Linden Street, approximately 0.109-mile southeast of the project site, is listed as a CERS HAZ hazardous waste generator. Site ID is listed as 171154 and the CERS ID is listed as 10321321.
- Tubeworks Inc at 1506 7th Street, approximately 0.115-mile south of the project site, is listed as a CERS HAZ hazardous waste generator. Site ID is listed as 410395 and the CERS ID is listed as 10612093.

4. Environmental Records Review

- Strong Hold Engineering at 3421 Gato Court, approximately 0.117-mile east of the project site, is listed as a CERS HAZ hazardous waste generator. Site ID is listed as 446269 and the CERS ID is listed as 10686592.

- Caddock Electronics, Inc. at 3127 Chicago Avenue, approximately 0.134-mile north of the project site, is listed as a CERS HAZ hazardous waste generator. Site ID is listed as 567708 and the CERS ID is listed as 10842835.

- Protrans Automotive & Transmission at 3420 Gato Court, approximately 0.151-mile east of the project site, is listed as a CERS HAZ hazardous waste generator. Site ID is listed as 180023 and the CERS ID is listed as 10519990.

- Ejay Filtration, Inc. at 3126 Durahart Street, approximately 0.152-mile north northwest of the project site, is listed as a CERS HAZ hazardous waste generator. Site ID is listed as 443766 and the CERS ID is listed as 10773541.

- Tosco Corporation Station #31001 at 1395 Blaine Street, approximately 0.158-mile northeast od the project site, is listed as a CERS HAZ hazardous waste generator. Site ID is listed as 387940 and the CERS ID is listed as 10509799.

- Arco Gas & Mini Mart at 1360 Blaine Street, approximately 0.165-mile east of the project site, is listed as a CERS HAZ hazardous waste generator. Site ID is listed as 93189 and the CERS ID is listed as 10508689.

- Riverside Transit Agency at 1825 3rd Street, approximately 0.171-miles west northwest of the project site, is listed as a CERS HAZ hazardous waste generator. Site ID is listed as 178091 and the CERS ID is listed as 10511449.

- Earl Scheib of Cal Inc. at 3700 Chicago Avenue, approximately 0.181-mile south of the project site, is listed as a CERS HAZ hazardous waste generator. Site ID is listed as 424546 and the CERS ID is listed as 10740679.

- Ejay Filtration, Inc. at 3036 Durahart Street, approximately 0.185-mile north of the project site, is listed as a CERS HAZ hazardous waste generator. Site ID is listed as 548932 and the CERS ID is listed as 10529941.

- California Smog & Automotive Institute at 3001 Chicago Avenue, approximately 0.196-mile north of the project site, is listed as a CERS HAZ hazardous waste generator. Site ID is listed as 375592 and the CERS ID is listed as 10686406.

- Valvoline Instant Oil Change GN0119 3335 Iowa Avenue, approximately 0.223-mile east of the project site, is listed as a CERS HAZ hazardous waste generator. Site ID is listed as 165841 and the CERS ID is listed as 10165653.

- Magnuson Tires & Auto Repair at 1555 University Avenue, approximately 0.225-mile south of the project site, is listed as a CERS HAZ hazardous waste generator. Site ID is listed as 355347 and the CERS ID is listed as 10525327.
- Shell at 3261 Iowa Avenue, approximately 0.247-mile, approximately 0.247-mile northeast of the project site, is listed as a CERS HAZ hazardous waste generator. Site ID is listed as 99082 and the CERS ID is listed as 10496332.
- O'Reilly Auto Parts #3072 at 1691 University Avenue, approximately 0.247-mile south of the project site, is listed as a CERS HAZ hazardous waste generator. Site ID is listed as 53101 and the CERS ID is listed as 10326649.
- University of California – Riverside at 1060 Pennsylvania Avenue, approximately 0.812-mile south of the project site, is listed as a Calsite and the facility ID is listed as 33890001.

4.2.3 Local Lists of Registered Storage Tanks

A record search was done of the local lists of registered storage tanks. There are 38 registered UST sites identified in the database as being within a 0.25 mile of the project site.

- Signal Fluid Solutions Inc at 3403 Niki Way, approximately 0.016-mile east of the project site, is listed as having a permit for an aboveground storage tank (AST). The CERS ID is listed as 10531903 and the facility ID is listed as FA0032044.
- Riverside City Fire Station #4 at 3510 Cranford Avenue, approximately 0.017-mile southeast of the project site, is listed as having a permit for an underground storage tank (UST). The facility ID is listed as 33002921.
- Paul J Adcock at 1505 3rd Street, approximately 0.043-mile north northeast of the project site, is listed as having a historical permit for a UST. The facility ID is listed as 00000026640.
- Arco #18414 at 1505 3rd Street, approximately 0.043-mile north northeast of the project site, is listed as having a permit for a UST. The CERS ID is listed as T0606500122 and the facility ID is listed as 202322.
- Metric Machining Inc. at 3263 Trade Center Drive, approximately 0.068-mile north of the project site, is listed as having a permit for a UST. The CERS ID is listed as 10707010 and the facility ID is listed as 408762.
- Edwards S Babcock and Sons Inc at 3215 Chicago Avenue, approximately 0.068-mile north northwest of the project site, is listed as having a historical permit for a UST. The facility ID is listed as 00000032455.
- Mitchell Glass at 3595 Presley Avenue, approximately 0.088-mile south of the project site, is listed as having a permit for a UST. The CERS ID is listed as 10685662 and the facility ID is listed as 374256.

4. Environmental Records Review

- Merit Oil Company at 1751 3rd Street, approximately 0.089-mile northwest of the project site, is listed as having a permit for a UST. The CERS ID is listed as 10422505 and the facility ID is listed as 134326.
- Amendt Oil Company at 1751 3rd Street, approximately 0.089-mile northwest of the project site, is listed as having a permit for a UST. The facility ID is listed as 33001860.
- Continental Baking Co. at 1781 3rd Street, approximately 0.115-mile northwest of the project site, is listed as having a permit for a UST. The facility ID is listed as 33000716.
- Caddock Electronics Inc at 3127 Chicago Avenue, approximately 0.134-mile northwest of the project site, is listed as having a permit for a UST. The facility ID is listed as 33002245.
- Tosco Corporation Station #31001 at 1395 Blaine Street, approximately 0.158-mile northeast of the project site, is listed as having a permit for a UST. The CERS ID is listed as 10509799 and the facility ID is listed as 387940.
    - This facility is listed four times in the EDR report.
- Arco Gas & Mini Mart at 1360 Blaine Street, approximately 0.165-mile northeast of the project site, is listed as having a permit for a UST. The CERS ID is listed as 10508689 and the facility ID is listed as 93189.
    - This facility is listed twice in the EDR report.
- MC SPI Inc at 3035 Chicago Avenue, approximately 0.168-mile north of the project site, is listed as having a permit for a UST. The facility ID is listed as 33001736.
- Riverside Transit Agency at 1825 Third Street, approximately 0.171-mile northwest of the project site, is listed as having a permit for a UST. The facility ID is listed as 33006698.
    - This facility is listed twice in the EDR report.
- Charger 4 at 37550 Chicago Avenue, approximately 0.205-mile south southwest of the project site, is listed as having a permit for a UST. The facility ID is listed as 33006880.
    - This facility is listed three times in the EDR report.
- Valvoline Instant Oil Change at 3335 Iowa Avenue, approximately 0.223-mile east northeast of the project site, is listed as having a permit for a UST. The CERS ID is listed as 10165653 and the facility ID is listed as 165841.
- Budget Car and Truck Rental at 1521 University Avenue, approximately 0.224-mile south of the project site, is listed as having a historical permit for a UST. The facility ID is listed as 00000043309.
- David Newman at 1300 Blaine Street, approximately 0.237mile south northeast of the project site, is listed as having a permit for a UST. The facility ID is listed as 33002484.

  - This facility is listed three times in the EDR report.

- Pacific Coast Enterprises at 3261 Iowa Avenue, approximately 0.247-mile northeast of the project site, is listed as having a permit for a UST. The facility ID is listed as 33001868. The CERS ID is listed as 10496332 and the site ID is listed as 99082.
  - This facility is listed twice in the EDR report.

4.2.4 HAZNET

HAZNET is the Hazardous Waste Information System. The project site is listed as a HAZNET site.

- 1993 the campus had 1.2 tons of asbestos containing waste removed
- 1995 the campus had 1 ton of asbestos containing waste removed.
- 1998 the campus had 6.7 tons of asbestos containing waste removed.
- 2001 the campus had 1.68 tons of asbestos containing waste removed.
- 2002 the campus had 17.69 tons of asbestos containing waste removed.
- 2013 the campus had 0.075 tons of laboratory waste, 1.251 tons of latex waste, and 0.025 tons of unspecified aqueous solution transferred off-site.
- 2014 the campus had 0.085 tons of unspecified solvent mixture transferred off-site.
- 2015 the campus had 0.05 tons of unspecified aqueous solution transferred off-site.
- 2016 the campus had 0.108 tons of unspecified solvent mixture transferred off-site.
- 2017 the campus had 0.35 tons of unspecified aqueous solution transferred off-site.
- 2018 the campus had 0.20 tons of unspecified aqueous solution transferred off-site.
- 2019 the campus had 0.401 tons of unspecified aqueous solution transferred off-site.

4.2.5 High Risk Historical Records

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, and dry cleaners. There were 4 identified high-risk historical sites within the radius searched.

- Arco AM/PM Mini Market at 1505 3rd Street, approximately 0.043-mile north of the project site, is listed as a gasoline service station from 1973 to 2008.
- Chicago Body Works at 3580 Chicago Avenue, approximately 0.070-mile south of the project site, is listed as an automobile repair shop in 1951.
- Cal-Tex Transmission Parts at 1526 7th Street, approximately 0.105-mile south of the project site, is listed as an automobile repair shop from 1998 to 2009.
- A 1 Mobil Axel Co at 3493 Durahart Street, approximately 0.115-mile west of the project site, is listed as an automobile repair shop from 2002 to 2009.

4.2.6 State of California Division of Geologic Energy Management Records

A review of California Division of Geologic Energy Management (CalGEM) Well Finder indicates that there are no oil wells or oil fields in the vicinity of the project site or the J. W. North High School campus. The nearest oil well is approximately 4.7 miles to the northeast of the project site. The well is identified as an idle oil well advanced by Floyd Amundson. The well was abandoned in August of 1925.

4.2.7 Vapor Migration

Thus, this section specifies whether we perceive a risk of vapor migration to the subject site.

To assess a vapor migration risk, a review and analysis of the site-specific environmental database report and other reasonably ascertainable records was implemented to assess whether:

1. Off-site properties have documented chlorinated volatile organic compound (VOC) contamination located within 100 feet of the subject property, or
2. Off-site properties have documented volatile petroleum hydrocarbon contamination within 30 feet of the subject property.

Based on the records review, it is unlikely that a potential source of vapor migration currently exists beneath the site from off-site properties. There are no known chlorinated VOC contaminated sites within 100 feet or known leaking underground storage tanks identified adjacent or within 30 feet of the project site.

5. Sampling Activities and Results

This section describes methods and results of the soil sampling activities conducted at the 1.1-acre site on March 24, 2023. Figure 3 shows the sampling locations for the project area. Table 1 provides a summary of the sampling and analysis program for the PEA.

- Soil sampling activities were conducted at the site on March 24, 2023 due to historical usage of the project site for agriculture.

- A total of 16 soil samples plus 2 duplicates were collected from the project area. Samples were collected from 8 locations from 0 to 0.5 feet below ground surface (bgs) and from 2.5 to 3.0 feet bgs.

- Eight discrete soil samples and one duplicate soil samples were analyzed for organochlorine pesticides by a State certified laboratory using United States Environmental Protection Agency (EPA) Method 8081A to evaluate the possible impacts to soil from former agriculture. In addition, three additional deeper soil samples were analyzed for organochlorine pesticides by EPA Method 8081A to evaluate the possible impacts to soil from termiticides from nearby older school buildings.

- Eight discrete soil samples plus one duplicate were collected at surface to 0.5 feet and analyzed discretely for arsenic by EPA Method 6010B to evaluate the possible impacts to soil from former agriculture.

- Three discrete soil samples plus one duplicate were also analyzed for lead by EPA Method 6010B to evaluate the possible impacts to soil from lead-based paint from nearby older school buildings.

5.1 UTILITY CLEARANCE

Prior to commencement of field activities, USA Digalert was notified of our intent to conduct subsurface investigations at least 48 hours prior to initiation of intrusive field tasks. USA contacted all utility owners of record within the site vicinity and notified them of our intention to conduct subsurface investigations in proximity to buried utility lines. All utility owners of record, or their designated agents, were expected to clearly mark the position of their utilities on the ground surface throughout the area designated for investigation.

5.2 SAMPLING PROCEDURES

Soil samples were collected following protocols described in DTSC's *PEA Guidance Manual* (DTSC 2015), DTSC's *Interim Guidance for Sampling Agricultural Properties (Third Revision)* (DTSC 2008), and DTSC's *Interim Guidance for Evaluating School Sites with Potential Soil Contamination as a result of Lead from Lead-Based Paint, Organochlorine Pesticides from Termiticides, and Polychlorinated Biphenyls from Electrical Transformers* (DTSC 2006). The

5. Sampling Activities and Results

sampling program that was implemented is included in Table 1 and all sampling locations are shown on Figure 3, *Sampling Locations*. A Professional Geologist was on-site to direct and observe field activities.

5.2.1 Soil Sampling Methods and Procedures

Soil sampling was conducted using a hand auger. The hand auger was advanced from the surface to 0.5 feet and to 2.5 feet below ground surface. Soil from the sample interval was emptied from the hand auger barrel into a certified pre-cleaned glass jar from the laboratory and sealed. Each soil sample was labeled with the sample number, sample depth, and the date and time the sample was collected. Samples were immediately placed in an ice-filled cooler and listed on a chain-of-custody form. Any observation pertaining to potential soil contamination or soil source was recorded. The chain-of-custody forms are included in Appendix D.

5.2.2 Quality Control Sampling Procedures

Field quality control samples associated with the sampling program included duplicate soil samples, equipment blanks, and soil matrix spike/matrix spike duplicate (MS/MSD) samples, in accordance with the DTSC PEA Guidance Manual (DTSC 2015). Duplicate soil samples were collected and analyzed and are listed on Table 1 and Table 2.

Field duplicate samples were collected and analyzed to evaluate sampling and analytical precision. Field duplicates for soil samples were collected at a rate of approximately 10% of the samples collected. The duplicate samples were analyzed for all laboratory analyses requested for the primary samples collected.

5.2.3 Decontamination Procedures

All equipment that came into contact with the soil was decontaminated consistently to assure the quality of samples collected. Decontamination was conducted prior to and after each use of a piece of equipment. All sampling devices used were decontaminated using the following procedures:

- Non-phosphate detergent and distilled water wash, using a brush; and
- A double deionized/distilled water rinse.

5.2.4 Investigative Derived Waste

In the process of collecting environmental samples during the field-sampling program, different types of potentially contaminated investigation-derived wastes (IDW) were generated that include the following:

- Used personal protective equipment (PPE);
- Disposable sampling equipment;
- Soil cuttings; and
- Decontamination fluids.

The EPA's National Contingency Plan requires that management of IDW comply with all applicable or relevant and appropriate requirements to the extent practicable. The sampling plan followed the Office of Emergency and Remedial Response Directive 9345.3-02 dated May 1991, which provides the guidance for the management of IDW. In addition, other legal and practical considerations that may affect the handling of IDW will be considered.

Listed below are the procedures that were followed for handling the IDW:

- Used PPE and disposable equipment were double bagged and placed in a municipal refuse dumpster. These wastes are not considered hazardous and can be sent to a municipal landfill.
- Soil cuttings were returned to their original borehole.

5.3 ANALYTICAL RESULTS

The complete analytical results are included in the laboratory reports in Appendix D. Organochlorine pesticide concentrations in soil are summarized in Table 2, analyzed by EPA Method 8081A. Lead and arsenic concentrations in surface soil are summarized in Table 3, analyzed by EPA Method 6010B.

5.4 DISCUSSION OF RESULTS

5.4.1 Soil Description

The native soils encountered and collected during the investigation consisted of medium dense reddish brown (5YR 4/4) silty medium sand. No odors or staining were observed by the field geologist. Groundwater was not encountered. Fill material was not observed.

5.4.2 Pesticides

In the eleven discrete soil samples plus one duplicate sample collected there were two OCPs detected above the laboratory detection limits. 4,4'-DDE was detected in two discrete samples plus one discrete duplicate sample. The maximum concentration of 4,4'-DDE was detected in B-7@2.5' at 0.12 milligrams per kilogram (mg/kg. 4,4'-DDT was detected in one sample (B-7@2.5') at a concentration of 0.011 mg/kg. Table 2 provides a summary of the OCP concentrations detected in soil at the site, and Appendix D includes the complete OCP results.

5.4.3 Lead

Lead was detected above laboratory detection limits in all three discrete soil samples plus one discrete duplicate sample analyzed. Lead concentrations ranged from 5.0 mg/kg to 13.9 mg/kg. None of the samples or duplicate samples analyzed had lead concentrations that exceeded the DTSC Screening Level for lead of 80 mg/kg. Table 3 provides a summary of the lead concentrations detected in soil at the site.

5. Sampling Activities and Results

5.4.4 Arsenic

Arsenic was detected above the laboratory detection limit in all eight discrete surface samples plus the surface duplicate sample. Arsenic concentrations ranged from a minimum of 2.08 mg/kg in sample B-3@0.5' and to a maximum of 4.25 mg/kg in sample B-6@0.5'. The project site arsenic concentrations were compared to a background data set collected from a school site located approximately 2.25 miles southwest of the site with arsenic concentrations ranging from 2.64 mg/kg to 4.8 mg/kg. The background site is located on the same geologic formation as the project site as identified on Morton and Cox (2001). A copy of the background arsenic concentrations with laboratory data and maps showing the background site and sample locations are presented in Appendix E. All concentrations of arsenic on site were similar to the background concentrations and discussed in more detail in Section 6.4. Table 2 provides a summary of the arsenic concentrations detected in soil at the site.

6. Human Health Screening Evaluation

A human health screening assessment was conducted to evaluate the potential threat to human health at the proposed school site. The established PEA screening process was used to determine if there are levels of contamination at the site that may cause a concern about effects on human health. The purpose of the human health risk screening evaluation was to assess whether levels of contaminants in soil at the site could pose a threat to human health under conservative (health-protective) exposure assumptions. The PEA requires a residential land use scenario regardless of current use and zoning.

6.1 CONCEPTUAL SITE MODEL

The potentially complete soil exposure pathways include soil ingestion, dermal exposure to soil, and inhalation of particulates and volatile organics detected in soil. Potentially exposed populations for the site include on-site school age children and employees based on future land use plans. In order to estimate what the potential exposures may be under current and future land use plans, risk calculations were conducted using the data that were collected for the PEA. Figure 4 is the conceptual site model for the site.

6.2 CHEMICALS OF CONCERN SELECTION

The chemicals of concern (COCs) for the site that were evaluated in the PEA screening risk assessment have been identified based on-site history, sampling results, DTSC guidance documents and protocol. 4,4'-DDE, 4,4'-DDT, arsenic, and lead were included as COCs.

6.3 PESTICIDE SCREENING

The DTSC has developed modified screening levels based on the U.S. Environmental Protection Agency (EPA) Regional Screening Levels (RSLs) for use in the human health risk assessment process (DTSC 2022). In 2022, the EPA released RSLs to replace the Preliminary Remediation Goals (PRGs) formerly available from several EPA Regional Headquarters. DTSC's Human and Ecological Risk Office (HERO) reviewed the differences in methodology and RSL concentrations to develop a methodology to incorporate the RSLs into HERO human health risk assessment consultation and review. For the majority of the approximately 800 listed RSL chemicals, HERO confirms the values listed in the EPA RSL tables. However, some values listed in the EPA RSL tables differ from values calculated using CalEPA toxicity criteria and risk assessment procedures and has prepared screening levels tables for compounds with their recommend toxicity criteria.

RSLs and DTSC-SLs can be used to identify contamination which may warrant cleanup, identify sites which warrant no further action or investigation, and be used as initial cleanup goals. The DTSC recommends that they are not to be used to perform a human health Baseline Risk Assessment but to assist in tasks preceding a human health Baseline Risk Assessment. HERO recommends that the RSLs and DTSC-SLs be used to screen sites as a whole by calculating ratios of the concentration of a particular chemical in a medium (e.g. soil, water,

6. Human Health Screening Evaluation

or air) to its risk based concentration are calculated and the ratio is summed across all chemicals and media to estimate a total risk and hazard for the site. The derivation of the EPA RSLs and DTSC-SLs does not include an evaluation of the intrusion of vapors from the subsurface to indoor air.

For a screening level assessment DTSC recommends each chemical of concern be divided by their corresponding risk-based screening levels. For carcinogens the ratio is multiplied by 10-6 to provide an estimate of risk. Risk is summed across all carcinogenic chemicals. For non-carcinogens, hazard quotients are summed across all chemical to provide a hazard index. Carcinogens should be evaluated both for carcinogenicity and for threshold toxicity (noncancer hazard).

Because there are multiple chemicals detected at the Site, the cumulative risk for the Site is calculated by summing the individual risk from each chemical.

Cumulative Risk = (concx/RSLx + concy/RSLy + concz/RSLz) x 10-6

The estimated cumulative carcinogenic risk using maximum concentration of pesticides detected at the Site can be estimated using carcinogenic DTSC-SLs and EPA RSLs as follows for residential land uses:

Chemical	Maximum Concentration mg/kg	Number of Samples in Composite or Discrete	DTSC-SL mg/kg	DTSC-SL adjusted mg/kg	Ratio Maximum Concentration to DTSC SLs
4,4'-DDE	0.12	Discrete	1.9	1.9	0.063
4,4'-DDT	0.011	Discrete	2.0	2.0	0.0055
Total Risk					7E-08

The maximum concentration of each OCP is below the DTSC SL adjusted for the number of samples in the composite. The total risk estimate is 7E-08, below the level of concern of 1E-06 indicating that OCPs are not a concern for the site.

The estimate noncancer Hazard Index for each detected OCP using maximum concentrations detected at the Site can be estimated using non carcinogenic DTSC-SLs and EPA RSLs as follows for residential land uses:

Chemical	Maximum Concentration mg/kg	Number of Samples in Composite or Discrete	DTSC-SL noncarcinogenic mg/kg	DTSC-SL noncarcinogenic adjusted mg/kg	Ratio Maximum Concentration to DTSC SL
4,4'-DDE	0.12	Discrete	39	39	0.0031
4,4'-DDT	0.011	Discrete	37	37	3.0E-04
Total Hazard Index					0.0034

The cumulative hazard index for noncarcinogenic risk for the site was significantly less than 1 using the maximum concentration for a residential exposure scenario. A total HI of 1 or less indicates that there is no cause of concern for adverse noncarcinogenic health effects.

6.4 LEAD SCREENING

For the screening for lead concentrations on existing and proposed school sites, the highest detected concentration of lead is compared to the screening value of 80 mg/kg derived from the DTSC Lead Spread 9 model. The screening value is based on exposures to children using statewide and regional air concentrations of lead. This screening value is considered appropriate for former residential and uncontaminated commercial properties where lead from lead-based paint is the only potential contaminant on the site.

Lead was detected in all three soil samples and the duplicate above laboratory reporting limits (Table 2). Lead concentrations ranged from 5.0 mg/kg to 13.9 mg/kg. Soil sample B-6@0.5' had the highest concentration of lead at 13.9 mg/kg. Based on the detected concentrations of lead at the site below the health-based screening level, lead is not a concern.

6.5 ARSENIC SCREENING

Arsenic concentrations ranged from 2.08 mg/kg to 4.25 mg/kg in the eight soil samples and one duplicate analyzed. The project site arsenic concentrations were compared to a background data set collected from a school site located approximately 2.25 miles southwest of the site with arsenic concentrations ranging from 2.64 mg/kg to 4.8 mg/kg. A copy of the background arsenic concentrations with laboratory data and maps showing the background site and sample locations are presented in Appendix E.

A statistical evaluation was performed as described in DTSC's guidance document titled *Arsenic Strategies – Determination of Arsenic Remediation Development of Arsenic Cleanup Goals* dated January 16, 2009. The results of the statistical evaluation are presented below:

Descriptive Statistics of Site and Background Arsenic Data

Statistic	Project Site Value	Background Value
Number of Samples	9	6
Minimum detected concentration	2.08 mg/kg	2.64 mg/kg
Maximum detected concentration	4.25 mg/kg	4.8 mg/kg
Mean	2.86 mg/kg	3.852 mg/kg
Median	2.88 mg/kg	4.055 mg/kg
Standard deviation	0.644	0.913
95% UCL	3.259 mg/kg	4.603 mg/kg

The outlier determination and 95% upper confidence limit (UCL) concentrations were calculated using ProUCL. ProUCL calculations are included in Appendix E.

The statistical analysis of the site data indicates a 95% UCL of 3.259 mg/kg and the 95% UCL for the background data set indicates a 95% UCL of 4.603 mg/kg. These values are similar and therefore arsenic concentrations identified in surface soil at the site are representative of background concentrations and further assessment of arsenic in soil is not warranted.

6.6 UNCERTAINTY ANALYSIS

The data collected are subject to uncertainty associated with sampling and analysis. These data are presented in other parts of the PEA. In the analysis it was assumed that samples collected were representative of conditions to which various populations may be exposed. However, the collected samples may not be completely representative due to biases in sampling and to random variability of samples.

Samples were analyzed using California State Certified Laboratory procedures and were subjected to limited review, to obtain data suitable for decision-making. However, it should be understood that sample analysis is subject to uncertainties associated with precision, accuracy, and detection of chemicals at low concentrations.

7. Ecological Screening Evaluation

7.1 SITE CHARACTERIZATION

Based on visual observations during the site visit and information gathered by EDR, the area is disturbed and does not support wildlife habitats.

7.2 BIOLOGICAL CHARACTERIZATION

The site is a disturbed area that has been developed since 1931 with agriculture followed by an existing school and does not support wildlife habitats.

7.3 ECOLOGICAL PATHWAY ASSESSMENT

No assessment of potential exposures to sensitive ecological receptors is necessary based on the lack of chemicals of concern for the site.

7.4 ECOLOGICAL SCREENING EVALUATION SUMMARY

An ecological screening evaluation was not conducted for the site because of the lack of wildlife habitats and because chemicals of concern were not reported for the site.

7. Ecological Screening Evaluation

This page intentionally left blank.

8. Quality Assurance/Quality Control Implementation

The Quality Assurance/Quality Control (QA/QC) Program was implemented in accordance with the DTSC PEA Guidance Manual (DTSC 1999). The primary quality control features of the QA/QC program include the collection and analysis of field quality control samples and the data validation. All proper chain of custody procedures were followed, and the chain of custody is included in Appendix D. The Quality Assurance Project Plan is included in Appendix F.

Quality control samples collected in the field included equipment rinseate blanks as described in Section 3. The data for these quality control samples were reviewed as part of the data validation process, along with results from laboratory quality control analyses. Data validation was performed in compliance with DTSC's PEA Guidance Manual, using protocols consistent with the USEPA National Functional Guidelines (DTSC 1999). Each sample was analyzed for the specified suite of analyses presented in Section 3. Data from each of the analyses were evaluated with respect to the quality control criteria listed below. Data for the project as a whole were evaluated in terms of completeness.

- Holding times;
- Field blanks;
- Laboratory method and calibration blanks;
- Initial and continuing calibrations;
- System monitoring compounds (surrogates - organic analyses only);
- Laboratory control samples (LCS) and LCS duplicate samples (LCSD) - as applicable;
- Matrix spikes (MS)/Matrix spike duplicates (MSD) ; and
- Compound identification and quantitation.

Data quality for the project is good, and the data collected are of acceptable quality for use in the screening evaluation.

Data validation qualifier flags have been added to those data that did not meet acceptance criteria defined in School Quality Assurance Project Plans. Results of the validation indicate that all samples collected and analyzed are useful in characterizing the site and assessing the human health and ecological risks for the site. No detectable concentrations were qualified as rejected (R) or were considered to be unusable based on the

8. Quality Assurance/Quality Control Implementation

validation evaluation. Data qualified as estimated (J/UJ) exhibited some bias during analysis and should be considered as an approximate measure of the respective analyte concentration. Qualified data are presented along with the data results in the analytical summary tables provided in this report.

Field activities were observed to be conducted in a manner consistent with the QA/QC procedures presented in the DTSC PEA Guidance Manual (DTSC 1999). No findings were identified that significantly affect the quality of the samples collected or the resulting data evaluation.

8.1 DATA VALIDATION

Data validation was performed for all samples submitted as part of PlaceWorks evaluation of soil. A&R Laboratories of Ontario, California was the lead laboratory for the project and performed the required analyses.

Validation was performed in accordance with the general guidance provided in the USEPA Functional Guidelines for Evaluating Inorganic Analyses (USEPA 1994) and in accordance with the professional judgment of the validation team. Validation was performed to assess analytical performance in terms of the DQOs accuracy, precision, sensitivity, and completeness. Comparability and representativeness DQOs for the samples collected are addressed by the correct implementation of the procedures defined in the sampling and analysis plan.

A summary of the validation program, in terms of the DQOs listed above, is provided in the following sections. Data qualifiers assigned to results, if required, were as follows:

J - Result is estimated due to failure to meet one of the DQO criteria associated with the sample result or associated sample batch. Results reported at concentrations below standard laboratory reporting limits, but above method detection limits, were flagged "J" by the laboratory, or "B" in the case of metals. These data are validated as J/estimated because they are below the reliable quantitation limits determined by the laboratory.

U - Result is qualified as not-detected at the reported value. This qualifier is used when results from blank analyses indicate that detections in associated samples may be biased high due to potential contaminant conditions in the field or laboratory.

UJ - Result is qualified as not-detected at the reported value, and the value is determined to be estimated. This qualifier commonly results when quality control failures are associated with analytes that are not detected, or when detections are qualified "U" due to blank contamination combined with a "J" qualifier resulting from another QC problem.

R - Result is rejected due to severe QC failure, or due to multiple lesser QC problems that are determined to be additive

8.2 ACCURACY

Accuracy was evaluated by assessing the results of holding times, field and laboratory blanks, initial and continuing calibrations, surrogate spike recoveries (organic analyses), LCS recoveries, MS analyses, and interference check samples (metals by inductively coupled plasma).

Holding times were met for all analyses. Frequency and control criteria for initial and continuing calibration verifications were met. The method blank data showed non-detectable levels for all constituents. LCS analysis was performed at required frequencies and all recoveries were within acceptable limits. Surrogate recoveries for all samples were within acceptable control limits. MS and MSD were performed at the required frequencies. All recoveries were within acceptable limits.

8.3 PRECISION

Precision was evaluated by assessing the results between MS and MSD analyses, LCS and LCSD analyses, between laboratory duplicate analyses. The precision DQO was generally satisfied for the samples collected during the project. Precision was evaluated as the relative percent difference (RPD) between control sample results. RPD criteria reported by the laboratory were used to assess precision. RPDs were within the appropriate control limits.

8.4 SENSITIVITY

Sensitivity was addressed by ensuring that the reporting limits provided by the laboratories met those as requested in the workplans and task orders provided to the laboratory. Data were qualified in cases where results were reported at concentrations below standard laboratory reporting limits, but above the method detection limits that may have been required to meet the sensitivity requirements for the project. Such results were flagged by the laboratory as either J or B qualified data. These data retain a J/estimated qualifier due to potential decreased reliability at low concentration levels.

8.5 COMPLETENESS

Completeness is an evaluation of the overall sampling program with respect to data generated that is usable versus data that may have been rejected. No data was rejected during the data validation process for this project. The completeness objectives (minimum 90 percent) for this project are therefore considered to be satisfied for all analyses.

8.6 DATA VALIDATION CHART

The following table is a summary of pertinent quality indicators that were verified during the data validation process.

8. Quality Assurance/Quality Control Implementation

ACCEPTABILITY		
QUALITY INDICATOR	**SOIL**	**SOIL**
	EPA Method 6010B	EPA Method 8081A
	Target Analyte: Lead	Target Analyte: DDE
Completeness of Laboratory Reports (e.g., laboratory, client, and sample identifications; ELAP certification number, project name, sample matrix, sample collection, preservation, preparation, extraction, analysis dates; analytical methods; analytes; reporting units and limits; dilution factors; report page numbering system; designated title and signatures)	Y See discussion Section 8	Y See discussion Section 8
Reporting Limit (RL)	Y 1.0 mg/kg	Y 0.005 mg/kg
Chain of Custody	Y	Y
Sample Containers and Conditions	Y	Y
Holding Time (<28 days)	Y	Y
Sample Preservation	Y	Y
Equipment Rinseate Blanks	Y	Y
Field Duplicates	Y	Y
Field QC Samples – Others	NA	NA
Surrogate Recoveries	NA	NA
Method Blanks	Y	Y
LCS % Recovery	Y	Y
MS/MSD % Recovery	See discussion Section 8	See discussion Section 8
MS/MSD % RPD	See discussion Section 8	See discussion Section 8
Laboratory Duplicates	See discussion Section 8	See discussion Section 8
Laboratory QC Samples – Others	NA	NA
Compound Identification	Y	Y
Compound Quantitation	Y	Y
Dilution Factors	Y	Y
Data Qualifiers	Y	Y
Confirmation of Positive Samples	NA	NA
Observations of Significance	NA	NA
Case Narrative	Y	Y
Instrument Tuning	NA	NA
Initial Calibration	Lab	Lab
Calibration Verification	Lab	Lab
Interference Check Standard	NA	NA
Others	NA	NA

9. Health and Safety Procedures

PlaceWorks followed a site-specific Health and Safety Plan (HASP) pursuant to Health and Safety Code 1910.120. The plan addressed the following:

- Identification and description of potentially hazardous substances that may be encountered during field operations;
- PPE and clothing for site activities; and
- Measures that need to be implemented in the event of an emergency.

PlaceWorks field personnel reviewed the HASP prior to commencing fieldwork. Prior to initiation of field activities each day, a site safety briefing was conducted to identify potential physical and chemical hazards and measures to be taken in event of an emergency. All on-site personnel were required to sign the site safety briefing form.

During field activities, all personnel within the exclusion zone wore appropriate level D PPE. No incidents or emergency actions related to site sampling occurred during the field program. The HASP is included in Appendix G.

9. Health and Safety Procedures

This page intentionally left blank.

10. Conclusions and Recommendations

PlaceWorks has performed a Preliminary Environmental Assessment (PEA) on behalf of Riverside Unified School District (District) for the proposed new gymnasium and science classroom buildings at the existing John W. North High School campus located at 1550 3rd Street in Riverside, Riverside County, California (Figure 1 *Regional Location* and Figure 2 *Aerial Photograph*). For the purposes of this PEA, the project site is being defined as an approximately 1.1-acre area of the existing J. W. North High School campus, where new construction is proposed and has been marked in Figure 2 *Aerial Photograph*. This PEA was prepared by PlaceWorks on behalf of Riverside Unified School District (District) pursuant to the California Education Code which requires that all new school sites or existing school sites with new construction obtain a "No Further Action" (NFA) determination from the California Environmental Protection Agency Department of Toxic Substances Control (DTSC) prior to proceeding with acquisition and/or construction of a school. The PEA Workplan was prepared in accordance with the guidelines of the DTSC, as detailed in the PEA Guidance Manual (January 1994; revised October 2015).

The district proposes to modernize the J. W. North High School campus and as a part of the modernization, the district will construct a new two-story classroom and a new gymnasium building. The district plans to seek matching state funds in the new construction of the two-story classroom building and new gymnasium, which is the focus of this report and will be constructed within the 1.1-acre project site.

The project site was historically occupied by an orchard from at least 1931 to about 1953 and then became part of the J. W. North High School campus. The part of the project site that is proposed for the new classroom building has been landscaped since 1966. The part of the project site that is proposed for the new gymnasium has been partially hardscaped and landscaped since 1966, with an expansion of the hardscaped area in about 2016.

The District has decided to complete a PEA for the following reasons:

- Evaluate if there are any impacts to shallow soils from historical agriculture.
- Evaluate if there are any impacts to shallow soils from lead-based paint from the existing older structures surrounding the proposed gymnasium site.

Based on information developed during the PEA using the DTSC's PEA Guidance Manual, the DTSC will make an informed decision regarding the potential risks posed by the site.

The field sampling program implemented for the investigation on the project site is summarized below:

- Soil sampling activities were conducted at the site on March 24, 2023 due to historical usage of the project site for agriculture.

10. Conclusions and Recommendations

- A total of 16 soil samples plus 2 duplicates were collected from the project area. Samples were collected from 8 locations from 0 to 0.5 feet below ground surface (bgs) and from 2.5 to 3.0 feet bgs.

- Eight discrete soil samples and one duplicate soil samples were analyzed for organochlorine pesticides by a State certified laboratory using United States Environmental Protection Agency (EPA) Method 8081A to evaluate the possible impacts to soil from former agriculture. In addition, three additional deeper soil samples were analyzed for organochlorine pesticides by EPA Method 8081A to evaluate the possible impacts to soil from termiticides from nearby older school buildings.

- Eight discrete soil samples plus one duplicate were collected at surface to 0.5 feet and analyzed discretely for arsenic by EPA Method 6010B to evaluate the possible impacts to soil from former agriculture.

- Three discrete soil samples plus one duplicate were also analyzed for lead by EPA Method 6010B to evaluate the possible impacts to soil from lead-based paint from nearby older school buildings.

The results of the field program are summarized below:

- In the eleven discrete soil samples plus one duplicate sample collected there were two OCPs detected above the laboratory detection limits. 4,4'-DDE was detected in two discrete samples plus one discrete duplicate sample. The maximum concentration of 4,4'-DDE was detected in B-7@2.5' at 0.12 milligrams per kilogram (mg/kg. 4,4'-DDT was detected in one sample (B-7@2.5') at a concentration of 0.011 mg/kg. Table 2 provides a summary of the OCP concentrations detected in soil at the site, and Appendix D includes the complete OCP results. All concentrations of OCPs detected were below their respective EPA Region 9 Regional Screening Level and the DTSC Screening Level for discrete samples.

- Lead was detected above laboratory detection limits in all three discrete soil samples plus one discrete duplicate sample analyzed. Lead concentrations ranged from 5.0 mg/kg to 13.9 mg/kg. None of the samples or duplicate samples analyzed had lead concentrations that exceeded the DTSC Screening Level for lead of 80 mg/kg. Table 3 provides a summary of the lead concentrations detected in soil at the site.

- Arsenic concentrations ranged from 2.08 mg/kg to 4.25 mg/kg in the eight soil samples and one duplicate analyzed. The project site arsenic concentrations were compared to a background data set collected from a school site located approximately 2.25 miles southwest of the site with arsenic concentrations ranging from 2.64 mg/kg to 4.8 mg/kg. The background site is located on the same geologic formation as the project site as identified on Geology of the Riverside East 7.5' Quadrangle (Morton and Cox 2001). A copy of the background arsenic concentrations with laboratory data and maps showing the background site and sample locations are presented in Appendix E. All concentrations of arsenic on site were similar to the background concentrations and discussed in more detail in Section 6.4. Table 3 provides a summary of the arsenic concentrations detected in soil at the site.

- Risk estimates were calculated for the site using the PEA screening level assessment method. The risk estimates show that the levels at the site do not pose a human health risk to the students or to the staff using an unrestricted residential land use scenario.

- Laboratory data obtained were validated to assure that Data Quality Objectives (DQOs) were met, and the data were suitable for use in a human health and ecological screening evaluation.

Recommendations

The results of the PEA support the following conclusions and recommendations:

Based on the PEA objectives, the environmental quality goals of the District, and the results of the PEA investigation, PlaceWorks has determined that no further assessment is required for the site. Therefore, PlaceWorks recommends that the PEA be finalized. Per California Education Code Section 17213.1, Section 3, PlaceWorks concludes that further assessment of the site is not necessary and is requesting approval of the PEA.

10. Conclusions and Recommendations

This page intentionally left blank.

11. References

1. American Society for Testing and Materials (ASTM) Practice for ESAs: Phase I Assessments Process (ASTM Standard E 1527-21), November 2021.
2. California Department of Conservation, Geologic Energy Management Division, 2023. Well Finder website located at http://www.conservation.ca.gov/dog/Pages/Wellfinder.aspx.
3. California Department of Conservation, 2010. Fault Activity Map of California. http://maps.conservation.ca.gov/cgs/fam/
4. California Department of Toxic Substances Control (DTSC), 2001. Phase I Environmental Site Assessment Advisory: School Property Evaluations, Revised September 5, 2001.
5. California Department of Toxic Substances Control (DTSC), 2009. Arsenic Strategies – Determination of Arsenic Remediation Development of Arsenic Cleanup Goals, dated January 16, 2009.
6. California Department of Toxic Substances Control (DTSC), 2022. LeadSpread 9 Information for Users. Human and Ecological Risk Office. March 2022.
7. California Department of Toxic Substances Control (DTSC), 2015, Preliminary Endangerment Assessment Guidance Manual, January 1994, Interim Final – Revised October 2015.
8. California Department of Toxic Substances Control (DTSC), 2022. Human Health Risk Assessment (HHRA) Note Number 3, DTSC –modified Screening Levels (DTSC-SLs). May 2022.
9. California Geological Survey (CGS) [formerly California Division of Mines and Geology], 2000. "A General Location Guide for Ultramafic Rocks in California – Areas More Likely to Contain Natural Occurring Asbestos." August 2000.
10. EDR, 2022. Aerial Photographs dated 1931, 1938, 1949, 1953, 1966, 1968, 1975, 1978, 1985, 1989, 1994, 2002, 2006, 2009, 2012, and 2016.
11. EDR, 2022. Historical Topographic Maps dated 1907, 1915, 1950, 1951, 1954, 1967, 1975, 1980, 2012, 2015, and 2018.
12. EDR, 2022 Radius Report, September 15, 2022.
13. Jennings, C. W., and W. A. Bryant, 2010. Fault Activity Map of California, California Geological Data Map Series, Map No. 6, scale 1:750,000.
14. Morton, D. M., and B. Cox, 2001. Geologic Map of the Riverside East 7.5' Quadrangle, Riverside County, California, U.S. Geological Survey Open-File Report 01-452, scale 1:24,000.
15. Norris, R. M., and R. W. Webb, 1990. Geology of California, Second Edition. New York: John Wiley & Sons, Inc.
16. PlaceWorks, 2023. Site visit performed by Mike Watson of PlaceWorks on March 24, 2023.
17. United States Department of Agriculture (USDA), 2022. https://websoilsurvey.nrcs.usda.gov/app/
18. USEPA, 1991. Office of Emergency and Remedial Response (OERR) Directive 9345.3-02. Management of Investigation-Derived Wastes During Site Inspections. May.

11. References

19. USEPA, 1994. Office of Solid Waste and Emergency Response. Laboratory Data Validation Functional Guidelines for Evaluating Inorganics Analyses. Publication 9240.1-26.
20. USEPA, 2022. Pacific Southwest, Region 9. Regional Screening Levels. Updated November 2022. https://www.epa.gov/risk/regional-screening-levels-rsls-generic-tables
21. United States Geological Survey (USGS), 2022. 7.5' Topographic Series, Riverside East, California Quadrangle Map.
22. Van Gosen, B. S., and J. P. Clinkenbeard, 2011. Reported Historic Asbestos Mines, Historic Asbestos Prospects, and Other Natural Occurrences of Asbestos in California, USGS Open-File Report 2011-1188, scale 1:990,000.
23. Yerkes, R.F. et al., 1965. Geology of the Los Angeles Basin, California – An Introduction, United States Geological Survey Professional Paper.

Tables

Tables

This page intentionally left blank.

TABLE 1
SAMPLING AND ANALYSIS PROGRAM
J. W. North High School
Riverside Unified School District
Riverside, California

Sample Number	Depth (feet bgs)	Rationale	EPA 8081A OCPs	EPA 6010B Arsenic	EPA 6010B Lead
B-1	0.5'	Former Agriculture	D	D	
	2.5'		-	-	
B-2	0.5'	Former Agriculture	D	D	
	2.5'		-	-	
B-3	0.5'	Former Agriculture	D	D	
	2.5'		-	-	
B-4	0.5'	Former Agriculture	D	D	
	2.5'		-	-	
B-5	0.5'	Former Agriculture	D	D	
	2.5'		-	-	
B-6	0.5'	Former Agriculture, Possible Lead-Based Paint	D	D	D
	2.5'		D	-	-
B-7	0.5'	Former Agriculture, Possible Lead-Based Paint	D	D	D
	2.5'		D	-	-
B-8	0.5'	Former Agriculture, Possible Lead-Based Paint	D	D	D
	2.5'		D	-	-
B-8 DUP	0.5'	Duplicate	D	D DUP	D DUP
	2.5'		-	-	-
Equipment Blank	N/A	Equipment Blank	D	D	D
Total			**11 D, 1 D DUP, 1 EB**	**8 D, 1 D DUP, 1 EB**	**3 D, 1 D DUP, 1 EB**

Note:
OCPs = organochlorine pesticides, N/A - not applicable
D = Discrete **-** = sample collected and placed on hold
DUP = Duplicate Sample
EB = equipment blank

TABLE 2
SUMMARY TABLE OF ORGANOCHLORINE PESTICIDES IN SOIL
J. W. North High School
Riverside Unified School District
Riverside, California

		Concentration (milligrams per kilogram [mg/kg])	
Sample Number	**Sample Date**	**4,4´-DDE**	**4,4´-DDT**
B-1@0.5'	3/24/2023	ND<0.0050	ND<0.0050
B-2@0.5'	3/24/2023	ND<0.0050	ND<0.0050
B-3@0.5'	3/24/2023	ND<0.0050	ND<0.0050
B-4@0.5'	3/24/2023	ND<0.0050	ND<0.0050
B-5@0.5'	3/24/2023	ND<0.0050	ND<0.0050
B-6@0.5'	3/24/2023	ND<0.0050	ND<0.0050
B-6@2.5'	3/24/2023	ND<0.0050	ND<0.0050
B-7@0.5'	3/24/2023	ND<0.0050	ND<0.0050
B-7@2.5'	3/24/2023	**0.12**	**0.011**
B-8@0.5'	3/24/2023	**0.010**	ND<0.0050
B-8DUP@0.5'	3/24/2023	**0.0094**	ND<0.0050
B-8@2.5'	3/24/2023	ND<0.0050	ND<0.0050
EQUIPMENT BLANK		Concentration (milligram per liter [mg/L])	
EB032423	3/24/2023	ND<0.050	ND<0.050
Maximum Concentration Detected		0.12	0.011
EPA Region 9 RSLs		2	1.9
DTSC SLs		NA	NA

Notes:

< - Non detect at the established method detection limit. ; NA Not available

EPA= Environmental Protection Agency, RSL= Regional Screening Levels

DTSC= Department of Toxic Substances Control, SLs= Screening Levels

Samples analyzed by EPA Method 8081A

EPA Region 9 Regional Screeening Level Nov 2022 Residential soil in mg/kg; DTSC SLs June 2020 residential soil mg/kg

Aldrin, alpha-BHC, beta-BHC, delta-BHC, gamma-BHC, alpha-Chlordane, gamma-Chlordane, 4,4'-DDD, Dieldrin, Endosulfan I, Endosulfan II, Endosulfan Sulfate, Endrin, Endrin Aldehyde, Endrin ketone, Heptachlor, Heptachlor Epoxide, Methoxychlor, and Toxaphene were not detected in the samples analyzed.

The complete laboratory analytical reports are included in Appendix E.

Table 3
SUMMARY TABLE OF ARSENIC AND LEAD IN SOIL
J. W. North High School
Riverside Unified School District
Riverside, California

		Concentration (milligrams per kilogram [mg/kg])	
Sample Number	**Sample Date**	**Arsenic**	**Lead**
B-1@0.5'	3/24/2023	2.88	NA
B-2@0.5'	3/24/2023	2.42	NA
B-3@0.5'	3/24/2023	2.08	NA
B-4@0.5'	3/24/2023	2.60	NA
B-5@0.5'	3/24/2023	3.32	NA
B-6@0.5'	3/24/2023	4.25	13.9
B-7@0.5'	3/24/2023	2.32	5.00
B-8@0.5'	3/24/2023	2.99	6.40
B-8DUP@0.5'	3/24/2023	2.88	5.81
Equipment Blank		Concentration milligrams per liter (mg/l)	
EB032423	3/24/2023	ND<0.0200	ND<0.0100
Background from PEA 2005		ND	3-4.9
Minimum Concentration Detected		-	5
Maximum Concentration		-	13.9
EPA Region 9 RSLs or DTSC SL		12*	80*

Notes:

ND - Non detect at the established method detection limit; NA - Not Analyzed; DUP = Duplicate Sample

EPA Region 9 Regional Screeening Level November 2022 Residential soil in mg/kg; * DTSC Risk Management Level

EPA= Environmental Protection Agency, RSL= Regional Screening Levels

Samples analyzed by EPA Method 6010B


The complete laboratory analytical reports are included in Appendix E.

Figures

Figures

This page intentionally left blank.

Figure 1 - Regional Location




County Boundary

Note: Unincorporated county areas are shown in white.
Source: Generated using ArcMap, 2022.

0 3
Scale (Miles)

Figure 2 - Aerial Photograph



Campus Boundary

Project Boundary

0 400

Scale (Feet)

Source: Nearmap, Inc., 2022.


Figure 3 - Sampling Locations



Source: Nearmap, Inc., 2023.

FIGURE 4 CONCEPTUAL SITE MODEL

John W. North High School
Riverside Unified School District
Riverside, California



Appendix A. Site Photographs

Appendix

This page intentionally left blank.

PLACEWORKS

SITE PHOTOGRAPHS

Client Name: Riverside Unified School District

Site Location: John W. North High School

Project No.: RIV-37.0

Photo No:	Date:
1	2/7/2023

Description:

View of proposed classroom building portion of the site, looking west.




Photo No:	Date:
2	2/7/2023

Description:

View of proposed classroom building portion of the site, looking southwest.



PLACEWORKS

SITE PHOTOGRAPHS

Client Name: Riverside Unified School District

Site Location: John W. North High School

Project No.: RIV-37.0

Photo No:	Date:
3	3/24/2023

Description:

View of southern portion of the proposed gymnasium portion of the site, looking west.



Photo No:	Date:
4	3/24/2023

Description:

View of augering activities at B-5 on the proposed gymnasium portion of the site, looking east.



Appendix B. Research Documentation

Appendix

This page intentionally left blank.

JW North High School New Construction

1550 3rd Street

Riverside, CA 92507

Inquiry Number: 7168721.8

November 03, 2022

The EDR Aerial Photo Decade Package

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

EDR Aerial Photo Decade Package

11/03/22

Site Name:

JW North High School New Co
1550 3rd Street
Riverside, CA 92507
EDR Inquiry # 7168721.8

Client Name:

PlaceWorks
3 MacArthur Place Suite 1100
Santa Ana, CA 92707
Contact: Mike Watson

Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

Search Results:

Year	Scale	Details	Source
2016	1"=500'	Flight Year: 2016	USDA/NAIP
2012	1"=500'	Flight Year: 2012	USDA/NAIP
2009	1"=500'	Flight Year: 2009	USDA/NAIP
2006	1"=500'	Flight Year: 2006	USDA/NAIP
2002	1"=500'	Acquisition Date: January 01, 2002	USGS/DOQQ
1994	1"=500'	Acquisition Date: June 01, 1994	USGS/DOQQ
1989	1"=500'	Flight Date: August 15, 1989	USDA
1985	1"=500'	Flight Date: July 28, 1985	USDA
1978	1"=500'	Flight Date: September 20, 1978	USDA
1975	1"=500'	Flight Date: August 01, 1975	USGS
1968	1"=500'	Flight Date: September 09, 1968	USDA
1966	1"=500'	Flight Date: April 16, 1966	USGS
1953	1"=500'	Flight Date: January 23, 1953	USDA
1949	1"=500'	Flight Date: May 06, 1949	USDA
1938	1"=500'	Flight Date: July 05, 1938	USDA
1931	1"=500'	Flight Date: September 18, 1931	FAIR

When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA), ARISING OUT OF OR IN ANY WAY CONNECTED WITH THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT.

Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2022 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.


INQUIRY #: 7168721.8
YEAR: 2016
= 500'
N
EDR



INQUIRY #: 7168721.8
YEAR: 2012
= 500'
N
EDR


INQUIRY #: 7168721.8
YEAR: 2009
= 500'
N
EDR


INQUIRY #: 7168721.8
YEAR: 2006
= 500'
N
EDR


INQUIRY #: 7168721.8
YEAR: 2002
= 500'
N
EDR


INQUIRY #: 7168721.8
YEAR: 1994
= 500'
N
EDR


INQUIRY #: 7168721.8
YEAR: 1989
= 500'
N
EDR


INQUIRY #: 7168721.8
YEAR: 1985
= 500'
N
EDR


INQUIRY #: 7168721.8
YEAR: 1978
= 500'
N
EDR



INQUIRY #: 7168721.8

YEAR: 1975

= 500'

N

EDR


INQUIRY #: 7168721.8
YEAR: 1968
= 500'
N
EDR


INQUIRY #: 7168721.8
YEAR: 1966
= 500'
N
EDR


INQUIRY #: 7168721.8
YEAR: 1953
= 500'
N
EDR


INQUIRY #: 7168721.8
YEAR: 1949
= 500'
N
EDR


INQUIRY #: 7168721.8
YEAR: 1938
= 500'
N
EDR


INQUIRY #: 7168721.8
YEAR: 1931
= 500'
N
EDR

JW North High School New Construction
1550 3rd Street
Riverside, CA 92507

Inquiry Number: 7168721.5
November 04, 2022

The EDR-City Directory Abstract

Environmental Data Resources Inc
6 Armstrong Road
Shelton, CT 06484
800.352.0050
www.edrnet.com

TABLE OF CONTENTS

SECTION

Executive Summary

Findings

City Directory Images

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction orforecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2020 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

DESCRIPTION

Environmental Data Resources, Inc.'s (EDR) City Directory Abstract is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Abstract includes a search and abstract of available city directory data. For each address, the directory lists the name of the corresponding occupant at five year intervals.

Business directories including city, cross reference and telephone directories were reviewed, if available, at approximately five year intervals for the years spanning 1921 through 2017. This report compiles information gathered in this review by geocoding the latitude and longitude of properties identified and gathering information about properties within 660 feet of the target property.

A summary of the information obtained is provided in the text of this report.

RECORD SOURCES

EDR's Digital Archive combines historical directory listings from sources such as Cole Information and Dun & Bradstreet. These standard sources of property information complement and enhance each other to provide a more comprehensive report.

EDR is licensed to reproduce certain City Directory works by the copyright holders of those works. The purchaser of this EDR City Directory Report may include it in report(s) delivered to a customer. Reproduction of City Directories without permission of the publisher or licensed vendor may be a violation of copyright.



RESEARCH SUMMARY

The following research sources were consulted in the preparation of this report. An "X" indicates where information was identified in the source and provided in this report.

Year	Source	TP	Adjoining	Text Abstract	Source Image
2017	Cole Information Services	X	X	X	-
2014	Cole Information Services	X	X	X	-
2009	Cole Information Services	X	X	X	-
2004	Cole Information Services	X	X	X	-
2002	SBC PACIFIC BELL	X	X	X	-
2001	Haines & Company, Inc.	X	X	X	-
1999	Cole Information Services	X	X	X	-
1996	Pacific Bell	-	X	X	-
1994	Cole Information Services	X	X	X	-
1993	Pacific Bell	-	-	-	-

EXECUTIVE SUMMARY

Year	Source	TP	Adjoining	Text Abstract	Source Image
1990	Pacific Bell	-	X	X	-
1986	Pacific Bell Yellow Pages	X	X	X	-
1981	Pacific Telephone	X	X	X	-
1977	Pacific Telephone	X	X	X	-
1970	Pacific Telephone	X	X	X	-
1967	Luskey Brothers & Co.	-	-	-	-
1966	Luskey Brothers & Company Inc.	X	X	X	-
1961	Luskey Brothers & Co.	-	-	-	-
1960	Luskeys Brothers & Co., Publishers	-	X	X	-
1956	Luskey Brothers & Co.	-	-	-	-
1955	Luskeys Brothers & Co., Publishers	-	X	X	-
1951	Los Angeles Directory Co.	-	X	X	-
1946	Southern California Telephone Company	-	X	X	-
1945	Los Angeles Directory Co.	-	X	X	-
1941	Pacific Directory Co.	-	-	-	-
1939	Los Angeles Directory Co.	-	X	X	-
1936	Los Angeles Directory Co.	-	X	X	-
1931	Southern California Telephone Co.	-	-	-	-
1930	Los Angeles Directory Co.	-	X	X	-
1927	Los Angeles Directory Co.	-	-	-	-
1925	Los Angeles Directory Co.	-	-	-	-
1924	Kaasen Directory Co.	-	-	-	-
1921	Riverside Directory Co.	-	-	-	-

FINDINGS

TARGET PROPERTY INFORMATION

ADDRESS

1550 3rd Street
Riverside, CA 92507

FINDINGS DETAIL

Target Property research detail.

3RD

1550 3RD

Year	*Uses*	*Source*
2002	ENCOMPASS ELECTRICAL	SBC PACIFIC BELL

3RD ST

1550 3RD ST

Year	*Uses*	*Source*
2017	RIVERSIDE UNIFIED SCHOOL DISTRICT	Cole Information Services
2014	RIVERSIDE UNIFIED SCHOOL DISTRICT	Cole Information Services
2009	NORTH HIGH SCHOOL	Cole Information Services
2004	JW NORTH HIGH SCHOOL	Cole Information Services
2002	ENCOMPASS ELECTRICAL	SBC PACIFIC BELL
2001	ATTENDANCE NORTHHI MAIN OFC	Haines & Company, Inc.
	GUIDANCE RIVERSDSC NOR 8 HHI	Haines & Company, Inc.
	NORTH 8 H 19 H SCHOOL	Haines & Company, Inc.
	NORTHHI	Haines & Company, Inc.
	RIVRSDSC NORTHHI	Haines & Company, Inc.
1999	NORTH HIGH SCHOOL ATTENDANCE	Cole Information Services
	NORTH HIGH SCHOOL GUIDANCE	Cole Information Services
	NORTH HIGH SCHOOL MAIN OFFICE	Cole Information Services
	RIVERSIDE UNIFIED SCHOOL DISTRICT 3380 14TH	Cole Information Services
	RIVERSIDE UNIFIED SCHOOL DISTRICT CONTD SCHOOLS CONTD	Cole Information Services
1994	NORTH HI AGRICULTRE	Cole Information Services

FINDINGS

Year	Uses	Source
1994	NORTH HIGH SCHOOL	Cole Information Services
1986	Agriculture	Pacific Bell Yellow Pages
	Attendance	Pacific Bell Yellow Pages
	Guidance Office	Pacific Bell Yellow Pages
	Main Office	Pacific Bell Yellow Pages
	North Jas E	Pacific Bell Yellow Pages
	North Kenda M	Pacific Bell Yellow Pages
1981	North High School	Pacific Telephone
1977	North High School	Pacific Telephone
1970	North High School	Pacific Telephone
1966	F Tucker prin M Kahn v prin H Monson v prin	Luskey Brothers & Company Inc.
	John W North High School 1550 3rd St Ri	Luskey Brothers & Company Inc.

FINDINGS

ADJOINING PROPERTY DETAIL

The following Adjoining Property addresses were researched for this report. Detailed findings are provided for each address.

3RD

1430 3RD

Year	Uses	Source
2002	INTECH SYSTEMS	SBC PACIFIC BELL
	ICSSERVICE	SBC PACIFIC BELL
	SERVICE	SBC PACIFIC BELL
	OFFICE	SBC PACIFIC BELL
	GETRONICSWANG CO	SBC PACIFIC BELL
	JC CONSTRUCTION	SBC PACIFIC BELL
	RAINER PAINTING COMPANY	SBC PACIFIC BELL
	ELM BUILDING SUPPLY CO	SBC PACIFIC BELL
	SLATER DENNIS	SBC PACIFIC BELL
	PARENT COMPANY	SBC PACIFIC BELL
	TYPESETTING SERVICE BUREAU	SBC PACIFIC BELL
	INTECH SYSTEMS OF SOUTHERN	SBC PACIFIC BELL
	CALIF	SBC PACIFIC BELL
	LIBERTY CANDLE	SBC PACIFIC BELL
	CALIFORNIA DISABLED	SBC PACIFIC BELL
	TRANSPORTATION	SBC PACIFIC BELL
	CARTERMILLS & ASSOCIATES	SBC PACIFIC BELL
	K&LLAWNMOWER	SBC PACIFIC BELL
	COMMERCIAL POOL & SPA	SBC PACIFIC BELL

1440 3RD

Year	Uses	Source
2002	MOSELEY CONSTRUCTION	SBC PACIFIC BELL
	PRO DECK COMPANY	SBC PACIFIC BELL
	PORTAL PRODUCTS	SBC PACIFIC BELL
	ZERBONI & BOWDRY	SBC PACIFIC BELL

FINDINGS

Year	Uses	Source
2002	OFFICE	SBC PACIFIC BELL
	ECLIPSE THE SUN CUSTOM	SBC PACIFIC BELL
	WINDOW TINTING	SBC PACIFIC BELL
	IMPROS	SBC PACIFIC BELL
	CARPET 4 LESS	SBC PACIFIC BELL
	PRIORITY ONE PLUMBING	SBC PACIFIC BELL
	HEATING & AIR	SBC PACIFIC BELL
	LEWIS DON DISTRIBUTING	SBC PACIFIC BELL
	STARKEY S EQUIPMENT	SBC PACIFIC BELL
	PROGRESSIVE GRAPHICS	SBC PACIFIC BELL
	SWISHER RESTROOM HYGIENE	SBC PACIFIC BELL
	MILAZZO MANAGEMENT INC	SBC PACIFIC BELL
	CHARLEE BEAUTY MASTEY	SBC PACIFIC BELL
	PRODUCTS	SBC PACIFIC BELL
	B & 0 SERVICES	SBC PACIFIC BELL
	RIVERSIDE PRECISION SCALE	SBC PACIFIC BELL

1505 3RD

Year	Uses	Source
2002	THIRD STREET ARCO	SBC PACIFIC BELL

1521 3RD

Year	Uses	Source
1990	Slife Doris R	Pacific Bell

1525 3RD

Year	Uses	Source
2002	D ANDERSON JACALYN C	SBC PACIFIC BELL
	3D CONT D	SBC PACIFIC BELL
	COLOUR CONCEPT	SBC PACIFIC BELL
	C HOVA R & D CORPORATION	SBC PACIFIC BELL
	OFFICE	SBC PACIFIC BELL
	Cont d	SBC PACIFIC BELL
	D BRIDGE 21 OF RIVERSIDE	SBC PACIFIC BELL

FINDINGS

Year	Uses	Source
2002	H THERMAL CARE WEST	SBC PACIFIC BELL
	H WCIS COMPANY	SBC PACIFIC BELL
	J MOON & CROCKETT PLUMBING	SBC PACIFIC BELL
	J MICRO INDUSTRIAL SYSTEMS	SBC PACIFIC BELL
	K REGULATION COMPLIANCE INC	SBC PACIFIC BELL
	K REGULATION COMPLIANCE INC	SBC PACIFIC BELL
	A 209 INCO	SBC PACIFIC BELL
	D ANDERSON & ASSOCIATES CPA	SBC PACIFIC BELL
	INCORPORATED	SBC PACIFIC BELL

1631 3RD

Year	Uses	Source
1990	Calderon Tony	Pacific Bell

1636 3RD

Year	Uses	Source
1990	Manning R C	Pacific Bell

1650 3RD

Year	Uses	Source
1990	NORCO RV STORAGE	Pacific Bell

1697 3RD

Year	Uses	Source
1990	GRANDE LOUIS	Pacific Bell

3RD ST

1430 3RD ST

Year	Uses	Source
2017	ADVANCE REFRIGERATION & ICE SYSTEMS	Cole Information Services
	K & L LAWNMOWER	Cole Information Services
	CALIFORNIA PICTURE SHADE	Cole Information Services
	GRAPHIC IMPRESSIONS PRINTING COMPANY	Cole Information Services
	INTECH SYSTEMS OF SOUTHERN CALIF	Cole Information Services

FINDINGS

Year	Uses	Source
2017	SERVICE PLUS TERMITE & CONSTRUCTIO	Cole Information Services
	COMPUTECH	Cole Information Services
	ELM BUILDING SUPPLY CO INC	Cole Information Services
	DIAMOND VALLEY CONSTRUCTION & REST	Cole Information Services
	RED PLANET RECORDS	Cole Information Services
2014	PACIFIC INC	Cole Information Services
	ADVANCE REFRIGERATION & ICE SYSTEMS	Cole Information Services
	AMERICAN PERMITS & PILOTS SERVICE LL	Cole Information Services
	APACHE WINDS	Cole Information Services
	K & L LAWNMOWER	Cole Information Services
	DIAMOND VALLEY CONSTRUCTION	Cole Information Services
	INTECH SYSTEMS OF SOUTHERN CALIF	Cole Information Services
	GRAPHIC IMPRESSIONS PRINTING COMPANY	Cole Information Services
	TORCH COFFEE ROASTERS	Cole Information Services
2009	COMMERCIAL POOL & SPA SERVICE	Cole Information Services
	K & L LAWNMOWER	Cole Information Services
	SUNQUBE INC	Cole Information Services
	ICS SERVICE	Cole Information Services
	CARPETS 4 LESS	Cole Information Services
	JC CONSTRUCTION	Cole Information Services
	JESSIES DIE CUTTING	Cole Information Services
2004	RAINER PAINTING PROS	Cole Information Services
	DENNIS SLATER	Cole Information Services
	ALL AUTHENTIC CORP	Cole Information Services
	PATEL ASHISH	Cole Information Services
	SUNNYMEAD GENERAL BUILDING	Cole Information Services
	ELM BUILDING SUPPLY CO	Cole Information Services
	K & L LAWNMOWER	Cole Information Services
	GETRONICS WANG CO	Cole Information Services
	B GONE TERMIT & PEST CONTROL	Cole Information Services
2001	BUILDING ADVANCE REFRIGAICE	Haines & Company, Inc.
	ADVANCED	Haines & Company, Inc.

FINDINGS

Year	*Uses*	*Source*
2001	ELECTRICALSUPPLY CARTER	Haines & Company, Inc.
	MILLS&ASSOCIATES ELM BUILDING SPLY	Haines & Company, Inc.
	GETRONICSWANGCO	Haines & Company, Inc.
	GRAPHIC IMPRESSIONS	Haines & Company, Inc.
	ICSSERVICE	Haines & Company, Inc.
	KELLEE FASHIONS	Haines & Company, Inc.
	PARENTCO	Haines & Company, Inc.
	TYPESTTNG	Haines & Company, Inc.
	SUNNYMEADBLDG	Haines & Company, Inc.
	SWISHERRESTROOM	Haines & Company, Inc.
	HYGIENE THERMO SETSYSTEMS	Haines & Company, Inc.
1999	ELM BUILDING SUPPLY COMPANY	Cole Information Services
	ADVANCE REFRIGERATION & ICE SYSTEMS	Cole Information Services
	BUSINESS CARDS WHOLESALE	Cole Information Services
	SUNNYMEAD GENERAL BUILDING	Cole Information Services
	UCAM SYSTEMS	Cole Information Services
	JESSES DIE CUTTING	Cole Information Services
	PARENT COMPANY TYPESETTING SERVICE BUREAU THE	Cole Information Services
	GRAPHIC IMPRESSIONS PRINTING COMPANY	Cole Information Services
	KELLEE FASHIONS	Cole Information Services
	ADVANCED ELECTRICAL SUPPLY	Cole Information Services
	AGUIRRE & ASSOCIATES	Cole Information Services
1996	LE FASHIONS	Pacific Bell
	ELM BUILDING SUPPLY CO	Pacific Bell
	SENTRY PROTECTION SERVICES	Pacific Bell
	PARENT COMPANY TYPESETTING SERVICE BUREAU THE	Pacific Bell
	ADVANCE REFRIGERATION & ICE SYSTEMS	Pacific Bell
	SUNNYMEAD GENERAL BUILDING	Pacific Bell
	BUSINESS CARDS WHOLESALE	Pacific Bell
	JESSES DIE CUTTING	Pacific Bell
1994	CAL STAR AUTO GLASS	Cole Information Services

FINDINGS

Year	Uses	Source
1994	ADVANCE REFRIG SYST	Cole Information Services
	SUNNYMEAD GENERAL BUILDING	Cole Information Services
	LE FASHIONS	Cole Information Services

1440 3RD ST

Year	Uses	Source
2017	GREEN INNOVATION PAINTS	Cole Information Services
	CLAYTONCOLE WALL & SEALANT CONSTRUC	Cole Information Services
	PROGRESSIVE GRAPHICS	Cole Information Services
	WILD BILLS SPRAY EQUIPMENT	Cole Information Services
	SUN PRO WINDOW TINTING	Cole Information Services
	TKOMOTO	Cole Information Services
	HORN KEVIN L LANDSCAPE MAINTENANCE	Cole Information Services
	LSE FIRE PROTECTION	Cole Information Services
2014	ROBERT STERN	Cole Information Services
	QUICK FIX	Cole Information Services
	RIVERSIDE PRECISION SCALES INC	Cole Information Services
	FRIENDLY DENTAL SUPPLY LLC	Cole Information Services
	SUN PRO WINDOW TINTING	Cole Information Services
	CLAYTON COLE WALL & SEALANT CONSTRU	Cole Information Services
	HORN KEVIN L LANDSCAPE MAINTENANCE	Cole Information Services
	TKOMOTO	Cole Information Services
	DETAIL PRODUCTS	Cole Information Services
	WILD BILLS SPRAY EQUIPMENT	Cole Information Services
2009	CHARLIE TRADING & SALES	Cole Information Services
	HORN KEVIN L LANDSCAPE MAINTENANCE	Cole Information Services
	RIVERSIDE PRECISION SCALE INC	Cole Information Services
	12 PLAY PROMOTIONS	Cole Information Services
	PRO DECK COATINGS	Cole Information Services
	ROBERT STERN	Cole Information Services
	PRIORITY ONE INC	Cole Information Services
	ULTIMATE WOODWORKS	Cole Information Services

FINDINGS

Year	*Uses*	*Source*
2009	ROY JOHNSON	Cole Information Services
2004	ZERBONI & BOWDRY	Cole Information Services
	T & G FLOORING	Cole Information Services
	F ZERO MOTORSPORTS	Cole Information Services
	CHARLEE BEAUTY MASTEY PRODUCTS	Cole Information Services
	PRIORITY ONE HVAC	Cole Information Services
	PROGRESSIVE GRAPHICS	Cole Information Services
	SINCLAIR JERRY	Cole Information Services
	L & M PRINTING	Cole Information Services
	GMJJ POLISHING	Cole Information Services
	SINCLAIR JERRY	Cole Information Services
	A BETTER SURFACE	Cole Information Services
	ULTIMATE WOODWORKS	Cole Information Services
	COMMERCIAL POOL & SPA SERVICE	Cole Information Services
	TOP BLADE CUSTOM WOODWORKING	Cole Information Services
	TOP BLADE	Cole Information Services
	PACK RAT ENTERPRISE	Cole Information Services
	CARPETS 4 LESS	Cole Information Services
2001	BUILDING CADISABLED	Haines & Company, Inc.
	TRANSPORTATION	Haines & Company, Inc.
	DARDARMIN 909 784 255 B	Haines & Company, Inc.
	ECLIPSEWNDW	Haines & Company, Inc.
	TINTN	Haines & Company, Inc.
	GLOBETRADINGLTD	Haines & Company, Inc.
	IMPROS	Haines & Company, Inc.
	LEWIS DON	Haines & Company, Inc.
	DISTRIBUTING MISSION PROGRESS	Haines & Company, Inc.
	MOSELEY	Haines & Company, Inc.
	CONSTRUCTION PETERSON SECURITY	Haines & Company, Inc.
	SERVICES PS PORTAL PRODUCTS	Haines & Company, Inc.
	PRIORITY ONE	Haines & Company, Inc.
	LUMBING HTNG&AC RIVERSD PRECISION	Haines & Company, Inc.

FINDINGS

Year	Uses	Source
2001	SCALE INC SPECIALTY ENVMTLCO	Haines & Company, Inc.
	STARKEYS EQUIPMENT	Haines & Company, Inc.
1999	PORTAL PRODUCTS	Cole Information Services
	ROBERT STERN	Cole Information Services
	ECLIPSE WINDOW TINTING	Cole Information Services
	ZIEPKE SCOTT	Cole Information Services
	AIR COMPANY THE	Cole Information Services
	SWISHER RESTROOM HYGIENE	Cole Information Services
	ICS SERVICE	Cole Information Services
	HAPPY FLOORS	Cole Information Services
	COMPUTER SALES SYSTEMS	Cole Information Services
	STARKEYS EQUIPMENT	Cole Information Services
	LIFE EXTENSION INTERNATIONAL DISTRIBUTOR	Cole Information Services
	PETERSON SECURITY SERVICES PS	Cole Information Services
	E LAND PAINTING COMPANY	Cole Information Services
	RIVERSIDE PRECISION SCALE INCORPORATED	Cole Information Services
	PRO DECK COMPANY	Cole Information Services
	SPECIALTY ENVIRONMENTS COMPANY INCORPORATED	Cole Information Services
	ROY JOHNSON	Cole Information Services
1996	ECLIPSE WINDOW TINTING	Pacific Bell
	HARVEST BUSINESS PRINTING	Pacific Bell
	AI ROBOTICS	Pacific Bell
	BEST PRINTING	Pacific Bell
	AYMAN AIMING INTERNATIONAL AUTO SALES	Pacific Bell
	LIFE EXTENSION INTERNATIONAL DISTRIBUTOR	Pacific Bell
	STARKEYS EQUIPMENT	Pacific Bell
	NORTONS METAL POLISHING	Pacific Bell
	UCAM SYSTEMS	Pacific Bell
	SPECIALTY ENVIRONMENTS CO INC	Pacific Bell
	RIVERSIDE PRECISION SCALE INC	Pacific Bell

FINDINGS

Year	Uses	Source
1996	PORTAL PRODUCTS	Pacific Bell
	PRO DECK COMPANY	Pacific Bell
	B F MAIL ORDER	Pacific Bell
1994	BULL HN INFORMATION SYSTEMS	Cole Information Services
	SPECIALTY ENVIRONMENTS CO	Cole Information Services
	CREACIONES, HECTOR	Cole Information Services
	CREACIONES HECTOR	Cole Information Services
	MOUNTAIN VIEW PRINTING	Cole Information Services
1990	26 GE SUPPLY EXPRESSCONNECTION	Pacific Bell
	VARIETY SNACK CAKE	Pacific Bell
	MOUNTAIN VIEW PRINTING	Pacific Bell
	SHELBURIIE A CO	Pacific Bell
	3 HOME SATELLITE	Pacific Bell
	4 BALLOON AFFAIR	Pacific Bell
	6 ULTRA BRITE BLINDS	Pacific Bell
	7 DANS ROOFING	Pacific Bell
	11 DIXON GENE CONSTRUCTION	Pacific Bell
	11 DIXON GENE CONSTRUCTION	Pacific Bell
	13 COMMERICAL PIPING SYSTEMS INC	Pacific Bell
	15 SPECIALTY ENVIRONMENTS CO INC	Pacific Bell
	16 RIVERSIDE PRECISION SCALE INC	Pacific Bell
	+ 17 ICAS SYSTEMS	Pacific Bell
	20 DAISY FASHIONS	Pacific Bell
	21 TEXAS STYLE CHIPS	Pacific Bell
	21 TEXAS STYLE CHIPS	Pacific Bell
	25 PRO DECK COMPANY	Pacific Bell

1505 3RD ST

Year	Uses	Source
2004	OCCUPANT UNKNOWN	Cole Information Services
2001	THIRD 7 STREEARCO	Haines & Company, Inc.
1999	THIRD STREET ARCO	Cole Information Services
1996	THIRD STREET ARCO	Pacific Bell

FINDINGS

Year	Uses	Source
1994	THIRD STREET ARCO	Cole Information Services
1990	THIRD STREET ARCO	Pacific Bell
1986	Third Street Arco	Pacific Bell Yellow Pages
1981	Adcock Arco	Pacific Telephone
1977	S PAULDIN GS ARCO	Pacific Telephone
1970	TEDS RICHFIELD SERVICE	Pacific Telephone

1525 3RD ST

Year	Uses	Source
2017	CEED SECURITY	Cole Information Services
	CORE PROPERTY MANAGEMENT	Cole Information Services
	KONE	Cole Information Services
	ADVANTAGE HEALTH SYSTEMS	Cole Information Services
	ISOBARIC STRATEGIES INC	Cole Information Services
2014	CROSSFIT KRATOS	Cole Information Services
	CORE PROPERTY MANAGEMENT	Cole Information Services
	M DETAIL BC CLASSIC & PERFORMANCE	Cole Information Services
	ADVANTAGE HEALTH SYSTEMS	Cole Information Services
	PRO MATERIAL HANDLING	Cole Information Services
	GREG WOOD ALLSTATE INSURANCE AGENT	Cole Information Services
	KONE	Cole Information Services
	HOUSE TO HOME	Cole Information Services
	INLAND EMPIRE INSURANCE AGENCY	Cole Information Services
2009	M DETAIL	Cole Information Services
	THERMAL CARE WEST	Cole Information Services
	KONE INC	Cole Information Services
	MICRO INDUSTRIAL SYSTEMS INC	Cole Information Services
	ALLSTATE	Cole Information Services
	R & D NOVA INC	Cole Information Services
	SAMSON STORAGE & MANAGEMENT INC	Cole Information Services
	MOON & CROCKETT PLUMBING CORP	Cole Information Services
	MFRI INC	Cole Information Services
2004	ALLSTATE INSURANCE CO	Cole Information Services

FINDINGS

Year	Uses	Source
2004	THERMAL CARE INC	Cole Information Services
	MICRO INDUSTRIAL SYSTEMS INC	Cole Information Services
	MOON & CROCKETT PLUMBING CORP	Cole Information Services
	INC CO	Cole Information Services
	R & D NOVA INC	Cole Information Services
	ANDERSON & ASSOCS CPA	Cole Information Services
2001	SYSTEMS INC MOONi CRO	Haines & Company, Inc.
	PLUMBING CORP NOVA ROD CORP	Haines & Company, Inc.
	REGULATION	Haines & Company, Inc.
	COMPLIANCE INC REGULATION	Haines & Company, Inc.
	COMPLIANCE INC 7 TERMAL CARE WEST	Haines & Company, Inc.
	WCISCOMPANY	Haines & Company, Inc.
	WOODGREG	Haines & Company, Inc.
	BUILDING +ALLSTATE INSSALES	Haines & Company, Inc.
	ANDERSON JC CP	Haines & Company, Inc.
	ANDERSON&ASCTS	Haines & Company, Inc.
	CPA BRIDGE 210 F	Haines & Company, Inc.
	RIVERSIDE COLOURCONCEPTS	Haines & Company, Inc.
	CURRIER MIKE	Haines & Company, Inc.
	MICRO INDUSTRIAL	Haines & Company, Inc.
1999	WOOD GREG INS	Cole Information Services
	ANDERSON JACALYN C CPA	Cole Information Services
	MOON & CROCKETT PLUMBING CORPORATION	Cole Information Services
	MICRO INDUSTRIAL SYSTEMS INCORPORATED	Cole Information Services
	NOVA R & D CORPORATION	Cole Information Services
	TRI STATE MORTOR SPORTS ASSOCIATES	Cole Information Services
	DECUIR MOTOR COMPANY	Cole Information Services
	ALLSTATE INSURANCE COMPANIES	Cole Information Services
	COLOUR CONCEPTS INCORPORATED	Cole Information Services
	PLUMBING SPECIALISTS INCORPORATED	Cole Information Services
	TEAM DECUIR INCORPORATED	Cole Information Services

FINDINGS

Year	Uses	Source
1999	SAN BERNADINO CONSTRUCTION	Cole Information Services
	FAX ALLSTATE INSURANCE COMPANIES	Cole Information Services
	FIRE PROTECTION SYSTEMS	Cole Information Services
1996	KENNEDY WILLIAM C	Pacific Bell
	WHITFORD DAVID B JR	Pacific Bell
	ALLSTATE INSURANCE COMPANIES	Pacific Bell
	NOVA R & D CORPORATION	Pacific Bell
	COLOUR CONCEPTS INCORPORATED	Pacific Bell
	ANDERSON & ASSOCIATES CPA	Pacific Bell
	ANDERSON JACALYN C	Pacific Bell
	DECUIR MOTOR CO	Pacific Bell
	PLUMBING SPECIALISTS INC	Pacific Bell
1994	ELECTROCOAT	Cole Information Services
	COLOUR CONCEPTS	Cole Information Services
	GENERAL TRADE & TECHNOLOGY	Cole Information Services
	NOVA RESEARCH & DEVELPMNT INC	Cole Information Services
	RUSSELL W ANDERSON	Cole Information Services
	DAVID B WHITFORD CO	Cole Information Services
	WILLIAM C KENNEDY LAW OFFICES	Cole Information Services
	GREG WOOD	Cole Information Services
	ALLSTATE INS AGENT	Cole Information Services
	INCO	Cole Information Services
	ANDERSON & ASSOC	Cole Information Services
	DECUIR MOTOR CO	Cole Information Services
	CAMERA LAND	Cole Information Services
	DERIAN INTPRS INC	Cole Information Services
	ACCIDENT LAW CTR	Cole Information Services
	CAL STAR AUTO GLASS	Cole Information Services
	PAULDEN EVANS DESIGN CTR INC	Cole Information Services
	PLUMBING SPECIALISTS INC	Cole Information Services
	ALLSTATE INSURANCE	Cole Information Services
1990	E INCO	Pacific Bell

Year	Uses	Source
1990	G ELECTROCOAT	Pacific Bell
	K CAL STAR AUTO GLASS	Pacific Bell

1533 3RD ST

Year	Uses	Source
1936	Wilson R C	Los Angeles Directory Co.

1561 3RD ST

Year	Uses	Source
1970	Jacobs Peter H	Pacific Telephone

1625 3RD ST

Year	Uses	Source
1970	Moore Leo B	Pacific Telephone

1644 3RD ST

Year	Uses	Source
2001	HILLCa	Haines & Company, Inc.
	ORICHENSGary	Haines & Company, Inc.

CHICAGO AVE

3190 CHICAGO AVE

Year	Uses	Source
2009	RIVERSIDE COUNTY MENTAL HEALTH PROGR	Cole Information Services
2004	RIVERSIDE COUNTY OF MNTL HLTH	Cole Information Services
	RONALD GRANO	Cole Information Services
	PUBLIC GUARDIAN CONSERVATOR	Cole Information Services
2001	RIVERSD CO MNTL PUB	Haines & Company, Inc.
	CONSRVTR GUARDN	Haines & Company, Inc.
	CNSRVTRGRDN RIVERSDCOPUB	Haines & Company, Inc.
	RIVERSD CO PUB	Haines & Company, Inc.
	GUARDIAN	Haines & Company, Inc.
1999	RIVERSIDE COUNTY OF MENTAL HEALTH DEPARTMENT	Cole Information Services
1994	TELECOMUTING WORKCENTER	Cole Information Services

FINDINGS

Year	Uses	Source
1990	C T X MORTGAGE CO	Pacific Bell
	CENTEX HOMES	Pacific Bell

3215 CHICAGO AVE

Year	Uses	Source
2017	JONS FLAGS & POLES	Cole Information Services
2014	JONS FLAGS & POLES	Cole Information Services
	JOHNS FLAG SHOP	Cole Information Services
2009	JONS FLAGS & POLES INC	Cole Information Services
2004	EDER FLAG MFG CO	Cole Information Services
	JONS FLAG & POLES	Cole Information Services
2002	JON S FLAGS & POLES	SBC PACIFIC BELL
2001	JONSFLAGS&POLES	Haines & Company, Inc.
	JOHNS FLAG SHOP	Haines & Company, Inc.
1999	JONS FLAG & POLES	Cole Information Services
	JOHNS FLAG SHOP	Cole Information Services
1990	BABCOCK EDW S & SONS INC	Pacific Bell
1986	Babcock Ord S	Pacific Bell Yellow Pages
	Babcock N	Pacific Bell Yellow Pages
	Babcock Lab chemsts	Pacific Bell Yellow Pages
	BABCOCK E DW S & S ON S IN C chemsts	Pacific Bell Yellow Pages
1981	Babcock Lab chemsts	Pacific Telephone
1977	Azzolino Jos	Pacific Telephone
	Azzolino Jos	Pacific Telephone
1970	Babcock Lab chemsts	Pacific Telephone
	BABCOCK EDW S & SONS chemsts	Pacific Telephone

3239 CHICAGO AVE

Year	Uses	Source
2017	GARY ECHITO	Cole Information Services
	STATE FARM INSURANCE	Cole Information Services
2014	GARY ECHITO STATE FARM INSURANCE A	Cole Information Services
	ECHITO GARY INS	Cole Information Services
	STATE FARM INSURANCE	Cole Information Services

FINDINGS

Year	Uses	Source
2009	GARY ECHITO INSURANCE	Cole Information Services
2004	OCCUPANT UNKNOWN	Cole Information Services
2002	ECHITO GARY INS	SBC PACIFIC BELL
2001	ECH 8 TO GARY INS	Haines & Company, Inc.
	STATE FARM INS AGNT	Haines & Company, Inc.
1999	STATE FARM INSURANCE COMPANIES	Cole Information Services
	ECHITO GARY INS	Cole Information Services
1996	ECHITO GARY INS	Pacific Bell
1994	STATE FARM INSURANCE	Cole Information Services
1990	ECHITO GARY INS	Pacific Bell
1986	Echito Gary Ins	Pacific Bell Yellow Pages
	Gove Jerry ins	Pacific Bell Yellow Pages
	Gove Richard & Marilyn	Pacific Bell Yellow Pages
1981	Echito Gary Ins	Pacific Telephone
	Gove Jerry ins	Pacific Telephone
	State Farm Insurance Companies	Pacific Telephone
	State Farm Insurance Companies	Pacific Telephone
1977	Davis Bob ins	Pacific Telephone
	Gove Jerry State Farm Insurance Companies	Pacific Telephone
	State Farm Insurance Companies	Pacific Telephone
1970	Plant Pathology Bureau Of	Pacific Telephone
	Weed & Vertebrate Pest Control	Pacific Telephone
1966	Bur ot Plant Pathology 3239 Chicago Av Riv	Luskey Brothers & Company Inc.
	John P Hill & Robt M Pratt geni plant pathologists	Luskey Brothers & Company Inc.
	Weed&Vertebrate Pest Control 3239 Chicago Av Riv	Luskey Brothers & Company Inc.
	Dell 0 Clark district supervisor	Luskey Brothers & Company Inc.

3241 CHICAGO AVE

Year	Uses	Source
2017	SPECIAL PROMOTIONS	Cole Information Services
2014	SPECIAL PROMOTIONS DEPT INC D	Cole Information Services

FINDINGS

Year	Uses	Source
2014	SPECIAL PROMOTIONS	Cole Information Services
2004	DAVID BAKER	Cole Information Services
	FABIAN M GAYLE	Cole Information Services
2001	XXXX	Haines & Company, Inc.
1990	PERDUE LEN & ASSOCIATES	Pacific Bell
1986	CITRUS BELT MENS BOWLING ASSN INC	Pacific Bell Yellow Pages
1977	CITRUS BELT MENS BOWLING ASSN INC	Pacific Telephone
1970	MARSHALLS PULLETS	Pacific Telephone

3243 CHICAGO AVE

Year	Uses	Source
2001	XXXX	Haines & Company, Inc.

3275 CHICAGO AVE

Year	Uses	Source
2001	XXXX	Haines & Company, Inc.
1977	Third Street Chevron Service	Pacific Telephone
1970	Isaacs Chevron	Pacific Telephone
1966	Merles Chevron Serv Sta 3275 Chicago Av Riv 84 7313 Merle Utley	Luskey Brothers & Company Inc.
1960	Brown Chevron Serv	Luskeys Brothers & Co., Publishers

3300 CHICAGO AVE

Year	Uses	Source
1960	Paxton HL	Luskeys Brothers & Co., Publishers
1955	Paxton Holland L	Luskeys Brothers & Co., Publishers
1951	Paxton H L r	Los Angeles Directory Co.
1945	SAPaxton H L	Los Angeles Directory Co.
1939	Paxton H L frt grower	Los Angeles Directory Co.
1936	Paxton H L orange grow er o	Los Angeles Directory Co.
1930	Paxton H L	Los Angeles Directory Co.

FINDINGS

3301 CHICAGO AVE

Year	Uses	Source
2017	AUTOMOTIVE EXPRESS SMOG	Cole Information Services
2014	AUTOMOTIVE EXPRESS SMOG	Cole Information Services
2009	AUTOMOTIVE EXPRESS SMOG	Cole Information Services
2004	ELVIN HAMPTON	Cole Information Services
	AUTOMOTIVE EXPRESS SMOG	Cole Information Services
2002	AUTO TECH	SBC PACIFIC BELL
	AUTOMOTIVE EXPRESS SMOG	SBC PACIFIC BELL
2001	GRIM Robert	Haines & Company, Inc.
	AUTOTECH	Haines & Company, Inc.
1999	AUTOTECH	Cole Information Services
1996	AUTOTECH	Pacific Bell
1994	AUTO TECH	Cole Information Services
1990	ERNIES RADIATOR	Pacific Bell
1986	Business Ofc	Pacific Bell Yellow Pages
	E RN IES TRAN S MIS S ION	Pacific Bell Yellow Pages
1981	E RN IES RADIATOR	Pacific Telephone
1970	Enco Service Stn	Pacific Telephone
1960	Barnes BC O	Luskeys Brothers & Co., Publishers
1955	Barnes Bealie C D	Luskeys Brothers & Co., Publishers
1951	Barnes B C r	Los Angeles Directory Co.
1946	Barnes B C r	Southern California Telephone Company
1945	Barnes B C	Los Angeles Directory Co.
1939	Barnes L D	Los Angeles Directory Co.
1936	Copeland J E orange grow er o	Los Angeles Directory Co.
1930	Copeland J E o	Los Angeles Directory Co.

3343 CHICAGO AVE

Year	Uses	Source
2017	INDUSTRIAL CONTROL EQUIPMENT	Cole Information Services
2009	I B REPROGRAPHICS	Cole Information Services
2004	OCCUPANT UNKNOWN	Cole Information Services
	TRI STATE HOME IMPROV EMENTS INC	Cole Information Services

FINDINGS

Year	Uses	Source
2001	IB REPROGRAPHICS	Haines & Company, Inc.
1999	I B REPROGRAPHICS	Cole Information Services
1996	I B REPROGRAPHICS	Pacific Bell
1994	I B REPROGRAPHICS	Cole Information Services
1990	A & E BUILDING SYSTEMS INC	Pacific Bell
1986	Warehouse	Pacific Bell Yellow Pages

3345 CHICAGO AVE

Year	Uses	Source
2017	MILLENNIUM	Cole Information Services
2004	RUBEN LORA	Cole Information Services
2001	CHARTER FUNDING	Haines & Company, Inc.
	COMPUTER	Haines & Company, Inc.
	EDUCATION	Haines & Company, Inc.
1996	UNITED REALTY & MORTGAGES	Pacific Bell
1990	BIO TOX LABORATORY	Pacific Bell
1986	Information Station The	Pacific Bell Yellow Pages

3347 CHICAGO AVE

Year	Uses	Source
2004	OCCUPANT UNKNOWN	Cole Information Services
2001	CONDITIONING	Haines & Company, Inc.
	LCHEATINGIAIR	Haines & Company, Inc.
1999	L C HEATING & AIR CONDITIONING	Cole Information Services
1996	L C HEATING & AIR CONDITIONING	Pacific Bell
1990	RIVERSIDE NEON SIGN CO	Pacific Bell

3349 CHICAGO AVE

Year	Uses	Source
2017	LIFE FLEET	Cole Information Services
	LIFE FLEET TRANSPORT	Cole Information Services
2004	OCCUPANT UNKNOWN	Cole Information Services
2001	XXXX	Haines & Company, Inc.
1990	SUPERIOR PLEXI BOX FRAME	Pacific Bell

FINDINGS

Year	Uses	Source
1986	Guthrie Bob G	Pacific Bell Yellow Pages
	Guthery Patricia A	Pacific Bell Yellow Pages
	Guth Rob Construction Inc	Pacific Bell Yellow Pages

3351 CHICAGO AVE

Year	Uses	Source
2017	ON THE MOVE ABC	Cole Information Services
	ON THE MOVE ADULT DEVELOPMENT CENTER	Cole Information Services
2009	ON THE MOVE ADULT DEVELOPMENT CENTER	Cole Information Services
2001	EXIDECORP	Haines & Company, Inc.
1994	ADVANCED ELTRNC SYS	Cole Information Services
1990	TELEDYNE CM PRODUCTS INC	Pacific Bell

3353 CHICAGO AVE

Year	Uses	Source
2017	INDUSTRIAL CONTROL EQUIPMENT	Cole Information Services
2014	INDUSTRIAL CONTROL EQUIPMENT	Cole Information Services
2004	INDUSTRIAL CONTROL EQUIPMENT	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services
2002	EQUIPMENT	SBC PACIFIC BELL
	INDUSTRIAL CONTROL	SBC PACIFIC BELL
2001	NADIGAUTOSALES	Haines & Company, Inc.
1999	NADIG AUTO SALES	Cole Information Services
1990	FRONTIER AUDIO VIDEO ULGHTING	Pacific Bell

3355 CHICAGO AVE

Year	Uses	Source
2017	GREATEAGLE INDUSTRIES INC	Cole Information Services
2014	GREATEAGLE INDUSTRIES INC	Cole Information Services
2009	VP BUILDINGS	Cole Information Services
2004	OCCUPANT UNKNOWN	Cole Information Services
	MED MART	Cole Information Services
2002	SWAN SALES & DISTRIBUTION	SBC PACIFIC BELL

FINDINGS

Year	Uses	Source
2002	MED MART	SBC PACIFIC BELL
2001	SWANSSALES	Haines & Company, Inc.
1999	OCCUPANT UNKNOWN	Cole Information Services
	VP BUILDINGS	Cole Information Services
	METALLIC BUILDINGS	Cole Information Services
	PALMER BUILDING SYSTEMS CORPORATION	Cole Information Services
	BUTLER BUILDINGS	Cole Information Services
1996	PALMER BUILDING SYSTEMS CORP	Pacific Bell
	CALIF SYSTEMS BUILDERS ASSOCIATION	Pacific Bell
1990	SAYERS JOHN A & ASSOCIATES	Pacific Bell

3357 CHICAGO AVE

Year	Uses	Source
2004	JOHN STANGARONE	Cole Information Services
2002	BIO TOX LABORATORIES	SBC PACIFIC BELL
2001	BIOTOX	Haines & Company, Inc.
	LABORATORIES	Haines & Company, Inc.
1999	BIO TOX LABORATORIES	Cole Information Services
1994	BLITZ MANUFACTURING	Cole Information Services
	BLITZ MANUFACTURING CO	Cole Information Services
	MODEM BLITZ MFG CO	Cole Information Services

3359 CHICAGO AVE

Year	Uses	Source
2017	RIVER SPRINGS CHARTER SCHOOL	Cole Information Services
2009	DANAS HOUSEKEEPING PERSONNEL SERVIC	Cole Information Services
2004	PEC HEALTHCARE	Cole Information Services
	DANAS HOUSEKEEPING PRSNL SRVC	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services
2002	CONTRACTORS ASSOCIATION	SBC PACIFIC BELL
	B INLAND REFRIGERATION	SBC PACIFIC BELL
	A TERBEST INSURANCE	SBC PACIFIC BELL
	OFFICE	SBC PACIFIC BELL

FINDINGS

Year	Uses	Source
2001	CONTR ASN TERBEST INSURANCE	Haines & Company, Inc.
	AIRCONDG&RFRG	Haines & Company, Inc.
	41 NLAND	Haines & Company, Inc.
1996	NASLAND ENGINEERING	Pacific Bell
1994	NASLAND ENGINEERING	Cole Information Services
1990	A NAI SLAND ENGINEEBING	Pacific Bell
1986	Nasluchacz F	Pacific Bell Yellow Pages
	Nasland Engineering	Pacific Bell Yellow Pages
	Computer Technology Services	Pacific Bell Yellow Pages
	C T S	Pacific Bell Yellow Pages
	C T Computer Services	Pacific Bell Yellow Pages

3361 CHICAGO AVE

Year	Uses	Source
2017	TROPHY AWARD CO	Cole Information Services
	COMSERCO	Cole Information Services
2014	COMSERCO	Cole Information Services
2009	TROPHY AWARD CO	Cole Information Services
	M CHESI INC	Cole Information Services
2004	TRADE ONE	Cole Information Services
	COAST TO COAST SECURITY SRVC	Cole Information Services
	ALARM KING	Cole Information Services
2002	ALARM KING	SBC PACIFIC BELL
2001	ALARMKING	Haines & Company, Inc.
1999	KOINONIA COMMUNITY CHURCH	Cole Information Services
1996	KOINONIA COMMUNITY CHURCH	Pacific Bell
1990	ZEISER GEOTECHNICAL INC INLAND EMPIRE	Pacific Bell
1986	Solution Rentals	Pacific Bell Yellow Pages
	Somers Dale R	Pacific Bell Yellow Pages

3363 CHICAGO AVE

Year	Uses	Source
2017	MARTIN COMPANIES	Cole Information Services
	MARTIN COMMERCIAL GROUP	Cole Information Services

Year	Uses	Source
2014	MARTIN COMPANIES	Cole Information Services
	MARTIN COMMERCIAL GROUP	Cole Information Services
2009	COAST TO COAST SECURITY SERVICES	Cole Information Services
	INDUSTRIAL PROPERTY MANAGEMENT	Cole Information Services
	HARRY MARTIN & ASSOCIATES	Cole Information Services
2002	MARTIN COMPANIES	SBC PACIFIC BELL
2001	INDSTRLPROPERTY	Haines & Company, Inc.
	MANAGEMENT 4 MARTIN COMPANIES	Haines & Company, Inc.
1999	MARTIN COMPANIES	Cole Information Services
	INDUSTRIAL PROPERTY MANAGEMENT	Cole Information Services
1996	MARTIN COMPANIES	Pacific Bell
1990	MARROa UIN SEWING MACHINE	Pacific Bell

3365 CHICAGO AVE

Year	Uses	Source
2017	POWER OF FAITH CHRISTIAN WORSHIP	Cole Information Services
2009	BRANNIS ELECTRIC INC	Cole Information Services
2004	BRANNIS ELECTRICMARK	Cole Information Services
2002	BRANNIS ELECTRIC INC	SBC PACIFIC BELL
2001	BRANNIS ELECTRIC	Haines & Company, Inc.
1999	MCCARTHY CONSTRUCTION	Cole Information Services
1996	MCCARTY CONSTRUCTION	Pacific Bell
1994	MC CARTY CONSTRUCTION	Cole Information Services
1990	MCCARTY CONSTRUCTION	Pacific Bell

TRADE CENTER DR

3230 TRADE CENTER DR

Year	Uses	Source
2017	RIVERSIDE STORAGE	Cole Information Services
2014	STORAGE FREEWAY	Cole Information Services
	RIVERSIDE STORAGE	Cole Information Services
2009	FREEWAY STORAGE	Cole Information Services
2004	JASON ERVIN	Cole Information Services

FINDINGS

Year	Uses	Source
2004	FREEWAY STORAGE	Cole Information Services
2002	Anderson A	SBC PACIFIC BELL
	FREEWAY STORAGE	SBC PACIFIC BELL
2001	FREEWAYSTORAGE	Haines & Company, Inc.
1999	FREEWAY STORAGE	Cole Information Services
1996	FREEWAY STORAGE	Pacific Bell
1994	FREEWAY STORAGE	Cole Information Services
1990	FREEWAY STORAGE	Pacific Bell
1986	Freew ay Storage	Pacific Bell Yellow Pages
	Pulliam Norma J	Pacific Bell Yellow Pages
	Fregoso Kim C	Pacific Bell Yellow Pages
	Freeze Geo	Pacific Bell Yellow Pages

3233 TRADE CENTER DR

Year	Uses	Source
2017	WESTINGHOUSE ELECTRIC SUPPLY COMPANY	Cole Information Services
	WESTINGHOUSE ELECTRIC SUPPLY COMPANY	Cole Information Services
	THE MAGELLAN GROUP INC	Cole Information Services
2014	WESTINGHOUSE ELECTRIC SUPPLY COMPANY	Cole Information Services
	WESCO DIST7460	Cole Information Services
	WESTINGHOUSE ELECTRIC SUPPLY COMPANY	Cole Information Services
	WESCO INTERNATIONAL	Cole Information Services
	THE MAGELLAN GROUP INC	Cole Information Services
2002	SUPPLY COMPANY	SBC PACIFIC BELL
	OFFICE	SBC PACIFIC BELL
	A HUNTINGTON LIGHTING	SBC PACIFIC BELL
	WESTINGHOUSE ELECTRIC	SBC PACIFIC BELL
2001	WESTNGHSELCSPL	Haines & Company, Inc.
1999	WESTINGHOUSE ELECTRIC SUPPLY COMPANY	Cole Information Services
1996	WESTINGHOUSE ELECTRIC SUPPLY COMPANY	Pacific Bell

FINDINGS

Year	Uses	Source
1994	WESTINGHOUSE ELECTRIC SUPPLY	Cole Information Services
	WESCO INC	Cole Information Services
1990	ELECTRIC SUPPLY COMPANY	Pacific Bell
	WESTINGHOUSE	Pacific Bell

3240 TRADE CENTER DR

Year	Uses	Source
2014	A FOUNDATIION FOR KIDS	Cole Information Services
2009	TOP RICH USA INC	Cole Information Services
	REV WHEEL LLC	Cole Information Services
2004	TEACHERS FRIEND PUBLICATION INC	Cole Information Services
2002	PUBLICATIONS INC	SBC PACIFIC BELL
	TEACHER S FRIEND	SBC PACIFIC BELL
2001	SEVALY Richard	Haines & Company, Inc.
	TEACHERS FRIEND	Haines & Company, Inc.
	PUBLICATIONS	Haines & Company, Inc.
1999	TEACHERS FRIEND PUBLICATIONS INCORPORATED	Cole Information Services
1996	TEACHERS FRIEND PUBLICATIONS INC	Pacific Bell
1994	RED ROCKET SALES GROUP INC	Cole Information Services
1990	COSTEN ENGINEERING	Pacific Bell

3245 TRADE CENTER DR

Year	Uses	Source
2004	HUNTINGTON LIGHTING INC	Cole Information Services
2001	HUNTINGTON LIGHTING	Haines & Company, Inc.
1999	HUNTINGTON LIGHTING	Cole Information Services

3260 TRADE CENTER DR

Year	Uses	Source
2009	JAT HOLDING INC	Cole Information Services
2001	XXXX	Haines & Company, Inc.

FINDINGS

3263 TRADE CENTER DR

Year	Uses	Source
2009	BODY TOOLS INC	Cole Information Services
	TRADEMARK COSMETICS	Cole Information Services
	RIVERSIDE COLLISION AUTO BODY & PAIN	Cole Information Services
2004	TRADEMARK COSMETICS INC	Cole Information Services
	LIFE ENVISION	Cole Information Services
2002	TRADEMARK COSMETICS INC	SBC PACIFIC BELL
2001	TRADEMARKCSMTC	Haines & Company, Inc.
	LIFE ENVISION	Haines & Company, Inc.
1999	TRADEMARK COSMETICS INCORPORATED	Cole Information Services
1996	TRADEMARK COSMETICS INC	Pacific Bell
	PAUL BROWN HAWAII	Pacific Bell
1994	MODEM SUPER KITCHEN	Cole Information Services

3267 TRADE CENTER DR

Year	Uses	Source
2017	ANDERSON & ASSOCIATES CPA	Cole Information Services
2009	SANDRA ROWE STUDIO	Cole Information Services
2004	OCCUPANT UNKNOWN	Cole Information Services
2001	XXXX	Haines & Company, Inc.
1996	CELLULAR SYSTEMS OF CALIFORNIA INC	Pacific Bell
1994	CELLULAR SYSTEMS	Cole Information Services
	CELLULAR SYS CA	Cole Information Services

3269 TRADE CENTER DR

Year	Uses	Source
2004	PACIFIC LANDSCAPE & DESIGN	Cole Information Services
2001	XXXX	Haines & Company, Inc.
1994	OFFICE DOCTOR	Cole Information Services
1990	OFFICE DOCTOR THE	Pacific Bell

3273 TRADE CENTER DR

Year	Uses	Source
2009	MARTINEZ CONSTRUCTION CONCRETE INC	Cole Information Services

FINDINGS

Year	Uses	Source
2004	MARTINEZ CONSTRUCTION CONCRETE INC	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services
2002	MARTINEZ CONSTRUCTION INC	SBC PACIFIC BELL

3275 TRADE CENTER DR

Year	Uses	Source
2004	STEVEN SIMPSON	Cole Information Services
2001	FILTERCHEM	Haines & Company, Inc.
1999	FILTER CHEM	Cole Information Services
1990	ADVANTAGE KITCHEN DESIGN	Pacific Bell

3279 TRADE CENTER DR

Year	Uses	Source
2009	NORRIS TOWER SERVICES	Cole Information Services
2002	WURM SJANITORIAL	SBC PACIFIC BELL
	SERVICES	SBC PACIFIC BELL
	WURM SJANITORIAL	SBC PACIFIC BELL
	SERVICES	SBC PACIFIC BELL
2001	STJOHN MISSIONARY 909r	Haines & Company, Inc.
	BAPTISTCH	Haines & Company, Inc.
1990	BLUE WATER INTERIORS INC	Pacific Bell
1986	Interiors Plus	Pacific Bell Yellow Pages
	Blue Water Interiors Inc	Pacific Bell Yellow Pages
	All American Youth Foundation	Pacific Bell Yellow Pages
	All American Wholesale Industries	Pacific Bell Yellow Pages

3283 TRADE CENTER DR

Year	Uses	Source
2017	BAERRESEN GROUP INC	Cole Information Services
	SUNSHINE SOLUTIONS	Cole Information Services
2014	SUNSHINE SOLUTIONS	Cole Information Services
	BAERRESEN GROUP INC	Cole Information Services
	CEED SECURITY SERVICES	Cole Information Services
2001	XXXX	Haines & Company, Inc.

FINDINGS

Year	Uses	Source
1999	DOWNTOWN CHRISTIAN FELLOWSHIP SBC	Cole Information Services
1994	BIG STATE INDUSTRIAL SUPPLY	Cole Information Services

3285 TRADE CENTER DR

Year	Uses	Source
2017	TELECOMCEPTS INC	Cole Information Services
	ANDERSON & ASSOCIATES CPA	Cole Information Services
	JACALYN C ANDERSON CPA	Cole Information Services
2014	EVERGREEN PROPERTY MANAGEMENT	Cole Information Services
	ANDERSON JACALYN C CPA	Cole Information Services
	ANDERSON & ASSOCIATES CPA	Cole Information Services
	TELECOMCEPTS INC	Cole Information Services
2009	ANDERSON & ASSOCIATES	Cole Information Services
	FISH QUEST GUIDE SERVICE	Cole Information Services
	ASSURED SECURITY SYSTEMS	Cole Information Services
2004	ASSURED SECURITY SYSTEMS	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services
2002	SOUTHWEST CIRCLE INC	SBC PACIFIC BELL
	ON GUARD SECURITY PATROL	SBC PACIFIC BELL
2001	XXXX	Haines & Company, Inc.
1994	ELECTRO COM COMMUNICATION SYST	Cole Information Services

3289 TRADE CENTER DR

Year	Uses	Source
2017	ICS SERVICE	Cole Information Services
	SECURE AUTOMATION	Cole Information Services
2014	ICS SERVICE	Cole Information Services
	SECURE AUTOMATION	Cole Information Services
2004	G & J EQUIPMENT	Cole Information Services
2001	XXXX	Haines & Company, Inc.
1999	NEWINLI-C F M C	Cole Information Services
1994	MOD CRAFT	Cole Information Services
	MOD PLUMB	Cole Information Services
1990	COMMUNITY MUSIC CENTER	Pacific Bell

Year	Uses	Source
1990	DANCE EXPRESS THE	Pacific Bell

3290 TRADE CENTER DR

Year	Uses	Source
2017	KELLY PAPER RIVERSIDE	Cole Information Services
2014	KELLY PAPER RIVERSIDE	Cole Information Services
2009	KELLY PAPER STORE	Cole Information Services
2004	KELLY PAPER STORE	Cole Information Services
2002	KELLY PAPER STORE	SBC PACIFIC BELL
2001	SANDERSBelly	Haines & Company, Inc.
	KELLY PAPER	Haines & Company, Inc.
1999	KELLY PAPER STORE	Cole Information Services
1996	KELLY PAPER	Pacific Bell
1994	KELLY PAPER CO	Cole Information Services
1990	KELLY PAPER COMPANY	Pacific Bell

3291 TRADE CENTER DR

Year	Uses	Source
2017	AACTION PRINTING	Cole Information Services
	TRISTATE SECURITY & PATROL	Cole Information Services
2014	AACTION PRINTING	Cole Information Services
	TRI STATE SECURITY & PATROL	Cole Information Services
2009	ACTION PRINTING	Cole Information Services
2004	AACTION PRINTING	Cole Information Services
	TRI STATE SECURITY & PATROL	Cole Information Services
	JUDY PEKAREK	Cole Information Services
2002	AACTION PRINTING	SBC PACIFIC BELL
	A ACTION PRINTING	SBC PACIFIC BELL
2001	AACTION PRINTING	Haines & Company, Inc.
	A ACTION PRINTING	Haines & Company, Inc.
1999	A ACTION PRINTING	Cole Information Services
1996	A ACTION PRINTING	Pacific Bell
1994	AACTION PRINTING	Cole Information Services
	A ACTION PRINTING	Cole Information Services

FINDINGS

Year	Uses	Source
1990	B & H SERVICES INC	Pacific Bell

3293 TRADE CENTER DR

Year	Uses	Source
2009	RUTHS CUSTOM DRAPERIES UNIQUE CREATI	Cole Information Services
2004	RUTH REMBERT	Cole Information Services
	RUTHS CSTM DRPERY UNQUE CREAT	Cole Information Services
2002	RUTH S CUSTOM DRAPERY	SBC PACIFIC BELL
2001	XXXX	Haines & Company, Inc.
1996	RUTHS CUSTOM DRAPERY	Pacific Bell
1994	RUTHS CUSTOM DRAPERY	Cole Information Services
1990	SYNERGY FURNITURE DESIGN	Pacific Bell

FINDINGS

ADJOINING PROPERTY: ADDRESSES NOT IDENTIFIED IN RESEARCH SOURCE

The following Adjoining Property addresses were researched for this report, and the addresses were not identified in research source.

Address Researched	Address Not Identified in Research Source
1430 3RD	2017, 2014, 2009, 2004, 2001, 1999, 1996, 1994, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
1430 3RD ST	2017, 2014, 2009, 2004, 2002, 1999, 1994, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
1430 3RD ST	2002, 2001, 1996, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
1440 3RD	2017, 2014, 2009, 2004, 2001, 1999, 1996, 1994, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
1440 3RD ST	2017, 2014, 2009, 2004, 2002, 1999, 1994, 1993, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
1440 3RD ST	2002, 2001, 1996, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
1505 3RD	2017, 2014, 2009, 2004, 2001, 1999, 1996, 1994, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
1505 3RD ST	2017, 2014, 2009, 2004, 2002, 1999, 1994, 1993, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
1505 3RD ST	2017, 2014, 2009, 2002, 2001, 1996, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
1521 3RD	2017, 2014, 2009, 2004, 2002, 2001, 1999, 1996, 1994, 1993, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
1525 3RD	2017, 2014, 2009, 2004, 2001, 1999, 1996, 1994, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
1525 3RD ST	2017, 2014, 2009, 2004, 2002, 1999, 1994, 1993, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
1525 3RD ST	2002, 2001, 1996, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
1533 3RD ST	2017, 2014, 2009, 2004, 2002, 2001, 1999, 1996, 1994, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1931, 1930, 1927, 1925, 1924, 1921

FINDINGS

Address Researched	Address Not Identified in Research Source
1561 3RD ST	2017, 2014, 2009, 2004, 2002, 2001, 1999, 1996, 1994, 1993, 1990, 1986, 1981, 1977, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
1625 3RD ST	2017, 2014, 2009, 2004, 2002, 2001, 1999, 1996, 1994, 1993, 1990, 1986, 1981, 1977, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
1631 3RD	2017, 2014, 2009, 2004, 2002, 2001, 1999, 1996, 1994, 1993, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
1636 3RD	2017, 2014, 2009, 2004, 2002, 2001, 1999, 1996, 1994, 1993, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
1644 3RD ST	2017, 2014, 2009, 2004, 2002, 1999, 1996, 1994, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
1650 3RD	2017, 2014, 2009, 2004, 2002, 2001, 1999, 1996, 1994, 1993, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
1697 3RD	2017, 2014, 2009, 2004, 2002, 2001, 1999, 1996, 1994, 1993, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3190 CHICAGO AVE	2017, 2014, 2009, 2004, 2002, 1999, 1996, 1994, 1993, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3190 CHICAGO AVE	2017, 2014, 2002, 2001, 1996, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3215 CHICAGO AVE	2002, 2001, 1996, 1994, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3215 CHICAGO AVE	2017, 2014, 2009, 2004, 1999, 1996, 1994, 1993, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3230 TRADE CENTER DR	2017, 2014, 2009, 2004, 1999, 1994, 1993, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3230 TRADE CENTER DR	2002, 2001, 1996, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3233 TRADE CENTER DR	2009, 2004, 2002, 2001, 1996, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3233 TRADE CENTER DR	2017, 2014, 2009, 2004, 1999, 1994, 1993, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3239 CHICAGO AVE	2017, 2014, 2009, 2004, 1999, 1994, 1993, 1967, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3239 CHICAGO AVE	2002, 2001, 1996, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921

FINDINGS

Address Researched	Address Not Identified in Research Source
3240 TRADE CENTER DR	2017, 2002, 2001, 1996, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3240 TRADE CENTER DR	2017, 2014, 2009, 2004, 1999, 1994, 1993, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3241 CHICAGO AVE	2017, 2014, 2009, 2004, 2002, 1999, 1996, 1994, 1993, 1981, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3241 CHICAGO AVE	2009, 2002, 2001, 1999, 1996, 1994, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3243 CHICAGO AVE	2017, 2014, 2009, 2004, 2002, 1999, 1996, 1994, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3245 TRADE CENTER DR	2017, 2014, 2009, 2004, 2002, 1999, 1996, 1994, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3245 TRADE CENTER DR	2017, 2014, 2009, 2002, 2001, 1996, 1994, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3260 TRADE CENTER DR	2017, 2014, 2004, 2002, 2001, 1999, 1996, 1994, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3260 TRADE CENTER DR	2017, 2014, 2009, 2004, 2002, 1999, 1996, 1994, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3263 TRADE CENTER DR	2017, 2014, 2009, 2004, 1999, 1994, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3263 TRADE CENTER DR	2017, 2014, 2002, 2001, 1996, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3267 TRADE CENTER DR	2014, 2002, 2001, 1999, 1996, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3267 TRADE CENTER DR	2017, 2014, 2009, 2004, 2002, 1999, 1994, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3269 TRADE CENTER DR	2017, 2014, 2009, 2004, 2002, 1999, 1996, 1994, 1993, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3269 TRADE CENTER DR	2017, 2014, 2009, 2002, 2001, 1999, 1996, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3273 TRADE CENTER DR	2017, 2014, 2002, 2001, 1999, 1996, 1994, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921

FINDINGS

Address Researched	Address Not Identified in Research Source
3273 TRADE CENTER DR	2017, 2014, 2009, 2004, 2001, 1999, 1996, 1994, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3275 CHICAGO AVE	2017, 2014, 2009, 2004, 2002, 1999, 1996, 1994, 1993, 1990, 1986, 1981, 1967, 1961, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3275 TRADE CENTER DR	2017, 2014, 2009, 2004, 2002, 1999, 1996, 1994, 1993, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3275 TRADE CENTER DR	2017, 2014, 2009, 2002, 2001, 1996, 1994, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3279 TRADE CENTER DR	2017, 2014, 2004, 2002, 2001, 1999, 1996, 1994, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3279 TRADE CENTER DR	2017, 2014, 2009, 2004, 1999, 1996, 1994, 1993, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3283 TRADE CENTER DR	2017, 2014, 2009, 2004, 2002, 1999, 1996, 1994, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3283 TRADE CENTER DR	2009, 2004, 2002, 2001, 1996, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3285 TRADE CENTER DR	2002, 2001, 1999, 1996, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3285 TRADE CENTER DR	2017, 2014, 2009, 2004, 1999, 1996, 1994, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3289 TRADE CENTER DR	2017, 2014, 2009, 2004, 2002, 1999, 1996, 1994, 1993, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3289 TRADE CENTER DR	2009, 2002, 2001, 1996, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3290 TRADE CENTER DR	2002, 2001, 1996, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3290 TRADE CENTER DR	2017, 2014, 2009, 2004, 1999, 1994, 1993, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3291 TRADE CENTER DR	2017, 2014, 2009, 2004, 1999, 1994, 1993, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3291 TRADE CENTER DR	2002, 2001, 1996, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921

FINDINGS

Address Researched	Address Not Identified in Research Source
3293 TRADE CENTER DR	2017, 2014, 2009, 2004, 1999, 1994, 1993, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3293 TRADE CENTER DR	2017, 2014, 2002, 2001, 1999, 1996, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3300 CHICAGO AVE	2017, 2014, 2009, 2004, 2002, 2001, 1999, 1996, 1994, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1956, 1946, 1941, 1931, 1927, 1925, 1924, 1921
3301 CHICAGO AVE	2017, 2014, 2009, 2004, 1999, 1994, 1993, 1977, 1967, 1966, 1961, 1956, 1941, 1931, 1927, 1925, 1924, 1921
3301 CHICAGO AVE	2002, 2001, 1996, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3343 CHICAGO AVE	2014, 2002, 2001, 1996, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3343 CHICAGO AVE	2017, 2014, 2009, 2004, 2002, 1999, 1994, 1993, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3345 CHICAGO AVE	2017, 2014, 2009, 2004, 2002, 1999, 1994, 1993, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3345 CHICAGO AVE	2014, 2009, 2002, 2001, 1999, 1996, 1994, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3347 CHICAGO AVE	2017, 2014, 2009, 2002, 2001, 1996, 1994, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3347 CHICAGO AVE	2017, 2014, 2009, 2004, 2002, 1999, 1994, 1993, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3349 CHICAGO AVE	2017, 2014, 2009, 2004, 2002, 1999, 1996, 1994, 1993, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3349 CHICAGO AVE	2014, 2009, 2002, 2001, 1999, 1996, 1994, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3351 CHICAGO AVE	2014, 2004, 2002, 2001, 1999, 1996, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3351 CHICAGO AVE	2017, 2014, 2009, 2004, 2002, 1999, 1996, 1994, 1993, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3353 CHICAGO AVE	2017, 2014, 2009, 2004, 1999, 1996, 1994, 1993, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3353 CHICAGO AVE	2009, 2002, 2001, 1996, 1994, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921

FINDINGS

Address Researched	Address Not Identified in Research Source
3355 CHICAGO AVE	2002, 2001, 1996, 1994, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3355 CHICAGO AVE	2017, 2014, 2009, 2004, 1999, 1994, 1993, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3357 CHICAGO AVE	2017, 2014, 2009, 2004, 1999, 1996, 1994, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3357 CHICAGO AVE	2017, 2014, 2009, 2002, 2001, 1996, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3359 CHICAGO AVE	2014, 2002, 2001, 1999, 1996, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3359 CHICAGO AVE	2017, 2014, 2009, 2004, 1999, 1994, 1993, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3361 CHICAGO AVE	2017, 2014, 2009, 2004, 1999, 1994, 1993, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3361 CHICAGO AVE	2002, 2001, 1996, 1994, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3363 CHICAGO AVE	2004, 2002, 2001, 1996, 1994, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3363 CHICAGO AVE	2017, 2014, 2009, 2004, 1999, 1994, 1993, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3365 CHICAGO AVE	2017, 2014, 2009, 2004, 1999, 1994, 1993, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
3365 CHICAGO AVE	2014, 2002, 2001, 1996, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921

TARGET PROPERTY: ADDRESS NOT IDENTIFIED IN RESEARCH SOURCE

The following Target Property addresses were researched for this report, and the addresses were not identified in the research source.

Address Researched	Address Not Identified in Research Source
1550 3rd Street	1996, 1993, 1990, 1967, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921

JW North High School New Construction
1550 3rd Street
Riverside, CA 92507

Inquiry Number: 7168721.3
November 03, 2022

Certified Sanborn® Map Report

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

Certified Sanborn® Map Report

11/03/22

Site Name:

JW North High School New Co
1550 3rd Street
Riverside, CA 92507
EDR Inquiry # 7168721.3

Client Name:

PlaceWorks
3 MacArthur Place Suite 1100
Santa Ana, CA 92707
Contact: Mike Watson

The Sanborn Library has been searched by EDR and maps covering the target property location as provided by PlaceWorks were identified for the years listed below. The Sanborn Library is the largest, most complete collection of fire insurance maps. The collection includes maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow, and others. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by the Sanborn Library LLC, the copyright holder for the collection. Results can be authenticated by visiting www.edrnet.com/sanborn.

The Sanborn Library is continually enhanced with newly identified map archives. This report accesses all maps in the collection as of the day this report was generated.

Certified Sanborn Results:

Certification # F8B5-4DEB-9F96

PO # RIV-33

Project JW North High School

UNMAPPED PROPERTY

This report certifies that the complete holdings of the Sanborn Library, LLC collection have been searched based on client supplied target property information, and fire insurance maps covering the target property were not found.

Sanborn® Library search results

Certification #: F8B5-4DEB-9F96

The Sanborn Library includes more than 1.2 million fire insurance maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow and others which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- ☑ Library of Congress
- ☑ University Publications of America
- ☑ EDR Private Collection

The Sanborn Library LLC Since 1866™

Limited Permission To Make Copies

PlaceWorks (the client) is permitted to make up to FIVE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA), ARISING OUT OF OR IN ANY WAY CONNECTED WITH THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT. Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2022 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

JW North High School New Construction

1550 3rd Street

Riverside, CA 92507

Inquiry Number: 7168721.4

November 03, 2022

EDR Historical Topo Map Report

with QuadMatch™

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

EDR Historical Topo Map Report

11/03/22

Site Name:

JW North High School New Co
1550 3rd Street
Riverside, CA 92507
EDR Inquiry # 7168721.4

Client Name:

PlaceWorks
3 MacArthur Place Suite 1100
Santa Ana, CA 92707
Contact: Mike Watson

EDR Topographic Map Library has been searched by EDR and maps covering the target property location as provided by PlaceWorks were identified for the years listed below. EDR's Historical Topo Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDRs Historical Topo Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the late 1800s.

Search Results:

P.O.# RIV-33
Project: JW North High School

Coordinates:

Latitude:	33.981841 33° 58' 55" North
Longitude:	-117.345193 -117° 20' 43" West
UTM Zone:	Zone 11 North
UTM X Meters:	468115.32
UTM Y Meters:	3760196.23
Elevation:	964.00' above sea level

Maps Provided:

2018	1901
2015	
2012	
1980	
1967	
1953, 1954	
1942, 1947	
1938, 1942	

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA), ARISING OUT OF OR IN ANY WAY CONNECTED WITH THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT. Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2022 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

2018 Source Sheets



Riverside East
2018
7.5-minute, 24000



San Bernardino South
2018
7.5-minute, 24000

2015 Source Sheets



Riverside East
2015
7.5-minute, 24000



San Bernardino South
2015
7.5-minute, 24000

2012 Source Sheets



Riverside East
2012
7.5-minute, 24000



San Bernardino South
2012
7.5-minute, 24000

1980 Source Sheets



San Bernardino South
1980
7.5-minute, 24000
Aerial Photo Revised 1979



Riverside East
1980
7.5-minute, 24000
Aerial Photo Revised 1978


Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

1967 Source Sheets



Riverside East
1967
7.5-minute, 24000
Aerial Photo Revised 1966




San Bernardino South
1967
7.5-minute, 24000
Aerial Photo Revised 1966

1953, 1954 Source Sheets



Riverside East
1953
7.5-minute, 24000
Aerial Photo Revised 1951



San Bernardino South
1954
7.5-minute, 24000
Aerial Photo Revised 1952

1942, 1947 Source Sheets



SAN BERNARDINO
1942
15-minute, 50000



RIVERSIDE
1947
15-minute, 50000

1938, 1942 Source Sheets



Colton
1938
7.5-minute, 31680




RIVERSIDE VICINITY
1942
7.5-minute, 31680

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

1901 Source Sheets




San Bernardino
1901
15-minute, 62500



Riverside
1901
15-minute, 62500

Historical Topo Map

2018



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE


TP, Riverside East, 2018, 7.5-minute
N, San Bernardino South, 2018, 7.5-minute

SITE NAME: JW North High School New Construction
ADDRESS: 1550 3rd Street
Riverside, CA 92507
CLIENT: PlaceWorks

N

Historical Topo Map

2015



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE


TP, Riverside East, 2015, 7.5-minute
N, San Bernardino South, 2015, 7.5-minute

SITE NAME: JW North High School New Construction
ADDRESS: 1550 3rd Street
Riverside, CA 92507
CLIENT: PlaceWorks

N

Historical Topo Map

2012



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE


TP, Riverside East, 2012, 7.5-minute
N, San Bernardino South, 2012, 7.5-minute

SITE NAME: JW North High School New Construction
ADDRESS: 1550 3rd Street
Riverside, CA 92507
CLIENT: PlaceWorks

N

Historical Topo Map

1980



This report includes information from the following map sheet(s).


0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Riverside East, 1980, 7.5-minute
N, San Bernardino South, 1980, 7.5-minute

SITE NAME: JW North High School New Construction
ADDRESS: 1550 3rd Street
Riverside, CA 92507
CLIENT: PlaceWorks

N



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE


TP, Riverside East, 1967, 7.5-minute
N, San Bernardino South, 1967, 7.5-minute

SITE NAME: JW North High School New Construction
ADDRESS: 1550 3rd Street
Riverside, CA 92507
CLIENT: PlaceWorks

N

Historical Topo Map

1953, 1954



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE


TP, Riverside East, 1953, 7.5-minute
N, San Bernardino South, 1954, 7.5-minute

SITE NAME: JW North High School New Construction
ADDRESS: 1550 3rd Street
Riverside, CA 92507
CLIENT: PlaceWorks

N

Historical Topo Map

1942, 1947



This report includes information from the following map sheet(s).


0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, RIVERSIDE, 1947, 15-minute
N, SAN BERNARDINO, 1942, 15-minute

SITE NAME: JW North High School New Construction
ADDRESS: 1550 3rd Street
Riverside, CA 92507
CLIENT: PlaceWorks

N



This report includes information from the following map sheet(s).


0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, RIVERSIDE VICINITY, 1942, 7.5-minute
N, Colton, 1938, 7.5-minute

SITE NAME: JW North High School New Construction
ADDRESS: 1550 3rd Street
Riverside, CA 92507
CLIENT: PlaceWorks

N



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Riverside, 1901, 15-minute
N, San Bernardino, 1901, 15-minute


SITE NAME: JW North High School New Construction
ADDRESS: 1550 3rd Street
Riverside, CA 92507
CLIENT: PlaceWorks

N

National Flood Hazard Layer FIRMette

FEMA

117°21'1"W 33°59'6"N



117°20'23"W 33°58'36"N

Feet

0 250 500 1,000 1,500 2,000

1:6,000

Basemap: USGS National Map: Orthoimagery: Data refreshed October, 2020

Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS
- Without Base Flood Elevation (BFE) *Zone A, V, A99*
- With BFE or Depth *Zone AE, AO, AH, VE, AR*
- Regulatory Floodway

OTHER AREAS OF FLOOD HAZARD
- 0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile *Zone X*
- Future Conditions 1% Annual Chance Flood Hazard *Zone X*
- Area with Reduced Flood Risk due to Levee. See Notes. *Zone X*
- Area with Flood Risk due to Levee *Zone D*

OTHER AREAS
- NO SCREEN Area of Minimal Flood Hazard *Zone X*
- Effective LOMRs
- Area of Undetermined Flood Hazard *Zone D*

GENERAL STRUCTURES
- Channel, Culvert, or Storm Sewer
- Levee, Dike, or Floodwall

OTHER FEATURES
- 20.2 / 17.5 Cross Sections with 1% Annual Chance / Water Surface Elevation
- Coastal Transect
- Base Flood Elevation Line (BFE)
- Limit of Study
- Jurisdiction Boundary
- Coastal Transect Baseline
- Profile Baseline
- Hydrographic Feature

MAP PANELS
- Digital Data Available
- No Digital Data Available
- Unmapped

N

The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 4/14/2023 at 6:50 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.

Appendix C. Environmental Database Search Report

Appendix

This page intentionally left blank.

JW North High School New Construction
1550 3rd Street
Riverside, CA 92507

Inquiry Number: 7168721.2s
November 03, 2022

The EDR Radius Map™ Report with GeoCheck®

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

SECTION	PAGE
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	9
Orphan Summary	1216
Government Records Searched/Data Currency Tracking	GR-1

GEOCHECK ADDENDUM

Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting SSURGO Soil Map	A-6
Physical Setting Source Map	A-11
Physical Setting Source Map Findings	A-13
Physical Setting Source Records Searched	PSGR-1

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. **NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA) INFORMATION PROVIDED IN THIS REPORT.** Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2022 by Environmental Data Resources, LLC. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, LLC, or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E1527-21), the ASTM Standard Practice for Environmental Site Assessments for Forestland or Rural Property (E 2247-16), the ASTM Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process (E 1528-14) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

1550 3RD STREET
RIVERSIDE, CA 92507

COORDINATES

Latitude (North):	33.9818410 - 33ˆ 58' 54.62''
Longitude (West):	117.3451930 - 117ˆ 20' 42.69''
Universal Tranverse Mercator:	Zone 11
UTM X (Meters):	468114.6
UTM Y (Meters):	3760001.8
Elevation:	964 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map:	12014858 RIVERSIDE EAST, CA
Version Date:	2018

AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from:	20140603
Source:	USDA

MAPPED SITES SUMMARY

Target Property Address:
1550 3RD STREET
RIVERSIDE, CA 92507

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
A1	NORTH (JOHN W.) HIGH	1550 THIRD ST.	FINDS, ECHO		TP
A2	JOHN W NORTH HIGH SC	1550 THIRD ST	CIWQS		TP
A3	RUSD/NORTH HIGH SCHO	1550 3RD ST	HAZNET, HWTS		TP
A4	RUSD JOHN W NORTH HI	1550 3RD ST	HWTS		TP
A5	RIVERSIDE UNIFIED SC	1550 THIRD ST	EMI		TP
A6	RUSD/NORTH HIGH SCHO	1550 3RD ST	HAZNET, HWTS		TP
A7	RIVERSIDE USD	1550 3RD ST	HWTS		TP
A8	NORTH HIGH SCHOOL	1550 3RD ST	FINDS		TP
A9	JW NORTH HIGH SCHOOL	1550 THIRD STREET	CIWQS		TP
A10	NORTH HIGH SCHOOL	1550 THIRD STREET	HAZNET, HWTS		TP
A11	RUSD - NORTH HIGH SC	1550 3RD ST	CERS HAZ WASTE, HAZNET, CERS, HWTS		TP
A12		1550 3RD STREET NORT	CHMIRS		TP
B13	NORTH HIGH SCHOOL	1550 W. THIRD SCHOOL	RCRA-LQG	Lower	21, 0.004, NW
C14	EMERALD MOLD	1473 LINDEN ST UNIT	RCRA-SQG, FINDS	Higher	34, 0.006, SSE
C15	RIVERSIDE COUNTY LIN	1520 LINDEN ST	RCRA-SQG, FINDS, ECHO, HAZNET, HWTS	Higher	65, 0.012, South
D16	FMC TECHNOLOGIES INC	1540 LINDEN STREET	RCRA-SQG, FINDS, ECHO	Higher	66, 0.013, South
D17	SHERWIN-WILLIAMS COM	1560 W LINDEN ST	RCRA-LQG, FINDS, ECHO	Higher	66, 0.013, South
D18	SHERWIN-WILLIAMS COM	1560 LINDEN ST	CERS HAZ WASTE, HAZNET, CERS, HWTS	Higher	66, 0.013, South
19	MASTER PRINTING	3369 CHICAGO AVE	RCRA-SQG, FINDS, ECHO, HAZNET, HWTS	Lower	74, 0.014, West
E20	SIGNAL FLUID SOLUTIO	3403 NIKI WAY	AST, CERS HAZ WASTE, CERS TANKS, HAZNET, CERS,...	Higher	86, 0.016, SE
E21	SIGNAL FLUID SOLUTIO	3403 NIKI WAY	RCRA NonGen / NLR	Higher	86, 0.016, SE
C22	RIVERSIDE CITY FIRE	3510 CRANFORD AVE	SWEEPS UST, CA FID UST	Higher	91, 0.017, SSE
F23	ELECTROCOAT	1525 3RD ST STE G	RCRA-SQG, FINDS, ECHO	Lower	98, 0.019, NNE
F24	KONE INC	1525 3RD ST STE D	RCRA NonGen / NLR	Lower	98, 0.019, NNE
C25	DIRECTV LLC	1520 W LINDEN ST #A	RCRA NonGen / NLR	Higher	112, 0.021, South
C26	RESCUE ROOTER	1520 W LINDEN ST	RCRA NonGen / NLR	Higher	112, 0.021, South
C27	DIRECTV - LC2H6	1520 W LINDEN ST	CERS HAZ WASTE	Higher	112, 0.021, South
G28	WEST COAST INTERIORS	1610 W LINDEN ST	RCRA NonGen / NLR	Lower	113, 0.021, SSW
G29	SELECT ACR, INC.	1660 W LINDEN ST	RCRA NonGen / NLR	Lower	184, 0.035, SSW
F30	ARCO #1841	1505 THIRD ST	LUST, Cortese	Lower	226, 0.043, NNE
F31	ARCO STATION #1841	1505 THIRD	Notify 65	Lower	226, 0.043, NNE
F32	PAUL J ADCOCK	1505 3RD ST	HIST UST	Lower	226, 0.043, NNE
F33	ARCO AM/PM MINI MARK	1505 3RD ST	EDR Hist Auto	Lower	226, 0.043, NNE
F34	ARCO #1841	1505 THIRD ST	SWEEPS UST, CA FID UST, HIST CORTESE, CERS	Lower	226, 0.043, NNE
F35	ARCO #1841	1505 3RD ST	LUST, UST	Lower	226, 0.043, NNE
E36	EXPERIENCED TRACTOR	3443 NIKI WAY	RCRA NonGen / NLR	Lower	263, 0.050, SE
E37	EXPERIENCED TRACTOR	3443 NIKI WAY	CERS HAZ WASTE, CERS	Lower	263, 0.050, SE
B38	AT&T MOBILITY - RIVE	3230 TRADE CENTER DR	CERS HAZ WASTE, CERS	Lower	282, 0.053, NNW
B39	AT&T MOBILITY	3230 TRADE CENTER DR	RCRA NonGen / NLR	Lower	282, 0.053, NNW

MAPPED SITES SUMMARY

Target Property Address:
1550 3RD STREET
RIVERSIDE, CA 92507

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
40	PANEL JACKS LLC	1440 3RD ST #4	RCRA NonGen / NLR	Lower	284, 0.054, NE
C41	LINDEN BOOSTER STATI	1450 WEST LINDEN STR	RCRA NonGen / NLR	Higher	296, 0.056, SSE
42	WILSON PROPERTY SERV	1410 3RD ST	RCRA NonGen / NLR	Higher	300, 0.057, East
43	WALKER EVANS ENTERPR	3240 TRADE CENTER DR	RCRA NonGen / NLR	Lower	329, 0.062, North
H44	METRIC MACHINING INC	3263 TRADE CENTER DR	RCRA NonGen / NLR	Lower	360, 0.068, NNW
H45	METRIC MACHINING INC	3263 TRADE CENTER DR	CERS HAZ WASTE, CERS TANKS, HAZNET, NPDES, CIWQS,	Lower	360, 0.068, NNW
I46	MB PRINT AND SILKSCR	3215 CHICAGO AVE STE	RCRA-SQG, FINDS, ECHO	Lower	360, 0.068, NW
I47	EDWARD S BABCOCK AND	3215 CHICAGO AVENUE	HIST UST	Lower	360, 0.068, NW
I48	AUTOTECH	1735 THIRD ST	RCRA NonGen / NLR	Lower	365, 0.069, WNW
I49	RIVERSIDE AUTO RPR	1735 3RD ST	CERS HAZ WASTE, HAZNET, CERS, HWTS	Lower	365, 0.069, WNW
I50	ANTHONY SOLORIO	1735 3RD ST	RCRA NonGen / NLR	Lower	365, 0.069, WNW
J51	CHICAGO BODY WORKS	3580 CHICAGO AVE	EDR Hist Auto	Lower	369, 0.070, SW
I52	LIFETIME SERVICE CEN	3190 CHICAGO AVE	RCRA NonGen / NLR	Lower	406, 0.077, NW
K53	WEST COAST DRYWALL &	1561 7TH ST	RCRA NonGen / NLR	Higher	421, 0.080, SSW
K54	THERMOCLAD CO THE	1541 7TH ST	RCRA-SQG, FINDS, ECHO	Higher	421, 0.080, South
K55	THERMOCLAD COMPANY	1541 7TH ST	ENVIROSTOR	Higher	421, 0.080, South
J56	CALIFORNIA SPRAY CHE	3530 CHICAGO AV	ENVIROSTOR	Lower	421, 0.080, SW
K57	WEST COAST DRYWALL &	1611 7TH ST	CERS HAZ WASTE	Lower	422, 0.080, SSW
K58	WEST COAST PAINTING	1611 7TH ST	RCRA-LQG, HAZNET, HWTS	Lower	422, 0.080, SSW
L59	ENVIRONMENTAL METALS	1521 7TH ST	RCRA-SQG, FINDS, ECHO	Higher	438, 0.083, SSE
M60	WEST COAST DRYWALL &	3595 PRESLEY AVE	RCRA NonGen / NLR	Lower	464, 0.088, SSW
M61	MITCHELL GLASS	3595 PRESLEY AVE	CERS HAZ WASTE, SWEEPS UST, CA FID UST, CERS	Lower	464, 0.088, SSW
N62	MERIT OIL	1751 W 3RD ST	RCRA NonGen / NLR	Lower	468, 0.089, WNW
N63	MERIT OIL COMPANY	1751 3RD ST	LUST, CERS HAZ WASTE, CERS TANKS, Cortese, CERS	Lower	468, 0.089, WNW
N64	AMENDT OIL COMPANY	1751 THIRD ST	SWEEPS UST, CA FID UST, HIST CORTESE	Lower	468, 0.089, WNW
N65	MERIT OIL CO	1751 THIRD ST	LUST	Lower	468, 0.089, WNW
N66	MERIT OIL CO.	1751 3RD ST	UST	Lower	468, 0.089, WNW
N67	MERIT OIL COMPANY	1751 3RD ST	UST	Lower	468, 0.089, WNW
O68	TRM COPY CENTER	3390 DURAHART ST	RCRA-SQG, FINDS, ECHO	Lower	475, 0.090, West
O69	BREAKER TECH LTD	3464 DURAHART ST	RCRA-SQG, FINDS, ECHO	Lower	505, 0.096, West
P70	ARROWHEAD INDUSTRIAL	3343 DURAHART ST	RCRA NonGen / NLR	Lower	544, 0.103, West
K71	CAL-TEX TRANSMISSION	1526 7TH ST	EDR Hist Auto	Higher	552, 0.105, South
P72	BAXTER HEALTHCARE CO	3333 DURHART ST	RCRA-SQG, FINDS, ECHO	Lower	560, 0.106, West
Q73	REISNER ENTERPRISES	1403 W LINDEN ST	CERS HAZ WASTE, HAZNET, CERS, HWTS	Higher	573, 0.109, SE
Q74	REISNER ENTERPRISES	1403 W LINDEN ST	RCRA NonGen / NLR	Higher	573, 0.109, SE
N75	INTERSTATE BRAND	1781 3RD ST	RCRA-SQG, FINDS, ECHO, HAZNET, HWTS	Lower	605, 0.115, WNW
N76	HOSTESS/INTERSTATE B	1781 3RD ST	LUST, Cortese, Notify 65, CERS	Lower	605, 0.115, WNW
N77	INTERSTATE BRANDS CO	1781 THIRD ST	LUST	Lower	605, 0.115, WNW
N78	CONTINENTAL BAKING C	1781 THIRD ST	LUST, SWEEPS UST, CA FID UST, HIST CORTESE	Lower	605, 0.115, WNW

MAPPED SITES SUMMARY

Target Property Address:
1550 3RD STREET
RIVERSIDE, CA 92507

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
N79	CONTINENTAL BAKING C	1781 3RD ST	LUST, Cortese, CERS	Lower	605, 0.115, WNW
R80	A 1 MOBIL AXEL CO	3493 DURAHART ST	EDR Hist Auto	Lower	607, 0.115, WSW
L81	TUBEWORKS INC.	1506 7TH STREET	RCRA NonGen / NLR	Higher	608, 0.115, South
L82	TUBEWORKS INC.	1506 7TH ST.	RCRA NonGen / NLR	Higher	608, 0.115, South
L83	TUBEWORKS INC	1506 7TH ST	RCRA NonGen / NLR	Higher	608, 0.115, South
L84	TUBEWORKS INC	1506 7TH ST	CERS HAZ WASTE, CERS, HWTS	Higher	608, 0.115, South
R85	BREAKER TECHNOLOGY I	3453 DURAHART ST	RCRA NonGen / NLR	Lower	612, 0.116, WSW
S86	STRONG HOLD ENGINEER	3421 GATO CT	RCRA NonGen / NLR	Higher	620, 0.117, ESE
S87	STRONG HOLD ENGINEER	3421 GATO CT	CERS HAZ WASTE, HAZNET, CERS	Higher	620, 0.117, ESE
S88	JOYTECH INTERNATIONA	3421 GATO CT	RCRA-SQG, FINDS, ECHO, HAZNET, HWTS	Higher	620, 0.117, ESE
T89	RSF ENTERPRISES INC	3127 CHICAGO AVE	RCRA NonGen / NLR	Lower	705, 0.134, NW
T90	CADDOCK ELECTRONICS	3127 CHICAGO AVE	SWEEPS UST, CA FID UST, EMI	Lower	705, 0.134, NW
T91	CADDOCK ELECTRONICS,	3127 CHICAGO AVE	RCRA-SQG, CERS HAZ WASTE, FINDS, ECHO, HAZNET,...	Lower	705, 0.134, NW
U92	PROTRANS AUTOMOTIVE	3420 GATO CT	RCRA NonGen / NLR	Higher	796, 0.151, ESE
U93	PROTRANS AUTOMOTIVE	3420 GATO CT	CERS HAZ WASTE, HAZNET, CERS, HWTS	Higher	796, 0.151, ESE
T94	EJAY FILTRATION, INC	3126 DURAHART ST	CERS HAZ WASTE, CERS	Lower	802, 0.152, NW
V95	BLAINE 76	1395 W BLAINE ST	RCRA NonGen / NLR	Higher	836, 0.158, ENE
V96	TOSCO CORPORATION ST	1395 W BLAINE ST	CERS HAZ WASTE, CERS TANKS, HAZNET, CERS, HWTS	Higher	836, 0.158, ENE
V97	TOSCO 31001	1395 BLAINE ST	RCRA-SQG	Higher	836, 0.158, ENE
V98	IMPERIAL RETAIL STOR	1395 W BLAINE ST	RCRA NonGen / NLR	Higher	836, 0.158, ENE
V99	76 STATION #5856	1395 BLAINE	LUST	Higher	836, 0.158, ENE
V100	UNOCAL #5856	1395 BLAINE ST	SWEEPS UST, CA FID UST	Higher	836, 0.158, ENE
V101	IMPERIAL RETAIL STOR	1395 W BLAINE ST	UST	Higher	836, 0.158, ENE
V102	76 STATION 5856	1395 BLAINE STREET	LUST, CHMIRS, Cortese, CERS	Higher	836, 0.158, ENE
V103	STATION #5856	1395 W BLAINE ST	HIST UST	Higher	836, 0.158, ENE
V104	UNION OIL SERVICE ST	1395 W BLAINE ST	HIST UST	Higher	836, 0.158, ENE
V105	UNION OIL SERVICE ST	1395 BLAINE STREET	HIST UST, HAZNET, HWTS	Higher	836, 0.158, ENE
V106	TOSCO CORPORATION SS	1395 BLAINE ST	UST	Higher	836, 0.158, ENE
V107	ARCO GAS & MINI MART	1360 W BLAINE ST	UST	Higher	869, 0.165, ENE
V108	ARCO GAS & MINI MART	1360 W BLAINE ST	CERS HAZ WASTE, CERS TANKS, HAZNET, CERS	Higher	869, 0.165, ENE
V109	MANDEEP SINGH	1360 W BLAINE ST	RCRA NonGen / NLR	Higher	869, 0.165, ENE
V110	RIVERSIDE ULTRAMAR	1360 W. BLAINE ST.	UST	Higher	869, 0.165, ENE
V111	MOBIL #18-D9M	1360 BLAINE ST	LUST, SWEEPS UST, CA FID UST, Cortese, HIST...	Higher	869, 0.165, ENE
V112	GURKIRPA PROPERTIES	1360 W BLAINE ST	RCRA NonGen / NLR	Higher	869, 0.165, ENE
T113	MCSPI	3035 CHICAGO AVE	CPS-SLIC, CERS	Lower	887, 0.168, NW
T114	MC SPI INC	3035 CHICAGO AVE	SWEEPS UST, CA FID UST	Lower	887, 0.168, NW
W115	RIVERSIDE TRANSIT AG	1825 THIRD ST	LUST, SWEEPS UST, CA FID UST, Cortese, HIST...	Lower	903, 0.171, WNW
W116	RIVERSIDE TRANSIT AG	1825 3RD ST	RCRA-SQG, LUST, UST, CERS HAZ WASTE, CERS TANKS,...	Lower	903, 0.171, WNW
X117	ENTRADA APARTMENTS	1705 SEVENTH STREET	RCRA-SQG	Lower	936, 0.177, SSW

MAPPED SITES SUMMARY

Target Property Address:
1550 3RD STREET
RIVERSIDE, CA 92507

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
Y118	UNIVERSITY GARDENS A	3725 CRANFORD AVE	RCRA NonGen / NLR	Higher	953, 0.180, South
X119	CITY OF RIVERSIDE CA	1725 7TH STREET	RCRA NonGen / NLR	Lower	957, 0.181, SW
X120	EARL SCHEIB OF CAL I	3700 CHICAGO AV	CERS HAZ WASTE, EMI, CERS	Lower	958, 0.181, SSW
X121	TOP DAWG AUTO REPAIR	3700 CHICAGO AVE	RCRA NonGen / NLR	Lower	958, 0.181, SSW
122	GLORIA MARTINEZ	1415 7TH ST	RCRA NonGen / NLR	Higher	967, 0.183, SSE
Z123	EJAY FILTRATION, INC	3036 DURAHART ST	CERS HAZ WASTE, CERS	Lower	977, 0.185, NW
Z124	EJAY FILTRATION INC	3036 DURAHART ST	RCRA NonGen / NLR	Lower	977, 0.185, NW
AA125	CSAI AUTO SERVICE	3001 CHICAGO AVE	RCRA NonGen / NLR	Lower	1034, 0.196, NW
AA126	CALIFORNIA SMOG & AU	3001 CHICAGO AVE	CERS HAZ WASTE, HAZNET, CERS, HWTS	Lower	1034, 0.196, NW
X127	CHARGER 4	3750 CHICAGO AVE	LUST, HIST UST, Cortese, CERS	Lower	1080, 0.205, SSW
X128	BUY RITE #203	3750 CHICAGO AVE	UST, SWEEPS UST	Lower	1080, 0.205, SSW
X129	BUY RITE #203	3750 CHICAGO AVE	CA FID UST	Lower	1080, 0.205, SSW
X130	BUY RITE	3750 CHICAGO AVENUE	LUST	Lower	1080, 0.205, SSW
AB131	VALVOLINE INSTANT OI	3335 IOWA AVE	RCRA NonGen / NLR	Higher	1178, 0.223, East
AB132	VALVOLINE INSTANT OI	3335 IOWA AVE	CERS HAZ WASTE, CERS TANKS, CERS	Higher	1178, 0.223, East
AB133	VALVOLINE INSTANT OI	3335 IOWA AVE	AST	Higher	1178, 0.223, East
Y134	BUDGET CAR AND TRUCK	1521 UNIVERSITY AVE	RCRA-SQG, FINDS, ECHO	Higher	1184, 0.224, South
Y135	BUDGET CAR AND TRUCK	1521 UNIVERSITY AVE	HIST UST	Higher	1184, 0.224, South
AC136	MAGNUSON TIRES & AUT	1555 UNIVERSITY AVE	CERS HAZ WASTE, HAZNET, CERS, HWTS	Higher	1186, 0.225, South
AC137	MAGNUSON TIRE AND AU	1555 UNIVERSITY AVE	RCRA NonGen / NLR	Higher	1186, 0.225, South
AB138	DAVID NEWMAN	1306 BLAINE ST	HIST UST	Higher	1207, 0.229, ENE
AB139	TEXACO STATION	1300 BLAINE ST	UST, SWEEPS UST	Higher	1254, 0.237, ENE
AB140	TEXACO SERVICE STATI	1300 BLAINE ST	CA FID UST	Higher	1254, 0.237, ENE
AB141	TEXACO BLAINE	1300 BLAINE STREET	LUST, Cortese, CERS	Higher	1254, 0.237, ENE
AB142	EXXON R/S #7-2899	1300 W BLAINE ST	HIST UST	Higher	1254, 0.237, ENE
AB143	EXXON SERVICE STATIO	1300 W BLAINE ST	HIST UST	Higher	1254, 0.237, ENE
AB144	TEXACO REFINING AND	1300 BLAINE	HIST UST, HAZNET, HWTS	Higher	1254, 0.237, ENE
AB145	TEXACO SERVICE STATI	1300 BLAINE ST	RCRA-SQG, LUST, FINDS, ECHO	Higher	1254, 0.237, ENE
AB146	EXXON SERVICE STATIO	1300 BLAINE ST	LUST, Cortese	Higher	1254, 0.237, ENE
AD147	UCR SHELL	3261 IOWA AVE	RCRA NonGen / NLR	Higher	1303, 0.247, ENE
AD148	SHELL/GHARABIKLOU &	3261 IOWA AVE	UST	Higher	1303, 0.247, ENE
AD149	SHELL SERVICE STATIO	3261 IOWA	RCRA-SQG, FINDS, ECHO, HAZNET, HWTS	Higher	1303, 0.247, ENE
AD150	UCR SHELL	3261 IOWA AVE	UST	Higher	1303, 0.247, ENE
AD151	SHELL IOWA AVENUE	3261 IOWA AVENUE	LUST	Higher	1303, 0.247, ENE
AD152	BLAINE SHELL	3261 IOWA AVE	LUST	Higher	1303, 0.247, ENE
AD153	PACIFIC COAST ENTERP	3261 IOWA AVE	SWEEPS UST, CA FID UST	Higher	1303, 0.247, ENE
AD154	SHELL	3261 IOWA	LUST, CERS HAZ WASTE, HIST UST, CERS TANKS,...	Higher	1303, 0.247, ENE
AE155	O'REILLY AUTO PARTS	1691 UNIVERSITY AVE	RCRA NonGen / NLR	Lower	1306, 0.247, SSW
AE156	O'REILLY AUTO PARTS	1691 UNIVERSITY AVE	CERS HAZ WASTE, CERS	Lower	1306, 0.247, SSW

MAPPED SITES SUMMARY

Target Property Address:
1550 3RD STREET
RIVERSIDE, CA 92507

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
157	BAILEY CALIFORNIA PR	1393 UNIVERSITY AVE	RCRA NonGen / NLR	Higher	1310, 0.248, SSE
158	GROVE 186	COLE ST	LUST	Higher	1376, 0.261, ESE
AF159	UNOCAL #3779	1490 UNIVERSITY AVE	CPS-SLIC	Higher	1515, 0.287, South
AF160	UNOCAL #3779	1490 UNIVERSITY AVE	LUST, CERS	Higher	1515, 0.287, South
161	ALL WOODS LAMINATING	1850 MASS AVE. BLDG	SEMS-ARCHIVE	Lower	1841, 0.349, NW
162	LUXFER USA LIMITED	1995 THIRD STREET	CPS-SLIC, HIST UST, CERS	Lower	1899, 0.360, WNW
163	YTK CHICAGO PLAZA LL	3900 CHICAGO AVE	SWRCY, CERS HAZ WASTE, HAZNET, CERS, HWTS	Higher	1979, 0.375, SSW
AG164	DEVOE MARINE COATING	2625 DURAHART ST	LUST, HIST UST, Cortese, NPDES, CIWQS	Lower	2030, 0.384, NW
AG165	DEVOE MARINE COATING	2625 DURAHART ST	ENVIROSTOR, LUST, CHMIRS, CERS	Lower	2030, 0.384, NW
AG166	DEVOE COATINGS	2625 DURAHART ST	SEMS, RCRA-SQG	Lower	2030, 0.384, NW
AG167	LAUS INVESTMENT COMP	2620 DURAHART ST	LUST, Cortese, CERS	Lower	2035, 0.385, NW
AH168	EXXON SERVICE STATIO	1295 UNIVERSITY AVE	LUST, Cortese	Higher	2048, 0.388, SE
AH169	EXXON SERVICE STATIO	1295 UNIVERSITY	LUST, HIST CORTESE, CERS	Higher	2048, 0.388, SE
AH170	THRIFTY OIL #344 ARC	1294 UNIVERSITY AVE	LUST, CERS HAZ WASTE, CERS TANKS, CHMIRS, Cortese,...	Higher	2064, 0.391, SE
AH171	THRIFTY OIL #344/ AR	1294 UNIVERSITY AVE	LUST	Higher	2064, 0.391, SE
172	EASTSIDE ELEMENTARY	UNIVERSITY AVENUE/OT	ENVIROSTOR, SCH	Lower	2189, 0.415, SW
AH173	TEXACO	1221 UNIVERSITY AVE	LUST, Cortese, CERS	Higher	2261, 0.428, SE
AH174	TEXACO SERVICE STATI	1221 UNIVERSITY AVE	LUST, SWEEPS UST, CA FID UST, HIST CORTESE	Higher	2261, 0.428, SE
175	SCIND MASSACHUSETTS	1989 MASSACHUSETTS A	CPS-SLIC, CERS HAZ WASTE, CIWQS, CERS	Lower	2396, 0.454, WNW
AI176	J.D. DIFFENBRUGH	2375 CHICAGO STREET	Notify 65	Lower	2409, 0.456, NNW
AI177	J D DIFFENBAUGH	2375 CHICAGO AVE	LUST, HIST UST, Cortese, CERS	Lower	2409, 0.456, NNW
AI178	DIFFENBAUGH, J.D.	2375 CHICAGO AVE	LUST, CDL	Lower	2409, 0.456, NNW
AJ179	MOBIL #18-402	1147 UNIVERSITY AVE	LUST, SWEEPS UST, CA FID UST, HIST CORTESE	Higher	2617, 0.496, SE
AJ180	CITY OF RIVERSIDE	1147 UNIVERSITY AVE	LUST, CERS HAZ WASTE, CERS TANKS, CHMIRS, Cortese,...	Higher	2617, 0.496, SE
AK181	ALCAN, INC.	3016 KANSAS AV	ENVIROSTOR, CPS-SLIC, NPDES, CIWQS	Lower	2877, 0.545, WNW
AK182	HUNTER DOUGLAS ALUMI	3016 KANSAS AVENUE	FUSRAP	Lower	2877, 0.545, WNW
183	VALERION CORPORATION	2280 IOWA	ENVIROSTOR, HIST CORTESE	Higher	2976, 0.564, NNE
184	LEWIS, A.M.	2727 KANSAS AVENUE	Notify 65	Lower	3274, 0.620, WNW
185	LONGFELLOW ELEMENTAR	3610 EUCALYPTUS AVEN	ENVIROSTOR, SCH, HWTS	Lower	3449, 0.653, WSW
AL186	UNIVERSITY OF CA RIV	RIVERSIDE CAMPUS	SEMS-ARCHIVE, CORRACTS, RCRA-TSDF, RCRA-LQG, RAATS	Higher	4177, 0.791, ESE
AL187	UNIVERSITY OF CALIFO	900 UNIVERSITY AVENU	ENVIROSTOR, CHMIRS, HWP, NPDES, CIWQS	Higher	4177, 0.791, ESE
AM188	UNIVERSITY OF CALIFO	1060 MARTIN LUTHER K	RESPONSE, ENVIROSTOR, LUST, DEED	Higher	4286, 0.812, SSE
AM189	UNIVERSITY OF CALIFO	1060 PENNSYLVANIA AV	HIST Cal-Sites, CA BOND EXP. PLAN, HIST CORTESE	Higher	4286, 0.812, SSE
190	SINGLETARY, KING	2675 THIRD	Notify 65	Lower	4561, 0.864, West
191	RIVERSIDE FERTILIZER	2622 3RD ST	ENVIROSTOR	Lower	4572, 0.866, West
192	1X RIVERSIDE SCRAP I	2993 SIXTH STREET	ENVIROSTOR, VCP, HAZNET, HWTS	Lower	4988, 0.945, West
193	WEILAND & COMPANY	3491 COMMERCE	ENVIROSTOR	Lower	5064, 0.959, West

EXECUTIVE SUMMARY

TARGET PROPERTY SEARCH RESULTS

The target property was identified in the following records. For more information on this property see page 9 of the attached EDR Radius Map report:

Site	Database(s)	EPA ID
NORTH (JOHN W.) HIGH 1550 THIRD ST. RIVERSIDE, CA 92507	FINDS Registry ID:: 110036931345 ECHO Registry ID: 110036931345	N/A
JOHN W NORTH HIGH SC 1550 THIRD ST RIVERSIDE, CA	CIWQS	N/A
RUSD/NORTH HIGH SCHO 1550 3RD ST RIVERSIDE, CA 92507	HAZNET GEPAID: CAC001505936 HWTS	N/A
RUSD JOHN W NORTH HI 1550 3RD ST RIVERSIDE, CA 92507	HWTS	N/A
RIVERSIDE UNIFIED SC 1550 THIRD ST RIVERSIDE, CA 92507	EMI Facility Id: 17935	N/A
RUSD/NORTH HIGH SCHO 1550 3RD ST RIVERSIDE, CA 92507	HAZNET GEPAID: CAC002311321 HWTS	N/A
RIVERSIDE USD 1550 3RD ST RIVERSIDE, CA 92507	HWTS	N/A
NORTH HIGH SCHOOL 1550 3RD ST RIVERSIDE, CA 92507	FINDS Registry ID:: 110066654276	N/A
JW NORTH HIGH SCHOOL 1550 THIRD STREET RIVERSIDE, CA 92507	CIWQS	N/A
NORTH HIGH SCHOOL 1550 THIRD STREET RIVERSIDE, CA 92507	HAZNET	N/A

	GEPAID: CAL000113110 HWTS	
RUSD - NORTH HIGH SC 1550 3RD ST RIVERSIDE, CA 92507	CERS HAZ WASTE HAZNET GEPAID: CAL000110051 CERS HWTS	N/A
1550 3RD STREET NORT 1550 3RD STREET NORT RIVERSIDE, CA	CHMIRS OES Incident Number: 16040	N/A

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Lists of Federal NPL (Superfund) sites

NPL ---------- National Priority List
Proposed NPL ---------- Proposed National Priority List Sites
NPL LIENS ---------- Federal Superfund Liens

Lists of Federal Delisted NPL sites

Delisted NPL ---------- National Priority List Deletions

Lists of Federal sites subject to CERCLA removals and CERCLA orders

FEDERAL FACILITY ---------- Federal Facility Site Information listing

Lists of Federal RCRA TSD facilities

RCRA-TSDF ---------- RCRA - Treatment, Storage and Disposal

Lists of Federal RCRA generators

RCRA-VSQG ---------- RCRA - Very Small Quantity Generators (Formerly Conditionally Exempt Small Quantity Generators)

Federal institutional controls / engineering controls registries

LUCIS ---------- Land Use Control Information System

US ENG CONTROLS..... Engineering Controls Sites List
US INST CONTROLS..... Institutional Controls Sites List

Federal ERNS list

ERNS..... Emergency Response Notification System

Lists of state and tribal landfills and solid waste disposal facilities

SWF/LF..... Solid Waste Information System

Lists of state and tribal leaking storage tanks

INDIAN LUST..... Leaking Underground Storage Tanks on Indian Land

Lists of state and tribal registered storage tanks

FEMA UST..... Underground Storage Tank Listing
INDIAN UST..... Underground Storage Tanks on Indian Land

Lists of state and tribal voluntary cleanup sites

VCP..... Voluntary Cleanup Program Properties
INDIAN VCP..... Voluntary Cleanup Priority Listing

Lists of state and tribal brownfield sites

BROWNFIELDS..... Considered Brownfieds Sites Listing

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS..... A Listing of Brownfields Sites

Local Lists of Landfill / Solid Waste Disposal Sites

WMUDS/SWAT..... Waste Management Unit Database
HAULERS..... Registered Waste Tire Haulers Listing
INDIAN ODI..... Report on the Status of Open Dumps on Indian Lands
DEBRIS REGION 9..... Torres Martinez Reservation Illegal Dump Site Locations
ODI..... Open Dump Inventory
IHS OPEN DUMPS..... Open Dumps on Indian Land

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL..... Delisted National Clandestine Laboratory Register
SCH..... School Property Evaluation Program
CDL..... Clandestine Drug Labs
Toxic Pits..... Toxic Pits Cleanup Act Sites
US CDL..... National Clandestine Laboratory Register
PFAS..... PFAS Contamination Site Location Listing
AQUEOUS FOAM..... Former Fire Training Facility Assessments Listing

Local Land Records

LIENS..... Environmental Liens Listing

LIENS 2	CERCLA Lien Information
DEED	Deed Restriction Listing

Records of Emergency Release Reports

HMIRS	Hazardous Materials Information Reporting System
LDS	Land Disposal Sites Listing
MCS	Military Cleanup Sites Listing
SPILLS 90	SPILLS 90 data from FirstSearch

Other Ascertainable Records

FUDS	Formerly Used Defense Sites
DOD	Department of Defense Sites
SCRD DRYCLEANERS	State Coalition for Remediation of Drycleaners Listing
US FIN ASSUR	Financial Assurance Information
EPA WATCH LIST	EPA WATCH LIST
2020 COR ACTION	2020 Corrective Action Program List
TSCA	Toxic Substances Control Act
TRIS	Toxic Chemical Release Inventory System
SSTS	Section 7 Tracking Systems
ROD	Records Of Decision
RMP	Risk Management Plans
RAATS	RCRA Administrative Action Tracking System
PRP	Potentially Responsible Parties
PADS	PCB Activity Database System
ICIS	Integrated Compliance Information System
FTTS	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
MLTS	Material Licensing Tracking System
COAL ASH DOE	Steam-Electric Plant Operation Data
COAL ASH EPA	Coal Combustion Residues Surface Impoundments List
PCB TRANSFORMER	PCB Transformer Registration Database
RADINFO	Radiation Information Database
HIST FTTS	FIFRA/TSCA Tracking System Administrative Case Listing
DOT OPS	Incident and Accident Data
CONSENT	Superfund (CERCLA) Consent Decrees
INDIAN RESERV	Indian Reservations
UMTRA	Uranium Mill Tailings Sites
LEAD SMELTERS	Lead Smelter Sites
US AIRS	Aerometric Information Retrieval System Facility Subsystem
US MINES	Mines Master Index File
ABANDONED MINES	Abandoned Mines
DOCKET HWC	Hazardous Waste Compliance Docket Listing
UXO	Unexploded Ordnance Sites
FUELS PROGRAM	EPA Fuels Program Registered Listing
CUPA Listings	CUPA Resources List
DRYCLEANERS	Cleaner Facilities
ENF	Enforcement Action Listing
Financial Assurance	Financial Assurance Information Listing
ICE	ICE
HWT	Registered Hazardous Waste Transporter Database
MINES	Mines Site Location Listing
MWMP	Medical Waste Management Program Listing
NPDES	NPDES Permits Listing

PEST LIC ---- Pesticide Regulation Licenses Listing
PROC ---- Certified Processors Database
UIC ---- UIC Listing
UIC GEO ---- UIC GEO (GEOTRACKER)
WASTEWATER PITS ---- Oil Wastewater Pits Listing
WDS ---- Waste Discharge System
WIP ---- Well Investigation Program Case List
MILITARY PRIV SITES ---- MILITARY PRIV SITES (GEOTRACKER)
PROJECT ---- PROJECT (GEOTRACKER)
WDR ---- Waste Discharge Requirements Listing
NON-CASE INFO ---- NON-CASE INFO (GEOTRACKER)
OTHER OIL GAS ---- OTHER OIL & GAS (GEOTRACKER)
PROD WATER PONDS ---- PROD WATER PONDS (GEOTRACKER)
SAMPLING POINT ---- SAMPLING POINT (GEOTRACKER)
WELL STIM PROJ ---- Well Stimulation Project (GEOTRACKER)
MINES MRDS ---- Mineral Resources Data System

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP ---- EDR Proprietary Manufactured Gas Plants
EDR Hist Cleaner ---- EDR Exclusive Historical Cleaners

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA LF ---- Recovered Government Archive Solid Waste Facilities List
RGA LUST ---- Recovered Government Archive Leaking Underground Storage Tank

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.
Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Lists of Federal sites subject to CERCLA removals and CERCLA orders

SEMS: SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the

United States. The list was formerly know as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

A review of the SEMS list, as provided by EDR, and dated 07/26/2022 has revealed that there is 1 SEMS site within approximately 0.5 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
DEVOE COATINGS	***2625 DURAHART ST***	***NW 1/4 - 1/2 (0.384 mi.)***	***AG166***	***947***
Site ID: 0901689				
EPA Id: CAD097574073				

Lists of Federal CERCLA sites with NFRAP

SEMS-ARCHIVE: SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that. based upon available information, the location is not judged to be potential NPL site.

A review of the SEMS-ARCHIVE list, as provided by EDR, and dated 07/26/2022 has revealed that there is 1 SEMS-ARCHIVE site within approximately 0.5 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
ALL WOODS LAMINATING	1850 MASS AVE. BLDG	NW 1/4 - 1/2 (0.349 mi.)	161	927
Site ID: 0904049				
EPA Id: CAD983594185				

Lists of Federal RCRA facilities undergoing Corrective Action

CORRACTS: CORRACTS is a list of handlers with RCRA Corrective Action Activity. This report shows which nationally-defined corrective action core events have occurred for every handler that has had corrective action activity.

A review of the CORRACTS list, as provided by EDR, and dated 06/20/2022 has revealed that there is 1 CORRACTS site within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
UNIVERSITY OF CA RIV	***RIVERSIDE CAMPUS***	***ESE 1/2 - 1 (0.791 mi.)***	***AL186***	***1060***
EPA ID:: CAD073134777				

EXECUTIVE SUMMARY

Lists of Federal RCRA generators

RCRA-LQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

A review of the RCRA-LQG list, as provided by EDR, and dated 06/20/2022 has revealed that there are 3 RCRA-LQG sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
SHERWIN-WILLIAMS COM EPA ID:: CAR000014969	***1560 W LINDEN ST***	***S 0 - 1/8 (0.013 mi.)***	***D17***	***57***

Lower Elevation	Address	Direction / Distance	Map ID	Page
NORTH HIGH SCHOOL EPA ID:: CAL000110051	1550 W. THIRD SCHOOL	NW 0 - 1/8 (0.004 mi.)	B13	44
WEST COAST PAINTING EPA ID:: CAL000221929	***1611 7TH ST***	***SSW 0 - 1/8 (0.080 mi.)***	***K58***	***284***

RCRA-SQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

A review of the RCRA-SQG list, as provided by EDR, and dated 06/20/2022 has revealed that there are 20 RCRA-SQG sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
EMERALD MOLD EPA ID:: CAD983671553	***1473 LINDEN ST UNIT***	***SSE 0 - 1/8 (0.006 mi.)***	***C14***	***47***
RIVERSIDE COUNTY LIN EPA ID:: CAD983646340	***1520 LINDEN ST***	***S 0 - 1/8 (0.012 mi.)***	***C15***	***50***
FMC TECHNOLOGIES INC EPA ID:: CAD982469819	***1540 LINDEN STREET***	***S 0 - 1/8 (0.013 mi.)***	***D16***	***54***
THERMOCLAD CO THE EPA ID:: CAD981978539	***1541 7TH ST***	***S 0 - 1/8 (0.080 mi.)***	***K54***	***275***
ENVIRONMENTAL METALS EPA ID:: CAD980892160	***1521 7TH ST***	***SSE 0 - 1/8 (0.083 mi.)***	***L59***	***334***
JOYTECH INTERNATIONA EPA ID:: CAD983651951	***3421 GATO CT***	***ESE 0 - 1/8 (0.117 mi.)***	***S88***	***498***
TOSCO 31001 EPA ID:: CAL000135606	1395 BLAINE ST	ENE 1/8 - 1/4 (0.158 mi.)	V97	586
BUDGET CAR AND TRUCK EPA ID:: CAD983663022	***1521 UNIVERSITY AVE***	***S 1/8 - 1/4 (0.224 mi.)***	***Y134***	***825***
TEXACO SERVICE STATI	***1300 BLAINE ST***	***ENE 1/8 - 1/4 (0.237 mi.)***	***AB145***	***869***

EPA ID:: CAR000105809

SHELL SERVICE STATIO	***3261 IOWA***	***ENE 1/8 - 1/4 (0.247 mi.)***	***AD149***	***878***
EPA ID:: CAR000115790				

Lower Elevation	Address	Direction / Distance	Map ID	Page
MASTER PRINTING	***3369 CHICAGO AVE***	***W 0 - 1/8 (0.014 mi.)***	***19***	***137***
EPA ID:: CAD982476368				
ELECTROCOAT	***1525 3RD ST STE G***	***NNE 0 - 1/8 (0.019 mi.)***	***F23***	***173***
EPA ID:: CAD982488736				
MB PRINT AND SILKSCR	***3215 CHICAGO AVE STE***	***NW 0 - 1/8 (0.068 mi.)***	***I46***	***251***
EPA ID:: CAR000003483				
TRM COPY CENTER	***3390 DURAHART ST***	***W 0 - 1/8 (0.090 mi.)***	***O68***	***417***
EPA ID:: CAD983659079				
BREAKER TECH LTD	***3464 DURAHART ST***	***W 0 - 1/8 (0.096 mi.)***	***O69***	***420***
EPA ID:: CAR000005272				
BAXTER HEALTHCARE CO	***3333 DURHART ST***	***W 0 - 1/8 (0.106 mi.)***	***P72***	***426***
EPA ID:: CAD982325227				
INTERSTATE BRAND	***1781 3RD ST***	***WNW 0 - 1/8 (0.115 mi.)***	***N75***	***439***
EPA ID:: CAR000081745				
CADDOCK ELECTRONICS,	***3127 CHICAGO AVE***	***NW 1/8 - 1/4 (0.134 mi.)***	***T91***	***509***
EPA ID:: CAD981375280				
RIVERSIDE TRANSIT AG	***1825 3RD ST***	***WNW 1/8 - 1/4 (0.171 mi.)***	***W116***	***661***
EPA ID:: CAD981690274				
ENTRADA APARTMENTS	1705 SEVENTH STREET	SSW 1/8 - 1/4 (0.177 mi.)	X117	752
EPA ID:: CAP000337261				

Lists of state- and tribal (Superfund) equivalent sites

RESPONSE: Identifies confirmed release sites where DTSC is involved in remediation, either in a lead or oversight capacity. These confirmed release sites are generally high-priority and high potential risk.

A review of the RESPONSE list, as provided by EDR, has revealed that there is 1 RESPONSE site within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
UNIVERSITY OF CALIFO	***1060 MARTIN LUTHER K***	***SSE 1/2 - 1 (0.812 mi.)***	***AM188***	***1180***

Database: RESPONSE, Date of Government Version: 07/25/2022
Status: Certified O&M - Land Use Restrictions Only
Facility Id: 33890001

Lists of state- and tribal hazardous waste facilities

ENVIROSTOR: The Department of Toxic Substances Control's (DTSC's) Site Mitigation and Brownfields Reuse Program's (SMBRP's) EnviroStor database identifes sites that have known contamination or sites for which

there may be reasons to investigate further. The database includes the following site types: Federal Superfund sites (National Priorities List (NPL)); State Response, including Military Facilities and State Superfund; Voluntary Cleanup; and School sites. EnviroStor provides similar information to the information that was available in CalSites, and provides additional site information, including, but not limited to, identification of formerly-contaminated properties that have been released for reuse, properties where environmental deed restrictions have been recorded to prevent inappropriate land uses, and risk characterization information that is used to assess potential impacts to public health and the environment at contaminated sites.

A review of the ENVIROSTOR list, as provided by EDR, and dated 07/25/2022 has revealed that there are 12 ENVIROSTOR sites within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
THERMOCLAD COMPANY Facility Id: 60000209 Status: Inactive - Needs Evaluation	1541 7TH ST	S 0 - 1/8 (0.080 mi.)	K55	278
VALERION CORPORATION Facility Id: 33280139 Status: Refer: Other Agency	***2280 IOWA***	***NNE 1/2 - 1 (0.564 mi.)***	***183***	***1054***
UNIVERSITY OF CALIFO Facility Id: 80001663 Status: Refer: SMBRP	***900 UNIVERSITY AVENU***	***ESE 1/2 - 1 (0.791 mi.)***	***AL187***	***1160***
UNIVERSITY OF CALIFO Facility Id: 33890001 Status: Certified O&M - Land Use Restrictions Only	***1060 MARTIN LUTHER K***	***SSE 1/2 - 1 (0.812 mi.)***	***AM188***	***1180***

Lower Elevation	Address	Direction / Distance	Map ID	Page
CALIFORNIA SPRAY CHE Facility Id: 60000214 Status: Inactive - Needs Evaluation	3530 CHICAGO AV	SW 0 - 1/8 (0.080 mi.)	J56	279
DEVOE MARINE COATING Facility Id: 33280153 Status: Refer: Other Agency	***2625 DURAHART ST***	***NW 1/4 - 1/2 (0.384 mi.)***	***AG165***	***942***
EASTSIDE ELEMENTARY Facility Id: 33000044 Status: Inactive - Needs Evaluation	***UNIVERSITY AVENUE/OT***	***SW 1/4 - 1/2 (0.415 mi.)***	***172***	***992***
ALCAN, INC. Facility Id: 60000212 Status: Refer: RWQCB	***3016 KANSAS AV***	***WNW 1/2 - 1 (0.545 mi.)***	***AK181***	***1049***
LONGFELLOW ELEMENTAR Facility Id: 60002955 Status: No Action Required	***3610 EUCALYPTUS AVEN***	***WSW 1/2 - 1 (0.653 mi.)***	***185***	***1056***
RIVERSIDE FERTILIZER Facility Id: 60000208 Status: Inactive - Needs Evaluation	2622 3RD ST	W 1/2 - 1 (0.866 mi.)	191	1205
1X RIVERSIDE SCRAP I Facility Id: 60002350 Status: Active	***2993 SIXTH STREET***	***W 1/2 - 1 (0.945 mi.)***	***192***	***1206***
WEILAND & COMPANY Facility Id: 60000227	3491 COMMERCE	W 1/2 - 1 (0.959 mi.)	193	1214

Status: Inactive - Needs Evaluation

Lists of state and tribal leaking storage tanks

LUST: Leaking Underground Storage Tank (LUST) Sites included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

A review of the LUST list, as provided by EDR, has revealed that there are 36 LUST sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
76 STATION #5856	1395 BLAINE	ENE 1/8 - 1/4 (0.158 mi.)	V99	591
Database: RIVERSIDE CO. LUST, Date of Government Version: 07/07/2022 Facility Id: 200824964 Facility Status: 9				
76 STATION 5856	***1395 BLAINE STREET***	***ENE 1/8 - 1/4 (0.158 mi.)***	***V102***	***593***
Database: LUST, Date of Government Version: 05/23/2022 Status: Completed - Case Closed Global Id: T0606505495				
MOBIL #18-D9M	***1360 BLAINE ST***	***ENE 1/8 - 1/4 (0.165 mi.)***	***V111***	***642***
Database: LUST REG 8, Date of Government Version: 02/14/2005 Database: RIVERSIDE CO. LUST, Date of Government Version: 07/07/2022 Database: LUST, Date of Government Version: 05/23/2022 Status: Completed - Case Closed Facility Status: Preliminary site assessment workplan submitted Facility Id: 980038 Global Id: T0606500520 Facility Status: 9 Global ID: T0606500520				
TEXACO BLAINE	***1300 BLAINE STREET***	***ENE 1/8 - 1/4 (0.237 mi.)***	***AB141***	***858***
Database: RIVERSIDE CO. LUST, Date of Government Version: 07/07/2022 Database: LUST, Date of Government Version: 05/23/2022 Status: Completed - Case Closed Facility Id: 200218657 Global Id: T0606500065 Global Id: T0606599251 Facility Status: 9				
TEXACO SERVICE STATI	***1300 BLAINE ST***	***ENE 1/8 - 1/4 (0.237 mi.)***	***AB145***	***869***
Database: LUST REG 8, Date of Government Version: 02/14/2005 Facility Status: Leak being confirmed Global ID: T0606599251				
EXXON SERVICE STATIO	***1300 BLAINE ST***	***ENE 1/8 - 1/4 (0.237 mi.)***	***AB146***	***873***
Database: LUST REG 8, Date of Government Version: 02/14/2005 Facility Status: Case Closed Global ID: T0606500065				
SHELL IOWA AVENUE	3261 IOWA AVENUE	ENE 1/8 - 1/4 (0.247 mi.)	AD151	883
Database: LUST REG 8, Date of Government Version: 02/14/2005 Facility Status: Leak being confirmed Global ID: T0606575445				
BLAINE SHELL	3261 IOWA AVE	ENE 1/8 - 1/4 (0.247 mi.)	AD152	884
Database: LUST REG 8, Date of Government Version: 02/14/2005				

Facility Status: Case Closed
Global ID: T0606500371

SHELL ***3261 IOWA*** ***ENE 1/8 - 1/4 (0.247 mi.)*** ***AD154*** ***887***
Database: RIVERSIDE CO. LUST, Date of Government Version: 07/07/2022
Database: LUST, Date of Government Version: 05/23/2022
Status: Completed - Case Closed
Facility Id: 94345
Facility Id: 200421108
Global Id: T0606575445
Global Id: T0606500371
Facility Status: 9

GROVE 186 COLE ST ESE 1/4 - 1/2 (0.261 mi.) 158 923
Database: LUST, Date of Government Version: 05/23/2022
Status: Completed - Case Closed
Global Id: T0606500130

UNOCAL #3779 ***1490 UNIVERSITY AVE*** ***S 1/4 - 1/2 (0.287 mi.)*** ***AF160*** ***925***
Database: LUST REG 8, Date of Government Version: 02/14/2005
Facility Status: Preliminary site assessment workplan submitted
Global ID: T0606500397

EXXON SERVICE STATIO ***1295 UNIVERSITY AVE*** ***SE 1/4 - 1/2 (0.388 mi.)*** ***AH168*** ***961***
Database: LUST REG 8, Date of Government Version: 02/14/2005
Facility Status: Case Closed
Global ID: T0606500058

EXXON SERVICE STATIO ***1295 UNIVERSITY*** ***SE 1/4 - 1/2 (0.388 mi.)*** ***AH169*** ***963***
Database: LUST, Date of Government Version: 05/23/2022
Status: Completed - Case Closed
Global Id: T0606500058

THRIFTY OIL #344 ARC ***1294 UNIVERSITY AVE*** ***SE 1/4 - 1/2 (0.391 mi.)*** ***AH170*** ***965***
Database: RIVERSIDE CO. LUST, Date of Government Version: 07/07/2022
Database: LUST, Date of Government Version: 05/23/2022
Status: Completed - Case Closed
Facility Id: 980441
Global Id: T0606500545
Facility Status: 9

THRIFTY OIL #344/ AR 1294 UNIVERSITY AVE SE 1/4 - 1/2 (0.391 mi.) AH171 991
Database: LUST REG 8, Date of Government Version: 02/14/2005
Facility Status: Preliminary site assessment workplan submitted
Global ID: T0606500545

TEXACO ***1221 UNIVERSITY AVE*** ***SE 1/4 - 1/2 (0.428 mi.)*** ***AH173*** ***995***
Database: RIVERSIDE CO. LUST, Date of Government Version: 07/07/2022
Database: LUST, Date of Government Version: 05/23/2022
Status: Completed - Case Closed
Facility Id: 960698
Facility Id: 200117614
Facility Id: 200218406
Global Id: T0606500471
Facility Status: 9
Facility Status: 0

TEXACO SERVICE STATI ***1221 UNIVERSITY AVE*** ***SE 1/4 - 1/2 (0.428 mi.)*** ***AH174*** ***998***
Database: LUST REG 8, Date of Government Version: 02/14/2005
Facility Status: Case Closed
Global ID: T0606500471

MOBIL #18-402 ***1147 UNIVERSITY AVE*** ***SE 1/4 - 1/2 (0.496 mi.)*** ***AJ179*** ***1014***
Database: LUST REG 8, Date of Government Version: 02/14/2005

Facility Status: Pollution Characterization
Global ID: T0606500586

CITY OF RIVERSIDE ***1147 UNIVERSITY AVE*** ***SE 1/4 - 1/2 (0.496 mi.)*** ***AJ180*** ***1017***
Database: RIVERSIDE CO. LUST, Date of Government Version: 07/07/2022
Database: LUST, Date of Government Version: 05/23/2022
Status: Completed - Case Closed
Facility Id: 9914834
Global Id: T0606500586
Facility Status: 9

Lower Elevation	Address	Direction / Distance	Map ID	Page

ARCO #1841 ***1505 THIRD ST*** ***NNE 0 - 1/8 (0.043 mi.)*** ***F30*** ***191***
Database: RIVERSIDE CO. LUST, Date of Government Version: 07/07/2022
Facility Id: 89198
Facility Status: 9

ARCO #1841 ***1505 3RD ST*** ***NNE 0 - 1/8 (0.043 mi.)*** ***F35*** ***196***
Database: LUST REG 8, Date of Government Version: 02/14/2005
Database: LUST, Date of Government Version: 05/23/2022
Status: Completed - Case Closed
Facility Status: Remediation Plan
Global Id: T0606500122
Global ID: T0606500122

MERIT OIL COMPANY ***1751 3RD ST*** ***WNW 0 - 1/8 (0.089 mi.)*** ***N63*** ***358***
Database: LUST REG 8, Date of Government Version: 02/14/2005
Database: LUST, Date of Government Version: 05/23/2022
Status: Completed - Case Closed
Facility Status: Case Closed
Global Id: T0606500574
Global ID: T0606500574

MERIT OIL CO 1751 THIRD ST WNW 0 - 1/8 (0.089 mi.) N65 416
Database: RIVERSIDE CO. LUST, Date of Government Version: 07/07/2022
Facility Id: 9914948
Facility Status: 9

HOSTESS/INTERSTATE B ***1781 3RD ST*** ***WNW 0 - 1/8 (0.115 mi.)*** ***N76*** ***444***
Database: LUST REG 8, Date of Government Version: 02/14/2005
Database: LUST, Date of Government Version: 05/23/2022
Status: Completed - Case Closed
Facility Status: Case Closed
Global Id: T0606500501
Global ID: T0606500501

INTERSTATE BRANDS CO 1781 THIRD ST WNW 0 - 1/8 (0.115 mi.) N77 447
Database: RIVERSIDE CO. LUST, Date of Government Version: 07/07/2022
Facility Id: 970767
Facility Status: 9

CONTINENTAL BAKING C ***1781 THIRD ST*** ***WNW 0 - 1/8 (0.115 mi.)*** ***N78*** ***448***
Database: RIVERSIDE CO. LUST, Date of Government Version: 07/07/2022
Facility Id: 89303
Facility Status: 9

CONTINENTAL BAKING C ***1781 3RD ST*** ***WNW 0 - 1/8 (0.115 mi.)*** ***N79*** ***449***
Database: LUST REG 8, Date of Government Version: 02/14/2005
Database: LUST, Date of Government Version: 05/23/2022

Status: Completed - Case Closed
Facility Status: Remedial action (cleanup) Underway
Global Id: T0606500127
Global ID: T0606500127

RIVERSIDE TRANSIT AG ***1825 THIRD ST*** ***WNW 1/8 - 1/4 (0.171 mi.)*** ***W115*** ***654***
Database: VENTURA CO. LUST, Date of Government Version: 05/29/2008
Database: RIVERSIDE CO. LUST, Date of Government Version: 07/07/2022
Facility Id: 95162
Facility Id: 970695
Facility Id: 9914861
Facility Id: 200522143
Facility Id: 95162
Status: Case Closed
Facility Status: 9

RIVERSIDE TRANSIT AG ***1825 3RD ST*** ***WNW 1/8 - 1/4 (0.171 mi.)*** ***W116*** ***661***
Database: LUST REG 8, Date of Government Version: 02/14/2005
Database: LUST, Date of Government Version: 05/23/2022
Status: Completed - Case Closed
Facility Status: Case Closed
Facility Status: Leak being confirmed
Global Id: T0606500499
Global Id: T0606516063
Global Id: T0606500037
Global Id: T0606500559
Global ID: T0606500037
Global ID: T0606500559

CHARGER 4 ***3750 CHICAGO AVE*** ***SSW 1/8 - 1/4 (0.205 mi.)*** ***X127*** ***800***
Database: RIVERSIDE CO. LUST, Date of Government Version: 07/07/2022
Database: LUST, Date of Government Version: 05/23/2022
Status: Completed - Case Closed
Facility Id: 200420804
Global Id: T0606586370
Facility Status: 9

BUY RITE 3750 CHICAGO AVENUE SSW 1/8 - 1/4 (0.205 mi.) X130 813
Database: LUST REG 8, Date of Government Version: 02/14/2005
Facility Status: Leak being confirmed
Global ID: T0606586370

DEVOE MARINE COATING ***2625 DURAHART ST*** ***NW 1/4 - 1/2 (0.384 mi.)*** ***AG164*** ***938***
Database: LUST REG 8, Date of Government Version: 02/14/2005
Facility Status: Case Closed
Global ID: T0606500056

DEVOE MARINE COATING ***2625 DURAHART ST*** ***NW 1/4 - 1/2 (0.384 mi.)*** ***AG165*** ***942***
Database: RIVERSIDE CO. LUST, Date of Government Version: 07/07/2022
Database: LUST, Date of Government Version: 05/23/2022
Status: Completed - Case Closed
Facility Id: 89204
Global Id: T0606500056
Facility Status: 0

LAUS INVESTMENT COMP ***2620 DURAHART ST*** ***NW 1/4 - 1/2 (0.385 mi.)*** ***AG167*** ***958***
Database: LUST REG 8, Date of Government Version: 02/14/2005
Database: LUST, Date of Government Version: 05/23/2022
Status: Completed - Case Closed
Facility Status: Case Closed

Global Id: T0606500074
Global ID: T0606500074

J D DIFFENBAUGH ***2375 CHICAGO AVE*** ***NNW 1/4 - 1/2 (0.456 mi.)*** ***AI177*** ***1009***
Database: RIVERSIDE CO. LUST, Date of Government Version: 07/07/2022
Database: LUST, Date of Government Version: 05/23/2022
Status: Completed - Case Closed
Facility Id: 89318
Global Id: T0606500121
Facility Status: 9

DIFFENBAUGH, J.D. ***2375 CHICAGO AVE*** ***NNW 1/4 - 1/2 (0.456 mi.)*** ***AI178*** ***1013***
Database: LUST REG 8, Date of Government Version: 02/14/2005
Facility Status: Case Closed
Global ID: T0606500121

CPS-SLIC: Cleanup Program Sites (CPS; also known as Site Cleanups [SC] and formerly known as Spills, Leaks, Investigations, and Cleanups [SLIC] sites) included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

A review of the CPS-SLIC list, as provided by EDR, has revealed that there are 4 CPS-SLIC sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
UNOCAL #3779	1490 UNIVERSITY AVE	S 1/4 - 1/2 (0.287 mi.)	AF159	925
Database: CPS-SLIC, Date of Government Version: 05/23/2022 Global Id: T0606500397 Facility Status: Completed - Case Closed				

Lower Elevation	Address	Direction / Distance	Map ID	Page
MCSPI	***3035 CHICAGO AVE***	***NW 1/8 - 1/4 (0.168 mi.)***	***T113***	***652***
Database: CPS-SLIC, Date of Government Version: 05/23/2022 Global Id: T0606567788 Facility Status: Completed - Case Closed				
LUXFER USA LIMITED	***1995 THIRD STREET***	***WNW 1/4 - 1/2 (0.360 mi.)***	***162***	***928***
Database: CPS-SLIC, Date of Government Version: 05/23/2022 Global Id: SL0606583253 Facility Status: Completed - Case Closed				
SCIND MASSACHUSETTS	***1989 MASSACHUSETTS A***	***WNW 1/4 - 1/2 (0.454 mi.)***	***175***	***1001***
Database: CPS-SLIC, Date of Government Version: 05/23/2022 Global Id: T10000010448 Facility Status: Open - Remediation				

Lists of state and tribal registered storage tanks

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the State Water Resources Control Board's Hazardous Substance Storage Container Database.

A review of the UST list, as provided by EDR, has revealed that there are 12 UST sites within

approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
IMPERIAL RETAIL STOR Database: RIVERSIDE CO. UST, Date of Government Version: 07/07/2022 Database: UST, Date of Government Version: 06/06/2022 Facility Id: FA0028742	1395 W BLAINE ST	ENE 1/8 - 1/4 (0.158 mi.)	V101	592
TOSCO CORPORATION SS Database: UST, Date of Government Version: 06/06/2022 Facility Id: 774	1395 BLAINE ST	ENE 1/8 - 1/4 (0.158 mi.)	V106	605
ARCO GAS & MINI MART Database: RIVERSIDE CO. UST, Date of Government Version: 07/07/2022 Database: UST, Date of Government Version: 06/06/2022 Facility Id: FA0040301	1360 W BLAINE ST	ENE 1/8 - 1/4 (0.165 mi.)	V107	606
RIVERSIDE ULTRAMAR Database: UST, Date of Government Version: 06/06/2022 Facility Id: 80509	1360 W. BLAINE ST.	ENE 1/8 - 1/4 (0.165 mi.)	V110	641
TEXACO STATION Database: UST, Date of Government Version: 06/06/2022 Facility Id: 758	***1300 BLAINE ST***	***ENE 1/8 - 1/4 (0.237 mi.)***	***AB139***	***856***
SHELL/GHARABIKLOU & Database: UST, Date of Government Version: 06/06/2022 Facility Id: 700	3261 IOWA AVE	ENE 1/8 - 1/4 (0.247 mi.)	AD148	877
UCR SHELL Database: RIVERSIDE CO. UST, Date of Government Version: 07/07/2022 Database: UST, Date of Government Version: 06/06/2022 Facility Id: FA0044747	3261 IOWA AVE	ENE 1/8 - 1/4 (0.247 mi.)	AD150	883

Lower Elevation	Address	Direction / Distance	Map ID	Page
ARCO #1841 Database: UST, Date of Government Version: 06/06/2022 Facility Id: 37	***1505 3RD ST***	***NNE 0 - 1/8 (0.043 mi.)***	***F35***	***196***
MERIT OIL CO. Database: UST, Date of Government Version: 06/06/2022 Facility Id: FA- 00-013969	1751 3RD ST	WNW 0 - 1/8 (0.089 mi.)	N66	416
MERIT OIL COMPANY Database: RIVERSIDE CO. UST, Date of Government Version: 07/07/2022 Database: UST, Date of Government Version: 06/06/2022 Facility Id: 484	1751 3RD ST	WNW 0 - 1/8 (0.089 mi.)	N67	417
RIVERSIDE TRANSIT AG Database: UST, Date of Government Version: 06/06/2022 Facility Id: 650	***1825 3RD ST***	***WNW 1/8 - 1/4 (0.171 mi.)***	***W116***	***661***
BUY RITE #203 Database: UST, Date of Government Version: 06/06/2022 Facility Id: 124	***3750 CHICAGO AVE***	***SSW 1/8 - 1/4 (0.205 mi.)***	***X128***	***811***

AST: A listing of aboveground storage tank petroleum storage tank locations.

A review of the AST list, as provided by EDR, has revealed that there are 2 AST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
SIGNAL FLUID SOLUTIO	***3403 NIKI WAY***	***SE 0 - 1/8 (0.016 mi.)***	***E20***	***145***
Database: AST, Date of Government Version: 07/06/2016				
VALVOLINE INSTANT OI	3335 IOWA AVE	E 1/8 - 1/4 (0.223 mi.)	AB133	825
Database: AST, Date of Government Version: 07/06/2016				

ADDITIONAL ENVIRONMENTAL RECORDS

Local Lists of Landfill / Solid Waste Disposal Sites

SWRCY: A listing of recycling facilities in California.

A review of the SWRCY list, as provided by EDR, and dated 06/06/2022 has revealed that there is 1 SWRCY site within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
YTK CHICAGO PLAZA LL	***3900 CHICAGO AVE***	***SSW 1/4 - 1/2 (0.375 mi.)***	***163***	***931***
Cert Id: RC297191.001				

Local Lists of Hazardous waste / Contaminated Sites

HIST Cal-Sites: Formerly known as ASPIS, this database contains both known and potential hazardous substance sites. The source is the California Department of Toxic Substance Control. No longer updated by the state agency. It has been replaced by ENVIROSTOR.

A review of the HIST Cal-Sites list, as provided by EDR, and dated 08/08/2005 has revealed that there is 1 HIST Cal-Sites site within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
UNIVERSITY OF CALIFO	***1060 PENNSYLVANIA AV***	***SSE 1/2 - 1 (0.812 mi.)***	***AM189***	***1196***

CERS HAZ WASTE: List of sites in the California Environmental Protection Agency (CalEPA) Regulated Site Portal which fall under the Hazardous Chemical Management, Hazardous Waste Onsite Treatment, Household Hazardous Waste Collection, Hazardous Waste Generator, and RCRA LQ HW Generator programs.

A review of the CERS HAZ WASTE list, as provided by EDR, and dated 07/18/2022 has revealed that there are 26 CERS HAZ WASTE sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
SHERWIN-WILLIAMS COM	***1560 LINDEN ST***	***S 0 - 1/8 (0.013 mi.)***	***D18***	***70***
SIGNAL FLUID SOLUTIO	***3403 NIKI WAY***	***SE 0 - 1/8 (0.016 mi.)***	***E20***	***145***
DIRECTV - LC2H6	1520 W LINDEN ST	S 0 - 1/8 (0.021 mi.)	C27	184
REISNER ENTERPRISES	***1403 W LINDEN ST***	***SE 0 - 1/8 (0.109 mi.)***	***Q73***	***429***

EXECUTIVE SUMMARY

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
TUBEWORKS INC	*1506 7TH ST*	*S 0 - 1/8 (0.115 mi.)*	*L84*	*465*
STRONG HOLD ENGINEER	*3421 GATO CT*	*ESE 0 - 1/8 (0.117 mi.)*	*S87*	*479*
PROTRANS AUTOMOTIVE	*3420 GATO CT*	*ESE 1/8 - 1/4 (0.151 mi.)*	*U93*	*550*
TOSCO CORPORATION ST	*1395 W BLAINE ST*	*ENE 1/8 - 1/4 (0.158 mi.)*	*V96*	*564*
ARCO GAS & MINI MART	*1360 W BLAINE ST*	*ENE 1/8 - 1/4 (0.165 mi.)*	*V108*	*606*
VALVOLINE INSTANT OI	*3335 IOWA AVE*	*E 1/8 - 1/4 (0.223 mi.)*	*AB132*	*817*
MAGNUSON TIRES & AUT	*1555 UNIVERSITY AVE*	*S 1/8 - 1/4 (0.225 mi.)*	*AC136*	*829*
SHELL	*3261 IOWA*	*ENE 1/8 - 1/4 (0.247 mi.)*	*AD154*	*887*

Lower Elevation	Address	Direction / Distance	Map ID	Page
EXPERIENCED TRACTOR	*3443 NIKI WAY*	*SE 0 - 1/8 (0.050 mi.)*	*E37*	*203*
AT&T MOBILITY - RIVE	*3230 TRADE CENTER DR*	*NNW 0 - 1/8 (0.053 mi.)*	*B38*	*209*
METRIC MACHINING INC	*3263 TRADE CENTER DR*	*NNW 0 - 1/8 (0.068 mi.)*	*H45*	*227*
RIVERSIDE AUTO RPR	*1735 3RD ST*	*WNW 0 - 1/8 (0.069 mi.)*	*I49*	*257*
WEST COAST DRYWALL &	1611 7TH ST	SSW 0 - 1/8 (0.080 mi.)	K57	280
MITCHELL GLASS	*3595 PRESLEY AVE*	*SSW 0 - 1/8 (0.088 mi.)*	*M61*	*340*
MERIT OIL COMPANY	*1751 3RD ST*	*WNW 0 - 1/8 (0.089 mi.)*	*N63*	*358*
CADDOCK ELECTRONICS,	*3127 CHICAGO AVE*	*NW 1/8 - 1/4 (0.134 mi.)*	*T91*	*509*
EJAY FILTRATION, INC	*3126 DURAHART ST*	*NW 1/8 - 1/4 (0.152 mi.)*	*T94*	*559*
RIVERSIDE TRANSIT AG	*1825 3RD ST*	*WNW 1/8 - 1/4 (0.171 mi.)*	*W116*	*661*
EARL SCHEIB OF CAL I	*3700 CHICAGO AV*	*SSW 1/8 - 1/4 (0.181 mi.)*	*X120*	*760*
EJAY FILTRATION, INC	*3036 DURAHART ST*	*NW 1/8 - 1/4 (0.185 mi.)*	*Z123*	*773*
CALIFORNIA SMOG & AU	*3001 CHICAGO AVE*	*NW 1/8 - 1/4 (0.196 mi.)*	*AA126*	*782*
O'REILLY AUTO PARTS	*1691 UNIVERSITY AVE*	*SSW 1/8 - 1/4 (0.247 mi.)*	*AE156*	*916*

Local Lists of Registered Storage Tanks

SWEEPS UST: Statewide Environmental Evaluation and Planning System. This underground storage tank listing was updated and maintained by a company contacted by the SWRCB in the early 1990's. The listing is no longer updated or maintained. The local agency is the contact for more information on a site on the SWEEPS list.

A review of the SWEEPS UST list, as provided by EDR, and dated 06/01/1994 has revealed that there are 13 SWEEPS UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
RIVERSIDE CITY FIRE Status: A Tank Status: A Comp Number: 40902	*3510 CRANFORD AVE*	*SSE 0 - 1/8 (0.017 mi.)*	*C22*	*172*
UNOCAL #5856 Status: A Tank Status: A Comp Number: 55210	*1395 BLAINE ST*	*ENE 1/8 - 1/4 (0.158 mi.)*	*V100*	*591*
MOBIL #18-D9M Status: A Tank Status: A Comp Number: 39272	*1360 BLAINE ST*	*ENE 1/8 - 1/4 (0.165 mi.)*	*V111*	*642*
TEXACO STATION	*1300 BLAINE ST*	*ENE 1/8 - 1/4 (0.237 mi.)*	*AB139*	*856*

Status: A
Tank Status: A
Comp Number: 24161

PACIFIC COAST ENTERP	***3261 IOWA AVE***	***ENE 1/8 - 1/4 (0.247 mi.)***	***AD153***	***886***

Status: A
Tank Status: A
Comp Number: 43153

Lower Elevation	Address	Direction / Distance	Map ID	Page
ARCO #1841	***1505 THIRD ST***	***NNE 0 - 1/8 (0.043 mi.)***	***F34***	***194***

Status: A
Tank Status: A
Comp Number: 26640

MITCHELL GLASS	***3595 PRESLEY AVE***	***SSW 0 - 1/8 (0.088 mi.)***	***M61***	***340***

Status: A
Tank Status: A
Comp Number: 39222

AMENDT OIL COMPANY	***1751 THIRD ST***	***WNW 0 - 1/8 (0.089 mi.)***	***N64***	***414***

Status: A
Tank Status: A
Comp Number: 26641

CONTINENTAL BAKING C	***1781 THIRD ST***	***WNW 0 - 1/8 (0.115 mi.)***	***N78***	***448***

Status: A
Tank Status: A
Comp Number: 11458

CADDOCK ELECTRONICS	***3127 CHICAGO AVE***	***NW 1/8 - 1/4 (0.134 mi.)***	***T90***	***505***

Status: A
Tank Status: A
Comp Number: 35

MC SPI INC	***3035 CHICAGO AVE***	***NW 1/8 - 1/4 (0.168 mi.)***	***T114***	***653***

Status: A
Tank Status: A
Comp Number: 35691

RIVERSIDE TRANSIT AG	***1825 THIRD ST***	***WNW 1/8 - 1/4 (0.171 mi.)***	***W115***	***654***

Status: A
Tank Status: A
Comp Number: 67447

BUY RITE #203	***3750 CHICAGO AVE***	***SSW 1/8 - 1/4 (0.205 mi.)***	***X128***	***811***

Status: A
Tank Status: A
Comp Number: 12148

HIST UST: Historical UST Registered Database.

A review of the HIST UST list, as provided by EDR, and dated 10/15/1990 has revealed that there are 12 HIST UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
STATION #5856	1395 W BLAINE ST	ENE 1/8 - 1/4 (0.158 mi.)	V103	599

Facility Id: 00000049229				
UNION OIL SERVICE ST Facility Id: 00000055210	1395 W BLAINE ST	ENE 1/8 - 1/4 (0.158 mi.)	V104	600
UNION OIL SERVICE ST	***1395 BLAINE STREET***	***ENE 1/8 - 1/4 (0.158 mi.)***	***V105***	***601***
BUDGET CAR AND TRUCK Facility Id: 00000043309	1521 UNIVERSITY AVE	S 1/8 - 1/4 (0.224 mi.)	Y135	828
DAVID NEWMAN Facility Id: 00000039272	1306 BLAINE ST	ENE 1/8 - 1/4 (0.229 mi.)	AB138	855
EXXON R/S #7-2899 Facility Id: 00000069246	1300 W BLAINE ST	ENE 1/8 - 1/4 (0.237 mi.)	AB142	862
EXXON SERVICE STATIO Facility Id: 00000024161	1300 W BLAINE ST	ENE 1/8 - 1/4 (0.237 mi.)	AB143	864
TEXACO REFINING AND	***1300 BLAINE***	***ENE 1/8 - 1/4 (0.237 mi.)***	***AB144***	***865***
SHELL Facility Id: 00000009500	***3261 IOWA***	***ENE 1/8 - 1/4 (0.247 mi.)***	***AD154***	***887***

Lower Elevation	Address	Direction / Distance	Map ID	Page
PAUL J ADCOCK Facility Id: 00000026640	1505 3RD ST	NNE 0 - 1/8 (0.043 mi.)	F32	192
EDWARD S BABCOCK AND Facility Id: 00000032455	3215 CHICAGO AVENUE	NW 0 - 1/8 (0.068 mi.)	I47	254
CHARGER 4 Facility Id: 00000043934	***3750 CHICAGO AVE***	***SSW 1/8 - 1/4 (0.205 mi.)***	***X127***	***800***

CA FID UST: The Facility Inventory Database contains active and inactive underground storage tank locations. The source is the State Water Resource Control Board.

A review of the CA FID UST list, as provided by EDR, and dated 10/31/1994 has revealed that there are 13 CA FID UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
RIVERSIDE CITY FIRE Facility Id: 33002921 Status: A	***3510 CRANFORD AVE***	***SSE 0 - 1/8 (0.017 mi.)***	***C22***	***172***
UNOCAL #5856 Facility Id: 33004911 Status: A	***1395 BLAINE ST***	***ENE 1/8 - 1/4 (0.158 mi.)***	***V100***	***591***
MOBIL #18-D9M Facility Id: 33000651 Status: A	***1360 BLAINE ST***	***ENE 1/8 - 1/4 (0.165 mi.)***	***V111***	***642***
TEXACO SERVICE STATI Facility Id: 33002484 Status: A	1300 BLAINE ST	ENE 1/8 - 1/4 (0.237 mi.)	AB140	858
PACIFIC COAST ENTERP Facility Id: 33001868 Status: A	***3261 IOWA AVE***	***ENE 1/8 - 1/4 (0.247 mi.)***	***AD153***	***886***

Lower Elevation	Address	Direction / Distance	Map ID	Page
ARCO #1841	***1505 THIRD ST***	***NNE 0 - 1/8 (0.043 mi.)***	***F34***	***194***

Facility Id: 33000245 Status: A				
MITCHELL GLASS Facility Id: 33007024 Status: A	***3595 PRESLEY AVE***	***SSW 0 - 1/8 (0.088 mi.)***	***M61***	***340***
AMENDT OIL COMPANY Facility Id: 33001860 Status: A	***1751 THIRD ST***	***WNW 0 - 1/8 (0.089 mi.)***	***N64***	***414***
CONTINENTAL BAKING C Facility Id: 33000716 Status: A	***1781 THIRD ST***	***WNW 0 - 1/8 (0.115 mi.)***	***N78***	***448***
CADDOCK ELECTRONICS Facility Id: 33002245 Status: A	***3127 CHICAGO AVE***	***NW 1/8 - 1/4 (0.134 mi.)***	***T90***	***505***
MC SPI INC Facility Id: 33001736 Status: A	***3035 CHICAGO AVE***	***NW 1/8 - 1/4 (0.168 mi.)***	***T114***	***653***
RIVERSIDE TRANSIT AG Facility Id: 33006698 Status: A	***1825 THIRD ST***	***WNW 1/8 - 1/4 (0.171 mi.)***	***W115***	***654***
BUY RITE #203 Facility Id: 33006880 Status: A	3750 CHICAGO AVE	SSW 1/8 - 1/4 (0.205 mi.)	X129	813

CERS TANKS: List of sites in the California Environmental Protection Agency (CalEPA) Regulated Site Portal which fall under the Aboveground Petroleum Storage and Underground Storage Tank regulatory programs.

A review of the CERS TANKS list, as provided by EDR, and dated 07/18/2022 has revealed that there are 8 CERS TANKS sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
SIGNAL FLUID SOLUTIO	***3403 NIKI WAY***	***SE 0 - 1/8 (0.016 mi.)***	***E20***	***145***
TOSCO CORPORATION ST	***1395 W BLAINE ST***	***ENE 1/8 - 1/4 (0.158 mi.)***	***V96***	***564***
ARCO GAS & MINI MART	***1360 W BLAINE ST***	***ENE 1/8 - 1/4 (0.165 mi.)***	***V108***	***606***
VALVOLINE INSTANT OI	***3335 IOWA AVE***	***E 1/8 - 1/4 (0.223 mi.)***	***AB132***	***817***
SHELL	***3261 IOWA***	***ENE 1/8 - 1/4 (0.247 mi.)***	***AD154***	***887***

Lower Elevation	Address	Direction / Distance	Map ID	Page
METRIC MACHINING INC	***3263 TRADE CENTER DR***	***NNW 0 - 1/8 (0.068 mi.)***	***H45***	***227***
MERIT OIL COMPANY	***1751 3RD ST***	***WNW 0 - 1/8 (0.089 mi.)***	***N63***	***358***
RIVERSIDE TRANSIT AG	***1825 3RD ST***	***WNW 1/8 - 1/4 (0.171 mi.)***	***W116***	***661***

Other Ascertainable Records

RCRA NonGen / NLR: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or

dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 06/20/2022 has revealed that there are 43 RCRA NonGen / NLR sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
SIGNAL FLUID SOLUTIO EPA ID:: CAL000344149	3403 NIKI WAY	SE 0 - 1/8 (0.016 mi.)	E21	169
DIRECTV LLC EPA ID:: CAL000462601	1520 W LINDEN ST #A	S 0 - 1/8 (0.021 mi.)	C25	179
RESCUE ROOTER EPA ID:: CAL000280496	1520 W LINDEN ST	S 0 - 1/8 (0.021 mi.)	C26	182
LINDEN BOOSTER STATI EPA ID:: CAC003042261	1450 WEST LINDEN STR	SSE 0 - 1/8 (0.056 mi.)	C41	217
WILSON PROPERTY SERV EPA ID:: CAC003150342	1410 3RD ST	E 0 - 1/8 (0.057 mi.)	42	220
WEST COAST DRYWALL & EPA ID:: CAL000460617	1561 7TH ST	SSW 0 - 1/8 (0.080 mi.)	K53	273
REISNER ENTERPRISES EPA ID:: CAL000315102	1403 W LINDEN ST	SE 0 - 1/8 (0.109 mi.)	Q74	436
TUBEWORKS INC. EPA ID:: CAC003096436 EPA ID:: CAR000313809	1506 7TH STREET	S 0 - 1/8 (0.115 mi.)	L81	452
TUBEWORKS INC. EPA ID:: CAC003047157	1506 7TH ST.	S 0 - 1/8 (0.115 mi.)	L82	457
TUBEWORKS INC EPA ID:: CAL000458386 EPA ID:: CAC002966777	1506 7TH ST	S 0 - 1/8 (0.115 mi.)	L83	460
STRONG HOLD ENGINEER EPA ID:: CAL000260439	3421 GATO CT	ESE 0 - 1/8 (0.117 mi.)	S86	477
PROTRANS AUTOMOTIVE EPA ID:: CAL000267352	3420 GATO CT	ESE 1/8 - 1/4 (0.151 mi.)	U92	547
BLAINE 76 EPA ID:: CAL000196258	1395 W BLAINE ST	ENE 1/8 - 1/4 (0.158 mi.)	V95	562
IMPERIAL RETAIL STOR EPA ID:: CAL000460469	1395 W BLAINE ST	ENE 1/8 - 1/4 (0.158 mi.)	V98	588
MANDEEP SINGH EPA ID:: CAC003025358	1360 W BLAINE ST	ENE 1/8 - 1/4 (0.165 mi.)	V109	639
GURKIRPA PROPERTIES EPA ID:: CAL000387538	1360 W BLAINE ST	ENE 1/8 - 1/4 (0.165 mi.)	V112	649
UNIVERSITY GARDENS A EPA ID:: CAC003091457	3725 CRANFORD AVE	S 1/8 - 1/4 (0.180 mi.)	Y118	755
GLORIA MARTINEZ EPA ID:: CAC003062729	1415 7TH ST	SSE 1/8 - 1/4 (0.183 mi.)	122	771
VALVOLINE INSTANT OI EPA ID:: CAL000370670	3335 IOWA AVE	E 1/8 - 1/4 (0.223 mi.)	AB131	814
MAGNUSON TIRE AND AU	1555 UNIVERSITY AVE	S 1/8 - 1/4 (0.225 mi.)	AC137	852

EPA ID:: CAL000408820				
UCR SHELL EPA ID:: CAL000407734	3261 IOWA AVE	ENE 1/8 - 1/4 (0.247 mi.)	AD147	875
BAILEY CALIFORNIA PR EPA ID:: CAC003124720	1393 UNIVERSITY AVE	SSE 1/8 - 1/4 (0.248 mi.)	157	921

Lower Elevation	Address	Direction / Distance	Map ID	Page
KONE INC EPA ID:: CAL000309308	1525 3RD ST STE D	NNE 0 - 1/8 (0.019 mi.)	F24	176
WEST COAST INTERIORS EPA ID:: CAL000325952	1610 W LINDEN ST	SSW 0 - 1/8 (0.021 mi.)	G28	186
SELECT ACR, INC. EPA ID:: CAL000125591	1660 W LINDEN ST	SSW 0 - 1/8 (0.035 mi.)	G29	188
EXPERIENCED TRACTOR EPA ID:: CAL000370780	3443 NIKI WAY	SE 0 - 1/8 (0.050 mi.)	E36	200
AT&T MOBILITY EPA ID:: CAL000423245	3230 TRADE CENTER DR	NNW 0 - 1/8 (0.053 mi.)	B39	212
PANEL JACKS LLC EPA ID:: CAL000463963	1440 3RD ST #4	NE 0 - 1/8 (0.054 mi.)	40	215
WALKER EVANS ENTERPR EPA ID:: CAL000457739	3240 TRADE CENTER DR	N 0 - 1/8 (0.062 mi.)	43	222
METRIC MACHINING INC EPA ID:: CAL000413262	3263 TRADE CENTER DR	NNW 0 - 1/8 (0.068 mi.)	H44	225
AUTOTECH EPA ID:: CAL000206362	1735 THIRD ST	WNW 0 - 1/8 (0.069 mi.)	I48	255
ANTHONY SOLORIO EPA ID:: CAC003077852	1735 3RD ST	WNW 0 - 1/8 (0.069 mi.)	I50	268
LIFETIME SERVICE CEN EPA ID:: CAL000470581	3190 CHICAGO AVE	NW 0 - 1/8 (0.077 mi.)	I52	270
WEST COAST DRYWALL & EPA ID:: CAL000423698	3595 PRESLEY AVE	SSW 0 - 1/8 (0.088 mi.)	M60	337
MERIT OIL EPA ID:: CAL000342706	1751 W 3RD ST	WNW 0 - 1/8 (0.089 mi.)	N62	355
ARROWHEAD INDUSTRIAL EPA ID:: CAL000289102	3343 DURAHART ST	W 0 - 1/8 (0.103 mi.)	P70	423
BREAKER TECHNOLOGY I EPA ID:: CAL000382465	3453 DURAHART ST	WSW 0 - 1/8 (0.116 mi.)	R85	474
RSF ENTERPRISES INC EPA ID:: CAL000455600	3127 CHICAGO AVE	NW 1/8 - 1/4 (0.134 mi.)	T89	502
CITY OF RIVERSIDE CA EPA ID:: CAC002974551	1725 7TH STREET	SW 1/8 - 1/4 (0.181 mi.)	X119	757
TOP DAWG AUTO REPAIR EPA ID:: CAL000431422	3700 CHICAGO AVE	SSW 1/8 - 1/4 (0.181 mi.)	X121	768
EJAY FILTRATION INC EPA ID:: CAL000311257	3036 DURAHART ST	NW 1/8 - 1/4 (0.185 mi.)	Z124	777
CSAI AUTO SERVICE	3001 CHICAGO AVE	NW 1/8 - 1/4 (0.196 mi.)	AA125	779

EPA ID:: CAL000371761

O'REILLY AUTO PARTS 1691 UNIVERSITY AVE SSW 1/8 - 1/4 (0.247 mi.) AE155 913
EPA ID:: CAL000392775

FUSRAP: DOE established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations.

A review of the FUSRAP list, as provided by EDR, and dated 07/26/2021 has revealed that there is 1 FUSRAP site within approximately 1 mile of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
HUNTER DOUGLAS ALUMI	3016 KANSAS AVENUE	WNW 1/2 - 1 (0.545 mi.)	AK182	1053
Site Status: Eliminated from consideration under FUSRAP				
Site ID: CA.11				

CA BOND EXP. PLAN: Department of Health Services developed a site-specific expenditure plan as the basis for an appropriation of Hazardous Substance Cleanup Bond Act funds. It is not updated.

A review of the CA BOND EXP. PLAN list, as provided by EDR, and dated 01/01/1989 has revealed that there is 1 CA BOND EXP. PLAN site within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
UNIVERSITY OF CALIFO	***1060 PENNSYLVANIA AV***	***SSE 1/2 - 1 (0.812 mi.)***	***AM189***	***1196***

Cortese: The sites for the list are designated by the State Water Resource Control Board (LUST), the Integrated Waste Board (SWF/LS), and the Department of Toxic Substances Control (Cal-Sites).

A review of the Cortese list, as provided by EDR, and dated 06/21/2022 has revealed that there are 18 Cortese sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
76 STATION 5856	***1395 BLAINE STREET***	***ENE 1/8 - 1/4 (0.158 mi.)***	***V102***	***593***
Cleanup Status: COMPLETED - CASE CLOSED				
MOBIL #18-D9M	***1360 BLAINE ST***	***ENE 1/8 - 1/4 (0.165 mi.)***	***V111***	***642***
Cleanup Status: COMPLETED - CASE CLOSED				
TEXACO BLAINE	***1300 BLAINE STREET***	***ENE 1/8 - 1/4 (0.237 mi.)***	***AB141***	***858***
Cleanup Status: COMPLETED - CASE CLOSED				
EXXON SERVICE STATIO	***1300 BLAINE ST***	***ENE 1/8 - 1/4 (0.237 mi.)***	***AB146***	***873***
Cleanup Status: COMPLETED - CASE CLOSED				
SHELL	***3261 IOWA***	***ENE 1/8 - 1/4 (0.247 mi.)***	***AD154***	***887***
Cleanup Status: COMPLETED - CASE CLOSED				
EXXON SERVICE STATIO	***1295 UNIVERSITY AVE***	***SE 1/4 - 1/2 (0.388 mi.)***	***AH168***	***961***
Cleanup Status: COMPLETED - CASE CLOSED				
THRIFTY OIL #344 ARC	***1294 UNIVERSITY AVE***	***SE 1/4 - 1/2 (0.391 mi.)***	***AH170***	***965***
Cleanup Status: COMPLETED - CASE CLOSED				
TEXACO	***1221 UNIVERSITY AVE***	***SE 1/4 - 1/2 (0.428 mi.)***	***AH173***	***995***

Cleanup Status: COMPLETED - CASE CLOSED

CITY OF RIVERSIDE	***1147 UNIVERSITY AVE***	***SE 1/4 - 1/2 (0.496 mi.)***	***AJ180***	***1017***

Cleanup Status: COMPLETED - CASE CLOSED

Lower Elevation	Address	Direction / Distance	Map ID	Page
ARCO #1841	***1505 THIRD ST***	***NNE 0 - 1/8 (0.043 mi.)***	***F30***	***191***

Cleanup Status: COMPLETED - CASE CLOSED

MERIT OIL COMPANY	***1751 3RD ST***	***WNW 0 - 1/8 (0.089 mi.)***	***N63***	***358***

Cleanup Status: COMPLETED - CASE CLOSED

HOSTESS/INTERSTATE B	***1781 3RD ST***	***WNW 0 - 1/8 (0.115 mi.)***	***N76***	***444***

Cleanup Status: COMPLETED - CASE CLOSED

CONTINENTAL BAKING C	***1781 3RD ST***	***WNW 0 - 1/8 (0.115 mi.)***	***N79***	***449***

Cleanup Status: COMPLETED - CASE CLOSED

RIVERSIDE TRANSIT AG	***1825 THIRD ST***	***WNW 1/8 - 1/4 (0.171 mi.)***	***W115***	***654***

Cleanup Status: COMPLETED - CASE CLOSED

CHARGER 4	***3750 CHICAGO AVE***	***SSW 1/8 - 1/4 (0.205 mi.)***	***X127***	***800***

Cleanup Status: COMPLETED - CASE CLOSED

DEVOE MARINE COATING	***2625 DURAHART ST***	***NW 1/4 - 1/2 (0.384 mi.)***	***AG164***	***938***

Cleanup Status: COMPLETED - CASE CLOSED

LAUS INVESTMENT COMP	***2620 DURAHART ST***	***NW 1/4 - 1/2 (0.385 mi.)***	***AG167***	***958***

Cleanup Status: COMPLETED - CASE CLOSED

J D DIFFENBAUGH	***2375 CHICAGO AVE***	***NNW 1/4 - 1/2 (0.456 mi.)***	***AI177***	***1009***

Cleanup Status: COMPLETED - CASE CLOSED

HIST CORTESE: The sites for the list are designated by the State Water Resource Control Board [LUST], the Integrated Waste Board [SWF/LS], and the Department of Toxic Substances Control [CALSITES]. This listing is no longer updated by the state agency.

A review of the HIST CORTESE list, as provided by EDR, and dated 04/01/2001 has revealed that there are 10 HIST CORTESE sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
MOBIL #18-D9M	***1360 BLAINE ST***	***ENE 1/8 - 1/4 (0.165 mi.)***	***V111***	***642***

Reg Id: 083303149T

SHELL	***3261 IOWA***	***ENE 1/8 - 1/4 (0.247 mi.)***	***AD154***	***887***

Reg Id: 083302449T

EXXON SERVICE STATIO	***1295 UNIVERSITY***	***SE 1/4 - 1/2 (0.388 mi.)***	***AH169***	***963***

Reg Id: 083300510T

THRIFTY OIL #344 ARC	***1294 UNIVERSITY AVE***	***SE 1/4 - 1/2 (0.391 mi.)***	***AH170***	***965***

Reg Id: 083303277T

TEXACO SERVICE STATI	***1221 UNIVERSITY AVE***	***SE 1/4 - 1/2 (0.428 mi.)***	***AH174***	***998***

Reg Id: 083302877T

MOBIL #18-402	***1147 UNIVERSITY AVE***	***SE 1/4 - 1/2 (0.496 mi.)***	***AJ179***	***1014***

Reg Id: 083303453T

Lower Elevation	Address	Direction / Distance	Map ID	Page
ARCO #1841	***1505 THIRD ST***	***NNE 0 - 1/8 (0.043 mi.)***	***F34***	***194***

Reg Id: 083301200T				
AMENDT OIL COMPANY	***1751 THIRD ST***	***WNW 0 - 1/8 (0.089 mi.)***	***N64***	***414***
Reg Id: 083303384T				
CONTINENTAL BAKING C	***1781 THIRD ST***	***WNW 0 - 1/8 (0.115 mi.)***	***N78***	***448***
Reg Id: 083303039T				
RIVERSIDE TRANSIT AG	***1825 THIRD ST***	***WNW 1/8 - 1/4 (0.171 mi.)***	***W115***	***654***
Reg Id: 083303025T				
Reg Id: 083303233T				
Reg Id: 083303342T				

HWP: Detailed information on permitted hazardous waste facilities and corrective action ("cleanups") tracked in EnviroStor.

A review of the HWP list, as provided by EDR, and dated 08/11/2022 has revealed that there is 1 HWP site within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
UNIVERSITY OF CALIFO	***900 UNIVERSITY AVENU***	***ESE 1/2 - 1 (0.791 mi.)***	***AL187***	***1160***
EPA ID: CAD073134777				
Cleanup Status: CLOSED				

Notify 65: Listings of all Proposition 65 incidents reported to counties by the State Water Resources Control Board and the Regional Water Quality Control Board. This database is no longer updated by the reporting agency.

A review of the Notify 65 list, as provided by EDR, and dated 06/10/2022 has revealed that there are 5 Notify 65 sites within approximately 1 mile of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
ARCO STATION #1841	1505 THIRD	NNE 0 - 1/8 (0.043 mi.)	F31	192
HOSTESS/INTERSTATE B	***1781 3RD ST***	***WNW 0 - 1/8 (0.115 mi.)***	***N76***	***444***
J.D. DIFFENBRUGH	2375 CHICAGO STREET	NNW 1/4 - 1/2 (0.456 mi.)	AI176	1009
LEWIS, A.M.	2727 KANSAS AVENUE	WNW 1/2 - 1 (0.620 mi.)	184	1055
SINGLETARY, KING	2675 THIRD	W 1/2 - 1 (0.864 mi.)	190	1204

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR Hist Auto: EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past

sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR Hist Auto list, as provided by EDR, has revealed that there are 4 EDR Hist Auto sites within approximately 0.125 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CAL-TEX TRANSMISSION	1526 7TH ST	S 0 - 1/8 (0.105 mi.)	K71	425


Lower Elevation	Address	Direction / Distance	Map ID	Page
ARCO AM/PM MINI MARK	1505 3RD ST	NNE 0 - 1/8 (0.043 mi.)	F33	193
CHICAGO BODY WORKS	3580 CHICAGO AVE	SW 0 - 1/8 (0.070 mi.)	J51	270
A 1 MOBIL AXEL CO	3493 DURAHART ST	WSW 0 - 1/8 (0.115 mi.)	R80	452

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped. Count: 3 records.

Site Name	Database(s)
SMITH PROPERTY	LUST
UCR - PARKING LOT 6	LUST
UCR (PESTICIDE PITS)	CPS-SLIC

OVERVIEW MAP - 7168721.2S



Target Property

Sites at elevations higher than or equal to the target property

Sites at elevations lower than the target property

Manufactured Gas Plants

National Priority List Sites

Dept. Defense Sites

Indian Reservations BIA

Power transmission lines

Special Flood Hazard Area (1%)

0.2% Annual Chance Flood Hazard

National Wetland Inventory

State Wetlands


Areas of Concern

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME:	JW North High School New Construction	CLIENT:	PlaceWorks
ADDRESS:	1550 3rd Street Riverside CA 92507	CONTACT:	Mike Watson
		INQUIRY #:	7168721.2s
LAT/LONG:	33.981841 / 117.345193	DATE:	November 03, 2022 4:12 pm

Copyright © 2022 EDR, Inc. © 2015 TomTom Rel. 2015.

DETAIL MAP - 7168721.2S



0 1/16 1/8 1/4 Miles

- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- Sensitive Receptors
- National Priority List Sites
- Dept. Defense Sites
- Indian Reservations BIA
- Special Flood Hazard Area (1%)
- 0.2% Annual Chance Flood Hazard
- Areas of Concern

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: JW North High School New Construction	CLIENT: PlaceWorks
ADDRESS: 1550 3rd Street Riverside CA 92507	CONTACT: Mike Watson INQUIRY #: 7168721.2s
LAT/LONG: 33.981841 / 117.345193	DATE: November 03, 2022 4:14 pm

Copyright © 2022 EDR, Inc. © 2015 TomTom Rel. 2015.

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
Lists of Federal NPL (Superfund) sites								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	1.000		0	0	0	0	NR	0
Lists of Federal Delisted NPL sites								
Delisted NPL	1.000		0	0	0	0	NR	0
Lists of Federal sites subject to CERCLA removals and CERCLA orders								
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
SEMS	0.500		0	0	1	NR	NR	1
Lists of Federal CERCLA sites with NFRAP								
SEMS-ARCHIVE	0.500		0	0	1	NR	NR	1
Lists of Federal RCRA facilities undergoing Corrective Action								
CORRACTS	1.000		0	0	0	1	NR	1
Lists of Federal RCRA TSD facilities								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
Lists of Federal RCRA generators								
RCRA-LQG	0.250		3	0	NR	NR	NR	3
RCRA-SQG	0.250		13	7	NR	NR	NR	20
RCRA-VSQG	0.250		0	0	NR	NR	NR	0
Federal institutional controls / engineering controls registries								
LUCIS	0.500		0	0	0	NR	NR	0
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROLS	0.500		0	0	0	NR	NR	0
Federal ERNS list								
ERNS	0.001		0	NR	NR	NR	NR	0
Lists of state- and tribal (Superfund) equivalent sites								
RESPONSE	1.000		0	0	0	1	NR	1
Lists of state- and tribal hazardous waste facilities								
ENVIROSTOR	1.000		2	0	2	8	NR	12
Lists of state and tribal landfills and solid waste disposal facilities								
SWF/LF	0.500		0	0	0	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
Lists of state and tribal leaking storage tanks								
LUST	0.500		8	13	15	NR	NR	36
INDIAN LUST	0.500		0	0	0	NR	NR	0
CPS-SLIC	0.500		0	1	3	NR	NR	4
Lists of state and tribal registered storage tanks								
FEMA UST	0.250		0	0	NR	NR	NR	0
UST	0.250		3	9	NR	NR	NR	12
AST	0.250		1	1	NR	NR	NR	2
INDIAN UST	0.250		0	0	NR	NR	NR	0
Lists of state and tribal voluntary cleanup sites								
VCP	0.500		0	0	0	NR	NR	0
INDIAN VCP	0.500		0	0	0	NR	NR	0
Lists of state and tribal brownfield sites								
BROWNFIELDS	0.500		0	0	0	NR	NR	0
ADDITIONAL ENVIRONMENTAL RECORDS								
Local Brownfield lists								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
Local Lists of Landfill / Solid Waste Disposal Sites								
WMUDS/SWAT	0.500		0	0	0	NR	NR	0
SWRCY	0.500		0	0	1	NR	NR	1
HAULERS	0.001		0	NR	NR	NR	NR	0
INDIAN ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
IHS OPEN DUMPS	0.500		0	0	0	NR	NR	0
Local Lists of Hazardous waste / Contaminated Sites								
US HIST CDL	0.001		0	NR	NR	NR	NR	0
HIST Cal-Sites	1.000		0	0	0	1	NR	1
SCH	0.250		0	0	NR	NR	NR	0
CDL	0.001		0	NR	NR	NR	NR	0
Toxic Pits	1.000		0	0	0	0	NR	0
CERS HAZ WASTE	0.250	1	13	13	NR	NR	NR	27
US CDL	0.001		0	NR	NR	NR	NR	0
PFAS	0.500		0	0	0	NR	NR	0
AQUEOUS FOAM	TP		NR	NR	NR	NR	NR	0
Local Lists of Registered Storage Tanks								
SWEEPS UST	0.250		5	8	NR	NR	NR	13
HIST UST	0.250		2	10	NR	NR	NR	12
CA FID UST	0.250		5	8	NR	NR	NR	13

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
CERS TANKS	0.250		3	5	NR	NR	NR	8
Local Land Records								
LIENS	0.001		0	NR	NR	NR	NR	0
LIENS 2	0.001		0	NR	NR	NR	NR	0
DEED	0.500		0	0	0	NR	NR	0
Records of Emergency Release Reports								
HMIRS	0.001		0	NR	NR	NR	NR	0
CHMIRS	0.001	1	0	NR	NR	NR	NR	1
LDS	0.001		0	NR	NR	NR	NR	0
MCS	0.001		0	NR	NR	NR	NR	0
SPILLS 90	0.001		0	NR	NR	NR	NR	0
Other Ascertainable Records								
RCRA NonGen / NLR	0.250		26	17	NR	NR	NR	43
FUDS	1.000		0	0	0	0	NR	0
DOD	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
US FIN ASSUR	0.001		0	NR	NR	NR	NR	0
EPA WATCH LIST	0.001		0	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
TSCA	0.001		0	NR	NR	NR	NR	0
TRIS	0.001		0	NR	NR	NR	NR	0
SSTS	0.001		0	NR	NR	NR	NR	0
ROD	1.000		0	0	0	0	NR	0
RMP	0.001		0	NR	NR	NR	NR	0
RAATS	0.001		0	NR	NR	NR	NR	0
PRP	0.001		0	NR	NR	NR	NR	0
PADS	0.001		0	NR	NR	NR	NR	0
ICIS	0.001		0	NR	NR	NR	NR	0
FTTS	0.001		0	NR	NR	NR	NR	0
MLTS	0.001		0	NR	NR	NR	NR	0
COAL ASH DOE	0.001		0	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	0.001		0	NR	NR	NR	NR	0
RADINFO	0.001		0	NR	NR	NR	NR	0
HIST FTTS	0.001		0	NR	NR	NR	NR	0
DOT OPS	0.001		0	NR	NR	NR	NR	0
CONSENT	1.000		0	0	0	0	NR	0
INDIAN RESERV	1.000		0	0	0	0	NR	0
FUSRAP	1.000		0	0	0	1	NR	1
UMTRA	0.500		0	0	0	NR	NR	0
LEAD SMELTERS	0.001		0	NR	NR	NR	NR	0
US AIRS	0.001		0	NR	NR	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
ABANDONED MINES	0.250		0	0	NR	NR	NR	0
FINDS	0.001	2	0	NR	NR	NR	NR	2
DOCKET HWC	0.001		0	NR	NR	NR	NR	0
UXO	1.000		0	0	0	0	NR	0
ECHO	0.001	1	0	NR	NR	NR	NR	1

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
FUELS PROGRAM	0.250		0	0	NR	NR	NR	0
CA BOND EXP. PLAN	1.000		0	0	0	1	NR	1
Cortese	0.500		4	7	7	NR	NR	18
CUPA Listings	0.250		0	0	NR	NR	NR	0
DRYCLEANERS	0.250		0	0	NR	NR	NR	0
EMI	0.001	1	0	NR	NR	NR	NR	1
ENF	0.001		0	NR	NR	NR	NR	0
Financial Assurance	0.001		0	NR	NR	NR	NR	0
ICE	0.001		0	NR	NR	NR	NR	0
HIST CORTESE	0.500		3	3	4	NR	NR	10
HWP	1.000		0	0	0	1	NR	1
HWT	0.250		0	0	NR	NR	NR	0
HAZNET	0.001	4	0	NR	NR	NR	NR	4
MINES	0.250		0	0	NR	NR	NR	0
MWMP	0.250		0	0	NR	NR	NR	0
NPDES	0.001		0	NR	NR	NR	NR	0
PEST LIC	0.001		0	NR	NR	NR	NR	0
PROC	0.500		0	0	0	NR	NR	0
Notify 65	1.000		2	0	1	2	NR	5
UIC	0.001		0	NR	NR	NR	NR	0
UIC GEO	0.001		0	NR	NR	NR	NR	0
WASTEWATER PITS	0.500		0	0	0	NR	NR	0
WDS	0.001		0	NR	NR	NR	NR	0
WIP	0.250		0	0	NR	NR	NR	0
MILITARY PRIV SITES	0.001		0	NR	NR	NR	NR	0
PROJECT	0.001		0	NR	NR	NR	NR	0
WDR	0.001		0	NR	NR	NR	NR	0
CIWQS	0.001	2	0	NR	NR	NR	NR	2
CERS	0.001	1	0	NR	NR	NR	NR	1
NON-CASE INFO	0.001		0	NR	NR	NR	NR	0
OTHER OIL GAS	0.001		0	NR	NR	NR	NR	0
PROD WATER PONDS	0.001		0	NR	NR	NR	NR	0
SAMPLING POINT	0.001		0	NR	NR	NR	NR	0
WELL STIM PROJ	0.001		0	NR	NR	NR	NR	0
HWTS	TP	6	NR	NR	NR	NR	NR	6
MINES MRDS	0.001		0	NR	NR	NR	NR	0
EDR HIGH RISK HISTORICAL RECORDS								
EDR Exclusive Records								
EDR MGP	1.000		0	0	0	0	NR	0
EDR Hist Auto	0.125		4	NR	NR	NR	NR	4
EDR Hist Cleaner	0.125		0	NR	NR	NR	NR	0
EDR RECOVERED GOVERNMENT ARCHIVES								
Exclusive Recovered Govt. Archives								
RGA LF	0.001		0	NR	NR	NR	NR	0
RGA LUST	0.001		0	NR	NR	NR	NR	0
- Totals --		19	97	102	35	16	0	269

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

A1 **NORTH (JOHN W.) HIGH** **FINDS** **1008255115**
Target **1550 THIRD ST.** **ECHO** **N/A**
Property **RIVERSIDE, CA 92507**

Site 1 of 12 in cluster A

Actual:
964 ft.

FINDS:
Registry ID: 110036931345

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1008255115
Registry ID:	110036931345
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110036931345
Name:	NORTH (JOHN W.) HIGH
Address:	1550 THIRD ST.
City,State,Zip:	RIVERSIDE, CA 92507

A2 **JOHN W NORTH HIGH SCH** **CIWQS** **S121647525**
Target **1550 THIRD ST** **N/A**
Property **RIVERSIDE, CA**

Site 2 of 12 in cluster A

Actual:
964 ft.

CIWQS:

Name:	JOHN W NORTH HIGH SCH
Address:	1550 THIRD ST
City,State,Zip:	RIVERSIDE, CA
Agency:	Riverside Unified School Dist
Agency Address:	3070 Washington St, Riverside, CA 91768
Place/Project Type:	Construction - Reconstruction
SIC/NAICS:	Not reported
Region:	8
Program:	CONSTW
Regulatory Measure Status:	Terminated
Regulatory Measure Type:	Storm water construction
Order Number:	99-08DW
WDID:	8 33C322975
NPDES Number:	CAS000002
Adoption Date:	Not reported
Effective Date:	08/11/2003
Termination Date:	08/02/2004
Expiration/Review Date:	Not reported
Design Flow:	Not reported
Major/Minor:	Not reported
Complexity:	Not reported
TTWQ:	Not reported
Enforcement Actions within 5 years:	0
Violations within 5 years:	0

JOHN W NORTH HIGH SCH (Continued) **S121647525**

Latitude: Not reported
Longitude: Not reported

A3 Target Property **RUSD/NORTH HIGH SCHOOL**
1550 3RD ST
RIVERSIDE, CA 92507

HAZNET **S112896690**
HWTS **N/A**

Site 3 of 12 in cluster A

Actual: 964 ft.

HAZNET:

Name:	RUSD/NORTH HIGH SCHOOL
Address:	1550 3RD ST
Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 925070000
Contact:	WES SMYLIE-PURCHASING AGENT
Telephone:	9097887125
Mailing Name:	Not reported
Mailing Address:	3070 WASHINGTON ST
Year:	1998
Gepaid:	CAC001505936
TSD EPA ID:	CAD009007626
CA Waste Code:	151 - Asbestos containing waste
Disposal Method:	D80 - Disposal, Land Fill
Tons:	6.7424

Additional Info:

Year:	1998
Gen EPA ID:	CAC001505936
Shipment Date:	19980722
Creation Date:	9/15/1998 0:00:00
Receipt Date:	19980724
Manifest ID:	95197844
Trans EPA ID:	CAR000017657
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009007626
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	151 - Asbestos-containing waste
RCRA Code:	Not reported
Meth Code:	D80 - Disposal, Land Fill
Quantity Tons:	6.7424
Waste Quantity:	8
Quantity Unit:	Y
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

HWTS:

Name:	RUSD/NORTH HIGH SCHOOL

RUSD/NORTH HIGH SCHOOL (Continued) **S112896690**

Address:	1550 3RD ST
Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 92507
EPA ID:	CAC001505936
Inactive Date:	10/22/1998
Create Date:	07/22/1998
Last Act Date:	Not reported
Mailing Name:	Not reported
Mailing Address:	3070 WASHINGTON ST
Mailing Address 2:	Not reported
Mailing City,State,Zip:	RIVERSIDE, CA 925070000
Owner Name:	RIVERSIDE UNIFIED SCH DIST
Owner Address:	3070 WASHINGTON ST
Owner Address 2:	Not reported
Owner City,State,Zip:	RIVERSIDE, CA 925070000
Contact Name:	WES SMYLIE-PURCHASING AGENT
Contact Address:	3070 WASHINGTON ST
Contact Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 925070000
Facility Status:	Inactive
Facility Type:	TEMPORARY
Category:	STATE
Latitude:	33.982997
Longitude:	-117.346093

Name:	RUSD/NORTH HIGH SCHOOL
Address:	1550 3RD ST
Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 92507
EPA ID:	CAC002221641
Inactive Date:	11/12/1999
Create Date:	08/12/1999
Last Act Date:	Not reported
Mailing Name:	Not reported
Mailing Address:	3070 WASHINGTON ST
Mailing Address 2:	Not reported
Mailing City,State,Zip:	RIVERSIDE, CA 925070000
Owner Name:	RIVERSIDE UNIFIED SCH DIST
Owner Address:	3070 WASHINGTON ST
Owner Address 2:	Not reported
Owner City,State,Zip:	RIVERSIDE, CA 925070000
Contact Name:	WES SMYLIE-PURCHASING AGENT
Contact Address:	3070 WASHINGTON ST
Contact Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 925070000
Facility Status:	Inactive
Facility Type:	TEMPORARY
Category:	STATE
Latitude:	33.982997
Longitude:	-117.346093

A4 **RUSD JOHN W NORTH HIGH SCHOOL** **HWTS** **S124934877**
Target **1550 3RD ST** **N/A**
Property **RIVERSIDE, CA 92507**

Site 4 of 12 in cluster A

Actual: **964 ft.**

HWTS:

Name:	RUSD JOHN W NORTH HIGH SCHOOL
Address:	1550 3RD ST
Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 92507
EPA ID:	CAL913296195
Inactive Date:	06/30/1998
Create Date:	11/25/1991
Last Act Date:	Not reported
Mailing Name:	Not reported
Mailing Address:	1550 3RD ST
Mailing Address 2:	Not reported
Mailing City,State,Zip:	RIVERSIDE, CA 925073404
Owner Name:	RIVERSIDE UNIFIED SCHOOL DIST
Owner Address:	P.O. BOX 2800
Owner Address 2:	Not reported
Owner City,State,Zip:	RIVERSIDE, CA 925060000
Contact Name:	Not reported
Contact Address:	INACTIVE PER VQ98 - BMI
Contact Address 2:	Not reported
City,State,Zip:	Not reported
Facility Status:	Inactive
Facility Type:	PERMANENT
Category:	STATE
Latitude:	33.982997
Longitude:	-117.346093

A5 **RIVERSIDE UNIFIED SCHOOL DISTR** **EMI** **S103632907**
Target **1550 THIRD ST** **N/A**
Property **RIVERSIDE, CA 92507**

Site 5 of 12 in cluster A

Actual: **964 ft.**

EMI:

Name:	RIVERSIDE UNIFIED SCHOOL DISTR
Address:	1550 THIRD ST
City,State,Zip:	RIVERSIDE, CA 925070000
Year:	1990
County Code:	33
Air Basin:	SC
Facility ID:	17935
Air District Name:	SC
SIC Code:	8211
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	2
NOX - Oxides of Nitrogen Tons/Yr:	2
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

A6 **RUSD/NORTH HIGH SCHOOL** **HAZNET S112911207**
Target **1550 3RD ST** **HWTS N/A**
Property **RIVERSIDE, CA 92507**

Site 6 of 12 in cluster A

Actual:
964 ft.

HAZNET:

Name:	RUSD/NORTH HIGH SCHOOL
Address:	1550 3RD ST
Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 925070000
Contact:	RON MCDANIEL-CARDINAL ENVIRO
Telephone:	7147305931
Mailing Name:	Not reported
Mailing Address:	3070 WASHINGTON ST
Year:	2002
Gepaid:	CAC002311321
TSD EPA ID:	CAD009007626
CA Waste Code:	151 - Asbestos containing waste
Disposal Method:	D80 - Disposal, Land Fill
Tons:	0.8428
Year:	2002
Gepaid:	CAC002311321
TSD EPA ID:	AZC950823111
CA Waste Code:	151 - Asbestos containing waste
Disposal Method:	-
Tons:	16.856
Year:	2001
Gepaid:	CAC002311321
TSD EPA ID:	AZC950823111
CA Waste Code:	151 - Asbestos containing waste
Disposal Method:	-
Tons:	1.6856

Additional Info:

Year:	2002
Gen EPA ID:	CAC002311321
Shipment Date:	20020808
Creation Date:	3/12/2003 18:31:29
Receipt Date:	20020809
Manifest ID:	21296731
Trans EPA ID:	CAR000017657
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009007626
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	151 - Asbestos-containing waste
RCRA Code:	Not reported
Meth Code:	D80 - Disposal, Land Fill
Quantity Tons:	0.8428
Waste Quantity:	1

RUSD/NORTH HIGH SCHOOL (Continued) **S112911207**

Quantity Unit:	Y
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20020702
Creation Date:	3/17/2003 18:31:23
Receipt Date:	20020702
Manifest ID:	20973163
Trans EPA ID:	CAD000628636
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZC950823111
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	151 - Asbestos-containing waste
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	16.856
Waste Quantity:	20
Quantity Unit:	Y
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2001
Gen EPA ID:	CAC002311321
Shipment Date:	20011231
Creation Date:	2/20/2002 0:00:00
Receipt Date:	20010104
Manifest ID:	20973025
Trans EPA ID:	CAD000628636
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZC950823111
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	151 - Asbestos-containing waste
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	1.6856
Waste Quantity:	2
Quantity Unit:	Y
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported

RUSD/NORTH HIGH SCHOOL (Continued) **S112911207**

Additional Code 5: Not reported

HWTS:
Name: RUSD/NORTH HIGH SCHOOL
Address: 1550 3RD ST
Address 2: Not reported
City,State,Zip: RIVERSIDE, CA 92507
EPA ID: CAC002311321
Inactive Date: 09/10/2002
Create Date: 12/20/2001
Last Act Date: Not reported
Mailing Name: Not reported
Mailing Address: 3070 WASHINGTON ST
Mailing Address 2: Not reported
Mailing City,State,Zip: RIVERSIDE, CA 925070000
Owner Name: RIVERSIDE UNIFIED SCH DIST
Owner Address: 3070 WASHINGTON ST
Owner Address 2: Not reported
Owner City,State,Zip: RIVERSIDE, CA 925070000
Contact Name: RON MCDANIEL-CARDINAL ENVIRO
Contact Address: 620 S B STREET STE A
Contact Address 2: Not reported
City,State,Zip: TUSTIN, CA 927800000
Facility Status: Inactive
Facility Type: TEMPORARY
Category: STATE
Latitude: 33.982997
Longitude: -117.346093

A7 **RIVERSIDE USD** **HWTS** **S124570288**
Target **1550 3RD ST** **N/A**
Property **RIVERSIDE, CA 92507**

Site 7 of 12 in cluster A

Actual: 964 ft.

HWTS:
Name: RIVERSIDE USD
Address: 1550 3RD ST
Address 2: Not reported
City,State,Zip: RIVERSIDE, CA 92507
EPA ID: CAC002550343
Inactive Date: 03/18/2003
Create Date: 03/28/2002
Last Act Date: Not reported
Mailing Name: Not reported
Mailing Address: 3070 WASHINGTON ST
Mailing Address 2: Not reported
Mailing City,State,Zip: RIVERSIDE, CA 92504
Owner Name: RIVERSIDE USD
Owner Address: 3070 WASHINGTON ST
Owner Address 2: Not reported
Owner City,State,Zip: RIVERSIDE, CA 92504
Contact Name: ORIN WILLIAMS
Contact Address: 3070 WASHINGTON ST
Contact Address 2: Not reported
City,State,Zip: RIVERSIDE, CA 92504
Facility Status: Inactive

RIVERSIDE USD (Continued) **S124570288**

Facility Type: TEMPORARY
Category: FEDERAL
Latitude: 33.982997
Longitude: -117.346093

A8 **NORTH HIGH SCHOOL** **FINDS** **1023367766**
Target **1550 3RD ST** **N/A**
Property **RIVERSIDE, CA 92507**

Site 8 of 12 in cluster A

Actual:
964 ft.

FINDS:
Registry ID: 110066654276

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
STATE MASTER

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

A9 **JW NORTH HIGH SCHOOL ATHLETIC FACILITIES** **CIWQS** **S112142274**
Target **1550 THIRD STREET** **N/A**
Property **RIVERSIDE, CA 92507**

Site 9 of 12 in cluster A

Actual:
964 ft.

CIWQS:

Name:	JW NORTH HIGH SCHOOL ATHLETIC FACILITIES
Address:	1550 THIRD STREET
City,State,Zip:	RIVERSIDE, CA 92507
Agency:	Riverside Unified School District
Agency Address:	3070 Washington Street, Riverside, CA 92506
Place/Project Type:	Construction - Other: Atheltic Faciliities
SIC/NAICS:	Not reported
Region:	8
Program:	CONSTW
Regulatory Measure Status:	Terminated
Regulatory Measure Type:	Storm water construction
Order Number:	2009-0009-DWQ
WDID:	8 33C363793
NPDES Number:	CAS000002
Adoption Date:	Not reported
Effective Date:	06/04/2012
Termination Date:	09/15/2013
Expiration/Review Date:	Not reported
Design Flow:	Not reported
Major/Minor:	Not reported
Complexity:	Not reported
TTWQ:	Not reported
Enforcement Actions within 5 years:	0
Violations within 5 years:	0
Latitude:	33.98302
Longitude:	-117.34451

A10 **NORTH HIGH SCHOOL** **HAZNET** **S113064390**
Target **1550 THIRD STREET** **HWTS** **N/A**
Property **RIVERSIDE, CA 92507**

Site 10 of 12 in cluster A

Actual:
964 ft.

HAZNET:

Name:	NORTH HIGH SCHOOL
Address:	1550 THIRD STREET
Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 925070000
Contact:	INACTIVE PER FEE FORM 6/93
Telephone:	9097887311
Mailing Name:	Not reported
Mailing Address:	P O BOX 2800
Year:	1995
Gepaid:	CAL000113110
TSD EPA ID:	AZD983476680
CA Waste Code:	261 - Polychlorinated biphenyls and material containing PCBs
Disposal Method:	R01 - Recycler
Tons:	1.0017
Year:	1993
Gepaid:	CAL000113110
TSD EPA ID:	CAT000646117
CA Waste Code:	731 - Liquids with polychloronated biphenyls >= 50 Mg./L
Disposal Method:	-
Tons:	1.2122

Additional Info:

Year:	1995
Gen EPA ID:	CAL000113110
Shipment Date:	19951013
Creation Date:	7/26/1996 0:00:00
Receipt Date:	19951018
Manifest ID:	91065802
Trans EPA ID:	CAL000827758
Trans Name:	Not reported
Trans 2 EPA ID:	CAD980585293
Trans 2 Name:	Not reported
TSDF EPA ID:	AZD983476680
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	261 - Not reported
RCRA Code:	Not reported
Meth Code:	R01 - Recycler
Quantity Tons:	1.0017
Waste Quantity:	909
Quantity Unit:	K
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

NORTH HIGH SCHOOL (Continued) **S113064390**

Additional Info:

Year:	1993
Gen EPA ID:	CAL000113110
Shipment Date:	19930409
Creation Date:	9/14/1995 0:00:00
Receipt Date:	19930409
Manifest ID:	92446282
Trans EPA ID:	CAD008302903
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000646117
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	731 - Liquids with polychlorinated biphenyls > 50 mg/l
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	1.2122
Waste Quantity:	1100
Quantity Unit:	K
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

HWTS:

Name:	NORTH HIGH SCHOOL
Address:	1550 THIRD STREET
Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 92507
EPA ID:	CAL000113110
Inactive Date:	06/30/1993
Create Date:	03/29/1993
Last Act Date:	Not reported
Mailing Name:	Not reported
Mailing Address:	P O BOX 2800
Mailing Address 2:	Not reported
Mailing City,State,Zip:	RIVERSIDE, CA 925162800
Owner Name:	RIVERSIDE UNIFIED SCHOOL DIST
Owner Address:	P O BOX 2800
Owner Address 2:	Not reported
Owner City,State,Zip:	RIVERSIDE, CA 925162800
Contact Name:	INACTIVE PER FEE FORM 6/93
Contact Address:	1550 THIRD STREET
Contact Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 925073479
Facility Status:	Inactive
Facility Type:	PERMANENT
Category:	STATE
Latitude:	33.982997
Longitude:	-117.346093

A11 **RUSD - NORTH HIGH SCHOOL** **CERS HAZ WASTE** **S113062437**
Target **1550 3RD ST** **HAZNET** **N/A**
Property **RIVERSIDE, CA 92507** **CERS**
HWTS

Site 11 of 12 in cluster A

Actual:
964 ft.

CERS HAZ WASTE:

Name:	NORTH HIGH SCHOOL
Address:	1550 3RD ST
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	181410
CERS ID:	10531438
CERS Description:	Hazardous Waste Generator

HAZNET:

Name:	RUSD - NORTH HIGH SCHOOL
Address:	1550 3RD ST
Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 925013810
Contact:	ERIC JACKLIN
Telephone:	9517887135
Mailing Name:	Not reported
Mailing Address:	3380 14TH ST
Year:	2019
Gepaid:	CAL000110051
TSD EPA ID:	CAD982444481
CA Waste Code:	135 - Unspecified aqueous solution
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.40150
Year:	2018
Gepaid:	CAL000110051
TSD EPA ID:	CAD982444481
CA Waste Code:	135 - Unspecified aqueous solution
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.20000
Year:	2017
Gepaid:	CAL000110051
TSD EPA ID:	CAD982444481
CA Waste Code:	135 - Unspecified aqueous solution
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.35
Year:	2016
Gepaid:	CAL000110051
TSD EPA ID:	CAT080013352
CA Waste Code:	214 - Unspecified solvent mixture
Disposal Method:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Tons:	0.108
Year:	2015
Gepaid:	CAL000110051
TSD EPA ID:	CAD008364432
CA Waste Code:	135 - Unspecified aqueous solution

RUSD - NORTH HIGH SCHOOL (Continued) **S113062437**

Disposal Method: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 0.05

Year: 2014
Gepaid: CAL000110051
TSD EPA ID: CAD008364432
CA Waste Code: 135 - Unspecified aqueous solution
Disposal Method: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 0.035

Year: 2014
Gepaid: CAL000110051
TSD EPA ID: CAT080013352
CA Waste Code: 214 - Unspecified solvent mixture
Disposal Method: H061 - Fuel Blending Prior To Energy Recovery At Another Site
Tons: 0.05

Year: 2013
Gepaid: CAL000110051
TSD EPA ID: CAD008364432
CA Waste Code: 551 - Laboratory waste chemicals
Disposal Method: H061 - Fuel Blending Prior To Energy Recovery At Another Site
Tons: 0.075

Year: 2013
Gepaid: CAL000110051
TSD EPA ID: NVT330010000
CA Waste Code: 291 - Latex waste
Disposal Method: H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Tons: 1.251

Year: 2013
Gepaid: CAL000110051
TSD EPA ID: CAD008364432
CA Waste Code: 135 - Unspecified aqueous solution
Disposal Method: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 0.025

Click this hyperlink while viewing on your computer to access
27 additional CA HAZNET: record(s) in the EDR Site Report.

Additional Info:
Year: 2017
Gen EPA ID: CAL000110051

Shipment Date: 20170627
Creation Date: 5/21/2018 18:32:48
Receipt Date: 20170630
Manifest ID: 017302138JJK
Trans EPA ID: CAR000172189
Trans Name: AMBERWICK CORPORATION
Trans 2 EPA ID: Not reported

RUSD - NORTH HIGH SCHOOL (Continued) **S113062437**

Trans 2 Name:	Not reported
TSDF EPA ID:	CAD982444481
Trans Name:	FILTER RECYCLING
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	135 - Unspecified aqueous solution
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.35
Waste Quantity:	700
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2016
Gen EPA ID:	CAL000110051
Shipment Date:	20150618
Creation Date:	9/22/2015 22:15:49
Receipt Date:	20150625
Manifest ID:	014281936JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	RHO-CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	135 - Unspecified aqueous solution
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.05
Waste Quantity:	100
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2015
Gen EPA ID:	CAL000110051
Shipment Date:	20150618
Creation Date:	9/22/2015 22:15:49
Receipt Date:	20150625
Manifest ID:	014281936JJK
Trans EPA ID:	CAR000172189

RUSD - NORTH HIGH SCHOOL (Continued) **S113062437**

Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	RHO-CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	135 - Unspecified aqueous solution
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.05
Waste Quantity:	100
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2014
Gen EPA ID:	CAL000110051
Shipment Date:	20141216
Creation Date:	3/6/2015 22:15:05
Receipt Date:	20141219
Manifest ID:	013548671JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT080013352
Trans Name:	DEMENNO/KERDOON
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.05
Waste Quantity:	100
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20140618
Creation Date:	8/26/2014 22:15:05
Receipt Date:	20140630
Manifest ID:	013059057JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432

RUSD - NORTH HIGH SCHOOL (Continued) **S113062437**

Trans Name:	RHO-CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	135 - Unspecified aqueous solution
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.035
Waste Quantity:	70
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2013
Gen EPA ID:	CAL000110051
Shipment Date:	20130618
Creation Date:	10/25/2013 22:15:23
Receipt Date:	20130624
Manifest ID:	011382845JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	NVT330010000
Trans Name:	US ECOLOGY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	1.251
Waste Quantity:	300
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20130618
Creation Date:	8/20/2013 22:15:09
Receipt Date:	20130627
Manifest ID:	011382846JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	RHO-CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported

RUSD - NORTH HIGH SCHOOL (Continued) **S113062437**

Waste Code Description:	551 - Laboratory waste chemicals 561 Detergent and soap
RCRA Code:	D009
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.005
Waste Quantity:	10
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20130618
Creation Date:	8/20/2013 22:15:09
Receipt Date:	20130627
Manifest ID:	011382846JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	RHO-CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	551 - Laboratory waste chemicals 561 Detergent and soap
RCRA Code:	D011
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.005
Waste Quantity:	10
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20130618
Creation Date:	8/20/2013 22:15:09
Receipt Date:	20130627
Manifest ID:	011382846JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	RHO-CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	551 - Laboratory waste chemicals 561 Detergent and soap
RCRA Code:	D008
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.005
Waste Quantity:	10
Quantity Unit:	P

RUSD - NORTH HIGH SCHOOL (Continued) **S113062437**

Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20130618
Creation Date:	8/20/2013 22:15:09
Receipt Date:	20130627
Manifest ID:	011382848JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	RHO-CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	551 - Laboratory waste chemicals 561 Detergent and soap
RCRA Code:	D001
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.075
Waste Quantity:	150
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20130618
Creation Date:	8/20/2013 22:15:09
Receipt Date:	20130627
Manifest ID:	011382847JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	RHO-CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	551 - Laboratory waste chemicals 561 Detergent and soap
RCRA Code:	D002
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0025
Waste Quantity:	5
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20130618
Creation Date:	8/20/2013 22:15:09

RUSD - NORTH HIGH SCHOOL (Continued) **S113062437**

Receipt Date:	20130627
Manifest ID:	011382847JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	RHO-CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	135 - Unspecified aqueous solution
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.025
Waste Quantity:	50
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20130618
Creation Date:	8/20/2013 22:15:09
Receipt Date:	20130627
Manifest ID:	011382847JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	RHO-CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	551 - Laboratory waste chemicals 561 Detergent and soap
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.01
Waste Quantity:	20
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20130618
Creation Date:	8/20/2013 22:15:09
Receipt Date:	20130627
Manifest ID:	011382847JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432

RUSD - NORTH HIGH SCHOOL (Continued) **S113062437**

Trans Name:	RHO-CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	551 - Laboratory waste chemicals 561 Detergent and soap
RCRA Code:	D002
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.01
Waste Quantity:	20
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20130618
Creation Date:	8/20/2013 22:15:09
Receipt Date:	20130627
Manifest ID:	011382846JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	RHO-CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	551 - Laboratory waste chemicals 561 Detergent and soap
RCRA Code:	D002
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.015
Waste Quantity:	30
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2012
Gen EPA ID:	CAL000110051
Shipment Date:	20120622
Creation Date:	10/4/2012 22:15:11
Receipt Date:	20120702
Manifest ID:	009699474JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	RHO-CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported

RUSD - NORTH HIGH SCHOOL (Continued) **S113062437**

Waste Code Description:	551 - Laboratory waste chemicals 561 Detergent and soap
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.001
Waste Quantity:	2
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20120622
Creation Date:	10/4/2012 22:15:11
Receipt Date:	20120702
Manifest ID:	009699474JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	RHO-CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	551 - Laboratory waste chemicals 561 Detergent and soap
RCRA Code:	D002
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.001
Waste Quantity:	2
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20120622
Creation Date:	10/4/2012 22:15:11
Receipt Date:	20120702
Manifest ID:	009699475JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	RHO-CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	551 - Laboratory waste chemicals 561 Detergent and soap
RCRA Code:	D002
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0015
Waste Quantity:	3
Quantity Unit:	P

RUSD - NORTH HIGH SCHOOL (Continued) **S113062437**

Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20120622
Creation Date:	10/4/2012 22:15:11
Receipt Date:	20120702
Manifest ID:	009699474JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	RHO-CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	135 - Unspecified aqueous solution
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.126
Waste Quantity:	30
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20120622
Creation Date:	10/4/2012 22:15:11
Receipt Date:	20120702
Manifest ID:	009699474JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	RHO-CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	551 - Laboratory waste chemicals 561 Detergent and soap
RCRA Code:	D002
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.001
Waste Quantity:	2
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

RUSD - NORTH HIGH SCHOOL (Continued) **S113062437**

Additional Info:

Year:	2011
Gen EPA ID:	CAL000110051
Shipment Date:	20111214
Creation Date:	3/16/2012 20:30:29
Receipt Date:	20111221
Manifest ID:	008516721JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT080013352
Trans Name:	DEMENNO/KERDOON
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.018
Waste Quantity:	5
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20111214
Creation Date:	3/16/2012 20:30:29
Receipt Date:	20111221
Manifest ID:	008516721JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT080013352
Trans Name:	DEMENNO/KERDOON
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	221 - Waste oil and mixed oil
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.057
Waste Quantity:	15
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20111202
Creation Date:	3/13/2012 20:30:32
Receipt Date:	20111205

RUSD - NORTH HIGH SCHOOL (Continued) **S113062437**

Manifest ID:	001682059GBF
Trans EPA ID:	CAD980814446
Trans Name:	MARK ALARCON'S WASTE OIL SERVICE
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT080013352
Trans Name:	DE MENNO KERDOON
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	221 - Waste oil and mixed oil
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.038
Waste Quantity:	10
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20110621
Creation Date:	7/27/2011 18:30:14
Receipt Date:	20110624
Manifest ID:	008285010JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	RHO-CHEM
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	135 - Unspecified aqueous solution
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.075
Waste Quantity:	150
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2007
Gen EPA ID:	CAL000110051

Shipment Date:	20070629
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	000510963JJK
Trans EPA ID:	CAD008364432
Trans Name:	RHO CHEM CORPORATION

RUSD - NORTH HIGH SCHOOL (Continued) **S113062437**

Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM CORPORATION
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	551 - Laboratory waste chemicals 561 Detergent and soap
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	0.25
Waste Quantity:	500
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20070629
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	000510963JJK
Trans EPA ID:	CAD008364432
Trans Name:	RHO CHEM CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM CORPORATION
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	141 - Off-specification, aged, or surplus inorganics
RCRA Code:	D002
Meth Code:	- Not reported
Quantity Tons:	0.005
Waste Quantity:	10
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20070629
Creation Date:	8/4/2008 18:30:07
Receipt Date:	20070719
Manifest ID:	000510967JJK
Trans EPA ID:	CAD008364432
Trans Name:	RHO CHEM CORPORATION
Trans 2 EPA ID:	CAR000177527
Trans 2 Name:	PHILIP WEST INDUSTRIAL SERVICES INC
TSDF EPA ID:	WAD991281767
Trans Name:	BURLINGTON ENVIRONMENTAL INC KENT FACILITY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	551 - Laboratory waste chemicals 561 Detergent and soap
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No

RUSD - NORTH HIGH SCHOOL (Continued) **S113062437**

	Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.006
Waste Quantity:	12
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20070629
Creation Date:	3/12/2008 18:30:10
Receipt Date:	20070630
Manifest ID:	000510963JJK
Trans EPA ID:	CAD008364432
Trans Name:	RHO CHEM CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM CORPORATION
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	551 - Laboratory waste chemicals 561 Detergent and soap
RCRA Code:	F002
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.006
Waste Quantity:	12
Quantity Unit:	P
Additional Code 1:	F001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20070629
Creation Date:	3/12/2008 18:30:10
Receipt Date:	20070630
Manifest ID:	000510963JJK
Trans EPA ID:	CAD008364432
Trans Name:	RHO CHEM CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM CORPORATION
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	551 - Laboratory waste chemicals 561 Detergent and soap
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.025
Waste Quantity:	50
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported

RUSD - NORTH HIGH SCHOOL (Continued) **S113062437**

Additional Code 4: Not reported
Additional Code 5: Not reported

CERS:
Name: NORTH HIGH SCHOOL
Address: 1550 3RD ST
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 181410
CERS ID: 10531438
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 181410
Site Name: North High School
Violation Date: 04-10-2019
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a business plan when storing/handling a hazardous material at or above reportable quantities.
Violation Notes: Returned to compliance on 05/09/2019. No HMBP has been completed nor submitted electronically in the CERS system. Complete and submit an HMBP at the following: https://cers.calepa.ca.gov
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 181410
Site Name: North High School
Violation Date: 04-22-2021
Citation: Un-Specified
Violation Description: Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes: Returned to compliance on 06/01/2021. 104A - NFPA 704 sign(s) properly posted. [RMC 16.32.020; CFC, Section 5003.5] - No NFPA 704 is posted. Provide the required NFPA 704 signage in the following locations: outside buildings containing sea-container workshop and room 156.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 181410
Site Name: North High School
Violation Date: 12-02-2016
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes: Returned to compliance on 12/07/2016.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 181410
Site Name: North High School
Violation Date: 04-10-2019
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter

RUSD - NORTH HIGH SCHOOL (Continued) **S113062437**

	6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes:	Returned to compliance on 05/09/2019. The required annual review/re-certification has not been completed. Complete the required review at the following link: https://Cers.calepa.ca.gov
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	181410
Site Name:	North High School
Violation Date:	04-10-2019
Citation:	Un-Specified
Violation Description:	Business Plan Program - Administration/Documentation - General Local Ordinance
Violation Notes:	Returned to compliance on 05/15/2019. Current permit issued/posted. [RMC 9.48.140] No current permit was posted. Obtain the current permit and post in a conspicuous location.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	181410
Site Name:	North High School
Violation Date:	04-10-2019
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to establish and electronically submit an adequate emergency response plan and procedures for a release or threatened release of a hazardous material.
Violation Notes:	Returned to compliance on 05/09/2019. No Emergency Response Plan and Procedures have been completed/submitted. Complete the requirement and submit in CERS.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	181410
Site Name:	North High School
Violation Date:	05-09-2019
Citation:	Un-Specified
Violation Description:	Business Plan Program - Administration/Documentation - General Local Ordinance
Violation Notes:	Returned to compliance on 05/15/2019. Current permit issued/posted. [RMC 9.48.140] - No current permit was posted. Obtain the current permit and post in a conspicuous location.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	181410
Site Name:	North High School
Violation Date:	04-22-2021
Citation:	Un-Specified
Violation Description:	Business Plan Program - Operations/Maintenance - General Local

RUSD - NORTH HIGH SCHOOL (Continued) **S113062437**

	Ordinance
Violation Notes:	Returned to compliance on 06/01/2021. 105E - Failure to maintain safe facility conditions [RMC 16.32.020] - Failure to maintain safe facility conditions. Have emergency equipment available and installed. Provide a ventilation hatch installed for the sea-container workshop. This applied to the gasoline storage areas.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	181410
Site Name:	North High School
Violation Date:	04-10-2019
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit a site map with all required content.
Violation Notes:	Returned to compliance on 05/09/2019. No site map completed/submitted/or site map submitted has missing components. Update map and upload into CERS.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	181410
Site Name:	North High School
Violation Date:	04-10-2019
Citation:	Un-Specified
Violation Description:	Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes:	Returned to compliance on 05/15/2019. NFPA 704 sign(s) properly posted. [RMC 16.32.020; CFC, Section 5003.5] No NFPA 704 is posted. signage in the following locations: outside of Athletic Maintenance Garage and on exterior side of door where the bulk CO2 tank is stored.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	181410
Site Name:	North High School
Violation Date:	04-10-2019
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes:	Returned to compliance on 05/09/2019. The chemical inventory has not been submitted. Hazmat inventory to include 609 CF of CO2 located in the Athletic Maintenance Garage. Update inventory to reflect liquid bulk CO2 located in Pool Acid Storage Room to be reported in Gallons not Lbs. "Carbo-Mizer 750" in CERS.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	181410
Site Name:	North High School

RUSD - NORTH HIGH SCHOOL (Continued) **S113062437**

Violation Date:	06-06-2013
Citation:	HSC 6.95 25504(c) - California Health and Safety Code, Chapter 6.95, Section(s) 25504(c)
Violation Description:	Failure to include an adequate training program in the business plan, which is reasonable and appropriate for the size of the business and the nature of the hazardous material handled.
Violation Notes:	Returned to compliance on 09/27/2013.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	181410
Site Name:	North High School
Violation Date:	06-06-2013
Citation:	HSC 6.95 25504(c) - California Health and Safety Code, Chapter 6.95, Section(s) 25504(c)
Violation Description:	Failure to include provisions in the business plan to ensure that appropriate personnel receive initial and annual training.
Violation Notes:	Returned to compliance on 09/27/2013.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	181410
Site Name:	North High School
Violation Date:	06-06-2013
Citation:	19 CCR 4 2729.2(a)(3) - California Code of Regulations, Title 19, Chapter 4, Section(s) 2729.2(a)(3)
Violation Description:	Failure to complete and/or submit an annotated site map if required by CUPA.
Violation Notes:	Returned to compliance on 09/27/2013.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	181410
Site Name:	North High School
Violation Date:	04-22-2021
Citation:	Un-Specified
Violation Description:	Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes:	Returned to compliance on 06/01/2021. 105A - Materials stored to minimize the possibility of release. [RMC 16.32.020; CFC, Section 5004.2] - No spill control and secondary containment was observed per CFC requirement. Emergency equipment such as a bottle rack for CO2 cylinders and provide chains for mounting the compressed gas cylinder was not properly posted or installed.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	181410
Site Name:	North High School
Violation Date:	05-09-2019
Citation:	Un-Specified
Violation Description:	Business Plan Program - Operations/Maintenance - General Local Ordinance

RUSD - NORTH HIGH SCHOOL (Continued) **S113062437**

Violation Notes: Returned to compliance on 05/15/2019. NFPA 704 sign(s) properly posted. [RMC 16.32.020; CFC, Section 5003.5] - No NFPA 704 is posted. Provide the required NFPA 704 signage in the following locations: outside of athletic maintenance garage.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 181410
Site Name: North High School
Violation Date: 11-18-2016
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes: Returned to compliance on 12/07/2016.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-18-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 05-09-2019
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Reinspection
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-10-2019
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-06-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

RUSD - NORTH HIGH SCHOOL (Continued) **S113062437**

Eval General Type: Other/Unknown
Eval Date: 09-27-2013
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-22-2021
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Inspector Z. Rehfeld Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 06-01-2021
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Reinspection - D. Young. All violations from 4/22/2021 routine inspection have been abated.
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-30-2021
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Paper Inspection: ECR not functioning
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 12-02-2016
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Enforcement Action:
Site ID: 181410
Site Name: North High School
Site Address: 1550 3RD ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 06-06-2013
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside City Fire Department

RUSD - NORTH HIGH SCHOOL (Continued) **S113062437**

Enf Action Program: HMRRP
Enf Action Source: CERS,

Coordinates:
Site ID: 181410
Facility Name: North High School
Env Int Type Code: HMBP
Program ID: 10531438
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.,
Latitude: 33.982970
Longitude: -117.345900

Affiliation:
Affiliation Type Desc: Environmental Contact
Entity Name: Sophia Demor
Entity Title: Not reported
Affiliation Address: 3380 14th St
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92501
Affiliation Phone: ,

Affiliation Type Desc: Operator
Entity Name: John W. North High School
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (951) 788-7311,

Affiliation Type Desc: Parent Corporation
Entity Name: North High School
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: CUPA District
Entity Name: Riverside Cnty Env Health
Entity Title: Not reported
Affiliation Address: 4065 County Circle Drive, Room 104
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92503
Affiliation Phone: (951) 358-5055,

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address

RUSD - NORTH HIGH SCHOOL (Continued) **S113062437**

Entity Title:	Not reported
Affiliation Address:	1550 W. 3rd. St
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92507
Affiliation Phone:	,
Affiliation Type Desc:	Identification Signer
Entity Name:	Sophia Demor
Entity Title:	Safety Technician
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,
Affiliation Type Desc:	Document Preparer
Entity Name:	Sophia Demor
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,
Affiliation Type Desc:	Legal Owner
Entity Name:	Riverside Unified School District
Entity Title:	Not reported
Affiliation Address:	3380 14th St
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92501
Affiliation Phone:	(951) 788-7135,
Affiliation Type Desc:	Property Owner
Entity Name:	Riverside Uniifed School Distirct
Entity Title:	Not reported
Affiliation Address:	3380 14th. St.
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92501
Affiliation Phone:	(951) 788-7135,

HWTS:

Name:	NORTH HIGH SCHOOL
Address:	1550 3RD ST
Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 92507
EPA ID:	CAC002565509
Inactive Date:	11/16/2003
Create Date:	05/19/2003

RUSD - NORTH HIGH SCHOOL (Continued) **S113062437**

Last Act Date:	Not reported
Mailing Name:	Not reported
Mailing Address:	3380 14TH ST
Mailing Address 2:	Not reported
Mailing City,State,Zip:	RIVERSIDE, CA 92501
Owner Name:	RIVERSIDE USD
Owner Address:	3380 14TH ST
Owner Address 2:	Not reported
Owner City,State,Zip:	RIVERSIDE, CA 92501
Contact Name:	RHONDA RITHMIRE
Contact Address:	3380 14TH ST
Contact Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 92501
Facility Status:	Inactive
Facility Type:	TEMPORARY
Category:	STATE
Latitude:	33.982997
Longitude:	-117.346093

Name:	RUSD - NORTH HIGH SCHOOL
Address:	1550 3RD ST
Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 92507
EPA ID:	CAL000110051
Inactive Date:	Not reported
Create Date:	03/12/1993
Last Act Date:	Not reported
Mailing Name:	Not reported
Mailing Address:	3380 14TH ST
Mailing Address 2:	Not reported
Mailing City,State,Zip:	RIVERSIDE, CA 925013810
Owner Name:	RIVERSIDE UNIFIED SCHOOL DIST
Owner Address:	3380 14TH ST
Owner Address 2:	Not reported
Owner City,State,Zip:	RIVERSIDE, CA 925013810
Contact Name:	ERIC JACKLIN
Contact Address:	3380 14TH ST
Contact Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 92501
Facility Status:	Active
Facility Type:	PERMANENT
Category:	STATE
Latitude:	33.98302
Longitude:	-117.346087

NAICS:

EPA ID:	CAL000110051
Create Date:	2003-05-19 14:40:24.763
NAICS Code:	61111
NAICS Description:	Elementary and Secondary Schools
Issued EPA ID Date:	1993-03-12 00:00:00
Inactive Date:	Not reported
Facility Name:	RUSD - NORTH HIGH SCHOOL
Facility Address:	1550 3RD ST
Facility Address 2:	Not reported
Facility City:	RIVERSIDE
Facility County:	Not reported
Facility State:	CA

RUSD - NORTH HIGH SCHOOL (Continued) **S113062437**

Facility Zip: 925073404

A12 **CHMIRS** **S105643760**
Target Property **1550 3RD STREET NORTH HIGH SCHOOL** **N/A**
RIVERSIDE, CA

Site 12 of 12 in cluster A

Actual: 964 ft.

CHMIRS:

Name:	Not reported
Address:	1550 3RD STREET NORTH HIGH SCHOOL
City,State,Zip:	RIVERSIDE, CA
OES Incident Number:	16040
OES notification:	Not reported
OES Date:	10/18/1996
OES Time:	04:30:12 PM
Date Completed:	**Not reported**
Property Use:	Not reported
Agency Id Number:	Not reported
Agency Incident Number:	Not reported
Time Notified:	Not reported
Time Completed:	Not reported
Surrounding Area:	Not reported
Estimated Temperature:	Not reported
Property Management:	Not reported
More Than Two Substances Involved?:	Not reported
Resp Agncy Personel # Of Decontaminated:	Not reported
Responding Agency Personel # Of Injuries:	Not reported
Responding Agency Personel # Of Fatalities:	Not reported
Others Number Of Decontaminated:	Not reported
Others Number Of Injuries:	Not reported
Others Number Of Fatalities:	Not reported
Vehicle Make/year:	Not reported
Vehicle License Number:	Not reported
Vehicle State:	Not reported
Vehicle Id Number:	Not reported
CA DOT PUC/ICC Number:	Not reported
Company Name:	Not reported
Reporting Officer Name/ID:	Not reported
Report Date:	Not reported
Facility Telephone:	Not reported
Waterway Involved:	YES
Waterway:	Not reported
Spill Site:	Not reported
Cleanup By:	RIVERSIDE CO HEALTH
Containment:	Not reported
What Happened:	Not reported
Type:	CHEMICAL
Measure:	Not reported
Other:	Not reported
Date/Time:	Not reported
Year:	1996
Agency:	RIVERSIDE CITY FIRE DEPT
Incident Date:	0830 17OCT96
Admin Agency:	Not reported
Amount:	10 ML
Contained:	NO

(Continued) **S105643760**

Site Type:	OTHER
E Date:	Not reported
Substance:	MERCURY
Unknown:	Not reported
Substance #2:	Not reported
Substance #3:	Not reported
Evacuations:	NO
Number of Injuries:	NO
Number of Fatalities:	NO
#1 Pipeline:	Not reported
#2 Pipeline:	Not reported
#3 Pipeline:	Not reported
#1 Vessel >= 300 Tons:	Not reported
#2 Vessel >= 300 Tons:	Not reported
#3 Vessel >= 300 Tons:	Not reported
Evacs:	Not reported
Injuries:	Not reported
Fatals:	Not reported
Comments:	Not reported
Description:	A VILE OF MERCURY FOUND BY A STUDENT, TAKEN TO A CLASSROOM SPILLED ON THE FLOOR, A STUDENT ACCIDENTALLY INGESTED SOME, SEEN BY A DOCTOR, NOT HOSPITALIZED.

B13 **NORTH HIGH SCHOOL** **RCRA-LQG** **1010313084**
NW **1550 W. THIRD SCHOOL** **CAL000110051**
< 1/8 **RIVERSIDE, CA 92507**
0.004 mi.
21 ft. **Site 1 of 3 in cluster B**

Relative: **Lower**

Actual: **955 ft.**

RCRA Listings:

Date Form Received by Agency:		20060505
Handler Name:	NORTH HIGH SCHOOL	
Handler Address:		1550 W. THIRD SCHOOL
Handler City,State,Zip:		RIVERSIDE, CA 92507
EPA ID:		CAL000110051
Contact Name:		BRIAN E CALDWELL
Contact Address:		Not reported
Contact City,State,Zip:		Not reported
Contact Telephone:		951-788-7286
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		09
Land Type:		District
Federal Waste Generator Description:		Large Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		2005
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		1550 W. THIRD STREET
Mailing City,State,Zip:		RIVERSIDE, CA 92507
Owner Name:	RIVERSIDE UNIFIED SCHOOL DISTRICT	
Owner Type:		District
Operator Name:	RIVERSIDE UNIFIED SCHOOL DISTRICT	
Operator Type:		District

NORTH HIGH SCHOOL (Continued) **1010313084**

Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20061115
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

NORTH HIGH SCHOOL (Continued) **1010313084**

Biennial: List of Years
Year: 2005

Click Here for Biennial Reporting System Data:

Hazardous Waste Summary:
Waste Code: D002
Waste Description: CORROSIVE WASTE

Waste Code: D008
Waste Description: LEAD

Waste Code: F002
Waste Description: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Handler - Owner Operator:
Owner/Operator Indicator: Operator
Owner/Operator Name: RIVERSIDE UNIFIED SCHOOL DISTRICT
Legal Status: District
Date Became Current: 19650901
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: RIVERSIDE UNIFIED SCHOOL DISTRICT
Legal Status: District
Date Became Current: 19650901
Date Ended Current: Not reported
Owner/Operator Address: 3300 14TH ST PO BOX 2800
Owner/Operator City,State,Zip: RIVERSIDE, CA 92516
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20060505
Handler Name: NORTH HIGH SCHOOL
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No

NORTH HIGH SCHOOL (Continued) **1010313084**

Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 61111
NAICS Description: ELEMENTARY AND SECONDARY SCHOOLS

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

C14 **EMERALD MOLD** **RCRA-SQG** **1000857710**
SSE **1473 LINDEN ST UNIT J** **FINDS** **CAD983671553**
< 1/8 **RIVERSIDE, CA 92507**
0.006 mi.
34 ft. **Site 1 of 7 in cluster C**

Relative:
Higher

Actual:
977 ft.

RCRA Listings:
Date Form Received by Agency: 19930712
Handler Name: EMERALD MOLD
Handler Address: 1473 LINDEN ST UNIT J
Handler City,State,Zip: RIVERSIDE, CA 92507
EPA ID: CAD983671553
Contact Name: DOUGLAS SURBER
Contact Address: 1473 LINDEN ST UNIT J
Contact City,State,Zip: RIVERSIDE, CA 92507
Contact Telephone: 909-275-9411
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 09
Land Type: Private
Federal Waste Generator Description: Small Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: Not reported
State District: Not reported
Mailing Address: LINDEN ST UNIT J
Mailing City,State,Zip: RIVERSIDE, CA 92507
Owner Name: DOUGLAS SURBER
Owner Type: Private
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No

EMERALD MOLD (Continued) **1000857710**

Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20000915
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: DOUGLAS SURBER	
Legal Status:	Private

EMERALD MOLD (Continued) **1000857710**

Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	1473 LINDEN ST UNIT J
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507
Owner/Operator Telephone:	909-275-9411
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	19930712
Handler Name: EMERALD MOLD	
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Codes:	No NAICS Codes Found

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

FINDS:

Registry ID: 110002901637

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

C15 **RIVERSIDE COUNTY LINDEN CLINIC** **RCRA-SQG** **1000818725**
South **1520 LINDEN ST** **FINDS** **CAD983646340**
< 1/8 **RIVERSIDE, CA 92507** **ECHO**
0.012 mi. **HAZNET**
65 ft. **Site 2 of 7 in cluster C** **HWTS**

Relative: Higher
Actual: 971 ft.

RCRA Listings:

Date Form Received by Agency:		19920810
Handler Name:	RIVERSIDE COUNTY LINDEN CLINIC	
Handler Address:		1520 LINDEN ST
Handler City,State,Zip:		RIVERSIDE, CA 92507
EPA ID:		CAD983646340
Contact Name:		JOHN CAIRNEY
Contact Address:		9851 MAGNOLIA AVE
Contact City,State,Zip:		RIVERSIDE, CA 92503
Contact Telephone:		714-358-7576
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		09
Land Type:		County
Federal Waste Generator Description:		Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		MAGNOLIA AVE
Mailing City,State,Zip:		RIVERSIDE, CA 92503
Owner Name:	COUNTY OF RIVERSIDE	
Owner Type:		County
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		NN
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported

RIVERSIDE COUNTY LINDEN CLINIC (Continued) **1000818725**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20000915
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: COUNTY OF RIVERSIDE	
Legal Status:	County
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	9851 MAGNOLIA AVE
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92503
Owner/Operator Telephone:	714-358-7576
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	19920810
Handler Name: RIVERSIDE COUNTY LINDEN CLINIC	
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes

RIVERSIDE COUNTY LINDEN CLINIC (Continued) **1000818725**

Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110002883309

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000818725
Registry ID: 110002883309
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110002883309
Name: RIVERSIDE COUNTY LINDEN CLINIC
Address: 1520 LINDEN ST
City,State,Zip: RIVERSIDE, CA 92507

HAZNET:
Name: RIVERSIDE COUNTY LINDEN CLINIC
Address: 1520 LINDEN ST
Address 2: Not reported
City,State,Zip: RIVERSIDE, CA 925070000
Contact: GLORIA A BARRAZA
Telephone: 9097843776
Mailing Name: Not reported
Mailing Address: 1520 W LINDEN ST

Year: 1994
Gepaid: CAD983646340
TSD EPA ID: CAD982524613
CA Waste Code: 541 - Photochemicals/photoprocessing waste
Disposal Method: R01 - Recycler
Tons: 0.0083

RIVERSIDE COUNTY LINDEN CLINIC (Continued) **1000818725**

Additional Info:

Year:	1994
Gen EPA ID:	CAD983646340
Shipment Date:	19941207
Creation Date:	3/28/1996 0:00:00
Receipt Date:	19941212
Manifest ID:	93585030
Trans EPA ID:	CAD983604000
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD982524613
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD982524613
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0083
Waste Quantity:	2
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

HWTS:

Name:	RIVERSIDE COUNTY LINDEN CLINIC
Address:	1520 LINDEN ST
Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 92507
EPA ID:	CAD983646340
Inactive Date:	06/30/1998
Create Date:	08/10/1992
Last Act Date:	Not reported
Mailing Name:	Not reported
Mailing Address:	1520 W LINDEN ST
Mailing Address 2:	Not reported
Mailing City,State,Zip:	RIVERSIDE, CA 925076808
Owner Name:	COUNTY OF RIVERSIDE
Owner Address:	9851 MAGNOLIA AVE
Owner Address 2:	Not reported
Owner City,State,Zip:	RIVERSIDE, CA 925030000
Contact Name:	GLORIA A BARRAZA
Contact Address:	INACTIVE PER VQ98 - BMI
Contact Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 925076808
Facility Status:	Inactive
Facility Type:	PERMANENT
Category:	FEDERAL
Latitude:	33.979324
Longitude:	-117.344803

D16 **FMC TECHNOLOGIES INC** **RCRA-SQG** **1000109329**
South **1540 LINDEN STREET** **FINDS** **CAD982469819**
< 1/8 **RIVERSIDE, CA 92507** **ECHO**
0.013 mi.
66 ft. **Site 1 of 3 in cluster D**

Relative: **Higher**

Actual: **970 ft.**

RCRA Listings:

Date Form Received by Agency:		20010619
Handler Name:	F M C TECHNOLOGIES INC	
Handler Address:		1540 LINDEN ST
Handler City,State,Zip:		RIVERSIDE, CA 92507
EPA ID:		CAD982469819
Contact Name:		CHRISTINA CAMPOS
Contact Address:		PO BOX 5710
Contact City,State,Zip:		RIVERSIDE, CA 92517
Contact Telephone:		909-222-2300
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		09
Land Type:		Private
Federal Waste Generator Description:		Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		PO BOX 5710
Mailing City,State,Zip:		RIVERSIDE, CA 92517
Owner Name:	RICHARD L HOUTZER	
Owner Type:		Private
Operator Name:	NOT REQUIRED	
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		NN
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported

FMC TECHNOLOGIES INC (Continued) **1000109329**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20021007
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D001
Waste Description:	IGNITABLE WASTE
Waste Code:	D002
Waste Description:	CORROSIVE WASTE
Waste Code:	F003
Waste Description:	THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
Waste Code:	U080
Waste Description:	METHANE, DICHLORO- (OR) METHYLENE CHLORIDE

Handler - Owner Operator:

Owner/Operator Indicator:	Owner

FMC TECHNOLOGIES INC (Continued) **1000109329**

Owner/Operator Name: RICHARD L HOUTZER
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: PO BOX 5710
Owner/Operator City,State,Zip: RIVERSIDE, CA 92517
Owner/Operator Telephone: 909-222-2300
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: NOT REQUIRED
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, ME 99999
Owner/Operator Telephone: 415-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20010619
Handler Name: F M C TECHNOLOGIES INC
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110002819335

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
California Hazardous Waste Tracking System - Datamart (HWTS-DATAMART) provides California with information on hazardous waste shipments for

FMC TECHNOLOGIES INC (Continued) **1000109329**

generators, transporters, and treatment, storage, and disposal facilities.
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000109329
Registry ID:	110002819335
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110002819335
Name:	FMC TECHNOLOGIES INC
Address:	1540 LINDEN STREET
City,State,Zip:	RIVERSIDE, CA 92507

D17 **SHERWIN-WILLIAMS COMPANY 4364** **RCRA-LQG** **1001115560**
South **1560 W LINDEN ST** **FINDS** **CAR000014969**
< 1/8 **RIVERSIDE, CA 92507** **ECHO**
0.013 mi.
66 ft. **Site 2 of 3 in cluster D**

Relative: **Higher**

Actual: **968 ft.**

RCRA Listings:

Date Form Received by Agency:	20220210
Handler Name:	SHERWIN-WILLIAMS COMPANY 4364
Handler Address:	1560 LINDEN ST
Handler City,State,Zip:	RIVERSIDE, CA 92507-0000
EPA ID:	CAR000014969
Contact Name:	JUAN VENEGAS
Contact Address:	LINDEN ST
Contact City,State,Zip:	RIVERSIDE, CA 92507-0000
Contact Telephone:	951-784-8442
Contact Fax:	951-784-8446
Contact Email:	SWP4364@SHERWIN.COM
Contact Title:	FACILITY MANAGER
EPA Region:	09
Land Type:	Private
Federal Waste Generator Description:	Large Quantity Generator
Non-Notifier:	Not reported
Biennial Report Cycle:	2021
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	LINDEN ST
Mailing City,State,Zip:	RIVERSIDE, CA 92507-0000
Owner Name:	LINDEN-WEST PROPERTIES LLC
Owner Type:	Private
Operator Name:	THE SHERWIN-WILLIAMS COMPANY
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **1001115560**

Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20220401
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Biennial: List of Years
Year: 2019

Click Here for Biennial Reporting System Data:
Year: 2017

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **1001115560**

Click Here for Biennial Reporting System Data:
Year: 2015

Click Here for Biennial Reporting System Data:
Year: 2013

Click Here for Biennial Reporting System Data:

Hazardous Waste Summary:
Waste Code: D000
Waste Description: Not Defined

Waste Code: D001
Waste Description: IGNITABLE WASTE

Waste Code: D035
Waste Description: METHYL ETHYL KETONE

Waste Code: F003
Waste Description: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste Code: F005
Waste Description: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Handler - Owner Operator:
Owner/Operator Indicator: Owner
Owner/Operator Name: LINDEN-WEST PROPERTIES, LLC
Legal Status: Private
Date Became Current: 20030117
Date Ended Current: Not reported
Owner/Operator Address: PO BOX 222038
Owner/Operator City,State,Zip: CARMEL, CA 93922
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: PROWESTERN DEVELOPMENT COMPANY
Legal Status: Private

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **1001115560**

Date Became Current: 20030301
Date Ended Current: Not reported
Owner/Operator Address: PO BOX 222038
Owner/Operator City,State,Zip: CARMEL, CA 93922
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: THE SHERWIN-WILLIAMS COMPANY
Legal Status: Private
Date Became Current: 20060601
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: HANS AND BERTHA HERRNDORF
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 169 BUTANO AVE
Owner/Operator City,State,Zip: SUNNYVALE, CA 94086
Owner/Operator Telephone: 415-964-3132
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: LINDEN-WEST PROPERTIES LLC
Legal Status: Private
Date Became Current: 20030117
Date Ended Current: Not reported
Owner/Operator Address: PO BOX 222038
Owner/Operator City,State,Zip: CARMEL, CA 93922
Owner/Operator Telephone: 216-566-2000
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: JENNIFER.L.DEKA@SHERWIN.COM

Owner/Operator Indicator: Operator
Owner/Operator Name: THE SHERWIN-WILLIAMS COMPANY
Legal Status: Private
Date Became Current: 20060601
Date Ended Current: Not reported
Owner/Operator Address: 101 WEST PROSPECT AVE.
Owner/Operator City,State,Zip: CLEVELAND, OH 44115
Owner/Operator Telephone: 216-566-2000
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: JENNIFER.L.DEKA@SHERWIN.COM

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **1001115560**

Owner/Operator Indicator:	Owner
Owner/Operator Name:	LINDEN-WEST PROPERTIES LLC
Legal Status:	Private
Date Became Current:	20030117
Date Ended Current:	Not reported
Owner/Operator Address:	PO BOX 222038
Owner/Operator City,State,Zip:	CARMEL, CA 93922
Owner/Operator Telephone:	216-566-2000
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	JENNIFER.L.DEKA@SHERWIN.COM

Owner/Operator Indicator:	Operator
Owner/Operator Name:	THE SHERWIN-WILLIAMS COMPANY
Legal Status:	Private
Date Became Current:	20060601
Date Ended Current:	Not reported
Owner/Operator Address:	101 WEST PROSPECT AVE.
Owner/Operator City,State,Zip:	CLEVELAND, OH 44115
Owner/Operator Telephone:	216-566-2000
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	JENNIFER.L.DEKA@SHERWIN.COM

Owner/Operator Indicator:	Owner
Owner/Operator Name:	LINDEN WEST
Legal Status:	Private
Date Became Current:	20030301
Date Ended Current:	Not reported
Owner/Operator Address:	PO BOX 222038
Owner/Operator City,State,Zip:	CARMEL, CA 93922
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	SHERWIN-WILLIAMS CO
Legal Status:	Private
Date Became Current:	20060601
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	SHERWIN WILLIAMS COMPANY
Legal Status:	Private
Date Became Current:	19951030
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **1001115560**

Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: SHERWIN WILLIAMS COMPANY
Legal Status: Private
Date Became Current: 19951030
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: LINDEN-WEST PROPERTIES LLC
Legal Status: Private
Date Became Current: 20030117
Date Ended Current: Not reported
Owner/Operator Address: PO BOX 222038 C/O MARK BOEN
Owner/Operator City,State,Zip: CARMEL, CA 93922-2038
Owner/Operator Telephone: 951-784-8442
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: THE SHERWIN-WILLIAMS COMPANY
Legal Status: Private
Date Became Current: 20060601
Date Ended Current: Not reported
Owner/Operator Address: 101 WEST PROSPECT AVE.
Owner/Operator City,State,Zip: CLEVELAND, OH 44115
Owner/Operator Telephone: 216-566-2000
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: JENNIFER.L.DEKA@SHERWIN.COM

Owner/Operator Indicator: Owner
Owner/Operator Name: LINDEN-WEST PROPERTIES LLC
Legal Status: Private
Date Became Current: 20030117
Date Ended Current: Not reported
Owner/Operator Address: PO BOX 222038
Owner/Operator City,State,Zip: CARMEL, CA 93922
Owner/Operator Telephone: 216-566-2000
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: JENNIFER.L.DEKA@SHERWIN.COM

Historic Generators:
Receive Date: 20140227
Handler Name: SHERWIN-WILLIAMS #4364
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **1001115560**

Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20160125
Handler Name: SHERWIN-WILLIAMS #4364
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20180731
Handler Name: SHERWIN-WILLIAMS COMPANY 4364
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 20200228
Handler Name: SHERWIN-WILLIAMS COMPANY 4364
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 20220210
Handler Name: SHERWIN-WILLIAMS COMPANY 4364
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **1001115560**

Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 20000125
Handler Name: SHERWIN WILLIAMS STORE 4364
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20061227
Handler Name: SHERWIN WILLIAMS COMPANY NO 4364
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20071011
Handler Name: SHERWIN WILLIAMS COMPANY NO 4364
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20001012
Handler Name: SHERWIN-WILLIAMS
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 42295

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **1001115560**

NAICS Description: PAINT, VARNISH, AND SUPPLIES WHOLESALERS

NAICS Code: 42495
NAICS Description: PAINT, VARNISH, AND SUPPLIES MERCHANT WHOLESALERS

NAICS Code: 424950
NAICS Description: PAINT, VARNISH, AND SUPPLIES MERCHANT WHOLESALERS

Facility Has Received Notices of Violation:

Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - Pre-transport
Date Violation was Determined:	20200616
Actual Return to Compliance Date:	20200616
Return to Compliance Qualifier:	Documented
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - Pre-transport
Date Violation was Determined:	20200616
Actual Return to Compliance Date:	20200722
Return to Compliance Qualifier:	Documented
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **1001115560**

Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - Pre-transport
Date Violation was Determined:	20200616
Actual Return to Compliance Date:	20200616
Return to Compliance Qualifier:	Documented
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **1001115560**

SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - Pre-transport
Date Violation was Determined: 20200616
Actual Return to Compliance Date: 20200722
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **1001115560**

Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Evaluation Action Summary:

Evaluation Date:	20200616
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	Not reported
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	20200616
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20200616
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	Not reported
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	20200722
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20200616
Evaluation Responsible Agency:	State

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **1001115560**

Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	Not reported
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	20200616
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20200812
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	Not reported
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20200616
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	Not reported
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	20200722
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

FINDS:
Registry ID: 110002913937

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.
HAZARDOUS WASTE BIENNIAL REPORTER
STATE MASTER

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1001115560

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **1001115560**

Registry ID:	110002913937
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110002913937
Name:	SHERWIN-WILLIAMS COMPANY 4364
Address:	1560 W LINDEN ST
City,State,Zip:	RIVERSIDE, CA 92507

D18 **SHERWIN-WILLIAMS COMPANY 4364** **CERS HAZ WASTE** **S113173732**
South **1560 LINDEN ST** **HAZNET** **N/A**
< 1/8 **RIVERSIDE, CA 92507** **CERS**
0.013 mi. **HWTS**
66 ft. **Site 3 of 3 in cluster D**

Relative:
Higher

Actual:
968 ft.

CERS HAZ WASTE:

Name:	SHERWIN-WILLIAMS COMPANY #4364
Address:	1560 LINDEN ST
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	175757
CERS ID:	10511137
CERS Description:	Hazardous Waste Generator

Name:	SHERWIN-WILLIAMS COMPANY #4364
Address:	1560 LINDEN ST
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	175757
CERS ID:	10511137
CERS Description:	RCRA LQ HW Generator

HAZNET:

Name:	SHERWIN-WILLIAMS COMPANY 4364
Address:	1560 LINDEN ST
Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 928680000
Contact:	YENNY KHUU
Telephone:	7144747617
Mailing Name:	Not reported
Mailing Address:	2100 W. ORANGEWOOD AVE. STE100

Year:	2018
Gepaid:	CAR000014969
TSD EPA ID:	UTD048406144
CA Waste Code:	331 - Off-specification, aged or surplus organics
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.40000

Year:	2018
Gepaid:	CAR000014969
TSD EPA ID:	CAD008252405
CA Waste Code:	212 - Oxygenated solvents (acetone, butanol, ethyl acetate, etc.)
Disposal Method:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Tons:	0.18150

Year:	2018
Gepaid:	CAR000014969
TSD EPA ID:	MXC130619001
CA Waste Code:	352 - Other organic solids
Disposal Method:	H050 - Energy Recovery At This Site--Use As Fuel(Includes On-Site Fuel

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

	Blending)
Tons:	3.97500
Year:	2018
Gepaid:	CAR000014969
TSD EPA ID:	MXC130619001
CA Waste Code:	291 - Latex waste
Disposal Method:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Tons:	1.14675
Year:	2018
Gepaid:	CAR000014969
TSD EPA ID:	MXC130619001
CA Waste Code:	331 - Off-specification, aged or surplus organics
Disposal Method:	H020 - Solvents Recovery
Tons:	1.48500
Year:	2017
Gepaid:	CAR000014969
TSD EPA ID:	MXC130619001
CA Waste Code:	352 - Other organic solids
Disposal Method:	H050 - Energy Recovery At This Site--Use As Fuel(Includes On-Site Fuel Blending)
Tons:	7.24675
Year:	2017
Gepaid:	CAR000014969
TSD EPA ID:	NVT330010000
CA Waste Code:	133 - Aqueous solution with total organic residues 10 percent or more
Disposal Method:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Tons:	0.02
Year:	2017
Gepaid:	CAR000014969
TSD EPA ID:	MXC130619001
CA Waste Code:	331 - Off-specification, aged or surplus organics
Disposal Method:	H020 - Solvents Recovery
Tons:	1.8335
Year:	2017
Gepaid:	CAR000014969
TSD EPA ID:	MXC130619001
CA Waste Code:	291 - Latex waste
Disposal Method:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Tons:	0.6337
Year:	2017
Gepaid:	CAR000014969
TSD EPA ID:	MXC130619001
CA Waste Code:	352 - Other organic solids
Disposal Method:	H050 - Energy Recovery At This Site--Use As Fuel(Includes On-Site Fuel Blending)
Tons:	0.625

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Click this hyperlink while viewing on your computer to access
59 additional CA HAZNET: record(s) in the EDR Site Report.

Detail Two:

Year:	2018
EM Manifest ID:	011185683FLE20170906_D_1
Shipment Date:	9/6/2017
Receipt Date:	9/11/2017
Manifest Number:	011185683FLE
Generator EPA ID:	CAR000014969
Name:	SHERWIN WILLIAMS COMPANY CHEMICAL
Address:	Not reported
Address 2:	Not reported
City:	Not reported
Zip:	Not reported
Telephone:	Not reported
Contact:	Not reported
Contact Telephone:	Not reported
Transporter 1 EPA ID:	OHR000162800
Transporter 1 Emergency Number:	Not reported
Transporter 2 EPA ID:	CAR000194217
Transporter 2 Emergency Number:	Not reported
TSDF EPA ID:	MXC130619001
TSDF Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Address 1:	Not reported
TSDF Address 2:	Not reported
TSDF City:	Not reported
TSDF Zip:	Not reported
TSDF Telephone:	Not reported

Federal:

Year:	2018
EM Manifest ID:	011185683FLE20170906_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2017-09-06
Manifest Number:	011185683FLE
Line Number:	1
Method Code:	H050
Quantity Tons:	1.40000
Quantity Waste:	2800.000000
Quantity Unit:	P
Number of Containers:	8
Type of Container:	NULL
Quantity Type:	NULL
Federal Code:	D001

Year:	2018
EM Manifest ID:	011185683FLE20170906_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2017-09-06
Manifest Number:	011185683FLE
Line Number:	1
Method Code:	H050
Quantity Tons:	1.40000
Quantity Waste:	2800.000000
Quantity Unit:	P

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Number of Containers: 8
Type of Container: NULL
Quantity Type: NULL
Federal Code: D035

Year: 2018
EM Manifest ID: 011185683FLE20170906_D_1
Generator EPA ID: CAR000014969
Shipment Date: 2017-09-06
Manifest Number: 011185683FLE
Line Number: 2
Method Code: H020
Quantity Tons: 0.17500
Quantity Waste: 350.000000
Quantity Unit: P
Number of Containers: 1
Type of Container: NULL
Quantity Type: NULL
Federal Code: D001

Year: 2018
EM Manifest ID: 011185683FLE20170906_D_1
Generator EPA ID: CAR000014969
Shipment Date: 2017-09-06
Manifest Number: 011185683FLE
Line Number: 2
Method Code: H020
Quantity Tons: 0.17500
Quantity Waste: 350.000000
Quantity Unit: P
Number of Containers: 1
Type of Container: NULL
Quantity Type: NULL
Federal Code: D035

State:
Year: 2018
EM Manifest ID: 011185683FLE20170906_D_1
Generator EPA ID: CAR000014969
Shipment Date: 2017-09-06
Manifest Number: 011185683FLE
Line Number: 1
Method Code: H050
Quantity Tons: 1.40000
Quantity Waste: 2800.000000
Quantity Unit: P
Number of Containers: 8
Type of Container: NULL
Quantity Type: NULL
State Code: 352

Year: 2018
EM Manifest ID: 011185683FLE20170906_D_1
Generator EPA ID: CAR000014969
Shipment Date: 2017-09-06
Manifest Number: 011185683FLE
Line Number: 2

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Method Code:	H020
Quantity Tons:	0.17500
Quantity Waste:	350.000000
Quantity Unit:	P
Number of Containers:	1
Type of Container:	NULL
Quantity Type:	NULL
State Code:	331

Year:	2018
EM Manifest ID:	011185683FLE20170906_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2017-09-06
Manifest Number:	011185683FLE
Line Number:	3
Method Code:	H039
Quantity Tons:	0.17500
Quantity Waste:	350.000000
Quantity Unit:	P
Number of Containers:	1
Type of Container:	NULL
Quantity Type:	NULL
State Code:	291

Year:	2018
EM Manifest ID:	010890883FLE20170801_D_1
Shipment Date:	8/1/2017
Receipt Date:	8/8/2017
Manifest Number:	010890883FLE
Generator EPA ID:	CAR000014969
Name:	SHERWIN WILLIAMS COMPANY CHEMICAL
Address:	Not reported
Address 2:	Not reported
City:	Not reported
Zip:	Not reported
Telephone:	Not reported
Contact:	Not reported
Contact Telephone:	Not reported
Transporter 1 EPA ID:	OHR000162800
Transporter 1 Emergency Number:	Not reported
Transporter 2 EPA ID:	CAR000194217
Transporter 2 Emergency Number:	Not reported
TSDF EPA ID:	MXC130619001
TSDF Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Address 1:	Not reported
TSDF Address 2:	Not reported
TSDF City:	Not reported
TSDF Zip:	Not reported
TSDF Telephone:	Not reported

Federal:

Year:	2018
EM Manifest ID:	010890883FLE20170801_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2017-08-01
Manifest Number:	010890883FLE
Line Number:	1

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Method Code:	H050
Quantity Tons:	1.50000
Quantity Waste:	3000.000000
Quantity Unit:	P
Number of Containers:	12
Type of Container:	NULL
Quantity Type:	NULL
Federal Code:	D001
Year:	2018
EM Manifest ID:	010890883FLE20170801_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2017-08-01
Manifest Number:	010890883FLE
Line Number:	1
Method Code:	H050
Quantity Tons:	1.50000
Quantity Waste:	3000.000000
Quantity Unit:	P
Number of Containers:	12
Type of Container:	NULL
Quantity Type:	NULL
Federal Code:	D035
Year:	2018
EM Manifest ID:	010890883FLE20170801_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2017-08-01
Manifest Number:	010890883FLE
Line Number:	2
Method Code:	H020
Quantity Tons:	0.36300
Quantity Waste:	110.000000
Quantity Unit:	G
Number of Containers:	2
Type of Container:	NULL
Quantity Type:	NULL
Federal Code:	D001
Year:	2018
EM Manifest ID:	010890883FLE20170801_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2017-08-01
Manifest Number:	010890883FLE
Line Number:	2
Method Code:	H020
Quantity Tons:	0.36300
Quantity Waste:	110.000000
Quantity Unit:	G
Number of Containers:	2
Type of Container:	NULL
Quantity Type:	NULL
Federal Code:	D035

State:

Year:	2018
EM Manifest ID:	010890883FLE20170801_D_1

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Generator EPA ID:	CAR000014969
Shipment Date:	2017-08-01
Manifest Number:	010890883FLE
Line Number:	1
Method Code:	H050
Quantity Tons:	1.50000
Quantity Waste:	3000.000000
Quantity Unit:	P
Number of Containers:	12
Type of Container:	NULL
Quantity Type:	NULL
State Code:	352

Year:	2018
EM Manifest ID:	010890883FLE20170801_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2017-08-01
Manifest Number:	010890883FLE
Line Number:	2
Method Code:	H020
Quantity Tons:	0.36300
Quantity Waste:	110.000000
Quantity Unit:	G
Number of Containers:	2
Type of Container:	NULL
Quantity Type:	NULL
State Code:	331

Year:	2018
EM Manifest ID:	010890560FLE20170620_D_1
Shipment Date:	6/20/2017
Receipt Date:	6/28/2017
Manifest Number:	010890560FLE
Generator EPA ID:	CAR000014969
Name:	SHERWIN WILLIAMS COMPANY CHEMICAL
Address:	Not reported
Address 2:	Not reported
City:	Not reported
Zip:	Not reported
Telephone:	Not reported
Contact:	Not reported
Contact Telephone:	Not reported
Transporter 1 EPA ID:	OHR000162800
Transporter 1 Emergency Number:	Not reported
Transporter 2 EPA ID:	CAR000163824
Transporter 2 Emergency Number:	Not reported
TSDF EPA ID:	MXC130619001
TSDF Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Address 1:	Not reported
TSDF Address 2:	Not reported
TSDF City:	Not reported
TSDF Zip:	Not reported
TSDF Telephone:	Not reported

Federal:

Year:	2018
EM Manifest ID:	010890560FLE20170620_D_1

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Generator EPA ID:	CAR000014969
Shipment Date:	2017-06-20
Manifest Number:	010890560FLE
Line Number:	1
Method Code:	H050
Quantity Tons:	1.60000
Quantity Waste:	3200.000000
Quantity Unit:	P
Number of Containers:	8
Type of Container:	NULL
Quantity Type:	NULL
Federal Code:	D001

Year:	2018
EM Manifest ID:	010890560FLE20170620_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2017-06-20
Manifest Number:	010890560FLE
Line Number:	1
Method Code:	H050
Quantity Tons:	1.60000
Quantity Waste:	3200.000000
Quantity Unit:	P
Number of Containers:	8
Type of Container:	NULL
Quantity Type:	NULL
Federal Code:	D035

Year:	2018
EM Manifest ID:	010890560FLE20170620_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2017-06-20
Manifest Number:	010890560FLE
Line Number:	2
Method Code:	H020
Quantity Tons:	0.20000
Quantity Waste:	400.000000
Quantity Unit:	P
Number of Containers:	1
Type of Container:	NULL
Quantity Type:	NULL
Federal Code:	D001

Year:	2018
EM Manifest ID:	010890560FLE20170620_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2017-06-20
Manifest Number:	010890560FLE
Line Number:	2
Method Code:	H020
Quantity Tons:	0.20000
Quantity Waste:	400.000000
Quantity Unit:	P
Number of Containers:	1
Type of Container:	NULL
Quantity Type:	NULL
Federal Code:	D035

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

State:

Year:	2018
EM Manifest ID:	010890560FLE20170620_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2017-06-20
Manifest Number:	010890560FLE
Line Number:	1
Method Code:	H050
Quantity Tons:	1.60000
Quantity Waste:	3200.000000
Quantity Unit:	P
Number of Containers:	8
Type of Container:	NULL
Quantity Type:	NULL
State Code:	352

Year:	2018
EM Manifest ID:	010890560FLE20170620_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2017-06-20
Manifest Number:	010890560FLE
Line Number:	2
Method Code:	H020
Quantity Tons:	0.20000
Quantity Waste:	400.000000
Quantity Unit:	P
Number of Containers:	1
Type of Container:	NULL
Quantity Type:	NULL
State Code:	331

Year:	2018
EM Manifest ID:	011933755FLE20180619_D_1
Shipment Date:	6/19/2018
Receipt Date:	6/22/2018
Manifest Number:	011933755FLE
Generator EPA ID:	CAR000014969
Name:	SHERWIN WILLIAMS COMPANY CHEMICAL
Address:	Not reported
Address 2:	Not reported
City:	Not reported
Zip:	Not reported
Telephone:	Not reported
Contact:	Not reported
Contact Telephone:	Not reported
Transporter 1 EPA ID:	OHR000162800
Transporter 1 Emergency Number:	Not reported
Transporter 2 EPA ID:	CAR000194217
Transporter 2 Emergency Number:	Not reported
TSDF EPA ID:	MXC130619001
TSDF Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Address 1:	Not reported
TSDF Address 2:	Not reported
TSDF City:	Not reported
TSDF Zip:	Not reported
TSDF Telephone:	Not reported

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Federal:

Year:	2018
EM Manifest ID:	011933755FLE20180619_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2018-06-19
Manifest Number:	011933755FLE
Line Number:	1
Method Code:	H050
Quantity Tons:	0.87500
Quantity Waste:	1750.000000
Quantity Unit:	P
Number of Containers:	7
Type of Container:	NULL
Quantity Type:	NULL
Federal Code:	D001

Year:	2018
EM Manifest ID:	011933755FLE20180619_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2018-06-19
Manifest Number:	011933755FLE
Line Number:	1
Method Code:	H050
Quantity Tons:	0.87500
Quantity Waste:	1750.000000
Quantity Unit:	P
Number of Containers:	7
Type of Container:	NULL
Quantity Type:	NULL
Federal Code:	D035

State:

Year:	2018
EM Manifest ID:	011933755FLE20180619_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2018-06-19
Manifest Number:	011933755FLE
Line Number:	1
Method Code:	H050
Quantity Tons:	0.87500
Quantity Waste:	1750.000000
Quantity Unit:	P
Number of Containers:	7
Type of Container:	NULL
Quantity Type:	NULL
State Code:	352

Year:	2018
EM Manifest ID:	011933755FLE20180619_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2018-06-19
Manifest Number:	011933755FLE
Line Number:	2
Method Code:	H039
Quantity Tons:	0.22935
Quantity Waste:	55.000000

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Quantity Unit:	G
Number of Containers:	1
Type of Container:	NULL
Quantity Type:	NULL
State Code:	291

Year:	2018
EM Manifest ID:	011603400FLE20180502_D_1
Shipment Date:	5/2/2018
Receipt Date:	5/8/2018
Manifest Number:	011603400FLE
Generator EPA ID:	CAR000014969
Name:	SHERWIN WILLIAMS COMPANY CHEMICAL
Address:	Not reported
Address 2:	Not reported
City:	Not reported
Zip:	Not reported
Telephone:	Not reported
Contact:	Not reported
Contact Telephone:	Not reported
Transporter 1 EPA ID:	OHR000162800
Transporter 1 Emergency Number:	Not reported
Transporter 2 EPA ID:	CAR000194217
Transporter 2 Emergency Number:	Not reported
TSDF EPA ID:	MXC130619001
TSDF Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Address 1:	Not reported
TSDF Address 2:	Not reported
TSDF City:	Not reported
TSDF Zip:	Not reported
TSDF Telephone:	Not reported

Federal:

Year:	2018
EM Manifest ID:	011603400FLE20180502_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2018-05-02
Manifest Number:	011603400FLE
Line Number:	1
Method Code:	H050
Quantity Tons:	0.62500
Quantity Waste:	1250.000000
Quantity Unit:	P
Number of Containers:	5
Type of Container:	NULL
Quantity Type:	NULL
Federal Code:	D001

Year:	2018
EM Manifest ID:	011603400FLE20180502_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2018-05-02
Manifest Number:	011603400FLE
Line Number:	1
Method Code:	H050
Quantity Tons:	0.62500
Quantity Waste:	1250.000000

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Quantity Unit: P
Number of Containers: 5
Type of Container: NULL
Quantity Type: NULL
Federal Code: D035

Year: 2018
EM Manifest ID: 011603400FLE20180502_D_1
Generator EPA ID: CAR000014969
Shipment Date: 2018-05-02
Manifest Number: 011603400FLE
Line Number: 2
Method Code: H020
Quantity Tons: 0.36300
Quantity Waste: 110.000000
Quantity Unit: G
Number of Containers: 2
Type of Container: NULL
Quantity Type: NULL
Federal Code: D001

Year: 2018
EM Manifest ID: 011603400FLE20180502_D_1
Generator EPA ID: CAR000014969
Shipment Date: 2018-05-02
Manifest Number: 011603400FLE
Line Number: 2
Method Code: H020
Quantity Tons: 0.36300
Quantity Waste: 110.000000
Quantity Unit: G
Number of Containers: 2
Type of Container: NULL
Quantity Type: NULL
Federal Code: D035

State:
Year: 2018
EM Manifest ID: 011603400FLE20180502_D_1
Generator EPA ID: CAR000014969
Shipment Date: 2018-05-02
Manifest Number: 011603400FLE
Line Number: 1
Method Code: H050
Quantity Tons: 0.62500
Quantity Waste: 1250.000000
Quantity Unit: P
Number of Containers: 5
Type of Container: NULL
Quantity Type: NULL
State Code: 352

Year: 2018
EM Manifest ID: 011603400FLE20180502_D_1
Generator EPA ID: CAR000014969
Shipment Date: 2018-05-02
Manifest Number: 011603400FLE

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Line Number:	2
Method Code:	H020
Quantity Tons:	0.36300
Quantity Waste:	110.000000
Quantity Unit:	G
Number of Containers:	2
Type of Container:	NULL
Quantity Type:	NULL
State Code:	331

Year:	2018
EM Manifest ID:	011603400FLE20180502_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2018-05-02
Manifest Number:	011603400FLE
Line Number:	3
Method Code:	H039
Quantity Tons:	0.22935
Quantity Waste:	55.000000
Quantity Unit:	G
Number of Containers:	1
Type of Container:	NULL
Quantity Type:	NULL
State Code:	291

Year:	2018
EM Manifest ID:	010570240FLE20170511_D_1
Shipment Date:	5/11/2017
Receipt Date:	5/18/2017
Manifest Number:	010570240FLE
Generator EPA ID:	CAR000014969
Name:	SHERWIN WILLIAMS COMPANY CHEMICAL
Address:	Not reported
Address 2:	Not reported
City:	Not reported
Zip:	Not reported
Telephone:	Not reported
Contact:	Not reported
Contact Telephone:	Not reported
Transporter 1 EPA ID:	OHR000162800
Transporter 1 Emergency Number:	Not reported
Transporter 2 EPA ID:	CAR000163824
Transporter 2 Emergency Number:	Not reported
TSDF EPA ID:	MXC130619001
TSDF Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Address 1:	Not reported
TSDF Address 2:	Not reported
TSDF City:	Not reported
TSDF Zip:	Not reported
TSDF Telephone:	Not reported

Federal:

Year:	2018
EM Manifest ID:	010570240FLE20170511_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2017-05-11
Manifest Number:	010570240FLE

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Line Number:	1
Method Code:	H050
Quantity Tons:	1.12500
Quantity Waste:	2250.000000
Quantity Unit:	P
Number of Containers:	9
Type of Container:	NULL
Quantity Type:	NULL
Federal Code:	D001
Year:	2018
EM Manifest ID:	010570240FLE20170511_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2017-05-11
Manifest Number:	010570240FLE
Line Number:	1
Method Code:	H050
Quantity Tons:	1.12500
Quantity Waste:	2250.000000
Quantity Unit:	P
Number of Containers:	9
Type of Container:	NULL
Quantity Type:	NULL
Federal Code:	D035
Year:	2018
EM Manifest ID:	010570240FLE20170511_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2017-05-11
Manifest Number:	010570240FLE
Line Number:	2
Method Code:	H020
Quantity Tons:	0.36300
Quantity Waste:	110.000000
Quantity Unit:	G
Number of Containers:	2
Type of Container:	NULL
Quantity Type:	NULL
Federal Code:	D001
Year:	2018
EM Manifest ID:	010570240FLE20170511_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2017-05-11
Manifest Number:	010570240FLE
Line Number:	2
Method Code:	H020
Quantity Tons:	0.36300
Quantity Waste:	110.000000
Quantity Unit:	G
Number of Containers:	2
Type of Container:	NULL
Quantity Type:	NULL
Federal Code:	D035

State:

Year:	2018

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

EM Manifest ID:	010570240FLE20170511_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2017-05-11
Manifest Number:	010570240FLE
Line Number:	1
Method Code:	H050
Quantity Tons:	1.12500
Quantity Waste:	2250.000000
Quantity Unit:	P
Number of Containers:	9
Type of Container:	NULL
Quantity Type:	NULL
State Code:	352

Year:	2018
EM Manifest ID:	010570240FLE20170511_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2017-05-11
Manifest Number:	010570240FLE
Line Number:	2
Method Code:	H020
Quantity Tons:	0.36300
Quantity Waste:	110.000000
Quantity Unit:	G
Number of Containers:	2
Type of Container:	NULL
Quantity Type:	NULL
State Code:	331

Year:	2018
EM Manifest ID:	010570240FLE20170511_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2017-05-11
Manifest Number:	010570240FLE
Line Number:	3
Method Code:	H039
Quantity Tons:	0.22935
Quantity Waste:	55.000000
Quantity Unit:	G
Number of Containers:	1
Type of Container:	NULL
Quantity Type:	NULL
State Code:	291

Year:	2018
EM Manifest ID:	011603183FLE20180403_D_1
Shipment Date:	4/3/2018
Receipt Date:	4/5/2018
Manifest Number:	011603183FLE
Generator EPA ID:	CAR000014969
Name:	SHERWIN WILLIAMS COMPANY CHEMICAL
Address:	Not reported
Address 2:	Not reported
City:	Not reported
Zip:	Not reported
Telephone:	Not reported

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Contact:	Not reported
Contact Telephone:	Not reported
Transporter 1 EPA ID:	OHR000162800
Transporter 1 Emergency Number:	Not reported
Transporter 2 EPA ID:	CAR000194217
Transporter 2 Emergency Number:	Not reported
TSDF EPA ID:	MXC130619001
TSDF Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Address 1:	Not reported
TSDF Address 2:	Not reported
TSDF City:	Not reported
TSDF Zip:	Not reported
TSDF Telephone:	Not reported

Federal:

Year:	2018
EM Manifest ID:	011603183FLE20180403_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2018-04-03
Manifest Number:	011603183FLE
Line Number:	1
Method Code:	H050
Quantity Tons:	0.60000
Quantity Waste:	1200.000000
Quantity Unit:	P
Number of Containers:	6
Type of Container:	NULL
Quantity Type:	NULL
Federal Code:	D001

Year:	2018
EM Manifest ID:	011603183FLE20180403_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2018-04-03
Manifest Number:	011603183FLE
Line Number:	1
Method Code:	H050
Quantity Tons:	0.60000
Quantity Waste:	1200.000000
Quantity Unit:	P
Number of Containers:	6
Type of Container:	NULL
Quantity Type:	NULL
Federal Code:	D035

Year:	2018
EM Manifest ID:	011603183FLE20180403_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2018-04-03
Manifest Number:	011603183FLE
Line Number:	2
Method Code:	H020
Quantity Tons:	0.18150
Quantity Waste:	55.000000
Quantity Unit:	G
Number of Containers:	1
Type of Container:	NULL
Quantity Type:	NULL

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Federal Code: D001

Year: 2018
EM Manifest ID: 011603183FLE20180403_D_1
Generator EPA ID: CAR000014969
Shipment Date: 2018-04-03
Manifest Number: 011603183FLE
Line Number: 2
Method Code: H020
Quantity Tons: 0.18150
Quantity Waste: 55.000000
Quantity Unit: G
Number of Containers: 1
Type of Container: NULL
Quantity Type: NULL
Federal Code: D035

State:
Year: 2018
EM Manifest ID: 011603183FLE20180403_D_1
Generator EPA ID: CAR000014969
Shipment Date: 2018-04-03
Manifest Number: 011603183FLE
Line Number: 1
Method Code: H050
Quantity Tons: 0.60000
Quantity Waste: 1200.000000
Quantity Unit: P
Number of Containers: 6
Type of Container: NULL
Quantity Type: NULL
State Code: 352

Year: 2018
EM Manifest ID: 011603183FLE20180403_D_1
Generator EPA ID: CAR000014969
Shipment Date: 2018-04-03
Manifest Number: 011603183FLE
Line Number: 2
Method Code: H020
Quantity Tons: 0.18150
Quantity Waste: 55.000000
Quantity Unit: G
Number of Containers: 1
Type of Container: NULL
Quantity Type: NULL
State Code: 331

Year: 2018
EM Manifest ID: 011603183FLE20180403_D_1
Generator EPA ID: CAR000014969
Shipment Date: 2018-04-03
Manifest Number: 011603183FLE
Line Number: 3
Method Code: H039
Quantity Tons: 0.22935
Quantity Waste: 55.000000

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Quantity Unit:	G
Number of Containers:	1
Type of Container:	NULL
Quantity Type:	NULL
State Code:	291

Year:	2018
EM Manifest ID:	011603182FLE20180403_D_1
Shipment Date:	4/3/2018
Receipt Date:	4/10/2018
Manifest Number:	011603182FLE
Generator EPA ID:	CAR000014969
Name:	SHERWIN WILLIAMS COMPANY CHEMICAL
Address:	Not reported
Address 2:	Not reported
City:	Not reported
Zip:	Not reported
Telephone:	Not reported
Contact:	Not reported
Contact Telephone:	Not reported
Transporter 1 EPA ID:	OHR000162800
Transporter 1 Emergency Number:	Not reported
Transporter 2 EPA ID:	KS0000336891
Transporter 2 Emergency Number:	Not reported
TSDF EPA ID:	UTD048406144
TSDF Name:	NEXEO SOLUTIONS CLEARFIELD PLANT
TSDF Address 1:	Not reported
TSDF Address 2:	Not reported
TSDF City:	Not reported
TSDF Zip:	Not reported
TSDF Telephone:	Not reported

Federal:

Year:	2018
EM Manifest ID:	011603182FLE20180403_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2018-04-03
Manifest Number:	011603182FLE
Line Number:	1
Method Code:	H141
Quantity Tons:	0.40000
Quantity Waste:	800.000000
Quantity Unit:	P
Number of Containers:	2
Type of Container:	NULL
Quantity Type:	NULL
Federal Code:	D001

State:

Year:	2018
EM Manifest ID:	011603182FLE20180403_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2018-04-03
Manifest Number:	011603182FLE
Line Number:	1
Method Code:	H141

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Quantity Tons:	0.40000
Quantity Waste:	800.000000
Quantity Unit:	P
Number of Containers:	2
Type of Container:	NULL
Quantity Type:	NULL
State Code:	331

Year:	2018
EM Manifest ID:	010570043FLE20170417_D_1
Shipment Date:	4/17/2017
Receipt Date:	4/24/2017
Manifest Number:	010570043FLE
Generator EPA ID:	CAR000014969
Name:	SHERWIN WILLIAMS COMPANY CHEMICAL
Address:	Not reported
Address 2:	Not reported
City:	Not reported
Zip:	Not reported
Telephone:	Not reported
Contact:	Not reported
Contact Telephone:	Not reported
Transporter 1 EPA ID:	OHR000162800
Transporter 1 Emergency Number:	Not reported
Transporter 2 EPA ID:	CAR000163824
Transporter 2 Emergency Number:	Not reported
TSDF EPA ID:	MXC130619001
TSDF Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Address 1:	Not reported
TSDF Address 2:	Not reported
TSDF City:	Not reported
TSDF Zip:	Not reported
TSDF Telephone:	Not reported

Federal:

Year:	2018
EM Manifest ID:	010570043FLE20170417_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2017-04-17
Manifest Number:	010570043FLE
Line Number:	1
Method Code:	H050
Quantity Tons:	1.00000
Quantity Waste:	2000.000000
Quantity Unit:	P
Number of Containers:	8
Type of Container:	NULL
Quantity Type:	NULL
Federal Code:	D001

Year:	2018
EM Manifest ID:	010570043FLE20170417_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2017-04-17
Manifest Number:	010570043FLE
Line Number:	1
Method Code:	H050

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Quantity Tons:	1.00000
Quantity Waste:	2000.000000
Quantity Unit:	P
Number of Containers:	8
Type of Container:	NULL
Quantity Type:	NULL
Federal Code:	D035
Year:	2018
EM Manifest ID:	010570043FLE20170417_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2017-04-17
Manifest Number:	010570043FLE
Line Number:	2
Method Code:	H020
Quantity Tons:	0.18150
Quantity Waste:	55.000000
Quantity Unit:	G
Number of Containers:	1
Type of Container:	NULL
Quantity Type:	NULL
Federal Code:	D001
Year:	2018
EM Manifest ID:	010570043FLE20170417_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2017-04-17
Manifest Number:	010570043FLE
Line Number:	2
Method Code:	H020
Quantity Tons:	0.18150
Quantity Waste:	55.000000
Quantity Unit:	G
Number of Containers:	1
Type of Container:	NULL
Quantity Type:	NULL
Federal Code:	D035

State:

Year:	2018
EM Manifest ID:	010570043FLE20170417_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2017-04-17
Manifest Number:	010570043FLE
Line Number:	1
Method Code:	H050
Quantity Tons:	1.00000
Quantity Waste:	2000.000000
Quantity Unit:	P
Number of Containers:	8
Type of Container:	NULL
Quantity Type:	NULL
State Code:	352
Year:	2018
EM Manifest ID:	010570043FLE20170417_D_1
Generator EPA ID:	CAR000014969

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Shipment Date:	2017-04-17
Manifest Number:	010570043FLE
Line Number:	2
Method Code:	H020
Quantity Tons:	0.18150
Quantity Waste:	55.000000
Quantity Unit:	G
Number of Containers:	1
Type of Container:	NULL
Quantity Type:	NULL
State Code:	331

Year:	2018
EM Manifest ID:	010303260FLE20170313_D_1
Shipment Date:	3/13/2017
Receipt Date:	3/16/2017
Manifest Number:	010303260FLE
Generator EPA ID:	CAR000014969
Name:	SHERWIN WILLIAMS COMPANY CHEMICAL
Address:	Not reported
Address 2:	Not reported
City:	Not reported
Zip:	Not reported
Telephone:	Not reported
Contact:	Not reported
Contact Telephone:	Not reported
Transporter 1 EPA ID:	OHR000162800
Transporter 1 Emergency Number:	Not reported
Transporter 2 EPA ID:	CAR000194217
Transporter 2 Emergency Number:	Not reported
TSDF EPA ID:	MXC130619001
TSDF Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Address 1:	Not reported
TSDF Address 2:	Not reported
TSDF City:	Not reported
TSDF Zip:	Not reported
TSDF Telephone:	Not reported

Federal:

Year:	2018
EM Manifest ID:	010303260FLE20170313_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2017-03-13
Manifest Number:	010303260FLE
Line Number:	1
Method Code:	H020
Quantity Tons:	0.36300
Quantity Waste:	110.000000
Quantity Unit:	G
Number of Containers:	2
Type of Container:	NULL
Quantity Type:	NULL
Federal Code:	D001

Year:	2018
EM Manifest ID:	010303260FLE20170313_D_1
Generator EPA ID:	CAR000014969

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Shipment Date:	2017-03-13
Manifest Number:	010303260FLE
Line Number:	1
Method Code:	H020
Quantity Tons:	0.36300
Quantity Waste:	110.000000
Quantity Unit:	G
Number of Containers:	2
Type of Container:	NULL
Quantity Type:	NULL
Federal Code:	D035

Year:	2018
EM Manifest ID:	010303260FLE20170313_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2017-03-13
Manifest Number:	010303260FLE
Line Number:	2
Method Code:	H050
Quantity Tons:	1.14675
Quantity Waste:	275.000000
Quantity Unit:	G
Number of Containers:	5
Type of Container:	NULL
Quantity Type:	NULL
Federal Code:	D001

Year:	2018
EM Manifest ID:	010303260FLE20170313_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2017-03-13
Manifest Number:	010303260FLE
Line Number:	2
Method Code:	H050
Quantity Tons:	1.14675
Quantity Waste:	275.000000
Quantity Unit:	G
Number of Containers:	5
Type of Container:	NULL
Quantity Type:	NULL
Federal Code:	D035

State:

Year:	2018
EM Manifest ID:	010303260FLE20170313_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2017-03-13
Manifest Number:	010303260FLE
Line Number:	1
Method Code:	H020
Quantity Tons:	0.36300
Quantity Waste:	110.000000
Quantity Unit:	G
Number of Containers:	2
Type of Container:	NULL
Quantity Type:	NULL
State Code:	331

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Year:	2018
EM Manifest ID:	010303260FLE20170313_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2017-03-13
Manifest Number:	010303260FLE
Line Number:	2
Method Code:	H050
Quantity Tons:	1.14675
Quantity Waste:	275.000000
Quantity Unit:	G
Number of Containers:	5
Type of Container:	NULL
Quantity Type:	NULL
State Code:	352

Year:	2018
EM Manifest ID:	010303260FLE20170313_D_1
Generator EPA ID:	CAR000014969
Shipment Date:	2017-03-13
Manifest Number:	010303260FLE
Line Number:	3
Method Code:	H039
Quantity Tons:	0.22935
Quantity Waste:	55.000000
Quantity Unit:	G
Number of Containers:	1
Type of Container:	NULL
Quantity Type:	NULL
State Code:	291

Additional Info:

Year:	2017
Gen EPA ID:	CAR000014969
Shipment Date:	20171214
Creation Date:	10/16/2018 18:31:15
Receipt Date:	20171228
Manifest ID:	011601414FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000194217
Trans 2 Name:	TEMARRY RECYCLING INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	1.3761
Waste Quantity:	330
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20171214
Creation Date:	10/16/2018 18:31:15
Receipt Date:	20171228
Manifest ID:	011601414FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000194217
Trans 2 Name:	TEMARRY RECYCLING INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D035
Meth Code:	H020 - Solvents Recovery
Quantity Tons:	1.6335
Waste Quantity:	495
Quantity Unit:	G
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20171214
Creation Date:	10/16/2018 18:31:15
Receipt Date:	20171228
Manifest ID:	011601414FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000194217
Trans 2 Name:	TEMARRY RECYCLING INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D035
Meth Code:	H050 - Energy Recovery At This Site--Use As Fuel(Includes On-Site Fuel Blending)
Quantity Tons:	3.375
Waste Quantity:	6750
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20171106
Creation Date:	12/5/2018 18:30:10
Receipt Date:	20171114
Manifest ID:	011172138FLE
Trans EPA ID:	OHR000162800

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D035
Meth Code:	H050 - Energy Recovery At This Site--Use As Fuel(Includes On-Site Fuel Blending)
Quantity Tons:	1.25
Waste Quantity:	2500
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20171106
Creation Date:	12/5/2018 18:30:10
Receipt Date:	20171114
Manifest ID:	011172138FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D035
Meth Code:	H020 - Solvents Recovery
Quantity Tons:	0.4
Waste Quantity:	800
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20170906
Creation Date:	10/11/2018 18:31:48
Receipt Date:	20170911
Manifest ID:	011185683FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000194217
Trans 2 Name:	TEMARRY RECYCLING INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.175
Waste Quantity:	350
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20170906
Creation Date:	10/11/2018 18:31:48
Receipt Date:	20170911
Manifest ID:	011185683FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000194217
Trans 2 Name:	TEMARRY RECYCLING INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D035
Meth Code:	H050 - Energy Recovery At This Site--Use As Fuel(Includes On-Site Fuel Blending)
Quantity Tons:	1.4
Waste Quantity:	2800
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20170906
Creation Date:	10/11/2018 18:31:48
Receipt Date:	20170911
Manifest ID:	011185683FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000194217
Trans 2 Name:	TEMARRY RECYCLING INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D035
Meth Code:	H020 - Solvents Recovery
Quantity Tons:	0.175
Waste Quantity:	350
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20170801
Creation Date:	7/20/2018 18:30:10
Receipt Date:	20170808
Manifest ID:	010890883FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000194217
Trans 2 Name:	TEMARRY RECYCLING INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D035
Meth Code:	H020 - Solvents Recovery
Quantity Tons:	0.363
Waste Quantity:	110
Quantity Unit:	G
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20170801
Creation Date:	7/20/2018 18:30:10
Receipt Date:	20170808
Manifest ID:	010890883FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000194217
Trans 2 Name:	TEMARRY RECYCLING INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D035
Meth Code:	H050 - Energy Recovery At This Site--Use As Fuel(Includes On-Site Fuel Blending)
Quantity Tons:	1.5
Waste Quantity:	3000
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2016
Gen EPA ID:	CAR000014969

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Shipment Date:	20151203
Creation Date:	6/30/2016 18:31:00
Receipt Date:	20151208
Manifest ID:	015156715JJK
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D035
Meth Code:	H020 - Solvents Recovery
Quantity Tons:	0.1815
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20151203
Creation Date:	6/30/2016 18:31:00
Receipt Date:	20151208
Manifest ID:	015156715JJK
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D035
Meth Code:	H050 - Energy Recovery At This Site--Use As Fuel(Includes On-Site Fuel Blending)
Quantity Tons:	0.35
Waste Quantity:	700
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20151005
Creation Date:	5/4/2016 22:15:08
Receipt Date:	20151015
Manifest ID:	013737771JJK
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D035
Meth Code:	H020 - Solvents Recovery
Quantity Tons:	1.452
Waste Quantity:	440
Quantity Unit:	G
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20151005
Creation Date:	5/4/2016 22:15:08
Receipt Date:	20151015
Manifest ID:	013737771JJK
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D035
Meth Code:	H050 - Energy Recovery At This Site--Use As Fuel(Includes On-Site Fuel Blending)
Quantity Tons:	0.4
Waste Quantity:	800
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150918
Creation Date:	2/26/2016 22:15:47
Receipt Date:	20150930
Manifest ID:	013737657JJK
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D035
Meth Code:	H050 - Energy Recovery At This Site--Use As Fuel(Includes On-Site Fuel Blending)

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Quantity Tons:	0.5
Waste Quantity:	1000
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150918
Creation Date:	2/26/2016 22:15:47
Receipt Date:	20150930
Manifest ID:	013737665JJK
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H020 - Solvents Recovery
Quantity Tons:	0.22935
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150918
Creation Date:	2/26/2016 22:15:47
Receipt Date:	20150930
Manifest ID:	013737657JJK
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D035
Meth Code:	H020 - Solvents Recovery
Quantity Tons:	0.5445
Waste Quantity:	165
Quantity Unit:	G
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Shipment Date:	20150803
Creation Date:	1/20/2016 22:15:31
Receipt Date:	20150810
Manifest ID:	007015926FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H020 - Solvents Recovery
Quantity Tons:	0.68805
Waste Quantity:	165
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20150803
Creation Date:	1/20/2016 22:15:31
Receipt Date:	20150810
Manifest ID:	007015926FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D035
Meth Code:	H050 - Energy Recovery At This Site--Use As Fuel(Includes On-Site Fuel Blending)
Quantity Tons:	0.375
Waste Quantity:	750
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20150803
Creation Date:	1/20/2016 22:15:31
Receipt Date:	20150810
Manifest ID:	007015926FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D035
Meth Code:	H020 - Solvents Recovery
Quantity Tons:	0.5445
Waste Quantity:	165
Quantity Unit:	G
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2015
Gen EPA ID:	CAR000014969
Shipment Date:	20151203
Creation Date:	6/30/2016 18:31:00
Receipt Date:	20151208
Manifest ID:	015156715JJK
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D035
Meth Code:	H050 - Energy Recovery At This Site--Use As Fuel(Includes On-Site Fuel Blending)
Quantity Tons:	0.35
Waste Quantity:	700
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20151203
Creation Date:	6/30/2016 18:31:00
Receipt Date:	20151208
Manifest ID:	015156715JJK
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D035
Meth Code:	H020 - Solvents Recovery
Quantity Tons:	0.1815
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20151005
Creation Date:	5/4/2016 22:15:08
Receipt Date:	20151015
Manifest ID:	013737771JJK
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D035
Meth Code:	H050 - Energy Recovery At This Site--Use As Fuel(Includes On-Site Fuel Blending)
Quantity Tons:	0.4
Waste Quantity:	800
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20151005
Creation Date:	5/4/2016 22:15:08
Receipt Date:	20151015
Manifest ID:	013737771JJK
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D035
Meth Code:	H020 - Solvents Recovery
Quantity Tons:	1.452
Waste Quantity:	440
Quantity Unit:	G
Additional Code 1:	D001
Additional Code 2:	Not reported

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150918
Creation Date:	2/26/2016 22:15:47
Receipt Date:	20150930
Manifest ID:	013737657JJK
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D035
Meth Code:	H050 - Energy Recovery At This Site--Use As Fuel(Includes On-Site Fuel Blending)
Quantity Tons:	0.5
Waste Quantity:	1000
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150918
Creation Date:	2/26/2016 22:15:47
Receipt Date:	20150930
Manifest ID:	013737665JJK
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H020 - Solvents Recovery
Quantity Tons:	0.22935
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150918
Creation Date:	2/26/2016 22:15:47
Receipt Date:	20150930
Manifest ID:	013737657JJK

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D035
Meth Code:	H020 - Solvents Recovery
Quantity Tons:	0.5445
Waste Quantity:	165
Quantity Unit:	G
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150803
Creation Date:	1/20/2016 22:15:31
Receipt Date:	20150810
Manifest ID:	007015926FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D035
Meth Code:	H050 - Energy Recovery At This Site--Use As Fuel(Includes On-Site Fuel Blending)
Quantity Tons:	0.375
Waste Quantity:	750
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150803
Creation Date:	1/20/2016 22:15:31
Receipt Date:	20150810
Manifest ID:	007015926FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D035
Meth Code:	H020 - Solvents Recovery
Quantity Tons:	0.5445
Waste Quantity:	165
Quantity Unit:	G
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150803
Creation Date:	1/20/2016 22:15:31
Receipt Date:	20150810
Manifest ID:	007015926FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H020 - Solvents Recovery
Quantity Tons:	0.68805
Waste Quantity:	165
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2014
Gen EPA ID:	CAR000014969
Shipment Date:	20141212
Creation Date:	6/23/2015 22:15:22
Receipt Date:	20141219
Manifest ID:	013738996JJK
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D035
Meth Code:	H050 - Energy Recovery At This Site--Use As Fuel(Includes On-Site Fuel Blending)
Quantity Tons:	0.4

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Waste Quantity:	800
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20141212
Creation Date:	6/23/2015 22:15:22
Receipt Date:	20141219
Manifest ID:	013738996JJK
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.2
Waste Quantity:	400
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20141212
Creation Date:	6/23/2015 22:15:22
Receipt Date:	20141219
Manifest ID:	013738996JJK
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D035
Meth Code:	H020 - Solvents Recovery
Quantity Tons:	0.2
Waste Quantity:	400
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Shipment Date:	20141030
Creation Date:	5/27/2015 22:15:25
Receipt Date:	20141112
Manifest ID:	013738681JJK
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D035
Meth Code:	H050 - Energy Recovery At This Site--Use As Fuel(Includes On-Site Fuel Blending)
Quantity Tons:	0.205
Waste Quantity:	410
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20141030
Creation Date:	5/27/2015 22:15:25
Receipt Date:	20141112
Manifest ID:	013738681JJK
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D035
Meth Code:	H020 - Solvents Recovery
Quantity Tons:	0.1815
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20141013
Creation Date:	5/27/2015 22:15:12
Receipt Date:	20141029
Manifest ID:	013738532JJK
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D035
Meth Code:	H050 - Energy Recovery At This Site--Use As Fuel(Includes On-Site Fuel Blending)
Quantity Tons:	1
Waste Quantity:	2000
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20141013
Creation Date:	5/27/2015 22:15:12
Receipt Date:	20141029
Manifest ID:	013738532JJK
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D035
Meth Code:	H020 - Solvents Recovery
Quantity Tons:	0.726
Waste Quantity:	220
Quantity Unit:	G
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20140910
Creation Date:	2/8/2016 22:17:09
Receipt Date:	Not reported
Manifest ID:	007588929FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	0.22935

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20140910
Creation Date:	2/8/2016 22:17:09
Receipt Date:	Not reported
Manifest ID:	007588929FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D035
Meth Code:	- Not reported
Quantity Tons:	0.5445
Waste Quantity:	165
Quantity Unit:	G
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20140910
Creation Date:	2/8/2016 22:17:09
Receipt Date:	Not reported
Manifest ID:	007588929FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	MXC130619001
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D035
Meth Code:	- Not reported
Quantity Tons:	1
Waste Quantity:	2000
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Additional Info:

Year:	2013
Gen EPA ID:	CAR000014969
Shipment Date:	20131216
Creation Date:	5/14/2014 22:14:54
Receipt Date:	20131227
Manifest ID:	006595410FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	02-IV-99-10
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H020 - Solvents Recovery
Quantity Tons:	0.2
Waste Quantity:	400
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20131216
Creation Date:	5/14/2014 22:14:54
Receipt Date:	20131227
Manifest ID:	006595410FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	02-IV-99-10
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D035
Meth Code:	H020 - Solvents Recovery
Quantity Tons:	0.4
Waste Quantity:	800
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20131216
Creation Date:	5/14/2014 22:14:54
Receipt Date:	20131227
Manifest ID:	006595410FLE
Trans EPA ID:	OHR000162800

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	02-IV-99-10
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D035
Meth Code:	H050 - Energy Recovery At This Site--Use As Fuel(Includes On-Site Fuel Blending)
Quantity Tons:	0.4
Waste Quantity:	800
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20131127
Creation Date:	5/14/2014 22:14:54
Receipt Date:	20131219
Manifest ID:	006595310FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	02-IV-99-10
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H020 - Solvents Recovery
Quantity Tons:	0.2
Waste Quantity:	400
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20131127
Creation Date:	5/14/2014 22:14:54
Receipt Date:	20131219
Manifest ID:	006595310FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	02-IV-99-10
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

RCRA Code:	D035
Meth Code:	H020 - Solvents Recovery
Quantity Tons:	0.0825
Waste Quantity:	25
Quantity Unit:	G
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20131127
Creation Date:	5/14/2014 22:14:54
Receipt Date:	20131219
Manifest ID:	006595310FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	02-IV-99-10
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D035
Meth Code:	H020 - Solvents Recovery
Quantity Tons:	0.09
Waste Quantity:	180
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20131127
Creation Date:	5/14/2014 22:14:54
Receipt Date:	20131219
Manifest ID:	006595310FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	02-IV-99-10
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D035
Meth Code:	H050 - Energy Recovery At This Site--Use As Fuel(Includes On-Site Fuel Blending)
Quantity Tons:	0.5
Waste Quantity:	1000
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20131106
Creation Date:	4/24/2014 22:15:02
Receipt Date:	20131115
Manifest ID:	006595153FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	02-IV-99-10
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D035
Meth Code:	H020 - Solvents Recovery
Quantity Tons:	0.45
Waste Quantity:	900
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20131106
Creation Date:	4/24/2014 22:15:02
Receipt Date:	20131115
Manifest ID:	006595153FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	02-IV-99-10
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H020 - Solvents Recovery
Quantity Tons:	0.45
Waste Quantity:	900
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20131106
Creation Date:	4/24/2014 22:15:02
Receipt Date:	20131115
Manifest ID:	006595153FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	02-IV-99-10
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D035
Meth Code:	H050 - Energy Recovery At This Site--Use As Fuel(Includes On-Site Fuel Blending)
Quantity Tons:	0.5
Waste Quantity:	1000
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2012
Gen EPA ID:	CAR000014969
Shipment Date:	20121206
Creation Date:	4/30/2013 22:15:27
Receipt Date:	20121212
Manifest ID:	005677195FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	02-IV-99-10
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D035
Meth Code:	H020 - Solvents Recovery
Quantity Tons:	0.2145
Waste Quantity:	65
Quantity Unit:	G
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20121206
Creation Date:	4/30/2013 22:15:27
Receipt Date:	20121212
Manifest ID:	005677195FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	02-IV-99-10
Trans Name:	RECICLADORA TEMARRY DE MEXICO

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D035
Meth Code:	H020 - Solvents Recovery
Quantity Tons:	0.1815
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20121206
Creation Date:	4/30/2013 22:15:27
Receipt Date:	20121212
Manifest ID:	005677195FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	02-IV-99-10
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.14595
Waste Quantity:	35
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20121206
Creation Date:	5/8/2013 22:15:17
Receipt Date:	20121216
Manifest ID:	005677196FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	KS0000336891
Trans 2 Name:	SAVANNAH TRANSPORT INC
TSDF EPA ID:	ARD981057870
Trans Name:	RINECO CHEMICAL INDUSTRIES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D035
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.875
Waste Quantity:	1750
Quantity Unit:	P

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20121206
Creation Date:	5/8/2013 22:15:17
Receipt Date:	20121216
Manifest ID:	005677196FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	KS0000336891
Trans 2 Name:	SAVANNAH TRANSPORT INC
TSDF EPA ID:	ARD981057870
Trans Name:	RINECO CHEMICAL INDUSTRIES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D035
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.7
Waste Quantity:	1400
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20121015
Creation Date:	3/22/2013 22:15:24
Receipt Date:	20121027
Manifest ID:	005676855FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	KS0000336891
Trans 2 Name:	SAVANNAH TRANSPORT INC
TSDF EPA ID:	ARD981057870
Trans Name:	RINECO CHEMICAL INDUSTRIES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D035
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.6
Waste Quantity:	1200
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20121015
Creation Date:	3/26/2013 22:15:29
Receipt Date:	20121022

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Manifest ID:	005676856FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	02-IV-99-10
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D035
Meth Code:	H020 - Solvents Recovery
Quantity Tons:	0.2
Waste Quantity:	400
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20121015
Creation Date:	3/26/2013 22:15:29
Receipt Date:	20121022
Manifest ID:	005676856FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	02-IV-99-10
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.4
Waste Quantity:	800
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20120925
Creation Date:	8/18/2013 22:15:21
Receipt Date:	20121003
Manifest ID:	005676731FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	KS0000336891
Trans 2 Name:	SAVANNAH TRANSPORT INC
TSDF EPA ID:	ARD981057870
Trans Name:	RINECO CHEMICAL INDUSTRIES INC
TSDF Alt EPA ID:	Not reported

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D035
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.8
Waste Quantity:	1600
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20120816
Creation Date:	1/25/2013 22:15:18
Receipt Date:	20120824
Manifest ID:	005676442FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	CAR000163824
Trans 2 Name:	TRIMSA USA INC
TSDF EPA ID:	02-IV-99-10
Trans Name:	RECICLADORA TEMARRY DE MEXICO
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D035
Meth Code:	H020 - Solvents Recovery
Quantity Tons:	0.363
Waste Quantity:	110
Quantity Unit:	G
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2011
Gen EPA ID:	CAR000014969
Shipment Date:	20111230
Creation Date:	5/25/2012 20:30:23
Receipt Date:	20120112
Manifest ID:	004909576FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	KS0000336891
Trans 2 Name:	SAVANNAH TRANSPORT INC
TSDF EPA ID:	ARD981057870
Trans Name:	RINECO CHEMICAL INDUSTRIES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D035
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	1.25

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Waste Quantity:	2500
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20111212
Creation Date:	4/25/2012 20:30:29
Receipt Date:	20111218
Manifest ID:	004909464FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	KS0000336891
Trans 2 Name:	SAVANNAH TRANSPORT INC
TSDF EPA ID:	ARD981057870
Trans Name:	RINECO CHEMICAL INDUSTRIES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D035
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.363
Waste Quantity:	110
Quantity Unit:	G
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20111212
Creation Date:	4/25/2012 20:30:29
Receipt Date:	20111218
Manifest ID:	004909464FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	KS0000336891
Trans 2 Name:	SAVANNAH TRANSPORT INC
TSDF EPA ID:	ARD981057870
Trans Name:	RINECO CHEMICAL INDUSTRIES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D035
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.35
Waste Quantity:	700
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20111212

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Creation Date:	4/25/2012 20:30:29
Receipt Date:	20111218
Manifest ID:	004909464FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	KS0000336891
Trans 2 Name:	SAVANNAH TRANSPORT INC
TSDF EPA ID:	ARD981057870
Trans Name:	RINECO CHEMICAL INDUSTRIES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D035
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.0165
Waste Quantity:	5
Quantity Unit:	G
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20111018
Creation Date:	4/11/2012 20:30:30
Receipt Date:	20111109
Manifest ID:	004904641FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	KS0000336891
Trans 2 Name:	SAVANNAH TRANSPORT INC
TSDF EPA ID:	ARD981057870
Trans Name:	RINECO CHEMICAL INDUSTRIES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.25
Waste Quantity:	500
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20111018
Creation Date:	4/11/2012 20:30:30
Receipt Date:	20111109
Manifest ID:	004904641FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	KS0000336891
Trans 2 Name:	SAVANNAH TRANSPORT INC
TSDF EPA ID:	ARD981057870
Trans Name:	RINECO CHEMICAL INDUSTRIES INC

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D035
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.5
Waste Quantity:	1000
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20111018
Creation Date:	4/11/2012 20:30:30
Receipt Date:	20111109
Manifest ID:	004904641FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	KS0000336891
Trans 2 Name:	SAVANNAH TRANSPORT INC
TSDF EPA ID:	ARD981057870
Trans Name:	RINECO CHEMICAL INDUSTRIES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D035
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.6
Waste Quantity:	1200
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20110912
Creation Date:	3/20/2012 20:30:12
Receipt Date:	20110918
Manifest ID:	004904389FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	KS0000336891
Trans 2 Name:	SAVANNAH TRANSPORT INC
TSDF EPA ID:	ARD981057870
Trans Name:	RINECO CHEMICAL INDUSTRIES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.4587
Waste Quantity:	110
Quantity Unit:	G
Additional Code 1:	Not reported

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20110912
Creation Date:	3/20/2012 20:30:12
Receipt Date:	20110918
Manifest ID:	004904389FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	KS0000336891
Trans 2 Name:	SAVANNAH TRANSPORT INC
TSDF EPA ID:	ARD981057870
Trans Name:	RINECO CHEMICAL INDUSTRIES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D035
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.363
Waste Quantity:	110
Quantity Unit:	G
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20110817
Creation Date:	2/9/2012 20:30:13
Receipt Date:	20110830
Manifest ID:	004911196FLE
Trans EPA ID:	OHR000162800
Trans Name:	NEXEO SOLUTIONS
Trans 2 EPA ID:	KS0000336891
Trans 2 Name:	SAVANNAH TRANSPORT INC
TSDF EPA ID:	ARD981057870
Trans Name:	RINECO CHEMICAL INDUSTRIES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D035
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.225
Waste Quantity:	450
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2010
Gen EPA ID:	CAR000014969

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Shipment Date:	20101206
Creation Date:	5/19/2011 18:30:24
Receipt Date:	20110102
Manifest ID:	004420654FLE
Trans EPA ID:	OHD042311209
Trans Name:	ASHLAND INC
Trans 2 EPA ID:	KS0000336891
Trans 2 Name:	SAVANNAH TRANSPORT INC
TSDF EPA ID:	ARD981057870
Trans Name:	RINECO CHEMICAL INDUSTRIES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D035
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.15
Waste Quantity:	300
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20101206
Creation Date:	5/19/2011 18:30:24
Receipt Date:	20110102
Manifest ID:	004420654FLE
Trans EPA ID:	OHD042311209
Trans Name:	ASHLAND INC
Trans 2 EPA ID:	KS0000336891
Trans 2 Name:	SAVANNAH TRANSPORT INC
TSDF EPA ID:	ARD981057870
Trans Name:	RINECO CHEMICAL INDUSTRIES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.22935
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20101206
Creation Date:	5/19/2011 18:30:24
Receipt Date:	20110102
Manifest ID:	004420654FLE
Trans EPA ID:	OHD042311209
Trans Name:	ASHLAND INC
Trans 2 EPA ID:	KS0000336891
Trans 2 Name:	SAVANNAH TRANSPORT INC
TSDF EPA ID:	ARD981057870

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Trans Name:	RINECO CHEMICAL INDUSTRIES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D035
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.1815
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20101020
Creation Date:	12/3/2012 22:15:55
Receipt Date:	Not reported
Manifest ID:	003081789FLE
Trans EPA ID:	OHD042311209
Trans Name:	ASHLAND INC
Trans 2 EPA ID:	KS0000336891
Trans 2 Name:	SAVANNAH TRANSPORT INC
TSDF EPA ID:	ARD981057870
Trans Name:	RINECO CHEMICAL INDUSTRIES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D035
Meth Code:	- Not reported
Quantity Tons:	0.15
Waste Quantity:	300
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20101020
Creation Date:	12/3/2012 22:15:55
Receipt Date:	Not reported
Manifest ID:	003081789FLE
Trans EPA ID:	OHD042311209
Trans Name:	ASHLAND INC
Trans 2 EPA ID:	KS0000336891
Trans 2 Name:	SAVANNAH TRANSPORT INC
TSDF EPA ID:	ARD981057870
Trans Name:	RINECO CHEMICAL INDUSTRIES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D035
Meth Code:	- Not reported
Quantity Tons:	0.1815
Waste Quantity:	55
Quantity Unit:	G

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20101020
Creation Date:	12/3/2012 22:15:55
Receipt Date:	Not reported
Manifest ID:	003081789FLE
Trans EPA ID:	OHD042311209
Trans Name:	ASHLAND INC
Trans 2 EPA ID:	KS0000336891
Trans 2 Name:	SAVANNAH TRANSPORT INC
TSDF EPA ID:	ARD981057870
Trans Name:	RINECO CHEMICAL INDUSTRIES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	0.25
Waste Quantity:	500
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20101004
Creation Date:	2/23/2011 18:30:31
Receipt Date:	20101017
Manifest ID:	003081674FLE
Trans EPA ID:	OHD042211209
Trans Name:	ASHLAND INC
Trans 2 EPA ID:	KS0000336891
Trans 2 Name:	SAVANNAH TRANSPORT INC
TSDF EPA ID:	ARD981057870
Trans Name:	RINECO CHEMICAL INDUSTRIES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.22935
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20101004
Creation Date:	2/23/2011 18:30:31
Receipt Date:	20101017

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Manifest ID:	003081674FLE
Trans EPA ID:	OHD042211209
Trans Name:	ASHLAND INC
Trans 2 EPA ID:	KS0000336891
Trans 2 Name:	SAVANNAH TRANSPORT INC
TSDF EPA ID:	ARD981057870
Trans Name:	RINECO CHEMICAL INDUSTRIES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.075
Waste Quantity:	150
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20101004
Creation Date:	2/23/2011 18:30:31
Receipt Date:	20101017
Manifest ID:	003081674FLE
Trans EPA ID:	OHD042211209
Trans Name:	ASHLAND INC
Trans 2 EPA ID:	KS0000336891
Trans 2 Name:	SAVANNAH TRANSPORT INC
TSDF EPA ID:	ARD981057870
Trans Name:	RINECO CHEMICAL INDUSTRIES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D035
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.105
Waste Quantity:	210
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20100907
Creation Date:	2/18/2011 18:30:17
Receipt Date:	20100919
Manifest ID:	003087445FLE
Trans EPA ID:	OHD042311209
Trans Name:	ASHLAND INC
Trans 2 EPA ID:	KS0000336891
Trans 2 Name:	SAVANNAH TRANSPORT INC
TSDF EPA ID:	ARD981057870
Trans Name:	RINECO CHEMICAL INDUSTRIES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.22935
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2009
Gen EPA ID:	CAR000014969
Shipment Date:	20091221
Creation Date:	10/26/2010 18:30:16
Receipt Date:	20100106
Manifest ID:	005931715JJK
Trans EPA ID:	OHD042311209
Trans Name:	ASHLAND INC
Trans 2 EPA ID:	KS0000336891
Trans 2 Name:	SAVANNAH TRANSPORT INC
TSDF EPA ID:	ARD981057870
Trans Name:	RINECO CHEMICAL INDUSTRIES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.4587
Waste Quantity:	110
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20091221
Creation Date:	10/26/2010 18:30:16
Receipt Date:	20100106
Manifest ID:	005931715JJK
Trans EPA ID:	OHD042311209
Trans Name:	ASHLAND INC
Trans 2 EPA ID:	KS0000336891
Trans 2 Name:	SAVANNAH TRANSPORT INC
TSDF EPA ID:	ARD981057870
Trans Name:	RINECO CHEMICAL INDUSTRIES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D035
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.2
Waste Quantity:	400

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20091116
Creation Date:	6/30/2010 18:30:18
Receipt Date:	20091121
Manifest ID:	004961600JJK
Trans EPA ID:	OHD042311209
Trans Name:	ASHLAND INC
Trans 2 EPA ID:	KS0000336891
Trans 2 Name:	SAVANNAH TRANSPORT INC
TSDF EPA ID:	ARD981057870
Trans Name:	RINECO CHEMICAL INDUSTRIES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D035
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.4
Waste Quantity:	800
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20091116
Creation Date:	6/30/2010 18:30:18
Receipt Date:	20091121
Manifest ID:	004961600JJK
Trans EPA ID:	OHD042311209
Trans Name:	ASHLAND INC
Trans 2 EPA ID:	KS0000336891
Trans 2 Name:	SAVANNAH TRANSPORT INC
TSDF EPA ID:	ARD981057870
Trans Name:	RINECO CHEMICAL INDUSTRIES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D035
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.1815
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20091023
Creation Date:	5/20/2010 18:30:26

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Receipt Date:	20091031
Manifest ID:	002642884FLE
Trans EPA ID:	OHD042311209
Trans Name:	ASHLAND INC
Trans 2 EPA ID:	KS0000336891
Trans 2 Name:	SAVANNAH TRANSPORT INC
TSDF EPA ID:	ARD981057870
Trans Name:	RINECO CHEMICAL INDUSTRIES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D035
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.45
Waste Quantity:	900
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20090928
Creation Date:	5/20/2010 18:30:26
Receipt Date:	20091018
Manifest ID:	002642588FLE
Trans EPA ID:	OHD042311209
Trans Name:	ASHLAND INC
Trans 2 EPA ID:	KS0000336891
Trans 2 Name:	SAVANNAH TRANSPORT INC
TSDF EPA ID:	ARD981057870
Trans Name:	RINECO CHEMICAL INDUSTRIES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D035
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.15
Waste Quantity:	300
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20090928
Creation Date:	5/20/2010 18:30:26
Receipt Date:	20091018
Manifest ID:	002642588FLE
Trans EPA ID:	OHD042311209
Trans Name:	ASHLAND INC
Trans 2 EPA ID:	KS0000336891
Trans 2 Name:	SAVANNAH TRANSPORT INC
TSDF EPA ID:	ARD981057870
Trans Name:	RINECO CHEMICAL INDUSTRIES INC
TSDF Alt EPA ID:	Not reported

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.2
Waste Quantity:	400
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20090928
Creation Date:	5/20/2010 18:30:26
Receipt Date:	20091018
Manifest ID:	002642588FLE
Trans EPA ID:	OHD042311209
Trans Name:	ASHLAND INC
Trans 2 EPA ID:	KS0000336891
Trans 2 Name:	SAVANNAH TRANSPORT INC
TSDF EPA ID:	ARD981057870
Trans Name:	RINECO CHEMICAL INDUSTRIES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D035
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.2
Waste Quantity:	400
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20090825
Creation Date:	4/12/2010 18:30:32
Receipt Date:	20090904
Manifest ID:	002643361FLE
Trans EPA ID:	OHD042311209
Trans Name:	ASHLAND INC
Trans 2 EPA ID:	KS0000336891
Trans 2 Name:	SAVANNAH TRANSPORT INC
TSDF EPA ID:	ARD981057870
Trans Name:	RINECO CHEMICAL INDUSTRIES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D035
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.3
Waste Quantity:	600
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20090722
Creation Date:	1/8/2010 18:30:42
Receipt Date:	20090802
Manifest ID:	002970980FLE
Trans EPA ID:	OHD042311209
Trans Name:	ASHLAND INC
Trans 2 EPA ID:	KS0000336891
Trans 2 Name:	SAVANNAH TRANSPORT INC
TSDF EPA ID:	ARD981057870
Trans Name:	RINECO CHEMICAL INDUSTRIES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D035
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.175
Waste Quantity:	350
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CERS:

Name:	SHERWIN-WILLIAMS COMPANY #4364
Address:	1560 LINDEN ST
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	175757
CERS ID:	10511137
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	175757
Site Name:	Sherwin-Williams Company #4364
Violation Date:	07-07-2020
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit the Business Activities Page and/or Business Owner Operator Identification Page.
Violation Notes:	Returned to compliance on 09/14/2020. No Business Activity Page and/or Business Owner/Operator ID page has been submitted. Complete the required document in CERS. Update secondary emergency contact.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	175757
Site Name:	Sherwin-Williams Company #4364
Violation Date:	06-16-2020
Citation:	22 CCR 15 66265.174 - California Code of Regulations, Title 22, Chapter 15, Section(s) 66265.174
Violation Description:	Failure to inspect weekly areas where hazardous waste containers are

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

stored. The owner or operator must look for leaking containers and for deterioration of containers caused by corrosion or other factors.
Violation Notes: Returned to compliance on 06/16/2020.
Violation Division: Riverside County Department of Env Health
Violation Program: HWLQG
Violation Source: CERS,

Site ID: 175757
Site Name: Sherwin-Williams Company #4364
Violation Date: 06-16-2020
Citation: 22 CCR 16 66266.81(a)(4)(B) - California Code of Regulations, Title 22, Chapter 16, Section(s) 66266.81(a)(4)(B)
Violation Description: Failure to retain for at least three years a legible copy of each manifest or bill of lading which identifies spent lead-acid storage batteries shipped to a person who stores the batteries or who uses, reuses, recycles or reclaims the batteries or their components.
Violation Notes: Returned to compliance on 08/03/2020.
Violation Division: Riverside County Department of Env Health
Violation Program: HWLQG
Violation Source: CERS,

Site ID: 175757
Site Name: Sherwin-Williams Company #4364
Violation Date: 06-16-2020
Citation: 22 CCR 15 66265.32 - California Code of Regulations, Title 22, Chapter 15, Section(s) 66265.32
Violation Description: Failure to equip the facility with required emergency equipment, unless none of the hazards posed by waste handled at the facility could require the particular kind of required equipment.
Violation Notes: Returned to compliance on 07/22/2020.
Violation Division: Riverside County Department of Env Health
Violation Program: HWLQG
Violation Source: CERS,

Site ID: 175757
Site Name: Sherwin-Williams Company #4364
Violation Date: 07-07-2020
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: Returned to compliance on 09/14/2020. The chemical inventory has not been submitted accurately. Include the changes of the following chemicals in CERS: convert products from pounds to gallons.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 175757
Site Name: Sherwin-Williams Company #4364
Violation Date: 03-28-2017
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes: Returned to compliance on 05/22/2017. update map to include all

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

reportable hazardous chemical; north directiona
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 175757
Site Name: Sherwin-Williams Company #4364
Violation Date: 06-16-2020
Citation: 22 CCR 15 66265.31 - California Code of Regulations, Title 22, Chapter 15, Section(s) 66265.31
Violation Description: Failure to maintain and operate the facility to minimize the possibility of a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil, or surface water which could threaten human health or the environment.
Violation Notes: Returned to compliance on 07/22/2020.
Violation Division: Riverside County Department of Env Health
Violation Program: HWLQG
Violation Source: CERS,

Site ID: 175757
Site Name: Sherwin-Williams Company #4364
Violation Date: 06-16-2020
Citation: 22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description: Failure to properly label hazardous waste accumulation containers with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes: Returned to compliance on 06/16/2020.
Violation Division: Riverside County Department of Env Health
Violation Program: HWLQG
Violation Source: CERS,

Site ID: 175757
Site Name: Sherwin-Williams Company #4364
Violation Date: 07-07-2020
Citation: Un-Specified
Violation Description: Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes: Returned to compliance on 09/14/2020. NFPA 704 sign(s) properly posted. [RMC 16.32.020; CFC, Section 5003.5] - No NFPA 704 is posted. Provide the required NFPA 704 signage in the following locations: front of business.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-19-2017
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-21-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Haz waste generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 08-12-2020
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Re-inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HWLQG
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-27-2013
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-28-2017
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-16-2020
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: HWLQG
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-07-2020
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 09-14-2020
Violations Found: No

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Eval Type: Other, not routine, done by local agency
Eval Notes: Reinspection - D. Young. All violations from 7/7/2020 routine inspection have been abated.
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Affiliation:
Affiliation Type Desc: CUPA District
Entity Name: Riverside Cnty Env Health
Entity Title: Not reported
Affiliation Address: 4065 County Circle Drive, Room 104
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92503
Affiliation Phone: (951) 358-5055,

Affiliation Type Desc: Identification Signer
Entity Name: Juan Venegas
Entity Title: Facility Manager
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 1560 Linden St
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92507
Affiliation Phone: ,

Affiliation Type Desc: Legal Owner
Entity Name: THE SHERWIN WILLIAMS CO
Entity Title: Not reported
Affiliation Address: 1560 Linden St
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 92507
Affiliation Phone: (216) 566-2000,

Affiliation Type Desc: Operator
Entity Name: THE SHERWIN WILLIAMS CO
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (951) 784-8442,

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

Affiliation Type Desc:	Document Preparer
Entity Name:	Ed Bochenek
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,

Affiliation Type Desc:	Parent Corporation
Entity Name:	Sherwin-Williams Company
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,

Affiliation Type Desc:	Environmental Contact
Entity Name:	Juan Venegas
Entity Title:	Not reported
Affiliation Address:	1560 Linden St
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92507
Affiliation Phone:	,

HWTS:

Name:	SHERWIN-WILLIAMS COMPANY 4364
Address:	1560 LINDEN ST
Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 92507
EPA ID:	CAR000014969
Inactive Date:	Not reported
Create Date:	02/26/1997
Last Act Date:	Not reported
Mailing Name:	Not reported
Mailing Address:	2100 W. ORANGEWOOD AVE. STE100
Mailing Address 2:	Not reported
Mailing City,State,Zip:	ORANGE, CA 928680000
Owner Name:	THE SHERWIN WILLIAMS COMPANY
Owner Address:	101 W PROSPECT AVE
Owner Address 2:	Not reported
Owner City,State,Zip:	CLEVELAND, OH 441151027
Contact Name:	YENNY KHUU
Contact Address:	2100 W. ORANGEWOOD AVE. STE100
Contact Address 2:	Not reported
City,State,Zip:	ORANGE, CA 92868
Facility Status:	Active
Facility Type:	PERMANENT
Category:	FEDERAL
Latitude:	33.979388
Longitude:	-117.34549

SHERWIN-WILLIAMS COMPANY 4364 (Continued) **S113173732**

NAICS:

EPA ID:	CAR000014969
Create Date:	2002-03-14 16:36:30.000
NAICS Code:	42295
NAICS Description:	Paint, Varnish, and Supplies Wholesalers
Issued EPA ID Date:	1997-02-26 00:00:00
Inactive Date:	Not reported
Facility Name:	SHERWIN-WILLIAMS COMPANY 4364
Facility Address:	1560 LINDEN ST
Facility Address 2:	Not reported
Facility City:	RIVERSIDE
Facility County:	Not reported
Facility State:	CA
Facility Zip:	925070000

---

19 **MASTER PRINTING** **RCRA-SQG** **1000401497**
West **3369 CHICAGO AVE** **FINDS** **CAD982476368**
< 1/8 **RIVERSIDE, CA 92507** **ECHO**
0.014 mi. **HAZNET**
74 ft. **HWTS**

Relative: **Lower**

Actual: **947 ft.**

RCRA Listings:

Date Form Received by Agency:		19960901
Handler Name:	MASTER PRINTING	
Handler Address:		3369 CHICAGO AVE
Handler City,State,Zip:		RIVERSIDE, CA 92507
EPA ID:		CAD982476368
Contact Name:		Not reported
Contact Address:		Not reported
Contact City,State,Zip:		Not reported
Contact Telephone:		Not reported
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		CA
State District:		4
Mailing Address:		3369 CHICAGO AVE
Mailing City,State,Zip:		RIVERSIDE, CA 92507
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	NOT REQUIRED	
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No

MASTER PRINTING (Continued) **1000401497**

Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20020627
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: NOT REQUIRED	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED

MASTER PRINTING (Continued) **1000401497**

Owner/Operator City,State,Zip: NOT REQUIRED, ME 99999
Owner/Operator Telephone: 415-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: MANMOHAN G SHAH
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, ME 99999
Owner/Operator Telephone: 415-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 19960901
Handler Name: MASTER PRINTING
Federal Waste Generator Description: Small Quantity Generator
State District Owner: CA
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19880706
Handler Name: MASTER PRINTING
Federal Waste Generator Description: Large Quantity Generator
State District Owner: CA
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 32311
NAICS Description: PRINTING

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

MASTER PRINTING (Continued) **1000401497**

FINDS:
Registry ID: 110006479275

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000401497
Registry ID: 110006479275
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110006479275
Name: MASTER PRINTING
Address: 3369 CHICAGO AVE
City,State,Zip: RIVERSIDE, CA 92507

HAZNET:
Name: MASTER PRINTING
Address: 3369 CHICAGO AVE
Address 2: Not reported
City,State,Zip: RIVERSIDE, CA 925070000
Contact: M G SHAH
Telephone: --
Mailing Name: Not reported
Mailing Address: 3369 CHICAGO AVE

Year: 1996
Gepaid: CAD982476368
TSD EPA ID: CAD108040858
CA Waste Code: 541 - Photochemicals/photoprocessing waste
Disposal Method: R01 - Recycler
Tons: 0.0708

Year: 1995
Gepaid: CAD982476368
TSD EPA ID: CAD108040858
CA Waste Code: 541 - Photochemicals/photoprocessing waste
Disposal Method: R01 - Recycler
Tons: 0.1042

Year: 1994
Gepaid: CAD982476368
TSD EPA ID: CAD108040858
CA Waste Code: 541 - Photochemicals/photoprocessing waste
Disposal Method: R01 - Recycler
Tons: 0.1542

Year: 1993
Gepaid: CAD982476368

MASTER PRINTING (Continued) **1000401497**

TSD EPA ID: CAD108040858
CA Waste Code: 541 - Photochemicals/photoprocessing waste
Disposal Method: R01 - Recycler
Tons: 0.0834

Year: 1992
Gepaid: CAD982476368
TSD EPA ID: CAD108040858
CA Waste Code: 541 - Photochemicals/photoprocessing waste
Disposal Method: R01 - Recycler
Tons: 0.1251

Year: 1991
Gepaid: CAD982476368
TSD EPA ID: CAD108040858
CA Waste Code: 541 - Photochemicals/photoprocessing waste
Disposal Method: R01 - Recycler
Tons: 0.1251

Year: 1990
Gepaid: CAD982476368
TSD EPA ID: CAD108040858
CA Waste Code: 541 - Photochemicals/photoprocessing waste
Disposal Method: R01 - Recycler
Tons: 0.1751

Year: 1989
Gepaid: CAD982476368
TSD EPA ID: CAD108040858
CA Waste Code: 541 - Photochemicals/photoprocessing waste
Disposal Method: R01 - Recycler
Tons: 0.0708

Year: 1988
Gepaid: CAD982476368
TSD EPA ID: CAD108040858
CA Waste Code: 541 - Photochemicals/photoprocessing waste
Disposal Method: R01 - Recycler
Tons: 0.0625

Additional Info:
Year: 1996
Gen EPA ID: CAD982476368

Shipment Date: 19961031
Creation Date: 5/20/1997 0:00:00
Receipt Date: 19961031
Manifest ID: 96126604
Trans EPA ID: CAD108040858
Trans Name: Not reported
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
TSDF EPA ID: CAD108040858
Trans Name: Not reported
TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported

MASTER PRINTING (Continued) **1000401497**

Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0708
Waste Quantity:	17
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	1995
Gen EPA ID:	CAD982476368
Shipment Date:	19951116
Creation Date:	7/26/1996 0:00:00
Receipt Date:	19951116
Manifest ID:	95929559
Trans EPA ID:	CAD108040858
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD108040858
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0625
Waste Quantity:	15
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19950614
Creation Date:	10/25/1995 0:00:00
Receipt Date:	19950614
Manifest ID:	95406112
Trans EPA ID:	CAD108040858
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD108040858
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD108040858
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0417
Waste Quantity:	10

MASTER PRINTING (Continued) **1000401497**

Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	1994
Gen EPA ID:	CAD982476368
Shipment Date:	19940922
Creation Date:	3/26/1996 0:00:00
Receipt Date:	19940922
Manifest ID:	93750006
Trans EPA ID:	CAD108040858
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD108040858
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD108040858
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0625
Waste Quantity:	15
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19940217
Creation Date:	9/15/1995 0:00:00
Receipt Date:	19940217
Manifest ID:	92519855
Trans EPA ID:	CAD108040858
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD108040858
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD108040858
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0917
Waste Quantity:	22
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported

MASTER PRINTING (Continued) **1000401497**

Additional Code 5:	Not reported

Additional Info:

Year:	1993
Gen EPA ID:	CAD982476368
Shipment Date:	19930318
Creation Date:	9/6/1995 0:00:00
Receipt Date:	19930318
Manifest ID:	92797812
Trans EPA ID:	CAD108040858
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD108040858
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD108040858
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0834
Waste Quantity:	20
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

HWTS:

Name:	MASTER PRINTING
Address:	3369 CHICAGO AVE
Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 92507
EPA ID:	CAD982476368
Inactive Date:	06/30/1998
Create Date:	06/15/1989
Last Act Date:	Not reported
Mailing Name:	Not reported
Mailing Address:	3369 CHICAGO AVE
Mailing Address 2:	Not reported
Mailing City,State,Zip:	RIVERSIDE, CA 925070000
Owner Name:	MIKE SHAH OWNER
Owner Address:	3369 CHICAGO AVE
Owner Address 2:	Not reported
Owner City,State,Zip:	RIVERSIDE, CA
Contact Name:	M G SHAH
Contact Address:	INACTIVE PER VQ98 - BMI
Contact Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA
Facility Status:	Inactive
Facility Type:	PERMANENT
Category:	FEDERAL
Latitude:	33.98164
Longitude:	-117.348549

E20
SE
< 1/8
0.016 mi.
86 ft.

Relative: Higher

Actual: 972 ft.

SIGNAL FLUID SOLUTIONS INC
3403 NIKI WAY
RIVERSIDE, CA 92507

Site 1 of 4 in cluster E

Database(s): AST, CERS HAZ WASTE, CERS TANKS, HAZNET, CERS, HWTS

EDR ID Number: S112978643
EPA ID Number: N/A

AST:

Name:	SIGNAL FLUID SOLUTIONS
Address:	3403 NIKI WAY
City/Zip:	RIVERSIDE,92507
Certified Unified Program Agencies:	Not reported
Owner:	Not reported
Total Gallons:	Not reported
CERSID:	10531903
Facility ID:	FA0032044
Business Name:	Signal Fluid Solutions
Phone:	Not reported
Fax:	Not reported
Mailing Address:	Not reported
Mailing Address City:	Not reported
Mailing Address State:	Not reported
Mailing Address Zip Code:	Not reported
Operator Name:	Not reported
Operator Phone:	Not reported
Owner Phone:	Not reported
Owner Mail Address:	Not reported
Owner State:	Not reported
Owner Zip Code:	Not reported
Owner Country:	Not reported
Property Owner Name:	Not reported
Property Owner Phone:	Not reported
Property Owner Mailing Address:	Not reported
Property Owner City:	Not reported
Property Owner Stat :	Not reported
Property Owner Zip Code:	Not reported
Property Owner Country:	Not reported
EPAID:	Not reported

CERS HAZ WASTE:

Name:	SIGNAL FLUID SOLUTIONS
Address:	3403 NIKI WAY
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	173263
CERS ID:	10531903
CERS Description:	Hazardous Waste Generator

CERS TANKS:

Name:	SIGNAL FLUID SOLUTIONS
Address:	3403 NIKI WAY
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	173263
CERS ID:	10531903
CERS Description:	Aboveground Petroleum Storage

HAZNET:

Name:	SIGNAL FLUID SOLUTIONS INC
Address:	3403 NIKI WAY

SIGNAL FLUID SOLUTIONS INC (Continued) **S112978643**

Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 925076812
Contact:	CORINNE BISSET-OFFICE MANAGER
Telephone:	9516861787
Mailing Name:	Not reported
Mailing Address:	3403 NIKI WAY
Year:	2021
Gepaid:	CAL000344149
TSD EPA ID:	NED981723513
CA Waste Code:	223 - Unspecified oil-containing waste
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.825
Year:	2020
Gepaid:	CAL000344149
TSD EPA ID:	NED981723513
CA Waste Code:	223 - Unspecified oil-containing waste
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.5
Year:	2019
Gepaid:	CAL000344149
TSD EPA ID:	CAD044429835
CA Waste Code:	223 - Unspecified oil-containing waste
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	1.40000
Year:	2019
Gepaid:	CAL000344149
TSD EPA ID:	NED981723513
CA Waste Code:	223 - Unspecified oil-containing waste
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.80000
Year:	2018
Gepaid:	CAL000344149
TSD EPA ID:	CAD044429835
CA Waste Code:	223 - Unspecified oil-containing waste
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.22500
Year:	2018
Gepaid:	CAL000344149
TSD EPA ID:	TXD055141378
CA Waste Code:	223 - Unspecified oil-containing waste
Disposal Method:	H040 - Incineration--Thermal Destruction Other Than Use As A Fuel
Tons:	0.22500
Year:	2018
Gepaid:	CAL000344149
TSD EPA ID:	UTD991301748

SIGNAL FLUID SOLUTIONS INC (Continued) **S112978643**

CA Waste Code: 223 - Unspecified oil-containing waste
Disposal Method: H132 - Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Tons: 0.50000

Year: 2018
Gepaid: CAL000344149
TSD EPA ID: UTD991301748
CA Waste Code: 352 - Other organic solids
Disposal Method: H132 - Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Tons: 0.10000

Year: 2013
Gepaid: CAC002643521
TSD EPA ID: CAD981696420
CA Waste Code: 352 - Other organic solids
Disposal Method: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 0.1

Year: 2009
Gepaid: CAC002643521
TSD EPA ID: CAD981696420
CA Waste Code: 352 - Other organic solids
Disposal Method: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 0.1

Click this hyperlink while viewing on your computer to access additional CA HAZNET: detail in the EDR Site Report.

Detail Two:
Year: 2020
EM Manifest ID: 8eda9548-e914-45f6-bd9e-a39fb20ecc0c
Shipment Date: 5/6/2020
Receipt Date: 5/23/2020
Manifest Number: 007460465SKS
Generator EPA ID: CAL000344149
Name: INDUSTRIAL OIL RECOVERY CO
Address: 3403 NIKI WAY
Address 2: Not reported
City: RIVERSIDE
Zip: 92507
Telephone: 800-483-3718
Contact: Corinne Bisset
Contact Telephone: 951-784-3900
Transporter 1 EPA ID: TXR000081205
Transporter 1 Emergency Number: Not reported
Transporter 2 EPA ID: MAD039322250
Transporter 2 Emergency Number: Not reported
TSDF EPA ID: NED981723513
TSDF Name: Clean Harbors Environmental Services, Inc.
TSDF Address 1: 2247 South Highway 71
TSDF Address 2: Not reported
TSDF City: Kimball

SIGNAL FLUID SOLUTIONS INC (Continued) **S112978643**

TSDF Zip:	69145
TSDF Telephone:	800-483-3718

State:

Year:	2020
EM Manifest ID:	8eda9548-e914-45f6-bd9e-a39fb20ecc0c
Generator EPA ID:	CAL000344149
Shipment Date:	2020-05-06
Manifest Number:	007460465SKS
Line Number:	1
Method Code:	H141
Quantity Tons:	0.15000
Quantity Waste:	300.000000
Quantity Unit:	P
Number of Containers:	2
Type of Container:	Metal drums, barrels, kegs
Quantity Type:	Pounds
State Code:	223

Year:	2020
EM Manifest ID:	952352
Shipment Date:	12/12/2019
Receipt Date:	1/4/2020
Manifest Number:	007337416SKS
Generator EPA ID:	CAL000344149
Name:	INDUSTRIAL OIL RECOVERY CO
Address:	3403 NIKI WAY
Address 2:	Not reported
City:	RIVERSIDE
Zip:	92507
Telephone:	800-483-3718
Contact:	Corinne Bisset
Contact Telephone:	951-784-3900
Transporter 1 EPA ID:	TXR000081205
Transporter 1 Emergency Number:	Not reported
Transporter 2 EPA ID:	MAD039322250
Transporter 2 Emergency Number:	Not reported
TSDF EPA ID:	NED981723513
TSDF Name:	Clean Harbors Environmental Services, Inc.
TSDF Address 1:	2247 South Highway 71
TSDF Address 2:	Not reported
TSDF City:	Kimball
TSDF Zip:	69145
TSDF Telephone:	800-483-3718

State:

Year:	2020
EM Manifest ID:	952352
Generator EPA ID:	CAL000344149
Shipment Date:	2019-12-12
Manifest Number:	007337416SKS
Line Number:	1
Method Code:	H141
Quantity Tons:	0.40000
Quantity Waste:	800.000000
Quantity Unit:	P
Number of Containers:	4

SIGNAL FLUID SOLUTIONS INC (Continued) **S112978643**

Type of Container: Metal drums, barrels, kegs
Quantity Type: Pounds
State Code: 223

Detail Two:
Year: 2019
EM Manifest ID: 56010
Shipment Date: 9/19/2019
Receipt Date: 10/4/2019
Manifest Number: 007207171SKS
Generator EPA ID: CAL000344149
Name: INDUSTRIAL OIL RECOVERY CO
Address: 3403 NIKI WAY
Address 2: Not reported
City: RIVERSIDE
Zip: 92507
Telephone: 800-483-3718
Contact: Corinne Bisset
Contact Telephone: 951-784-3900
Transporter 1 EPA ID: TXR000081205
Transporter 1 Emergency Number: Not reported
Transporter 2 EPA ID: MAD039322250
Transporter 2 Emergency Number: Not reported
TSDF EPA ID: NED981723513
TSDF Name: Clean Harbors Environmental Services, Inc.
TSDF Address 1: 2247 South Highway 71
TSDF Address 2: Not reported
TSDF City: Kimball
TSDF Zip: 69145
TSDF Telephone: 800-483-3718

State:
Year: 2019
EM Manifest ID: 56010
Generator EPA ID: CAL000344149
Shipment Date: 2019-09-19
Manifest Number: 007207171SKS
Line Number: 1
Method Code: H141
Quantity Tons: 0.40000
Quantity Waste: 800.000000
Quantity Unit: P
Number of Containers: 4
Type of Container: Metal drums, barrels, kegs
Quantity Type: Pounds
State Code: 223

Year: 2019
EM Manifest ID: 549274
Shipment Date: 8/5/2019
Receipt Date: 8/19/2019
Manifest Number: 007145290SKS
Generator EPA ID: CAL000344149
Name: INDUSTRIAL OIL RECOVERY CO
Address: 3403 NIKI WAY

SIGNAL FLUID SOLUTIONS INC (Continued) **S112978643**

Address 2:	Not reported
City:	RIVERSIDE
Zip:	92507
Telephone:	800-483-3718
Contact:	Corinne Bisset
Contact Telephone:	951-784-3900
Transporter 1 EPA ID:	TXR000081205
Transporter 1 Emergency Number:	Not reported
Transporter 2 EPA ID:	MAD039322250
Transporter 2 Emergency Number:	Not reported
TSDF EPA ID:	CAD044429835
TSDF Name:	Clean Harbors Wilmington LLC
TSDF Address 1:	1737 East Denni Street
TSDF Address 2:	Not reported
TSDF City:	Wilmington
TSDF Zip:	90744
TSDF Telephone:	800-483-3718

Federal:

Year:	2019
EM Manifest ID:	549274
Generator EPA ID:	CAL000344149
Shipment Date:	2019-08-05
Manifest Number:	007145290SKS
Line Number:	1
Method Code:	H141
Quantity Tons:	1.00000
Quantity Waste:	2000.000000
Quantity Unit:	P
Number of Containers:	1
Type of Container:	Portable tanks
Quantity Type:	Pounds
Federal Code:	D005

Year:	2019
EM Manifest ID:	549274
Generator EPA ID:	CAL000344149
Shipment Date:	2019-08-05
Manifest Number:	007145290SKS
Line Number:	1
Method Code:	H141
Quantity Tons:	1.00000
Quantity Waste:	2000.000000
Quantity Unit:	P
Number of Containers:	1
Type of Container:	Portable tanks
Quantity Type:	Pounds
Federal Code:	D006

Year:	2019
EM Manifest ID:	549274
Generator EPA ID:	CAL000344149
Shipment Date:	2019-08-05
Manifest Number:	007145290SKS
Line Number:	1
Method Code:	H141
Quantity Tons:	1.00000
Quantity Waste:	2000.000000

SIGNAL FLUID SOLUTIONS INC (Continued) **S112978643**

Quantity Unit:	P
Number of Containers:	1
Type of Container:	Portable tanks
Quantity Type:	Pounds
Federal Code:	D007
Year:	2019
EM Manifest ID:	549274
Generator EPA ID:	CAL000344149
Shipment Date:	2019-08-05
Manifest Number:	007145290SKS
Line Number:	1
Method Code:	H141
Quantity Tons:	1.00000
Quantity Waste:	2000.000000
Quantity Unit:	P
Number of Containers:	1
Type of Container:	Portable tanks
Quantity Type:	Pounds
Federal Code:	D008
Year:	2019
EM Manifest ID:	549274
Generator EPA ID:	CAL000344149
Shipment Date:	2019-08-05
Manifest Number:	007145290SKS
Line Number:	1
Method Code:	H141
Quantity Tons:	1.00000
Quantity Waste:	2000.000000
Quantity Unit:	P
Number of Containers:	1
Type of Container:	Portable tanks
Quantity Type:	Pounds
Federal Code:	D009
Year:	2019
EM Manifest ID:	549274
Generator EPA ID:	CAL000344149
Shipment Date:	2019-08-05
Manifest Number:	007145290SKS
Line Number:	1
Method Code:	H141
Quantity Tons:	1.00000
Quantity Waste:	2000.000000
Quantity Unit:	P
Number of Containers:	1
Type of Container:	Portable tanks
Quantity Type:	Pounds
Federal Code:	D010
Year:	2019
EM Manifest ID:	549274
Generator EPA ID:	CAL000344149
Shipment Date:	2019-08-05
Manifest Number:	007145290SKS
Line Number:	1

SIGNAL FLUID SOLUTIONS INC (Continued) **S112978643**

Method Code:	H141
Quantity Tons:	1.00000
Quantity Waste:	2000.000000
Quantity Unit:	P
Number of Containers:	1
Type of Container:	Portable tanks
Quantity Type:	Pounds
Federal Code:	D011

State:

Year:	2019
EM Manifest ID:	549274
Generator EPA ID:	CAL000344149
Shipment Date:	2019-08-05
Manifest Number:	007145290SKS
Line Number:	1
Method Code:	H141
Quantity Tons:	1.00000
Quantity Waste:	2000.000000
Quantity Unit:	P
Number of Containers:	1
Type of Container:	Portable tanks
Quantity Type:	Pounds
State Code:	223

Year:	2019
EM Manifest ID:	006067981SKS20180608_D_1
Shipment Date:	6/8/2018
Receipt Date:	6/29/2018
Manifest Number:	006067981SKS
Generator EPA ID:	CAL000344149
Name:	INDUSTRIAL OIL RECOVERY CO
Address:	Not reported
Address 2:	Not reported
City:	Not reported
Zip:	Not reported
Telephone:	Not reported
Contact:	Not reported
Contact Telephone:	Not reported
Transporter 1 EPA ID:	TXR000081205
Transporter 1 Emergency Number:	Not reported
Transporter 2 EPA ID:	MAD039322250
Transporter 2 Emergency Number:	Not reported
TSDF EPA ID:	TXD055141378
TSDF Name:	CLEAN HARBORS DEER PARK
TSDF Address 1:	Not reported
TSDF Address 2:	Not reported
TSDF City:	Not reported
TSDF Zip:	Not reported
TSDF Telephone:	Not reported

State:

Year:	2019
EM Manifest ID:	006067981SKS20180608_D_1
Generator EPA ID:	CAL000344149
Shipment Date:	2018-06-08

SIGNAL FLUID SOLUTIONS INC (Continued) **S112978643**

Manifest Number:	006067981SKS
Line Number:	1
Method Code:	H040
Quantity Tons:	0.22500
Quantity Waste:	450.000000
Quantity Unit:	P
Number of Containers:	3
Type of Container:	NULL
Quantity Type:	NULL
State Code:	223

Year:	2019
EM Manifest ID:	f03bcc92-8db5-46df-bc7c-05dd2c0f7fc2
Shipment Date:	5/31/2019
Receipt Date:	6/20/2019
Manifest Number:	007038283SKS
Generator EPA ID:	CAL000344149
Name:	INDUSTRIAL OIL RECOVERY CO
Address:	3403 NIKI WAY
Address 2:	Not reported
City:	RIVERSIDE
Zip:	92507
Telephone:	800-483-3718
Contact:	Corinne Bisset
Contact Telephone:	951-784-3900
Transporter 1 EPA ID:	TXR000081205
Transporter 1 Emergency Number:	Not reported
Transporter 2 EPA ID:	MAD039322250
Transporter 2 Emergency Number:	Not reported
TSDF EPA ID:	NED981723513
TSDF Name:	Clean Harbors Environmental Services, Inc.
TSDF Address 1:	2247 South Highway 71
TSDF Address 2:	Not reported
TSDF City:	Kimball
TSDF Zip:	69145
TSDF Telephone:	800-483-3718

State:

Year:	2019
EM Manifest ID:	f03bcc92-8db5-46df-bc7c-05dd2c0f7fc2
Generator EPA ID:	CAL000344149
Shipment Date:	2019-05-31
Manifest Number:	007038283SKS
Line Number:	1
Method Code:	H141
Quantity Tons:	0.30000
Quantity Waste:	600.000000
Quantity Unit:	P
Number of Containers:	4
Type of Container:	Metal drums, barrels, kegs
Quantity Type:	Pounds
State Code:	223

Year:	2019
EM Manifest ID:	45f565c8-568f-4f8b-8b56-79870170ba76
Shipment Date:	3/20/2019

SIGNAL FLUID SOLUTIONS INC (Continued) **S112978643**

Receipt Date:	4/11/2019
Manifest Number:	006940751SKS
Generator EPA ID:	CAL000344149
Name:	INDUSTRIAL OIL RECOVERY CO
Address:	3403 NIKI WAY
Address 2:	Not reported
City:	RIVERSIDE
Zip:	92507
Telephone:	800-483-3718
Contact:	Corinne Bisset
Contact Telephone:	951-784-3900
Transporter 1 EPA ID:	TXR000081205
Transporter 1 Emergency Number:	Not reported
Transporter 2 EPA ID:	MAD039322250
Transporter 2 Emergency Number:	Not reported
TSDF EPA ID:	NED981723513
TSDF Name:	Clean Harbors Environmental Services, Inc.
TSDF Address 1:	2247 South Highway 71
TSDF Address 2:	Not reported
TSDF City:	Kimball
TSDF Zip:	69145
TSDF Telephone:	800-483-3718

State:

Year:	2019
EM Manifest ID:	45f565c8-568f-4f8b-8b56-79870170ba76
Generator EPA ID:	CAL000344149
Shipment Date:	2019-03-20
Manifest Number:	006940751SKS
Line Number:	1
Method Code:	H141
Quantity Tons:	0.50000
Quantity Waste:	1000.000000
Quantity Unit:	P
Number of Containers:	5
Type of Container:	Metal drums, barrels, kegs
Quantity Type:	Pounds
State Code:	223

Year:	2019
EM Manifest ID:	94e68951-fcbe-447b-a4f0-14b3413973d3
Shipment Date:	1/30/2019
Receipt Date:	2/12/2019
Manifest Number:	006940227SKS
Generator EPA ID:	CAL000344149
Name:	INDUSTRIAL OIL RECOVERY CORP
Address:	3403 NIKI WAY
Address 2:	Not reported
City:	RIVERSIDE
Zip:	92507
Telephone:	800-483-3718
Contact:	Bob Bates
Contact Telephone:	951-784-3900
Transporter 1 EPA ID:	TXR000081205
Transporter 1 Emergency Number:	Not reported
Transporter 2 EPA ID:	MAD039322250
Transporter 2 Emergency Number:	Not reported

SIGNAL FLUID SOLUTIONS INC (Continued) **S112978643**

TSDF EPA ID: CAD044429835
TSDF Name: Clean Harbors Wilmington LLC
TSDF Address 1: 1737 East Denni Street
TSDF Address 2: Not reported
TSDF City: Wilmington
TSDF Zip: 90744
TSDF Telephone: 800-483-3718

State:
Year: 2019
EM Manifest ID: 94e68951-fcbe-447b-a4f0-14b3413973d3
Generator EPA ID: CAL000344149
Shipment Date: 2019-01-30
Manifest Number: 006940227SKS
Line Number: 1
Method Code: H141
Quantity Tons: 0.40000
Quantity Waste: 800.000000
Quantity Unit: P
Number of Containers: 4
Type of Container: Metal drums, barrels, kegs
Quantity Type: Pounds
State Code: 223

Detail Two:
Year: 2018
EM Manifest ID: 006246324SKS20170914_D_1
Shipment Date: 9/14/2017
Receipt Date: 10/2/2017
Manifest Number: 006246324SKS
Generator EPA ID: CAL000344149
Name: INDUSTRIAL OIL RECOVERY CORP
Address: Not reported
Address 2: Not reported
City: Not reported
Zip: Not reported
Telephone: Not reported
Contact: Not reported
Contact Telephone: Not reported
Transporter 1 EPA ID: TXR000081205
Transporter 1 Emergency Number: Not reported
Transporter 2 EPA ID: MAD039322250
Transporter 2 Emergency Number: Not reported
TSDF EPA ID: CAD044429835
TSDF Name: CLEAN HARBORS OF WILMINGTON LLC
TSDF Address 1: Not reported
TSDF Address 2: Not reported
TSDF City: Not reported
TSDF Zip: Not reported
TSDF Telephone: Not reported

State:
Year: 2018
EM Manifest ID: 006246324SKS20170914_D_1
Generator EPA ID: CAL000344149
Shipment Date: 2017-09-14
Manifest Number: 006246324SKS

SIGNAL FLUID SOLUTIONS INC (Continued) **S112978643**

Line Number: 1
Method Code: H141
Quantity Tons: 0.10000
Quantity Waste: 200.000000
Quantity Unit: P
Number of Containers: 1
Type of Container: NULL
Quantity Type: NULL
State Code: 223

Year: 2018
EM Manifest ID: 006246323SKS20170914_D_1
Shipment Date: 9/14/2017
Receipt Date: 10/2/2017
Manifest Number: 006246323SKS
Generator EPA ID: CAL000344149
Name: INDUSTRIAL OIL RECOVERY CORP
Address: Not reported
Address 2: Not reported
City: Not reported
Zip: Not reported
Telephone: Not reported
Contact: Not reported
Contact Telephone: Not reported
Transporter 1 EPA ID: TXR000081205
Transporter 1 Emergency Number: Not reported
Transporter 2 EPA ID: MAD039322250
Transporter 2 Emergency Number: Not reported
TSDF EPA ID: UTD991301748
TSDF Name: CLEAN HARBORS GRASSY MOUNTAIN
TSDF Address 1: Not reported
TSDF Address 2: Not reported
TSDF City: Not reported
TSDF Zip: Not reported
TSDF Telephone: Not reported

State:
Year: 2018
EM Manifest ID: 006246323SKS20170914_D_1
Generator EPA ID: CAL000344149
Shipment Date: 2017-09-14
Manifest Number: 006246323SKS
Line Number: 1
Method Code: H132
Quantity Tons: 0.30000
Quantity Waste: 600.000000
Quantity Unit: P
Number of Containers: 4
Type of Container: NULL
Quantity Type: NULL
State Code: 223

Year: 2018
EM Manifest ID: 006067982SKS20180608_D_1
Shipment Date: 6/8/2018
Receipt Date: 6/18/2018

SIGNAL FLUID SOLUTIONS INC (Continued) **S112978643**

Manifest Number:	006067982SKS
Generator EPA ID:	CAL000344149
Name:	INDUSTRIAL OIL RECOVERY CO
Address:	Not reported
Address 2:	Not reported
City:	Not reported
Zip:	Not reported
Telephone:	Not reported
Contact:	Not reported
Contact Telephone:	Not reported
Transporter 1 EPA ID:	TXR000081205
Transporter 1 Emergency Number:	Not reported
Transporter 2 EPA ID:	MAD039322250
Transporter 2 Emergency Number:	Not reported
TSDF EPA ID:	UTD991301748
TSDF Name:	CLEAN HARBORS GRASSY MOUNTAIN
TSDF Address 1:	Not reported
TSDF Address 2:	Not reported
TSDF City:	Not reported
TSDF Zip:	Not reported
TSDF Telephone:	Not reported

State:

Year:	2018
EM Manifest ID:	006067982SKS20180608_D_1
Generator EPA ID:	CAL000344149
Shipment Date:	2018-06-08
Manifest Number:	006067982SKS
Line Number:	1
Method Code:	H132
Quantity Tons:	0.10000
Quantity Waste:	200.000000
Quantity Unit:	P
Number of Containers:	1
Type of Container:	NULL
Quantity Type:	NULL
State Code:	352

Year:	2018
EM Manifest ID:	006128140SKS20170629_D_1
Shipment Date:	6/29/2017
Receipt Date:	7/19/2017
Manifest Number:	006128140SKS
Generator EPA ID:	CAL000344149
Name:	INDUSTRIAL OIL RECOVERY CORP
Address:	Not reported
Address 2:	Not reported
City:	Not reported
Zip:	Not reported
Telephone:	Not reported
Contact:	Not reported
Contact Telephone:	Not reported
Transporter 1 EPA ID:	TXR000081205
Transporter 1 Emergency Number:	Not reported
Transporter 2 EPA ID:	MAD039322250
Transporter 2 Emergency Number:	Not reported
TSDF EPA ID:	CAD980675276

SIGNAL FLUID SOLUTIONS INC (Continued) **S112978643**

TSDF Name: CLEAN HARBORS OF BUTTONWILLOW
TSDF Address 1: Not reported
TSDF Address 2: Not reported
TSDF City: Not reported
TSDF Zip: Not reported
TSDF Telephone: Not reported

State:
Year: 2018
EM Manifest ID: 006128140SKS20170629_D_1
Generator EPA ID: CAL000344149
Shipment Date: 2017-06-29
Manifest Number: 006128140SKS
Line Number: 1
Method Code: H132
Quantity Tons: 0.22500
Quantity Waste: 450.000000
Quantity Unit: P
Number of Containers: 3
Type of Container: NULL
Quantity Type: NULL
State Code: 223

Year: 2018
EM Manifest ID: 005985835SKS20170412_D_1
Shipment Date: 4/12/2017
Receipt Date: 4/19/2017
Manifest Number: 005985835SKS
Generator EPA ID: CAL000344149
Name: INDUSTRIAL OIL RECOVERY CORP
Address: Not reported
Address 2: Not reported
City: Not reported
Zip: Not reported
Telephone: Not reported
Contact: Not reported
Contact Telephone: Not reported
Transporter 1 EPA ID: TXR000081205
Transporter 1 Emergency Number: Not reported
Transporter 2 EPA ID: MAD039322250
Transporter 2 Emergency Number: Not reported
TSDF EPA ID: CAD044429835
TSDF Name: CLEAN HARBORS OF WILMINGTON LLC
TSDF Address 1: Not reported
TSDF Address 2: Not reported
TSDF City: Not reported
TSDF Zip: Not reported
TSDF Telephone: Not reported

State:
Year: 2018
EM Manifest ID: 005985835SKS20170412_D_1
Generator EPA ID: CAL000344149
Shipment Date: 2017-04-12
Manifest Number: 005985835SKS
Line Number: 1
Method Code: H141

SIGNAL FLUID SOLUTIONS INC (Continued) **S112978643**

Quantity Tons:	0.22500
Quantity Waste:	450.000000
Quantity Unit:	P
Number of Containers:	3
Type of Container:	NULL
Quantity Type:	NULL
State Code:	223

Year:	2018
EM Manifest ID:	005888298SKS20170220_D_1
Shipment Date:	2/20/2017
Receipt Date:	3/2/2017
Manifest Number:	005888298SKS
Generator EPA ID:	CAL000344149
Name:	INDUSTRIAL OIL RECOVERY CORP
Address:	Not reported
Address 2:	Not reported
City:	Not reported
Zip:	Not reported
Telephone:	Not reported
Contact:	Not reported
Contact Telephone:	Not reported
Transporter 1 EPA ID:	TXR000081205
Transporter 1 Emergency Number:	Not reported
Transporter 2 EPA ID:	MAD039322250
Transporter 2 Emergency Number:	Not reported
TSDF EPA ID:	CAD044429835
TSDF Name:	CLEAN HARBORS OF WILMINGTON LLC
TSDF Address 1:	Not reported
TSDF Address 2:	Not reported
TSDF City:	Not reported
TSDF Zip:	Not reported
TSDF Telephone:	Not reported

State:

Year:	2018
EM Manifest ID:	005888298SKS20170220_D_1
Generator EPA ID:	CAL000344149
Shipment Date:	2017-02-20
Manifest Number:	005888298SKS
Line Number:	1
Method Code:	H141
Quantity Tons:	0.30000
Quantity Waste:	600.000000
Quantity Unit:	P
Number of Containers:	4
Type of Container:	NULL
Quantity Type:	NULL
State Code:	223

Year:	2018
EM Manifest ID:	006470434SKS20180216_D_1
Shipment Date:	2/16/2018
Receipt Date:	3/7/2018
Manifest Number:	006470434SKS
Generator EPA ID:	CAL000344149

SIGNAL FLUID SOLUTIONS INC (Continued) **S112978643**

Name:	INDUSTRIAL OIL RECOVERY CORP
Address:	Not reported
Address 2:	Not reported
City:	Not reported
Zip:	Not reported
Telephone:	Not reported
Contact:	Not reported
Contact Telephone:	Not reported
Transporter 1 EPA ID:	TXR000081205
Transporter 1 Emergency Number:	Not reported
Transporter 2 EPA ID:	MAD039322250
Transporter 2 Emergency Number:	Not reported
TSDF EPA ID:	UTD991301748
TSDF Name:	CLEAN HARBORS GRASSY MOUNTAIN
TSDF Address 1:	Not reported
TSDF Address 2:	Not reported
TSDF City:	Not reported
TSDF Zip:	Not reported
TSDF Telephone:	Not reported

State:

Year:	2018
EM Manifest ID:	006470434SKS20180216_D_1
Generator EPA ID:	CAL000344149
Shipment Date:	2018-02-16
Manifest Number:	006470434SKS
Line Number:	1
Method Code:	H132
Quantity Tons:	0.50000
Quantity Waste:	1000.000000
Quantity Unit:	P
Number of Containers:	5
Type of Container:	NULL
Quantity Type:	NULL
State Code:	223

Year:	2018
EM Manifest ID:	184744
Shipment Date:	10/26/2018
Receipt Date:	11/9/2018
Manifest Number:	006678330SKS
Generator EPA ID:	CAL000344149
Name:	INDUSTRIAL OIL RECOVERY CORP
Address:	3403 NIKI WAY
Address 2:	Not reported
City:	RIVERSIDE
Zip:	92507
Telephone:	800-483-3718
Contact:	Bob Bates
Contact Telephone:	951-784-3900
Transporter 1 EPA ID:	TXR000081205
Transporter 1 Emergency Number:	Not reported
Transporter 2 EPA ID:	MAD039322250
Transporter 2 Emergency Number:	Not reported
TSDF EPA ID:	CAD044429835
TSDF Name:	Clean Harbors Wilmington LLC
TSDF Address 1:	1737 East Denni Street

SIGNAL FLUID SOLUTIONS INC (Continued) **S112978643**

TSDF Address 2: Not reported
TSDF City: Wilmington
TSDF Zip: 90744
TSDF Telephone: 800-483-3718

State:
Year: 2018
EM Manifest ID: 184744
Generator EPA ID: CAL000344149
Shipment Date: 2018-10-26
Manifest Number: 006678330SKS
Line Number: 1
Method Code: H141
Quantity Tons: 0.22500
Quantity Waste: 450.000000
Quantity Unit: P
Number of Containers: 3
Type of Container: Metal drums, barrels, kegs
Quantity Type: Pounds
State Code: 223

Additional Info:
Year: 2013
Gen EPA ID: CAC002643521

Shipment Date: 20130220
Creation Date: 4/17/2013 22:15:49
Receipt Date: 20130220
Manifest ID: 010594089JJK
Trans EPA ID: CAD982413262
Trans Name: EVERGREEN ENVIRONMENTAL SERVICES
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
TSDF EPA ID: CAD981696420
Trans Name: EVERGREEN ENVIRONMENTAL SERVICES
TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported
Waste Code Description: 352 - Other organic solids
RCRA Code: Not reported
Meth Code: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons: 0.1
Waste Quantity: 200
Quantity Unit: P
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

Additional Info:
Year: 2009
Gen EPA ID: CAC002643521

Shipment Date: 20090721
Creation Date: 8/17/2009 18:30:40

SIGNAL FLUID SOLUTIONS INC (Continued) **S112978643**

Receipt Date:	20090721
Manifest ID:	006019071JJK
Trans EPA ID:	CAD982413262
Trans Name:	EVERGREEN ENVIRONMENTAL SERVICES
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD981696420
Trans Name:	EVERGREEN ENVIRONMENTAL SERVICES
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.1
Waste Quantity:	200
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CERS:

Name:	SIGNAL FLUID SOLUTIONS
Address:	3403 NIKI WAY
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	173263
CERS ID:	10531903
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	173263
Site Name:	Signal Fluid Solutions
Violation Date:	10-18-2014
Citation:	HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description:	Failure to make SPCC plan amendment(s) when the facility has had a change in: design, construction, operation, or maintenance which affects the facility s discharge potential.
Violation Notes:	Returned to compliance on 12/03/2014.
Violation Division:	Riverside City Fire Department
Violation Program:	APSA
Violation Source:	CERS,

Site ID:	173263
Site Name:	Signal Fluid Solutions
Violation Date:	04-28-2022
Citation:	22 CCR 12 66262.11 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.11
Violation Description:	Failure to determine if wastes generated are hazardous waste by using generator knowledge or applying testing method.
Violation Notes:	Not reported
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,

SIGNAL FLUID SOLUTIONS INC (Continued) **S112978643**

Site ID:	173263
Site Name:	Signal Fluid Solutions
Violation Date:	10-18-2014
Citation:	HSC 6.95 25508.1(a)-(e) - California Health and Safety Code, Chapter 6.95, Section(s) 25508.1(a)-(e)
Violation Description:	Failure to electronically update business plan within 30 days of any one of the following events: A 100 percent or more increase in the quantity of a previously disclosed material. Any handling of a previously undisclosed hazardous materials at or above reportable quantities. A change of business address, business ownership, or business name.
Violation Notes:	Returned to compliance on 12/03/2014.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	173263
Site Name:	Signal Fluid Solutions
Violation Date:	04-28-2022
Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	Not reported
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,

Site ID:	173263
Site Name:	Signal Fluid Solutions
Violation Date:	10-18-2014
Citation:	HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description:	Failure to have an adequate facility diagram, or no facility diagram included within the SPCC plan.
Violation Notes:	Returned to compliance on 12/03/2014.
Violation Division:	Riverside City Fire Department
Violation Program:	APSA
Violation Source:	CERS,

Site ID:	173263
Site Name:	Signal Fluid Solutions
Violation Date:	10-18-2014
Citation:	HSC 6.95 25505(a)(4) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(a)(4)
Violation Description:	Failure to provide initial and annual training to all employees in safety procedures in the event of a release or threatened release of a hazardous material or failure to document and maintain training records for a minimum of three years.
Violation Notes:	Returned to compliance on 12/03/2014.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

SIGNAL FLUID SOLUTIONS INC (Continued) **S112978643**

Site ID:	173263
Site Name:	Signal Fluid Solutions
Violation Date:	10-18-2014
Citation:	HSC 6.95 Multiple - California Health and Safety Code, Chapter 6.95, Section(s) Multiple
Violation Description:	Business Plan Program - Release/Leaks/Spills - General
Violation Notes:	Returned to compliance on 12/03/2014. Provide Correct secondary containment for chemicals in outside storage containers
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	173263
Site Name:	Signal Fluid Solutions
Violation Date:	10-18-2014
Citation:	HSC 6.95 Multiple - California Health and Safety Code, Chapter 6.95, Section(s) Multiple
Violation Description:	Business Plan Program - Operations/Maintenance - General
Violation Notes:	Returned to compliance on 12/03/2014. Post correct 704 signage on storage containers.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	173263
Site Name:	Signal Fluid Solutions
Violation Date:	10-18-2014
Citation:	HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description:	Failure to provide and maintain adequate secondary containment.
Violation Notes:	Returned to compliance on 12/03/2014.
Violation Division:	Riverside City Fire Department
Violation Program:	APSA
Violation Source:	CERS,

Site ID:	173263
Site Name:	Signal Fluid Solutions
Violation Date:	04-28-2022
Citation:	40 CFR 1 265.31 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.31
Violation Description:	Failure to maintain and operate the facility to minimize the possibility of a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil, or surface water which could threaten human health or the environment.
Violation Notes:	Returned to compliance on 05/11/2022.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,

Site ID:	173263
Site Name:	Signal Fluid Solutions
Violation Date:	10-18-2014
Citation:	HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description:	Failure to test liquid level sensing devices to ensure proper operation.

SIGNAL FLUID SOLUTIONS INC (Continued) **S112978643**

Violation Notes: Returned to compliance on 12/03/2014.
Violation Division: Riverside City Fire Department
Violation Program: APSA
Violation Source: CERS,

Site ID: 173263
Site Name: Signal Fluid Solutions
Violation Date: 10-18-2014
Citation: HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description: Failure to have a professional engineer certify and review the SPCC Plan.
Violation Notes: Returned to compliance on 12/03/2014.
Violation Division: Riverside City Fire Department
Violation Program: APSA
Violation Source: CERS,

Site ID: 173263
Site Name: Signal Fluid Solutions
Violation Date: 10-18-2014
Citation: HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description: Failure to schedule and conduct spill prevention briefings at least once a year.
Violation Notes: Returned to compliance on 12/03/2014.
Violation Division: Riverside City Fire Department
Violation Program: APSA
Violation Source: CERS,

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-20-2017
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-20-2017
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: APSA
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-01-2020
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: APSA
Eval Source: CERS,

SIGNAL FLUID SOLUTIONS INC (Continued) **S112978643**

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-18-2014
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: APSA
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-28-2022
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Initial Inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-01-2020
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-18-2014
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Coordinates:
Site ID: 173263
Facility Name: Signal Fluid Solutions
Env Int Type Code: APSA
Program ID: 10531903
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.,
Latitude: 33.980430
Longitude: -117.343960

Affiliation:
Affiliation Type Desc: Document Preparer
Entity Name: Carl Wiegmann
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

SIGNAL FLUID SOLUTIONS INC (Continued) **S112978643**

Affiliation Type Desc:	Environmental Contact
Entity Name:	Carl Wiegmann
Entity Title:	Not reported
Affiliation Address:	3403 Niki Way
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92507
Affiliation Phone:	,

Affiliation Type Desc:	Identification Signer
Entity Name:	Carl Wiegmann
Entity Title:	Operations
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,

Affiliation Type Desc:	Legal Owner
Entity Name:	Carl Wiegmann
Entity Title:	Not reported
Affiliation Address:	3403 Niki Way
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92507
Affiliation Phone:	(951) 784-3900,

Affiliation Type Desc:	Operator
Entity Name:	Carl Wiegmann
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(951) 784-3900,

Affiliation Type Desc:	Property Owner
Entity Name:	Hundley Development
Entity Title:	Not reported
Affiliation Address:	27286 Via Industrial, suite B
Affiliation City:	Temecula
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92590
Affiliation Phone:	(951) 296-5225,

Affiliation Type Desc:	Parent Corporation
Entity Name:	Signal Fluid Solutions
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported

SIGNAL FLUID SOLUTIONS INC (Continued) **S112978643**

Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: CUPA District
Entity Name: Riverside Cnty Env Health
Entity Title: Not reported
Affiliation Address: 4065 County Circle Drive, Room 104
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92503
Affiliation Phone: (951) 358-5055,

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 3403 Niki Way
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92507
Affiliation Phone: ,

HWTS:
Name: SIGNAL FLUID SOLUTIONS INC
Address: 3403 NIKI WAY
Address 2: Not reported
City,State,Zip: RIVERSIDE, CA 92507
EPA ID: CAL000344149
Inactive Date: Not reported
Create Date: 06/19/2009
Last Act Date: Not reported
Mailing Name: Not reported
Mailing Address: 3403 NIKI WAY
Mailing Address 2: Not reported
Mailing City,State,Zip: RIVERSIDE, CA 925076812
Owner Name: SIGNAL FLUID SOLUTIONS INC
Owner Address: 26413 NORTHMOORE PL
Owner Address 2: Not reported
Owner City,State,Zip: MENIFEE, CA 92584
Contact Name: CORINNE BISSET-OFFICE MANAGER
Contact Address: 3403 NIKI WAY
Contact Address 2: Not reported
City,State,Zip: RIVERSIDE, CA 92507
Facility Status: Active
Facility Type: PERMANENT
Category: STATE
Latitude: 33.980593
Longitude: -117.343627

NAICS:
EPA ID: CAL000344149
Create Date: 2009-06-19 14:20:53.750
NAICS Code: 454312
NAICS Description: Liquefied Petroleum Gas (Bottled Gas) Dealers
Issued EPA ID Date: 2009-06-19 14:20:53.75000

SIGNAL FLUID SOLUTIONS INC (Continued) **S112978643**

Inactive Date:	Not reported
Facility Name:	SIGNAL FLUID SOLUTIONS INC
Facility Address:	3403 NIKI WAY
Facility Address 2:	Not reported
Facility City:	RIVERSIDE
Facility County:	Not reported
Facility State:	CA
Facility Zip:	925076812

Name:	SIGNAL FLUID SOLUTIONS
Address:	3403 NIKI WAY
Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 92507
EPA ID:	CAC002643521
Inactive Date:	12/16/2009
Create Date:	06/18/2009
Last Act Date:	Not reported
Mailing Name:	Not reported
Mailing Address:	3403 NIKI WAY
Mailing Address 2:	Not reported
Mailing City,State,Zip:	RIVERSIDE, CA 925076812
Owner Name:	KEVIN JORDAN
Owner Address:	3403 NIKI WAY
Owner Address 2:	Not reported
Owner City,State,Zip:	RIVERSIDE, CA 925076812
Contact Name:	ANNE SELLER
Contact Address:	3403 NIKI WAY
Contact Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 925076812
Facility Status:	Inactive
Facility Type:	TEMPORARY
Category:	STATE
Latitude:	33.98069
Longitude:	-117.343596

E21 **SIGNAL FLUID SOLUTIONS INC** **RCRA NonGen / NLR** **1024823430**
SE **3403 NIKI WAY** **CAL000344149**
< 1/8 **RIVERSIDE, CA 92507**
0.016 mi.
86 ft. **Site 2 of 4 in cluster E**

Relative: **Higher**

Actual: **972 ft.**

RCRA Listings:

Date Form Received by Agency:	20210805
Handler Name:	SIGNAL FLUID SOLUTIONS INC
Handler Address:	3403 NIKI WAY
Handler City,State,Zip:	RIVERSIDE, CA 92507-6812
EPA ID:	CAL000344149
Contact Name:	CARL WIEGMANN
Contact Address:	NORTHMOORE PL
Contact City,State,Zip:	MENIFEE, CA 92584
Contact Telephone:	951-452-7089
Contact Fax:	951-686-1844
Contact Email:	CWIEGMANN@SIGNALFLUIDSOLUTIONS.COM
Contact Title:	Not reported
EPA Region:	09
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified

SIGNAL FLUID SOLUTIONS INC (Continued) **1024823430**

Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		3403 NIKI WAY
Mailing City,State,Zip:		RIVERSIDE, CA 92507-6812
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	SIGNAL FLUID SOLUTIONS INC	
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		Yes
Universal Waste Destination Facility:		Yes
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported
Permit Workload Universe:		Not reported
Permit Progress Universe:		Not reported
Post-Closure Workload Universe:		Not reported
Closure Workload Universe:		Not reported
202 GPRA Corrective Action Baseline:		No
Corrective Action Workload Universe:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:		No
TSDFs Only Subject to CA under Discretionary Auth Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Operating TSDF Universe:		Not reported
Full Enforcement Universe:		Not reported
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No

SIGNAL FLUID SOLUTIONS INC (Continued) **1024823430**

Significant Non-Complier With a Compliance Schedule Universe: No
Financial Assurance Required: Not reported
Handler Date of Last Change: 20210811
Recognized Trader-Importer: No
Recognized Trader-Exporter: No
Importer of Spent Lead Acid Batteries: No
Exporter of Spent Lead Acid Batteries: No
Recycler Activity Without Storage: No
Manifest Broker: No
Sub-Part P Indicator: No

Handler - Owner Operator:
Owner/Operator Indicator: Operator
Owner/Operator Name: SIGNAL FLUID SOLUTIONS INC
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 26413 NORTHMOORE PL
Owner/Operator City,State,Zip: MENIFEE, CA 92584
Owner/Operator Telephone: 951-452-7089
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: 951-686-1844
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: INDUSTRIAL OIL RECOVERY CORPORATION
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 3403 NIKI WAY
Owner/Operator City,State,Zip: RIVERSIDE, CA 92507-6812
Owner/Operator Telephone: 951-676-1787
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: CORINNE BISSET-OFFICE MANAGER
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 3403 NIKI WAY
Owner/Operator City,State,Zip: RIVERSIDE, CA 92507
Owner/Operator Telephone: 951-686-1787
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20090619
Handler Name: INDUSTRIAL OIL RECOVERY CORPORATION
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No

SIGNAL FLUID SOLUTIONS INC (Continued) **1024823430**

Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20210805
Handler Name: SIGNAL FLUID SOLUTIONS INC
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

List of NAICS Codes and Descriptions:
NAICS Code: 56299
NAICS Description: ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

C22 **RIVERSIDE CITY FIRE STAT #4** **SWEEPS UST** **S101590051**
SSE **3510 CRANFORD AVE** **CA FID UST** **N/A**
< 1/8 **RIVERSIDE, CA 92507**
0.017 mi.
91 ft. **Site 3 of 7 in cluster C**

Relative: Higher
Actual: 977 ft.

SWEEPS UST:
Name: RIVERSIDE CITY FIRE STAT #4
Address: 3510 CRANFORD AVE
City: RIVERSIDE
Status: Active
Comp Number: 40902
Number: 4
Board Of Equalization: 44-017930
Referral Date: 11-18-92
Action Date: 11-18-92
Created Date: 04-18-89
Owner Tank Id: 000870
SWRCB Tank Id: 33-000-040902-000001
Tank Status: A
Capacity: 500
Active Date: 11-18-92
Tank Use: M.V. FUEL
STG: P
Content: DIESEL

RIVERSIDE CITY FIRE STAT #4 (Continued) **S101590051**

Number Of Tanks: 1

CA FID UST:
Facility ID: 33002921
Regulated By: UTNKA
Regulated ID: Not reported
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 7147825291
Mail To: Not reported
Mailing Address: 3900 MAIN ST
Mailing Address 2: Not reported
Mailing City,St,Zip: RIVERSIDE 92507
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

F23 **ELECTROCOAT** **RCRA-SQG 1000181766**
NNE **1525 3RD ST STE G** **FINDS CAD982488736**
< 1/8 **RIVERSIDE, CA 92507** **ECHO**
0.019 mi.
98 ft. **Site 1 of 8 in cluster F**

Relative: **Lower**
Actual: **952 ft.**

RCRA Listings:

Date Form Received by Agency:		19960901
Handler Name:	ELECTROCOAT	
Handler Address:		1525 3RD ST STE G
Handler City,State,Zip:		RIVERSIDE, CA 92507
EPA ID:		CAD982488736
Contact Name:		Not reported
Contact Address:		Not reported
Contact City,State,Zip:		Not reported
Contact Telephone:		Not reported
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		CA
State District:		4
Mailing Address:		1525 3RD ST STE G
Mailing City,State,Zip:		RIVERSIDE, CA 92507
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	NOT REQUIRED	
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No

ELECTROCOAT (Continued) **1000181766**

Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20020627
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	No

Handler - Owner Operator:
Owner/Operator Indicator: Operator

ELECTROCOAT (Continued) **1000181766**

Owner/Operator Name: NOT REQUIRED
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, ME 99999
Owner/Operator Telephone: 415-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: CRAIG CODDING
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, ME 99999
Owner/Operator Telephone: 415-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 19960901
Handler Name: ELECTROCOAT
Federal Waste Generator Description: Small Quantity Generator
State District Owner: CA
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19900417
Handler Name: ELECTROCOAT
Federal Waste Generator Description: Large Quantity Generator
State District Owner: CA
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 23332
NAICS Description: COMMERCIAL AND INSTITUTIONAL BUILDING CONSTRUCTION

Facility Has Received Notices of Violations:
Violations: No Violations Found

ELECTROCOAT (Continued) **1000181766**

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110002828806

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000181766
Registry ID:	110002828806
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110002828806
Name:	ELECTROCOAT
Address:	1525 3RD ST STE G
City,State,Zip:	RIVERSIDE, CA 92507

F24 **KONE INC** **RCRA NonGen / NLR** **1024814503**
NNE **1525 3RD ST STE D** **CAL000309308**
< 1/8 **RIVERSIDE, CA 92507**
0.019 mi.
98 ft. **Site 2 of 8 in cluster F**

Relative: **Lower**
Actual: **952 ft.**

RCRA Listings:

Date Form Received by Agency:		20060719
Handler Name:	KONE INC	
Handler Address:		1525 3RD ST STE D
Handler City,State,Zip:		RIVERSIDE, CA 92507-3429
EPA ID:		CAL000309308
Contact Name:		LENA VELLUSO
Contact Address:		15289 W. BAKER AVE
Contact City,State,Zip:		LAKEWOOD, CO 80228
Contact Telephone:		425-260-1359
Contact Fax:		Not reported
Contact Email:		LENA.VELLUSO@KONE.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		4225 NAPERVILLE ROAD, SUITE 400
Mailing City,State,Zip:		LISLE,, IL 60532

KONE INC (Continued) **1024814503**

Owner Name:	KONE INC	
Owner Type:		Other
Operator Name:	LENA VELLUSO	
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		Yes
Universal Waste Destination Facility:		Yes
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported
Permit Workload Universe:		Not reported
Permit Progress Universe:		Not reported
Post-Closure Workload Universe:		Not reported
Closure Workload Universe:		Not reported
202 GPRA Corrective Action Baseline:		No
Corrective Action Workload Universe:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:		No
TSDFs Only Subject to CA under Discretionary Auth Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Operating TSDF Universe:		Not reported
Full Enforcement Universe:		Not reported
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:	Not reported	
Handler Date of Last Change:		20180905
Recognized Trader-Importer:		No
Recognized Trader-Exporter:		No
Importer of Spent Lead Acid Batteries:		No
Exporter of Spent Lead Acid Batteries:		No
Recycler Activity Without Storage:		No

KONE INC (Continued) **1024814503**

Manifest Broker: No
Sub-Part P Indicator: No

Handler - Owner Operator:
Owner/Operator Indicator: Owner
Owner/Operator Name: KONE INC
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 1 KONE CT
Owner/Operator City,State,Zip: MOLINE, IL 61265
Owner/Operator Telephone: 309-764-6771
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: LENA VELLUSO
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 15289 W. BAKER AVE
Owner/Operator City,State,Zip: LAKEWOOD, CO 80228
Owner/Operator Telephone: 425-260-1359
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20060719
Handler Name: KONE INC
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 333921
NAICS Description: ELEVATOR AND MOVING STAIRWAY MANUFACTURING

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

C25 **DIRECTV LLC** **RCRA NonGen / NLR** **1026827630**
South **1520 W LINDEN ST #A** **CAL000462601**
< 1/8 **RIVERSIDE, CA 92507**
0.021 mi.
112 ft. **Site 4 of 7 in cluster C**

Relative: **Higher**

Actual: **972 ft.**

RCRA Listings:

Date Form Received by Agency:		20210908
Handler Name:	DIRECTV LLC	
Handler Address:		1520 W LINDEN ST #A
Handler City,State,Zip:		RIVERSIDE, CA 92507
EPA ID:		CAL000462601
Contact Name:		RORY ECCHER
Contact Address:		308 S AKARD ST 17TH FL
Contact City,State,Zip:		DALLAS, TX 75202
Contact Telephone:		720-882-8585
Contact Fax:		Not reported
Contact Email:		RJECCHER@DIRECTV.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		308 S AKARD ST 17TH FL
Mailing City,State,Zip:		DALLAS, TX 75202
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	DIRECTV LLC	
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported

DIRECTV LLC (Continued) **1026827630**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20210913
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: EH&S WASTE TEAM	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	308 S AKARD ST 17TH FL
Owner/Operator City,State,Zip:	DALLAS, TX 75202
Owner/Operator Telephone:	800-566-9347
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name: DIRECTV LLC	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	308 S AKARD ST 17TH FL
Owner/Operator City,State,Zip:	DALLAS, TX 75202
Owner/Operator Telephone:	800-566-9347
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

DIRECTV LLC (Continued) **1026827630**

Owner/Operator Indicator: Owner
Owner/Operator Name: DIRECTV LLC
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 308 S AKARD ST 17TH FL
Owner/Operator City,State,Zip: DALLAS, TX 75202
Owner/Operator Telephone: 800-566-9347
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20210519
Handler Name: DIRECTV LLC
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 20210908
Handler Name: DIRECTV LLC
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

List of NAICS Codes and Descriptions:
NAICS Code: 517911
NAICS Description: TELECOMMUNICATIONS RESELLERS

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

C26 **RESCUE ROOTER** **RCRA NonGen / NLR** **1024808580**
South **1520 W LINDEN ST** **CAL000280496**
< 1/8 **RIVERSIDE, CA 92507**
0.021 mi.
112 ft. **Site 5 of 7 in cluster C**

Relative: **Higher**

Actual: **972 ft.**

RCRA Listings:

Date Form Received by Agency:		20040326
Handler Name:	RESCUE ROOTER	
Handler Address:		1520 W LINDEN ST
Handler City,State,Zip:		RIVERSIDE, CA 92507
EPA ID:		CAL000280496
Contact Name:		TROY PARISH
Contact Address:		1520 W LINDEN ST
Contact City,State,Zip:		RIVERSIDE, CA 92507
Contact Telephone:		714-715-8644
Contact Fax:		626-966-1047
Contact Email:		EGREBER@ARS.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		1520 W LINDEN STREET
Mailing City,State,Zip:		RIVERSIDE, CA 92507-0000
Owner Name:	AMERICAN RESIDENTIAL SERVICES INC	
Owner Type:		Other
Operator Name:	TROY PARISH	
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		Yes
Universal Waste Destination Facility:		Yes
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported

RESCUE ROOTER (Continued) **1024808580**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20180905
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: TROY PARISH	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	1520 W LINDEN ST
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507
Owner/Operator Telephone:	714-715-8644
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: AMERICAN RESIDENTIAL SERVICES INC	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	965 RIDGE LAKE BLVD STE 201
Owner/Operator City,State,Zip:	MEMPHIS, TN 38120-9401
Owner/Operator Telephone:	901-271-9939
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

RESCUE ROOTER (Continued) **1024808580**

Historic Generators:
- Receive Date: 20040326
- Handler Name: RESCUE ROOTER
- Federal Waste Generator Description: Not a generator, verified
- State District Owner: Not reported
- Large Quantity Handler of Universal Waste: No
- Recognized Trader Importer: No
- Recognized Trader Exporter: No
- Spent Lead Acid Battery Importer: No
- Spent Lead Acid Battery Exporter: No
- Current Record: Yes
- Non Storage Recycler Activity: Not reported
- Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
- NAICS Code: 23511
- NAICS Description: PLUMBING, HEATING, AND AIR-CONDITIONING CONTRACTORS

Facility Has Received Notices of Violations:
- Violations: No Violations Found

Evaluation Action Summary:
- Evaluations: No Evaluations Found

C27 **DIRECTV - LC2H6** **CERS HAZ WASTE** **S128624033**
South **1520 W LINDEN ST** **N/A**
< 1/8 **RIVERSIDE, CA 92507**
0.021 mi.
112 ft. **Site 6 of 7 in cluster C**

Relative: Higher

Actual: 972 ft.

CERS HAZ WASTE:
- Name: DIRECTV - LC2H6
- Address: 1520 W LINDEN ST
- City,State,Zip: RIVERSIDE, CA 92507
- Site ID: 611703
- CERS ID: 10895815
- CERS Description: Hazardous Waste Generator

Coordinates:
- Site ID: 611703
- Facility Name: DirecTV - LC2H6
- Env Int Type Code: HMBP
- Program ID: 10895815
- Coord Name: Not reported
- Ref Point Type Desc: Center of a facility or station.,
- Latitude: 33.978920
- Longitude: -117.344900

Affiliation:
- Affiliation Type Desc: Document Preparer
- Entity Name: Peter Burnell, Sigma Consultants, Inc.
- Entity Title: Not reported
- Affiliation Address: Not reported
- Affiliation City: Not reported
- Affiliation State: Not reported

DIRECTV - LC2H6 (Continued) **S128624033**

Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: Legal Owner
Entity Name: DIRECTV, LLC
Entity Title: Not reported
Affiliation Address: 308 S. Akard Street, Rm. 1580 Attn. Tom Hughes
Affiliation City: Dallas
Affiliation State: TX
Affiliation Country: United States
Affiliation Zip: 75202
Affiliation Phone: (214) 738-4299,

Affiliation Type Desc: Parent Corporation
Entity Name: DIRECTV, LLC
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: CUPA District
Entity Name: Riverside Cnty Env Health
Entity Title: Not reported
Affiliation Address: 4065 County Circle Drive, Room 104
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92503
Affiliation Phone: (951) 358-5055,

Affiliation Type Desc: Environmental Contact
Entity Name: Jennifer Bachman
Entity Title: Not reported
Affiliation Address: 308 S. Akard Street, Rm. 1580
Affiliation City: Dallas
Affiliation State: TX
Affiliation Country: Not reported
Affiliation Zip: 75202
Affiliation Phone: ,

Affiliation Type Desc: Identification Signer
Entity Name: Jennifer Bachman
Entity Title: Director - Environment, Health & Safety
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported

DIRECTV - LC2H6 (Continued) **S128624033**

Affiliation Address:	308 S. Akard Street, Rm. 1580
Affiliation City:	Dallas
Affiliation State:	TX
Affiliation Country:	Not reported
Affiliation Zip:	75202
Affiliation Phone:	,
Affiliation Type Desc:	Operator
Entity Name:	DIRECTV, LLC
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(855) 388-3479,

G28 **WEST COAST INTERIORS DBA WEST COAST DRYWALL & PAIN** **RCRA NonGen / NLR** **1025867638**
SSW **1610 W LINDEN ST** **CAL000325952**
< 1/8 **RIVERSIDE, CA 92507**
0.021 mi.
113 ft. **Site 1 of 2 in cluster G**

Relative: RCRA Listings:
Lower

Date Form Received by Agency:		20071019
Actual: Handler Name:	WEST COAST INTERIORS DBA WEST COAST DRYWALL & PAINT	
963 ft. Handler Address:		1610 W LINDEN ST
Handler City,State,Zip:		RIVERSIDE, CA 92507-6810
EPA ID:		CAL000325952
Contact Name:		ALEX TELHAMI
Contact Address:		1610 W LINDEN STREET
Contact City,State,Zip:		RIVERSIDE, CA 92507
Contact Telephone:		951-218-8262
Contact Fax:		951-369-7371
Contact Email:		ALEX.TELHAMI@WCDP.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		1610 W. LINDEN STREET
Mailing City,State,Zip:		RIVERSIDE, CA 92507-0000
Owner Name:	MARK HERBERT	
Owner Type:		Other
Operator Name:	ALEX TELHAMI	
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		Yes

WEST COAST INTERIORS DBA WEST COAST DRYWALL & PAINT (Continued) **1025867638**

Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20190627
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: MARK HERBERT	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported

WEST COAST INTERIORS DBA WEST COAST DRYWALL & PAINT (Continued) **1025867638**

Owner/Operator Address: 1610 W. LINDEN STREET
Owner/Operator City,State,Zip: RIVERSIDE, CA 92507-0000
Owner/Operator Telephone: 951-778-3592
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: ALEX TELHAMI
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 1610 W LINDEN STREET
Owner/Operator City,State,Zip: RIVERSIDE, CA 92507
Owner/Operator Telephone: 951-218-8262
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20071019
Handler Name: WEST COAST INTERIORS DBA WEST COAST DRYWALL & PAINT
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: Not reported
Recognized Trader Exporter: Not reported
Spent Lead Acid Battery Importer: Not reported
Spent Lead Acid Battery Exporter: Not reported
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 23521
NAICS Description: PAINTING AND WALL COVERING CONTRACTORS

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

G29 **SELECT ACR, INC.** **RCRA NonGen / NLR** **1024792723**
SSW **1660 W LINDEN ST** **CAL000125591**
< 1/8 **RIVERSIDE, CA 92507**
0.035 mi.
184 ft. **Site 2 of 2 in cluster G**

Relative: **Lower**
Actual: **958 ft.**

RCRA Listings:
Date Form Received by Agency: 19960606
Handler Name: SELECT ACR, INC.
Handler Address: 1660 W LINDEN ST
Handler City,State,Zip: RIVERSIDE, CA 92507-6810
EPA ID: CAL000125591

SELECT ACR, INC. (Continued) **1024792723**

Contact Name:		DARREN LOWREY
Contact Address:		1541 MARLBOROUGH AVENUE
Contact City,State,Zip:		RIVERSIDE, CA 92507
Contact Telephone:		951-784-1070
Contact Fax:		951-784-1074
Contact Email:		DLOWREY@SELECTACR.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		1541 MARLBOROUGH AVE
Mailing City,State,Zip:		RIVERSIDE, CA 92507-0000
Owner Name:	SELECT ACR, INC.	
Owner Type:		Other
Operator Name:	DARREN LOWREY	
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		Yes
Universal Waste Destination Facility:		Yes
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported
Permit Workload Universe:		Not reported
Permit Progress Universe:		Not reported
Post-Closure Workload Universe:		Not reported
Closure Workload Universe:		Not reported
202 GPRA Corrective Action Baseline:		No
Corrective Action Workload Universe:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:		No
TSDFs Only Subject to CA under Discretionary Auth Universe:		No

SELECT ACR, INC. (Continued) **1024792723**

Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20180905
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: SELECT ACR, INC.	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	1541 MARLBOROUGH AVE
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507-0000
Owner/Operator Telephone:	951-784-1070
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name: DARREN LOWREY	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	1541 MARLBOROUGH AVENUE
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507
Owner/Operator Telephone:	951-784-1070
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	19960606
Handler Name: SELECT ACR, INC.	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No

SELECT ACR, INC. (Continued) **1024792723**

Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 443111
NAICS Description: HOUSEHOLD APPLIANCE STORES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

F30 **ARCO #1841** **LUST** **S104970737**
NNE **1505 THIRD ST** **Cortese** **N/A**
< 1/8 **RIVERSIDE, CA 92507**
0.043 mi.
226 ft. **Site 3 of 8 in cluster F**

Relative:
Lower

Actual:
952 ft.

RIVERSIDE CO. LUST:
Name: ARCO #1841
Address: 1505 THIRD ST
City,State,Zip: RIVERSIDE, CA
Region: RIVERSIDE
Facility ID: 89198
Employee: Reyes
Site Closed: Yes
Case Type: Soil only
Facility Status: closed/action completed
Casetype Decode: Soil only is impacted
Fstatus Decode: Closed/Action completed

CORTESE:
Name: ARCO #1841
Address: 1505 THIRD ST
City,State,Zip: RIVERSIDE, CA 92507
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0606500122
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: COMPLETED - CASE CLOSED
Status Date: Not reported
Site Code: Not reported
Latitude: Not reported
Longitude: Not reported
Owner: Not reported
Enf Type: Not reported
Swat R: Not reported
Flag: active
Order No: Not reported
Waste Discharge System No: Not reported
Effective Date: Not reported
Region 2: Not reported

ARCO #1841 (Continued) **S104970737**

WID Id: Not reported
Solid Waste Id No: Not reported
Waste Management Uit Name: Not reported
File Name: Active Open

F31 **ARCO STATION #1841** **Notify 65** **S100179165**
NNE **1505 THIRD** **N/A**
< 1/8 **RIVERSIDE, CA 90040**
0.043 mi.
226 ft. **Site 4 of 8 in cluster F**

Relative: NOTIFY 65:
Lower
Name: ARCO STATION #1841
Actual: Address: 1505 THIRD
952 ft. City,State,Zip: RIVERSIDE, CA 90040
Date Reported: Not reported
Staff Initials: Not reported
Board File Number: Not reported
Facility Type: Not reported
Discharge Date: Not reported
Issue Date: Not reported
Incident Description: Not reported
Global ID: Not reported
Status: Not reported

F32 **PAUL J ADCOCK** **HIST UST** **U001576527**
NNE **1505 3RD ST** **N/A**
< 1/8 **RIVERSIDE, CA 92507**
0.043 mi.
226 ft. **Site 5 of 8 in cluster F**

Relative: HIST UST:
Lower
Name: PAUL J ADCOCK
Actual: Address: 1505 3RD ST
952 ft. City,State,Zip: RIVERSIDE, CA 92507
File Number: 0001F3FC
URL: http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0001F3FC.pdf
Region: STATE
Facility ID: 00000026640
Facility Type: Gas Station
Other Type: Not reported
Contact Name: Not reported
Telephone: 0000000000
Owner Name: ARCO PETROLEUM PRODUCTS CO.
Owner Address: 515 SOUTH FLOWER STREET
Owner City,St,Zip: LOS ANGELES, CA 90071
Total Tanks: 0006

Tank Num: 001
Container Num: 0000000001
Year Installed: 1963
Tank Capacity: 00006000
Tank Used for: PRODUCT
Type of Fuel: 06
Container Construction Thickness: Not reported
Leak Detection: Stock Inventor, 10

PAUL J ADCOCK (Continued) **U001576527**

Tank Num:	002
Container Num:	0000000002
Year Installed:	1963
Tank Capacity:	00006000
Tank Used for:	PRODUCT
Type of Fuel:	06
Container Construction Thickness:	0000240
Leak Detection:	Stock Inventor, 10

Tank Num:	003
Container Num:	0000000003
Year Installed:	1963
Tank Capacity:	00004000
Tank Used for:	PRODUCT
Type of Fuel:	06
Container Construction Thickness:	0000167
Leak Detection:	Stock Inventor, 10

Tank Num:	004
Container Num:	0000000004
Year Installed:	1973
Tank Capacity:	00004000
Tank Used for:	PRODUCT
Type of Fuel:	06
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor, 10

Tank Num:	005
Container Num:	0000000005
Year Installed:	1963
Tank Capacity:	00000550
Tank Used for:	PRODUCT
Type of Fuel:	WASTE OIL
Container Construction Thickness:	0000093
Leak Detection:	Stock Inventor

Tank Num:	006
Container Num:	0000000006
Year Installed:	1984
Tank Capacity:	00012000
Tank Used for:	PRODUCT
Type of Fuel:	06
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor, 10

Click here for Geo Tracker PDF:

F33 **ARCO AM/PM MINI MARKET** **EDR Hist Auto** **1021241671**
NNE **1505 3RD ST** **N/A**
< 1/8 **RIVERSIDE, CA 92507**
0.043 mi.
226 ft. **Site 6 of 8 in cluster F**

Relative: EDR Hist Auto
Lower

Actual:
952 ft.

Year:	Name:	Type:
1973	HAROLDS ARCO	Gasoline Service Stations
1974	HAROLDS ARCO	Gasoline Service Stations

ARCO AM/PM MINI MARKET (Continued) **1021241671**

1975	HAROLDS ARCO	Gasoline Service Stations
1976	HAROLDS ARCO	Gasoline Service Stations
1991	THIRD STREET ARCO AM PM	Gasoline Service Stations
1992	THIRD STREET ARCO AM PM	Gasoline Service Stations
1993	THIRD STREET ARCO AM PM	Gasoline Service Stations
1994	THIRD STREET ARCO AM PM	Gasoline Service Stations
1995	THIRD STREET ARCO AM PM MARKET	Gasoline Service Stations
1996	THIRD STREET ARCO AM PM MARKET	Gasoline Service Stations
1997	ARCO AM PM MARKET	Gasoline Service Stations
1998	ARCO AM PM MARKET	Gasoline Service Stations
1999	ARCO AM PM MARKET	Gasoline Service Stations
2000	ARCO AM/PM MINI MARKET	Gasoline Service Stations
2001	ARCO AM/PM MINI MARKET	Gasoline Service Stations
2002	ARCO AM/PM MINI MARKET	Gasoline Service Stations
2003	ARCO AM/PM MINI MARKET	Gasoline Service Stations
2004	ARCO AM/PM MINI MARKET	Gasoline Service Stations
2005	ARCO AM/PM MINI MARKET	Gasoline Service Stations
2006	ARCO AM/PM MINI MARKET	Gasoline Service Stations
2007	ARCO AM/PM MINI MARKET	Gasoline Service Stations
2008	ARCO AM/PM MINI MARKET	Gasoline Service Stations

F34 **ARCO #1841** **SWEEPS UST** **U001967220**
NNE **1505 THIRD ST** **CA FID UST** **N/A**
< 1/8 **RIVERSIDE, CA 92507** **HIST CORTESE**
0.043 mi. **CERS**
226 ft. **Site 7 of 8 in cluster F**

Relative: **Lower**

Actual: **952 ft.**

SWEEPS UST:

Name:	ARCO #1841
Address:	1505 THIRD ST
City:	RIVERSIDE
Status:	Active
Comp Number:	26640
Number:	1
Board Of Equalization:	44-000506
Referral Date:	10-19-92
Action Date:	10-19-92
Created Date:	02-29-88
Owner Tank Id:	000091
SWRCB Tank Id:	33-000-026640-000007
Tank Status:	A
Capacity:	12000
Active Date:	10-19-92
Tank Use:	M.V. FUEL
STG:	P
Content:	REG UNLEADED
Number Of Tanks:	3

Name:	ARCO #1841
Address:	1505 THIRD ST
City:	RIVERSIDE
Status:	Active
Comp Number:	26640
Number:	1
Board Of Equalization:	44-000506
Referral Date:	10-19-92
Action Date:	10-19-92
Created Date:	02-29-88

ARCO #1841 (Continued) **U001967220**

Owner Tank Id: 000091
SWRCB Tank Id: 33-000-026640-000008
Tank Status: A
Capacity: 12000
Active Date: 10-19-92
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: Not reported

Name: ARCO #1841
Address: 1505 THIRD ST
City: RIVERSIDE
Status: Active
Comp Number: 26640
Number: 1
Board Of Equalization: 44-000506
Referral Date: 10-19-92
Action Date: 10-19-92
Created Date: 02-29-88
Owner Tank Id: 000091
SWRCB Tank Id: 33-000-026640-000009
Tank Status: A
Capacity: 12000
Active Date: 10-19-92
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: Not reported

CA FID UST:
Facility ID: 33000245
Regulated By: UTNKA
Regulated ID: 00026640
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 7146833371
Mail To: Not reported
Mailing Address: 17315 STUDEBAKER RD
Mailing Address 2: Not reported
Mailing City,St,Zip: RIVERSIDE 92507
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

HIST CORTESE:
edr_fname: ARCO #1841
edr_fadd1: 1505
City,State,Zip: RIVERSIDE, CA 92507
Region: CORTESE
Facility County Code: 33
Reg By: LTNKA

ARCO #1841 (Continued) **U001967220**

Reg Id: 083301200T

CERS:
Name: ARCO #1841
Address: 1505 THIRD ST
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 202322
CERS ID: T0606500122
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: YVONNE REYES - RIVERSIDE COUNTY LOP
Entity Title: Not reported
Affiliation Address: 3880 LEMON ST SUITE 200
Affiliation City: RIVERSIDE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 9519558982,

F35 **ARCO #1841** **LUST U003802062**
NNE **1505 3RD ST** **UST N/A**
< 1/8 **RIVERSIDE, CA 92507**
0.043 mi.
226 ft. **Site 8 of 8 in cluster F**

Relative:
Lower

Actual:
952 ft.

LUST:
Name: ARCO #1841
Address: 1505 THIRD ST
City,State,Zip: RIVERSIDE, CA 92507
Lead Agency: RIVERSIDE COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0606500122
Global Id: T0606500122
Latitude: 33.983339392
Longitude: -117.344137
Status: Completed - Case Closed
Status Date: 11/10/2008
Case Worker: YR
RB Case Number: 083301200T
Local Agency: RIVERSIDE COUNTY LOP
File Location: Local Agency
Local Case Number: 89198
Potential Media Affect: Soil
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:
Global Id: T0606500122
Contact Type: Regional Board Caseworker
Contact Name: VALERIE JAHN-BULL
Organization Name: SANTA ANA RWQCB (REGION 8)
Address: 3737 MAIN STREET, SUITE 500
City: RIVERSIDE
Email: valerie.jahn-bull@waterboards.ca.gov
Phone Number: 9517824903

ARCO #1841 (Continued) **U003802062**

Global Id: T0606500122
Contact Type: Local Agency Caseworker
Contact Name: YVONNE REYES
Organization Name: RIVERSIDE COUNTY LOP
Address: 3880 LEMON ST SUITE 200
City: RIVERSIDE
Email: ayreyes@rivco.org
Phone Number: 9519558982

LUST:
Global Id: T0606500122
Action Type: ENFORCEMENT
Date: 10/01/2007
Action: Staff Letter - #RCDEH 100107

Global Id: T0606500122
Action Type: Other
Date: 03/01/1989
Action: Leak Reported

Global Id: T0606500122
Action Type: REMEDIATION
Date: 12/27/2005
Action: Soil Vapor Extraction (SVE)

Global Id: T0606500122
Action Type: ENFORCEMENT
Date: 03/13/2008
Action: Staff Letter - #RCDEH031308

Global Id: T0606500122
Action Type: RESPONSE
Date: 01/15/2008
Action: Monitoring Report - Quarterly

Global Id: T0606500122
Action Type: RESPONSE
Date: 04/15/2008
Action: Monitoring Report - Quarterly

Global Id: T0606500122
Action Type: ENFORCEMENT
Date: 08/29/2008
Action: Staff Letter - #RCDEH 082908 Letter

Global Id: T0606500122
Action Type: ENFORCEMENT
Date: 02/09/2007
Action: Technical Correspondence / Assistance / Other - #RCDEH 020907

Global Id: T0606500122
Action Type: ENFORCEMENT
Date: 02/26/2008
Action: Technical Correspondence / Assistance / Other - #RCDEH 022608

Global Id: T0606500122
Action Type: ENFORCEMENT

ARCO #1841 (Continued) **U003802062**

Date: 11/19/2007
Action: File review

Global Id: T0606500122
Action Type: Other
Date: 12/07/1988
Action: Leak Stopped

Global Id: T0606500122
Action Type: RESPONSE
Date: 10/15/2007
Action: Monitoring Report - Quarterly

Global Id: T0606500122
Action Type: ENFORCEMENT
Date: 11/09/2008
Action: File review - #RCDEH Upload Site File 1/25/2011

Global Id: T0606500122
Action Type: ENFORCEMENT
Date: 05/29/2002
Action: File review

Global Id: T0606500122
Action Type: ENFORCEMENT
Date: 11/10/2008
Action: Closure/No Further Action Letter - #RCDEH Closure

Global Id: T0606500122
Action Type: Other
Date: 12/07/1988
Action: Leak Discovery

Global Id: T0606500122
Action Type: RESPONSE
Date: 10/10/2008
Action: Well Destruction Report

Global Id: T0606500122
Action Type: RESPONSE
Date: 04/27/2007
Action: Other Report / Document

Global Id: T0606500122
Action Type: RESPONSE
Date: 11/30/2007
Action: Other Report / Document

Global Id: T0606500122
Action Type: RESPONSE
Date: 04/18/2008
Action: Request for Closure

LUST:
Global Id: T0606500122
Status: Open - Case Begin Date
Status Date: 12/07/1988

ARCO #1841 (Continued) **U003802062**

Global Id:	T0606500122
Status:	Open - Site Assessment
Status Date:	12/08/1988
Global Id:	T0606500122
Status:	Open - Remediation
Status Date:	12/27/2005
Global Id:	T0606500122
Status:	Open - Verification Monitoring
Status Date:	04/01/2007
Global Id:	T0606500122
Status:	Completed - Case Closed
Status Date:	11/10/2008

LUST REG 8:

Name:	ARCO #1841
Address:	1505 3RD ST
City:	RIVERSIDE
Region:	8
County:	Riverside
Regional Board:	Santa Ana Region
Facility Status:	Remediation Plan
Case Number:	083301200T
Local Case Num:	89198
Case Type:	Soil only
Substance:	Gasoline
Qty Leaked:	Not reported
Abate Method:	Vapor Extraction
Cross Street:	CHICAGO
Enf Type:	None Taken
Funding:	Federal Funds
How Discovered:	Tank Closure
How Stopped:	Not reported
Leak Cause:	Spill
Leak Source:	Tank
Global ID:	T0606500122
How Stopped Date:	12/7/1988
Enter Date:	9/4/1989
Date Confirmation of Leak Began:	12/8/1988
Date Preliminary Assessment Began:	7/21/1989
Discover Date:	12/7/1988
Enforcement Date:	1/1/1965
Close Date:	Not reported
Date Prelim Assessment Workplan Submitted:	12/8/1988
Date Pollution Characterization Began:	2/22/1991
Date Remediation Plan Submitted:	8/5/1991
Date Remedial Action Underway:	Not reported
Date Post Remedial Action Monitoring:	Not reported
Enter Date:	9/4/1989
GW Qualifies:	Not reported
Soil Qualifies:	=
Operator:	Not reported
Facility Contact:	Not reported
Interim:	Yes

ARCO #1841 (Continued) **U003802062**

Oversite Program:	LUST
Latitude:	33.9793165
Longitude:	-117.339662
MTBE Date:	Not reported
Max MTBE GW:	Not reported
MTBE Concentration:	0
Max MTBE Soil:	.017
MTBE Fuel:	1
MTBE Tested:	MTBE Detected. Site tested for MTBE & MTBE detected
MTBE Class:	*
Staff:	VJJ
Staff Initials:	SCB
Lead Agency:	Local Agency
Local Agency:	33000L
Hydr Basin #:	UPPER SANTA ANA VALL
Beneficial:	Not reported
Priority:	Not reported
Cleanup Fund Id:	Not reported
Work Suspended:	Not reported

Summary: Not reported

UST:

Name:	ARCO #1841
Address:	1505 3RD ST
City,State,Zip:	RIVERSIDE, CA 92507
Facility ID:	37
Permitting Agency:	RIVERSIDE COUNTY
CERSID:	Not reported
Latitude:	33.984735
Longitude:	-117.34279

E36 **EXPERIENCED TRACTOR PARTS INC DBA VEECO MFG AND EX** **RCRA NonGen / NLR** **1024832582**
SE **3443 NIKI WAY** **CAL000370780**
< 1/8 **RIVERSIDE, CA 92507**
0.050 mi.
263 ft. **Site 3 of 4 in cluster E**

Relative: **Lower**

Actual: **960 ft.**

RCRA Listings:

Date Form Received by Agency:	20120113
Handler Name:	EXPERIENCED TRACTOR PARTS INC DBA VEECO MFG AND EXPERIENCED TRACTOR PA
Handler Address:	3443 NIKI WAY
Handler City,State,Zip:	RIVERSIDE, CA 92507
EPA ID:	CAL000370780
Contact Name:	SUSAN KENDRICK
Contact Address:	3443 NIKI WAY
Contact City,State,Zip:	RIVERSIDE, CA 92507
Contact Telephone:	951-787-1163
Contact Fax:	951-787-0458
Contact Email:	SUSAN@VEECOMFG.COM
Contact Title:	Not reported
EPA Region:	09
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities

EXPERIENCED TRACTOR PARTS INC DBA VEECO MFG AND EXPERIENCED (Continued) **1024832582**

State District Owner:	Not reported
State District:	Not reported
Mailing Address:	3443 NIKI WAY
Mailing City,State,Zip:	RIVERSIDE, CA 92507-0000
Owner Name:	EXPERIENCED TRACTOR PARTS INC
Owner Type:	Other
Operator Name:	SUSAN KENDRICK
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20180906
Recognized Trader-Importer:	No

EXPERIENCED TRACTOR PARTS INC DBA VEECO MFG AND EXPERIENCED (Continued) **1024832582**

Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: SUSAN KENDRICK	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	3443 NIKI WAY
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507
Owner/Operator Telephone:	951-787-1163
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: EXPERIENCED TRACTOR PARTS INC	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	3443 NIKI WAY
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507-0000
Owner/Operator Telephone:	951-787-1163
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20120113
Handler Name:	EXPERIENCED TRACTOR PARTS INC DBA VEECO MFG AND EXPERIENCED TRACTOR PA
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	33651
NAICS Description:	RAILROAD ROLLING STOCK MANUFACTURING

Facility Has Received Notices of Violations:

Violations:	No Violations Found

EXPERIENCED TRACTOR PARTS INC DBA VEECO MFG AND EXPERIENCED (Continued) **1024832582**

Evaluation Action Summary:
Evaluations: No Evaluations Found

E37 **EXPERIENCED TRACTOR PARTS** **CERS HAZ WASTE** **S113152837**
SE **3443 NIKI WAY** **CERS** **N/A**
< 1/8 **RIVERSIDE, CA 92507**
0.050 mi.
263 ft. **Site 4 of 4 in cluster E**

Relative:
Lower

Actual:
960 ft.

CERS HAZ WASTE:
Name: EXPERIENCED TRACTOR PARTS
Address: 3443 NIKI WAY
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 177072
CERS ID: 10511308
CERS Description: Hazardous Waste Generator

CERS:
Name: EXPERIENCED TRACTOR PARTS
Address: 3443 NIKI WAY
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 177072
CERS ID: 10511308
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 177072
Site Name: Experienced Tractor Parts
Violation Date: 07-21-2020
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit the Business Activities Page and/or Business Owner Operator Identification Page.
Violation Notes: Returned to compliance on 08/04/2020. No Business Activity Page and/or Business Owner/Operator ID page has been submitted. Complete the required document in CERS.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 177072
Site Name: Experienced Tractor Parts
Violation Date: 07-22-2013
Citation: HSC 6.95 25504(c) - California Health and Safety Code, Chapter 6.95, Section(s) 25504(c)
Violation Description: Failure to include an adequate training program in the business plan, which is reasonable and appropriate for the size of the business and the nature of the hazardous material handled.
Violation Notes: Returned to compliance on 08/12/2013.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 177072
Site Name: Experienced Tractor Parts
Violation Date: 07-22-2013

EXPERIENCED TRACTOR PARTS (Continued) **S113152837**

Citation:	HSC 6.95 25504(c) - California Health and Safety Code, Chapter 6.95, Section(s) 25504(c)
Violation Description:	Failure to include provisions in the business plan to ensure that appropriate personnel receive initial and annual training.
Violation Notes:	Returned to compliance on 08/12/2013.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	177072
Site Name:	Experienced Tractor Parts
Violation Date:	10-21-2015
Citation:	HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description:	Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes:	Returned to compliance on 11/06/2015.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	177072
Site Name:	Experienced Tractor Parts
Violation Date:	07-17-2015
Citation:	HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description:	Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes:	Returned to compliance on 11/06/2015.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	177072
Site Name:	Experienced Tractor Parts
Violation Date:	11-05-2018
Citation:	HSC 6.95 25505(a)(4) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(a)(4)
Violation Description:	Failure to provide initial and annual training to all employees in safety procedures in the event of a release or threatened release of a hazardous material or failure to document and maintain training records for a minimum of three years.
Violation Notes:	Returned to compliance on 12/05/2018. No training records were available for review. Provide documentation on training being conducted for the past 1-3 years. Last training documentation dated 9/5/16.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	177072
Site Name:	Experienced Tractor Parts
Violation Date:	07-21-2020
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit a business plan when storing/handling a hazardous material at or above reportable

EXPERIENCED TRACTOR PARTS (Continued) **S113152837**

quantities.
Violation Notes: Returned to compliance on 08/04/2020. No HMBP has been completed nor submitted electronically in the CERS system. Complete and submit an HMBP at the following: https://cers.calepa.ca.gov
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 177072
Site Name: Experienced Tractor Parts
Violation Date: 07-21-2020
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes: Returned to compliance on 08/04/2020. The required annual review/re-certification has not been completed. Complete the required review at the following link: https:// cers.calepa.ca.gov
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 177072
Site Name: Experienced Tractor Parts
Violation Date: 07-21-2020
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: Returned to compliance on 08/04/2020. The chemical inventory has not been submitted accurately. Include the changes of the following chemicals in CERS: compressed NOS - 1520 cf; oxygen - 1066 cf; hydraulic fluid - 200 gal.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Evaluation:
Eval General Type: Other/Unknown
Eval Date: 08-24-2020
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Re-Inspection Inspector: Young RTC All Violation from 7/21/20 routine inspection
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 08-12-2013
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP

EXPERIENCED TRACTOR PARTS (Continued) **S113152837**

Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-02-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 07-17-2015
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-21-2020
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-22-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-05-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 10-21-2015
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

EXPERIENCED TRACTOR PARTS (Continued) **S113152837**

Enforcement Action:

Site ID:	177072
Site Name:	Experienced Tractor Parts
Site Address:	3443 NIKI WAY
Site City:	RIVERSIDE
Site Zip:	92507
Enf Action Date:	07-17-2015
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Fines/Penalties Assessed: $100.00. Administrative Citation.
Enf Action Division:	Riverside City Fire Department
Enf Action Program:	HMRRP
Enf Action Source:	CERS,

Site ID:	177072
Site Name:	Experienced Tractor Parts
Site Address:	3443 NIKI WAY
Site City:	RIVERSIDE
Site Zip:	92507
Enf Action Date:	07-22-2013
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Riverside City Fire Department
Enf Action Program:	HMRRP
Enf Action Source:	CERS,

Site ID:	177072
Site Name:	Experienced Tractor Parts
Site Address:	3443 NIKI WAY
Site City:	RIVERSIDE
Site Zip:	92507
Enf Action Date:	10-21-2015
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Fines/Penalties Assessed: $200.00. Administrative Citation.
Enf Action Division:	Riverside City Fire Department
Enf Action Program:	HMRRP
Enf Action Source:	CERS,

Coordinates:

Site ID:	177072
Facility Name:	Experienced Tractor Parts
Env Int Type Code:	HMBP
Program ID:	10511308
Coord Name:	Not reported
Ref Point Type Desc:	Center of a facility or station.,
Latitude:	33.980340
Longitude:	-117.343370

Affiliation:

Affiliation Type Desc:	Identification Signer
Entity Name:	Susan Kendrick
Entity Title:	President
Affiliation Address:	Not reported
Affiliation City:	Not reported

EXPERIENCED TRACTOR PARTS (Continued) **S113152837**

Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,
Affiliation Type Desc:	Legal Owner
Entity Name:	Charles Kendrick
Entity Title:	Not reported
Affiliation Address:	3443 Niki Way
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92507
Affiliation Phone:	(951) 787-1163,
Affiliation Type Desc:	Document Preparer
Entity Name:	Susan Kendrick
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,
Affiliation Type Desc:	Environmental Contact
Entity Name:	Charles Kendrick
Entity Title:	Not reported
Affiliation Address:	3443 Niki Way
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92507
Affiliation Phone:	,
Affiliation Type Desc:	Parent Corporation
Entity Name:	Experienced Tractor Parts
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,
Affiliation Type Desc:	Operator
Entity Name:	Charles Kendrick
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(951) 787-1163,
Affiliation Type Desc:	CUPA District
Entity Name:	Riverside Cnty Env Health

EXPERIENCED TRACTOR PARTS (Continued) **S113152837**

Entity Title:	Not reported
Affiliation Address:	4065 County Circle Drive, Room 104
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92503
Affiliation Phone:	(951) 358-5055,
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	3443 Niki Way
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92507
Affiliation Phone:	,

B38 **AT&T MOBILITY - RIVERSIDE EAST OVERLAY (USID12318)** **CERS HAZ WASTE** **S123538494**
NNW **3230 TRADE CENTER DR** **CERS** **N/A**
< 1/8 **RIVERSIDE, CA 92507**
0.053 mi.
282 ft. **Site 2 of 3 in cluster B**

Relative:
Lower

Actual:
952 ft.

CERS HAZ WASTE:

Name:	AT&T MOBILITY - RIVERSIDE EAST OVERLAY (USID12318)
Address:	3230 TRADE CENTER DR
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	8811
CERS ID:	10175913
CERS Description:	Hazardous Waste Generator

CERS:

Name:	AT&T MOBILITY - RIVERSIDE EAST OVERLAY (USID12318)
Address:	3230 TRADE CENTER DR
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	8811
CERS ID:	10175913
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	8811
Site Name:	AT&T Mobility - RIVERSIDE EAST OVERLAY (USID12318)
Violation Date:	03-23-2021
Citation:	HSC 6.95 25508(a)(3) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(3)
Violation Description:	Failure to establish and electronically submit an adequate emergency response plan and procedures for a release or threatened release of a hazardous material.
Violation Notes:	Returned to compliance on 06/02/2021. No Emergency Response Plan and Procedures have been completed. Complete the requirement and submit in CERS. Remove absorbent material (D-17) or have it available on site (G-17). Add fire extinguishers (G-12)
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

AT&T MOBILITY - RIVERSIDE EAST OVERLAY (USID12318) (Continued) **S123538494**

Evaluation:

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	08-28-2014
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	Riverside City Fire Department
Eval Program:	HMRRP
Eval Source:	CERS,

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	03-23-2021
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Inspector Z. Rehfeld
Eval Division:	Riverside City Fire Department
Eval Program:	HMRRP
Eval Source:	CERS,

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	12-04-2015
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	Riverside City Fire Department
Eval Program:	HMRRP
Eval Source:	CERS,

Eval General Type:	Other/Unknown
Eval Date:	06-03-2021
Violations Found:	No
Eval Type:	Other, not routine, done by local agency
Eval Notes:	Reinspection - Z. Rehfeld. All violations from 3/23/2021 routine inspection have been abated.
Eval Division:	Riverside City Fire Department
Eval Program:	HMRRP
Eval Source:	CERS,

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	12-17-2018
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	Riverside City Fire Department
Eval Program:	HMRRP
Eval Source:	CERS,

Coordinates:

Site ID:	8811
Facility Name:	AT&T Mobility - RIVERSIDE EAST OVERLAY (USID12318)
Env Int Type Code:	HWG
Program ID:	10175913
Coord Name:	Not reported
Ref Point Type Desc:	Center of a facility or station.,
Latitude:	33.983590
Longitude:	-117.346020

AT&T MOBILITY - RIVERSIDE EAST OVERLAY (USID12318) (Continued) **S123538494**

Affiliation:

Affiliation Type Desc:	Document Preparer
Entity Name:	Peter Burnell, Sigma Consultants, Inc.
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,

Affiliation Type Desc:	Identification Signer
Entity Name:	Jeremy McGrue
Entity Title:	National EPCRA Manager
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,

Affiliation Type Desc:	Operator
Entity Name:	AT&T Mobility
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(800) 566-9347,

Affiliation Type Desc:	CUPA District
Entity Name:	Riverside Cnty Env Health
Entity Title:	Not reported
Affiliation Address:	4065 County Circle Drive, Room 104
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92503
Affiliation Phone:	(951) 358-5055,

Affiliation Type Desc:	Environmental Contact
Entity Name:	AT&T EH&S Hotline - Option #1
Entity Title:	Not reported
Affiliation Address:	308 S. Akard St., 17th Floor
Affiliation City:	Dallas
Affiliation State:	TX
Affiliation Country:	Not reported
Affiliation Zip:	75202
Affiliation Phone:	,

Affiliation Type Desc:	Legal Owner
Entity Name:	New Cingular Wireless PCS, LLC dba AT&T Mobility
Entity Title:	Not reported
Affiliation Address:	308 S. Akard St., 17th Floor
Affiliation City:	Dallas
Affiliation State:	TX

AT&T MOBILITY - RIVERSIDE EAST OVERLAY (USID12318) (Continued) **S123538494**

Affiliation Country:	United States
Affiliation Zip:	75202
Affiliation Phone:	(214) 464-1712,
Affiliation Type Desc:	Parent Corporation
Entity Name:	AT&T Mobility
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	308 S. Akard St., 17th Floor
Affiliation City:	Dallas
Affiliation State:	TX
Affiliation Country:	Not reported
Affiliation Zip:	75202
Affiliation Phone:	,

B39 **AT&T MOBILITY** **RCRA NonGen / NLR** **1024857676**
NNW **3230 TRADE CENTER DR** **CAL000423245**
< 1/8 **RIVERSIDE, CA 92507**
0.053 mi.
282 ft. **Site 3 of 3 in cluster B**

Relative: **Lower**
Actual: **952 ft.**

RCRA Listings:

Date Form Received by Agency:		20161223
Handler Name:	AT&T MOBILITY	
Handler Address:		3230 TRADE CENTER DR
Handler City,State,Zip:		RIVERSIDE, CA 92507
EPA ID:		CAL000423245
Contact Name:		DERONICA LAMB
Contact Address:		308 S. AKARD ST ROOM 1700
Contact City,State,Zip:		DALLAS, TX 75202-0000
Contact Telephone:		214-741-0464
Contact Fax:		214-464-1424
Contact Email:		DR1429@ATT.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		308 S. AKARD ST. ROOM 1700
Mailing City,State,Zip:		DALLAS, TX 75202-0000
Owner Name:	NEW CINGULAR WIRELESS PCS, LLC	
Owner Type:		Other
Operator Name:	DERONICA LAMB	

AT&T MOBILITY (Continued) **1024857676**

Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20180907
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

AT&T MOBILITY (Continued) **1024857676**

Handler - Owner Operator:
Owner/Operator Indicator: Owner
Owner/Operator Name: NEW CINGULAR WIRELESS PCS, LLC
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 308 S. AKARD ST. ROOM 1700
Owner/Operator City,State,Zip: DALLAS, TX 75202-0000
Owner/Operator Telephone: 214-741-0464
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: DERONICA LAMB
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 308 S. AKARD ST ROOM 1700
Owner/Operator City,State,Zip: DALLAS, TX 75202-0000
Owner/Operator Telephone: 214-741-0464
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20161223
Handler Name: AT&T MOBILITY
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 56299
NAICS Description: ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

40
NE
< 1/8
0.054 mi.
284 ft.

PANEL JACKS LLC
1440 3RD ST #4
RIVERSIDE, CA 92507

RCRA NonGen / NLR

1026828959
CAL000463963

Relative:
Lower

Actual:
959 ft.

RCRA Listings:

Date Form Received by Agency:		20210713
Handler Name:	PANEL JACKS LLC	
Handler Address:		1440 3RD ST #4
Handler City,State,Zip:		RIVERSIDE, CA 92507
EPA ID:		CAL000463963
Contact Name:		ALEJANDRO DE ANDA
Contact Address:		16550 WINDCREST DR
Contact City,State,Zip:		FONTANA, CA 92337
Contact Telephone:		909-877-1418
Contact Fax:		Not reported
Contact Email:		PANELJACKSLLC@GMAIL.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		PO BOX 310551
Mailing City,State,Zip:		FONTANA, CA 92331
Owner Name:	PANEL JACKS LLC	
Owner Type:		Other
Operator Name:	ALEJANDRO DE ANDA	
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported

PANEL JACKS LLC (Continued) **1026828959**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20210812
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: ALEJANDRO DE ANDA	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	16550 WINDCREST DR
Owner/Operator City,State,Zip:	FONTANA, CA 92337
Owner/Operator Telephone:	909-877-1418
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: PANEL JACKS LLC	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	16550 WINDCREST DR
Owner/Operator City,State,Zip:	FONTANA, CA 92337
Owner/Operator Telephone:	951-823-9592
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

PANEL JACKS LLC (Continued) **1026828959**

Historic Generators:
Receive Date: 20210713
Handler Name: PANEL JACKS LLC
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

List of NAICS Codes and Descriptions:
NAICS Code: 811490
NAICS Description: OTHER PERSONAL AND HOUSEHOLD GOODS REPAIR AND MAINTENANCE

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

C41 **LINDEN BOOSTER STATION** **RCRA NonGen / NLR** **1025861580**
SSE **1450 WEST LINDEN STREET** **CAC003042261**
< 1/8 **RIVERSIDE, CA 92507**
0.056 mi.
296 ft. **Site 7 of 7 in cluster C**

Relative: **Higher**

Actual: **982 ft.**

RCRA Listings:
Date Form Received by Agency: 20191107
Handler Name: LINDEN BOOSTER STATION
Handler Address: 1450 WEST LINDEN STREET
Handler City,State,Zip: RIVERSIDE, CA 92507
EPA ID: CAC003042261
Contact Name: JON COLON
Contact Address: 1450 WEST LINDEN STREET
Contact City,State,Zip: RIVERSIDE, CA 92507
Contact Telephone: 951-351-6409
Contact Fax: Not reported
Contact Email: KEILAH@ENVLOGS.COM
Contact Title: Not reported
EPA Region: 09
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: Not reported
State District: Not reported
Mailing Address: 1450 WEST LINDEN STREET
Mailing City,State,Zip: RIVERSIDE, CA 92507
Owner Name: RIVERSIDE PUBLIC WORKS

LINDEN BOOSTER STATION (Continued) **1025861580**

Owner Type:		Other
Operator Name:	JON COLON	
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported
Permit Workload Universe:		Not reported
Permit Progress Universe:		Not reported
Post-Closure Workload Universe:		Not reported
Closure Workload Universe:		Not reported
202 GPRA Corrective Action Baseline:		No
Corrective Action Workload Universe:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:		No
TSDFs Only Subject to CA under Discretionary Auth Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Operating TSDF Universe:		Not reported
Full Enforcement Universe:		Not reported
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:	Not reported	
Handler Date of Last Change:		20191108
Recognized Trader-Importer:		No
Recognized Trader-Exporter:		No
Importer of Spent Lead Acid Batteries:		No
Exporter of Spent Lead Acid Batteries:		No
Recycler Activity Without Storage:		No
Manifest Broker:		No

LINDEN BOOSTER STATION (Continued) **1025861580**

Sub-Part P Indicator: No

Handler - Owner Operator:
Owner/Operator Indicator: Operator
Owner/Operator Name: JON COLON
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 1450 WEST LINDEN STREET
Owner/Operator City,State,Zip: RIVERSIDE, CA 92507
Owner/Operator Telephone: 951-351-6409
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: RIVERSIDE PUBLIC WORKS
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 1450 WEST LINDEN STREET
Owner/Operator City,State,Zip: RIVERSIDE, CA 92507
Owner/Operator Telephone: 951-351-6409
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20191107
Handler Name: LINDEN BOOSTER STATION
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 56299
NAICS Description: ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

42
East
< 1/8
0.057 mi.
300 ft.

WILSON PROPERTY SERVICES, INC.
1410 3RD ST
RIVERSIDE, CA 92507

RCRA NonGen / NLR

1027078448
CAC003150342

Relative:
Higher

Actual:
964 ft.

RCRA Listings:

Date Form Received by Agency:		20211129
Handler Name:	WILSON PROPERTY SERVICES, INC.	
Handler Address:		1410 3RD ST
Handler City,State,Zip:		RIVERSIDE, CA 92507
EPA ID:		CAC003150342
Contact Name:		TODD PETERSON
Contact Address:		11860 MAGNOLIA AVE
Contact City,State,Zip:		RIVERSIDE, CA 92372
Contact Telephone:		951-689-2301
Contact Fax:		Not reported
Contact Email:		TPETERSON@WILSONPS.NET
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		11860 MAGNOLIA AVE
Mailing City,State,Zip:		RIVERSIDE, CA 92372
Owner Name:	WILSON PROPERTY SERVICES, INC.	
Owner Type:		Other
Operator Name:	TODD PETERSON	
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported

WILSON PROPERTY SERVICES, INC. (Continued) **1027078448**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20211129
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: WILSON PROPERTY SERVICES, INC.	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	11860 MAGNOLIA AVE
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92372
Owner/Operator Telephone:	951-689-2301
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name: TODD PETERSON	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	11860 MAGNOLIA AVE
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92372
Owner/Operator Telephone:	951-689-2301
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

WILSON PROPERTY SERVICES, INC. (Continued) **1027078448**

Historic Generators:
- Receive Date: 20211129
- Handler Name: WILSON PROPERTY SERVICES, INC.
- Federal Waste Generator Description: Not a generator, verified
- State District Owner: Not reported
- Large Quantity Handler of Universal Waste: No
- Recognized Trader Importer: No
- Recognized Trader Exporter: No
- Spent Lead Acid Battery Importer: No
- Spent Lead Acid Battery Exporter: No
- Current Record: Yes
- Non Storage Recycler Activity: No
- Electronic Manifest Broker: No

List of NAICS Codes and Descriptions:
- NAICS Code: 56299
- NAICS Description: ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:
- Violations: No Violations Found

Evaluation Action Summary:
- Evaluations: No Evaluations Found

43
North
< 1/8
0.062 mi.
329 ft.

WALKER EVANS ENTERPRISES **RCRA NonGen / NLR** **1026492937**
3240 TRADE CENTER DR **CAL000457739**
RIVERSIDE, CA 92507

Relative:
Lower

Actual:
945 ft.

RCRA Listings:
- Date Form Received by Agency: 20201027
- Handler Name: WALKER EVANS ENTERPRISES
- Handler Address: 3240 TRADE CENTER DR
- Handler City,State,Zip: RIVERSIDE, CA 92507
- EPA ID: CAL000457739
- Contact Name: JOHN SEARLE
- Contact Address: 3240 TRADE CENTER DR
- Contact City,State,Zip: RIVERSIDE, CA 92507
- Contact Telephone: 951-784-7223
- Contact Fax: 951-788-1738
- Contact Email: JOHN@WALKEREVANSENT.COM
- Contact Title: Not reported
- EPA Region: 09
- Land Type: Not reported
- Federal Waste Generator Description: Not a generator, verified
- Non-Notifier: Not reported
- Biennial Report Cycle: Not reported
- Accessibility: Not reported
- Active Site Indicator: Not reported
- State District Owner: Not reported
- State District: Not reported
- Mailing Address: PO BOX 2469
- Mailing City,State,Zip: RIVERSIDE, CA 92516
- Owner Name: WALKER EVANS ENTERPRISES

WALKER EVANS ENTERPRISES (Continued) **1026492937**

Owner Type:		Other
Operator Name:	JOHN SEARLE	
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported
Permit Workload Universe:		Not reported
Permit Progress Universe:		Not reported
Post-Closure Workload Universe:		Not reported
Closure Workload Universe:		Not reported
202 GPRA Corrective Action Baseline:		No
Corrective Action Workload Universe:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:		No
TSDFs Only Subject to CA under Discretionary Auth Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Operating TSDF Universe:		Not reported
Full Enforcement Universe:		Not reported
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:	Not reported	
Handler Date of Last Change:		20201106
Recognized Trader-Importer:		No
Recognized Trader-Exporter:		No
Importer of Spent Lead Acid Batteries:		No
Exporter of Spent Lead Acid Batteries:		No
Recycler Activity Without Storage:		No
Manifest Broker:		No

WALKER EVANS ENTERPRISES (Continued) **1026492937**

Sub-Part P Indicator: No

Handler - Owner Operator:
Owner/Operator Indicator: Owner
Owner/Operator Name: WALKER EVANS ENTERPRISES
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: PO BOX 2469
Owner/Operator City,State,Zip: RIVERSIDE, CA 92516
Owner/Operator Telephone: 951-784-7223
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: JOHN SEARLE
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 3240 TRADE CENTER DR
Owner/Operator City,State,Zip: RIVERSIDE, CA 92507
Owner/Operator Telephone: 951-784-7223
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20201027
Handler Name: WALKER EVANS ENTERPRISES
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 56299
NAICS Description: ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

H44 **METRIC MACHINING INC** **RCRA NonGen / NLR** **1024853456**
NNW **3263 TRADE CENTER DR** **CAL000413262**
< 1/8 **RIVERSIDE, CA 92507**
0.068 mi.
360 ft. **Site 1 of 2 in cluster H**

Relative: **Lower**

Actual: **947 ft.**

RCRA Listings:

Date Form Received by Agency:		20151217
Handler Name:	METRIC MACHINING INC	
Handler Address:		3263 TRADE CENTER DR
Handler City,State,Zip:		RIVERSIDE, CA 92507
EPA ID:		CAL000413262
Contact Name:		DRAKE ARCHER
Contact Address:		3263 TRADE CENTER DR
Contact City,State,Zip:		RIVERSIDE, CA 92507
Contact Telephone:		909-947-9222
Contact Fax:		909-923-1796
Contact Email:		DARCHER@METRICORP.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		3263 TRADE CENTER DR
Mailing City,State,Zip:		RIVERSIDE, CA 92507
Owner Name:	METRIC MACHINING INC	
Owner Type:		Other
Operator Name:	DRAKE ARCHER	
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		Yes
Universal Waste Destination Facility:		Yes
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported

METRIC MACHINING INC (Continued) **1024853456**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20180906
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: DRAKE ARCHER	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	3263 TRADE CENTER DR
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507
Owner/Operator Telephone:	909-947-9222
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: METRIC MACHINING INC	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	3263 TRADE CENTER DR
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507
Owner/Operator Telephone:	909-947-9222
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

METRIC MACHINING INC (Continued) **1024853456**

Historic Generators:
Receive Date: 20151217
Handler Name: METRIC MACHINING INC
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 332721
NAICS Description: PRECISION TURNED PRODUCT MANUFACTURING

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

H45 **METRIC MACHINING INC** **CERS HAZ WASTE** **S119086158**
NNW **3263 TRADE CENTER DR** **CERS TANKS** **N/A**
< 1/8 **RIVERSIDE, CA 92507** **HAZNET**
0.068 mi. **NPDES**
360 ft. **Site 2 of 2 in cluster H** **CIWQS**
CERS
Relative: **HWTS**
Lower

Actual: CERS HAZ WASTE:
947 ft.
Name: METRIC MACHINING
Address: 3263 TRADE CENTER DR
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 408762
CERS ID: 10707010
CERS Description: Hazardous Waste Generator

CERS TANKS:
Name: METRIC MACHINING
Address: 3263 TRADE CENTER DR
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 408762
CERS ID: 10707010
CERS Description: Aboveground Petroleum Storage

HAZNET:
Name: METRIC MACHINING INC
Address: 3263 TRADE CENTER DR
Address 2: Not reported
City,State,Zip: RIVERSIDE, CA 92507
Contact: DRAKE ARCHER

METRIC MACHINING INC (Continued) **S119086158**

Telephone: 9099479222
Mailing Name: Not reported
Mailing Address: 3263 TRADE CENTER DR

Year: 2021
Gepaid: CAL000413262
TSD EPA ID: AZR000520478
CA Waste Code: 223 - Unspecified oil-containing waste
Disposal Method: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 27.11009

Year: 2021
Gepaid: CAL000413262
TSD EPA ID: AZR000520478
CA Waste Code: 141 - Off-specification, aged or surplus inorganics
Disposal Method: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 0.12927

Year: 2021
Gepaid: CAL000413262
TSD EPA ID: AZR000520478
CA Waste Code: 352 - Other organic solids
Disposal Method: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 0.975

Year: 2021
Gepaid: CAL000413262
TSD EPA ID: AZR000520478
CA Waste Code: 133 - Aqueous solution with total organic residues 10 percent or more
Disposal Method: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 12.66472

Year: 2021
Gepaid: CAL000413262
TSD EPA ID: CAD008252405
CA Waste Code: 212 - Oxygenated solvents (acetone, butanol, ethyl acetate, etc.)
Disposal Method: H061 - Fuel Blending Prior To Energy Recovery At Another Site
Tons: 0.0825

Year: 2021
Gepaid: CAL000413262
TSD EPA ID: CAD028409019
CA Waste Code: 791 - Liquids with pH <= 2
Disposal Method: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 0.06255

Year: 2020
Gepaid: CAL000413262
TSD EPA ID: AZR000520304
CA Waste Code: 223 - Unspecified oil-containing waste
Disposal Method: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)

METRIC MACHINING INC (Continued) **S119086158**

Tons:	7.21331
Year:	2019
Gepaid:	CAL000413262
TSD EPA ID:	AZR000520304
CA Waste Code:	223 - Unspecified oil-containing waste
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	6.88050
Year:	2018
Gepaid:	CAL000413262
TSD EPA ID:	AZR000520304
CA Waste Code:	352 - Other organic solids
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.30000
Year:	2018
Gepaid:	CAL000413262
TSD EPA ID:	AZR000520304
CA Waste Code:	223 - Unspecified oil-containing waste
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	3.29350

Click this hyperlink while viewing on your computer to access
11 additional CA HAZNET: record(s) in the EDR Site Report.

Detail Two:

Year:	2018
EM Manifest ID:	009881494FLE20180503_D_1
Shipment Date:	5/3/2018
Receipt Date:	5/5/2018
Manifest Number:	009881494FLE
Generator EPA ID:	CAL000413262
Name:	METRIC MACHINING
Address:	Not reported
Address 2:	Not reported
City:	Not reported
Zip:	Not reported
Telephone:	Not reported
Contact:	Not reported
Contact Telephone:	Not reported
Transporter 1 EPA ID:	CAD981450349
Transporter 1 Emergency Number:	Not reported
Transporter 2 EPA ID:	CAD980585293
Transporter 2 Emergency Number:	Not reported
TSDF EPA ID:	AZR000520304
TSDF Name:	AA SYDCOL LLC
TSDF Address 1:	Not reported
TSDF Address 2:	Not reported
TSDF City:	Not reported
TSDF Zip:	Not reported
TSDF Telephone:	Not reported

METRIC MACHINING INC (Continued) **S119086158**

State:

Year:	2018
EM Manifest ID:	009881494FLE20180503_D_1
Generator EPA ID:	CAL000413262
Shipment Date:	2018-05-03
Manifest Number:	009881494FLE
Line Number:	1
Method Code:	H141
Quantity Tons:	0.30000
Quantity Waste:	600.000000
Quantity Unit:	P
Number of Containers:	5
Type of Container:	NULL
Quantity Type:	NULL
State Code:	352

Year:	2018
EM Manifest ID:	009881478FLE20171023_D_1
Shipment Date:	10/23/2017
Receipt Date:	10/25/2017
Manifest Number:	009881478FLE
Generator EPA ID:	CAL000413262
Name:	METRIC MACHINING
Address:	Not reported
Address 2:	Not reported
City:	Not reported
Zip:	Not reported
Telephone:	Not reported
Contact:	Not reported
Contact Telephone:	Not reported
Transporter 1 EPA ID:	CAD981450349
Transporter 1 Emergency Number:	Not reported
Transporter 2 EPA ID:	CAD980585293
Transporter 2 Emergency Number:	Not reported
TSDF EPA ID:	AZR000501510
TSDF Name:	AA SYDCOL LLC
TSDF Address 1:	Not reported
TSDF Address 2:	Not reported
TSDF City:	Not reported
TSDF Zip:	Not reported
TSDF Telephone:	Not reported

State:

Year:	2018
EM Manifest ID:	009881478FLE20171023_D_1
Generator EPA ID:	CAL000413262
Shipment Date:	2017-10-23
Manifest Number:	009881478FLE
Line Number:	1
Method Code:	H141
Quantity Tons:	0.30000
Quantity Waste:	600.000000
Quantity Unit:	P
Number of Containers:	3
Type of Container:	NULL
Quantity Type:	NULL

METRIC MACHINING INC (Continued) **S119086158**

State Code: 352

Year: 2018
EM Manifest ID: 009881484FLE20180104_D_1
Shipment Date: 1/4/2018
Receipt Date: 1/8/2018
Manifest Number: 009881484FLE
Generator EPA ID: CAL000413262
Name: METRIC MACHINING
Address: Not reported
Address 2: Not reported
City: Not reported
Zip: Not reported
Telephone: Not reported
Contact: Not reported
Contact Telephone: Not reported
Transporter 1 EPA ID: CAD981450349
Transporter 1 Emergency Number: Not reported
Transporter 2 EPA ID: CAD980585293
Transporter 2 Emergency Number: Not reported
TSDF EPA ID: AZR000501510
TSDF Name: AA SYDCOL LLC
TSDF Address 1: Not reported
TSDF Address 2: Not reported
TSDF City: Not reported
TSDF Zip: Not reported
TSDF Telephone: Not reported

State:
Year: 2018
EM Manifest ID: 009881484FLE20180104_D_1
Generator EPA ID: CAL000413262
Shipment Date: 2018-01-04
Manifest Number: 009881484FLE
Line Number: 1
Method Code: H141
Quantity Tons: 0.50000
Quantity Waste: 1000.000000
Quantity Unit: P
Number of Containers: 6
Type of Container: NULL
Quantity Type: NULL
State Code: 352

Additional Info:
Year: 2017
Gen EPA ID: CAL000413262

Shipment Date: 20171023
Creation Date: 7/11/2018 18:32:18
Receipt Date: 20171025
Manifest ID: 009881478FLE
Trans EPA ID: CAD981450349
Trans Name: JACK ENGLE AND CO DBA ENGLE ENVIRONMENTAL SERVICES
Trans 2 EPA ID: CAD980585293

METRIC MACHINING INC (Continued) **S119086158**

Trans 2 Name:	INDUSTRIAL WASTE UTILIZATION
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.3
Waste Quantity:	600
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

NPDES:

Name:	METRIC MACHINING
Address:	3263 TRADE CENTER DR
City,State,Zip:	RIVERSIDE, CA 92507
Facility Status:	Active
NPDES Number:	CAS000001
Region:	8
Agency Number:	0
Regulatory Measure ID:	477366
Place ID:	Not reported
Order Number:	97-03-DWQ
WDID:	8 33NEC002446
Regulatory Measure Type:	Enrollee
Program Type:	Industrial
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	08/31/2016
Termination Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Discharge Address:	3263 Trade Center Dr
Discharge Name:	Metric Machining
Discharge City:	Riverside
Discharge State:	California
Discharge Zip:	92507
Status:	Not reported
Status Date:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported

NPDES as of 03/2018:

NPDES Number:	Not reported
Status:	Not reported
Agency Number:	Not reported
Region:	8
Regulatory Measure ID:	477366
Order Number:	Not reported
Regulatory Measure Type:	Industrial

METRIC MACHINING INC (Continued) **S119086158**

Place ID:	Not reported
WDID:	8 33NEC002446
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Discharge Name:	Not reported
Discharge Address:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Received Date:	08/24/2016
Processed Date:	08/31/2016
Status:	Active
Status Date:	08/31/2016
Place Size:	32884
Place Size Unit:	SqFt
Contact:	William Stahlke
Contact Title:	Not reported
Contact Phone:	909-947-9222
Contact Phone Ext:	Not reported
Contact Email:	bstahlke@metricorp.com
Operator Name:	Metric Machining
Operator Address:	3263 Trade Center Dr
Operator City:	Riverside
Operator State:	California
Operator Zip:	92507
Operator Contact:	William Stahlke
Operator Contact Title:	Not reported
Operator Contact Phone:	909-947-9222
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	bstahlke@metricorp.com
Operator Type:	Private Business
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	California
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commertial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported

METRIC MACHINING INC (Continued) **S119086158**

Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	Not reported
Receiving Water Name:	Not reported
Certifier:	William Stahlke
Certifier Title:	Director of Engineering
Certification Date:	24-AUG-16
Primary Sic:	3451-Screw Machine Products
Secondary Sic:	Not reported
Tertiary Sic:	Not reported
NPDES Number:	CAS000001
Status:	Active
Agency Number:	0
Region:	8
Regulatory Measure ID:	477366
Order Number:	97-03-DWQ
Regulatory Measure Type:	Enrollee
Place ID:	Not reported
WDID:	8 33NEC002446
Program Type:	Industrial
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	08/31/2016
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Discharge Name:	Metric Machining
Discharge Address:	3263 Trade Center Dr
Discharge City:	Riverside
Discharge State:	California
Discharge Zip:	92507
Received Date:	Not reported
Processed Date:	Not reported
Status:	Not reported
Status Date:	Not reported
Place Size:	Not reported
Place Size Unit:	Not reported
Contact:	Not reported
Contact Title:	Not reported
Contact Phone:	Not reported
Contact Phone Ext:	Not reported
Contact Email:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported
Operator Contact:	Not reported
Operator Contact Title:	Not reported
Operator Contact Phone:	Not reported
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	Not reported
Operator Type:	Not reported
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	Not reported

METRIC MACHINING INC (Continued) **S119086158**

Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commertial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	Not reported
Receiving Water Name:	Not reported
Certifier:	Not reported
Certifier Title:	Not reported
Certification Date:	Not reported
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported

Name:	METRIC MACHINING
Address:	3263 TRADE CENTER DR
City,State,Zip:	RIVERSIDE, CA 92507
Facility Status:	Not reported
NPDES Number:	Not reported
Region:	Not reported
Agency Number:	Not reported
Regulatory Measure ID:	Not reported
Place ID:	Not reported
Order Number:	Not reported
WDID:	8 33NEC002446
Regulatory Measure Type:	Industrial
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Discharge Address:	Not reported
Discharge Name:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Status:	Active
Status Date:	08/31/2016
Operator Name:	Metric Machining

METRIC MACHINING INC (Continued) **S119086158**

Operator Address:	3263 Trade Center Dr
Operator City:	Riverside
Operator State:	California
Operator Zip:	92507

NPDES as of 03/2018:

NPDES Number:	Not reported
Status:	Not reported
Agency Number:	Not reported
Region:	8
Regulatory Measure ID:	477366
Order Number:	Not reported
Regulatory Measure Type:	Industrial
Place ID:	Not reported
WDID:	8 33NEC002446
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Discharge Name:	Not reported
Discharge Address:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Received Date:	08/24/2016
Processed Date:	08/31/2016
Status:	Active
Status Date:	08/31/2016
Place Size:	32884
Place Size Unit:	SqFt
Contact:	William Stahlke
Contact Title:	Not reported
Contact Phone:	909-947-9222
Contact Phone Ext:	Not reported
Contact Email:	bstahlke@metricorp.com
Operator Name:	Metric Machining
Operator Address:	3263 Trade Center Dr
Operator City:	Riverside
Operator State:	California
Operator Zip:	92507
Operator Contact:	William Stahlke
Operator Contact Title:	Not reported
Operator Contact Phone:	909-947-9222
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	bstahlke@metricorp.com
Operator Type:	Private Business
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	California
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported

METRIC MACHINING INC (Continued) **S119086158**

Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commertial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	Not reported
Receiving Water Name:	Not reported
Certifier:	William Stahlke
Certifier Title:	Director of Engineering
Certification Date:	24-AUG-16
Primary Sic:	3451-Screw Machine Products
Secondary Sic:	Not reported
Tertiary Sic:	Not reported
NPDES Number:	CAS000001
Status:	Active
Agency Number:	0
Region:	8
Regulatory Measure ID:	477366
Order Number:	97-03-DWQ
Regulatory Measure Type:	Enrollee
Place ID:	Not reported
WDID:	8 33NEC002446
Program Type:	Industrial
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	08/31/2016
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Discharge Name:	Metric Machining
Discharge Address:	3263 Trade Center Dr
Discharge City:	Riverside
Discharge State:	California
Discharge Zip:	92507
Received Date:	Not reported
Processed Date:	Not reported
Status:	Not reported
Status Date:	Not reported
Place Size:	Not reported
Place Size Unit:	Not reported
Contact:	Not reported
Contact Title:	Not reported
Contact Phone:	Not reported
Contact Phone Ext:	Not reported
Contact Email:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported

METRIC MACHINING INC (Continued) **S119086158**

Operator State:	Not reported
Operator Zip:	Not reported
Operator Contact:	Not reported
Operator Contact Title:	Not reported
Operator Contact Phone:	Not reported
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	Not reported
Operator Type:	Not reported
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	Not reported
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commertial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	Not reported
Receiving Water Name:	Not reported
Certifier:	Not reported
Certifier Title:	Not reported
Certification Date:	Not reported
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported

CIWQS:

Name:	METRIC MACHINING
Address:	3263 TRADE CENTER DR
City,State,Zip:	RIVERSIDE, CA 92507
Agency:	Metric Machining
Agency Address:	3263 Trade Center Dr, Riverside, CA 92507
Place/Project Type:	Industrial - Screw Machine Products
SIC/NAICS:	3451
Region:	8
Program:	INDSTW
Regulatory Measure Status:	Active
Regulatory Measure Type:	Storm water industrial
Order Number:	2014-0057-DWQ

METRIC MACHINING INC (Continued) **S119086158**

WDID:	8 33NEC002446
NPDES Number:	CAS000001
Adoption Date:	Not reported
Effective Date:	08/31/2016
Termination Date:	Not reported
Expiration/Review Date:	Not reported
Design Flow:	Not reported
Major/Minor:	Not reported
Complexity:	Not reported
TTWQ:	Not reported
Enforcement Actions within 5 years:	0
Violations within 5 years:	0
Latitude:	33.9839
Longitude:	-117.34677

CERS:

Name:	METRIC MACHINING
Address:	3263 TRADE CENTER DR
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	408762
CERS ID:	849311
CERS Description:	Industrial Facility Storm Water

Violations:

Site ID:	408762
Site Name:	Metric Machining
Violation Date:	11-19-2018
Citation:	HSC 6.95 25505(a)(4) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(a)(4)
Violation Description:	Failure to provide initial and annual training to all employees in safety procedures in the event of a release or threatened release of a hazardous material or failure to document and maintain training records for a minimum of three years.
Violation Notes:	Returned to compliance on 12/19/2018. No training records were available for review. To provide documentation on training being conducted for the past 3 years.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	408762
Site Name:	Metric Machining
Violation Date:	11-19-2018
Citation:	Un-Specified
Violation Description:	Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes:	Returned to compliance on 12/19/2018. No emergency contact information was found to be posted. To pot the required emergency contact information.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	408762
Site Name:	Metric Machining
Violation Date:	11-19-2018
Citation:	HSC 6.67 25270.4.5 (a) - California Health and Safety Code, Chapter

METRIC MACHINING INC (Continued) **S119086158**

6.67, Section(s) 25270.4.5 (a)
Violation Description: Failure to include in the SPCC plan an adequate description of employee training. Training shall address, at a minimum: operation and maintenance of equipment to prevent discharges; discharge procedure protocols; applicable pollution control laws, rules, and regulations; general facility operations; content of the facility SPCC plan; and annual discharge prevention briefings for oil-handling personnel to assure adequate understanding of the SPCC plan.
Violation Notes: Returned to compliance on 12/19/2018. Failed to conduct annual discharge prevention briefings to ensure understanding of SPCC plan. (40 CFR 112.7(f)(3).) HSC 25270.4.5(a)
Violation Division: Riverside City Fire Department
Violation Program: APSA
Violation Source: CERS,

Site ID: 408762
Site Name: Metric Machining
Violation Date: 11-19-2018
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to establish and electronically submit an adequate training program in safety procedures in the event of a release or threatened release of a hazardous material.
Violation Notes: Returned to compliance on 12/19/2018. Training programs has not been completed. To submit the required training program requirement in the CERS portals.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 408762
Site Name: Metric Machining
Violation Date: 11-19-2018
Citation: HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description: Failure to provide general secondary containment or failure to fulfill alternative requirements to general secondary containment for oil-filled operational equipment.
Violation Notes: Returned to compliance on 12/19/2018. (For oil-filled operational equipment) Failed to provide general secondary containment or fulfill alternative requirements to general secondary containment. (40 CFR 112.7 (k).) HSC 25270.4.5(a)
Violation Division: Riverside City Fire Department
Violation Program: APSA
Violation Source: CERS,

Site ID: 408762
Site Name: Metric Machining
Violation Date: 11-19-2018
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: Returned to compliance on 12/19/2018. The chemical inventory has not been submitted accurately.
Violation Division: Riverside City Fire Department

METRIC MACHINING INC (Continued) **S119086158**

Violation Program: HMRRP
Violation Source: CERS,

Site ID: 408762
Site Name: Metric Machining
Violation Date: 11-19-2018
Citation: Un-Specified
Violation Description: Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes: Returned to compliance on 12/19/2018. No NFPA is posted. To provide the required NFPA 704 signage in the following locations: front of business/ rear of business/hazmat area/ on stationary containers/aboveground tanks/entrances to locations where hazardous materials are stored, dispensed, used or handled. The exterior signage to represent all chemicals at the facility; and the interior signage is to represent the chemical areas.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 408762
Site Name: Metric Machining
Violation Date: 11-19-2018
Citation: HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description: Failure to comply with one or more of the following requirements: 1. Have record of inspections and integrity tests signed by the appropriate supervisor or inspector. 2. Keep written procedures and records of inspections and integrity tests for at least three years. 3. Keep comparison records.
Violation Notes: Returned to compliance on 12/19/2018. Failed to have record of inspections and integrity tests signed by the appropriate supervisor or inspector, keep written procedures and records of inspections and integrity tests for at east three years, and/or keep comparison records. (40 CFR 112.7(e), 112.8(c)(6).)HSC 25270.4.5(a)
Violation Division: Riverside City Fire Department
Violation Program: APSA
Violation Source: CERS,

Site ID: 408762
Site Name: Metric Machining
Violation Date: 11-19-2018
Citation: HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description: "Failure to test or inspect each aboveground container for integrity based on industry standards as discussed in the SPCC Plan: 1. On a regular schedule. 2. After making material repairs. 3. Use non-destructive testing. 4. Inspect each container s supports, foundations, and outside for signs of deterioration, discharges, or accumulation of oil inside diked areas."
Violation Notes: Returned to compliance on 12/19/2018. Failed to test or inspect each aboveground tank or container for integrity on a regular scheduled and after material repairs. (40 CFR 112.8(c)(6).) HSC 25270.4.5(a)
Violation Division: Riverside City Fire Department
Violation Program: APSA
Violation Source: CERS,

METRIC MACHINING INC (Continued) **S119086158**

Site ID: 408762
Site Name: Metric Machining
Violation Date: 11-19-2018
Citation: HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description: Failure to provide bulk storage containers with adequate secondary containment large enough to contain the entire capacity of the largest container plus additional capacity to contain precipitation when applicable, and/or failure to position/locate mobile or portable containers to prevent a discharge.
Violation Notes: Returned to compliance on 12/19/2018. (Qualified facility only - Tier 1) Failed to provide bulk storage containers/tanks with adequate sized secondary containment to contain the capacity of the largest container plus freeboard for precipitation; failed to position/locate mobile or portable containers to prevent a discharge. (40 CFR 112.6(a)(3)(ii).)HSC 255270.4.5(a)
Violation Division: Riverside City Fire Department
Violation Program: APSA
Violation Source: CERS,

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-26-2017
Violations Found: No
Eval Type: Industrial Storm Water Compliance Evaluation
Eval Notes: The facility is a machine shop located within an industrial building. Staff walked the site with site representative and found no evidence of exposure. All materials and wastes are stored within the building. Only clean wooden palletts were noted stored in the open.
Eval Division: Water Boards
Eval Program: INDSTW
Eval Source: SMARTS,

Eval General Type: Other/Unknown
Eval Date: 04-28-2020
Violations Found: No
Eval Type: Construction Storm Water Compliance Evaluation
Eval Notes: No exposure observed at site.
Eval Division: Water Boards
Eval Program: INDSTW
Eval Source: SMARTS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-15-2021
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-08-2021
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department

METRIC MACHINING INC (Continued) **S119086158**

Eval Program: APSA
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-19-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-19-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: APSA
Eval Source: CERS,

Coordinates:
Site ID: 408762
Facility Name: Metric Machining
Env Int Type Code: HMBP
Program ID: 10707010
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.,
Latitude: 33.983900
Longitude: -117.346770

Affiliation:
Affiliation Type Desc: CUPA District
Entity Name: Riverside Cnty Env Health
Entity Title: Not reported
Affiliation Address: 4065 County Circle Drive, Room 104
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92503
Affiliation Phone: (951) 358-5055,

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 3263 Trade Center Dr
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92507
Affiliation Phone: ,

Affiliation Type Desc: Operator
Entity Name: David Parker/Owner
Entity Title: Not reported
Affiliation Address: Not reported

METRIC MACHINING INC (Continued) **S119086158**

Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(909) 947-9222,
Affiliation Type Desc:	Owner/Operator
Entity Name:	Metric Machining
Entity Title:	Operator
Affiliation Address:	3263 Trade Center Dr
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92507
Affiliation Phone:	,
Affiliation Type Desc:	Parent Corporation
Entity Name:	METRIC MACHINING
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,
Affiliation Type Desc:	Identification Signer
Entity Name:	Drake Archer
Entity Title:	President
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,
Affiliation Type Desc:	Legal Owner
Entity Name:	David Parker/ESOP
Entity Title:	Not reported
Affiliation Address:	3263 Trade Center Dr
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92507
Affiliation Phone:	(909) 947-9222,
Affiliation Type Desc:	Document Preparer
Entity Name:	Alex Aguirre (Frog Environmental)
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,
Affiliation Type Desc:	Environmental Contact

METRIC MACHINING INC (Continued) **S119086158**

Entity Name: Drake Archer
Entity Title: Not reported
Affiliation Address: 3263 Trade Center Dr
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92507
Affiliation Phone: ,

Name: METRIC MACHINING
Address: 3263 TRADE CENTER DR
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 408762
CERS ID: 10707010
CERS Description: Chemical Storage Facilities

Violations:

Site ID: 408762
Site Name: Metric Machining
Violation Date: 11-19-2018
Citation: HSC 6.95 25505(a)(4) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(a)(4)
Violation Description: Failure to provide initial and annual training to all employees in safety procedures in the event of a release or threatened release of a hazardous material or failure to document and maintain training records for a minimum of three years.
Violation Notes: Returned to compliance on 12/19/2018. No training records were available for review. To provide documentation on training being conducted for the past 3 years.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 408762
Site Name: Metric Machining
Violation Date: 11-19-2018
Citation: Un-Specified
Violation Description: Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes: Returned to compliance on 12/19/2018. No emergency contact information was found to be posted. To pot the required emergency contact information.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 408762
Site Name: Metric Machining
Violation Date: 11-19-2018
Citation: HSC 6.67 25270.4.5 (a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5 (a)
Violation Description: Failure to include in the SPCC plan an adequate description of employee training. Training shall address, at a minimum: operation and maintenance of equipment to prevent discharges; discharge procedure protocols; applicable pollution control laws, rules, and regulations; general facility operations; content of the facility SPCC plan; and annual discharge prevention briefings for oil-handling personnel to

METRIC MACHINING INC (Continued) **S119086158**

	assure adequate understanding of the SPCC plan.
Violation Notes:	Returned to compliance on 12/19/2018. Failed to conduct annual discharge prevention briefings to ensure understanding of SPCC plan. (40 CFR 112.7(f)(3).) HSC 25270.4.5(a)
Violation Division:	Riverside City Fire Department
Violation Program:	APSA
Violation Source:	CERS,
Site ID:	408762
Site Name:	Metric Machining
Violation Date:	11-19-2018
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to establish and electronically submit an adequate training program in safety procedures in the event of a release or threatened release of a hazardous material.
Violation Notes:	Returned to compliance on 12/19/2018. Training programs has not been completed. To submit the required training program requirement in the CERS portals.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	408762
Site Name:	Metric Machining
Violation Date:	11-19-2018
Citation:	HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description:	Failure to provide general secondary containment or failure to fulfill alternative requirements to general secondary containment for oil-filled operational equipment.
Violation Notes:	Returned to compliance on 12/19/2018. (For oil-filled operational equipment) Failed to provide general secondary containment or fulfill alternative requirements to general secondary containment. (40 CFR 112.7 (k).) HSC 25270.4.5(a)
Violation Division:	Riverside City Fire Department
Violation Program:	APSA
Violation Source:	CERS,
Site ID:	408762
Site Name:	Metric Machining
Violation Date:	11-19-2018
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes:	Returned to compliance on 12/19/2018. The chemical inventory has not been submitted accurately.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	408762
Site Name:	Metric Machining
Violation Date:	11-19-2018
Citation:	Un-Specified

METRIC MACHINING INC (Continued) **S119086158**

Violation Description:	Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes:	Returned to compliance on 12/19/2018. No NFPA is posted. To provide the required NFPA 704 signage in the following locations: front of business/ rear of business/hazmat area/ on stationary containers/aboveground tanks/entrances to locations where hazardous materials are stored, dispensed, used or handled. The exterior signage to represent all chemicals at the facility; and the interior signage is to represent the chemical areas.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	408762
Site Name:	Metric Machining
Violation Date:	11-19-2018
Citation:	HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description:	Failure to comply with one or more of the following requirements: 1. Have record of inspections and integrity tests signed by the appropriate supervisor or inspector. 2. Keep written procedures and records of inspections and integrity tests for at least three years. 3. Keep comparison records.
Violation Notes:	Returned to compliance on 12/19/2018. Failed to have record of inspections and integrity tests signed by the appropriate supervisor or inspector, keep written procedures and records of inspections and integrity tests for at east three years, and/or keep comparison records. (40 CFR 112.7(e), 112.8(c)(6).)HSC 25270.4.5(a)
Violation Division:	Riverside City Fire Department
Violation Program:	APSA
Violation Source:	CERS,
Site ID:	408762
Site Name:	Metric Machining
Violation Date:	11-19-2018
Citation:	HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description:	"Failure to test or inspect each aboveground container for integrity based on industry standards as discussed in the SPCC Plan: 1. On a regular schedule. 2. After making material repairs. 3. Use non-destructive testing. 4. Inspect each container s supports, foundations, and outside for signs of deterioration, discharges, or accumulation of oil inside diked areas."
Violation Notes:	Returned to compliance on 12/19/2018. Failed to test or inspect each aboveground tank or container for integrity on a regular scheduled and after material repairs. (40 CFR 112.8(c)(6).) HSC 25270.4.5(a)
Violation Division:	Riverside City Fire Department
Violation Program:	APSA
Violation Source:	CERS,
Site ID:	408762
Site Name:	Metric Machining
Violation Date:	11-19-2018
Citation:	HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description:	Failure to provide bulk storage containers with adequate secondary containment large enough to contain the entire capacity of the largest

METRIC MACHINING INC (Continued) **S119086158**

container plus additional capacity to contain precipitation when applicable, and/or failure to position/locate mobile or portable containers to prevent a discharge.
Violation Notes: Returned to compliance on 12/19/2018. (Qualified facility only - Tier 1) Failed to provide bulk storage containers/tanks with adequate sized secondary containment to contain the capacity of the largest container plus freeboard for precipitation; failed to position/locate mobile or portable containers to prevent a discharge. (40 CFR 112.6(a)(3)(ii).)HSC 255270.4.5(a)
Violation Division: Riverside City Fire Department
Violation Program: APSA
Violation Source: CERS,

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-26-2017
Violations Found: No
Eval Type: Industrial Storm Water Compliance Evaluation
Eval Notes: The facility is a machine shop located within an industrial building. Staff walked the site with site representative and found no evidence of exposure. All materials and wastes are stored within the building. Only clean wooden palletts were noted stored in the open.
Eval Division: Water Boards
Eval Program: INDSTW
Eval Source: SMARTS,

Eval General Type: Other/Unknown
Eval Date: 04-28-2020
Violations Found: No
Eval Type: Construction Storm Water Compliance Evaluation
Eval Notes: No exposure observed at site.
Eval Division: Water Boards
Eval Program: INDSTW
Eval Source: SMARTS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-15-2021
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-08-2021
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: APSA
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-19-2018
Violations Found: Yes
Eval Type: Routine done by local agency

METRIC MACHINING INC (Continued) **S119086158**

Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-19-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: APSA
Eval Source: CERS,

Coordinates:
Site ID: 408762
Facility Name: Metric Machining
Env Int Type Code: HMBP
Program ID: 10707010
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.,
Latitude: 33.983900
Longitude: -117.346770

Affiliation:
Affiliation Type Desc: CUPA District
Entity Name: Riverside Cnty Env Health
Entity Title: Not reported
Affiliation Address: 4065 County Circle Drive, Room 104
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92503
Affiliation Phone: (951) 358-5055,

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 3263 Trade Center Dr
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92507
Affiliation Phone: ,

Affiliation Type Desc: Operator
Entity Name: David Parker/Owner
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (909) 947-9222,

Affiliation Type Desc: Owner/Operator

METRIC MACHINING INC (Continued) **S119086158**

Entity Name:	Metric Machining
Entity Title:	Operator
Affiliation Address:	3263 Trade Center Dr
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92507
Affiliation Phone:	,
Affiliation Type Desc:	Parent Corporation
Entity Name:	METRIC MACHINING
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,
Affiliation Type Desc:	Identification Signer
Entity Name:	Drake Archer
Entity Title:	President
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,
Affiliation Type Desc:	Legal Owner
Entity Name:	David Parker/ESOP
Entity Title:	Not reported
Affiliation Address:	3263 Trade Center Dr
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92507
Affiliation Phone:	(909) 947-9222,
Affiliation Type Desc:	Document Preparer
Entity Name:	Alex Aguirre (Frog Environmental)
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,
Affiliation Type Desc:	Environmental Contact
Entity Name:	Drake Archer
Entity Title:	Not reported
Affiliation Address:	3263 Trade Center Dr
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92507

METRIC MACHINING INC (Continued) **S119086158**

Affiliation Phone: ,

HWTS:

Name:	METRIC MACHINING INC
Address:	3263 TRADE CENTER DR
Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 92507
EPA ID:	CAL000413262
Inactive Date:	06/30/2021
Create Date:	12/17/2015
Last Act Date:	Not reported
Mailing Name:	Not reported
Mailing Address:	3263 TRADE CENTER DR
Mailing Address 2:	Not reported
Mailing City,State,Zip:	RIVERSIDE, CA 92507
Owner Name:	METRIC MACHINING INC
Owner Address:	3263 TRADE CENTER DR
Owner Address 2:	Not reported
Owner City,State,Zip:	RIVERSIDE, CA 92507
Contact Name:	DRAKE ARCHER
Contact Address:	3263 TRADE CENTER DR
Contact Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 92507
Facility Status:	Inactive
Facility Type:	PERMANENT
Category:	STATE
Latitude:	33.983928
Longitude:	-117.3467835

NAICS:

EPA ID:	CAL000413262
Create Date:	2015-12-17 10:42:36.657
NAICS Code:	332721
NAICS Description:	Precision Turned Product Manufacturing
Issued EPA ID Date:	2015-12-17 10:42:36.63000
Inactive Date:	Not reported
Facility Name:	METRIC MACHINING INC
Facility Address:	3263 TRADE CENTER DR
Facility Address 2:	Not reported
Facility City:	RIVERSIDE
Facility County:	Not reported
Facility State:	CA
Facility Zip:	92507

I46 **MB PRINT AND SILKSCREENING CO INC** **RCRA-SQG** **1001022997**
NW **3215 CHICAGO AVE STE A** **FINDS** **CAR000003483**
< 1/8 **RIVERSIDE, CA 92507** **ECHO**
0.068 mi.
360 ft. **Site 1 of 6 in cluster I**

Relative:
Lower

Actual:
939 ft.

RCRA Listings:

Date Form Received by Agency:	19950612
Handler Name:	MB PRINT AND SILKSCREENING CO INC
Handler Address:	3215 CHICAGO AVE STE A
Handler City,State,Zip:	RIVERSIDE, CA 92507
EPA ID:	CAR000003483

MB PRINT AND SILKSCREENING CO INC (Continued) **1001022997**

Contact Name:		BARRY MERRILL
Contact Address:		3215 CHICAGO AVE STE A
Contact City,State,Zip:		RIVERSIDE, CA 92507
Contact Telephone:		909-787-8191
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		09
Land Type:		Private
Federal Waste Generator Description:		Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		CHICAGO AVE STE A
Mailing City,State,Zip:		RIVERSIDE, CA 92507
Owner Name:	MICHELLE BLAKNEY	
Owner Type:		Private
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		NN
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported
Permit Workload Universe:		Not reported
Permit Progress Universe:		Not reported
Post-Closure Workload Universe:		Not reported
Closure Workload Universe:		Not reported
202 GPRA Corrective Action Baseline:		No
Corrective Action Workload Universe:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:		No
TSDFs Only Subject to CA under Discretionary Auth Universe:		No

MB PRINT AND SILKSCREENING CO INC (Continued) **1001022997**

Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20000915
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: MICHELLE BLAKNEY	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	16431 SINGLETREE LN
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92506
Owner/Operator Telephone:	909-780-7407
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	19950612
Handler Name: MB PRINT AND SILKSCREENING CO INC	
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Codes:	No NAICS Codes Found

Facility Has Received Notices of Violations:

Violations:	No Violations Found

MB PRINT AND SILKSCREENING CO INC (Continued) **1001022997**

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110002906507

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1001022997
Registry ID:	110002906507
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110002906507
Name:	MB PRINT AND SILKSCREENING CO INC
Address:	3215 CHICAGO AVE STE A
City,State,Zip:	RIVERSIDE, CA 92507

I47 **EDWARD S BABCOCK AND SONS INC** **HIST UST** **U001576500**
NW **3215 CHICAGO AVENUE** **N/A**
< 1/8 **RIVERSIDE, CA 92507**
0.068 mi.
360 ft. **Site 2 of 6 in cluster I**

Relative: **Lower**

Actual: **939 ft.**

HIST UST:

Name:	EDWARD S BABCOCK AND SONS INC
Address:	3215 CHICAGO AVENUE
City,State,Zip:	RIVERSIDE, CA 92507
File Number:	0001F983
URL:	http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0001F983.pdf
Region:	STATE
Facility ID:	00000032455
Facility Type:	Other
Other Type:	ANALYTICAL LABORATOR
Contact Name:	SHERMAN G. BABCOCK
Telephone:	7146841881
Owner Name:	SHERMAN AND DONNA BABCOCK
Owner Address:	3215 CHICAGO AVENUE
Owner City,St,Zip:	RIVERSIDE, CA 92507
Total Tanks:	0001
Tank Num:	001
Container Num:	1
Year Installed:	1964
Tank Capacity:	00001000
Tank Used for:	PRODUCT
Type of Fuel:	UNLEADED
Container Construction Thickness:	Not reported

EDWARD S BABCOCK AND SONS INC (Continued) **U001576500**

Leak Detection: None

Click here for Geo Tracker PDF:

I48 **AUTOTECH** **RCRA NonGen / NLR** **1024798856**
WNW **1735 THIRD ST** **CAL000206362**
< 1/8 **RIVERSIDE, CA 92507**
0.069 mi.
365 ft. **Site 3 of 6 in cluster I**

Relative: **Lower**
Actual: **938 ft.**

RCRA Listings:

Date Form Received by Agency:		20010413
Handler Name:	AUTOTECH	
Handler Address:		1735 THIRD ST
Handler City,State,Zip:		RIVERSIDE, CA 92507-0000
EPA ID:		CAL000206362
Contact Name:		DEBBIE CUMMINGS
Contact Address:		1735 THIRD ST
Contact City,State,Zip:		RIVERSIDE, CA 92507
Contact Telephone:		951-784-1090
Contact Fax:		951-784-4964
Contact Email:		AUTOTECHDEBBIE@LIVE.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		1735 THIRD ST
Mailing City,State,Zip:		RIVERSIDE, CA 92507-0000
Owner Name:	SOLORIO AUTOTECH INC	
Owner Type:		Other
Operator Name:	DEBBIE CUMMINGS	
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		Yes
Universal Waste Destination Facility:		Yes
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported

AUTOTECH (Continued) **1024798856**

Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20180905
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: DEBBIE CUMMINGS	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	1735 THIRD ST
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507
Owner/Operator Telephone:	951-784-1090
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: SOLORIO AUTOTECH INC	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	1735 THIRD ST
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507-0000

AUTOTECH (Continued) **1024798856**

Owner/Operator Telephone: 951-784-1090
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20010413
Handler Name: AUTOTECH
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 811111
NAICS Description: GENERAL AUTOMOTIVE REPAIR

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

I49 **RIVERSIDE AUTO RPR** **CERS HAZ WASTE** **S113014398**
WNW **1735 3RD ST** **HAZNET** **N/A**
< 1/8 **RIVERSIDE, CA 92507** **CERS**
0.069 mi. **HWTS**
365 ft. **Site 4 of 6 in cluster I**

Relative: **Lower**
Actual: **938 ft.**

CERS HAZ WASTE:
Name: AUTOTECH
Address: 1735 3RD ST #A
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 185614
CERS ID: 10511437
CERS Description: Hazardous Waste Generator

HAZNET:
Name: RIVERSIDE AUTO RPR
Address: 1735 3RD ST
Address 2: Not reported
City,State,Zip: RIVERSIDE, CA 925070000
Contact: MICHAEL HENDRIX
Telephone: 9096865070
Mailing Name: Not reported
Mailing Address: 5225 CANYON CREST DR # 71-432

Year: 1995

RIVERSIDE AUTO RPR (Continued) **S113014398**

Gepaid: CAD982324824
TSD EPA ID: CAD093459485
CA Waste Code: 214 - Unspecified solvent mixture
Disposal Method: H01 - Transfer Station
Tons: 0.018

Year: 1994
Gepaid: CAD982324824
TSD EPA ID: CAD050099696
CA Waste Code: 134 - Aqueous solution with total organic residues less than 10 percent
Disposal Method: R01 - Recycler
Tons: 0.231

Additional Info:
Year: 1995
Gen EPA ID: CAD982324824

Shipment Date: 19950501
Creation Date: 10/24/1995 0:00:00
Receipt Date: 19950510
Manifest ID: 95515602
Trans EPA ID: ILD984908202
Trans Name: Not reported
Trans 2 EPA ID: ILD984908202
Trans 2 Name: Not reported
TSDF EPA ID: CAD093459485
Trans Name: Not reported
TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported
Waste Code Description: 214 - Unspecified solvent mixture
RCRA Code: D039
Meth Code: H01 - Transfer Station
Quantity Tons: 0.018
Waste Quantity: 5
Quantity Unit: G
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

Additional Info:
Year: 1994
Gen EPA ID: CAD982324824

Shipment Date: 19940822
Creation Date: 3/26/1996 0:00:00
Receipt Date: 19940823
Manifest ID: 93587300
Trans EPA ID: CAD982403198
Trans Name: Not reported
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
TSDF EPA ID: CAD050099696

RIVERSIDE AUTO RPR (Continued) **S113014398**

Trans Name:	Not reported
TSDF Alt EPA ID:	CAD050099696
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	Not reported
Meth Code:	R01 - Recycler
Quantity Tons:	0.231
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CERS:

Name:	AUTOTECH
Address:	1735 3RD ST #A
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	185614
CERS ID:	10511437
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	185614
Site Name:	AutoTech
Violation Date:	07-29-2013
Citation:	HSC 6.95 25510 - California Health and Safety Code, Chapter 6.95, Section(s) 25510
Violation Description:	Failure to update hazardous material inventory within 30 days when one of the following occurs: A 100 percent or more increase in the quantity of a previously disclosed material. Any handling of a previously undisclosed hazardous materials A change of business address, business ownership, or business name.
Violation Notes:	Returned to compliance on 08/19/2013.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	185614
Site Name:	AutoTech
Violation Date:	02-25-2021
Citation:	Un-Specified
Violation Description:	Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes:	Returned to compliance on 03/17/2021. 105A - Materials stored to minimize the possibility of release. [RMC 16.32.020; CFC, Section 5004.2] - No spill control and secondary containment was observed per CFC requirement. Provide housekeeping in your hazardous waste area.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	185614
Site Name:	AutoTech
Violation Date:	01-08-2015
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter

RIVERSIDE AUTO RPR (Continued) **S113014398**

6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: Returned to compliance on 02/09/2015.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 185614
Site Name: AutoTech
Violation Date: 01-08-2015
Citation: HSC 6.95 25504(c) - California Health and Safety Code, Chapter 6.95, Section(s) 25504(c)
Violation Description: Failure to include provisions in the business plan to ensure that appropriate personnel receive initial and annual training.
Violation Notes: Returned to compliance on 02/09/2015.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 185614
Site Name: AutoTech
Violation Date: 01-08-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to establish and electronically submit an adequate training program in safety procedures in the event of a release or threatened release of a hazardous material.
Violation Notes: Returned to compliance on 02/09/2015.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 185614
Site Name: AutoTech
Violation Date: 07-29-2020
Citation: 40 CFR 1 265.174 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.174
Violation Description: Failure to inspect hazardous waste storage areas at least weekly and look for leaking and deteriorating containers.
Violation Notes: Returned to compliance on 09/29/2020.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 185614
Site Name: AutoTech
Violation Date: 07-29-2020
Citation: 40 CFR 1 262.34(d)(5)(iii) - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 262.34(d)(5)(iii)
Violation Description: Failure to ensure that all employees are thoroughly familiar with proper waste handling and emergency procedures, relevant to their responsibilities during normal facility operations and emergencies.
Violation Notes: Returned to compliance on 09/29/2020.
Violation Division: Riverside County Department of Env Health
Violation Program: HW

RIVERSIDE AUTO RPR (Continued) **S113014398**

Violation Source: CERS,

Site ID: 185614
Site Name: AutoTech
Violation Date: 01-08-2015
Citation: HSC 6.95 Multiple - California Health and Safety Code, Chapter 6.95, Section(s) Multiple
Violation Description: Business Plan Program - Operations/Maintenance - General
Violation Notes: Returned to compliance on 02/09/2015. Post &04 signage
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 185614
Site Name: AutoTech
Violation Date: 07-29-2013
Citation: HSC 6.95 25504(c) - California Health and Safety Code, Chapter 6.95, Section(s) 25504(c)
Violation Description: Failure to include provisions in the business plan to ensure that appropriate personnel receive initial and annual training.
Violation Notes: Returned to compliance on 08/19/2013.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 185614
Site Name: AutoTech
Violation Date: 07-29-2013
Citation: HSC 6.95 25505(b) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(b)
Violation Description: Failure to submit a revised business plan upon a substantial change in the handler's operations.
Violation Notes: Returned to compliance on 08/19/2013.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 185614
Site Name: AutoTech
Violation Date: 07-29-2013
Citation: HSC 6.95 25504(a) - California Health and Safety Code, Chapter 6.95, Section(s) 25504(a)
Violation Description: Failure to complete and/or submit hazardous material inventory forms for all reportable hazardous materials on site.
Violation Notes: Returned to compliance on 08/19/2013.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 185614
Site Name: AutoTech
Violation Date: 07-29-2020
Citation: 40 CFR 1 265.173 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.173
Violation Description: Failure to meet the following container management requirements: (a) A container holding hazardous waste must always be closed during storage, except when it is necessary to add or remove waste. (b) A

RIVERSIDE AUTO RPR (Continued) **S113014398**

container holding hazardous waste must not be opened, handled, or stored in a manner which may rupture the container or cause it to leak.
Violation Notes: Returned to compliance on 09/29/2020.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 185614
Site Name: AutoTech
Violation Date: 01-08-2015
Citation: HSC 6.95 Multiple - California Health and Safety Code, Chapter 6.95, Section(s) Multiple
Violation Description: Business Plan Program - Operations/Maintenance - General
Violation Notes: Returned to compliance on 02/09/2015. Label all containers
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 185614
Site Name: AutoTech
Violation Date: 07-29-2020
Citation: 40 CFR 1 265.31 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.31
Violation Description: Failure to maintain and operate the facility to minimize the possibility of a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil, or surface water which could threaten human health or the environment.
Violation Notes: Returned to compliance on 09/29/2020.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 185614
Site Name: AutoTech
Violation Date: 07-29-2013
Citation: HSC 6.95 25504(c) - California Health and Safety Code, Chapter 6.95, Section(s) 25504(c)
Violation Description: Failure to include an adequate training program in the business plan, which is reasonable and appropriate for the size of the business and the nature of the hazardous material handled.
Violation Notes: Returned to compliance on 08/19/2013.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 185614
Site Name: AutoTech
Violation Date: 07-29-2020
Citation: 40 CFR 1 265.33 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.33
Violation Description: Failure to test and maintain as necessary all facility communications or alarm systems, fire protection equipment, spill control equipment, and decontamination equipment to assure its proper operation in time of emergency.
Violation Notes: Returned to compliance on 09/29/2020.

RIVERSIDE AUTO RPR (Continued) **S113014398**

Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 185614
Site Name: AutoTech
Violation Date: 11-06-2018
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes: Returned to compliance on 11/28/2018. Site map submitted has missing components. Need to publish correct map. Informed on site.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 185614
Site Name: AutoTech
Violation Date: 07-29-2020
Citation: 22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description: Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes: Returned to compliance on 09/29/2020.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 185614
Site Name: AutoTech
Violation Date: 05-24-2016
Citation: 22 CCR 12 66262.40(c) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.40(c)
Violation Description: Failure to determine if the waste generated is a hazardous waste and to maintain analysis results for three years.
Violation Notes: Returned to compliance on 06/10/2016.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-24-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 06-10-2016
Violations Found: No

RIVERSIDE AUTO RPR (Continued) **S113014398**

Eval Type: Other, not routine, done by local agency
Eval Notes: HW generator follow up
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-06-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-29-2020
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: SQG
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 08-19-2013
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-22-2013
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Haz waste generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-08-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 02-25-2021
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department

RIVERSIDE AUTO RPR (Continued) **S113014398**

Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 03-17-2021
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Reinspection - D. Young. All violations from 2/25/2021 routine inspection have been abated.
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-29-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Enforcement Action:
Site ID: 185614
Site Name: AutoTech
Site Address: 1735 3RD ST #A
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 01-10-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Nov issued.
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Site ID: 185614
Site Name: AutoTech
Site Address: 1735 3RD ST #A
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 07-29-2013
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Affiliation:
Affiliation Type Desc: Document Preparer
Entity Name: anthony solorio
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported

RIVERSIDE AUTO RPR (Continued) **S113014398**

Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	1735 3rd. st.
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92507
Affiliation Phone:	,
Affiliation Type Desc:	Operator
Entity Name:	Solorio Autotech Inc. DBA AutoTech
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(951) 784-1090,
Affiliation Type Desc:	Legal Owner
Entity Name:	Anthony Solorio
Entity Title:	Not reported
Affiliation Address:	1735 3rd.St.
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92507
Affiliation Phone:	(951) 784-1090,
Affiliation Type Desc:	Property Owner
Entity Name:	anthony solorio
Entity Title:	Not reported
Affiliation Address:	1735 3rd. St.
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92507
Affiliation Phone:	(951) 784-1090,
Affiliation Type Desc:	CUPA District
Entity Name:	Riverside Cnty Env Health
Entity Title:	Not reported
Affiliation Address:	4065 County Circle Drive, Room 104
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92503
Affiliation Phone:	(951) 358-5055,
Affiliation Type Desc:	Environmental Contact
Entity Name:	Anthony Solorio
Entity Title:	Not reported

RIVERSIDE AUTO RPR (Continued) **S113014398**

Affiliation Address: 1735 3rd St.
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92507
Affiliation Phone: ,

Affiliation Type Desc: Identification Signer
Entity Name: Anthony Solorio
Entity Title: President
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: Parent Corporation
Entity Name: AUTOTECH
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

HWTS:
Name: RIVERSIDE AUTO RPR
Address: 1735 3RD ST
Address 2: Not reported
City,State,Zip: RIVERSIDE, CA 92507
EPA ID: CAD982324824
Inactive Date: 06/30/1998
Create Date: 06/17/1988
Last Act Date: Not reported
Mailing Name: Not reported
Mailing Address: 5225 CANYON CREST DR # 71-432
Mailing Address 2: Not reported
Mailing City,State,Zip: RIVERSIDE, CA 925070000
Owner Name: MICHAEL HENDRIX
Owner Address: 5225 CANYON CREST DR # 71-432
Owner Address 2: Not reported
Owner City,State,Zip: RIVERSIDE, CA
Contact Name: MICHAEL HENDRIX
Contact Address: INACTIVE PER VQ98 - BMI
Contact Address 2: Not reported
City,State,Zip: RIVERSIDE, CA
Facility Status: Inactive
Facility Type: PERMANENT
Category: STATE
Latitude: 33.983071
Longitude: -117.349383

I50 **ANTHONY SOLORIO** **RCRA NonGen / NLR** **1026472228**
WNW **1735 3RD ST** **CAC003077852**
< 1/8 **RIVERSIDE, CA 92507**
0.069 mi.
365 ft. **Site 5 of 6 in cluster I**

Relative: **Lower**
Actual: **938 ft.**

RCRA Listings:

Date Form Received by Agency:		20200805
Handler Name:	ANTHONY SOLORIO	
Handler Address:		1735 3RD ST
Handler City,State,Zip:		RIVERSIDE, CA 92507
EPA ID:		CAC003077852
Contact Name:		ANTHONY SOLORIO
Contact Address:		1735 3RD ST
Contact City,State,Zip:		RIVERSIDE, CA 92507
Contact Telephone:		951-454-0897
Contact Fax:		Not reported
Contact Email:		PAULP@PWSEI.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		1735 3RD ST
Mailing City,State,Zip:		RIVERSIDE, CA 92507
Owner Name:	ANTHONY SOLORIO	
Owner Type:		Other
Operator Name:	ANTHONY SOLORIO	
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported

ANTHONY SOLORIO (Continued) **1026472228**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20200814
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: ANTHONY SOLORIO	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	1735 3RD ST
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507
Owner/Operator Telephone:	951-454-0897
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: ANTHONY SOLORIO	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	1735 3RD ST
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507
Owner/Operator Telephone:	951-454-0897
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

ANTHONY SOLORIO (Continued) **1026472228**

Historic Generators:
Receive Date: 20200805
Handler Name: ANTHONY SOLORIO
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 56299
NAICS Description: ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

J51 **CHICAGO BODY WORKS** **EDR Hist Auto** **1009023460**
SW **3580 CHICAGO AVE** **N/A**
< 1/8 **RIVERSIDE, CA**
0.070 mi.
369 ft. **Site 1 of 2 in cluster J**

Relative: EDR Hist Auto
Lower

Actual: Year: Name: Type:
952 ft. 1951 GRIFFIN R C AUTOMOBILE REPAIRING
1951 CHICAGO BODY WORKS AUTOMOBILE REPAIRING

I52 **LIFETIME SERVICE CENTER INC** **RCRA NonGen / NLR** **1027218706**
NW **3190 CHICAGO AVE** **CAL000470581**
< 1/8 **RIVERSIDE, CA 92507**
0.077 mi.
406 ft. **Site 6 of 6 in cluster I**

Relative: RCRA Listings:
Lower
Date Form Received by Agency: 20220509
Actual: Handler Name: LIFETIME SERVICE CENTER INC
940 ft. Handler Address: 3190 CHICAGO AVE
Handler City,State,Zip: RIVERSIDE, CA 92507
EPA ID: CAL000470581
Contact Name: RON BELLUS
Contact Address: 3190 CHICAGO AVE
Contact City,State,Zip: RIVERSIDE, CA 92507
Contact Telephone: 716-984-2994
Contact Fax: Not reported

LIFETIME SERVICE CENTER INC (Continued) **1027218706**

Contact Email:		RBELLUS@LIFETIMESERVICE.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		3190 CHICAGO AVE
Mailing City,State,Zip:		RIVERSIDE, CA 92507
Owner Name:	LIFETIME SERVICE CENTER INC	
Owner Type:		Other
Operator Name:	RON BELLUS	
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported
Permit Workload Universe:		Not reported
Permit Progress Universe:		Not reported
Post-Closure Workload Universe:		Not reported
Closure Workload Universe:		Not reported
202 GPRA Corrective Action Baseline:		No
Corrective Action Workload Universe:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:		No
TSDFs Only Subject to CA under Discretionary Auth Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A

LIFETIME SERVICE CENTER INC (Continued) **1027218706**

Operating TSDF Universe: Not reported
Full Enforcement Universe: Not reported
Significant Non-Complier Universe: No
Unaddressed Significant Non-Complier Universe: No
Addressed Significant Non-Complier Universe: No
Significant Non-Complier With a Compliance Schedule Universe: No
Financial Assurance Required: Not reported
Handler Date of Last Change: 20220518
Recognized Trader-Importer: No
Recognized Trader-Exporter: No
Importer of Spent Lead Acid Batteries: No
Exporter of Spent Lead Acid Batteries: No
Recycler Activity Without Storage: No
Manifest Broker: No
Sub-Part P Indicator: No

Handler - Owner Operator:
Owner/Operator Indicator: Operator
Owner/Operator Name: RON BELLUS
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 3190 CHICAGO AVE
Owner/Operator City,State,Zip: RIVERSIDE, CA 92507
Owner/Operator Telephone: 716-984-2994
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: LIFETIME SERVICE CENTER INC
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 1955 WEHRLE DR
Owner/Operator City,State,Zip: WILLIAMSVILLE, NY 14221
Owner/Operator Telephone: 716-632-0216
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20220509
Handler Name: LIFETIME SERVICE CENTER INC
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

LIFETIME SERVICE CENTER INC (Continued) **1027218706**

List of NAICS Codes and Descriptions:
NAICS Code: 811412
NAICS Description: APPLIANCE REPAIR AND MAINTENANCE

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

K53 **WEST COAST DRYWALL & PAINT** **RCRA NonGen / NLR** **1026723503**
SSW **1561 7TH ST** **CAL000460617**
< 1/8 **RIVERSIDE, CA 92507**
0.080 mi.
421 ft. **Site 1 of 6 in cluster K**

Relative:
Higher

Actual:
966 ft.

RCRA Listings:

Date Form Received by Agency:		20210302
Handler Name:	WEST COAST DRYWALL & PAINT	
Handler Address:		1561 7TH ST
Handler City,State,Zip:		RIVERSIDE, CA 92507
EPA ID:		CAL000460617
Contact Name:		ERIK MARQUEZ
Contact Address:		3595 PRESLEY ST
Contact City,State,Zip:		RIVERSIDE, CA 92507
Contact Telephone:		951-712-3591
Contact Fax:		951-369-7371
Contact Email:		EMARQUEZ@WCDP.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		1610 W LINDEN ST
Mailing City,State,Zip:		RIVERSIDE, CA 92507
Owner Name:	MARK HERBERT	
Owner Type:		Other
Operator Name:	ERIK MARQUEZ	
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No

WEST COAST DRYWALL & PAINT (Continued) **1026723503**

Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20210312
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: ERIK MARQUEZ	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	3595 PRESLEY ST
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507
Owner/Operator Telephone:	951-712-3591
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported

WEST COAST DRYWALL & PAINT (Continued) **1026723503**

Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: MARK HERBERT
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 1610 W LINDEN ST
Owner/Operator City,State,Zip: RIVERSIDE, CA 92507
Owner/Operator Telephone: 951-778-3592
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20210302
Handler Name: WEST COAST DRYWALL & PAINT
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

List of NAICS Codes and Descriptions:
NAICS Code: 238320
NAICS Description: PAINTING AND WALL COVERING CONTRACTORS

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

K54 **THERMOCLAD CO THE** **RCRA-SQG** **1000365008**
South **1541 7TH ST** **FINDS** **CAD981978539**
< 1/8 **RIVERSIDE, CA 92507** **ECHO**
0.080 mi.
421 ft. **Site 2 of 6 in cluster K**

Relative:
Higher

Actual:
968 ft.

RCRA Listings:
Date Form Received by Agency: 19870417
Handler Name: THERMOCLAD CO THE
Handler Address: 1541 7TH ST
Handler City,State,Zip: RIVERSIDE, CA 92507
EPA ID: CAD981978539
Contact Name: ENVIRONMENTAL MANAGER
Contact Address: 1541 7TH ST
Contact City,State,Zip: RIVERSIDE, CA 92507
Contact Telephone: 714-788-2628
Contact Fax: Not reported

THERMOCLAD CO THE (Continued) **1000365008**

Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		CA
State District:		4
Mailing Address:		7TH ST
Mailing City,State,Zip:		RIVERSIDE, CA 92507
Owner Name:	THERMOCLAD THE	
Owner Type:		Private
Operator Name:	NOT REQUIRED	
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		NN
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported
Permit Workload Universe:		Not reported
Permit Progress Universe:		Not reported
Post-Closure Workload Universe:		Not reported
Closure Workload Universe:		Not reported
202 GPRA Corrective Action Baseline:		No
Corrective Action Workload Universe:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:		No
TSDFs Only Subject to CA under Discretionary Auth Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A

THERMOCLAD CO THE (Continued) **1000365008**

Operating TSDF Universe: Not reported
Full Enforcement Universe: Not reported
Significant Non-Complier Universe: No
Unaddressed Significant Non-Complier Universe: No
Addressed Significant Non-Complier Universe: No
Significant Non-Complier With a Compliance Schedule Universe: No
Financial Assurance Required: Not reported
Handler Date of Last Change: 20000915
Recognized Trader-Importer: No
Recognized Trader-Exporter: No
Importer of Spent Lead Acid Batteries: No
Exporter of Spent Lead Acid Batteries: No
Recycler Activity Without Storage: Not reported
Manifest Broker: Not reported
Sub-Part P Indicator: No

Handler - Owner Operator:
Owner/Operator Indicator: Operator
Owner/Operator Name: NOT REQUIRED
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, ME 99999
Owner/Operator Telephone: 415-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: THERMOCLAD THE
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, ME 99999
Owner/Operator Telephone: 415-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 19870417
Handler Name: THERMOCLAD CO THE
Federal Waste Generator Description: Small Quantity Generator
State District Owner: CA
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

THERMOCLAD CO THE (Continued) **1000365008**

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110002762626

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000365008
Registry ID:	110002762626
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110002762626
Name:	THERMOCLAD CO THE
Address:	1541 7TH ST
City,State,Zip:	RIVERSIDE, CA 92507

K55 **THERMOCLAD COMPANY** **ENVIROSTOR** **S109422434**
South **1541 7TH ST** **N/A**
< 1/8 **RIVERSIDE, CA 92507**
0.080 mi.
421 ft. **Site 3 of 6 in cluster K**

Relative:
Higher

Actual:
968 ft.

ENVIROSTOR:

Name:	THERMOCLAD COMPANY
Address:	1541 7TH ST
City,State,Zip:	RIVERSIDE, CA 92507
Facility ID:	60000209
Status:	Inactive - Needs Evaluation
Status Date:	03/06/2006
Site Code:	Not reported
Site Type:	Evaluation
Site Type Detailed:	Evaluation
Acres:	Not reported
NPL:	NO
Regulatory Agencies:	SMBRP, US EPA
Lead Agency:	SMBRP
Program Manager:	Not reported
Supervisor:	* Greg Holmes
Division Branch:	Cleanup Cypress

THERMOCLAD COMPANY (Continued) **S109422434**

Assembly: 61
Senate: 31
Special Program: EPA - PASI
Restricted Use: NO
Site Mgmt Req: NONE SPECIFIED
Funding: EPA Grant
Latitude: 33.97850
Longitude: -117.3455
APN: 250-161-009
Past Use: MANUFACTURING - CHEMICALS
Potential COC: Vinyl chloride
Confirmed COC: 30028-NO
Potential Description: NONE SPECIFIED
Alias Name: 250-161-009
Alias Type: APN
Alias Name: CAD981978539
Alias Type: EPA Identification Number
Alias Name: 110002762626
Alias Type: EPA (FRS #)
Alias Name: 14835
Alias Type: RB-PCA
Alias Name: 60000209
Alias Type: Envirostor ID Number

Completed Info:
Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Site Screening
Completed Date: 04/12/2006
Comments: EPA determined the site is not eligible for CERCLA.

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported
Schedule Document Type: Not reported
Schedule Due Date: Not reported
Schedule Revised Date: Not reported

J56 **CALIFORNIA SPRAY CHEMICAL COMPANY** **ENVIROSTOR** **S107735999**
SW **3530 CHICAGO AV** **N/A**
< 1/8 **RIVERSIDE, CA 92507**
0.080 mi.
421 ft. **Site 2 of 2 in cluster J**

Relative: **Lower**
Actual: **953 ft.**

ENVIROSTOR:
Name: CALIFORNIA SPRAY CHEMICAL COMPANY
Address: 3530 CHICAGO AV
City,State,Zip: RIVERSIDE, CA 92507
Facility ID: 60000214
Status: Inactive - Needs Evaluation
Status Date: 03/06/2006
Site Code: Not reported
Site Type: Evaluation
Site Type Detailed: Evaluation
Acres: 0.37

CALIFORNIA SPRAY CHEMICAL COMPANY (Continued) **S107735999**

NPL:	NO
Regulatory Agencies:	SMBRP, US EPA
Lead Agency:	SMBRP
Program Manager:	Not reported
Supervisor:	* Greg Holmes
Division Branch:	Cleanup Cypress
Assembly:	61
Senate:	31
Special Program:	EPA - PASI
Restricted Use:	NO
Site Mgmt Req:	NONE SPECIFIED
Funding:	Not Applicable
Latitude:	33.97835
Longitude:	-117.3480
APN:	250160008
Past Use:	FUEL - VEHICLE STORAGE/ REFUELING
Potential COC:	Arsenic Methyl tertbutyl ether (MTBE
Confirmed COC:	30001-NO 30016-NO
Potential Description:	SOIL
Alias Name:	250160008
Alias Type:	APN
Alias Name:	CAN000908316
Alias Type:	EPA Identification Number
Alias Name:	60000214
Alias Type:	Envirostor ID Number

Completed Info:

Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Site Screening
Completed Date:	06/13/2006
Comments:	Not reported

Future Area Name:	Not reported
Future Sub Area Name:	Not reported
Future Document Type:	Not reported
Future Due Date:	Not reported
Schedule Area Name:	Not reported
Schedule Sub Area Name:	Not reported
Schedule Document Type:	Not reported
Schedule Due Date:	Not reported
Schedule Revised Date:	Not reported

K57 **WEST COAST DRYWALL & PAINT** **CERS HAZ WASTE** **S126142103**
SSW **1611 7TH ST** **N/A**
< 1/8 **RIVERSIDE, CA 92507**
0.080 mi.
422 ft. **Site 4 of 6 in cluster K**

Relative: **Lower**
Actual: **963 ft.**

CERS HAZ WASTE:

Name:	WEST COAST DRYWALL & PAINT
Address:	1611 7TH ST
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	564145
CERS ID:	10837318
CERS Description:	Hazardous Waste Generator

Violations:

Site ID:	564145

WEST COAST DRYWALL & PAINT (Continued) **S126142103**

Site Name:	West Coast Drywall & Paint
Violation Date:	07-23-2020
Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	Returned to compliance on 07/23/2020. OBSERVATION: Observed incomplete labels on 4, 55 gallon drums of waste latex and oil based paint. Information missing included the accumulation start date. CORRECTIVE ACTION: Owner/operator shall label hazardous waste containers with all the required information. Label shall include at least: the words ""hazardous waste"", generator name and address, accumulation start date, composition and physical state of waste, and hazardous property statement. Operator added the accumulation start date to all containers during this inspection.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,

Site ID:	564145
Site Name:	West Coast Drywall & Paint
Violation Date:	07-23-2020
Citation:	40 CFR 1 262.34(d)(5)(iii) - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 262.34(d)(5)(iii)
Violation Description:	Failure to ensure that all employees are thoroughly familiar with proper waste handling and emergency procedures, relevant to their responsibilities during normal facility operations and emergencies.
Violation Notes:	Returned to compliance on 07/23/2020. OBSERVATION: Observed the commingling of waste water and sludge with non-hazardous trash within the roll off container and in the waste sludge totes as evidenced by the lab analytical performed on 6/18/20, that demonstrated acetone within the sample. CORRECTIVE ACTION: Owner/operator shall provide all employees with refresher training in order to ensure appropriate safety and knowledge of hazardous wastes on site. Ensure all employees who handle wash water are aware of waste segregation and label containers appropriately so they wastes properly disposed and not commingled. Retain training documentation on site. Operator has provided additional training and will provide Flammable labels to the field staff. ACT Environmental will be providing additional, routine hazardous waste training.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,

Site ID:	564145
Site Name:	West Coast Drywall & Paint
Violation Date:	07-23-2020
Citation:	22 CCR 12 66262.11 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.11
Violation Description:	Failure to determine if wastes generated are hazardous waste by using generator knowledge or applying testing method.
Violation Notes:	Returned to compliance on 08/07/2020. OBSERVATION: Observed that the painting wash down water, solids were being disposed of without a proper determination that the waste stream is eligible for disposal as

WEST COAST DRYWALL & PAINT (Continued) **S126142103**

non-hazardous waste. CORRECTIVE ACTION: Owner/operator shall conduct a proper waste analysis to determine if the waste water solids are eligible for disposal as non-hazardous waste. Retain records of waste analysis for at least 3 years. Analyticals were performed on 6/18/20 on the waste liquid and ACT enviro will ship this waste as non-hazardous. Retain Lab analysis on-site. ACT has taken samples of the sludge / solid and has ordered a fish bio-assay on this substance to determine if it is non hazardous. Provide report to this department at hbarrios@rivco.org.

Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Evaluation:
Eval General Type: Other/Unknown
Eval Date: 07-20-2020
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Initial Inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-23-2020
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: This facility is a small quantity, hazardous waste generator of waste latex paint, oil based paint, acetone and flammables. Facility is now participating in the Paint care program and will be recycling their qualifying latex paint. Wash down materials will be segregated in the field and any waste water that is commingled with flammables will be containerized and labeled separately. Paint / Drywall operations are performed in three buildings that share the same parking lot: 1610 W. Linden, 1611 7th Street, and 1571 7th Street. Permit, CERS and EPA ID# will reflect the 1610 W. Linden Street address.
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-19-2021
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young conducted a site inspection to see if the business had any hazardous materials on site. At the time of my inspection there were no hazardous materials at this location.
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 07-21-2020
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Inspection / Research - continuation
Eval Division: Riverside County Department of Env Health

WEST COAST DRYWALL & PAINT (Continued) **S126142103**

Eval Program: HW
Eval Source: CERS,

Coordinates:
Site ID: 564145
Facility Name: West Coast Drywall & Paint
Env Int Type Code: HWG
Program ID: 10837318
Coord Name: Not reported
Ref Point Type Desc: Entrance point of a facility or station,
Latitude: 33.978496
Longitude: -117.346660

Affiliation:
Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 1611 7th St
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92507
Affiliation Phone: ,

Affiliation Type Desc: Parent Corporation
Entity Name: West Coast Drywall & Paint
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: Environmental Contact
Entity Name: Victor Salgado
Entity Title: Not reported
Affiliation Address: 1611 7th St
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92507
Affiliation Phone: ,

Affiliation Type Desc: Operator
Entity Name: West Coast Drywall & Paint
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (951) 369-0670,

Affiliation Type Desc: CUPA District
Entity Name: Riverside Cnty Env Health

WEST COAST DRYWALL & PAINT (Continued) **S126142103**

Entity Title:	Not reported
Affiliation Address:	4065 County Circle Drive, Room 104
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92503
Affiliation Phone:	(951) 358-5055,
Affiliation Type Desc:	Legal Owner
Entity Name:	West Coast Drywall & Paint
Entity Title:	Not reported
Affiliation Address:	1611 7th St
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92507
Affiliation Phone:	(951) 369-0670,

K58 **WEST COAST PAINTING** **RCRA-LQG 1012175661**
SSW **1611 7TH ST** **HAZNET CAL000221929**
< 1/8 **RIVERSIDE, CA 92507** **HWTS**
0.080 mi.
422 ft. **Site 5 of 6 in cluster K**

Relative: **Lower**

Actual: **963 ft.**

RCRA Listings:

Date Form Received by Agency:		20080627
Handler Name:	WEST COAST PAINTING	
Handler Address:		1611 7TH ST
Handler City,State,Zip:		RIVERSIDE, CA 92507
EPA ID:		CAL000221929
Contact Name:		BOB GONZALEZ
Contact Address:		Not reported
Contact City,State,Zip:		Not reported
Contact Telephone:		951-778-8913 315
Contact Fax:		Not reported
Contact Email:		BOBG@WESTCOASTPAINTING.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Private
Federal Waste Generator Description:		Large Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		2007
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		1611 7TH ST
Mailing City,State,Zip:		RIVERSIDE, CA 92507
Owner Name:	MARK HERBERT	
Owner Type:		Private
Operator Name:	MARK HERBERT	
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No

WEST COAST PAINTING (Continued) **1012175661**

Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20081015
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	No

Biennial: List of Years
Year: 2007

Click Here for Biennial Reporting System Data:

WEST COAST PAINTING (Continued) **1012175661**

Hazardous Waste Summary:
Waste Code: D001
Waste Description: IGNITABLE WASTE

Waste Code: F005
Waste Description: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Handler - Owner Operator:
Owner/Operator Indicator: Owner
Owner/Operator Name: MARK HERBERT
Legal Status: Private
Date Became Current: 19860711
Date Ended Current: Not reported
Owner/Operator Address: 1611 7TH ST
Owner/Operator City,State,Zip: RIVERSIDE, CA 92507
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: MARK HERBERT
Legal Status: Private
Date Became Current: 19860711
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20080627
Handler Name: WEST COAST PAINTING
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 23899
NAICS Description: ALL OTHER SPECIALTY TRADE CONTRACTORS

WEST COAST PAINTING (Continued) **1012175661**

Facility Has Received Notices of Violation:
- Found Violation: No
- Agency Which Determined Violation: Not reported
- Violation Short Description: Not reported
- Date Violation was Determined: Not reported
- Actual Return to Compliance Date: Not reported
- Return to Compliance Qualifier: Not reported
- Violation Responsible Agency: Not reported
- Scheduled Compliance Date: Not reported
- Enforcement Identifier: Not reported
- Date of Enforcement Action: Not reported
- Enforcement Responsible Agency: Not reported
- Enforcement Docket Number: Not reported
- Enforcement Attorney: Not reported
- Corrective Action Component: Not reported
- Appeal Initiated Date: Not reported
- Appeal Resolution Date: Not reported
- Disposition Status Date: Not reported
- Disposition Status: Not reported
- Disposition Status Description: Not reported
- Consent/Final Order Sequence Number: Not reported
- Consent/Final Order Respondent Name: Not reported
- Consent/Final Order Lead Agency: Not reported
- Enforcement Type: Not reported
- Enforcement Responsible Person: Not reported
- Enforcement Responsible Sub-Organization: Not reported
- SEP Sequence Number: Not reported
- SEP Expenditure Amount: Not reported
- SEP Scheduled Completion Date: Not reported
- SEP Actual Date: Not reported
- SEP Defaulted Date: Not reported
- SEP Type: Not reported
- SEP Type Description: Not reported
- Proposed Amount: Not reported
- Final Monetary Amount: Not reported
- Paid Amount: Not reported
- Final Count: Not reported
- Final Amount: Not reported

Evaluation Action Summary:
- Evaluation Date: 20101005
- Evaluation Responsible Agency: EPA
- Found Violation: No
- Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
- Evaluation Responsible Person Identifier: DFERN
- Evaluation Responsible Sub-Organization: Not reported
- Actual Return to Compliance Date: Not reported
- Scheduled Compliance Date: Not reported
- Date of Request: Not reported
- Date Response Received: Not reported
- Request Agency: Not reported
- Former Citation: Not reported

HAZNET:
- Name: WEST COAST PAINTING

WEST COAST PAINTING (Continued) **1012175661**

Address:	1611 7TH ST
Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 925070000
Contact:	HUMBERTO GONZALEZ-SAFETY MGR
Telephone:	9093690670
Mailing Name:	Not reported
Mailing Address:	1611 7TH ST
Year:	2013
Gepaid:	CAL000221929
TSD EPA ID:	NVT330010000
CA Waste Code:	352 - Other organic solids
Disposal Method:	H132 - Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Tons:	3.7
Year:	2013
Gepaid:	CAL000221929
TSD EPA ID:	NVT330010000
CA Waste Code:	291 - Latex waste
Disposal Method:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Tons:	13.761
Year:	2013
Gepaid:	CAL000221929
TSD EPA ID:	CAD008252405
CA Waste Code:	214 - Unspecified solvent mixture
Disposal Method:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Tons:	0.198
Year:	2012
Gepaid:	CAL000221929
TSD EPA ID:	CAD008252405
CA Waste Code:	214 - Unspecified solvent mixture
Disposal Method:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Tons:	1.782
Year:	2012
Gepaid:	CAL000221929
TSD EPA ID:	CAT080013352
CA Waste Code:	221 - Waste oil and mixed oil
Disposal Method:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Tons:	1.254
Year:	2012
Gepaid:	CAL000221929
TSD EPA ID:	CAD981696420
CA Waste Code:	221 - Waste oil and mixed oil
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.209
Year:	2012
Gepaid:	CAL000221929
TSD EPA ID:	NVT330010000

WEST COAST PAINTING (Continued) **1012175661**

CA Waste Code:	352 - Other organic solids
Disposal Method:	H132 - Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Tons:	3.4
Year:	2012
Gepaid:	CAL000221929
TSD EPA ID:	NVT330010000
CA Waste Code:	291 - Latex waste
Disposal Method:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Tons:	15.2622
Year:	2011
Gepaid:	CAL000221929
TSD EPA ID:	ARZ000501510
CA Waste Code:	221 - Waste oil and mixed oil
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.38
Year:	2011
Gepaid:	CAL000221929
TSD EPA ID:	CAD008252405
CA Waste Code:	214 - Unspecified solvent mixture
Disposal Method:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Tons:	1.926

Click this hyperlink while viewing on your computer to access
93 additional CA HAZNET: record(s) in the EDR Site Report.

Additional Info:

Year:	2013
Gen EPA ID:	CAL000221929
Shipment Date:	20130716
Creation Date:	12/19/2013 22:15:06
Receipt Date:	20130718
Manifest ID:	011383027JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	F003
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.198
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported

WEST COAST PAINTING (Continued) **1012175661**

Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20130528
Creation Date:	10/16/2013 22:15:06
Receipt Date:	20130604
Manifest ID:	011382652JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	CAR000045963
Trans 2 Name:	ARO TRUCKING
TSDF EPA ID:	NVT330010000
Trans Name:	US ECOLOGY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	1.668
Waste Quantity:	400
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20130528
Creation Date:	10/16/2013 22:15:06
Receipt Date:	20130604
Manifest ID:	011382652JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	CAR000045963
Trans 2 Name:	ARO TRUCKING
TSDF EPA ID:	NVT330010000
Trans Name:	US ECOLOGY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	Not reported
Meth Code:	H132 - Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Quantity Tons:	0.2
Waste Quantity:	400
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20130517
Creation Date:	9/30/2013 22:15:07
Receipt Date:	20130529
Manifest ID:	011382488JJK

WEST COAST PAINTING (Continued) **1012175661**

Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	CAR000045963
Trans 2 Name:	ARO TRUCKING
TSDF EPA ID:	NVT330010000
Trans Name:	US ECOLOGY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	Not reported
Meth Code:	H132 - Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Quantity Tons:	2
Waste Quantity:	4000
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20130506
Creation Date:	9/28/2013 22:15:14
Receipt Date:	20130510
Manifest ID:	011382470JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	NVT330010000
Trans Name:	US ECOLOGY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	9.6327
Waste Quantity:	2310
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20130429
Creation Date:	9/30/2013 22:15:07
Receipt Date:	20130503
Manifest ID:	011026487JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	NVT330010000
Trans Name:	US ECOLOGY
TSDF Alt EPA ID:	Not reported

WEST COAST PAINTING (Continued) **1012175661**

TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	Not reported
Meth Code:	H132 - Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Quantity Tons:	0.1
Waste Quantity:	200
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20130328
Creation Date:	8/15/2013 22:15:09
Receipt Date:	20130402
Manifest ID:	011026288JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	NVT330010000
Trans Name:	US ECOLOGY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	Not reported
Meth Code:	H132 - Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Quantity Tons:	0.5
Waste Quantity:	1000
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20130328
Creation Date:	8/15/2013 22:15:09
Receipt Date:	20130402
Manifest ID:	011026288JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	NVT330010000
Trans Name:	US ECOLOGY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.68805
Waste Quantity:	165

WEST COAST PAINTING (Continued) **1012175661**

Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20130308
Creation Date:	7/25/2013 9:05:24
Receipt Date:	20130315
Manifest ID:	011026009JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	NVT330010000
Trans Name:	US ECOLOGY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.6255
Waste Quantity:	150
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20130215
Creation Date:	7/3/2013 22:15:06
Receipt Date:	20130222
Manifest ID:	011024478JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	NVT330010000
Trans Name:	US ECOLOGY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	1.14675
Waste Quantity:	275
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

WEST COAST PAINTING (Continued) **1012175661**

Additional Info:

Year:	2012
Gen EPA ID:	CAL000221929
Shipment Date:	20121212
Creation Date:	8/22/2013 22:15:07
Receipt Date:	20121218
Manifest ID:	011024041JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	NVT330010000
Trans Name:	US ECOLOGY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	Not reported
Meth Code:	H132 - Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Quantity Tons:	0.75
Waste Quantity:	1500
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20121212
Creation Date:	8/22/2013 22:15:07
Receipt Date:	20121218
Manifest ID:	011024041JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	NVT330010000
Trans Name:	US ECOLOGY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.9174
Waste Quantity:	220
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20121106
Creation Date:	4/6/2013 22:15:15
Receipt Date:	20121116

WEST COAST PAINTING (Continued) **1012175661**

Manifest ID:	010037823JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	NVT330010000
Trans Name:	US ECOLOGY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	Not reported
Meth Code:	H132 - Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Quantity Tons:	1.8
Waste Quantity:	3600
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20120717
Creation Date:	5/29/2013 22:15:25
Receipt Date:	20120724
Manifest ID:	010040574JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	NVT330010000
Trans Name:	US ECOLOGY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	2.06415
Waste Quantity:	495
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20120627
Creation Date:	6/5/2013 22:15:06
Receipt Date:	20120703
Manifest ID:	009699521JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	NVT330010000
Trans Name:	US ECOLOGY

WEST COAST PAINTING (Continued) **1012175661**

TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	2.2935
Waste Quantity:	550
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20120607
Creation Date:	5/30/2013 22:15:15
Receipt Date:	20120613
Manifest ID:	009699361JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	NVT330010000
Trans Name:	US ECOLOGY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	1.60545
Waste Quantity:	385
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20120607
Creation Date:	5/30/2013 22:15:15
Receipt Date:	20120613
Manifest ID:	009699361JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	NVT330010000
Trans Name:	US ECOLOGY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	Not reported
Meth Code:	H132 - Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Quantity Tons:	0.25

WEST COAST PAINTING (Continued) **1012175661**

Waste Quantity:	500
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20120607
Creation Date:	8/7/2012 22:15:19
Receipt Date:	20120615
Manifest ID:	009699363JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD981696420
Trans Name:	EVERGREEN
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	221 - Waste oil and mixed oil
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.209
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20120607
Creation Date:	5/24/2013 22:15:17
Receipt Date:	20120618
Manifest ID:	009699362JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	F003
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.198
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

WEST COAST PAINTING (Continued) **1012175661**

Shipment Date:	20120529
Creation Date:	5/28/2013 22:15:05
Receipt Date:	20120605
Manifest ID:	009699293JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	NVT330010000
Trans Name:	US ECOLOGY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.417
Waste Quantity:	100
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2011
Gen EPA ID:	CAL000221929
Shipment Date:	20111222
Creation Date:	4/26/2012 20:30:19
Receipt Date:	20111230
Manifest ID:	008516796JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	NVT330010000
Trans Name:	US ECOLOGY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.9174
Waste Quantity:	220
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20111222
Creation Date:	4/26/2012 20:30:19
Receipt Date:	20111230

WEST COAST PAINTING (Continued) **1012175661**

Manifest ID:	008516796JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	NVT330010000
Trans Name:	US ECOLOGY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	Not reported
Meth Code:	H132 - Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Quantity Tons:	0.9174
Waste Quantity:	220
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20111222
Creation Date:	5/25/2012 20:30:23
Receipt Date:	20111229
Manifest ID:	008516797JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	F003
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.198
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20111222
Creation Date:	4/26/2012 20:30:19
Receipt Date:	20111230
Manifest ID:	008516796JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	NVT330010000
Trans Name:	US ECOLOGY
TSDF Alt EPA ID:	Not reported

WEST COAST PAINTING (Continued) **1012175661**

TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	2.2935
Waste Quantity:	550
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20111213
Creation Date:	3/13/2012 20:30:40
Receipt Date:	20111216
Manifest ID:	002940440SKS
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT080013352
Trans Name:	DEMENNO / KERDOON
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	222 - Oil/water separation sludge
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	3.44025
Waste Quantity:	825
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20111117
Creation Date:	4/13/2012 20:30:11
Receipt Date:	20111122
Manifest ID:	008516475JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	NVT330010000
Trans Name:	US ECOLOGY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.9174
Waste Quantity:	220

WEST COAST PAINTING (Continued) **1012175661**

Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20111117
Creation Date:	4/26/2012 20:30:19
Receipt Date:	20111128
Manifest ID:	008516476JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	F003
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.198
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20111117
Creation Date:	4/26/2012 20:30:19
Receipt Date:	20111128
Manifest ID:	008516476JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	F003
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.198
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20111117
Creation Date:	3/12/2012 20:30:14

WEST COAST PAINTING (Continued) **1012175661**

Receipt Date:	20111123
Manifest ID:	008285188JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORP
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT080013352
Trans Name:	DEMENO KERDOON
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	221 - Waste oil and mixed oil
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.494
Waste Quantity:	130
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20111110
Creation Date:	1/27/2012 20:30:28
Receipt Date:	20111111
Manifest ID:	002823076SKS
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT080013352
Trans Name:	DEMENNO / KERDOON
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	222 - Oil/water separation sludge
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	3.9615
Waste Quantity:	950
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2010
Gen EPA ID:	CAL000221929

Shipment Date:	20101216
Creation Date:	2/19/2011 18:30:25
Receipt Date:	20101217
Manifest ID:	003828422FLE
Trans EPA ID:	TXR000050930

WEST COAST PAINTING (Continued) **1012175661**

Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT080013352
Trans Name:	DEMENNO / KERDOON
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	222 - Oil/water separation sludge
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	4.2951
Waste Quantity:	1030
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20101214
Creation Date:	5/24/2011 18:30:22
Receipt Date:	20101227
Manifest ID:	003685130FLE
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT
TSDF EPA ID:	TXD077603371
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	U002
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.8
Waste Quantity:	1600
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20101214
Creation Date:	5/24/2011 18:30:22
Receipt Date:	20101229
Manifest ID:	003685131FLE
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT
TSDF EPA ID:	NVT330010000
Trans Name:	US ECOLOGY NEVADA
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste

WEST COAST PAINTING (Continued) **1012175661**

RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.15
Waste Quantity:	300
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20101206
Creation Date:	4/27/2011 18:30:18
Receipt Date:	20101213
Manifest ID:	007748608JJK
Trans EPA ID:	CAR000183574
Trans Name:	ENVIRONMENTAL MANAGEMENT TECHNOLOGIES
Trans 2 EPA ID:	CAD980585293
Trans 2 Name:	INDUSTRIAL WASTE UTILIZATION INC
TSDF EPA ID:	ARZ000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.6255
Waste Quantity:	150
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20101206
Creation Date:	4/27/2011 18:30:18
Receipt Date:	20101213
Manifest ID:	007748608JJK
Trans EPA ID:	CAR000183574
Trans Name:	ENVIRONMENTAL MANAGEMENT TECHNOLOGIES
Trans 2 EPA ID:	CAD980585293
Trans 2 Name:	INDUSTRIAL WASTE UTILIZATION INC
TSDF EPA ID:	ARZ000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	221 - Waste oil and mixed oil
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.494
Waste Quantity:	130
Quantity Unit:	G
Additional Code 1:	Not reported

WEST COAST PAINTING (Continued) **1012175661**

Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20101119
Creation Date:	4/27/2011 18:30:18
Receipt Date:	20101205
Manifest ID:	003726217FLE
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT
TSDF EPA ID:	TXD077603371
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	U002
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.4
Waste Quantity:	800
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20101119
Creation Date:	5/20/2011 18:30:13
Receipt Date:	20101203
Manifest ID:	003711313FLE
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT
TSDF EPA ID:	NVT330010000
Trans Name:	US ECOLOGY NEVADA
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.75
Waste Quantity:	1500
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20101117
Creation Date:	1/12/2011 18:30:17
Receipt Date:	20101117

WEST COAST PAINTING (Continued) **1012175661**

Manifest ID:	003828026FLE
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT080013352
Trans Name:	DEMENNO / KERDOON
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	222 - Oil/water separation sludge
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	5.004
Waste Quantity:	1200
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20101026
Creation Date:	1/3/2011 18:30:54
Receipt Date:	20101027
Manifest ID:	003714980FLE
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT080013352
Trans Name:	DEMENNO / KERDOON
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	222 - Oil/water separation sludge
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	3.753
Waste Quantity:	900
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20101011
Creation Date:	1/3/2011 18:30:18
Receipt Date:	20101012
Manifest ID:	003684985FLE
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT080013352
Trans Name:	DEMMENO KERDOON

WEST COAST PAINTING (Continued) **1012175661**

TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	222 - Oil/water separation sludge
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	3.3777
Waste Quantity:	810
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2009
Gen EPA ID:	CAL000221929
Shipment Date:	20091210
Creation Date:	6/29/2010 18:30:46
Receipt Date:	20091221
Manifest ID:	005304486JJK
Trans EPA ID:	CAR000183574
Trans Name:	ENVIRONMENTAL MANAGEMENT TECHNOLOGIES
Trans 2 EPA ID:	CAD980585293
Trans 2 Name:	INDUSTRIAL WASTE UTILIZATION
TSDF EPA ID:	ARZ000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.6255
Waste Quantity:	150
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20091210
Creation Date:	6/29/2010 18:30:46
Receipt Date:	20091221
Manifest ID:	005304486JJK
Trans EPA ID:	CAR000183574
Trans Name:	ENVIRONMENTAL MANAGEMENT TECHNOLOGIES
Trans 2 EPA ID:	CAD980585293
Trans 2 Name:	INDUSTRIAL WASTE UTILIZATION
TSDF EPA ID:	ARZ000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	221 - Waste oil and mixed oil

WEST COAST PAINTING (Continued) **1012175661**

RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.494
Waste Quantity:	130
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20091210
Creation Date:	7/20/2010 18:30:17
Receipt Date:	20091216
Manifest ID:	005304485JJK
Trans EPA ID:	CAR000183574
Trans Name:	ENVIRONMENTAL MANAGEMENT TECHNOLOGIES
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.576
Waste Quantity:	160
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20091210
Creation Date:	7/20/2010 18:30:17
Receipt Date:	20091216
Manifest ID:	005304485JJK
Trans EPA ID:	CAR000183574
Trans Name:	ENVIRONMENTAL MANAGEMENT TECHNOLOGIES
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D001
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.165
Waste Quantity:	50
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported

WEST COAST PAINTING (Continued) **1012175661**

Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20090806
Creation Date:	1/8/2010 18:30:35
Receipt Date:	20090810
Manifest ID:	005304290JJK
Trans EPA ID:	CAR000183574
Trans Name:	ENVIRONMENTAL MANAGEMENT TECHNOLOGIES
Trans 2 EPA ID:	CAD980585293
Trans 2 Name:	INDUSTRIAL WASTE UTILIZATION INC
TSDF EPA ID:	ARZ000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	221 - Waste oil and mixed oil
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.19
Waste Quantity:	50
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20090806
Creation Date:	1/8/2010 18:30:42
Receipt Date:	20090806
Manifest ID:	005304289JJK
Trans EPA ID:	CAR000183574
Trans Name:	ENVIRONMENTAL MANAGEMENT TECHNOLOGIES
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.144
Waste Quantity:	40
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20090806
Creation Date:	1/8/2010 18:30:35
Receipt Date:	20090810
Manifest ID:	005304290JJK
Trans EPA ID:	CAR000183574

WEST COAST PAINTING (Continued) **1012175661**

Trans Name:	ENVIRONMENTAL MANAGEMENT TECHNOLOGIES
Trans 2 EPA ID:	CAD980585293
Trans 2 Name:	INDUSTRIAL WASTE UTILIZATION INC
TSDF EPA ID:	ARZ000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	2.2935
Waste Quantity:	550
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20090619
Creation Date:	10/20/2009 18:30:09
Receipt Date:	20090624
Manifest ID:	005304199JJK
Trans EPA ID:	CAR000183574
Trans Name:	ENVIRONMENTAL MANAGEMENT TECHNOLOGIES
Trans 2 EPA ID:	CAD980585293
Trans 2 Name:	INDUSTRIAL WASTE UTILIZATION
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	4.69125
Waste Quantity:	1125
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20090619
Creation Date:	10/20/2009 18:30:09
Receipt Date:	20090624
Manifest ID:	005304199JJK
Trans EPA ID:	CAR000183574
Trans Name:	ENVIRONMENTAL MANAGEMENT TECHNOLOGIES
Trans 2 EPA ID:	CAD980585293
Trans 2 Name:	INDUSTRIAL WASTE UTILIZATION
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported

WEST COAST PAINTING (Continued) **1012175661**

Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	1.4595
Waste Quantity:	350
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20090619
Creation Date:	11/25/2009 18:30:38
Receipt Date:	20090619
Manifest ID:	005304197JJK
Trans EPA ID:	CAR000183574
Trans Name:	ENVIRONMENTAL MANAGEMENT TECHNOLOGIES
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.18
Waste Quantity:	50
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2008
Gen EPA ID:	CAL000221929
Shipment Date:	20081125
Creation Date:	4/8/2009 18:30:30
Receipt Date:	20081202
Manifest ID:	003908348JJK
Trans EPA ID:	CAR000183574
Trans Name:	ENVIRONMENTAL MANAGEMENT TECHNOLOGIES
Trans 2 EPA ID:	CAD980585293
Trans 2 Name:	INDUSTRIAL WASTE UTILIZATION
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)

WEST COAST PAINTING (Continued) **1012175661**

Quantity Tons:	1.3761
Waste Quantity:	330
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20081125
Creation Date:	4/21/2009 18:30:09
Receipt Date:	20081202
Manifest ID:	003908349JJK
Trans EPA ID:	CAR000183574
Trans Name:	ENVIRONMENTAL MANAGEMENT TECHNOLOGIES
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D001
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.363
Waste Quantity:	110
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20081125
Creation Date:	4/8/2009 18:30:30
Receipt Date:	20081202
Manifest ID:	003908348JJK
Trans EPA ID:	CAR000183574
Trans Name:	ENVIRONMENTAL MANAGEMENT TECHNOLOGIES
Trans 2 EPA ID:	CAD980585293
Trans 2 Name:	INDUSTRIAL WASTE UTILIZATION
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	1.14675
Waste Quantity:	275
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

WEST COAST PAINTING (Continued) **1012175661**

Shipment Date:	20081106
Creation Date:	3/31/2009 18:30:08
Receipt Date:	20081110
Manifest ID:	003908301JJK
Trans EPA ID:	CAR000183574
Trans Name:	ENVIRONMENTAL MANAGEMENT TECHNOLOGIES
Trans 2 EPA ID:	CAD980585293
Trans 2 Name:	INDUSTRIAL WASTE UTILIZATION
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	2.7522
Waste Quantity:	660
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20081106
Creation Date:	3/31/2009 18:30:08
Receipt Date:	20081110
Manifest ID:	003908301JJK
Trans EPA ID:	CAR000183574
Trans Name:	ENVIRONMENTAL MANAGEMENT TECHNOLOGIES
Trans 2 EPA ID:	CAD980585293
Trans 2 Name:	INDUSTRIAL WASTE UTILIZATION
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	3.44025
Waste Quantity:	825
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20081106
Creation Date:	4/9/2009 18:30:08
Receipt Date:	20081112
Manifest ID:	003908300JJK
Trans EPA ID:	CAR000183574
Trans Name:	ENVIRONMENTAL MANAGEMENT TECHNOLOGIES
Trans 2 EPA ID:	CAD980585293

WEST COAST PAINTING (Continued) **1012175661**

Trans 2 Name:	INDUSTRIAL WASTE UTILIZATION
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.198
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20081106
Creation Date:	4/9/2009 18:30:08
Receipt Date:	20081112
Manifest ID:	003908300JJK
Trans EPA ID:	CAR000183574
Trans Name:	ENVIRONMENTAL MANAGEMENT TECHNOLOGIES
Trans 2 EPA ID:	CAD980585293
Trans 2 Name:	INDUSTRIAL WASTE UTILIZATION
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D001
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.5445
Waste Quantity:	165
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20081015
Creation Date:	3/10/2009 18:30:09
Receipt Date:	20081023
Manifest ID:	003908264JJK
Trans EPA ID:	CAR000183574
Trans Name:	ENVIRONMENTAL MANAGEMENT TECHNOLOGIES
Trans 2 EPA ID:	CAD980585293
Trans 2 Name:	INDUSTRIAL WASTE UTILIZATION
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)

WEST COAST PAINTING (Continued) **1012175661**

Quantity Tons:	2.98155
Waste Quantity:	715
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20081015
Creation Date:	3/10/2009 18:30:09
Receipt Date:	20081023
Manifest ID:	003908264JJK
Trans EPA ID:	CAR000183574
Trans Name:	ENVIRONMENTAL MANAGEMENT TECHNOLOGIES
Trans 2 EPA ID:	CAD980585293
Trans 2 Name:	INDUSTRIAL WASTE UTILIZATION
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	3.44025
Waste Quantity:	825
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20081015
Creation Date:	3/10/2009 18:30:09
Receipt Date:	20081023
Manifest ID:	003908264JJK
Trans EPA ID:	CAR000183574
Trans Name:	ENVIRONMENTAL MANAGEMENT TECHNOLOGIES
Trans 2 EPA ID:	CAD980585293
Trans 2 Name:	INDUSTRIAL WASTE UTILIZATION
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	221 - Waste oil and mixed oil
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.209
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported

WEST COAST PAINTING (Continued) **1012175661**

Additional Code 5: Not reported

Additional Info:
Year: 2007
Gen EPA ID: CAL000221929

Shipment Date: 20071227
Creation Date: 5/30/2008 18:30:22
Receipt Date: 20080102
Manifest ID: 001481634FLE
Trans EPA ID: CAR000183574
Trans Name: ENVIRONMENTAL MANAGEMENT TECHNOLOGIES
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
TSDF EPA ID: CAD008252405
Trans Name: PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported
Waste Code Description: 214 - Unspecified solvent mixture
RCRA Code: D001
Meth Code: H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons: 0.198
Waste Quantity: 55
Quantity Unit: G
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

Shipment Date: 20071227
Creation Date: 5/30/2008 18:30:16
Receipt Date: 20080104
Manifest ID: 001481635FLE
Trans EPA ID: CAR000183574
Trans Name: ENVIRONMENTAL MANAGEMENT TECHNOLOGIES
Trans 2 EPA ID: CAD980585293
Trans 2 Name: INDUSTRIAL WASTE UTILIZATION INC
TSDF EPA ID: AZR000501510
Trans Name: AA SYDCOL INC
TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported
Waste Code Description: 291 - Latex waste
RCRA Code: Not reported
Meth Code: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons: 1.8348
Waste Quantity: 440
Quantity Unit: G
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

Shipment Date: 20071227
Creation Date: 5/30/2008 18:30:16

WEST COAST PAINTING (Continued) **1012175661**

Receipt Date:	20080104
Manifest ID:	001481635FLE
Trans EPA ID:	CAR000183574
Trans Name:	ENVIRONMENTAL MANAGEMENT TECHNOLOGIES
Trans 2 EPA ID:	CAD980585293
Trans 2 Name:	INDUSTRIAL WASTE UTILIZATION INC
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	5.81715
Waste Quantity:	1395
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20071227
Creation Date:	5/30/2008 18:30:22
Receipt Date:	20080102
Manifest ID:	001481634FLE
Trans EPA ID:	CAR000183574
Trans Name:	ENVIRONMENTAL MANAGEMENT TECHNOLOGIES
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D001
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.363
Waste Quantity:	110
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20071207
Creation Date:	5/15/2008 18:30:08
Receipt Date:	20071212
Manifest ID:	001524635FLE
Trans EPA ID:	CAR000183574
Trans Name:	ENVIRONMENTAL MANAGEMENT TECHNOLOGIES
Trans 2 EPA ID:	CAD980585293
Trans 2 Name:	INDUSTRIAL WASTE UTILIZATION INC
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL

WEST COAST PAINTING (Continued) **1012175661**

TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	2.2935
Waste Quantity:	550
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20071207
Creation Date:	5/15/2008 18:30:08
Receipt Date:	20071212
Manifest ID:	001481575FLE
Trans EPA ID:	CAR000183574
Trans Name:	ENVIRONMENTAL MANAGEMENT TECHNOLOGIES
Trans 2 EPA ID:	CAD980585293
Trans 2 Name:	INDUSTRIAL WASTE UTILIZATION
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	221 - Waste oil and mixed oil
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.418
Waste Quantity:	110
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20071207
Creation Date:	5/15/2008 18:30:08
Receipt Date:	20071212
Manifest ID:	001481575FLE
Trans EPA ID:	CAR000183574
Trans Name:	ENVIRONMENTAL MANAGEMENT TECHNOLOGIES
Trans 2 EPA ID:	CAD980585293
Trans 2 Name:	INDUSTRIAL WASTE UTILIZATION
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	3.44025

WEST COAST PAINTING (Continued) **1012175661**

Waste Quantity:	825
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20071207
Creation Date:	5/15/2008 18:30:08
Receipt Date:	20071212
Manifest ID:	001481575FLE
Trans EPA ID:	CAR000183574
Trans Name:	ENVIRONMENTAL MANAGEMENT TECHNOLOGIES
Trans 2 EPA ID:	CAD980585293
Trans 2 Name:	INDUSTRIAL WASTE UTILIZATION
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	1.60545
Waste Quantity:	385
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20071207
Creation Date:	5/30/2008 18:30:22
Receipt Date:	20071210
Manifest ID:	001481574FLE
Trans EPA ID:	CAR000183574
Trans Name:	ENVIRONMENTAL MANAGEMENT TECHNOLOGIES
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D001
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.5445
Waste Quantity:	165
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

WEST COAST PAINTING (Continued) **1012175661**

Shipment Date:	20071207
Creation Date:	5/30/2008 18:30:22
Receipt Date:	20071210
Manifest ID:	001481574FLE
Trans EPA ID:	CAR000183574
Trans Name:	ENVIRONMENTAL MANAGEMENT TECHNOLOGIES
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D001
Meth Code:	- Not reported
Quantity Tons:	Not reported
Waste Quantity:	Not reported
Quantity Unit:	Not reported
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2006
Gen EPA ID:	CAL000221929

Shipment Date:	20061222
Creation Date:	4/19/2007 18:32:02
Receipt Date:	20061229
Manifest ID:	000188129GBF
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL SERVICES INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD982444481
Trans Name:	FILTER RECYCLING SERVICES
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	223 - Unspecified oil-containing waste
RCRA Code:	Not reported
Meth Code:	H010 - Metals Recovery Including Retoring,Smelting,Chemicals,Ect
Quantity Tons:	0.1
Waste Quantity:	200
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20061222
Creation Date:	8/7/2007 18:30:14
Receipt Date:	20061226
Manifest ID:	000188132GBF
Trans EPA ID:	CAD982440364

WEST COAST PAINTING (Continued) **1012175661**

Trans Name:	PFR ENVIRONMENTAL SERVICES INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	212 - Oxygenated solvents (acetone, butanol, ethyl acetate, etc.
RCRA Code:	F005
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	3.8445
Waste Quantity:	1165
Quantity Unit:	G
Additional Code 1:	F003
Additional Code 2:	D001
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20061222
Creation Date:	8/7/2007 18:30:14
Receipt Date:	20061226
Manifest ID:	000188132GBF
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL SERVICES INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	212 - Oxygenated solvents (acetone, butanol, ethyl acetate, etc.
RCRA Code:	D018
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.1815
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20061205
Creation Date:	7/11/2007 18:30:05
Receipt Date:	20061205
Manifest ID:	000113334GBF
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL SERVICES INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	212 - Oxygenated solvents (acetone, butanol, ethyl acetate, etc.
RCRA Code:	F005

WEST COAST PAINTING (Continued) **1012175661**

Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	4.356
Waste Quantity:	1320
Quantity Unit:	G
Additional Code 1:	F003
Additional Code 2:	D001
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20061113
Creation Date:	7/6/2007 18:30:05
Receipt Date:	20061113
Manifest ID:	000113335GBF
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL SERVICES INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	212 - Oxygenated solvents (acetone, butanol, ethyl acetate, etc.
RCRA Code:	F005
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	3.63
Waste Quantity:	1100
Quantity Unit:	G
Additional Code 1:	F003
Additional Code 2:	D001
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20061113
Creation Date:	7/6/2007 18:30:05
Receipt Date:	20061113
Manifest ID:	000113335GBF
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL SERVICES INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	212 - Oxygenated solvents (acetone, butanol, ethyl acetate, etc.
RCRA Code:	F005
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.9075
Waste Quantity:	275
Quantity Unit:	G
Additional Code 1:	F003
Additional Code 2:	D001
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

WEST COAST PAINTING (Continued) **1012175661**

Shipment Date:	20061102
Creation Date:	3/30/2007 13:33:40
Receipt Date:	20061102
Manifest ID:	000113207GBF
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL SERVICES INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD982444481
Trans Name:	FILTER RECYCLING SERVICES
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.68805
Waste Quantity:	165
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20061102
Creation Date:	3/30/2007 13:33:40
Receipt Date:	20061102
Manifest ID:	000113207GBF
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL SERVICES INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD982444481
Trans Name:	FILTER RECYCLING SERVICES
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	1.14675
Waste Quantity:	275
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20061020
Creation Date:	6/29/2007 18:30:33
Receipt Date:	20061020
Manifest ID:	000449430JJK
Trans EPA ID:	CAD982444481
Trans Name:	FILTER RECYCLING SERVICES INC
Trans 2 EPA ID:	Not reported

WEST COAST PAINTING (Continued) **1012175661**

Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	212 - Oxygenated solvents (acetone, butanol, ethyl acetate, etc.
RCRA Code:	F005
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.1815
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	F003
Additional Code 2:	D001
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20061016
Creation Date:	4/19/2007 18:31:14
Receipt Date:	20061016
Manifest ID:	000113205GBF
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL SERVICES INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD982444481
Trans Name:	FILTER RECYCLING SERVICES
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	1.14675
Waste Quantity:	275
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2005
Gen EPA ID:	CAL000221929

Shipment Date:	20051227
Creation Date:	3/14/2007 18:30:33
Receipt Date:	20051227
Manifest ID:	24677158
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL SERVICES INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD982444481
Trans Name:	FILTER RECYCLING SERVICES
TSDF Alt EPA ID:	CAD982444481

WEST COAST PAINTING (Continued) **1012175661**

TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.9174
Waste Quantity:	220
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20051227
Creation Date:	3/14/2007 18:30:24
Receipt Date:	20051228
Manifest ID:	24677160
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL SERVICES INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	212 - Oxygenated solvents (acetone, butanol, ethyl acetate, etc.
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	1.452
Waste Quantity:	440
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20051227
Creation Date:	3/14/2007 18:30:24
Receipt Date:	20051228
Manifest ID:	24677160
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL SERVICES INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	212 - Oxygenated solvents (acetone, butanol, ethyl acetate, etc.
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.825
Waste Quantity:	250
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported

WEST COAST PAINTING (Continued) **1012175661**

Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20051209
Creation Date:	1/4/2007 18:30:12
Receipt Date:	20051209
Manifest ID:	24677126
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL SERVICES INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	212 - Oxygenated solvents (acetone, butanol, ethyl acetate, etc.
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	2.64
Waste Quantity:	800
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20051209
Creation Date:	1/4/2007 18:30:12
Receipt Date:	20051209
Manifest ID:	24677126
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL SERVICES INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	212 - Oxygenated solvents (acetone, butanol, ethyl acetate, etc.
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.825
Waste Quantity:	250
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20051129
Creation Date:	1/3/2007 18:30:08
Receipt Date:	20051129
Manifest ID:	24677095
Trans EPA ID:	CAD982440364

WEST COAST PAINTING (Continued) **1012175661**

Trans Name:	PFR ENVIRONMMTAL SERVICES INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	212 - Oxygenated solvents (acetone, butanol, ethyl acetate, etc.
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	2.541
Waste Quantity:	770
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20051129
Creation Date:	3/22/2006 18:30:36
Receipt Date:	20051206
Manifest ID:	24677097
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL SERVICES INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD982444481
Trans Name:	FILTER RECYCLING SERVICES
TSDF Alt EPA ID:	CAD982444481
TSDF Alt Name:	Not reported
Waste Code Description:	221 - Waste oil and mixed oil
RCRA Code:	Not reported
Meth Code:	R01 - Recycler
Quantity Tons:	0.209
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20051108
Creation Date:	1/3/2007 18:30:08
Receipt Date:	20051115
Manifest ID:	24677054
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL SERVICES INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD982444481
Trans Name:	FILTER RECYCLING SERVICES
TSDF Alt EPA ID:	CAD982444481
TSDF Alt Name:	Not reported
Waste Code Description:	221 - Waste oil and mixed oil
RCRA Code:	Not reported

WEST COAST PAINTING (Continued) **1012175661**

Meth Code:	R01 - Recycler
Quantity Tons:	0.19
Waste Quantity:	50
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20051108
Creation Date:	1/2/2007 18:30:08
Receipt Date:	20051110
Manifest ID:	24677055
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL SERVICES INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	212 - Oxygenated solvents (acetone, butanol, ethyl acetate, etc.
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	2.178
Waste Quantity:	660
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20051108
Creation Date:	1/2/2007 18:30:08
Receipt Date:	20051110
Manifest ID:	24677055
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL SERVICES INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	212 - Oxygenated solvents (acetone, butanol, ethyl acetate, etc.
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.825
Waste Quantity:	250
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

WEST COAST PAINTING (Continued) **1012175661**

Additional Info:

Year:	2004
Gen EPA ID:	CAL000221929
Shipment Date:	20041117
Creation Date:	2/17/2005 18:31:05
Receipt Date:	20041122
Manifest ID:	24218432
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL SERVICES INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	212 - Oxygenated solvents (acetone, butanol, ethyl acetate, etc.
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.726
Waste Quantity:	220
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20041117
Creation Date:	3/13/2007 18:30:42
Receipt Date:	20041124
Manifest ID:	24218433
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL SERVICES INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT080013352
Trans Name:	DEMENNO KERDOON
TSDF Alt EPA ID:	CAT080013352
TSDF Alt Name:	Not reported
Waste Code Description:	221 - Waste oil and mixed oil
RCRA Code:	NA
Meth Code:	R01 - Recycler
Quantity Tons:	0.418
Waste Quantity:	110
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20041117
Creation Date:	2/17/2005 18:31:05
Receipt Date:	20041122
Manifest ID:	24218432
Trans EPA ID:	CAD982440364

WEST COAST PAINTING (Continued) **1012175661**

Trans Name:	PFR ENVIRONMENTAL SERVICES INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	212 - Oxygenated solvents (acetone, butanol, ethyl acetate, etc.
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	1.089
Waste Quantity:	330
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20040920
Creation Date:	12/31/2004 18:31:40
Receipt Date:	20040929
Manifest ID:	23765481
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL SERVICES INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT080013352
Trans Name:	DEMENNO KERDOON
TSDF Alt EPA ID:	CAT080013352
TSDF Alt Name:	Not reported
Waste Code Description:	221 - Waste oil and mixed oil
RCRA Code:	Not reported
Meth Code:	R01 - Recycler
Quantity Tons:	0.209
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20040920
Creation Date:	12/21/2004 18:30:50
Receipt Date:	20040921
Manifest ID:	23765480
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL SERVICES INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	212 - Oxygenated solvents (acetone, butanol, ethyl acetate, etc.
RCRA Code:	D001

WEST COAST PAINTING (Continued) **1012175661**

Meth Code:	R01 - Recycler
Quantity Tons:	0.5445
Waste Quantity:	165
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20040920
Creation Date:	12/31/2004 18:31:40
Receipt Date:	20040929
Manifest ID:	23765481
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL SERVICES INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT080013352
Trans Name:	DEMENNO KERDOON
TSDF Alt EPA ID:	CAT080013352
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	R01 - Recycler
Quantity Tons:	0.68805
Waste Quantity:	165
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20040920
Creation Date:	12/21/2004 18:30:50
Receipt Date:	20040921
Manifest ID:	23765480
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL SERVICES INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	212 - Oxygenated solvents (acetone, butanol, ethyl acetate, etc.
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.726
Waste Quantity:	220
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

WEST COAST PAINTING (Continued) **1012175661**

Shipment Date:	20040713
Creation Date:	11/5/2004 18:30:59
Receipt Date:	20040715
Manifest ID:	23765331
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL SERVICES INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	212 - Oxygenated solvents (acetone, butanol, ethyl acetate, etc.
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.5445
Waste Quantity:	165
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20040713
Creation Date:	11/5/2004 18:30:59
Receipt Date:	20040715
Manifest ID:	23765331
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL SERVICES INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	212 - Oxygenated solvents (acetone, butanol, ethyl acetate, etc.
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.363
Waste Quantity:	110
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20040616
Creation Date:	11/1/2004 12:36:11
Receipt Date:	20040617
Manifest ID:	23765237
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL SERVICES INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT080013352

WEST COAST PAINTING (Continued) **1012175661**

Trans Name:	DEMENNO KERDOON
TSDF Alt EPA ID:	CAT080013352
TSDF Alt Name:	Not reported
Waste Code Description:	212 - Oxygenated solvents (acetone, butanol, ethyl acetate, etc.
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.5445
Waste Quantity:	165
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

HWTS:

Name:	WEST COAST PAINTING
Address:	1611 7TH ST
Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 92507
EPA ID:	CAL000221929
Inactive Date:	06/30/2012
Create Date:	03/28/2001
Last Act Date:	Not reported
Mailing Name:	Not reported
Mailing Address:	1611 7TH ST
Mailing Address 2:	Not reported
Mailing City,State,Zip:	RIVERSIDE, CA 925070000
Owner Name:	MARK HERBERT
Owner Address:	1611 7TH ST
Owner Address 2:	Not reported
Owner City,State,Zip:	RIVERSIDE, CA 925070000
Contact Name:	HUMBERTO GONZALEZ-SAFETY MGR
Contact Address:	1611 7TH ST
Contact Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 92507
Facility Status:	Inactive
Facility Type:	PERMANENT
Category:	STATE
Latitude:	33.97817
Longitude:	-117.346774

NAICS:

EPA ID:	CAL000221929
Create Date:	2003-10-23 13:13:52.000
NAICS Code:	23521
NAICS Description:	Painting and Wall Covering Contractors
Issued EPA ID Date:	2001-03-28 00:00:00
Inactive Date:	2012-06-30 00:00:00
Facility Name:	WEST COAST PAINTING
Facility Address:	1611 7TH ST
Facility Address 2:	Not reported
Facility City:	RIVERSIDE
Facility County:	Not reported
Facility State:	CA
Facility Zip:	925070000

L59 **ENVIRONMENTAL METALS CORP** **RCRA-SQG** **1000261667**
SSE **1521 7TH ST** **FINDS** **CAD980892160**
< 1/8 **RIVERSIDE, CA 92507** **ECHO**
0.083 mi.
438 ft. **Site 1 of 5 in cluster L**

Relative: **Higher**

Actual: **976 ft.**

RCRA Listings:

Date Form Received by Agency:		19960901
Handler Name:	ENVIRONMENTAL METALS CORP	
Handler Address:		1521 7TH ST
Handler City,State,Zip:		RIVERSIDE, CA 92507
EPA ID:		CAD980892160
Contact Name:		Not reported
Contact Address:		Not reported
Contact City,State,Zip:		Not reported
Contact Telephone:		Not reported
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		CA
State District:		4
Mailing Address:		SEVENTH ST
Mailing City,State,Zip:		RIVERSIDE, CA 92507
Owner Name:	BROWN DEVELOPMENT	
Owner Type:		Private
Operator Name:	NOT REQUIRED	
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		NN
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported

ENVIRONMENTAL METALS CORP (Continued) **1000261667**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20000915
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: NOT REQUIRED	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, ME 99999
Owner/Operator Telephone:	415-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: BROWN DEVELOPMENT	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, ME 99999
Owner/Operator Telephone:	415-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

ENVIRONMENTAL METALS CORP (Continued) **1000261667**

Historic Generators:
- Receive Date: 19960901
- Handler Name: ENVIRONMENTAL METALS CORP
- Federal Waste Generator Description: Small Quantity Generator
- State District Owner: CA
- Large Quantity Handler of Universal Waste: No
- Recognized Trader Importer: No
- Recognized Trader Exporter: No
- Spent Lead Acid Battery Importer: No
- Spent Lead Acid Battery Exporter: No
- Current Record: Yes
- Non Storage Recycler Activity: Not reported
- Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
- NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
- Violations: No Violations Found

Evaluation Action Summary:
- Evaluations: No Evaluations Found

FINDS:
- Registry ID: 110002676220

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
- Envid: 1000261667
- Registry ID: 110002676220
- DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110002676220
- Name: ENVIRONMENTAL METALS CORP
- Address: 1521 7TH ST
- City,State,Zip: RIVERSIDE, CA 92507

M60
SSW
< 1/8
0.088 mi.
464 ft.

WEST COAST DRYWALL & CO INC DBA WEST COAST DRYWALL — **RCRA NonGen / NLR** — **1024858041**
3595 PRESLEY AVE — **CAL000423698**
RIVERSIDE, CA 92507

Site 1 of 2 in cluster M

Relative:
Lower

Actual:
958 ft.

RCRA Listings:

Date Form Received by Agency:	20210223
Handler Name:	WEST COAST DRYWALL & CO INC DBA WEST COAST DRYWALL & PAINT
Handler Address:	3595 PRESLEY AVE
Handler City,State,Zip:	RIVERSIDE, CA 92507
EPA ID:	CAL000423698
Contact Name:	ERIK MARQUEZ
Contact Address:	PRESLEY AVE
Contact City,State,Zip:	RIVERSIDE, CA 92507
Contact Telephone:	951-712-3591
Contact Fax:	951-369-7371
Contact Email:	EMARQUEZ@WCDP.COM
Contact Title:	Not reported
EPA Region:	09
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	W. LINDEN STREET
Mailing City,State,Zip:	RIVERSIDE, CA 92507-0000
Owner Name:	WEST COAST DRYWALL & CO INC
Owner Type:	Other
Operator Name:	WEST COAST DRYWALL & CO INC
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported

WEST COAST DRYWALL & CO INC DBA WEST COAST DRYWALL & PAINT (Continued) **1024858041**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20210816
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: WEST COAST DRYWALL & CO INC	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	1610 W. LINDEN STREET
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507-0000
Owner/Operator Telephone:	951-778-3592
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: MARK HERBERT	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	1610 W. LINDEN STREET
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507-0000
Owner/Operator Telephone:	951-778-3592
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

WEST COAST DRYWALL & CO INC DBA WEST COAST DRYWALL & PAINT (Continued) **1024858041**

Owner/Operator Indicator: Owner
Owner/Operator Name: WEST COAST DRYWALL & CO INC
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 1610 W. LINDEN STREET
Owner/Operator City,State,Zip: RIVERSIDE, CA 92507-0000
Owner/Operator Telephone: 951-778-3592
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: DAVID LEVIA
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 1610 W. LINDEN STREET
Owner/Operator City,State,Zip: RIVERSIDE, CA 92507
Owner/Operator Telephone: 951-778-3592
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20161230
Handler Name: WEST COAST DRYWALL & CO INC DBA WEST COAST DRYWALL & PAINT
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20210223
Handler Name: WEST COAST DRYWALL & CO INC DBA WEST COAST DRYWALL & PAINT
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

List of NAICS Codes and Descriptions:
NAICS Code: 56299
NAICS Description: ALL OTHER WASTE MANAGEMENT SERVICES

WEST COAST DRYWALL & CO INC DBA WEST COAST DRYWALL & PAINT (Continued) **1024858041**

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

M61 **MITCHELL GLASS** **CERS HAZ WASTE** **U001967828**
SSW **3595 PRESLEY AVE** **SWEEPS UST** **N/A**
< 1/8 **RIVERSIDE, CA 92507** **CA FID UST**
0.088 mi. **CERS**
464 ft. **Site 2 of 2 in cluster M**

Relative:
Lower

Actual:
958 ft.

CERS HAZ WASTE:
Name: WESTCOAST DRYWALL &PAINT
Address: 3595 PRESLEY AVE
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 374256
CERS ID: 10685662
CERS Description: Hazardous Waste Generator

SWEEPS UST:
Name: MITCHELL GLASS
Address: 3595 PRESLEY AVE
City: RIVERSIDE
Status: Active
Comp Number: 39222
Number: 1
Board Of Equalization: 44-018234
Referral Date: 05-08-90
Action Date: 05-08-90
Created Date: 03-17-89
Owner Tank Id: 3595
SWRCB Tank Id: 33-000-039222-000001
Tank Status: A
Capacity: 5000
Active Date: 05-08-90
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: 1

CA FID UST:
Facility ID: 33007024
Regulated By: UTNKA
Regulated ID: Not reported
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 7146863540
Mail To: Not reported
Mailing Address: 3595 PRESLEY AVE
Mailing Address 2: Not reported
Mailing City,St,Zip: RIVERSIDE 92507
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported

MITCHELL GLASS (Continued) **U001967828**

NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

CERS:
Name: WESTCOAST DRYWALL &PAINT
Address: 3595 PRESLEY AVE
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 374256
CERS ID: 10685662
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 374256
Site Name: WestCoast Drywall &Paint
Violation Date: 01-06-2017
Citation: 22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description: Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes: Returned to compliance on 04/13/2017.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 374256
Site Name: WestCoast Drywall &Paint
Violation Date: 10-20-2016
Citation: 40 CFR 1 265.35 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.35
Violation Description: Failure to maintain aisle space to allow the unobstructed movement of personnel, fire protection equipment, spill control equipment, and decontamination equipment to any area of facility operation in an emergency, unless aisle space is not needed for any of these purposes.
Violation Notes: Returned to compliance on 04/13/2017.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 374256
Site Name: WestCoast Drywall &Paint
Violation Date: 03-21-2018
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes: Returned to compliance on 06/12/2018.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 374256

MITCHELL GLASS (Continued) **U001967828**

Site Name:	WestCoast Drywall &Paint
Violation Date:	07-28-2020
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes:	Returned to compliance on 09/16/2020. The chemical inventory has not been submitted accurately. Include the changes of the following chemicals in CERS: Autuan syn 295 (ATF)-55gal; Used Oil- 275 gal; 15W40 Oil-240 gal; Acetylene-65 cubic feet; Argon- 124 Cubic feet; Compressed gas (N.O.S)-135 cubic feet
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	374256
Site Name:	WestCoast Drywall &Paint
Violation Date:	03-22-2017
Citation:	HSC 6.95 25505(a)(4) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(a)(4)
Violation Description:	Failure to provide initial and annual training to all employees in safety procedures in the event of a release or threatened release of a hazardous material or failure to document and maintain training records for a minimum of three years.
Violation Notes:	Returned to compliance on 08/24/2017. Provide documentation for employee training for elements stored in warehouse.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	374256
Site Name:	WestCoast Drywall &Paint
Violation Date:	11-15-2016
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes:	Returned to compliance on 08/11/2017.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	374256
Site Name:	WestCoast Drywall &Paint
Violation Date:	12-29-2017
Citation:	HSC 6.95 25505(a)(4) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(a)(4)
Violation Description:	Failure to provide initial and annual training to all employees in safety procedures in the event of a release or threatened release of a hazardous material or failure to document and maintain training records for a minimum of three years.
Violation Notes:	Returned to compliance on 01/12/2018. Initial & refresher training provided to personnel.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP

MITCHELL GLASS (Continued) **U001967828**

Violation Source:	CERS,
Site ID:	374256
Site Name:	WestCoast Drywall &Paint
Violation Date:	07-23-2020
Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	Returned to compliance on 07/23/2020. OBSERVATION: Observed incomplete labels on all waste containers. Information missing included accumulation start date. CORRECTIVE ACTION: Owner/operator shall label hazardous waste containers with all the required information. Label shall include at least: the words ""hazardous waste"", generator name and address, accumulation start date, composition and physical state of waste, and hazardous property statement. Operator correctly labeled all containers during this inspection.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	374256
Site Name:	WestCoast Drywall &Paint
Violation Date:	10-20-2016
Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	Returned to compliance on 04/13/2017.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	374256
Site Name:	WestCoast Drywall &Paint
Violation Date:	11-25-2013
Citation:	HSC 6.95 25504(c) - California Health and Safety Code, Chapter 6.95, Section(s) 25504(c)
Violation Description:	Failure to include provisions in the business plan to ensure that appropriate personnel receive initial and annual training.
Violation Notes:	Returned to compliance on 12/03/2013.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	374256
Site Name:	WestCoast Drywall &Paint
Violation Date:	01-06-2017
Citation:	40 CFR 1 265.31 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.31
Violation Description:	Failure to maintain and operate the facility to minimize the

MITCHELL GLASS (Continued) **U001967828**

possibility of a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil, or surface water which could threaten human health or the environment.
Violation Notes: Returned to compliance on 04/13/2017.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 374256
Site Name: WestCoast Drywall &Paint
Violation Date: 10-20-2016
Citation: 40 CFR 1 265.171 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.171
Violation Description: Failure to accumulate hazardous waste in a container that is in good condition.
Violation Notes: Returned to compliance on 04/13/2017.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 374256
Site Name: WestCoast Drywall &Paint
Violation Date: 10-20-2016
Citation: 40 CFR 1 265.173 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.173
Violation Description: Failure to meet the following container management requirements: (a) A container holding hazardous waste must always be closed during storage, except when it is necessary to add or remove waste. (b) A container holding hazardous waste must not be opened, handled, or stored in a manner which may rupture the container or cause it to leak.
Violation Notes: Returned to compliance on 04/13/2017.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 374256
Site Name: WestCoast Drywall &Paint
Violation Date: 01-06-2017
Citation: 40 CFR 1 265.173 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.173
Violation Description: Failure to meet the following container management requirements: (a) A container holding hazardous waste must always be closed during storage, except when it is necessary to add or remove waste. (b) A container holding hazardous waste must not be opened, handled, or stored in a manner which may rupture the container or cause it to leak.
Violation Notes: Returned to compliance on 04/13/2017.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 374256
Site Name: WestCoast Drywall &Paint
Violation Date: 01-06-2017
Citation: 40 CFR 1 265.35 - U.S. Code of Federal Regulations, Title 40, Chapter

MITCHELL GLASS (Continued) **U001967828**

	1, Section(s) 265.35
Violation Description:	Failure to maintain aisle space to allow the unobstructed movement of personnel, fire protection equipment, spill control equipment, and decontamination equipment to any area of facility operation in an emergency, unless aisle space is not needed for any of these purposes.
Violation Notes:	Returned to compliance on 04/13/2017.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	374256
Site Name:	WestCoast Drywall &Paint
Violation Date:	11-25-2013
Citation:	HSC 6.95 25504(c) - California Health and Safety Code, Chapter 6.95, Section(s) 25504(c)
Violation Description:	Failure to include an adequate training program in the business plan, which is reasonable and appropriate for the size of the business and the nature of the hazardous material handled.
Violation Notes:	Returned to compliance on 12/03/2013.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	374256
Site Name:	WestCoast Drywall &Paint
Violation Date:	01-06-2017
Citation:	40 CFR 1 265.172 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.172
Violation Description:	Failure to accumulate or store hazardous waste in container made of or lined with materials which will not react with, and are otherwise compatible with, the hazardous waste to be stored.
Violation Notes:	Returned to compliance on 04/13/2017.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	374256
Site Name:	WestCoast Drywall &Paint
Violation Date:	07-28-2020
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit the Business Activities Page and/or Business Owner Operator Identification Page.
Violation Notes:	Returned to compliance on 09/16/2020. No Business Activity Page and/or Business Owner/Operator ID page has been submitted. Complete the required document in CERS. Emergency contact, and environmental contact information in CERS
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	374256
Site Name:	WestCoast Drywall &Paint
Violation Date:	11-25-2013
Citation:	HSC 6.95 Multiple - California Health and Safety Code, Chapter 6.95, Section(s) Multiple
Violation Description:	Business Plan Program - Administration/Documentation - General

MITCHELL GLASS (Continued) **U001967828**

Violation Notes:	Returned to compliance on 12/03/2013. HMBP was not available onsite during inspection.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	374256
Site Name:	WestCoast Drywall &Paint
Violation Date:	11-25-2013
Citation:	HSC 6.95 25504(b) - California Health and Safety Code, Chapter 6.95, Section(s) 25504(b)
Violation Description:	Failure to include adequate emergency response procedures in the business plan for a release or threatened release.
Violation Notes:	Returned to compliance on 12/03/2013.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	374256
Site Name:	WestCoast Drywall &Paint
Violation Date:	10-20-2016
Citation:	40 CFR 1 265.31 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.31
Violation Description:	Failure to maintain and operate the facility to minimize the possibility of a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil, or surface water which could threaten human health or the environment.
Violation Notes:	Returned to compliance on 04/13/2017.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	374256
Site Name:	WestCoast Drywall &Paint
Violation Date:	01-05-2018
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes:	Returned to compliance on 06/12/2018.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	374256
Site Name:	WestCoast Drywall &Paint
Violation Date:	02-14-2018
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes:	Returned to compliance on 06/12/2018.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP

MITCHELL GLASS (Continued) **U001967828**

Violation Source: CERS,

Site ID: 374256
Site Name: WestCoast Drywall &Paint
Violation Date: 01-26-2021
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes: Returned to compliance on 03/23/2021.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 374256
Site Name: WestCoast Drywall &Paint
Violation Date: 11-25-2013
Citation: 19 CCR 4 2729.2(a)(3) - California Code of Regulations, Title 19, Chapter 4, Section(s) 2729.2(a)(3)
Violation Description: Failure to complete and/or submit an annotated site map if required by CUPA.
Violation Notes: Returned to compliance on 12/03/2013.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 374256
Site Name: WestCoast Drywall &Paint
Violation Date: 05-10-2018
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes: Returned to compliance on 06/12/2018.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 374256
Site Name: WestCoast Drywall &Paint
Violation Date: 01-06-2017
Citation: 40 CFR 1 265.171 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.171
Violation Description: Failure to accumulate hazardous waste in a container that is in good condition.
Violation Notes: Returned to compliance on 04/13/2017.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 374256
Site Name: WestCoast Drywall &Paint
Violation Date: 03-22-2017
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)

MITCHELL GLASS (Continued) **U001967828**

Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes: Returned to compliance on 08/24/2017. Upload site map to identify element storage locations
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 374256
Site Name: WestCoast Drywall &Paint
Violation Date: 01-12-2017
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes: Returned to compliance on 08/24/2017.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 374256
Site Name: WestCoast Drywall &Paint
Violation Date: 10-20-2016
Citation: 40 CFR 1 265.174 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.174
Violation Description: Failure to inspect hazardous waste storage areas at least weekly and look for leaking and deteriorating containers.
Violation Notes: Returned to compliance on 04/13/2017.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Evaluation:
Eval General Type: Other/Unknown
Eval Date: 01-05-2018
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 01-06-2017
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: HW generator follow up
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 01-12-2017
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported

MITCHELL GLASS (Continued) **U001967828**

Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-12-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 04-13-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: HW follow up
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 07-20-2020
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Initial Inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-23-2020
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: This facility is a small quantity, hazardous waste generator of used oil, antifreeze, filters and solid absorbents.
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-22-2017
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 09-16-2020
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Reinspection - D. Young. All violations from 7/28/2020 routine inspection have been abated.
Eval Division: Riverside City Fire Department

MITCHELL GLASS (Continued) **U001967828**

Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-21-2013
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Haz waste generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-25-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 01-05-2018
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 02-14-2018
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 03-21-2018
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 05-10-2018
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

MITCHELL GLASS (Continued) **U001967828**

Eval General Type: Other/Unknown
Eval Date: 10-24-2013
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Conclude inspection/review and sign report
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 11-15-2016
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 12-29-2017
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 01-26-2021
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-28-2020
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-20-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 12-03-2013
Violations Found: No

MITCHELL GLASS (Continued) **U001967828**

Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Enforcement Action:
Site ID: 374256
Site Name: WestCoast Drywall &Paint
Site Address: 3595 PRESLEY AVE
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 01-05-2018
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Fines/Penalties Assessed: $100.00. ADMIN CITE.
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Site ID: 374256
Site Name: WestCoast Drywall &Paint
Site Address: 3595 PRESLEY AVE
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 01-12-2017
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Fines/Penalties Assessed: $200.00. Administrative Citation.
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Site ID: 374256
Site Name: WestCoast Drywall &Paint
Site Address: 3595 PRESLEY AVE
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 01-26-2021
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Administrative Citation .
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Site ID: 374256
Site Name: WestCoast Drywall &Paint
Site Address: 3595 PRESLEY AVE
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 02-14-2018
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Fines/Penalties Assessed: $200.00. admin cite.
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP

MITCHELL GLASS (Continued) **U001967828**

Enf Action Source:	CERS,
Site ID:	374256
Site Name:	WestCoast Drywall &Paint
Site Address:	3595 PRESLEY AVE
Site City:	RIVERSIDE
Site Zip:	92507
Enf Action Date:	03-21-2018
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Fines/Penalties Assessed: $500.00. admin cite.
Enf Action Division:	Riverside City Fire Department
Enf Action Program:	HMRRP
Enf Action Source:	CERS,
Site ID:	374256
Site Name:	WestCoast Drywall &Paint
Site Address:	3595 PRESLEY AVE
Site City:	RIVERSIDE
Site Zip:	92507
Enf Action Date:	05-10-2018
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Fines/Penalties Assessed: $500.00. admin cite.
Enf Action Division:	Riverside City Fire Department
Enf Action Program:	HMRRP
Enf Action Source:	CERS,
Site ID:	374256
Site Name:	WestCoast Drywall &Paint
Site Address:	3595 PRESLEY AVE
Site City:	RIVERSIDE
Site Zip:	92507
Enf Action Date:	11-15-2016
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Fines/Penalties Assessed: $100.00. Administrative Citation .
Enf Action Division:	Riverside City Fire Department
Enf Action Program:	HMRRP
Enf Action Source:	CERS,
Site ID:	374256
Site Name:	WestCoast Drywall &Paint
Site Address:	3595 PRESLEY AVE
Site City:	RIVERSIDE
Site Zip:	92507
Enf Action Date:	11-25-2013
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Riverside City Fire Department
Enf Action Program:	HMRRP
Enf Action Source:	CERS,

Coordinates:

Site ID:	374256
Facility Name:	WestCoast Drywall &Paint

MITCHELL GLASS (Continued) **U001967828**

Env Int Type Code:	HWG
Program ID:	10685662
Coord Name:	Not reported
Ref Point Type Desc:	Center of a facility or station.,
Latitude:	33.979000
Longitude:	-117.346600

Affiliation:

Affiliation Type Desc:	Environmental Contact
Entity Name:	Erik Marquez
Entity Title:	Not reported
Affiliation Address:	1610 W LINDEN ST
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92507
Affiliation Phone:	,

Affiliation Type Desc:	Operator
Entity Name:	West Coast Drywall & Paint
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(951) 712-3591,

Affiliation Type Desc:	Property Owner
Entity Name:	Mark Herber
Entity Title:	Not reported
Affiliation Address:	1610 W LINDEN ST
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92507
Affiliation Phone:	(951) 778-3592,

Affiliation Type Desc:	Document Preparer
Entity Name:	Erik Marquez
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	1610 W LINDEN ST
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92507
Affiliation Phone:	,

MITCHELL GLASS (Continued) **U001967828**

Affiliation Type Desc:	Legal Owner
Entity Name:	Mark Herbert
Entity Title:	Not reported
Affiliation Address:	1610 W LINDEN ST
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92507
Affiliation Phone:	(951) 778-3592,

Affiliation Type Desc:	Parent Corporation
Entity Name:	WestCoast Drywall & Paint
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,

Affiliation Type Desc:	CUPA District
Entity Name:	Riverside Cnty Env Health
Entity Title:	Not reported
Affiliation Address:	4065 County Circle Drive, Room 104
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92503
Affiliation Phone:	(951) 358-5055,

Affiliation Type Desc:	Identification Signer
Entity Name:	Erik Marquez
Entity Title:	Fleet Manager
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,

N62 **MERIT OIL** **RCRA NonGen / NLR** **1025867958**
WNW **1751 W 3RD ST** **CAL000342706**
< 1/8 **RIVERSIDE, CA 92507**
0.089 mi.
468 ft. **Site 1 of 11 in cluster N**

Relative: RCRA Listings:
Lower

Actual: Date Form Received by Agency:		20090501
937 ft. Handler Name:	MERIT OIL	
Handler Address:		1751 W 3RD ST
Handler City,State,Zip:		RIVERSIDE, CA 92507-3435
EPA ID:		CAL000342706
Contact Name:		JIM POWER
Contact Address:		1020 BLOOMINGTON AVE
Contact City,State,Zip:		BLOOMINGTON, CA 92316
Contact Telephone:		909-877-2652
Contact Fax:		909-877-4723

MERIT OIL (Continued) **1025867958**

Contact Email:		JPOWER@MERITOIL.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		PO BOX 341
Mailing City,State,Zip:		BLOOMINGTON, CA 92316-0341
Owner Name:	MERIT OIL CO RON NUCKLES	
Owner Type:		Other
Operator Name:	JIM POWER	
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported
Permit Workload Universe:		Not reported
Permit Progress Universe:		Not reported
Post-Closure Workload Universe:		Not reported
Closure Workload Universe:		Not reported
202 GPRA Corrective Action Baseline:		No
Corrective Action Workload Universe:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:		No
TSDFs Only Subject to CA under Discretionary Auth Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A

MERIT OIL (Continued) **1025867958**

Operating TSDF Universe: Not reported
Full Enforcement Universe: Not reported
Significant Non-Complier Universe: No
Unaddressed Significant Non-Complier Universe: No
Addressed Significant Non-Complier Universe: No
Significant Non-Complier With a Compliance Schedule Universe: No
Financial Assurance Required: Not reported
Handler Date of Last Change: 20190910
Recognized Trader-Importer: No
Recognized Trader-Exporter: No
Importer of Spent Lead Acid Batteries: No
Exporter of Spent Lead Acid Batteries: No
Recycler Activity Without Storage: No
Manifest Broker: No
Sub-Part P Indicator: No

Handler - Owner Operator:
Owner/Operator Indicator: Owner
Owner/Operator Name: MERIT OIL CO RON NUCKLES
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: PO BOX 341
Owner/Operator City,State,Zip: BLOOMINGTON, CA 92316-0341
Owner/Operator Telephone: 909-885-3411
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: JIM POWER
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 1020 BLOOMINGTON AVE
Owner/Operator City,State,Zip: BLOOMINGTON, CA 92316
Owner/Operator Telephone: 909-877-2652
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20090501
Handler Name: MERIT OIL
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: Not reported
Recognized Trader Exporter: Not reported
Spent Lead Acid Battery Importer: Not reported
Spent Lead Acid Battery Exporter: Not reported
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

MERIT OIL (Continued) **1025867958**

List of NAICS Codes and Descriptions:
NAICS Code: 44719
NAICS Description: OTHER GASOLINE STATIONS

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

N63 **MERIT OIL COMPANY** **LUST** **U003659473**
WNW **1751 3RD ST** **CERS HAZ WASTE** **N/A**
< 1/8 **RIVERSIDE, CA 92507** **CERS TANKS**
0.089 mi. **Cortese**
468 ft. **Site 2 of 11 in cluster N** **CERS**

Relative:
Lower

Actual:
937 ft.

LUST:
Name: MERIT OIL COMPANY
Address: 1751 THIRD ST
City,State,Zip: RIVERSIDE, CA 92507
Lead Agency: RIVERSIDE COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0606500574
Global Id: T0606500574
Latitude: 33.9835271039038
Longitude: -117.349625332506
Status: Completed - Case Closed
Status Date: 04/10/2000
Case Worker: SCB
RB Case Number: 083303384T
Local Agency: RIVERSIDE COUNTY LOP
File Location: Local Agency Warehouse
Local Case Number: 9914948
Potential Media Affect: Soil
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:
Global Id: T0606500574
Contact Type: Regional Board Caseworker
Contact Name: MIGUEL OVIEDO
Organization Name: SANTA ANA RWQCB (REGION 8)
Address: 3737 Main Street, Suite 500
City: RIVERSIDE
Email: miguel.oviedo@waterboards.ca.gov
Phone Number: 9517823238

Global Id: T0606500574
Contact Type: Local Agency Caseworker
Contact Name: SHARON BOLTINGHOUSE
Organization Name: RIVERSIDE COUNTY LOP
Address: 3880 LEMON ST SUITE 200
City: RIVERSIDE
Email: sbolting@rivco.org
Phone Number: 9519558980

MERIT OIL COMPANY (Continued) **U003659473**

LUST:
Global Id: T0606500574
Action Type: Other
Date: 02/23/1999
Action: Leak Reported

Global Id: T0606500574
Action Type: ENFORCEMENT
Date: 03/25/2009
Action: Closure/No Further Action Letter - #Site Closure

Global Id: T0606500574
Action Type: Other
Date: 02/23/1999
Action: Leak Stopped

Global Id: T0606500574
Action Type: ENFORCEMENT
Date: 03/24/2009
Action: File review - #RCDEH upload site file 8/27/2015

Global Id: T0606500574
Action Type: ENFORCEMENT
Date: 04/10/2000
Action: Closure/No Further Action Letter

Global Id: T0606500574
Action Type: Other
Date: 02/23/1999
Action: Leak Discovery

LUST:
Global Id: T0606500574
Status: Open - Case Begin Date
Status Date: 02/23/1999

Global Id: T0606500574
Status: Open - Site Assessment
Status Date: 02/23/1999

Global Id: T0606500574
Status: Completed - Case Closed
Status Date: 04/10/2000

LUST REG 8:
Name: MERIT OIL COMPANY
Address: 1751 3RD ST
City: RIVERSIDE
Region: 8
County: Riverside
Regional Board: Santa Ana Region
Facility Status: Case Closed
Case Number: 083303384T
Local Case Num: 9914948
Case Type: Soil only

MERIT OIL COMPANY (Continued) **U003659473**

Substance:	Gasoline
Qty Leaked:	Not reported
Abate Method:	Not reported
Cross Street:	CHICAGO
Enf Type:	CLOS
Funding:	Not reported
How Discovered:	Not reported
How Stopped:	Not reported
Leak Cause:	UNK
Leak Source:	UNK
Global ID:	T0606500574
How Stopped Date:	2/23/1999
Enter Date:	3/22/1999
Date Confirmation of Leak Began:	2/23/1999
Date Preliminary Assessment Began:	Not reported
Discover Date:	2/23/1999
Enforcement Date:	Not reported
Close Date:	4/10/2000
Date Prelim Assessment Workplan Submitted:	Not reported
Date Pollution Characterization Began:	Not reported
Date Remediation Plan Submitted:	Not reported
Date Remedial Action Underway:	Not reported
Date Post Remedial Action Monitoring:	Not reported
Enter Date:	3/22/1999
GW Qualifies:	Not reported
Soil Qualifies:	Not reported
Operator:	Not reported
Facility Contact:	Not reported
Interim:	Not reported
Oversite Program:	LUST
Latitude:	33.9793165
Longitude:	-117.339662
MTBE Date:	Not reported
Max MTBE GW:	Not reported
MTBE Concentration:	0
Max MTBE Soil:	Not reported
MTBE Fuel:	1
MTBE Tested:	Site NOT Tested for MTBE.Includes Unknown and Not Analyzed.
MTBE Class:	*
Staff:	TME
Staff Initials:	UNK
Lead Agency:	Local Agency
Local Agency:	33000L
Hydr Basin #:	UPPER SANTA ANA VALL
Beneficial:	Not reported
Priority:	Not reported
Cleanup Fund Id:	Not reported
Work Suspended:	Not reported

Summary: CASE CLOSED ON 4/10/00

CERS HAZ WASTE:

Name:	MERIT OIL CO.
Address:	1751 3RD ST
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	134326
CERS ID:	10422505
CERS Description:	Hazardous Waste Generator

MERIT OIL COMPANY (Continued) **U003659473**

CERS TANKS:

Name:	MERIT OIL CO.
Address:	1751 3RD ST
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	134326
CERS ID:	10422505
CERS Description:	Underground Storage Tank

CORTESE:

Name:	MERIT OIL COMPANY
Address:	1751 THIRD ST
City,State,Zip:	RIVERSIDE, CA 92507
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0606500574
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

CERS:

Name:	MERIT OIL CO.
Address:	1751 3RD ST
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	134326
CERS ID:	T0606500574
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Violations:

Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-29-2019
Citation:	HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description:	Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes:	Returned to compliance on 07/19/2019. OBSERVATION: Current Certification of Financial Responsibility documents have not been submitted to the CUPA. CORRECTIVE ACTION: Owner/operator shall submit a current and complete Certification of Financial Responsibility in CERS.
Violation Division:	Riverside County Department of Env Health

MERIT OIL COMPANY (Continued) **U003659473**

Violation Program: UST
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 05-29-2019
Citation: 23 CCR 16 2712(b)(1)(G) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(1)(G)
Violation Description: Failure to comply with one or more of the following overfill prevention equipment requirements: Alert the transfer operator when the tank is 90 percent full by restricting the flow into the tank or triggering an audible and visual alarm; or Restrict delivery of flow to the tank at least 30 minutes before the tank overfills, provided the restriction occurs when the tank is filled to no more than 95 percent of capacity; and activate an audible alarm at least five minutes before the tank overfills; or Provide positive shut-off of flow to the tank when the tank is filled to no more than 95 percent of capacity; or Provide positive shut-off of flow to the tank so that none of the fittings located on the top of the tank are exposed to product due to overfilling. Install/retrofit overfill prevention equipment that does not use flow restrictors on vent piping to meet overfill prevention equipment requirements when the overfill prevention equipment is installed, repaired, or replaced on and after October 1, 2018. For USTs installed before October 1, 2018, perform an inspection by October 13, 2018 and every 36 months thereafter. For USTs installed on and after October 1, 2018, perform an inspection at installation and every 36 months thereafter. Inspected within 30 days after a repair to the overfill prevention equipment. Inspected using an applicable manufacturer guidelines, industry codes, engineering standards, or a method approved by a professional engineer. Inspected by a certified UST service technician. Maintain records of overfill prevention equipment inspection for 36 months.
Violation Notes: Returned to compliance on 10/10/2019. OBSERVATION: Observed installed overfill equipment that doesn't meet current requirements. All four OPW drop tubes failed to pass at 95%. CORRECTIVE ACTION: Owner/operator shall ensure that overfill requirements are being met by adjusting/replacing overfill equipment. Any adjustment or replacement of overfill equipment may require a plan check.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 05-29-2019
Citation: 23 CCR 16 2638(d) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2638(d)
Violation Description: Failure to submit the Monitoring System Certification Form to the UPA within 30 days of completion of the test.
Violation Notes: Returned to compliance on 10/31/2019. OBSERVATION: Owner/operator failed to submit the annual monitoring certification forms to this Department within 30 days of testing. Results for monitoring certification conducted on 5/18/2018 were not submitted to the Department. CORRECTIVE ACTION: Owner/operator shall ensure 12 month monitoring certification results are submitted to the CUPA within 30 days of testing. Submit 2018 monitoring certification results to this Department.

MERIT OIL COMPANY (Continued) **U003659473**

Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-26-2022
Citation:	23 CCR 16 2716(e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2716(e)
Violation Description:	For designated operator (DO) monthly inspections conducted before October 1, 2018, failure to comply with one or more of the following requirements: Be performed by an ICC certified DO. Inspect monthly alarm history report, check that alarms are documented and responded to appropriately, and attach a copy. Inspect for the presence of liquid/debris in spill containers. Inspect for the presence of liquid/debris in under dispenser containment (UDC) and ensure that the monitoring equipment is positioned correctly. Inspect for liquid or debris in containment sumps where an alarm occurred with no service visit. Check that all testing and maintenance has been completed and documented. Verify that all facility employees have been trained in accordance with 23 CCR 2715(c). For designated operator (DO) 30 day inspections conducted on and after October 1, 2018, failure to conduct the designated UST operator visual inspection at least once every 30 days.
Violation Notes:	OBSERVATION: Observed no current DO reports for 2022. Therefore, unable to determine if the inspections were performed. CORRECTIVE ACTION: Owner/operator shall ensure that the Designated Operator is properly conducting inspections, noting observations, reviewing paperwork and alarm history reports, attaching required documentation and any other DO required functions.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-21-2020
Citation:	23 CCR 16 2716(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2716(f)
Violation Description:	"Failure to maintain on-site, or off-site at a readily available location if approved by the UPA, copies of Designated Operator inspection records as follows: Designated operator monthly inspection records for inspections performed before October 1, 2018 must be kept for 12 months from the month of inspection. For inspections performed on or after October 1, 2018, copies of the ""Designated Underground Storage Tank Operator Visual Inspection Report"" must be kept for 36 months from the month of inspection. "
Violation Notes:	Returned to compliance on 05/27/2020. OBSERVATION: Observed missing designated operator inspection reports for the months of March 2020. CORRECTIVE ACTION: Owner/operator shall provide missing DO inspection report. DO inspections shall be conducted every 30 days and reports after 10/1/18 maintained on site for 36 months. Reports for inspections conducted prior to 10/1/2018 shall be maintained on site for at least 12 months. Send an emailed copy of March 2020 DO Report to hbarrios@rivco.org.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST

MERIT OIL COMPANY (Continued) **U003659473**

Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-26-2022
Citation:	40 CFR 1 262.34(d)(5)(iii) - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 262.34(d)(5)(iii)
Violation Description:	Failure to ensure that all employees are thoroughly familiar with proper waste handling and emergency procedures, relevant to their responsibilities during normal facility operations and emergencies.
Violation Notes:	OBSERVATION: No evidence of proper training was observed/provided during inspection. CORRECTIVE ACTION: Owner/operator shall provide employees with initial or refresher hazardous waste training as required. Submit proof of proper training to this department.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-26-2022
Citation:	23 CCR 16 2712 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712
Violation Description:	Failure to comply with any of the applicable requirements of the permit issued for the operation of the UST system.
Violation Notes:	OBSERVATION: Owner/operator failed to comply with all the required operating permit conditions. The owner/operator failed to have on site and available for review required monitoring and maintenance records as the operating permit requires . Refer to violation #'s 2010008 and 2010012 for details. CORRECTIVE ACTION: Owner/operator shall maintain onsite all monitoring and maintenance records as required as part of the the operating permit condition.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-29-2019
Citation:	23 CCR 16 2715(c)(4) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(c)(4)
Violation Description:	Failure to maintain a list of employees trained by the designated operator on-site or off-site at a readily available location, if approved by the UPA. For training that occurs on or after October 1, 2018, failure to maintain a copy of the "Facility Employee Training Certificate" on-site or off-site at a readily available location, if approved by the UPA.
Violation Notes:	Returned to compliance on 10/31/2019. OBSERVATION: Owner/operator unable to produce a current list of employees trained by the designated operator. CORRECTIVE ACTION: Owner/operator shall provide list of employees trained by the designated operator and maintain on site readily available for review. Employees are required to be trained within 30 days of hire. Employees hired on/after 10/13/2018 are required to be trained before assuming their duties.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,

MERIT OIL COMPANY (Continued) **U003659473**

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 05-26-2022
Citation: 23 CCR 16 2636(f)(1) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)(1)
Violation Description: Failure of the double-walled pressurized piping to be continuously monitored with a system that activates an audible and visual alarm or stops flow at the dispenser when a leak is detected.
Violation Notes: OBSERVATION: The float and chain assembly in the [[[insert location]]] sump failed to stop the flow of product at the dispenser when tested. The Beaudreau 404 sensor in UDC #1 Satellite, is without power and is not functioning. Therefore, the Sensor cannot monitor this UDC. Unable to determine when the power became disconnected. CORRECTIVE ACTION: Owner/operator shall repair / restore power to this UDC and ensure the Beaudreau sensor is fully functional and able to monitor this sump continuously.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 05-21-2021
Citation: 23 CCR 16 2712(b)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(2)
Violation Description: Failure to maintain monitoring records for release detection and/or maintain records of appropriate follow-up actions.
Violation Notes: Not reported
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 08-02-2017
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes: Returned to compliance on 08/24/2017.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 05-26-2022
Citation: 40 CFR 1 262.34(d)(5)(i) - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 262.34(d)(5)(i)
Violation Description: Failure to have at least one employee either on the premises or on call (i.e., available to respond to an emergency by reaching the facility within a short period of time) with the responsibility for coordinating all emergency response measures.
Violation Notes: OBSERVATION: No emergency coordinator available. CORRECTIVE ACTION: Owner/operator shall have at least one employee available to respond to an emergency.

MERIT OIL COMPANY (Continued) **U003659473**

Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-26-2022
Citation:	23 CCR 16 2712(b)(6) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(6)
Violation Description:	Failure to maintain records of repairs and upgrades on site, or off site if approved by the UPA, for the life of the UST.
Violation Notes:	OBSERVATION: There was no current 2022, UST compliance documents on-site at the time of this inspection. Last document found was December 2021, Designated Operator (DO) report. CORRECTIVE ACTION: Owner/operator shall provide all maintenance, monitoring, repair and/or upgrade records. Maintain copies on site and available for review.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-14-2014
Citation:	HSC 6.7 Multiple Sections - California Health and Safety Code, Chapter 6.7, Section(s) Multiple Sections
Violation Description:	UST Program - Operations/Maintenance - General
Violation Notes:	Returned to compliance on 06/24/2015.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	07-15-2020
Citation:	Un-Specified
Violation Description:	Business Plan Program - Administration/Documentation - General Local Ordinance
Violation Notes:	Returned to compliance on 07/29/2020. Current permit issued/posted. [RMC 9.48.140] - No current permit was posted. Obtain the current permit and post in a conspicuous location.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	07-15-2020
Citation:	Un-Specified
Violation Description:	Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes:	Returned to compliance on 09/01/2020. Hazmat storage area(s) properly posted. [RMC 16.32.020; CFC, Section 5003.6] - The hazmat storage area(s) signage was obscured or removed. Replace 4 no smoking signs. Turn off engine signs have faded.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP

MERIT OIL COMPANY (Continued) **U003659473**

Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-26-2022
Citation:	23 CCR 16 2716(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2716(f)
Violation Description:	Failure to maintain on-site, or off-site at a readily available location if approved by the UPA, copies of Designated Operator inspection records as follows: Designated operator monthly inspection records for inspections performed before October 1, 2018 must be kept for 12 months from the month of inspection. For inspections performed on or after October 1, 2018, copies of the "Designated Underground Storage Tank Operator Visual Inspection Report" must be kept for 36 months from the month of inspection.
Violation Notes:	OBSERVATION: Observed missing designated operator inspection reports for the months of January until May 2022. CORRECTIVE ACTION: Owner/operator shall provide missing DO inspection reports. DO inspections shall be conducted every 30 days and reports after 10/1/18 maintained on site for 36 months. Reports for inspections conducted prior to 10/1/2018 shall be maintained on site for at least 12 months.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-29-2019
Citation:	23 CCR 16 2637.1(e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2637.1(e)
Violation Description:	Failure to submit a copy of the spill containment test results on the Spill Container Testing Report Form to the UPA within 30 days after the test.
Violation Notes:	Returned to compliance on 10/31/2019. OBSERVATION: A "Spill Containment Testing Report Form" was not submitted to this Department within 30 days after the completion of the test. Test results on site indicate testing was performed on 5/18/2018. CORRECTIVE ACTION: Owner/operator shall immediately submit to this Department a complete and accurate copy of the Spill Containment Testing Report Form for testing completed on 5/18/2018.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-26-2022
Citation:	23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description:	Failure to retain a copy of the permit to operate at the facility.
Violation Notes:	OBSERVATION: Owner/operator failed to retain a copy of the permit to operate at the facility. CORRECTIVE ACTION: Owner/operator shall retain a current copy of the permit to operate at the facility.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,

MERIT OIL COMPANY (Continued) **U003659473**

Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-29-2019
Citation:	23 CCR 16 2641(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(a)
Violation Description:	Failure of leak detection equipment to be located such that equipment is capable of detecting a leak at the earliest possible opportunity.
Violation Notes:	Returned to compliance on 05/29/2019. OBSERVATION: 1) Observed UDC 9/10 Beaudreau 404 sensor to be raised approximately 5 inches off the bottom of the containment sump and not positioned at a location to detect a leak at the earliest possible opportunity. 2) Observed UDC 13 Beaudreau 404 sensor on its side at the bottom of the containment sump and not positioned at a location to detect a leak at the earliest possible opportunity. 3) Observed UDC 16/15 Beaudreau 404 sensor raised approximately 4 inches off the bottom of the containment sump and not positioned at a location to detect a leak at the earliest possible opportunity. 4) Observed UDC 1/2 Beaudreau 404 sensor on its side at the bottom of the containment sump and not positioned at a location to detect a leak at the earliest possible opportunity. 5) Observed UDC 5 Beaudreau 404 sensor on its side at the bottom of the containment sump and not positioned at a location to detect a leak at the earliest possible opportunity. 6) Observed UDC diesel [Truncated]
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,

Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	07-15-2020
Citation:	HSC 6.95 25505(a)(4) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(a)(4)
Violation Description:	Failure to provide initial and annual training to all employees in safety procedures in the event of a release or threatened release of a hazardous material or failure to document and maintain training records for a minimum of three years.
Violation Notes:	Returned to compliance on 07/29/2020. No training records were available for review. Provide documentation on training being conducted for the past 1-3 years. Provide email to show training for 2018, 2019, 2020.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-26-2022
Citation:	23 CCR 16 2715(c)(4) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(c)(4)
Violation Description:	Failure to maintain a list of employees trained by the designated operator on-site or off-site at a readily available location, if approved by the UPA. For training that occurs on or after October 1, 2018, failure to maintain a copy of the "Facility Employee Training Certificate" on-site or off-site at a readily available location, if approved by the UPA.
Violation Notes:	OBSERVATION: Owner/operator unable to produce a current list of employees trained by the designated operator. CORRECTIVE ACTION: Owner/operator shall provide list of employees trained by the

MERIT OIL COMPANY (Continued) **U003659473**

designated operator and maintain on site readily available for review. Employees are required to be trained within 30 days of hire. Employees hired on/after 10/13/2018 are required to be trained before assuming their duties.

Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 07-29-2020
Citation: Un-Specified
Violation Description: Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes: Returned to compliance on 09/01/2020. 104C - Hazmat storage area(s) properly posted. [RMC 16.32.020; CFC, Section 5003.6] - The hazmat storage area(s) signage was obscured or removed. Replace 4 no smoking signs. Turn off engine signs have faded.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 05-21-2021
Citation: 23 CCR 16 2716(e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2716(e)
Violation Description: For designated operator (DO) monthly inspections conducted before October 1, 2018, failure to comply with one or more of the following requirements: Be performed by an ICC certified DO. Inspect monthly alarm history report, check that alarms are documented and responded to appropriately, and attach a copy. Inspect for the presence of liquid/debris in spill containers. Inspect for the presence of liquid/debris in under dispenser containment (UDC) and ensure that the monitoring equipment is positioned correctly. Inspect for liquid or debris in containment sumps where an alarm occurred with no service visit. Check that all testing and maintenance has been completed and documented. Verify that all facility employees have been trained in accordance with 23 CCR 2715(c). For designated operator (DO) 30 day inspections conducted on and after October 1, 2018, failure to conduct the designated UST operator visual inspection at least once every 30 days.
Violation Notes: Not reported
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 05-26-2022
Citation: 22 CCR 12 66262.20 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.20
Violation Description: Failure to prepare a Uniform Hazardous Waste Manifest and, if necessary, a Continuation Sheet, before the transport of a hazardous waste off-site for transfer, treatment, storage, or disposal.
Violation Notes: OBSERVATION: No manifests available during inspection. CORRECTIVE ACTION: Owner/operator shall obtain all manifests for hazardous waste

MERIT OIL COMPANY (Continued) **U003659473**

shipments which occurred in the past 3 years. This facility may have been consolidating there waste off-site to their Rialto, CA facility. Discontinue this practice. All hazardous waste generated at this site shall be placed into on-site, hazardous waste drums and shall be manifested from this site, within 180 days of accumulation.

Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 05-26-2022
Citation: 23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description: Failure to have current UST Monitoring Plan available on site.
Violation Notes: OBSERVATION: There was no current 2022, UST compliance documents on-site at the time of this inspection. Last document found was December 2021, Designated Operator (DO) report. The monitoring plan currently on-site is from 2020 and is no longer accurate. CORRECTIVE ACTION: Owner/operator shall maintain a current UST Monitoring Plan on site that has been accepted in CERS and make available for review. Operator shall obtain a current copy of the tank information pages and associated monitoring plans and retain this in the site's 2022 UST binder.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 07-15-2020
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to establish and electronically submit an adequate training program in safety procedures in the event of a release or threatened release of a hazardous material.
Violation Notes: Returned to compliance on 07/29/2020. Training Program has not been completed. Submit the required training program requirement in the CERS portal. Provide email to show training program.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 05-26-2022
Citation: 23 CCR 16 2715(c)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(c)(2)
Violation Description: Failure to have at least one facility employee present during operating hours that has been trained in the proper operation and maintenance of the UST system by a designated operator (DO).
Violation Notes: OBSERVATION: Observed that the facility is in operation and that no employee was present who had received designated operator training. CORRECTIVE ACTION: Owner/operator shall ensure that at least one employee who has received designated operator training is on site during operating hours. Training shall consist of proper operation and maintenance of the UST system.

MERIT OIL COMPANY (Continued) **U003659473**

Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 03-07-2017
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes: Returned to compliance on 08/24/2017.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 06-05-2014
Citation: HSC 6.95 25504(c) - California Health and Safety Code, Chapter 6.95, Section(s) 25504(c)
Violation Description: Failure to include an adequate training program in the business plan, which is reasonable and appropriate for the size of the business and the nature of the hazardous material handled.
Violation Notes: Returned to compliance on 06/18/2014.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 05-26-2022
Citation: 40 CFR 1 265.174 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.174
Violation Description: Failure to inspect hazardous waste storage areas at least weekly and look for leaking and deteriorating containers.
Violation Notes: OBSERVATION: Observed the presence of multiple hazardous waste violations at this facility. The presence of multiple violations indicates that inspections of the hazardous waste areas are not being conducted. CORRECTIVE ACTION: Owner/operator shall conduct weekly inspections of all hazardous waste storage areas.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 08-12-2020
Citation: Un-Specified
Violation Description: Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes: Returned to compliance on 09/01/2020. 104C - Hazmat storage area(s) properly posted. [RMC 16.32.020; CFC, Section 5003.6] - The hazmat storage area(s) signage was obscured or removed. Replace 4 no smoking signs. Turn off engine signs have faded.
Violation Division: Riverside City Fire Department

MERIT OIL COMPANY (Continued) **U003659473**

Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-29-2019
Citation:	23 CCR 16 2641(h) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(h)
Violation Description:	Failure to have an approved UST Monitoring Plan.
Violation Notes:	Returned to compliance on 07/19/2019. OBSERVATION: Observed UST Monitoring Plan(s) for all four tanks to be inaccurate and/or missing . 1. The secondary containment for all four tanks is being noted as steel, when it should be fiberglass. 2. The piping secondary containment is being noted as pressurized, when it should be dry. 3. The detection of leak into UDC triggers audible visual alarms / automatic pump shutdown / disconnection of system is being noted as yes, when it should all be no. 4. In the diesel tank information the vapor recovery primary containment is being noted as fiberglass, when it should be none. UST Monitoring Plan is not approved as submitted. CORRECTIVE ACTION: Owner/operator shall make the above mentioned corrections to the UST Monitoring Plan(s) and submit in CERS.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	03-10-2022
Citation:	HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description:	Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes:	Returned to compliance on 03/18/2022.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-21-2021
Citation:	23 CCR 16 2712(b)(6) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(6)
Violation Description:	Failure to maintain records of repairs and upgrades on site, or off site if approved by the UPA, for the life of the UST.
Violation Notes:	Not reported
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-26-2022
Citation:	23 CCR 16 2715(a)(1)(B) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)(1)(B)
Violation Description:	Failure to submit the Designated Underground Storage Tank Operator Identification Form within 30 days of installing a UST system or

MERIT OIL COMPANY (Continued) **U003659473**

	within 30 days of a change in DO.
Violation Notes:	OBSERVATION: Owner/ operator failed to submit the Designated UST Operator Identification form to the statewide system (i.e., CERS). CORRECTIVE ACTION: Owner/operator shall submit the Designated UST Operator Identification form to the statewide system (i.e., CERS).
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-21-2021
Citation:	23 CCR 16 2712 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712
Violation Description:	Failure to comply with any of the applicable requirements of the permit issued for the operation of the UST system.
Violation Notes:	Not reported
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	08-12-2020
Citation:	Un-Specified
Violation Description:	Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes:	Returned to compliance on 08/26/2020. 104D - Emergency equipment properly posted. [RMC 16.32.020; CFC, Section 5001.5.1(2)] - Have emergency equipment available. Provide and maintain spill kit that is accessible at all times. Upon site reinspection spill kit is no longer available.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-29-2019
Citation:	23 CCR 16 2716(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2716(f)
Violation Description:	"Failure to maintain on-site, or off-site at a readily available location if approved by the UPA, copies of Designated Operator inspection records as follows: Designated operator monthly inspection records for inspections performed before October 1, 2018 must be kept for 12 months from the month of inspection. For inspections performed on or after October 1, 2018, copies of the ""Designated Underground Storage Tank Operator Visual Inspection Report"" must be kept for 36 months from the month of inspection. "
Violation Notes:	Returned to compliance on 10/31/2019. OBSERVATION: Observed missing designated operator inspection reports for the months of October 2018, November 2018, and January 2019. Also, observed the monthly DO reports are lacking operator signatures. CORRECTIVE ACTION: Owner/operator shall provide missing DO inspection reports for October 2018, November 2018, and January 2019. DO inspections shall be conducted every 30 days and reports after 10/1/18 maintained on site for 36 months. Reports for inspections conducted prior to 10/1/2018 shall be

MERIT OIL COMPANY (Continued) **U003659473**

maintained on site for at least 12 months.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 05-29-2019
Citation: HSC 6.7 25299(a)(9) - California Health and Safety Code, Chapter 6.7, Section(s) 25299(a)(9)
Violation Description: Leak detection equipment disabled or tampered with in a manner that would prevent the monitoring system from detecting and/or alerting the owner/operator of a leak.
Violation Notes: Returned to compliance on 05/29/2019. See violation # 35 due to lifted sensors.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 05-26-2022
Citation: 23 CCR 16 2712(b)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(2)
Violation Description: Failure to maintain monitoring records for release detection and/or maintain records of appropriate follow-up actions.
Violation Notes: OBSERVATION: Owner/operator unable to produce monitoring and/or maintenance records for 1/1/22 until today 5/26/22. CORRECTIVE ACTION: Owner/operator shall ensure monitoring and maintenance records are completed and maintained on site readily available for review.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 05-26-2022
Citation: 22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description: Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes: Returned to compliance on 05/26/2022. OBSERVATION: No hazardous waste containers were available at the commencement of this inspection. CORRECTIVE ACTION: Owner/operator shall label hazardous waste containers with all the required information. Label shall include at least: the words ""hazardous waste"", generator name and address, accumulation start date, composition and physical state of waste, and hazardous property statement. The operator provided 2 - 55 gallon drums and labeled them in an approved manner at the time of this inspection.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

MERIT OIL COMPANY (Continued) **U003659473**

Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-26-2022
Citation:	40 CFR 1 265.31 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.31
Violation Description:	Failure to maintain and operate the facility to minimize the possibility of a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil, or surface water which could threaten human health or the environment.
Violation Notes:	Returned to compliance on 05/26/2022. OBSERVATION: Observed that facility did not have a solid or liquid hazardous waste drum/container. The site office had used hoses/nozzles on the floor and in a trash can. There was no receptacle for exhausted absorbent. There are current diesel spills on the pad. There was no available container for today's testing liquid. Observed notes in an older compliance binder that stated that the hazardous waste was consolidated at their main facility, which is located in Rialto, CA Additionally, observed several aerosol cans of paint on the floor throughout the office. Completely empty cans may be disposed of as municipal waste. Non -empty aerosols must be managed as universal waste. CORRECTIVE ACTION: Owner/operator shall absorb diesel spills, place used hoses and nozzles in the solid hazardous waste drum and the testing liquid into the liquid hazardous waste drum, and manage according to Title 22 hazardous waste regulations. Operator provided 2 - 55 gallon drums and [Truncated]
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,

Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-21-2020
Citation:	23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description:	Failure to retain a copy of the permit to operate at the facility.
Violation Notes:	Returned to compliance on 05/27/2020. OBSERVATION: Owner/operator failed to retain a copy of the permit to operate at the facility. CORRECTIVE ACTION: Owner/operator shall retain a current copy of the permit to operate at the facility. Provide an on site copy of the permit and send a photograph of such to hbarrios@rivco.org.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,

Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-21-2020
Citation:	23 CCR 16 2716(e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2716(e)
Violation Description:	For designated operator (DO) monthly inspections conducted before October 1, 2018, failure to comply with one or more of the following requirements: Be performed by an ICC certified DO. Inspect monthly alarm history report, check that alarms are documented and responded to appropriately, and attach a copy. Inspect for the presence of liquid/debris in spill containers. Inspect for the presence of liquid/debris in under dispenser containment (UDC) and ensure that the

MERIT OIL COMPANY (Continued) **U003659473**

monitoring equipment is positioned correctly. Inspect for liquid or debris in containment sumps where an alarm occurred with no service visit. Check that all testing and maintenance has been completed and documented. Verify that all facility employees have been trained in accordance with 23 CCR 2715(c). For designated operator (DO) 30 day inspections conducted on and after October 1, 2018, failure to conduct the designated UST operator visual inspection at least once every 30 days.

Violation Notes: Returned to compliance on 05/27/2020. OBSERVATION: Observed that Designated Operator inspections are being improperly performed. CORRECTIVE ACTION: Owner/operator shall ensure that the Designated Operator is properly conducting inspections, noting observations, reviewing paperwork and alarm history reports, attaching required documentation and any other DO required functions. Ensure DO lists the correct dates on page 2 of the report. Overfill was last conducted 9-19-19 and SB989 5-11-18 Therefore, list correctly on all future reports. Ensure that the facility operator signs each monthly report. There shall be a documented follow up action in section IV, for each compliance item listed in section III.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 05-29-2019
Citation: HSC 6.7 25290.2(c) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.2(c)
Violation Description: Failure to maintain secondary containment (e.g., failure of secondary containment testing).
Violation Notes: Returned to compliance on 10/10/2019. OBSERVATION: SB 989 testing conducted on 5/11/2018 revealed failed secondary components. The following components failed testing: UDC 7/8 and UDC 9/10. CORRECTIVE ACTION: Owner/operator shall make the necessary repairs to the failed secondary components and re-test failed components to ensure secondary containment is maintained tight. Note: Plans may be required for repairs; check with the HMMB area plan checker to determine if the submission of plans is necessary prior to starting repairs.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 06-05-2014
Citation: HSC 6.95 25504(c) - California Health and Safety Code, Chapter 6.95, Section(s) 25504(c)
Violation Description: Failure to include provisions in the business plan to ensure that appropriate personnel receive initial and annual training.
Violation Notes: Returned to compliance on 06/18/2014.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 05-26-2022

MERIT OIL COMPANY (Continued) **U003659473**

Citation:	HSC 6.7 25293 - California Health and Safety Code, Chapter 6.7, Section(s) 25293
Violation Description:	Failure to maintain UST records in sufficient detail to enable the UPA to determine whether the UST systems are in compliance.
Violation Notes:	OBSERVATION: There was no current 2022, UST compliance documents on-site at the time of this inspection. Last document found was December 2021, Designated Operator (DO) report. CORRECTIVE ACTION: Owner/operator shall ensure UST records are completed so as to be legible and in sufficient detail to verify compliance.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-26-2022
Citation:	40 CFR 1 262.34(d)(5)(ii) - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 262.34(d)(5)(ii)
Violation Description:	Failure to post the following information next to the telephone: (A) The name and telephone number of the emergency coordinator; (B) Location of fire extinguishers and spill control material, and, if present, fire alarm; and (C) The telephone number of the fire department, unless the facility has a direct alarm.
Violation Notes:	OBSERVATION: Observed no emergency response information postings. CORRECTIVE ACTION: Owner/operator shall post required information next to the phone. 911, Fire, Hazardous Materials (CUPA), Facility Emergency Contact, CAL/OES. Operator may post Emergency Response Plan listed on the California Environmental Reporting System (CERS).
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-21-2021
Citation:	23 CCR 16 2715(a)(1)(B) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)(1)(B)
Violation Description:	Failure to submit the Designated Underground Storage Tank Operator Identification Form within 30 days of installing a UST system or within 30 days of a change in DO.
Violation Notes:	Not reported
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	07-15-2020
Citation:	Un-Specified
Violation Description:	Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes:	Returned to compliance on 07/29/2020. Emergency equipment properly posted. [RMC 16.32.020; CFC, Section 5001.5.1(2)] - Have emergency equipment available. Provide and maintain spill kit that is accessible at all times.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP

MERIT OIL COMPANY (Continued) **U003659473**

Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-29-2019
Citation:	23 CCR 16 2715(a)(1)(B) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)(1)(B)
Violation Description:	Failure to submit the Designated Underground Storage Tank Operator Identification Form within 30 days of installing a UST system or within 30 days of a change in DO.
Violation Notes:	Returned to compliance on 07/19/2019. OBSERVATION: Observed Sean Miles of California Maintenance and Environmental performing some of the monthly DO reports within the past year, however his information is not included on the UST Owner Statement of Designated UST Operator compliance. CORRECTIVE ACTION: Owner/ operator shall re submit a new UST Owner Statement of Designated UST Operator compliance form with Sean Miles DO information included.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-21-2021
Citation:	HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description:	Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes:	Returned to compliance on 03/17/2022.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-26-2022
Citation:	40 CFR 1 265.33 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.33
Violation Description:	Failure to test and maintain as necessary all facility communications or alarm systems, fire protection equipment, spill control equipment, and decontamination equipment to assure its proper operation in time of emergency.
Violation Notes:	OBSERVATION: Observed 5 fire extinguishers that were last serviced in 2020. CORRECTIVE ACTION: Owner/operator shall ensure fire-fighting equipment is available on site ready for use. Immediately have all fire extinguishers inspected, serviced and tagged.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-29-2019
Citation:	23 CCR 16 2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2711(a)(8)
Violation Description:	Failure to submit or maintain a current facility plot plan.
Violation Notes:	Returned to compliance on 07/19/2019. OBSERVATION: Observed site plot

MERIT OIL COMPANY (Continued) **U003659473**

plan to be inaccurate and/or incomplete with missing required information. The plan failed to show piping runs from the USTs to the UDCs. CORRECTIVE ACTION: Owner/operator shall update the facility site plot plan making sure all required information is documented on the map and submit in CERS maintaining a copy on site and available for review.

Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Evaluation:

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-14-2015
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-21-2020
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Annual UST Monitoring Certification performed by Jose Rodriguez, ICC #9013849 of California Maintenance & Environmental Routine UST Inspection performed by H. Barrios NOTES: Update CERS as directed: 1. Say YES to Isolation as a corrosion protection. 2. Remove the YES to Ball Floats as an Overfill option on all 4 tanks. 3. Provide an email for the Environmental Contact on the Business Owner / Operator Identification.
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-21-2021
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-24-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: UST annual inspection
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-29-2019
Violations Found: Yes
Eval Type: Routine done by local agency

MERIT OIL COMPANY (Continued) **U003659473**

Eval Notes: UST system includes direct bury spill buckets. All buckets were tested via Incon today. Overfill inspection was also conducted at the time of inspection. All OPW drop tube failed inspection. Submit installation plans to our Department. SB989 testing includes failures, repairs and retesting has not been completed. 91 line leak detector was replaced like for like at the time of inspection. At the time of inspection multiple UDC sensors were observed raised. See inspection report. This is a class 1 violation. Administrative enforcement is required.
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-05-2014
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 06-18-2014
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 03-10-2022
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-11-2016
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: UST annual CMD/inspection
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-11-2017
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

MERIT OIL COMPANY (Continued) **U003659473**

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-14-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Haz waste generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 06-28-2019
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: AEO drop off
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 07-29-2020
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Reinspection - M. Kinser
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 08-02-2017
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 02-25-2021
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 03-07-2017
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-11-2016
Violations Found: No

MERIT OIL COMPANY (Continued) **U003659473**

Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-14-2014
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: UST inspection/witness CMD
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-14-2015
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: UST inspection/CMD
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 05-20-2014
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: UST follow up
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-26-2022
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: This facility is a membership fueling station that is periodically manned. They are a small quantity, hazardous waste generator of petroleum contaminated testing liquid, used fuel filters, hoses and absorbent material. Heidi Barrios conducted a routine hazardous waste inspection with Josh Spisak, Merit Service Technician.
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-26-2022
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: This facility is a membership fueling station. California and Maintenance, Jose Rodriguez, ICC Technician #9013849, expires 1/15/23 performed the annual monitoring certification. Heidi Barrios, REHS conducted the routine UST inspection. NOTE: Per newly assigned operator, the previous site operator, discontinued their employment December 2021. No training occurred after this transition.
Eval Division: Riverside County Department of Env Health

MERIT OIL COMPANY (Continued) **U003659473**

Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 08-12-2020
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Reinspection - M. Kinser
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-11-2017
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: UST CMD/inspection
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-21-2020
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: This facility is a Small Quantity, Hazardous Waste Generator of solid, absorbent, hazardous waste. Provide a labeled, container for absorbent hazardous waste, that results from a clean up.
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-15-2020
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Inspector M. Kinser
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 09-01-2020
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Drive-by Reinspection by M. Kinser. All violations from 7/15/2020 routine inspection have been abated.
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Enforcement Action:
Site ID: 134326
Site Name: Merit Oil Co.
Site Address: 1751 3RD ST
Site City: RIVERSIDE
Site Zip: 92507

MERIT OIL COMPANY (Continued) **U003659473**

Enf Action Date: 03-07-2017
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Fines/Penalties Assessed: $100.00. Administrative Citation.
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Site Address: 1751 3RD ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 03-10-2022
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Administrative Citation.
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Site Address: 1751 3RD ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 05-14-2014
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside County Department of Env Health
Enf Action Program: UST
Enf Action Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Site Address: 1751 3RD ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 06-05-2014
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Site Address: 1751 3RD ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 06-26-2019
Enf Action Type: AEO - Unified Program
Enf Action Description: Administrative Enforcement Order Based on the Unified Program Statute
Enf Action Notes: Fines/Penalties Assessed: $16,000.00.
Enf Action Division: Riverside County Department of Env Health

MERIT OIL COMPANY (Continued) **U003659473**

Enf Action Program: UST
Enf Action Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Site Address: 1751 3RD ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 08-04-2017
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Fines/Penalties Assessed: $200.00. Administrative Citation.
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Site Address: 1751 3RD ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 08-12-2020
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Administrative Citation.
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Coordinates:
Site ID: 134326
Facility Name: Merit Oil Co.
Env Int Type Code: HWG
Program ID: 10422505
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.,
Latitude: 33.983400
Longitude: -117.349690

Affiliation:
Affiliation Type Desc: Environmental Contact
Entity Name: Ron Nuckles
Entity Title: Not reported
Affiliation Address: P.O. Box 341
Affiliation City: Bloomington
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92316
Affiliation Phone: ,

Affiliation Type Desc: Parent Corporation
Entity Name: Merit Oil Co.
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported

MERIT OIL COMPANY (Continued) **U003659473**

Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: Regional Board Caseworker
Entity Name: MIGUEL OVIEDO - SANTA ANA RWQCB (REGION 8)
Entity Title: Not reported
Affiliation Address: 3737 Main Street, Suite 500
Affiliation City: RIVERSIDE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 9517823238,

Affiliation Type Desc: UST Tank Owner
Entity Name: Ron Nuckles
Entity Title: Not reported
Affiliation Address: po box 341
Affiliation City: bloomington
Affiliation State: ca
Affiliation Country: United States
Affiliation Zip: 92316
Affiliation Phone: (909) 877-2651,

Affiliation Type Desc: CUPA District
Entity Name: Riverside Cnty Env Health
Entity Title: Not reported
Affiliation Address: 4065 County Circle Drive, Room 104
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92503
Affiliation Phone: (951) 358-5055,

Affiliation Type Desc: Operator
Entity Name: Richard Malouf
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (909) 877-2651,

Affiliation Type Desc: Document Preparer
Entity Name: Richard Malouf
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported

MERIT OIL COMPANY (Continued) **U003659473**

Affiliation Address:	P.O. Box 341
Affiliation City:	Bloomington
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92316
Affiliation Phone:	,
Affiliation Type Desc:	UST Property Owner Name
Entity Name:	ron nuckles
Entity Title:	Not reported
Affiliation Address:	po box 341
Affiliation City:	bloomington
Affiliation State:	ca
Affiliation Country:	United States
Affiliation Zip:	92316
Affiliation Phone:	(909) 877-2651,
Affiliation Type Desc:	Identification Signer
Entity Name:	Richard Malouf
Entity Title:	Operations Manager
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,
Affiliation Type Desc:	Legal Owner
Entity Name:	Ron Nuckles
Entity Title:	Not reported
Affiliation Address:	P.O. Box 341
Affiliation City:	Bloomington
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92316
Affiliation Phone:	(909) 877-2651,
Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	SHARON BOLTINGHOUSE - RIVERSIDE COUNTY LOP
Entity Title:	Not reported
Affiliation Address:	3880 LEMON ST SUITE 200
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	9519558980,
Affiliation Type Desc:	Property Owner
Entity Name:	ron nuckles
Entity Title:	Not reported
Affiliation Address:	P.O. Box 341
Affiliation City:	Bloomington
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92316
Affiliation Phone:	(909) 877-2651,

MERIT OIL COMPANY (Continued) **U003659473**

Affiliation Type Desc:	UST Tank Operator
Entity Name:	Ron Nuckles
Entity Title:	Not reported
Affiliation Address:	po box 341
Affiliation City:	bloomington
Affiliation State:	ca
Affiliation Country:	United States
Affiliation Zip:	92316
Affiliation Phone:	(909) 877-2651,
Name:	MERIT OIL CO.
Address:	1751 3RD ST
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	134326
CERS ID:	10422505
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-29-2019
Citation:	HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description:	Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes:	Returned to compliance on 07/19/2019. OBSERVATION: Current Certification of Financial Responsibility documents have not been submitted to the CUPA. CORRECTIVE ACTION: Owner/operator shall submit a current and complete Certification of Financial Responsibility in CERS.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-29-2019
Citation:	23 CCR 16 2712(b)(1)(G) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(1)(G)
Violation Description:	Failure to comply with one or more of the following overfill prevention equipment requirements: Alert the transfer operator when the tank is 90 percent full by restricting the flow into the tank or triggering an audible and visual alarm; or Restrict delivery of flow to the tank at least 30 minutes before the tank overfills, provided the restriction occurs when the tank is filled to no more than 95 percent of capacity; and activate an audible alarm at least five minutes before the tank overfills; or Provide positive shut-off of flow to the tank when the tank is filled to no more than 95 percent of capacity; or Provide positive shut-off of flow to the tank so that none of the fittings located on the top of the tank are exposed to product due to overfilling. Install/retrofit overfill prevention equipment that does not use flow restrictors on vent piping to meet overfill prevention equipment requirements when the overfill prevention equipment is installed, repaired, or replaced on and after October 1, 2018. For USTs installed before October 1, 2018, perform an inspection by October 13, 2018 and every 36 months thereafter. For USTs installed on and after October 1, 2018, perform an inspection at

MERIT OIL COMPANY (Continued) **U003659473**

installation and every 36 months thereafter. Inspected within 30 days after a repair to the overfill prevention equipment. Inspected using an applicable manufacturer guidelines, industry codes, engineering standards, or a method approved by a professional engineer. Inspected by a certified UST service technician. Maintain records of overfill prevention equipment inspection for 36 months.

Violation Notes: Returned to compliance on 10/10/2019. OBSERVATION: Observed installed overfill equipment that doesn't meet current requirements. All four OPW drop tubes failed to pass at 95%. CORRECTIVE ACTION: Owner/operator shall ensure that overfill requirements are being met by adjusting/replacing overfill equipment. Any adjustment or replacement of overfill equipment may require a plan check.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 05-29-2019
Citation: 23 CCR 16 2638(d) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2638(d)
Violation Description: Failure to submit the Monitoring System Certification Form to the UPA within 30 days of completion of the test.
Violation Notes: Returned to compliance on 10/31/2019. OBSERVATION: Owner/operator failed to submit the annual monitoring certification forms to this Department within 30 days of testing. Results for monitoring certification conducted on 5/18/2018 were not submitted to the Department. CORRECTIVE ACTION: Owner/operator shall ensure 12 month monitoring certification results are submitted to the CUPA within 30 days of testing. Submit 2018 monitoring certification results to this Department.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 05-26-2022
Citation: 23 CCR 16 2716(e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2716(e)
Violation Description: For designated operator (DO) monthly inspections conducted before October 1, 2018, failure to comply with one or more of the following requirements: Be performed by an ICC certified DO. Inspect monthly alarm history report, check that alarms are documented and responded to appropriately, and attach a copy. Inspect for the presence of liquid/debris in spill containers. Inspect for the presence of liquid/debris in under dispenser containment (UDC) and ensure that the monitoring equipment is positioned correctly. Inspect for liquid or debris in containment sumps where an alarm occurred with no service visit. Check that all testing and maintenance has been completed and documented. Verify that all facility employees have been trained in accordance with 23 CCR 2715(c). For designated operator (DO) 30 day inspections conducted on and after October 1, 2018, failure to conduct the designated UST operator visual inspection at least once every 30 days.
Violation Notes: OBSERVATION: Observed no current DO reports for 2022. Therefore, unable to determine if the inspections were performed. CORRECTIVE

MERIT OIL COMPANY (Continued) **U003659473**

ACTION: Owner/operator shall ensure that the Designated Operator is properly conducting inspections, noting observations, reviewing paperwork and alarm history reports, attaching required documentation and any other DO required functions.

Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 05-21-2020
Citation: 23 CCR 16 2716(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2716(f)
Violation Description: "Failure to maintain on-site, or off-site at a readily available location if approved by the UPA, copies of Designated Operator inspection records as follows: Designated operator monthly inspection records for inspections performed before October 1, 2018 must be kept for 12 months from the month of inspection. For inspections performed on or after October 1, 2018, copies of the ""Designated Underground Storage Tank Operator Visual Inspection Report"" must be kept for 36 months from the month of inspection. "
Violation Notes: Returned to compliance on 05/27/2020. OBSERVATION: Observed missing designated operator inspection reports for the months of March 2020. CORRECTIVE ACTION: Owner/operator shall provide missing DO inspection report. DO inspections shall be conducted every 30 days and reports after 10/1/18 maintained on site for 36 months. Reports for inspections conducted prior to 10/1/2018 shall be maintained on site for at least 12 months. Send an emailed copy of March 2020 DO Report to hbarrios@rivco.org.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 05-26-2022
Citation: 40 CFR 1 262.34(d)(5)(iii) - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 262.34(d)(5)(iii)
Violation Description: Failure to ensure that all employees are thoroughly familiar with proper waste handling and emergency procedures, relevant to their responsibilities during normal facility operations and emergencies.
Violation Notes: OBSERVATION: No evidence of proper training was observed/provided during inspection. CORRECTIVE ACTION: Owner/operator shall provide employees with initial or refresher hazardous waste training as required. Submit proof of proper training to this department.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 05-26-2022
Citation: 23 CCR 16 2712 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712
Violation Description: Failure to comply with any of the applicable requirements of the permit issued for the operation of the UST system.
Violation Notes: OBSERVATION: Owner/operator failed to comply with all the required

MERIT OIL COMPANY (Continued) **U003659473**

operating permit conditions. The owner/operator failed to have on site and available for review required monitoring and maintenance records as the operating permit requires . Refer to violation #'s 2010008 and 2010012 for details. CORRECTIVE ACTION: Owner/operator shall maintain onsite all monitoring and maintenance records as required as part of the the operating permit condition.

Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 05-29-2019
Citation: 23 CCR 16 2715(c)(4) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(c)(4)
Violation Description: Failure to maintain a list of employees trained by the designated operator on-site or off-site at a readily available location, if approved by the UPA. For training that occurs on or after October 1, 2018, failure to maintain a copy of the "Facility Employee Training Certificate" on-site or off-site at a readily available location, if approved by the UPA.
Violation Notes: Returned to compliance on 10/31/2019. OBSERVATION: Owner/operator unable to produce a current list of employees trained by the designated operator. CORRECTIVE ACTION: Owner/operator shall provide list of employees trained by the designated operator and maintain on site readily available for review. Employees are required to be trained within 30 days of hire. Employees hired on/after 10/13/2018 are required to be trained before assuming their duties.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 05-26-2022
Citation: 23 CCR 16 2636(f)(1) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)(1)
Violation Description: Failure of the double-walled pressurized piping to be continuously monitored with a system that activates an audible and visual alarm or stops flow at the dispenser when a leak is detected.
Violation Notes: OBSERVATION: The float and chain assembly in the [[[insert location]]] sump failed to stop the flow of product at the dispenser when tested. The Beaudreau 404 sensor in UDC #1 Satellite, is without power and is not functioning. Therefore, the Sensor cannot monitor this UDC. Unable to determine when the power became disconnected. CORRECTIVE ACTION: Owner/operator shall repair / restore power to this UDC and ensure the Beaudreau sensor is fully functional and able to monitor this sump continuously.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 05-21-2021
Citation: 23 CCR 16 2712(b)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(2)

MERIT OIL COMPANY (Continued) **U003659473**

Violation Description:	Failure to maintain monitoring records for release detection and/or maintain records of appropriate follow-up actions.
Violation Notes:	Not reported
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	08-02-2017
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes:	Returned to compliance on 08/24/2017.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-26-2022
Citation:	40 CFR 1 262.34(d)(5)(i) - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 262.34(d)(5)(i)
Violation Description:	Failure to have at least one employee either on the premises or on call (i.e., available to respond to an emergency by reaching the facility within a short period of time) with the responsibility for coordinating all emergency response measures.
Violation Notes:	OBSERVATION: No emergency coordinator available. CORRECTIVE ACTION: Owner/operator shall have at least one employee available to respond to an emergency.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-26-2022
Citation:	23 CCR 16 2712(b)(6) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(6)
Violation Description:	Failure to maintain records of repairs and upgrades on site, or off site if approved by the UPA, for the life of the UST.
Violation Notes:	OBSERVATION: There was no current 2022, UST compliance documents on-site at the time of this inspection. Last document found was December 2021, Designated Operator (DO) report. CORRECTIVE ACTION: Owner/operator shall provide all maintenance, monitoring, repair and/or upgrade records. Maintain copies on site and available for review.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-14-2014
Citation:	HSC 6.7 Multiple Sections - California Health and Safety Code, Chapter

MERIT OIL COMPANY (Continued) **U003659473**

	6.7, Section(s) Multiple Sections
Violation Description:	UST Program - Operations/Maintenance - General
Violation Notes:	Returned to compliance on 06/24/2015.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	07-15-2020
Citation:	Un-Specified
Violation Description:	Business Plan Program - Administration/Documentation - General Local Ordinance
Violation Notes:	Returned to compliance on 07/29/2020. Current permit issued/posted. [RMC 9.48.140] - No current permit was posted. Obtain the current permit and post in a conspicuous location.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	07-15-2020
Citation:	Un-Specified
Violation Description:	Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes:	Returned to compliance on 09/01/2020. Hazmat storage area(s) properly posted. [RMC 16.32.020; CFC, Section 5003.6] - The hazmat storage area(s) signage was obscured or removed. Replace 4 no smoking signs. Turn off engine signs have faded.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-26-2022
Citation:	23 CCR 16 2716(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2716(f)
Violation Description:	Failure to maintain on-site, or off-site at a readily available location if approved by the UPA, copies of Designated Operator inspection records as follows: Designated operator monthly inspection records for inspections performed before October 1, 2018 must be kept for 12 months from the month of inspection. For inspections performed on or after October 1, 2018, copies of the "Designated Underground Storage Tank Operator Visual Inspection Report" must be kept for 36 months from the month of inspection.
Violation Notes:	OBSERVATION: Observed missing designated operator inspection reports for the months of January until May 2022. CORRECTIVE ACTION: Owner/operator shall provide missing DO inspection reports. DO inspections shall be conducted every 30 days and reports after 10/1/18 maintained on site for 36 months. Reports for inspections conducted prior to 10/1/2018 shall be maintained on site for at least 12 months.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,

MERIT OIL COMPANY (Continued) **U003659473**

Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-29-2019
Citation:	23 CCR 16 2637.1(e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2637.1(e)
Violation Description:	Failure to submit a copy of the spill containment test results on the Spill Container Testing Report Form to the UPA within 30 days after the test.
Violation Notes:	Returned to compliance on 10/31/2019. OBSERVATION: A "Spill Containment Testing Report Form" was not submitted to this Department within 30 days after the completion of the test. Test results on site indicate testing was performed on 5/18/2018. CORRECTIVE ACTION: Owner/operator shall immediately submit to this Department a complete and accurate copy of the Spill Containment Testing Report Form for testing completed on 5/18/2018.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,

Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-26-2022
Citation:	23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description:	Failure to retain a copy of the permit to operate at the facility.
Violation Notes:	OBSERVATION: Owner/operator failed to retain a copy of the permit to operate at the facility. CORRECTIVE ACTION: Owner/operator shall retain a current copy of the permit to operate at the facility.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,

Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-29-2019
Citation:	23 CCR 16 2641(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(a)
Violation Description:	Failure of leak detection equipment to be located such that equipment is capable of detecting a leak at the earliest possible opportunity.
Violation Notes:	Returned to compliance on 05/29/2019. OBSERVATION: 1) Observed UDC 9/10 Beaudreau 404 sensor to be raised approximately 5 inches off the bottom of the containment sump and not positioned at a location to detect a leak at the earliest possible opportunity. 2) Observed UDC 13 Beaudreau 404 sensor on its side at the bottom of the containment sump and not positioned at a location to detect a leak at the earliest possible opportunity. 3) Observed UDC 16/15 Beaudreau 404 sensor raised approximately 4 inches off the bottom of the containment sump and not positioned at a location to detect a leak at the earliest possible opportunity. 4) Observed UDC 1/2 Beaudreau 404 sensor on its side at the bottom of the containment sump and not positioned at a location to detect a leak at the earliest possible opportunity. 5) Observed UDC 5 Beaudreau 404 sensor on its side at the bottom of the containment sump and not positioned at a location to detect a leak at the earliest possible opportunity. 6) Observed UDC diesel [Truncated]
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,

MERIT OIL COMPANY (Continued) **U003659473**

Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	07-15-2020
Citation:	HSC 6.95 25505(a)(4) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(a)(4)
Violation Description:	Failure to provide initial and annual training to all employees in safety procedures in the event of a release or threatened release of a hazardous material or failure to document and maintain training records for a minimum of three years.
Violation Notes:	Returned to compliance on 07/29/2020. No training records were available for review. Provide documentation on training being conducted for the past 1-3 years. Provide email to show training for 2018, 2019, 2020.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-26-2022
Citation:	23 CCR 16 2715(c)(4) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(c)(4)
Violation Description:	Failure to maintain a list of employees trained by the designated operator on-site or off-site at a readily available location, if approved by the UPA. For training that occurs on or after October 1, 2018, failure to maintain a copy of the "Facility Employee Training Certificate" on-site or off-site at a readily available location, if approved by the UPA.
Violation Notes:	OBSERVATION: Owner/operator unable to produce a current list of employees trained by the designated operator. CORRECTIVE ACTION: Owner/operator shall provide list of employees trained by the designated operator and maintain on site readily available for review. Employees are required to be trained within 30 days of hire. Employees hired on/after 10/13/2018 are required to be trained before assuming their duties.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,

Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	07-29-2020
Citation:	Un-Specified
Violation Description:	Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes:	Returned to compliance on 09/01/2020. 104C - Hazmat storage area(s) properly posted. [RMC 16.32.020; CFC, Section 5003.6] - The hazmat storage area(s) signage was obscured or removed. Replace 4 no smoking signs. Turn off engine signs have faded.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-21-2021
Citation:	23 CCR 16 2716(e) - California Code of Regulations, Title 23, Chapter

MERIT OIL COMPANY (Continued) **U003659473**

16, Section(s) 2716(e)

Violation Description: For designated operator (DO) monthly inspections conducted before October 1, 2018, failure to comply with one or more of the following requirements: Be performed by an ICC certified DO. Inspect monthly alarm history report, check that alarms are documented and responded to appropriately, and attach a copy. Inspect for the presence of liquid/debris in spill containers. Inspect for the presence of liquid/debris in under dispenser containment (UDC) and ensure that the monitoring equipment is positioned correctly. Inspect for liquid or debris in containment sumps where an alarm occurred with no service visit. Check that all testing and maintenance has been completed and documented. Verify that all facility employees have been trained in accordance with 23 CCR 2715(c). For designated operator (DO) 30 day inspections conducted on and after October 1, 2018, failure to conduct the designated UST operator visual inspection at least once every 30 days.
Violation Notes: Not reported
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 05-26-2022
Citation: 22 CCR 12 66262.20 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.20
Violation Description: Failure to prepare a Uniform Hazardous Waste Manifest and, if necessary, a Continuation Sheet, before the transport of a hazardous waste off-site for transfer, treatment, storage, or disposal.
Violation Notes: OBSERVATION: No manifests available during inspection. CORRECTIVE ACTION: Owner/operator shall obtain all manifests for hazardous waste shipments which occurred in the past 3 years. This facility may have been consolidating there waste off-site to their Rialto, CA facility. Discontinue this practice. All hazardous waste generated at this site shall be placed into on-site, hazardous waste drums and shall be manifested from this site, within 180 days of accumulation.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 05-26-2022
Citation: 23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description: Failure to have current UST Monitoring Plan available on site.
Violation Notes: OBSERVATION: There was no current 2022, UST compliance documents on-site at the time of this inspection. Last document found was December 2021, Designated Operator (DO) report. The monitoring plan currently on-site is from 2020 and is no longer accurate. CORRECTIVE ACTION: Owner/operator shall maintain a current UST Monitoring Plan on site that has been accepted in CERS and make available for review. Operator shall obtain a current copy of the tank information pages and associated monitoring plans and retain this in the site's 2022 UST binder.
Violation Division: Riverside County Department of Env Health
Violation Program: UST

MERIT OIL COMPANY (Continued) **U003659473**

Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	07-15-2020
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to establish and electronically submit an adequate training program in safety procedures in the event of a release or threatened release of a hazardous material.
Violation Notes:	Returned to compliance on 07/29/2020. Training Program has not been completed. Submit the required training program requirement in the CERS portal. Provide email to show training program.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-26-2022
Citation:	23 CCR 16 2715(c)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(c)(2)
Violation Description:	Failure to have at least one facility employee present during operating hours that has been trained in the proper operation and maintenance of the UST system by a designated operator (DO).
Violation Notes:	OBSERVATION: Observed that the facility is in operation and that no employee was present who had received designated operator training. CORRECTIVE ACTION: Owner/operator shall ensure that at least one employee who has received designated operator training is on site during operating hours. Training shall consist of proper operation and maintenance of the UST system.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	03-07-2017
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes:	Returned to compliance on 08/24/2017.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	06-05-2014
Citation:	HSC 6.95 25504(c) - California Health and Safety Code, Chapter 6.95, Section(s) 25504(c)
Violation Description:	Failure to include an adequate training program in the business plan, which is reasonable and appropriate for the size of the business and the nature of the hazardous material handled.
Violation Notes:	Returned to compliance on 06/18/2014.

MERIT OIL COMPANY (Continued) **U003659473**

Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-26-2022
Citation:	40 CFR 1 265.174 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.174
Violation Description:	Failure to inspect hazardous waste storage areas at least weekly and look for leaking and deteriorating containers.
Violation Notes:	OBSERVATION: Observed the presence of multiple hazardous waste violations at this facility. The presence of multiple violations indicates that inspections of the hazardous waste areas are not being conducted. CORRECTIVE ACTION: Owner/operator shall conduct weekly inspections of all hazardous waste storage areas.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	08-12-2020
Citation:	Un-Specified
Violation Description:	Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes:	Returned to compliance on 09/01/2020. 104C - Hazmat storage area(s) properly posted. [RMC 16.32.020; CFC, Section 5003.6] - The hazmat storage area(s) signage was obscured or removed. Replace 4 no smoking signs. Turn off engine signs have faded.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-29-2019
Citation:	23 CCR 16 2641(h) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(h)
Violation Description:	Failure to have an approved UST Monitoring Plan.
Violation Notes:	Returned to compliance on 07/19/2019. OBSERVATION: Observed UST Monitoring Plan(s) for all four tanks to be inaccurate and/or missing . 1. The secondary containment for all four tanks is being noted as steel, when it should be fiberglass. 2. The piping secondary containment is being noted as pressurized, when it should be dry. 3. The detection of leak into UDC triggers audible visual alarms / automatic pump shutdown / disconnection of system is being noted as yes, when it should all be no. 4. In the diesel tank information the vapor recovery primary containment is being noted as fiberglass, when it should be none. UST Monitoring Plan is not approved as submitted. CORRECTIVE ACTION: Owner/operator shall make the above mentioned corrections to the UST Monitoring Plan(s) and submit in CERS.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	134326

MERIT OIL COMPANY (Continued) **U003659473**

Site Name:	Merit Oil Co.
Violation Date:	03-10-2022
Citation:	HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description:	Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes:	Returned to compliance on 03/18/2022.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-21-2021
Citation:	23 CCR 16 2712(b)(6) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(6)
Violation Description:	Failure to maintain records of repairs and upgrades on site, or off site if approved by the UPA, for the life of the UST.
Violation Notes:	Not reported
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-26-2022
Citation:	23 CCR 16 2715(a)(1)(B) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)(1)(B)
Violation Description:	Failure to submit the Designated Underground Storage Tank Operator Identification Form within 30 days of installing a UST system or within 30 days of a change in DO.
Violation Notes:	OBSERVATION: Owner/ operator failed to submit the Designated UST Operator Identification form to the statewide system (i.e., CERS). CORRECTIVE ACTION: Owner/operator shall submit the Designated UST Operator Identification form to the statewide system (i.e., CERS).
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-21-2021
Citation:	23 CCR 16 2712 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712
Violation Description:	Failure to comply with any of the applicable requirements of the permit issued for the operation of the UST system.
Violation Notes:	Not reported
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	08-12-2020
Citation:	Un-Specified
Violation Description:	Business Plan Program - Operations/Maintenance - General Local

MERIT OIL COMPANY (Continued) **U003659473**

	Ordinance
Violation Notes:	Returned to compliance on 08/26/2020. 104D - Emergency equipment properly posted. [RMC 16.32.020; CFC, Section 5001.5.1(2)] - Have emergency equipment available. Provide and maintain spill kit that is accessible at all times. Upon site reinspection spill kit is no longer available.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-29-2019
Citation:	23 CCR 16 2716(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2716(f)
Violation Description:	"Failure to maintain on-site, or off-site at a readily available location if approved by the UPA, copies of Designated Operator inspection records as follows: Designated operator monthly inspection records for inspections performed before October 1, 2018 must be kept for 12 months from the month of inspection. For inspections performed on or after October 1, 2018, copies of the ""Designated Underground Storage Tank Operator Visual Inspection Report"" must be kept for 36 months from the month of inspection. "
Violation Notes:	Returned to compliance on 10/31/2019. OBSERVATION: Observed missing designated operator inspection reports for the months of October 2018, November 2018, and January 2019. Also, observed the monthly DO reports are lacking operator signatures. CORRECTIVE ACTION: Owner/operator shall provide missing DO inspection reports for October 2018, November 2018, and January 2019. DO inspections shall be conducted every 30 days and reports after 10/1/18 maintained on site for 36 months. Reports for inspections conducted prior to 10/1/2018 shall be maintained on site for at least 12 months.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-29-2019
Citation:	HSC 6.7 25299(a)(9) - California Health and Safety Code, Chapter 6.7, Section(s) 25299(a)(9)
Violation Description:	Leak detection equipment disabled or tampered with in a manner that would prevent the monitoring system from detecting and/or alerting the owner/operator of a leak.
Violation Notes:	Returned to compliance on 05/29/2019. See violation # 35 due to lifted sensors.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-26-2022
Citation:	23 CCR 16 2712(b)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(2)
Violation Description:	Failure to maintain monitoring records for release detection and/or maintain records of appropriate follow-up actions.

MERIT OIL COMPANY (Continued) **U003659473**

Violation Notes:	OBSERVATION: Owner/operator unable to produce monitoring and/or maintenance records for 1/1/22 until today 5/26/22. CORRECTIVE ACTION: Owner/operator shall ensure monitoring and maintenance records are completed and maintained on site readily available for review.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-26-2022
Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	Returned to compliance on 05/26/2022. OBSERVATION: No hazardous waste containers were available at the commencement of this inspection. CORRECTIVE ACTION: Owner/operator shall label hazardous waste containers with all the required information. Label shall include at least: the words ""hazardous waste"", generator name and address, accumulation start date, composition and physical state of waste, and hazardous property statement. The operator provided 2 - 55 gallon drums and labeled them in an approved manner at the time of this inspection.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-26-2022
Citation:	40 CFR 1 265.31 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.31
Violation Description:	Failure to maintain and operate the facility to minimize the possibility of a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil, or surface water which could threaten human health or the environment.
Violation Notes:	Returned to compliance on 05/26/2022. OBSERVATION: Observed that facility did not have a solid or liquid hazardous waste drum/container. The site office had used hoses/nozzles on the floor and in a trash can. There was no receptacle for exhausted absorbent. There are current diesel spills on the pad. There was no available container for today’s testing liquid. Observed notes in an older compliance binder that stated that the hazardous waste was consolidated at their main facility, which is located in Rialto, CA Additionally, observed several aerosol cans of paint on the floor throughout the office. Completely empty cans may be disposed of as municipal waste. Non -empty aerosols must be managed as universal waste. CORRECTIVE ACTION: Owner/operator shall absorb diesel spills, place used hoses and nozzles in the solid hazardous waste drum and the testing liquid into the liquid hazardous waste drum, and manage according to Title 22 hazardous waste regulations. Operator provided 2 - 55 gallon drums and [Truncated]

MERIT OIL COMPANY (Continued) **U003659473**

Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-21-2020
Citation:	23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description:	Failure to retain a copy of the permit to operate at the facility.
Violation Notes:	Returned to compliance on 05/27/2020. OBSERVATION: Owner/operator failed to retain a copy of the permit to operate at the facility. CORRECTIVE ACTION: Owner/operator shall retain a current copy of the permit to operate at the facility. Provide an on site copy of the permit and send a photograph of such to hbarrios@rivco.org.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-21-2020
Citation:	23 CCR 16 2716(e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2716(e)
Violation Description:	For designated operator (DO) monthly inspections conducted before October 1, 2018, failure to comply with one or more of the following requirements: Be performed by an ICC certified DO. Inspect monthly alarm history report, check that alarms are documented and responded to appropriately, and attach a copy. Inspect for the presence of liquid/debris in spill containers. Inspect for the presence of liquid/debris in under dispenser containment (UDC) and ensure that the monitoring equipment is positioned correctly. Inspect for liquid or debris in containment sumps where an alarm occurred with no service visit. Check that all testing and maintenance has been completed and documented. Verify that all facility employees have been trained in accordance with 23 CCR 2715(c). For designated operator (DO) 30 day inspections conducted on and after October 1, 2018, failure to conduct the designated UST operator visual inspection at least once every 30 days.
Violation Notes:	Returned to compliance on 05/27/2020. OBSERVATION: Observed that Designated Operator inspections are being improperly performed. CORRECTIVE ACTION: Owner/operator shall ensure that the Designated Operator is properly conducting inspections, noting observations, reviewing paperwork and alarm history reports, attaching required documentation and any other DO required functions. Ensure DO lists the correct dates on page 2 of the report. Overfill was last conducted 9-19-19 and SB989 5-11-18 Therefore, list correctly on all future reports. Ensure that the facility operator signs each monthly report. There shall be a documented follow up action in section IV, for each compliance item listed in section III.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-29-2019

MERIT OIL COMPANY (Continued) **U003659473**

Citation:	HSC 6.7 25290.2(c) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.2(c)
Violation Description:	Failure to maintain secondary containment (e.g., failure of secondary containment testing).
Violation Notes:	Returned to compliance on 10/10/2019. OBSERVATION: SB 989 testing conducted on 5/11/2018 revealed failed secondary components. The following components failed testing: UDC 7/8 and UDC 9/10. CORRECTIVE ACTION: Owner/operator shall make the necessary repairs to the failed secondary components and re-test failed components to ensure secondary containment is maintained tight. Note: Plans may be required for repairs; check with the HMMB area plan checker to determine if the submission of plans is necessary prior to starting repairs.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	06-05-2014
Citation:	HSC 6.95 25504(c) - California Health and Safety Code, Chapter 6.95, Section(s) 25504(c)
Violation Description:	Failure to include provisions in the business plan to ensure that appropriate personnel receive initial and annual training.
Violation Notes:	Returned to compliance on 06/18/2014.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-26-2022
Citation:	HSC 6.7 25293 - California Health and Safety Code, Chapter 6.7, Section(s) 25293
Violation Description:	Failure to maintain UST records in sufficient detail to enable the UPA to determine whether the UST systems are in compliance.
Violation Notes:	OBSERVATION: There was no current 2022, UST compliance documents on-site at the time of this inspection. Last document found was December 2021, Designated Operator (DO) report. CORRECTIVE ACTION: Owner/operator shall ensure UST records are completed so as to be legible and in sufficient detail to verify compliance.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	134326
Site Name:	Merit Oil Co.
Violation Date:	05-26-2022
Citation:	40 CFR 1 262.34(d)(5)(ii) - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 262.34(d)(5)(ii)
Violation Description:	Failure to post the following information next to the telephone: (A) The name and telephone number of the emergency coordinator; (B) Location of fire extinguishers and spill control material, and, if present, fire alarm; and (C) The telephone number of the fire department, unless the facility has a direct alarm.
Violation Notes:	OBSERVATION: Observed no emergency response information postings. CORRECTIVE ACTION: Owner/operator shall post required information next to the phone. 911, Fire, Hazardous Materials (CUPA), Facility

MERIT OIL COMPANY (Continued) **U003659473**

Emergency Contact, CAL/OES. Operator may post Emergency Response Plan listed on the California Environmental Reporting System (CERS).
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 05-21-2021
Citation: 23 CCR 16 2715(a)(1)(B) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)(1)(B)
Violation Description: Failure to submit the Designated Underground Storage Tank Operator Identification Form within 30 days of installing a UST system or within 30 days of a change in DO.
Violation Notes: Not reported
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 07-15-2020
Citation: Un-Specified
Violation Description: Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes: Returned to compliance on 07/29/2020. Emergency equipment properly posted. [RMC 16.32.020; CFC, Section 5001.5.1(2)] - Have emergency equipment available. Provide and maintain spill kit that is accessible at all times.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 05-29-2019
Citation: 23 CCR 16 2715(a)(1)(B) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)(1)(B)
Violation Description: Failure to submit the Designated Underground Storage Tank Operator Identification Form within 30 days of installing a UST system or within 30 days of a change in DO.
Violation Notes: Returned to compliance on 07/19/2019. OBSERVATION: Observed Sean Miles of California Maintenance and Environmental performing some of the monthly DO reports within the past year, however his information is not included on the UST Owner Statement of Designated UST Operator compliance. CORRECTIVE ACTION: Owner/ operator shall re submit a new UST Owner Statement of Designated UST Operator compliance form with Sean Miles DO information included.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 05-21-2021
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34

MERIT OIL COMPANY (Continued) **U003659473**

Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes: Returned to compliance on 03/17/2022.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 05-26-2022
Citation: 40 CFR 1 265.33 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.33
Violation Description: Failure to test and maintain as necessary all facility communications or alarm systems, fire protection equipment, spill control equipment, and decontamination equipment to assure its proper operation in time of emergency.
Violation Notes: OBSERVATION: Observed 5 fire extinguishers that were last serviced in 2020. CORRECTIVE ACTION: Owner/operator shall ensure fire-fighting equipment is available on site ready for use. Immediately have all fire extinguishers inspected, serviced and tagged.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Violation Date: 05-29-2019
Citation: 23 CCR 16 2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2711(a)(8)
Violation Description: Failure to submit or maintain a current facility plot plan.
Violation Notes: Returned to compliance on 07/19/2019. OBSERVATION: Observed site plot plan to be inaccurate and/or incomplete with missing required information. The plan failed to show piping runs from the USTs to the UDCs. CORRECTIVE ACTION: Owner/operator shall update the facility site plot plan making sure all required information is documented on the map and submit in CERS maintaining a copy on site and available for review.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-14-2015
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-21-2020
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Annual UST Monitoring Certification performed by Jose Rodriguez, ICC #9013849 of California Maintenance & Environmental Routine UST

MERIT OIL COMPANY (Continued) **U003659473**

Inspection performed by H. Barrios NOTES: Update CERS as directed: 1. Say YES to Isolation as a corrosion protection. 2. Remove the YES to Ball Floats as an Overfill option on all 4 tanks. 3. Provide an email for the Environmental Contact on the Business Owner / Operator Identification.
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-21-2021
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-24-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: UST annual inspection
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-29-2019
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: UST system includes direct bury spill buckets. All buckets were tested via Incon today. Overfill inspection was also conducted at the time of inspection. All OPW drop tube failed inspection. Submit installation plans to our Department. SB989 testing includes failures, repairs and retesting has not been completed. 91 line leak detector was replaced like for like at the time of inspection. At the time of inspection multiple UDC sensors were observed raised. See inspection report. This is a class 1 violation. Administrative enforcement is required.
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-05-2014
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 06-18-2014
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported

MERIT OIL COMPANY (Continued) **U003659473**

Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 03-10-2022
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-11-2016
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: UST annual CMD/inspection
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-11-2017
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-14-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Haz waste generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 06-28-2019
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: AEO drop off
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 07-29-2020
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Reinspection - M. Kinser
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

MERIT OIL COMPANY (Continued) **U003659473**

Eval General Type: Other/Unknown
Eval Date: 08-02-2017
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 02-25-2021
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 03-07-2017
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-11-2016
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-14-2014
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: UST inspection/witness CMD
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-14-2015
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: UST inspection/CMD
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 05-20-2014
Violations Found: No

MERIT OIL COMPANY (Continued) **U003659473**

Eval Type: Other, not routine, done by local agency
Eval Notes: UST follow up
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-26-2022
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: This facility is a membership fueling station that is periodically manned. They are a small quantity, hazardous waste generator of petroleum contaminated testing liquid, used fuel filters, hoses and absorbent material. Heidi Barrios conducted a routine hazardous waste inspection with Josh Spisak, Merit Service Technician.
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-26-2022
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: This facility is a membership fueling station. California and Maintenance, Jose Rodriguez, ICC Technician #9013849, expires 1/15/23 performed the annual monitoring certification. Heidi Barrios, REHS conducted the routine UST inspection. NOTE: Per newly assigned operator, the previous site operator, discontinued their employment December 2021. No training occurred after this transition.
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 08-12-2020
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Reinspection - M. Kinser
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-11-2017
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: UST CMD/inspection
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-21-2020
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: This facility is a Small Quantity, Hazardous Waste Generator of solid, absorbent, hazardous waste. Provide a labeled, container for absorbent

MERIT OIL COMPANY (Continued) **U003659473**

hazardous waste, that results from a clean up.
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-15-2020
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Inspector M. Kinser
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 09-01-2020
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Drive-by Reinspection by M. Kinser. All violations from 7/15/2020 routine inspection have been abated.
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Enforcement Action:
Site ID: 134326
Site Name: Merit Oil Co.
Site Address: 1751 3RD ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 03-07-2017
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Fines/Penalties Assessed: $100.00. Administrative Citation.
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Site Address: 1751 3RD ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 03-10-2022
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Administrative Citation.
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Site Address: 1751 3RD ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 05-14-2014

MERIT OIL COMPANY (Continued) **U003659473**

Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside County Department of Env Health
Enf Action Program: UST
Enf Action Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Site Address: 1751 3RD ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 06-05-2014
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Site Address: 1751 3RD ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 06-26-2019
Enf Action Type: AEO - Unified Program
Enf Action Description: Administrative Enforcement Order Based on the Unified Program Statute
Enf Action Notes: Fines/Penalties Assessed: $16,000.00.
Enf Action Division: Riverside County Department of Env Health
Enf Action Program: UST
Enf Action Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Site Address: 1751 3RD ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 08-04-2017
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Fines/Penalties Assessed: $200.00. Administrative Citation.
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Site ID: 134326
Site Name: Merit Oil Co.
Site Address: 1751 3RD ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 08-12-2020
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Administrative Citation.
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP

MERIT OIL COMPANY (Continued) **U003659473**

Enf Action Source: CERS,

Coordinates:
Site ID: 134326
Facility Name: Merit Oil Co.
Env Int Type Code: HWG
Program ID: 10422505
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.,
Latitude: 33.983400
Longitude: -117.349690

Affiliation:
Affiliation Type Desc: Environmental Contact
Entity Name: Ron Nuckles
Entity Title: Not reported
Affiliation Address: P.O. Box 341
Affiliation City: Bloomington
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92316
Affiliation Phone: ,

Affiliation Type Desc: Parent Corporation
Entity Name: Merit Oil Co.
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: Regional Board Caseworker
Entity Name: MIGUEL OVIEDO - SANTA ANA RWQCB (REGION 8)
Entity Title: Not reported
Affiliation Address: 3737 Main Street, Suite 500
Affiliation City: RIVERSIDE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 9517823238,

Affiliation Type Desc: UST Tank Owner
Entity Name: Ron Nuckles
Entity Title: Not reported
Affiliation Address: po box 341
Affiliation City: bloomington
Affiliation State: ca
Affiliation Country: United States
Affiliation Zip: 92316
Affiliation Phone: (909) 877-2651,

Affiliation Type Desc: CUPA District
Entity Name: Riverside Cnty Env Health
Entity Title: Not reported

MERIT OIL COMPANY (Continued) **U003659473**

Affiliation Address:	4065 County Circle Drive, Room 104
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92503
Affiliation Phone:	(951) 358-5055,
Affiliation Type Desc:	Operator
Entity Name:	Richard Malouf
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(909) 877-2651,
Affiliation Type Desc:	Document Preparer
Entity Name:	Richard Malouf
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	P.O. Box 341
Affiliation City:	Bloomington
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92316
Affiliation Phone:	,
Affiliation Type Desc:	UST Property Owner Name
Entity Name:	ron nuckles
Entity Title:	Not reported
Affiliation Address:	po box 341
Affiliation City:	bloomington
Affiliation State:	ca
Affiliation Country:	United States
Affiliation Zip:	92316
Affiliation Phone:	(909) 877-2651,
Affiliation Type Desc:	Identification Signer
Entity Name:	Richard Malouf
Entity Title:	Operations Manager
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,

MERIT OIL COMPANY (Continued) **U003659473**

Affiliation Type Desc:	Legal Owner
Entity Name:	Ron Nuckles
Entity Title:	Not reported
Affiliation Address:	P.O. Box 341
Affiliation City:	Bloomington
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92316
Affiliation Phone:	(909) 877-2651,

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	SHARON BOLTINGHOUSE - RIVERSIDE COUNTY LOP
Entity Title:	Not reported
Affiliation Address:	3880 LEMON ST SUITE 200
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	9519558980,

Affiliation Type Desc:	Property Owner
Entity Name:	ron nuckles
Entity Title:	Not reported
Affiliation Address:	P.O. Box 341
Affiliation City:	Bloomington
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92316
Affiliation Phone:	(909) 877-2651,

Affiliation Type Desc:	UST Tank Operator
Entity Name:	Ron Nuckles
Entity Title:	Not reported
Affiliation Address:	po box 341
Affiliation City:	bloomington
Affiliation State:	ca
Affiliation Country:	United States
Affiliation Zip:	92316
Affiliation Phone:	(909) 877-2651,

N64 **AMENDT OIL COMPANY** **SWEEPS UST** **S101631126**
WNW **1751 THIRD ST** **CA FID UST** **N/A**
< 1/8 **RIVERSIDE, CA 92507** **HIST CORTESE**
0.089 mi.
468 ft. **Site 3 of 11 in cluster N**

Relative: **Lower**
Actual: **937 ft.**

SWEEPS UST:

Name:	AMENDT OIL COMPANY
Address:	1751 THIRD ST
City:	RIVERSIDE
Status:	Active
Comp Number:	26641
Number:	1
Board Of Equalization:	44-018110
Referral Date:	10-19-92
Action Date:	10-19-92
Created Date:	07-06-89

AMENDT OIL COMPANY (Continued) **S101631126**

Owner Tank Id: 001583
SWRCB Tank Id: 33-000-026641-000001
Tank Status: A
Capacity: 10000
Active Date: 10-19-92
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: 3

Name: AMENDT OIL COMPANY
Address: 1751 THIRD ST
City: RIVERSIDE
Status: Active
Comp Number: 26641
Number: 1
Board Of Equalization: 44-018110
Referral Date: 10-19-92
Action Date: 10-19-92
Created Date: 07-06-89
Owner Tank Id: ST-3
SWRCB Tank Id: 33-000-026641-000002
Tank Status: A
Capacity: 10000
Active Date: 10-19-92
Tank Use: M.V. FUEL
STG: P
Content: LEADED
Number Of Tanks: Not reported

Name: AMENDT OIL COMPANY
Address: 1751 THIRD ST
City: RIVERSIDE
Status: Active
Comp Number: 26641
Number: 1
Board Of Equalization: 44-018110
Referral Date: 10-19-92
Action Date: 10-19-92
Created Date: 07-06-89
Owner Tank Id: ST-3
SWRCB Tank Id: 33-000-026641-000003
Tank Status: A
Capacity: 10000
Active Date: 10-19-92
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: Not reported

CA FID UST:
Facility ID: 33001860
Regulated By: UTNKA
Regulated ID: Not reported
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 7148853411

AMENDT OIL COMPANY (Continued) **S101631126**

Mail To:	Not reported
Mailing Address:	1405 W RIALTO AVE
Mailing Address 2:	Not reported
Mailing City,St,Zip:	RIVERSIDE 92507
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

HIST CORTESE:

edr_fname:	MERIT OIL COMPANY
edr_fadd1:	1751
City,State,Zip:	RIVERSIDE, CA 92507
Region:	CORTESE
Facility County Code:	33
Reg By:	LTNKA
Reg Id:	083303384T

N65 **MERIT OIL CO** **LUST** **S104228087**
WNW **1751 THIRD ST** **N/A**
< 1/8 **RIVERSIDE, CA**
0.089 mi.
468 ft. **Site 4 of 11 in cluster N**

Relative: RIVERSIDE CO. LUST:
Lower

Name:	MERIT OIL CO
Address:	1751 THIRD ST
City,State,Zip:	RIVERSIDE, CA
Region:	RIVERSIDE
Facility ID:	9914948
Employee:	Boltinghous-LOP
Site Closed:	Yes
Case Type:	Soil only
Facility Status:	closed/action completed
Casetype Decode:	Soil only is impacted
Fstatus Decode:	Closed/Action completed

Actual:
937 ft.

N66 **MERIT OIL CO.** **UST** **U004351461**
WNW **1751 3RD ST** **N/A**
< 1/8 **RIVERSIDE, CA 92507**
0.089 mi.
468 ft. **Site 5 of 11 in cluster N**

Relative: UST:
Lower

Name:	MERIT OIL CO.
Address:	1751 3RD ST
City,State,Zip:	RIVERSIDE, CA 92507
Facility ID:	FA- 00-013969
Permitting Agency:	Riverside County Department of Environmental Health
CERSID:	10422505
Latitude:	33.9834
Longitude:	-117.34969

Actual:
937 ft.

N67 **MERIT OIL COMPANY** **UST** **U004348774**
WNW **1751 3RD ST** **N/A**
< 1/8 **RIVERSIDE, CA 92507**
0.089 mi.
468 ft. **Site 6 of 11 in cluster N**

Relative: **Lower**
Actual: **937 ft.**

RIVERSIDE CO. UST:
Name: MERIT OIL COMPANY
Address: 1751 3RD ST
City,State,Zip: RIVERSIDE, CA 92507
Region: RIVERSIDE
Total Tanks: 4

UST:
Name: MERIT OIL COMPANY
Address: 1751 3RD ST
City,State,Zip: RIVERSIDE, CA 92507
Facility ID: 484
Permitting Agency: RIVERSIDE COUNTY
CERSID: Not reported
Latitude: 33.984751
Longitude: -117.348334

O68 **TRM COPY CENTER** **RCRA-SQG** **1000819894**
West **3390 DURAHART ST** **FINDS** **CAD983659079**
< 1/8 **RIVERSIDE, CA 92507** **ECHO**
0.090 mi.
475 ft. **Site 1 of 2 in cluster O**

Relative: **Lower**
Actual: **942 ft.**

RCRA Listings:

Date Form Received by Agency:		19950911
Handler Name:	TRM COPY CENTER	
Handler Address:		3390 DURAHART ST
Handler City,State,Zip:		RIVERSIDE, CA 92507
EPA ID:		CAD983659079
Contact Name:		TIM MADDOX
Contact Address:		3390 DURAHART ST
Contact City,State,Zip:		RIVERSIDE, CA 92507
Contact Telephone:		909-683-0290
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		09
Land Type:		Private
Federal Waste Generator Description:		Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		5208 N E FIRST HUNDRED TWENTY
Mailing City,State,Zip:		PORTLAND, OR 97230-1074
Owner Name:	INDUSTRIAL PROPERTY MGMT	
Owner Type:		Private
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No

TRM COPY CENTER (Continued) **1000819894**

Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20020627
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	No

Handler - Owner Operator:
Owner/Operator Indicator: Owner

TRM COPY CENTER (Continued) **1000819894**

Owner/Operator Name: INDUSTRIAL PROPERTY MGMT

Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	3390 DURAHART ST
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507
Owner/Operator Telephone:	714-391-1495
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	19950911
Handler Name: TRM COPY CENTER	
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Codes:	No NAICS Codes Found

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

FINDS:

Registry ID: 110002892415

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000819894
Registry ID:	110002892415
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110002892415
Name:	TRM COPY CENTER

TRM COPY CENTER (Continued) **1000819894**

Address: 3390 DURAHART ST
City,State,Zip: RIVERSIDE, CA 92507

O69 **BREAKER TECH LTD** **RCRA-SQG** **1001023169**
West **3464 DURAHART ST** **FINDS** **CAR000005272**
< 1/8 **RIVERSIDE, CA 92507** **ECHO**
0.096 mi.
505 ft. **Site 2 of 2 in cluster O**

Relative: **Lower**
Actual: **942 ft.**

RCRA Listings:

Date Form Received by Agency:		20000510
Handler Name:	BREAKER TECH LTD	
Handler Address:		3464 DURAHART ST
Handler City,State,Zip:		RIVERSIDE, CA 92507
EPA ID:		CAR000005272
Contact Name:		DANIEL CROW
Contact Address:		3464 DURAHART ST
Contact City,State,Zip:		RIVERSIDE, CA 92507
Contact Telephone:		909-369-0878
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		09
Land Type:		Private
Federal Waste Generator Description:		Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		3464 DURAHART ST
Mailing City,State,Zip:		RIVERSIDE, CA 92507
Owner Name:	BREAKER TECH LTD	
Owner Type:		Private
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		NN
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No

BREAKER TECH LTD (Continued) **1001023169**

Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20021007
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D000
Waste Description:	Not Defined
Waste Code:	D001
Waste Description:	IGNITABLE WASTE
Waste Code:	D039
Waste Description:	TETRACHLOROETHYLENE

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: BREAKER TECH LTD	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	3464 DURAHART ST
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507
Owner/Operator Telephone:	909-369-0878
Owner/Operator Telephone Ext:	Not reported

BREAKER TECH LTD (Continued) **1001023169**

Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20000510
Handler Name: BREAKER TECH LTD
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110002907711

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
California Hazardous Waste Tracking System - Datamart (HWTS-DATAMART) provides California with information on hazardous waste shipments for generators, transporters, and treatment, storage, and disposal facilities.
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1001023169
Registry ID: 110002907711
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110002907711
Name: BREAKER TECH LTD
Address: 3464 DURAHART ST
City,State,Zip: RIVERSIDE, CA 92507

P70 **ARROWHEAD INDUSTRIAL SERVICES INC** **RCRA NonGen / NLR** **1024810320**
West **3343 DURAHART ST** **CAL000289102**
< 1/8 **RIVERSIDE, CA 92507**
0.103 mi.
544 ft. **Site 1 of 2 in cluster P**

Relative: **Lower**

Actual: **939 ft.**

RCRA Listings:

Date Form Received by Agency:	20041215
Handler Name:	ARROWHEAD INDUSTRIAL SERVICES INC
Handler Address:	3343 DURAHART ST
Handler City,State,Zip:	RIVERSIDE, CA 92507
EPA ID:	CAL000289102
Contact Name:	KIP WIRTZFELD
Contact Address:	6684 DOOLITTLE AVE
Contact City,State,Zip:	RIVERSIDE, CA 92503
Contact Telephone:	951-778-1585
Contact Fax:	951-778-1581
Contact Email:	KWIRTZFELD@ARROWHEADINDUSTRIAL.COM
Contact Title:	Not reported
EPA Region:	09
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	6684 DOOLITTLE AVENUE
Mailing City,State,Zip:	RIVERSIDE, CA 92503-0000
Owner Name:	ARROWHEAD INDUSTRIAL SERVICES INC
Owner Type:	Other
Operator Name:	KIP WIRTZFELD
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported

ARROWHEAD INDUSTRIAL SERVICES INC (Continued) **1024810320**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20180905
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: KIP WIRTZFELD	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	6684 DOOLITTLE AVE
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92503
Owner/Operator Telephone:	951-778-1585
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: ARROWHEAD INDUSTRIAL SERVICES INC	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	3537 S NC119
Owner/Operator City,State,Zip:	GRAHAM, NC 27253-0000
Owner/Operator Telephone:	336-578-2777
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

ARROWHEAD INDUSTRIAL SERVICES INC (Continued) **1024810320**

Historic Generators:
Receive Date: 20041215
Handler Name: ARROWHEAD INDUSTRIAL SERVICES INC
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 54194
NAICS Description: VETERINARY SERVICES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

K71 **CAL-TEX TRANSMISSION PARTS** **EDR Hist Auto** **1022079136**
South **1526 7TH ST** **N/A**
< 1/8 **RIVERSIDE, CA 92507**
0.105 mi.
552 ft. **Site 6 of 6 in cluster K**

Relative: EDR Hist Auto
Higher

Actual: **970 ft.**

Year:	Name:	Type:
1998	CAL-TEX TRANSMISSION PARTS	Automotive Transmission Repair Shops
1999	CAL-TEX TRANSMISSION PARTS	Automotive Transmission Repair Shops
2000	CAL-TEX TRANSMISSION PARTS	Automotive Transmission Repair Shops
2001	CAL-TEX TRANSMISSION PARTS	Automotive Transmission Repair Shops
2002	CAL-TEX TRANSMISSION PARTS	Automotive Transmission Repair Shops
2003	CAL-TEX TRANSMISSION PARTS	Automotive Transmission Repair Shops
2004	CAL-TEX TRANSMISSION PARTS	Automotive Transmission Repair Shops
2004	AUTO MATIC KINGS TRANSMISSION	Automotive Transmission Repair Shops
2005	DACCO	Automotive Transmission Repair Shops
2008	AUTO MATIC KINGS TRANSMISSION	Automotive Transmission Repair Shops
2009	AUTO MATIC KINGS TRANSMISSION	Automotive Transmission Repair Shops

P72 **BAXTER HEALTHCARE CORP** **RCRA-SQG** **1000401493**
West **3333 DURHART ST** **FINDS** **CAD982325227**
< 1/8 **RIVERSIDE, CA 92507** **ECHO**
0.106 mi.
560 ft. **Site 2 of 2 in cluster P**

Relative: **Lower**
Actual: **938 ft.**

RCRA Listings:

Date Form Received by Agency:		19880125
Handler Name:	BAXTER HEALTHCARE CORP	
Handler Address:		3333 DURHART ST
Handler City,State,Zip:		RIVERSIDE, CA 92507
EPA ID:		CAD982325227
Contact Name:		ENVIRONMENTAL MANAGER
Contact Address:		3333 DURHART ST
Contact City,State,Zip:		RIVERSIDE, CA 92507
Contact Telephone:		714-686-8900
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		CA
State District:		4
Mailing Address:		DURHART ST
Mailing City,State,Zip:		RIVERSIDE, CA 92507
Owner Name:	BAXTER HEALTH CARE	
Owner Type:		Private
Operator Name:	NOT REQUIRED	
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		NN
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported

BAXTER HEALTHCARE CORP (Continued) **1000401493**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20000915
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: BAXTER HEALTH CARE	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, ME 99999
Owner/Operator Telephone:	415-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name: NOT REQUIRED	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, ME 99999
Owner/Operator Telephone:	415-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

BAXTER HEALTHCARE CORP (Continued) **1000401493**

Historic Generators:
Receive Date: 19880125
Handler Name: BAXTER HEALTHCARE CORP
Federal Waste Generator Description: Small Quantity Generator
State District Owner: CA
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110002794968

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000401493
Registry ID: 110002794968
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110002794968
Name: BAXTER HEALTHCARE CORP
Address: 3333 DURHART ST
City,State,Zip: RIVERSIDE, CA 92507

Q73 **REISNER ENTERPRISES INC. DBA WESTCORP ENGINEERING** **CERS HAZ WASTE** **S113466246**
SE **1403 W LINDEN ST** **HAZNET** **N/A**
< 1/8 **RIVERSIDE, CA 92507** **CERS**
0.109 mi. **HWTS**
573 ft. **Site 1 of 2 in cluster Q**

Relative:
Higher

Actual:
974 ft.

CERS HAZ WASTE:
Name: WESTCORP ENGINEERING
Address: 1403 W LINDEN ST
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 171154
CERS ID: 10321321
CERS Description: Hazardous Waste Generator

HAZNET:
Name: REISNER ENTERPRISES INC. DBA WESTCORP ENGINEERING
Address: 1403 W LINDEN ST
Address 2: Not reported
City,State,Zip: RIVERSIDE, CA 925076804
Contact: TOM REISNER
Telephone: 9517869478
Mailing Name: Not reported
Mailing Address: 1403 W LINDEN ST

Year: 2019
Gepaid: CAL000315102
TSD EPA ID: AZR000520478
CA Waste Code: 135 - Unspecified aqueous solution
Disposal Method: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 0.23100

Year: 2010
Gepaid: CAL000315102
TSD EPA ID: CAD981696420
CA Waste Code: 223 - Unspecified oil-containing waste
Disposal Method: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 0.2085

Detail Two:
Year: 2019
EM Manifest ID: 806292
Shipment Date: 10/25/2019
Receipt Date: 10/31/2019
Manifest Number: 020906768JJK
Generator EPA ID: CAL000315102
Name: REISNER ENTERPRISES INC. DBA WESTCORP ENGINEERING
Address: 1403 W LINDEN ST
Address 2: Not reported
City: RIVERSIDE
Zip: 92507-6804
Telephone: 800-579-6837
Contact: Not reported
Contact Telephone: 951-786-9478
Transporter 1 EPA ID: CAR000262709
Transporter 1 Emergency Number: Not reported

REISNER ENTERPRISES INC. DBA WESTCORP ENGINEERING (Continued) **S113466246**

Transporter 2 EPA ID: CAR000183574
Transporter 2 Emergency Number: Not reported
TSDF EPA ID: AZR000520478
TSDF Name: ENVIRONMENTAL WASTE SOLUTIONS, INC.
TSDF Address 1: 31915 INDUSTRIAL LANE
TSDF Address 2: Not reported
TSDF City: PAKER
TSDF Zip: 85344
TSDF Telephone: Not reported

State:
Year: 2019
EM Manifest ID: 806292
Generator EPA ID: CAL000315102
Shipment Date: 2019-10-25
Manifest Number: 020906768JJK
Line Number: 1
Method Code: H141
Quantity Tons: 0.23100
Quantity Waste: 55.000000
Quantity Unit: G
Number of Containers: 1
Type of Container: Metal drums, barrels, kegs
Quantity Type: Gallons
State Code: 135

Additional Info:
Year: 2010
Gen EPA ID: CAL000315102

Shipment Date: 20100817
Creation Date: 10/8/2010 18:30:33
Receipt Date: 20100819
Manifest ID: 006749681JJK
Trans EPA ID: CAL000328860
Trans Name: INTERSTATE PUMPING COMPANY
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
TSDF EPA ID: CAD981696420
Trans Name: EVERGREEN ENVIROMENTAL SERVICES
TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported
Waste Code Description: 223 - Unspecified oil-containing waste
RCRA Code: Not reported
Meth Code: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons: 0.2085
Waste Quantity: 50
Quantity Unit: G
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

REISNER ENTERPRISES INC. DBA WESTCORP ENGINEERING (Continued) **S113466246**

CERS:
Name: WESTCORP ENGINEERING
Address: 1403 W LINDEN ST
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 171154
CERS ID: 10321321
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 171154
Site Name: Westcorp Engineering
Violation Date: 11-09-2021
Citation: 22 CCR 12 66262.34(e) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(e)
Violation Description: Failure to meet the following conditions of satellite accumulation regulations: Accumulate up to 55 gallons of hazardous waste or one quart of acute hazardous waste at or near the initial point of accumulation which was under the control of the operator. Total time hazardous waste can be accumulated onsite in any generator accumulation area is one year, i.e., the combined accmulation time at a satellite accumulation point and at a 90/180/270 accumulation area (depending on size of generator and distance transported), whichever comes first. The generator complies with section 66265.171, 66265.172, and 66265.173(a). The container must be clearly marked with the initial date that hazardous waste is first placed in the container and labelled with the words Hazardous Waste including specified information Container must be labelled with the date the satellite accumulation limit is reached and moved within three days after reaching the 55 gallon (or one quart) limit to a 90 day accumulation area 55 gallons (or one quart of acute hazardous waste) of waste per process may be accumulated
Violation Notes: Returned to compliance on 12/15/2021. OBSERVATION: Observed improper satellite accumulation at approximately 6 metal cutting machines. Observed uncovered, unlabeled, 5 gallon buckets of used oil and coolant mixture. CORRECTIVE ACTION: Owner/operator shall comply with all satellite accumulation requirements. Operator shall provide a lid and satelite accumulation label that states, Hazardous waste, Satellite accumulation, oily water, with an accumulation start date. Oily water may be collected up to one year, then consolidated and manifested as hazardous waste.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 171154
Site Name: Westcorp Engineering
Violation Date: 01-08-2020
Citation: HSC 6.95 25505(a)(4) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(a)(4)
Violation Description: Failure to provide initial and annual training to all employees in safety procedures in the event of a release or threatened release of a hazardous material or failure to document and maintain training records for a minimum of three years.
Violation Notes: Returned to compliance on 01/14/2020. No training records were available for review. Provide documentation on training being conducted for 1st year.
Violation Division: Riverside City Fire Department

REISNER ENTERPRISES INC. DBA WESTCORP ENGINEERING (Continued) **S113466246**

Violation Program: HMRRP
Violation Source: CERS,

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-08-2020
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 10-04-2019
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Assisted with CERS submittal.
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-17-2017
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-09-2021
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: This facility is a machine shop that is a small quantity, hazardous waste generator of oily water (used oil / coolant), and a fuel filter. Heidi Barrios conducted a routine hazardous waste inspection.
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 08-27-2019
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: New Facility - HMBP Violation
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-03-2013
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Haz Waste generator inspection
Eval Division: Riverside County Department of Env Health

REISNER ENTERPRISES INC. DBA WESTCORP ENGINEERING (Continued) **S113466246**

Eval Program: HW
Eval Source: CERS,

Enforcement Action:
Site ID: 171154
Site Name: Westcorp Engineering
Site Address: 1403 W LINDEN ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 08-27-2019
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: WARNING BEP/E-BEP NEW/ANNUAL UPDATE, CONTENT/COMPLETE BEP.
Enf Action Division: Riverside City Fire Department
Enf Action Program: UNSPEC
Enf Action Source: CERS,

Coordinates:
Site ID: 171154
Facility Name: Westcorp Engineering
Env Int Type Code: HWG
Program ID: 10321321
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.,
Latitude: 33.979710
Longitude: -117.342310

Affiliation:
Affiliation Type Desc: Legal Owner
Entity Name: Tom Reisner
Entity Title: Not reported
Affiliation Address: 1403 Linden St
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 92507
Affiliation Phone: (951) 264-7183,

Affiliation Type Desc: Parent Corporation
Entity Name: Westcorp Engineering
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: Document Preparer
Entity Name: Tom Reisner
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported

REISNER ENTERPRISES INC. DBA WESTCORP ENGINEERING (Continued) **S113466246**

Affiliation Phone:	,
Affiliation Type Desc:	Identification Signer
Entity Name:	Tom Reisner
Entity Title:	Pres
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,
Affiliation Type Desc:	Environmental Contact
Entity Name:	Tom Reisner
Entity Title:	Not reported
Affiliation Address:	1403 W. Linden St.
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92507
Affiliation Phone:	,
Affiliation Type Desc:	Operator
Entity Name:	Tom Reisner
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(951) 264-7183,
Affiliation Type Desc:	Property Owner
Entity Name:	Tom Reisner
Entity Title:	Not reported
Affiliation Address:	westcorpeng@earthlink.net
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92507
Affiliation Phone:	(951) 786-9478,
Affiliation Type Desc:	CUPA District
Entity Name:	Riverside Cnty Env Health
Entity Title:	Not reported
Affiliation Address:	4065 County Circle Drive, Room 104
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92503
Affiliation Phone:	(951) 358-5055,
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	1403 Linden St
Affiliation City:	Riverside

REISNER ENTERPRISES INC. DBA WESTCORP ENGINEERING (Continued) **S113466246**

Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92507
Affiliation Phone: ,

HWTS:
Name: REISNER ENTERPRISES INC. DBA WESTCORP ENGINEERING
Address: 1403 W LINDEN ST
Address 2: Not reported
City,State,Zip: RIVERSIDE, CA 92507
EPA ID: CAL000315102
Inactive Date: Not reported
Create Date: 01/08/2007
Last Act Date: Not reported
Mailing Name: Not reported
Mailing Address: 1403 W LINDEN ST
Mailing Address 2: Not reported
Mailing City,State,Zip: RIVERSIDE, CA 925076804
Owner Name: REISNER ENTERPRISES INC
Owner Address: 1403 W LINDEN ST
Owner Address 2: Not reported
Owner City,State,Zip: RIVERSIDE, CA 925076804
Contact Name: TOM REISNER
Contact Address: 1403 W LINDEN ST
Contact Address 2: Not reported
City,State,Zip: RIVERSIDE, CA 92507
Facility Status: Active
Facility Type: PERMANENT
Category: STATE
Latitude: 33.9794
Longitude: -117.3404

NAICS:
EPA ID: CAL000315102
Create Date: 2011-10-26 15:19:37.000
NAICS Code: 337215
NAICS Description: Showcase, Partition, Shelving, and Locker Manufacturing
Issued EPA ID Date: 2007-01-08 10:48:05.95000
Inactive Date: Not reported
Facility Name: REISNER ENTERPRISES INC. DBA WESTCORP ENGINEERING
Facility Address: 1403 W LINDEN ST
Facility Address 2: Not reported
Facility City: RIVERSIDE
Facility County: Not reported
Facility State: CA
Facility Zip: 925076804

EPA ID: CAL000315102
Create Date: 2007-01-08 10:48:05.997
NAICS Code: 339999
NAICS Description: All Other Miscellaneous Manufacturing
Issued EPA ID Date: 2007-01-08 10:48:05.95000
Inactive Date: Not reported
Facility Name: REISNER ENTERPRISES INC. DBA WESTCORP ENGINEERING
Facility Address: 1403 W LINDEN ST
Facility Address 2: Not reported

REISNER ENTERPRISES INC. DBA WESTCORP ENGINEERING (Continued) **S113466246**

Facility City:	RIVERSIDE
Facility County:	Not reported
Facility State:	CA
Facility Zip:	925076804
EPA ID:	CAL000315102
Create Date:	2007-01-08 10:48:05.997
NAICS Code:	339999
NAICS Description:	All Other Miscellaneous Manufacturing
Issued EPA ID Date:	2007-01-08 10:48:05.95000
Inactive Date:	Not reported
Facility Name:	REISNER ENTERPRISES INC. DBA WESTCORP ENGINEERING
Facility Address:	1403 W LINDEN ST
Facility Address 2:	Not reported
Facility City:	RIVERSIDE
Facility County:	Not reported
Facility State:	CA
Facility Zip:	925076804

Q74 **REISNER ENTERPRISES INC. DBA WESTCORP ENGINEERING** **RCRA NonGen / NLR** **1024815803**
SE **1403 W LINDEN ST** **CAL000315102**
< 1/8 **RIVERSIDE, CA 92507**
0.109 mi.
573 ft. **Site 2 of 2 in cluster Q**

Relative: **Higher**
Actual: **974 ft.**

RCRA Listings:

Date Form Received by Agency:	20070108
Handler Name:	REISNER ENTERPRISES INC. DBA WESTCORP ENGINEERING
Handler Address:	1403 W LINDEN ST
Handler City,State,Zip:	RIVERSIDE, CA 92507-6804
EPA ID:	CAL000315102
Contact Name:	TOM REISNER
Contact Address:	1403 W LINDEN ST
Contact City,State,Zip:	RIVERSIDE, CA 92507
Contact Telephone:	951-786-9478
Contact Fax:	951-786-9499
Contact Email:	WESTCORPENG@EARTHLINK.NET
Contact Title:	Not reported
EPA Region:	09
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	1403 W LINDEN ST
Mailing City,State,Zip:	RIVERSIDE, CA 92507-6804
Owner Name:	REISNER ENTERPRISES INC
Owner Type:	Other
Operator Name:	TOM REISNER
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No

REISNER ENTERPRISES INC. DBA WESTCORP ENGINEERING (Continued) **1024815803**

Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20180905
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: TOM REISNER	
Legal Status:	Other

REISNER ENTERPRISES INC. DBA WESTCORP ENGINEERING (Continued) **1024815803**

Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 1403 W LINDEN ST
Owner/Operator City,State,Zip: RIVERSIDE, CA 92507
Owner/Operator Telephone: 951-786-9478
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: REISNER ENTERPRISES INC
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 1403 W LINDEN ST
Owner/Operator City,State,Zip: RIVERSIDE, CA 92507-6804
Owner/Operator Telephone: 951-786-9478
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20070108
Handler Name: REISNER ENTERPRISES INC. DBA WESTCORP ENGINEERING
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 337215
NAICS Description: SHOWCASE, PARTITION, SHELVING, AND LOCKER MANUFACTURING

NAICS Code: 339999
NAICS Description: ALL OTHER MISCELLANEOUS MANUFACTURING

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

N75 **INTERSTATE BRAND** **RCRA-SQG** **1004676166**
WNW **1781 3RD ST** **FINDS** **CAR000081745**
< 1/8 **RIVERSIDE, CA 92507** **ECHO**
0.115 mi. **HAZNET**
605 ft. **Site 7 of 11 in cluster N** **HWTS**

Relative: **Lower**
Actual: **935 ft.**

RCRA Listings:

Date Form Received by Agency:		20000901
Handler Name:	INTERSTATE BRAND	
Handler Address:		1781 3RD ST
Handler City,State,Zip:		RIVERSIDE, CA 92507
EPA ID:		CAR000081745
Contact Name:		TONY KOSALKA
Contact Address:		1781 3RD ST
Contact City,State,Zip:		RIVERSIDE, CA 92507
Contact Telephone:		909-683-9618
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		09
Land Type:		Private
Federal Waste Generator Description:		Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		1781 3RD ST
Mailing City,State,Zip:		RIVERSIDE, CA 92507
Owner Name:	INTERSTATE BRAND	
Owner Type:		Private
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		NN
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported

INTERSTATE BRAND (Continued) **1004676166**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20021007
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D039
Waste Description:	TETRACHLOROETHYLENE

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: INTERSTATE BRAND	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	1781 3RD ST
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507
Owner/Operator Telephone:	909-683-9618
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20000901
Handler Name: INTERSTATE BRAND	
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No

INTERSTATE BRAND (Continued) **1004676166**

Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110012184475

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
California Hazardous Waste Tracking System - Datamart (HWTS-DATAMART) provides California with information on hazardous waste shipments for generators, transporters, and treatment, storage, and disposal facilities.
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1004676166
Registry ID: 110012184475
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110012184475
Name: INTERSTATE BRAND
Address: 1781 3RD ST
City,State,Zip: RIVERSIDE, CA 92507

HAZNET:
Name: INTERSTATE BRAND
Address: 1781 3RD ST
Address 2: Not reported
City,State,Zip: RIVERSIDE, CA 925070000
Contact: D GRAVES WEST DIV ENVIRON
Telephone: 3236604455
Mailing Name: Not reported
Mailing Address: 2330 RIPPLE ST

Year: 2002

INTERSTATE BRAND (Continued) **1004676166**

Gepaid: CAR000081745
TSD EPA ID: CAT080013352
CA Waste Code: 222 - Oil/water separation sludge
Disposal Method: R01 - Recycler
Tons: 3.9615

Year: 2001
Gepaid: CAR000081745
TSD EPA ID: CAT080013352
CA Waste Code: 135 - Unspecified aqueous solution
Disposal Method: R01 - Recycler
Tons: 0.63

Additional Info:
Year: 2002
Gen EPA ID: CAR000081745

Shipment Date: 20020618
Creation Date: 9/18/2002 18:31:39
Receipt Date: 20020618
Manifest ID: 21670368
Trans EPA ID: CAD028277036
Trans Name: Not reported
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
TSDF EPA ID: CAT080013352
Trans Name: Not reported
TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported
Waste Code Description: 222 - Oil/water separation sludge
RCRA Code: Not reported
Meth Code: R01 - Recycler
Quantity Tons: 3.9615
Waste Quantity: 950
Quantity Unit: G
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

Additional Info:
Year: 2001
Gen EPA ID: CAR000081745

Shipment Date: 20010621
Creation Date: 10/1/2001 0:00:00
Receipt Date: 20010621
Manifest ID: 21199405
Trans EPA ID: CAD028277036
Trans Name: Not reported
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
TSDF EPA ID: CAT080013352
Trans Name: Not reported

INTERSTATE BRAND (Continued) **1004676166**

TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	135 - Unspecified aqueous solution
RCRA Code:	Not reported
Meth Code:	R01 - Recycler
Quantity Tons:	0.63
Waste Quantity:	150
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

HWTS:

Name:	INTERSTATE BRAND
Address:	1781 3RD ST
Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 92507
EPA ID:	CAR000081745
Inactive Date:	07/15/2005
Create Date:	04/03/2001
Last Act Date:	Not reported
Mailing Name:	Not reported
Mailing Address:	2330 RIPPLE ST
Mailing Address 2:	Not reported
Mailing City,State,Zip:	LOS ANGELES, CA 900390000
Owner Name:	INTERSTATE BRANDS CORP
Owner Address:	12 EAST ARMOUR BLVD
Owner Address 2:	Not reported
Owner City,State,Zip:	LOS ANGELES, CA 900390000
Contact Name:	D GRAVES WEST DIV ENVIRON
Contact Address:	2330 RIPPLE ST
Contact Address 2:	Not reported
City,State,Zip:	LOS ANGELES, CA 900390000
Facility Status:	Inactive
Facility Type:	PERMANENT
Category:	FEDERAL
Latitude:	33.983063
Longitude:	-117.350622

NAICS:

EPA ID:	CAR000081745
Create Date:	2002-12-03 15:25:10.000
NAICS Code:	311812
NAICS Description:	Commercial Bakeries
Issued EPA ID Date:	2001-04-03 00:00:00
Inactive Date:	2005-07-15 00:00:00
Facility Name:	INTERSTATE BRAND
Facility Address:	1781 3RD ST
Facility Address 2:	Not reported
Facility City:	RIVERSIDE
Facility County:	Not reported
Facility State:	CA
Facility Zip:	925070000

N76 **HOSTESS/INTERSTATE BRANDS CORP** **LUST** **S100179018**
WNW **1781 3RD ST** **Cortese** **N/A**
< 1/8 **RIVERSIDE, CA 92507** **Notify 65**
0.115 mi. **CERS**
605 ft. **Site 8 of 11 in cluster N**

Relative:
Lower

Actual:
935 ft.

LUST:

Name:	HOSTESS/INTERSTATE BRANDS CORP
Address:	1781 THIRD ST
City,State,Zip:	RIVERSIDE, CA 92507
Lead Agency:	RIVERSIDE COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0606500501
Global Id:	T0606500501
Latitude:	33.9832259913116
Longitude:	-117.350294026949
Status:	Completed - Case Closed
Status Date:	10/23/1997
Case Worker:	SCB
RB Case Number:	083303039T
Local Agency:	RIVERSIDE COUNTY LOP
File Location:	Local Agency Warehouse
Local Case Number:	970767
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Diesel
Site History:	Not reported

LUST:

Global Id:	T0606500501
Contact Type:	Local Agency Caseworker
Contact Name:	SHARON BOLTINGHOUSE
Organization Name:	RIVERSIDE COUNTY LOP
Address:	3880 LEMON ST SUITE 200
City:	RIVERSIDE
Email:	sbolting@rivco.org
Phone Number:	9519558980

LUST:

Global Id:	T0606500501
Action Type:	ENFORCEMENT
Date:	10/22/1997
Action:	File review - #RCDEH Site File
Global Id:	T0606500501
Action Type:	Other
Date:	07/22/1997
Action:	Leak Reported
Global Id:	T0606500501
Action Type:	REMEDIATION
Date:	07/11/1997
Action:	Excavation
Global Id:	T0606500501
Action Type:	ENFORCEMENT
Date:	10/23/1997
Action:	Closure/No Further Action Letter - #Riv Co Closure
Global Id:	T0606500501

HOSTESS/INTERSTATE BRANDS CORP (Continued) **S100179018**

Action Type: Other
Date: 08/07/1997
Action: Leak Stopped

Global Id: T0606500501
Action Type: Other
Date: 07/22/1997
Action: Leak Discovery

LUST:
Global Id: T0606500501
Status: Open - Case Begin Date
Status Date: 07/22/1997

Global Id: T0606500501
Status: Open - Site Assessment
Status Date: 07/22/1997

Global Id: T0606500501
Status: Open - Site Assessment
Status Date: 08/06/1997

Global Id: T0606500501
Status: Completed - Case Closed
Status Date: 10/23/1997

LUST REG 8:
Name: HOSTESS/INTERSTATE BRANDS CORP
Address: 1781 3RD ST
City: RIVERSIDE
Region: 8
County: Riverside
Regional Board: Santa Ana Region
Facility Status: Case Closed
Case Number: 083303039T
Local Case Num: 970767
Case Type: Soil only
Substance: Diesel
Qty Leaked: Not reported
Abate Method: Not reported
Cross Street: Not reported
Enf Type: CLOS
Funding: Not reported
How Discovered: Not reported
How Stopped: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Global ID: T0606500501
How Stopped Date: Not reported
Enter Date: 8/29/1997
Date Confirmation of Leak Began: 7/22/1997
Date Preliminary Assessment Began: Not reported
Discover Date: 7/22/1997
Enforcement Date: Not reported
Close Date: 10/23/1997

HOSTESS/INTERSTATE BRANDS CORP (Continued) **S100179018**

Date Prelim Assessment Workplan Submitted:	8/6/1997
Date Pollution Characterization Began:	Not reported
Date Remediation Plan Submitted:	Not reported
Date Remedial Action Underway:	Not reported
Date Post Remedial Action Monitoring:	Not reported
Enter Date:	8/29/1997
GW Qualifies:	Not reported
Soil Qualifies:	Not reported
Operator:	Not reported
Facility Contact:	Not reported
Interim:	Not reported
Oversite Program:	LUST
Latitude:	33.983237
Longitude:	-117.350577
MTBE Date:	Not reported
Max MTBE GW:	Not reported
MTBE Concentration:	2
Max MTBE Soil:	Not reported
MTBE Fuel:	0
MTBE Tested:	MTBE Detected. Site tested for MTBE & MTBE detected
MTBE Class:	*
Staff:	NOM
Staff Initials:	UNK
Lead Agency:	Local Agency
Local Agency:	33000L
Hydr Basin #:	UPPER SANTA ANA VALL
Beneficial:	Not reported
Priority:	Not reported
Cleanup Fund Id:	Not reported
Work Suspended:	Not reported

Summary: Not reported

CORTESE:

Name:	HOSTESS/INTERSTATE BRANDS CORP
Address:	1781 THIRD ST
City,State,Zip:	RIVERSIDE, CA 92507
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0606500501
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

HOSTESS/INTERSTATE BRANDS CORP (Continued) **S100179018**

NOTIFY 65:

Name:	CONTINENTAL MAKING COMPANY
Address:	1781 3RD STREET
City,State,Zip:	RIVERSIDE, CA 90040
Date Reported:	Not reported
Staff Initials:	Not reported
Board File Number:	Not reported
Facility Type:	Not reported
Discharge Date:	Not reported
Issue Date:	Not reported
Incident Description:	Not reported
Global ID:	Not reported
Status:	Not reported

CERS:

Name:	HOSTESS/INTERSTATE BRANDS CORP
Address:	1781 THIRD ST
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	218922
CERS ID:	T0606500501
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	SHARON BOLTINGHOUSE - RIVERSIDE COUNTY LOP
Entity Title:	Not reported
Affiliation Address:	3880 LEMON ST SUITE 200
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	9519558980,

N77 **INTERSTATE BRANDS CORP (HOSTESS)** **LUST** **S103821077**
WNW **1781 THIRD ST** **N/A**
< 1/8 **RIVERSIDE, CA**
0.115 mi.
605 ft. **Site 9 of 11 in cluster N**

Relative: RIVERSIDE CO. LUST:
Lower

Name:	INTERSTATE BRANDS CORP (HOSTESS)
Address:	1781 THIRD ST
City,State,Zip:	RIVERSIDE, CA
Region:	RIVERSIDE
Facility ID:	970767
Employee:	Boltinghous-LOP
Site Closed:	Yes
Case Type:	Soil only
Facility Status:	closed/action completed
Casetype Decode:	Soil only is impacted
Fstatus Decode:	Closed/Action completed

Actual:
935 ft.

N78 **CONTINENTAL BAKING CO** **LUST** **U001967470**
WNW **1781 THIRD ST** **SWEEPS UST** **N/A**
< 1/8 **RIVERSIDE, CA 92507** **CA FID UST**
0.115 mi. **HIST CORTESE**
605 ft. **Site 10 of 11 in cluster N**

Relative: Lower

Actual: 935 ft.

RIVERSIDE CO. LUST:

Name:	CONTINENTAL BAKING CO
Address:	1781 THIRD ST
City,State,Zip:	RIVERSIDE, CA
Region:	RIVERSIDE
Facility ID:	89303
Employee:	Rogers
Site Closed:	Yes
Case Type:	Soil only
Facility Status:	closed/action completed
Casetype Decode:	Soil only is impacted
Fstatus Decode:	Closed/Action completed

SWEEPS UST:

Name:	CONTINENTAL BAKING CO
Address:	1781 THIRD ST
City:	RIVERSIDE
Status:	Active
Comp Number:	11458
Number:	1
Board Of Equalization:	Not reported
Referral Date:	10-28-92
Action Date:	10-28-92
Created Date:	08-01-89
Owner Tank Id:	000355
SWRCB Tank Id:	33-000-011458-000001
Tank Status:	A
Capacity:	12000
Active Date:	10-28-92
Tank Use:	M.V. FUEL
STG:	P
Content:	DIESEL
Number Of Tanks:	1

CA FID UST:

Facility ID:	33000716
Regulated By:	UTNKA
Regulated ID:	Not reported
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	7146839618
Mail To:	Not reported
Mailing Address:	6007 ST ANDREW'S PL
Mailing Address 2:	Not reported
Mailing City,St,Zip:	RIVERSIDE 92507
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

CONTINENTAL BAKING CO (Continued) **U001967470**

HIST CORTESE:

edr_fname:	HOSTESS/INTERSTATE BRANDS
edr_fadd1:	1781
City,State,Zip:	RIVERSIDE, CA 92507
Region:	CORTESE
Facility County Code:	33
Reg By:	LTNKA
Reg Id:	083303039T

N79 **CONTINENTAL BAKING COMPANY** **LUST** **S102428307**
WNW **1781 3RD ST** **Cortese** **N/A**
< 1/8 **RIVERSIDE, CA 92507** **CERS**
0.115 mi.
605 ft. **Site 11 of 11 in cluster N**

Relative:
Lower

Actual:
935 ft.

LUST:

Name:	CONTINENTAL BAKING COMPANY
Address:	1781 THIRD ST
City,State,Zip:	RIVERSIDE, CA 92507
Lead Agency:	RIVERSIDE COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0606500127
Global Id:	T0606500127
Latitude:	33.9832277601825
Longitude:	-117.350274159967
Status:	Completed - Case Closed
Status Date:	07/17/1989
Case Worker:	SCB
RB Case Number:	083301225T
Local Agency:	RIVERSIDE COUNTY LOP
File Location:	Local Agency Warehouse
Local Case Number:	89303
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

LUST:

Global Id:	T0606500127
Contact Type:	Local Agency Caseworker
Contact Name:	SHARON BOLTINGHOUSE
Organization Name:	RIVERSIDE COUNTY LOP
Address:	3880 LEMON ST SUITE 200
City:	RIVERSIDE
Email:	sbolting@rivco.org
Phone Number:	9519558980

LUST:

Global Id:	T0606500127
Action Type:	ENFORCEMENT
Date:	07/16/1989
Action:	File review - #RCDEH Site File

Global Id:	T0606500127
Action Type:	Other
Date:	04/12/1989
Action:	Leak Reported

CONTINENTAL BAKING COMPANY (Continued) **S102428307**

Global Id: T0606500127
Action Type: Other
Date: 11/02/1988
Action: Leak Stopped

Global Id: T0606500127
Action Type: ENFORCEMENT
Date: 07/17/1989
Action: Closure/No Further Action Letter - #Riv Co Closure

Global Id: T0606500127
Action Type: Other
Date: 11/02/1988
Action: Leak Discovery

LUST:
Global Id: T0606500127
Status: Open - Case Begin Date
Status Date: 11/02/1988

Global Id: T0606500127
Status: Completed - Case Closed
Status Date: 07/17/1989

LUST REG 8:

Name:	CONTINENTAL BAKING COMPANY
Address:	1781 3RD ST
City:	RIVERSIDE
Region:	8
County:	Riverside
Regional Board:	Santa Ana Region
Facility Status:	Remedial action (cleanup) Underway
Case Number:	083301225T
Local Case Num:	89303
Case Type:	Soil only
Substance:	Gasoline
Qty Leaked:	Not reported
Abate Method:	Not reported
Cross Street:	CHICAGO
Enf Type:	None Taken
Funding:	State Funds
How Discovered:	OM
How Stopped:	Not reported
Leak Cause:	Other Cause
Leak Source:	Tank
Global ID:	T0606500127
How Stopped Date:	11/2/1988
Enter Date:	9/4/1989
Date Confirmation of Leak Began:	Not reported
Date Preliminary Assessment Began:	7/21/1989
Discover Date:	11/2/1988
Enforcement Date:	1/1/1965
Close Date:	7/17/1989
Date Prelim Assessment Workplan Submitted:	Not reported
Date Pollution Characterization Began:	Not reported

CONTINENTAL BAKING COMPANY (Continued) **S102428307**

Date Remediation Plan Submitted:	Not reported
Date Remedial Action Underway:	9/12/1989
Date Post Remedial Action Monitoring:	Not reported
Enter Date:	9/4/1989
GW Qualifies:	Not reported
Soil Qualifies:	Not reported
Operator:	Not reported
Facility Contact:	Not reported
Interim:	Yes
Oversite Program:	LUST
Latitude:	33.9793165
Longitude:	-117.339662
MTBE Date:	Not reported
Max MTBE GW:	Not reported
MTBE Concentration:	0
Max MTBE Soil:	Not reported
MTBE Fuel:	1
MTBE Tested:	Site NOT Tested for MTBE.Includes Unknown and Not Analyzed.
MTBE Class:	*
Staff:	NOM
Staff Initials:	UNK
Lead Agency:	Local Agency
Local Agency:	33000L
Hydr Basin #:	UPPER SANTA ANA VALL
Beneficial:	Not reported
Priority:	Not reported
Cleanup Fund Id:	Not reported
Work Suspended:	Not reported

Summary: Not reported

CORTESE:

Name:	CONTINENTAL BAKING COMPANY
Address:	1781 THIRD ST
City,State,Zip:	RIVERSIDE, CA 92507
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0606500127
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

CONTINENTAL BAKING COMPANY (Continued) **S102428307**

CERS:
- Name: CONTINENTAL BAKING COMPANY
- Address: 1781 THIRD ST
- City,State,Zip: RIVERSIDE, CA 92507
- Site ID: 191848
- CERS ID: T0606500127
- CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
- Affiliation Type Desc: Local Agency Caseworker
- Entity Name: SHARON BOLTINGHOUSE - RIVERSIDE COUNTY LOP
- Entity Title: Not reported
- Affiliation Address: 3880 LEMON ST SUITE 200
- Affiliation City: RIVERSIDE
- Affiliation State: CA
- Affiliation Country: Not reported
- Affiliation Zip: Not reported
- Affiliation Phone: 9519558980,

R80 **A 1 MOBIL AXEL CO** **EDR Hist Auto** **1020479348**
WSW **3493 DURAHART ST** **N/A**
< 1/8 **RIVERSIDE, CA 92507**
0.115 mi.
607 ft. **Site 1 of 2 in cluster R**

Relative: EDR Hist Auto
Lower

Actual: **942 ft.**

Year:	Name:	Type:
1991	A 1 MOBIL AXEL CO	Gasoline Service Stations
1992	A 1 MOBIL AXEL CO	Gasoline Service Stations

L81 **TUBEWORKS INC.** **RCRA NonGen / NLR** **1026494286**
South **1506 7TH STREET** **CAC003096436**
< 1/8 **RIVERSIDE, CA 92507**
0.115 mi.
608 ft. **Site 2 of 5 in cluster L**

Relative: RCRA Listings:
Higher

Actual: **973 ft.**

- Date Form Received by Agency: 20201209
- Handler Name: TUBEWORKS INC.
- Handler Address: 1506 7TH STREET
- Handler City,State,Zip: RIVERSIDE, CA 92507
- EPA ID: CAC003096436
- Contact Name: ISRAEL FIGUEROA
- Contact Address: 1506 7TH STREET
- Contact City,State,Zip: RIVERSIDE, CA 92507
- Contact Telephone: 951-784-7900
- Contact Fax: Not reported
- Contact Email: ISRAEL@TUBEWORKS.COM
- Contact Title: Not reported
- EPA Region: 09
- Land Type: Not reported
- Federal Waste Generator Description: Not a generator, verified
- Non-Notifier: Not reported
- Biennial Report Cycle: Not reported

TUBEWORKS INC. (Continued) **1026494286**

Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		1506 7TH STREET
Mailing City,State,Zip:		RIVERSIDE, CA 92507
Owner Name:	TUBEWORKS INC.	
Owner Type:		Other
Operator Name:	ISRAEL FIGUEROA	
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported
Permit Workload Universe:		Not reported
Permit Progress Universe:		Not reported
Post-Closure Workload Universe:		Not reported
Closure Workload Universe:		Not reported
202 GPRA Corrective Action Baseline:		No
Corrective Action Workload Universe:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:		No
TSDFs Only Subject to CA under Discretionary Auth Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Operating TSDF Universe:		Not reported
Full Enforcement Universe:		Not reported
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:	Not reported	

TUBEWORKS INC. (Continued) **1026494286**

Handler Date of Last Change:	20201218
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: TUBEWORKS INC.	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	1506 7TH STREET
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507
Owner/Operator Telephone:	951-784-7900
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name: ISRAEL FIGUEROA	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	1506 7TH STREET
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507
Owner/Operator Telephone:	951-784-7900
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20201209
Handler Name: TUBEWORKS INC.	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	332710
NAICS Description:	MACHINE SHOPS

Facility Has Received Notices of Violations:

Violations:	No Violations Found

TUBEWORKS INC. (Continued) **1026494286**

Evaluation Action Summary:
Evaluations: No Evaluations Found

Date Form Received by Agency:		20201026
Handler Name:	TUBEWORKS INC.	
Handler Address:		1506 7TH STREET
Handler City,State,Zip:		RIVERSIDE, CA 92507
EPA ID:		CAR000313809
Contact Name:		ISRAEL FIGUEROA
Contact Address:		7TH STREET
Contact City,State,Zip:		RIVERSIDE, CA 92507
Contact Telephone:		951-784-7900 x2
Contact Fax:		Not reported
Contact Email:		ISRAEL@TUBEWORKS.COM
Contact Title:		GENERAL MANAGER
EPA Region:		09
Land Type:		Municipal
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		7TH STREET
Mailing City,State,Zip:		RIVERSIDE, CA 92507
Owner Name:	MARTIN G. MILES	
Owner Type:		Municipal
Operator Name:	MARTIN G. MILES	
Operator Type:		Municipal
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported
Permit Workload Universe:		Not reported

TUBEWORKS INC. (Continued) **1026494286**

Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20201029
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	Yes
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: MARTIN G. MILES	
Legal Status:	Municipal
Date Became Current:	20201026
Date Ended Current:	Not reported
Owner/Operator Address:	1506 7TH STREET
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507
Owner/Operator Telephone:	951-880-8010
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	TUBEWORKS@GMAIL.COM

Owner/Operator Indicator:	Owner
Owner/Operator Name: MARTIN G. MILES	
Legal Status:	Municipal
Date Became Current:	20201026
Date Ended Current:	Not reported
Owner/Operator Address:	1506 7TH STREET
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507
Owner/Operator Telephone:	951-880-8010
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	TUBEWORKS@GMAIL.COM

TUBEWORKS INC. (Continued) **1026494286**

Historic Generators:
Receive Date: 20201026
Handler Name: TUBEWORKS INC.
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: Yes

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

L82 **TUBEWORKS INC.** **RCRA NonGen / NLR** **1026041035**
South **1506 7TH ST.** **CAC003047157**
< 1/8 **RIVERSIDE, CA 92507**
0.115 mi.
608 ft. **Site 3 of 5 in cluster L**

Relative: **Higher**
Actual: **973 ft.**

RCRA Listings:
Date Form Received by Agency: 20191213
Handler Name: TUBEWORKS INC.
Handler Address: 1506 7TH ST.
Handler City,State,Zip: RIVERSIDE, CA 92507
EPA ID: CAC003047157
Contact Name: ISRAEL FIGUEROA
Contact Address: 1506 7TH ST.
Contact City,State,Zip: RIVERSIDE, CA 92507
Contact Telephone: 951-963-6802
Contact Fax: Not reported
Contact Email: ISRAEL@TUBEWORKS.COM
Contact Title: Not reported
EPA Region: 09
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: Not reported
State District: Not reported
Mailing Address: 1506 7TH ST.
Mailing City,State,Zip: RIVERSIDE, CA 92507
Owner Name: MARTIN MILES
Owner Type: Other

TUBEWORKS INC. (Continued) **1026041035**

Operator Name:	ISRAEL FIGUEROA
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20200210
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

TUBEWORKS INC. (Continued) **1026041035**

Handler - Owner Operator:
Owner/Operator Indicator: Operator
Owner/Operator Name: ISRAEL FIGUEROA
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 1506 7TH ST.
Owner/Operator City,State,Zip: RIVERSIDE, CA 92507
Owner/Operator Telephone: 951-963-6802
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: MARTIN MILES
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 12347 ORANGEMONT LN
Owner/Operator City,State,Zip: RIVERSIDE, CA 92503-9735
Owner/Operator Telephone: 951-880-8102
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20191213
Handler Name: TUBEWORKS INC.
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 331110
NAICS Description: IRON AND STEEL MILLS AND FERROALLOY MANUFACTURING

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

L83 **TUBEWORKS INC** **RCRA NonGen / NLR** **1024747005**
South **1506 7TH ST** **CAC002966777**
< 1/8 **RIVERSIDE, CA 92507**
0.115 mi.
608 ft. **Site 4 of 5 in cluster L**

Relative: **Higher**

Actual: **973 ft.**

RCRA Listings:

Date Form Received by Agency:		20201119
Handler Name:	TUBEWORKS INC	
Handler Address:		1506 7TH ST
Handler City,State,Zip:		RIVERSIDE, CA 92507
EPA ID:		CAL000458386
Contact Name:		ISRAEL FIGUEROA
Contact Address:		1506 7TH ST
Contact City,State,Zip:		RIVERSIDE, CA 92507
Contact Telephone:		951-784-7900
Contact Fax:		Not reported
Contact Email:		ISRAEL@TUBEWORKS.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		1506 7TH ST
Mailing City,State,Zip:		RIVERSIDE, CA 92507
Owner Name:	TUBEWORKS INC	
Owner Type:		Other
Operator Name:	ISRAEL FIGUEROA	
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported

TUBEWORKS INC (Continued) **1024747005**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20201130
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: ISRAEL FIGUEROA	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	1506 7TH ST
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507
Owner/Operator Telephone:	951-784-7900
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: TUBEWORKS INC	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	1506 7TH ST
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507
Owner/Operator Telephone:	951-880-8102
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

TUBEWORKS INC (Continued) **1024747005**

Historic Generators:
Receive Date: 20201119
Handler Name: TUBEWORKS INC
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 811198
NAICS Description: ALL OTHER AUTOMOTIVE REPAIR AND MAINTENANCE

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

Date Form Received by Agency: 20180615
Handler Name: TUBEWORKS INC
Handler Address: 1506 7TH ST
Handler City,State,Zip: RIVERSIDE, CA 92507
EPA ID: CAC002966777
Contact Name: JAYSON MILES
Contact Address: 1506 7TH ST
Contact City,State,Zip: RIVERSIDE, CA 92507
Contact Telephone: 951-784-7900
Contact Fax: Not reported
Contact Email: TUBEWORKS@GMAIL.COM
Contact Title: Not reported
EPA Region: 09
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: Not reported
State District: Not reported
Mailing Address: 1506 7TH ST
Mailing City,State,Zip: RIVERSIDE, CA 92507
Owner Name: JAYSON MILES
Owner Type: Other
Operator Name: JAYSON MILES
Operator Type: Other
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No

TUBEWORKS INC (Continued) **1024747005**

Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20180831
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:
Owner/Operator Indicator: Owner
Owner/Operator Name: JAYSON MILES

TUBEWORKS INC (Continued) **1024747005**

Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	1506 7TH ST
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507
Owner/Operator Telephone:	951-784-7900
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name: JAYSON MILES	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	1506 7TH ST
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507
Owner/Operator Telephone:	951-784-7900
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20180615
Handler Name: TUBEWORKS INC	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	331420
NAICS Description:	COPPER ROLLING, DRAWING, EXTRUDING, AND ALLOYING

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

L84 **TUBEWORKS INC** **CERS HAZ WASTE** **S123517136**
South **1506 7TH ST** **CERS** **N/A**
< 1/8 **RIVERSIDE, CA 92507** **HWTS**
0.115 mi.
608 ft. **Site 5 of 5 in cluster L**

Relative:
Higher

Actual:
973 ft.

CERS HAZ WASTE:
Name: TUBEWORKS INC
Address: 1506 7TH ST
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 410395
CERS ID: 10612093
CERS Description: Hazardous Waste Generator

CERS:
Name: TUBEWORKS INC
Address: 1506 7TH ST
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 410395
CERS ID: 10612093
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 410395
Site Name: Tubeworks Inc
Violation Date: 11-17-2020
Citation: 40 CFR 1 262.34(d)(5)(iii) - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 262.34(d)(5)(iii)
Violation Description: Failure to ensure that all employees are thoroughly familiar with proper waste handling and emergency procedures, relevant to their responsibilities during normal facility operations and emergencies.
Violation Notes: Returned to compliance on 03/17/2021.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 410395
Site Name: Tubeworks Inc
Violation Date: 11-17-2020
Citation: 22 CCR 12 66262.40(a) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.40(a)
Violation Description: Failure to keep a copy of each properly signed manifest for at least three years from the date the waste was accepted by the initial transporter. The manifest signed at the time the waste was accepted for transport shall be kept until receiving a signed copy from the designated facility which received the waste.
Violation Notes: Returned to compliance on 03/17/2021.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 410395
Site Name: Tubeworks Inc
Violation Date: 11-17-2020
Citation: 22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description: Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical

TUBEWORKS INC (Continued) **S123517136**

	characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	Returned to compliance on 03/29/2021.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	410395
Site Name:	Tubeworks Inc
Violation Date:	06-20-2016
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes:	Returned to compliance on 10/25/2017.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	410395
Site Name:	Tubeworks Inc
Violation Date:	11-17-2020
Citation:	40 CFR 1 265.173 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.173
Violation Description:	Failure to meet the following container management requirements: (a) A container holding hazardous waste must always be closed during storage, except when it is necessary to add or remove waste. (b) A container holding hazardous waste must not be opened, handled, or stored in a manner which may rupture the container or cause it to leak.
Violation Notes:	Returned to compliance on 03/22/2021.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	410395
Site Name:	Tubeworks Inc
Violation Date:	05-10-2018
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes:	Returned to compliance on 06/28/2018.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	410395
Site Name:	Tubeworks Inc
Violation Date:	05-21-2019
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.

TUBEWORKS INC (Continued) **S123517136**

Violation Notes:	Returned to compliance on 07/10/2019.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	410395
Site Name:	Tubeworks Inc
Violation Date:	09-23-2016
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes:	Returned to compliance on 10/25/2017.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	410395
Site Name:	Tubeworks Inc
Violation Date:	11-15-2016
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes:	Returned to compliance on 10/25/2017.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	410395
Site Name:	Tubeworks Inc
Violation Date:	11-17-2020
Citation:	22 CCR 12 66262.11 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.11
Violation Description:	Failure to determine if wastes generated are hazardous waste by using generator knowledge or applying testing method.
Violation Notes:	Returned to compliance on 03/22/2021.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	410395
Site Name:	Tubeworks Inc
Violation Date:	07-29-2020
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes:	Returned to compliance on 09/10/2020. The chemical inventory has not been submitted accurately. Include the changes of the following chemicals in CERS: Waste Oil-110 Gal; Foam Mix (A)-55 Gal; Foam Mix (B)- 55gal; Acetylene- Will recheck at re-inspection
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP

TUBEWORKS INC (Continued) **S123517136**

Violation Source: CERS,

Site ID: 410395
Site Name: Tubeworks Inc
Violation Date: 07-29-2020
Citation: Un-Specified
Violation Description: Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes: Returned to compliance on 09/10/2020. 104A: NFPA 704 sign(s) properly posted. [RMC 16.32.020; CFC, Section 5003.5]-No NFPA 704 is posted. Provide the required NFPA 704 signage in the following locations: post one on side/rear gate and repost one on side wall next to door
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Evaluation:
Eval General Type: Other/Unknown
Eval Date: 05-10-2018
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 05-21-2019
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 06-20-2016
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 09-23-2016
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 11-15-2016
Violations Found: Yes
Eval Type: Other, not routine, done by local agency

TUBEWORKS INC (Continued) **S123517136**

Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-17-2020
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Routine
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-07-2019
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 12-03-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-29-2020
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 09-10-2020
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Reinspection by D. Young. All violations from 7/29/2020 routine inspection have been abated.
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Enforcement Action:
Site ID: 410395
Site Name: Tubeworks Inc
Site Address: 1506 7TH ST
Site City: RIVERSIDE
Site Zip: 92507

TUBEWORKS INC (Continued) **S123517136**

Enf Action Date: 05-10-2018
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Fines/Penalties Assessed: $100.00. admin cite.
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Site ID: 410395
Site Name: Tubeworks Inc
Site Address: 1506 7TH ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 05-21-2019
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Fines/Penalties Assessed: $100.00. Administrative citation.
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Site ID: 410395
Site Name: Tubeworks Inc
Site Address: 1506 7TH ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 06-20-2016
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Warning citation.
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Site ID: 410395
Site Name: Tubeworks Inc
Site Address: 1506 7TH ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 09-23-2016
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Fines/Penalties Assessed: $100.00.
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Site ID: 410395
Site Name: Tubeworks Inc
Site Address: 1506 7TH ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 11-15-2016
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Fines/Penalties Assessed: $200.00. Administrative Citation.
Enf Action Division: Riverside City Fire Department

TUBEWORKS INC (Continued) **S123517136**

Enf Action Program: HMRRP
Enf Action Source: CERS,

Coordinates:
Site ID: 410395
Facility Name: Tubeworks Inc
Env Int Type Code: HMBP
Program ID: 10612093
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.,
Latitude: 33.977820
Longitude: -117.344550

Affiliation:
Affiliation Type Desc: Parent Corporation
Entity Name: Tubeworks Inc
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: Environmental Contact
Entity Name: Martin Miles
Entity Title: Not reported
Affiliation Address: 1506 7th St
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92507
Affiliation Phone: ,

Affiliation Type Desc: Operator
Entity Name: Martin Jayson Miles
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (951) 880-8102,

Affiliation Type Desc: Property Owner
Entity Name: Richard Mushegain
Entity Title: Not reported
Affiliation Address: PO Box 5489
Affiliation City: Pasadena
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 91117
Affiliation Phone: (909) 578-4865,

Affiliation Type Desc: CUPA District
Entity Name: Riverside Cnty Env Health

TUBEWORKS INC (Continued) **S123517136**

Entity Title: Not reported
Affiliation Address: 4065 County Circle Drive, Room 104
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92503
Affiliation Phone: (951) 358-5055,

Affiliation Type Desc: Document Preparer
Entity Name: Francine Miles
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 1506 7th Street
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92507
Affiliation Phone: ,

Affiliation Type Desc: Identification Signer
Entity Name: Martin Jayson Miles
Entity Title: OWNER
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: Legal Owner
Entity Name: Martin Miles
Entity Title: Not reported
Affiliation Address: 1506 7th
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 92507
Affiliation Phone: (951) 880-8102,

HWTS:
Name: TUBEWORKS INC
Address: 1506 7TH ST
Address 2: Not reported
City,State,Zip: RIVERSIDE, CA 92507
EPA ID: CAC002966777
Inactive Date: 09/14/2018
Create Date: 06/15/2018

TUBEWORKS INC (Continued) **S123517136**

Last Act Date: Not reported
Mailing Name: Not reported
Mailing Address: 1506 7TH ST
Mailing Address 2: Not reported
Mailing City,State,Zip: RIVERSIDE, CA 92507
Owner Name: JAYSON MILES
Owner Address: 1506 7TH ST
Owner Address 2: Not reported
Owner City,State,Zip: RIVERSIDE, CA 92507
Contact Name: JAYSON MILES
Contact Address: 1506 7TH ST
Contact Address 2: Not reported
City,State,Zip: RIVERSIDE, CA 92507
Facility Status: Inactive
Facility Type: TEMPORARY
Category: STATE
Latitude: 33.978064
Longitude: -117.344448

NAICS:
EPA ID: CAC002966777
Create Date: 2018-06-15 13:15:50.657
NAICS Code: 331420
NAICS Description: Copper Rolling, Drawing, Extruding, and Alloying
Issued EPA ID Date: 2018-06-15 13:15:50.65700
Inactive Date: 2018-09-14 13:15:50.64000
Facility Name: TUBEWORKS INC
Facility Address: 1506 7TH ST
Facility Address 2: Not reported
Facility City: RIVERSIDE
Facility County: Not reported
Facility State: CA
Facility Zip: 92507

EPA ID: CAC002966777
Create Date: 2018-06-15 13:15:50.657
NAICS Code: 331420
NAICS Description: Copper Rolling, Drawing, Extruding, and Alloying
Issued EPA ID Date: 2018-06-15 13:15:50.65700
Inactive Date: 2018-09-14 13:15:50.64000
Facility Name: TUBEWORKS INC
Facility Address: 1506 7TH ST
Facility Address 2: Not reported
Facility City: RIVERSIDE
Facility County: Not reported
Facility State: CA
Facility Zip: 92507

Name: TUBEWORKS INC
Address: 1506 7TH ST
Address 2: Not reported
City,State,Zip: RIVERSIDE, CA 92507
EPA ID: CAL000458386
Inactive Date: Not reported
Create Date: 11/19/2020
Last Act Date: Not reported
Mailing Name: Not reported

TUBEWORKS INC (Continued) **S123517136**

Mailing Address:	1506 7TH ST
Mailing Address 2:	Not reported
Mailing City,State,Zip:	RIVERSIDE, CA 92507
Owner Name:	TUBEWORKS INC
Owner Address:	1506 7TH ST
Owner Address 2:	Not reported
Owner City,State,Zip:	RIVERSIDE, CA 92507
Contact Name:	FRANCINE MILES
Contact Address:	1506 7TH STREET
Contact Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 92507
Facility Status:	Active
Facility Type:	PERMANENT
Category:	STATE
Latitude:	-90
Longitude:	180

NAICS:

EPA ID:	CAL000458386
Create Date:	2020-11-19 15:36:22.477
NAICS Code:	811198
NAICS Description:	All Other Automotive Repair and Maintenance
Issued EPA ID Date:	2020-11-19 15:36:22.46300
Inactive Date:	Not reported
Facility Name:	TUBEWORKS INC
Facility Address:	1506 7TH ST
Facility Address 2:	Not reported
Facility City:	RIVERSIDE
Facility County:	Not reported
Facility State:	CA
Facility Zip:	92507

R85 **BREAKER TECHNOLOGY INC** **RCRA NonGen / NLR** **1024837334**
WSW **3453 DURAHART ST** **CAL000382465**
< 1/8 **RIVERSIDE, CA 92507**
0.116 mi.
612 ft. **Site 2 of 2 in cluster R**

Relative: **Lower**

Actual: **942 ft.**

RCRA Listings:

Date Form Received by Agency:	20130214
Handler Name:	BREAKER TECHNOLOGY INC
Handler Address:	3453 DURAHART ST
Handler City,State,Zip:	RIVERSIDE, CA 92507-0000
EPA ID:	CAL000382465
Contact Name:	BRAD FORREST
Contact Address:	35 ELGIN ST
Contact City,State,Zip:	THORNBURY ON, CA 00000
Contact Telephone:	519-599-2015
Contact Fax:	519-599-6803
Contact Email:	BFORREST@ROCKBREAKER.COM
Contact Title:	Not reported
EPA Region:	09
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported

BREAKER TECHNOLOGY INC (Continued) **1024837334**

Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		3453 DURAHART ST
Mailing City,State,Zip:		RIVERSIDE, CA 92507-0000
Owner Name:	ASTEC INDUSTRIES INC	
Owner Type:		Other
Operator Name:	BRAD FORREST	
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		Yes
Universal Waste Destination Facility:		Yes
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported
Permit Workload Universe:		Not reported
Permit Progress Universe:		Not reported
Post-Closure Workload Universe:		Not reported
Closure Workload Universe:		Not reported
202 GPRA Corrective Action Baseline:		No
Corrective Action Workload Universe:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:		No
TSDFs Only Subject to CA under Discretionary Auth Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Operating TSDF Universe:		Not reported
Full Enforcement Universe:		Not reported
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:	Not reported	
Handler Date of Last Change:		20180906

BREAKER TECHNOLOGY INC (Continued) **1024837334**

Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: ASTEC INDUSTRIES INC	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	4101 JEROME AVE
Owner/Operator City,State,Zip:	CHATTANOOGA, TN 37407-2915
Owner/Operator Telephone:	423-867-4210
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name: BRAD FORREST	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	35 ELGIN ST
Owner/Operator City,State,Zip:	THORNBURY ON, CA 00000
Owner/Operator Telephone:	519-599-2015
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20130214
Handler Name: BREAKER TECHNOLOGY INC	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	42181
NAICS Description:	CONSTRUCTION AND MINING (EXCEPT OIL WELL) MACHINERY AND EQUIPMENT WHOLESALERS

Facility Has Received Notices of Violations:

Violations:	No Violations Found

BREAKER TECHNOLOGY INC (Continued) **1024837334**

Evaluation Action Summary:
Evaluations: No Evaluations Found

S86 **STRONG HOLD ENGINEERING,INC.** **RCRA NonGen / NLR** **1024804859**
ESE **3421 GATO CT** **CAL000260439**
< 1/8 **RIVERSIDE, CA 92507**
0.117 mi.
620 ft. **Site 1 of 3 in cluster S**

Relative:
Higher

Actual:
968 ft.

RCRA Listings:

Date Form Received by Agency:		20021008
Handler Name:	STRONG HOLD ENGINEERING,INC.	
Handler Address:		3421 GATO CT
Handler City,State,Zip:		RIVERSIDE, CA 92507-0000
EPA ID:		CAL000260439
Contact Name:		OLIVER BAPTISTE
Contact Address:		2000 MARKET STREET
Contact City,State,Zip:		RIVERSIDE, CA 92501
Contact Telephone:		951-684-9303
Contact Fax:		951-682-2435
Contact Email:		OB@TEAMSEI.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		2000 MARKET ST
Mailing City,State,Zip:		RIVERSIDE, CA 92501-1769
Owner Name:	STRONGHOLD ENGINEERING, INC.	
Owner Type:		Other
Operator Name:	OLIVER BAPTISTE	
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		Yes
Universal Waste Destination Facility:		Yes
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N

STRONG HOLD ENGINEERING,INC. (Continued) **1024804859**

Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20180905
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: OLIVER BAPTISTE	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	2000 MARKET STREET
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92501
Owner/Operator Telephone:	951-684-9303
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: STRONGHOLD ENGINEERING, INC.	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	2000 MARKET ST

STRONG HOLD ENGINEERING,INC. (Continued) **1024804859**

Owner/Operator City,State,Zip: RIVERSIDE, CA 92501-1769
Owner/Operator Telephone: 951-684-9303
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20021008
Handler Name: STRONG HOLD ENGINEERING,INC.
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 23332
NAICS Description: COMMERCIAL AND INSTITUTIONAL BUILDING CONSTRUCTION

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

S87 **STRONG HOLD ENGINEERING** **CERS HAZ WASTE** **S113122574**
ESE **3421 GATO CT** **HAZNET** **N/A**
< 1/8 **RIVERSIDE, CA 92507** **CERS**
0.117 mi.
620 ft. **Site 2 of 3 in cluster S**

Relative:
Higher

Actual:
968 ft.

CERS HAZ WASTE:
Name: STRONGHOLD ENGINEERING
Address: 3421 GATO CT
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 446269
CERS ID: 10686592
CERS Description: Hazardous Waste Generator

HAZNET:
Name: STRONG HOLD ENGINEERING
Address: 3421 GATO CT
Address 2: Not reported
City,State,Zip: RIVERSIDE, CA 925070000
Contact: chris fandel
Telephone: 9516849303
Mailing Name: Not reported
Mailing Address: 2000 MARKET ST

STRONG HOLD ENGINEERING (Continued) **S113122574**

Year: 2008
Gepaid: CAL000260439
TSD EPA ID: CAD028409019
CA Waste Code: 352 - Other organic solids
Disposal Method: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 0.2

Year: 2008
Gepaid: CAL000260439
TSD EPA ID: CAD028409019
CA Waste Code: 281 - Adhesives
Disposal Method: H061 - Fuel Blending Prior To Energy Recovery At Another Site
Tons: 0.4

Year: 2008
Gepaid: CAL000260439
TSD EPA ID: CAD028409019
CA Waste Code: 181 - Other inorganic solid waste
Disposal Method: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 0.1

Year: 2008
Gepaid: CAL000260439
TSD EPA ID: CAD028409019
CA Waste Code: 331 - Off-specification, aged or surplus organics
Disposal Method: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 1.423

Year: 2008
Gepaid: CAL000260439
TSD EPA ID: CAD028409019
CA Waste Code: 291 - Latex waste
Disposal Method: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 0.955

Year: 2008
Gepaid: CAL000260439
TSD EPA ID: CAD028409019
CA Waste Code: 551 - Laboratory waste chemicals
Disposal Method: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 0.005

Year: 2008
Gepaid: CAL000260439
TSD EPA ID: CAD028409019
CA Waste Code: 122 - Alkaline solution without metals pH >= 12.5
Disposal Method: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 0.01251

Year: 2008
Gepaid: CAL000260439

STRONG HOLD ENGINEERING (Continued) **S113122574**

TSD EPA ID: CAD028409019
CA Waste Code: 221 - Waste oil and mixed oil
Disposal Method: H061 - Fuel Blending Prior To Energy Recovery At Another Site
Tons: 1.178

Year: 2003
Gepaid: CAL000260439
TSD EPA ID: CAD028409019
CA Waste Code: 214 - Unspecified solvent mixture
Disposal Method: H01 - Transfer Station
Tons: 0.6

Year: 2003
Gepaid: CAL000260439
TSD EPA ID: CAD028409019
CA Waste Code: 352 - Other organic solids
Disposal Method: H01 - Transfer Station
Tons: 0.015

Click this hyperlink while viewing on your computer to access
1 additional CA HAZNET: record(s) in the EDR Site Report.

Additional Info:
Year: 2008
Gen EPA ID: CAL000260439

Shipment Date: 20080320
Creation Date: 6/9/2008 18:30:24
Receipt Date: 20080321
Manifest ID: 003214526JJK
Trans EPA ID: CAT080012800
Trans Name: HAZ MAT TRANS INC
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
TSDF EPA ID: CAD028409019
Trans Name: CROSBY & OVERTON
TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported
Waste Code Description: 221 - Waste oil and mixed oil
RCRA Code: Not reported
Meth Code: H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons: 0.152
Waste Quantity: 40
Quantity Unit: G
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

Shipment Date: 20080320
Creation Date: 6/9/2008 18:30:24
Receipt Date: 20080321
Manifest ID: 003214526JJK
Trans EPA ID: CAT080012800
Trans Name: HAZ MAT TRANS INC

STRONG HOLD ENGINEERING (Continued) **S113122574**

Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD028409019
Trans Name:	CROSBY & OVERTON
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.15
Waste Quantity:	300
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20080320
Creation Date:	6/9/2008 18:30:24
Receipt Date:	20080321
Manifest ID:	003214526JJK
Trans EPA ID:	CAT080012800
Trans Name:	HAZ MAT TRANS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD028409019
Trans Name:	CROSBY & OVERTON
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.075
Waste Quantity:	150
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20080320
Creation Date:	6/9/2008 18:30:24
Receipt Date:	20080321
Manifest ID:	003214526JJK
Trans EPA ID:	CAT080012800
Trans Name:	HAZ MAT TRANS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD028409019
Trans Name:	CROSBY & OVERTON
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics

STRONG HOLD ENGINEERING (Continued) **S113122574**

RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.363
Waste Quantity:	110
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20080320
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	003214526JJK
Trans EPA ID:	CAT080012800
Trans Name:	HAZ MAT TRANS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD028409019
Trans Name:	CROSBY & OVERTON
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	F005
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.198
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20080218
Creation Date:	4/22/2008 18:30:30
Receipt Date:	20080226
Manifest ID:	000799067FLE
Trans EPA ID:	CAR000049064
Trans Name:	ECTI
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD028409019
Trans Name:	CROSBY & OVERTON PLT NO 1
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	D008
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.1
Waste Quantity:	200
Quantity Unit:	P
Additional Code 1:	Not reported

STRONG HOLD ENGINEERING (Continued) **S113122574**

Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20080214
Creation Date:	4/22/2008 18:30:36
Receipt Date:	20080215
Manifest ID:	000252957JJK
Trans EPA ID:	CAT080012800
Trans Name:	HAZ MAT TRANS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD028409019
Trans Name:	CROSBY & OVERTON
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	281 - Adhesives
RCRA Code:	F003
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.4
Waste Quantity:	800
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20080214
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	000252957JJK
Trans EPA ID:	CAT080012800
Trans Name:	HAZ MAT TRANS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD028409019
Trans Name:	CROSBY & OVERTON
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.125
Waste Quantity:	250
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20080214
Creation Date:	4/22/2008 18:30:36
Receipt Date:	20080215

STRONG HOLD ENGINEERING (Continued) **S113122574**

Manifest ID:	000252957JJK
Trans EPA ID:	CAT080012800
Trans Name:	HAZ MAT TRANS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD028409019
Trans Name:	CROSBY & OVERTON
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	551 - Laboratory waste chemicals 561 Detergent and soap
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.005
Waste Quantity:	10
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20080214
Creation Date:	4/22/2008 18:30:36
Receipt Date:	20080215
Manifest ID:	000252957JJK
Trans EPA ID:	CAT080012800
Trans Name:	HAZ MAT TRANS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD028409019
Trans Name:	CROSBY & OVERTON
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	291 - Latex waste
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.805
Waste Quantity:	1610
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2003
Gen EPA ID:	CAL000260439

Shipment Date:	20030120
Creation Date:	5/18/2003 14:28:17
Receipt Date:	20030123
Manifest ID:	22121330
Trans EPA ID:	CAR000053173
Trans Name:	Not reported

STRONG HOLD ENGINEERING (Continued) **S113122574**

Trans 2 EPA ID: CAR000049064
Trans 2 Name: Not reported
TSDF EPA ID: CAD028409019
Trans Name: Not reported
TSDF Alt EPA ID: CAD028409019
TSDF Alt Name: Not reported
Waste Code Description: 223 - Unspecified oil-containing waste
RCRA Code: Not reported
Meth Code: T01 - Treatment, Tank
Quantity Tons: 0.2
Waste Quantity: 400
Quantity Unit: P
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

Shipment Date: 20030120
Creation Date: 5/18/2003 14:28:17
Receipt Date: 20030123
Manifest ID: 22121331
Trans EPA ID: CAR000053173
Trans Name: Not reported
Trans 2 EPA ID: CAR000049064
Trans 2 Name: Not reported
TSDF EPA ID: CAD028409019
Trans Name: Not reported
TSDF Alt EPA ID: CAD028409019
TSDF Alt Name: Not reported
Waste Code Description: 223 - Unspecified oil-containing waste
RCRA Code: Not reported
Meth Code: T01 - Treatment, Tank
Quantity Tons: 0.2
Waste Quantity: 400
Quantity Unit: P
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

Shipment Date: 20030120
Creation Date: 5/18/2003 14:28:17
Receipt Date: 20030123
Manifest ID: 22121332
Trans EPA ID: CAR000053173
Trans Name: Not reported
Trans 2 EPA ID: CAR000049064
Trans 2 Name: Not reported
TSDF EPA ID: CAD028409019
Trans Name: Not reported
TSDF Alt EPA ID: CAD028409019
TSDF Alt Name: Not reported
Waste Code Description: 223 - Unspecified oil-containing waste
RCRA Code: Not reported
Meth Code: T01 - Treatment, Tank

STRONG HOLD ENGINEERING (Continued) **S113122574**

Quantity Tons:	0.15
Waste Quantity:	300
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20030120
Creation Date:	5/18/2003 14:28:17
Receipt Date:	20030123
Manifest ID:	22121338
Trans EPA ID:	CAR000053173
Trans Name:	Not reported
Trans 2 EPA ID:	CAR000049064
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD028409019
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD028409019
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.45
Waste Quantity:	900
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20030120
Creation Date:	5/18/2003 14:28:17
Receipt Date:	20030123
Manifest ID:	22121335
Trans EPA ID:	CAR000053173
Trans Name:	Not reported
Trans 2 EPA ID:	CAR000049064
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD028409019
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD028409019
TSDF Alt Name:	Not reported
Waste Code Description:	223 - Unspecified oil-containing waste
RCRA Code:	Not reported
Meth Code:	T01 - Treatment, Tank
Quantity Tons:	0.0375
Waste Quantity:	75
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

STRONG HOLD ENGINEERING (Continued) **S113122574**

Shipment Date:	20030120
Creation Date:	5/18/2003 14:28:17
Receipt Date:	20030123
Manifest ID:	22121336
Trans EPA ID:	CAR000053173
Trans Name:	Not reported
Trans 2 EPA ID:	CAR000049064
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD028409019
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD028409019
TSDF Alt Name:	Not reported
Waste Code Description:	223 - Unspecified oil-containing waste
RCRA Code:	Not reported
Meth Code:	T01 - Treatment, Tank
Quantity Tons:	0.0075
Waste Quantity:	15
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20030120
Creation Date:	5/18/2003 14:28:17
Receipt Date:	20030123
Manifest ID:	22121337
Trans EPA ID:	CAR000053173
Trans Name:	Not reported
Trans 2 EPA ID:	CAR000049064
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD028409019
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD028409019
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.015
Waste Quantity:	30
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20030120
Creation Date:	5/18/2003 14:28:17
Receipt Date:	20030123
Manifest ID:	22121333
Trans EPA ID:	CAR000053173
Trans Name:	Not reported
Trans 2 EPA ID:	CAR000049064
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD028409019

STRONG HOLD ENGINEERING (Continued) **S113122574**

Trans Name: Not reported
TSDF Alt EPA ID: CAD028409019
TSDF Alt Name: Not reported
Waste Code Description: 214 - Unspecified solvent mixture
RCRA Code: D001
Meth Code: H01 - Transfer Station
Quantity Tons: 0.15
Waste Quantity: 300
Quantity Unit: P
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

CERS:
Name: STRONGHOLD ENGINEERING
Address: 3421 GATO CT
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 446269
CERS ID: 10686592
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 446269
Site Name: Stronghold Engineering
Violation Date: 01-04-2021
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes: Returned to compliance on 01/04/2021. The required annual review/re-certification has not been completed. Complete the required review at the following link: https:// cers.calepa.ca.gov
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 446269
Site Name: Stronghold Engineering
Violation Date: 01-11-2019
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a business plan when storing/handling a hazardous material at or above reportable quantities.
Violation Notes: Returned to compliance on 02/13/2019. No HMBP has been completed nor submitted electronically in the CERS system. Complete and submit an HMBP at the following: https://cers.calepa.ca.gov
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 446269
Site Name: Stronghold Engineering
Violation Date: 01-11-2019

STRONG HOLD ENGINEERING (Continued) **S113122574**

Citation: Un-Specified
Violation Description: Business Plan Program - Administration/Documentation - General Local Ordinance
Violation Notes: Returned to compliance on 02/13/2019. Current permit issued/posted. [RMC 9.48.140] - No current permit was posted. Obtain the current permit and post in a conspicuous location.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 446269
Site Name: Stronghold Engineering
Violation Date: 12-10-2020
Citation: HSC 6.95 25508(a)(3) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(3)
Violation Description: Failure to establish and electronically submit an adequate emergency response plan and procedures for a release or threatened release of a hazardous material.
Violation Notes: Returned to compliance on 01/04/2021. No Emergency Response Plan and Procedures have been completed. Complete the requirement and submit in CERS.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 446269
Site Name: Stronghold Engineering
Violation Date: 01-11-2019
Citation: Un-Specified
Violation Description: Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes: Returned to compliance on 02/13/2019. Emergency contact information posted in a conspicuous location. [RMC 9.48.040 (5)] - No emergency contact information was found to be posted. Post the required emergency contact information.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 446269
Site Name: Stronghold Engineering
Violation Date: 12-10-2020
Citation: Un-Specified
Violation Description: Business Plan Program - Administration/Documentation - General Local Ordinance
Violation Notes: Returned to compliance on 01/19/2021. 100 - Current permit issued/posted. [RMC 9.48.140] - No current permit was posted. Obtain the current permit and post in a conspicuous location.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 446269
Site Name: Stronghold Engineering
Violation Date: 01-04-2021
Citation: HSC 6.95 25508.1(a)-(f) - California Health and Safety Code, Chapter 6.95, Section(s) 25508.1(a)-(f)

STRONG HOLD ENGINEERING (Continued) **S113122574**

Violation Description:	Failure to electronically update business plan within 30 days of any one of the following events: A 100 percent or more increase in the quantity of a previously disclosed material. Any handling of a previously undisclosed hazardous materials at or above reportable quantities. A change of business address, business ownership, or business name. A substantial change in the handler's operations that requires modification to any portion of the business plan.
Violation Notes:	Returned to compliance on 01/04/2021. The business plan update within 30 days has not been completed as required due to the change of site map, hazmat inventory & emergency response/training plan.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	446269
Site Name:	Stronghold Engineering
Violation Date:	01-11-2019
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit a site map with all required content.
Violation Notes:	Returned to compliance on 02/13/2019. No site map submitted. Update map and upload into CERS.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	446269
Site Name:	Stronghold Engineering
Violation Date:	01-04-2021
Citation:	Un-Specified
Violation Description:	Business Plan Program - Administration/Documentation - General Local Ordinance
Violation Notes:	Returned to compliance on 01/19/2021. 100 - Current permit issued/posted. [RMC 9.48.140] - No current permit was posted. Obtain the current permit and post in a conspicuous location.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	446269
Site Name:	Stronghold Engineering
Violation Date:	12-10-2020
Citation:	HSC 6.95 25508(a)(3) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(3)
Violation Description:	Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes:	Returned to compliance on 01/04/2021. The chemical inventory has not been submitted accurately. Submit the chemical inventory in CERS. Include the changes of the following chemicals in CERS: 550 gallons VP112 Fuel; 200 cu. ft. CO2
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	446269

STRONG HOLD ENGINEERING (Continued) **S113122574**

Site Name: Stronghold Engineering
Violation Date: 12-10-2020
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes: Returned to compliance on 01/04/2021. The required annual review/re-certification has not been completed. Complete the required review at the following link: https:// cers.calepa.ca.gov
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 446269
Site Name: Stronghold Engineering
Violation Date: 01-11-2019
Citation: HSC 6.95 25505(c) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(c)
Violation Description: Failure to have a business plan readily available to personnel of the business or the unified program facility with responsibilities for emergency response or training.
Violation Notes: Returned to compliance on 02/13/2019. No business plan was readily available on site. Obtain a copy of the Business plan or have access to the plan electronically.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 446269
Site Name: Stronghold Engineering
Violation Date: 01-04-2021
Citation: HSC 6.95 25508(a)(3) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(3)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: Returned to compliance on 01/04/2021. The chemical inventory has not been submitted accurately. Submit the chemical inventory in CERS. Include the changes of the following chemicals in CERS: 550 gallons VP112 Fuel; 200 cu. ft. CO2.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 446269
Site Name: Stronghold Engineering
Violation Date: 01-11-2019
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes: Returned to compliance on 02/13/2019. The required annual review/re-certification has not been completed. Complete the required review at the following link: https:// cers.calepa.ca.gov
Violation Division: Riverside City Fire Department

STRONG HOLD ENGINEERING (Continued) **S113122574**

Violation Program: HMRRP
Violation Source: CERS,

Site ID: 446269
Site Name: Stronghold Engineering
Violation Date: 01-11-2019
Citation: HSC 6.95 25507 - California Health and Safety Code, Chapter 6.95, Section(s) 25507
Violation Description: Failure to adequately establish and implement a business plan when storing/handling a hazardous material at or above reportable quantities.
Violation Notes: Returned to compliance on 02/13/2019. No HMBP has been established or implemented. Establish and implement the required report due to the reportable hazardous materials
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 446269
Site Name: Stronghold Engineering
Violation Date: 01-11-2019
Citation: Un-Specified
Violation Description: Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes: Returned to compliance on 02/13/2019. NFPA 704 sign(s) properly posted. [RMC 16.32.020; CFC, Section 5003.5] - No NFPA 704 is posted. Provide the required NFPA 704 signage in the following locations: front of business.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 446269
Site Name: Stronghold Engineering
Violation Date: 12-10-2020
Citation: HSC 6.95 25508(a)(3) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(3)
Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes: Returned to compliance on 01/04/2021. No site map submitted has missing components. Update map and upload into CERS.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 446269
Site Name: Stronghold Engineering
Violation Date: 01-04-2021
Citation: HSC 6.95 25508(a)(3) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(3)
Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes: Returned to compliance on 01/04/2021. No site map submitted has missing components. Update map and upload into CERS.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

STRONG HOLD ENGINEERING (Continued) **S113122574**

Site ID:	446269
Site Name:	Stronghold Engineering
Violation Date:	01-11-2019
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to establish and electronically submit an adequate training program in safety procedures in the event of a release or threatened release of a hazardous material.
Violation Notes:	Returned to compliance on 02/13/2019. Training Program has not been completed. Submit the required training program requirement in the CERS portal
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	446269
Site Name:	Stronghold Engineering
Violation Date:	12-10-2020
Citation:	HSC 6.95 25508.1(a)-(f) - California Health and Safety Code, Chapter 6.95, Section(s) 25508.1(a)-(f)
Violation Description:	Failure to electronically update business plan within 30 days of any one of the following events: A 100 percent or more increase in the quantity of a previously disclosed material. Any handling of a previously undisclosed hazardous materials at or above reportable quantities. A change of business address, business ownership, or business name. A substantial change in the handler's operations that requires modification to any portion of the business plan.
Violation Notes:	Returned to compliance on 01/04/2021. The business plan update within 30 days has not been completed as required due to the change of site map, hazmat inventory & emergency response/training plan.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	446269
Site Name:	Stronghold Engineering
Violation Date:	01-11-2019
Citation:	HSC 6.95 25505(a)(4) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(a)(4)
Violation Description:	Failure to provide initial and annual training to all employees in safety procedures in the event of a release or threatened release of a hazardous material or failure to document and maintain training records for a minimum of three years.
Violation Notes:	Returned to compliance on 02/13/2019. No training records were available for review. Provide documentation on training being conducted for the past 1-3 years.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	446269
Site Name:	Stronghold Engineering
Violation Date:	01-11-2019
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site

STRONG HOLD ENGINEERING (Continued) **S113122574**

at or above reportable quantities.
Violation Notes: Returned to compliance on 02/13/2019. The chemical inventory has not been submitted in CERS.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 446269
Site Name: Stronghold Engineering
Violation Date: 01-11-2019
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to establish and electronically submit an adequate emergency response plan and procedures for a release or threatened release of a hazardous material.
Violation Notes: Returned to compliance on 02/13/2019. No Emergency Response Plan and Procedures have been completed/submitted. Complete the requirement and submit in CERS.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 446269
Site Name: Stronghold Engineering
Violation Date: 11-04-2020
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes: Returned to compliance on 01/04/2021.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 446269
Site Name: Stronghold Engineering
Violation Date: 01-04-2021
Citation: HSC 6.95 25508(a)(3) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(3)
Violation Description: Failure to establish and electronically submit an adequate emergency response plan and procedures for a release or threatened release of a hazardous material.
Violation Notes: Returned to compliance on 01/04/2021. No Emergency Response Plan and Procedures have been completed. Complete the requirement and submit in CERS.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Evaluation:
Eval General Type: Other/Unknown
Eval Date: 01-19-2021
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Reinspection - D. Young. All violations from 12/10/2020 routine inspection have been abated.

STRONG HOLD ENGINEERING (Continued) **S113122574**

Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 11-04-2020
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 01-04-2021
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Reinspection - D. Young
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 12-11-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Hazardous Waste Generator Inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-11-2019
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 12-10-2020
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Enforcement Action:
Site ID: 446269
Site Name: Stronghold Engineering
Site Address: 3421 GATO CT
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 11-04-2020
Enf Action Type: Notice of Violation (Unified Program)

STRONG HOLD ENGINEERING (Continued) **S113122574**

Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Administrative citation.
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Affiliation:
Affiliation Type Desc: Document Preparer
Entity Name: Oliver Baptiste
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: Identification Signer
Entity Name: Oliver Baptiste
Entity Title: Senior Corporate Safety Officer
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: Property Owner
Entity Name: Beverly & Scott Bailey
Entity Title: Not reported
Affiliation Address: 150 W. Walnut Avenue
Affiliation City: Perris
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 92571
Affiliation Phone: (951) 684-9303,

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 3421 Gato Court
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92507
Affiliation Phone: ,

Affiliation Type Desc: Legal Owner
Entity Name: Beverly & Scott Bailey
Entity Title: Not reported
Affiliation Address: 150 West Walnut Avenue
Affiliation City: Perris
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 92571
Affiliation Phone: (951) 684-9303,

STRONG HOLD ENGINEERING (Continued) **S113122574**

Affiliation Type Desc:	Operator
Entity Name:	Stronghold Engineering, Inc.
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(951) 684-9303,

Affiliation Type Desc:	Parent Corporation
Entity Name:	Stronghold Engineering
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,

Affiliation Type Desc:	Environmental Contact
Entity Name:	Oliver Baptiste
Entity Title:	Not reported
Affiliation Address:	150 West Walnut Avenue
Affiliation City:	Perris
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92571
Affiliation Phone:	,

Affiliation Type Desc:	CUPA District
Entity Name:	Riverside Cnty Env Health
Entity Title:	Not reported
Affiliation Address:	4065 County Circle Drive, Room 104
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92503
Affiliation Phone:	(951) 358-5055,

S88 **JOYTECH INTERNATIONAL INC** **RCRA-SQG** **1000819223**
ESE **3421 GATO CT** **FINDS** **CAD983651951**
< 1/8 **RIVERSIDE, CA 92507** **ECHO**
0.117 mi. **HAZNET**
620 ft. **Site 3 of 3 in cluster S** **HWTS**

Relative: **Higher**
Actual: **968 ft.**

RCRA Listings:

Date Form Received by Agency:	19921105
Handler Name:	JOYTECH INTERNATIONAL INC
Handler Address:	3421 GATO CT
Handler City,State,Zip:	RIVERSIDE, CA 92507
EPA ID:	CAD983651951
Contact Name:	BRIAN D JONES
Contact Address:	3421 GATO CT
Contact City,State,Zip:	RIVERSIDE, CA 92507
Contact Telephone:	714-369-5889
Contact Fax:	Not reported

JOYTECH INTERNATIONAL INC (Continued) **1000819223**

Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		GATO CT
Mailing City,State,Zip:		RIVERSIDE, CA 92507
Owner Name:	JOYTECH INTERNATIONAL INC	
Owner Type:		Private
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		NN
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported
Permit Workload Universe:		Not reported
Permit Progress Universe:		Not reported
Post-Closure Workload Universe:		Not reported
Closure Workload Universe:		Not reported
202 GPRA Corrective Action Baseline:		No
Corrective Action Workload Universe:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:		No
TSDFs Only Subject to CA under Discretionary Auth Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A

JOYTECH INTERNATIONAL INC (Continued) **1000819223**

Operating TSDF Universe: Not reported
Full Enforcement Universe: Not reported
Significant Non-Complier Universe: No
Unaddressed Significant Non-Complier Universe: No
Addressed Significant Non-Complier Universe: No
Significant Non-Complier With a Compliance Schedule Universe: No
Financial Assurance Required: Not reported
Handler Date of Last Change: 20000915
Recognized Trader-Importer: No
Recognized Trader-Exporter: No
Importer of Spent Lead Acid Batteries: No
Exporter of Spent Lead Acid Batteries: No
Recycler Activity Without Storage: Not reported
Manifest Broker: Not reported
Sub-Part P Indicator: No

Handler - Owner Operator:
Owner/Operator Indicator: Owner
Owner/Operator Name: JOYTECH INTERNATIONAL INC
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 3421 GATO CT
Owner/Operator City,State,Zip: RIVERSIDE, CA 92507
Owner/Operator Telephone: 714-369-5889
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 19921105
Handler Name: JOYTECH INTERNATIONAL INC
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

JOYTECH INTERNATIONAL INC (Continued) **1000819223**

FINDS:
Registry ID: 110002887029

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000819223
Registry ID:	110002887029
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110002887029
Name:	JOYTECH INTERNATIONAL INC
Address:	3421 GATO CT
City,State,Zip:	RIVERSIDE, CA 92507

HAZNET:

Name:	JOYTECH INTERNATIONAL INC
Address:	3421 GATO CT
Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 925070000
Contact:	UNDELIVERABLE PER VF97 AH
Telephone:	9096895889
Mailing Name:	Not reported
Mailing Address:	3421 GATO CT
Year:	2004
Gepaid:	CAD983651951
TSD EPA ID:	CAD028409019
CA Waste Code:	214 - Unspecified solvent mixture
Disposal Method:	H01 - Transfer Station
Tons:	0.198

Additional Info:

Year:	2004
Gen EPA ID:	CAD983651951
Shipment Date:	20040112
Creation Date:	8/19/2004 11:23:00
Receipt Date:	20040116
Manifest ID:	22450696
Trans EPA ID:	CAR000077248
Trans Name:	STRESS LESS ENVIRONMENTAL LLC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD028409019
Trans Name:	CROSBY & OVERTON
TSDF Alt EPA ID:	CAD028409019

JOYTECH INTERNATIONAL INC (Continued) **1000819223**

TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.198
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

HWTS:

Name:	JOYTECH INTERNATIONAL INC
Address:	3421 GATO CT
Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 92507
EPA ID:	CAD983651951
Inactive Date:	06/30/2005
Create Date:	11/05/1992
Last Act Date:	Not reported
Mailing Name:	Not reported
Mailing Address:	3421 GATO CT
Mailing Address 2:	Not reported
Mailing City,State,Zip:	RIVERSIDE, CA 925076800
Owner Name:	JOYTECH INTERNATIONAL INC
Owner Address:	3421 GATO CT
Owner Address 2:	Not reported
Owner City,State,Zip:	RIVERSIDE, CA 925076800
Contact Name:	UNDELIVERABLE PER VF97 AH
Contact Address:	3421 GATO CT
Contact Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 925076800
Facility Status:	Inactive
Facility Type:	PERMANENT
Category:	FEDERAL
Latitude:	33.980468
Longitude:	-117.342583

T89 **RSF ENTERPRISES INC** **RCRA NonGen / NLR** **1026490862**
NW **3127 CHICAGO AVE** **CAL000455600**
1/8-1/4 **RIVERSIDE, CA 92507**
0.134 mi.
705 ft. **Site 1 of 6 in cluster T**

Relative: **Lower**

Actual: **934 ft.**

RCRA Listings:

Date Form Received by Agency:		20200714
Handler Name:	RSF ENTERPRISES INC	
Handler Address:		3127 CHICAGO AVE
Handler City,State,Zip:		RIVERSIDE, CA 92507
EPA ID:		CAL000455600
Contact Name:		RAY FIELD
Contact Address:		PO BOX 5966
Contact City,State,Zip:		RIVERSIDE, CA 92517
Contact Telephone:		951-532-0421
Contact Fax:		Not reported

RSF ENTERPRISES INC (Continued) **1026490862**

Contact Email:		RAY@RANCHODRIVETRAIN.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		PO BOX 5966
Mailing City,State,Zip:		RIVERSIDE, CA 92517
Owner Name:	RSF ENTERPRISE INC	
Owner Type:		Other
Operator Name:	RAY FIELD	
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported
Permit Workload Universe:		Not reported
Permit Progress Universe:		Not reported
Post-Closure Workload Universe:		Not reported
Closure Workload Universe:		Not reported
202 GPRA Corrective Action Baseline:		No
Corrective Action Workload Universe:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:		No
TSDFs Only Subject to CA under Discretionary Auth Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A

RSF ENTERPRISES INC (Continued) **1026490862**

Operating TSDF Universe: Not reported
Full Enforcement Universe: Not reported
Significant Non-Complier Universe: No
Unaddressed Significant Non-Complier Universe: No
Addressed Significant Non-Complier Universe: No
Significant Non-Complier With a Compliance Schedule Universe: No
Financial Assurance Required: Not reported
Handler Date of Last Change: 20200814
Recognized Trader-Importer: No
Recognized Trader-Exporter: No
Importer of Spent Lead Acid Batteries: No
Exporter of Spent Lead Acid Batteries: No
Recycler Activity Without Storage: No
Manifest Broker: No
Sub-Part P Indicator: No

Handler - Owner Operator:
Owner/Operator Indicator: Owner
Owner/Operator Name: RSF ENTERPRISE INC
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: PO BOX 5966
Owner/Operator City,State,Zip: RIVERSIDE, CA 92517
Owner/Operator Telephone: 951-532-0421
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: RAY FIELD
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: PO BOX 5966
Owner/Operator City,State,Zip: RIVERSIDE, CA 92517
Owner/Operator Telephone: 951-532-0421
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20200714
Handler Name: RSF ENTERPRISES INC
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

RSF ENTERPRISES INC (Continued) **1026490862**

List of NAICS Codes and Descriptions:
NAICS Code: 56299
NAICS Description: ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

T90 **CADDOCK ELECTRONICS INC** **SWEEPS UST** **S101590005**
NW **3127 CHICAGO AVE** **CA FID UST** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507** **EMI**
0.134 mi.
705 ft. **Site 2 of 6 in cluster T**

Relative:
Lower

Actual:
934 ft.

SWEEPS UST:

Name:	CADDOCK ELECTRONICS INC
Address:	3127 CHICAGO AVE
City:	RIVERSIDE
Status:	Active
Comp Number:	35
Number:	1
Board Of Equalization:	44-017809
Referral Date:	10-27-92
Action Date:	10-27-92
Created Date:	09-27-88
Owner Tank Id:	000227
SWRCB Tank Id:	33-000-000035-000001
Tank Status:	A
Capacity:	2000
Active Date:	10-27-92
Tank Use:	M.V. FUEL
STG:	P
Content:	REG UNLEADED
Number Of Tanks:	5

Name:	CADDOCK ELECTRONICS INC
Address:	3127 CHICAGO AVE
City:	RIVERSIDE
Status:	Active
Comp Number:	35
Number:	1
Board Of Equalization:	44-017809
Referral Date:	10-27-92
Action Date:	10-27-92
Created Date:	09-27-88
Owner Tank Id:	000227
SWRCB Tank Id:	33-000-000035-000002
Tank Status:	A
Capacity:	2000
Active Date:	10-27-92
Tank Use:	M.V. FUEL
STG:	P
Content:	DIESEL

CADDOCK ELECTRONICS INC (Continued) **S101590005**

Number Of Tanks: Not reported

Name: CADDOCK ELECTRONICS INC
Address: 3127 CHICAGO AVE
City: RIVERSIDE
Status: Active
Comp Number: 35
Number: 1
Board Of Equalization: 44-017809
Referral Date: 10-27-92
Action Date: 10-27-92
Created Date: 09-27-88
Owner Tank Id: 000227
SWRCB Tank Id: 33-000-000035-000003
Tank Status: A
Capacity: 8000
Active Date: 10-27-92
Tank Use: M.V. FUEL
STG: P
Content: DIESEL
Number Of Tanks: Not reported

Name: CADDOCK ELECTRONICS INC
Address: 3127 CHICAGO AVE
City: RIVERSIDE
Status: Active
Comp Number: 35
Number: 1
Board Of Equalization: 44-017809
Referral Date: 10-27-92
Action Date: 10-27-92
Created Date: 09-27-88
Owner Tank Id: 000227
SWRCB Tank Id: 33-000-000035-000004
Tank Status: A
Capacity: 2000
Active Date: 10-27-92
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: Not reported

Name: CADDOCK ELECTRONICS INC
Address: 3127 CHICAGO AVE
City: RIVERSIDE
Status: Active
Comp Number: 35
Number: 1
Board Of Equalization: 44-017809
Referral Date: 10-27-92
Action Date: 10-27-92
Created Date: 09-27-88
Owner Tank Id: 000227
SWRCB Tank Id: 33-000-000035-000005
Tank Status: A
Capacity: 4000
Active Date: 10-27-92

CADDOCK ELECTRONICS INC (Continued) **S101590005**

Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: Not reported

CA FID UST:
Facility ID: 33002245
Regulated By: UTNKA
Regulated ID: Not reported
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 7147881700
Mail To: Not reported
Mailing Address: 3127 CHICAGO AVE
Mailing Address 2: Not reported
Mailing City,St,Zip: RIVERSIDE 92507
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

EMI:
Name: CADDOCK ELECTRONIC
Address: 3127 CHICAGO AVE
City,State,Zip: RIVERSIDE, CA 92507
Year: 2002
County Code: 33
Air Basin: SC
Facility ID: 27701
Air District Name: SC
SIC Code: 3676
Air District Name: SOUTH COAST AQMD
Community Health Air Pollution Info System: N
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 1
Reactive Organic Gases Tons/Yr: 1
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers and Smllr Tons/Yr: 0

Name: CADDOCK ELECTRONIC
Address: 3127 CHICAGO AVE
City,State,Zip: RIVERSIDE, CA 92507
Year: 2003
County Code: 33
Air Basin: SC
Facility ID: 27701
Air District Name: SC
SIC Code: 3676
Air District Name: SOUTH COAST AQMD
Community Health Air Pollution Info System: N

CADDOCK ELECTRONICS INC (Continued) **S101590005**

Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1
Reactive Organic Gases Tons/Yr:	1
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	CADDOCK ELECTRONIC
Address:	3127 CHICAGO AVE
City,State,Zip:	RIVERSIDE, CA 92507
Year:	2004
County Code:	33
Air Basin:	SC
Facility ID:	27701
Air District Name:	SC
SIC Code:	3676
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	N
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.7207
Reactive Organic Gases Tons/Yr:	0.55
Carbon Monoxide Emissions Tons/Yr:	0.00262
NOX - Oxides of Nitrogen Tons/Yr:	0.00975
SOX - Oxides of Sulphur Tons/Yr:	0.0000623
Particulate Matter Tons/Yr:	0.000562
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	CADDOCK ELECTRONIC
Address:	3127 CHICAGO AVE
City,State,Zip:	RIVERSIDE, CA 92507
Year:	2005
County Code:	33
Air Basin:	SC
Facility ID:	27701
Air District Name:	SC
SIC Code:	3676
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	.412245
Reactive Organic Gases Tons/Yr:	.395254753
Carbon Monoxide Emissions Tons/Yr:	.00192
NOX - Oxides of Nitrogen Tons/Yr:	.00715
SOX - Oxides of Sulphur Tons/Yr:	.00003
Particulate Matter Tons/Yr:	.00041
Part. Matter 10 Micrometers and Smllr Tons/Yr:	.0003895

T91 **CADDOCK ELECTRONICS, INC** **RCRA-SQG** **1000190733**
NW **3127 CHICAGO AVE** **CERS HAZ WASTE** **CAD981375280**
1/8-1/4 **RIVERSIDE, CA 92507** **FINDS**
0.134 mi. **ECHO**
705 ft. **Site 3 of 6 in cluster T** **HAZNET**
CERS
Relative: **HWTS**
Lower

Actual: **934 ft.**

RCRA Listings:

Date Form Received by Agency:		19960901
Handler Name:	CADDOCK ELECTRONICS, INC	
Handler Address:		3127 CHICAGO AVE
Handler City,State,Zip:		RIVERSIDE, CA 92507
EPA ID:		CAD981375280
Contact Name:		Not reported
Contact Address:		Not reported
Contact City,State,Zip:		Not reported
Contact Telephone:		Not reported
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		CA
State District:		4
Mailing Address:		1717 CHICAGO AVE
Mailing City,State,Zip:		RIVERSIDE, CA 92507
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	NOT REQUIRED	
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		NN
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20020627
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: CADDOCK ELECTRONICS, INC	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, ME 99999
Owner/Operator Telephone:	415-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name: NOT REQUIRED	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, ME 99999
Owner/Operator Telephone:	415-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 19960901
Handler Name: CADDOCK ELECTRONICS, INC
Federal Waste Generator Description: Small Quantity Generator
State District Owner: CA
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19860130
Handler Name: CADDOCK ELECTRONICS, INC
Federal Waste Generator Description: Large Quantity Generator
State District Owner: CA
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 334415
NAICS Description: ELECTRONIC RESISTOR MANUFACTURING

Facility Has Received Notices of Violation:
Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Evaluation Action Summary:
Evaluation Date: 19930128
Evaluation Responsible Agency: State Contractor/Grantee
Found Violation: No
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: R9
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: Not reported
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

CERS HAZ WASTE:
Name: RANCHO DRIVETRAIN ENGINEERING
Address: 3127 CHICAGO AVE
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 567708
CERS ID: 10842835
CERS Description: Hazardous Waste Generator

FINDS:
Registry ID: 110070850021

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.
Registry ID: 110002685498

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
AIR EMISSIONS CLASSIFICATION UNKNOWN

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

California Hazardous Waste Tracking System - Datamart (HWTS-DATAMART) provides California with information on hazardous waste shipments for generators, transporters, and treatment, storage, and disposal facilities.
US EPA TRIS (Toxics Release Inventory System) contains information from facilities on the amounts of over 300 listed toxic chemicals that these facilities release directly to air, water, land, or that are transported off-site.
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.
STATE MASTER

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000190733
Registry ID:	110070850021
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110070850021
Name:	RSF ENTERPRISES INC
Address:	3127 CHICAGO AVE
City,State,Zip:	RIVERSIDE, CA 92507

Envid:	1000190733
Registry ID:	110002685498
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110002685498
Name:	CADDOCK ELECTRONICS, INC
Address:	3127 CHICAGO AVE
City,State,Zip:	RIVERSIDE, CA 92507

HAZNET:

Name:	RSF ENTERPRISES INC
Address:	3127 CHICAGO AVE
Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 92507
Contact:	RAYMOND FIELD SR.
Telephone:	9512966163
Mailing Name:	Not reported
Mailing Address:	3127 CHICAGO AVE.

Year:	2021
Gepaid:	CAL000455600
TSD EPA ID:	CAT080025711
CA Waste Code:	221 - Waste oil and mixed oil
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	1.04401

Year:	2021
Gepaid:	CAL000455600
TSD EPA ID:	AZR000520478
CA Waste Code:	352 - Other organic solids
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

	Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.05
Year:	2020
Gepaid:	CAL000455600
TSD EPA ID:	CAT080025711
CA Waste Code:	221 - Waste oil and mixed oil
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.494
Year:	2020
Gepaid:	CAL000455600
TSD EPA ID:	AZR000520478
CA Waste Code:	352 - Other organic solids
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.05
Year:	2005
Gepaid:	CAD981375280
TSD EPA ID:	CAD008302903
CA Waste Code:	331 - Off-specification, aged or surplus organics
Disposal Method:	R01 - Recycler
Tons:	0.0165
Year:	2005
Gepaid:	CAD981375280
TSD EPA ID:	CAD008302903
CA Waste Code:	213 - Hydrocarbon solvents (benzene, hexane, Stoddard, Etc.)
Disposal Method:	R01 - Recycler
Tons:	0.2085
Year:	2005
Gepaid:	CAD981375280
TSD EPA ID:	CAD008302903
CA Waste Code:	181 - Other inorganic solid waste
Disposal Method:	H01 - Transfer Station
Tons:	0.2
Year:	2005
Gepaid:	CAD981375280
TSD EPA ID:	CAD008302903
CA Waste Code:	212 - Oxygenated solvents (acetone, butanol, ethyl acetate, etc.)
Disposal Method:	R01 - Recycler
Tons:	0.198
Year:	2005
Gepaid:	CAD981375280
TSD EPA ID:	CAD008302903
CA Waste Code:	741 - Liquids with halogenated organic compounds >= 1,000 Mg./L
Disposal Method:	H01 - Transfer Station
Tons:	0.06255
Year:	2005
Gepaid:	CAD981375280
TSD EPA ID:	CAD008302903

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

CA Waste Code: 211 - Halogenated solvents (chloroforms, methyl chloride, perchloroethylene, etc)
Disposal Method: R01 - Recycler
Tons: 0.0417

Click this hyperlink while viewing on your computer to access
36 additional CA HAZNET: record(s) in the EDR Site Report.

Detail Two:
Year: 2020
EM Manifest ID: 9335c768-81ad-4397-a89d-7619a8b879ab
Shipment Date: 9/1/2020
Receipt Date: 9/16/2020
Manifest Number: 020743426JJK
Generator EPA ID: CAL000455600
Name: RSF ENTERPRISES INC
Address: 3127 CHICAGO AVE
Address 2: Not reported
City: RIVERSIDE
Zip: 92507
Telephone: 949-310-2747
Contact: RAY FIELD
Contact Telephone: 951-532-0421
Transporter 1 EPA ID: CAR000267260
Transporter 1 Emergency Number: Not reported
Transporter 2 EPA ID: CAR000183574
Transporter 2 Emergency Number: Not reported
TSDF EPA ID: AZR000520478
TSDF Name: ENVIRONMENTAL WASTE SOLUTIONS, INC.
TSDF Address 1: 31915 INDUSTRIAL LANE
TSDF Address 2: Not reported
TSDF City: PAKER
TSDF Zip: 85344
TSDF Telephone: Not reported

State:
Year: 2020
EM Manifest ID: 9335c768-81ad-4397-a89d-7619a8b879ab
Generator EPA ID: CAL000455600
Shipment Date: 2020-09-01
Manifest Number: 020743426JJK
Line Number: 1
Method Code: H141
Quantity Tons: 0.05000
Quantity Waste: 100.000000
Quantity Unit: P
Number of Containers: 1
Type of Container: Metal drums, barrels, kegs
Quantity Type: Pounds
State Code: 352

Additional Info:
Year: 2005
Gen EPA ID: CAD981375280

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

Shipment Date:	20051202
Creation Date:	1/2/2007 18:30:20
Receipt Date:	20051202
Manifest ID:	24650270
Trans EPA ID:	NJD080631369
Trans Name:	ONYX ENVIRONMENTAL SVCS LLC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SVCS L
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	F005
Meth Code:	R01 - Recycler
Quantity Tons:	0.0165
Waste Quantity:	5
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20051202
Creation Date:	1/2/2007 18:30:20
Receipt Date:	20051202
Manifest ID:	24650270
Trans EPA ID:	NJD080631369
Trans Name:	ONYX ENVIRONMENTAL SVCS LLC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SVCS L
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	741 - Liquids with halogenated organic compounds > 1000 mg/l
RCRA Code:	F002
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.06255
Waste Quantity:	15
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20051012
Creation Date:	3/12/2006 18:31:42
Receipt Date:	20051012
Manifest ID:	24650027
Trans EPA ID:	NJD080631369
Trans Name:	ONYX ENVIRONMENTAL SVCS LLC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

Trans Name:	ONYX ENVIRONMENTAL SVCS L
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	213 - Hydrocarbon solvents (benzene, hexane, Stoddard, etc.
RCRA Code:	F005
Meth Code:	R01 - Recycler
Quantity Tons:	0.2085
Waste Quantity:	50
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20051012
Creation Date:	3/12/2006 18:31:42
Receipt Date:	20051012
Manifest ID:	24650027
Trans EPA ID:	NJD080631369
Trans Name:	ONYX ENVIRONMENTAL SVCS LLC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SVCS L
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	212 - Oxygenated solvents (acetone, butanol, ethyl acetate, etc.
RCRA Code:	F005
Meth Code:	R01 - Recycler
Quantity Tons:	0.099
Waste Quantity:	30
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20050216
Creation Date:	4/2/2005 18:31:07
Receipt Date:	20050216
Manifest ID:	23819900
Trans EPA ID:	NJD080631369
Trans Name:	ONYX ENVIRONMENTAL SVCS LLC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SVCS L
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	F002
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.2
Waste Quantity:	400
Quantity Unit:	P

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20050216
Creation Date:	4/2/2005 18:31:07
Receipt Date:	20050216
Manifest ID:	23819900
Trans EPA ID:	NJD080631369
Trans Name:	ONYX ENVIRONMENTAL SVCS LLC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SVCS L
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	211 - Halogenated solvents (chloroform, methyl chloride, perchloroethylene, etc.
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.0417
Waste Quantity:	10
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20050216
Creation Date:	4/2/2005 18:31:07
Receipt Date:	20050216
Manifest ID:	23819900
Trans EPA ID:	NJD080631369
Trans Name:	ONYX ENVIRONMENTAL SVCS LLC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SVCS L
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	212 - Oxygenated solvents (acetone, butanol, ethyl acetate, etc.
RCRA Code:	F005
Meth Code:	R01 - Recycler
Quantity Tons:	0.099
Waste Quantity:	30
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2004

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

Gen EPA ID:	CAD981375280
Shipment Date:	20041208
Creation Date:	2/17/2005 18:32:22
Receipt Date:	20041208
Manifest ID:	23820183
Trans EPA ID:	NJD080631369
Trans Name:	ONYX ENVIRONMENTAL SVCS LLC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SVCS L
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	211 - Halogenated solvents (chloroform, methyl chloride, perchloroethylene, etc.
RCRA Code:	F005
Meth Code:	R01 - Recycler
Quantity Tons:	0.10425
Waste Quantity:	25
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20041208
Creation Date:	2/17/2005 18:32:22
Receipt Date:	20041208
Manifest ID:	23820183
Trans EPA ID:	NJD080631369
Trans Name:	ONYX ENVIRONMENTAL SVCS LLC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SVCS L
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	F002
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.4
Waste Quantity:	800
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20040922
Creation Date:	12/22/2004 18:31:08
Receipt Date:	20040922
Manifest ID:	23821058
Trans EPA ID:	NJD000631369
Trans Name:	ONYX ENVIRONMENTAL SVCS

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SVCS L
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	212 - Oxygenated solvents (acetone, butanol, ethyl acetate, etc.
RCRA Code:	F005
Meth Code:	R01 - Recycler
Quantity Tons:	0.0495
Waste Quantity:	15
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20040922
Creation Date:	12/22/2004 18:31:08
Receipt Date:	20040922
Manifest ID:	23821058
Trans EPA ID:	NJD000631369
Trans Name:	ONYX ENVIRONMENTAL SVCS
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SVCS L
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	F002
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.4
Waste Quantity:	800
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20040922
Creation Date:	12/22/2004 18:31:08
Receipt Date:	20040922
Manifest ID:	23821058
Trans EPA ID:	NJD000631369
Trans Name:	ONYX ENVIRONMENTAL SVCS
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SVCS L
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	211 - Halogenated solvents (chloroform, methyl chloride, perchloroethylene, etc.
RCRA Code:	F005

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

Meth Code:	R01 - Recycler
Quantity Tons:	0.0834
Waste Quantity:	20
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20040730
Creation Date:	1/4/2005 18:32:14
Receipt Date:	20040803
Manifest ID:	23644420
Trans EPA ID:	CAR000089474
Trans Name:	A D S GOLD INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZT050010685
Trans Name:	ALLIED PRECIOUS METAL RECYCLING
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	D008
Meth Code:	R01 - Recycler
Quantity Tons:	0.1
Waste Quantity:	200
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20040721
Creation Date:	11/1/2004 12:36:11
Receipt Date:	20040721
Manifest ID:	23822290
Trans EPA ID:	NJD080631369
Trans Name:	ONYX ENVIRONMENTAL SVCS LLC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SVCS L
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	F002
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.5
Waste Quantity:	1000
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

Shipment Date:	20040526
Creation Date:	10/15/2004 10:47:43
Receipt Date:	20040527
Manifest ID:	23369470
Trans EPA ID:	NJD080631369
Trans Name:	ONYX ENVIRONMENTAL SVCS LLC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SVCS L
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	F002
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.2
Waste Quantity:	400
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20040526
Creation Date:	10/15/2004 10:47:43
Receipt Date:	20040527
Manifest ID:	23369470
Trans EPA ID:	NJD080631369
Trans Name:	ONYX ENVIRONMENTAL SVCS LLC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SVCS L
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	212 - Oxygenated solvents (acetone, butanol, ethyl acetate, etc.
RCRA Code:	F003
Meth Code:	R01 - Recycler
Quantity Tons:	0.0924
Waste Quantity:	28
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20040505
Creation Date:	10/14/2004 15:19:37
Receipt Date:	20040505
Manifest ID:	23821713
Trans EPA ID:	NJD080631369
Trans Name:	ONYX ENVIRONMENTAL SVCS LLC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

Trans Name:	ONYX ENVIRONMENTAL SVCS L
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	211 - Halogenated solvents (chloroform, methyl chloride, perchloroethylene, etc.
RCRA Code:	F001
Meth Code:	R01 - Recycler
Quantity Tons:	0.1251
Waste Quantity:	30
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2003
Gen EPA ID:	CAD981375280
Shipment Date:	20031217
Creation Date:	8/24/2004 10:00:04
Receipt Date:	20031217
Manifest ID:	22539793
Trans EPA ID:	NJD080631369
Trans Name:	ONYX ENVIRONMENTAL SVCS LLC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SVCS L
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	212 - Oxygenated solvents (acetone, butanol, ethyl acetate, etc.
RCRA Code:	F003
Meth Code:	R01 - Recycler
Quantity Tons:	0.099
Waste Quantity:	30
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20031217
Creation Date:	8/24/2004 10:00:04
Receipt Date:	20031217
Manifest ID:	22539793
Trans EPA ID:	NJD080631369
Trans Name:	ONYX ENVIRONMENTAL SVCS LLC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SVCS L
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

RCRA Code:	F002
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.248
Waste Quantity:	496
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20031217
Creation Date:	8/24/2004 10:00:04
Receipt Date:	20031217
Manifest ID:	22539793
Trans EPA ID:	NJD080631369
Trans Name:	ONYX ENVIRONMENTAL SVCS LLC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SVCS L
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	211 - Halogenated solvents (chloroform, methyl chloride, perchloroethylene, etc.
RCRA Code:	F002
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.0834
Waste Quantity:	20
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20031217
Creation Date:	8/24/2004 10:00:04
Receipt Date:	20031217
Manifest ID:	22539793
Trans EPA ID:	NJD080631369
Trans Name:	ONYX ENVIRONMENTAL SVCS LLC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SVCS L
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	211 - Halogenated solvents (chloroform, methyl chloride, perchloroethylene, etc.
RCRA Code:	F003
Meth Code:	R01 - Recycler
Quantity Tons:	0.05421
Waste Quantity:	13
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20031015
Creation Date:	8/3/2004 15:00:31
Receipt Date:	20031015
Manifest ID:	22539214
Trans EPA ID:	NJD080631369
Trans Name:	ONYX ENVIRONMENTAL SVCS LLC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SVCS L
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	F002
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.4
Waste Quantity:	800
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20030730
Creation Date:	7/23/2004 13:22:40
Receipt Date:	20030730
Manifest ID:	22538930
Trans EPA ID:	NJD080631369
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	F002
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.263
Waste Quantity:	526
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20030730
Creation Date:	7/23/2004 13:22:40
Receipt Date:	20030730
Manifest ID:	22538930
Trans EPA ID:	NJD080631369

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	211 - Halogenated solvents (chloroform, methyl chloride, perchloroethylene, etc.
RCRA Code:	F003
Meth Code:	R01 - Recycler
Quantity Tons:	0.06672
Waste Quantity:	16
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20030521
Creation Date:	6/23/2004 9:59:25
Receipt Date:	20030521
Manifest ID:	22045577
Trans EPA ID:	NJD080631369
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	F002
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.18
Waste Quantity:	360
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20030521
Creation Date:	6/23/2004 9:59:25
Receipt Date:	20030521
Manifest ID:	22045577
Trans EPA ID:	NJD080631369
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	212 - Oxygenated solvents (acetone, butanol, ethyl acetate, etc.

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

RCRA Code:	F003
Meth Code:	R01 - Recycler
Quantity Tons:	0.099
Waste Quantity:	30
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20030326
Creation Date:	6/25/2003 18:30:52
Receipt Date:	20030326
Manifest ID:	22044979
Trans EPA ID:	NJD080631369
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	F002
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.1875
Waste Quantity:	375
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2002
Gen EPA ID:	CAD981375280
Shipment Date:	20021120
Creation Date:	2/25/2003 18:31:38
Receipt Date:	20021120
Manifest ID:	22048120
Trans EPA ID:	NJD080631369
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	F002
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.4
Waste Quantity:	800
Quantity Unit:	P

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20020911
Creation Date:	1/27/2003 18:32:25
Receipt Date:	20020911
Manifest ID:	22052468
Trans EPA ID:	NJD080631369
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	F002
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.2
Waste Quantity:	400
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20020911
Creation Date:	1/27/2003 18:32:25
Receipt Date:	20020911
Manifest ID:	22052468
Trans EPA ID:	NJD080631369
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	211 - Halogenated solvents (chloroform, methyl chloride, perchloroethylene, etc.
RCRA Code:	F001
Meth Code:	R01 - Recycler
Quantity Tons:	0.10425
Waste Quantity:	25
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20020816
Creation Date:	3/14/2003 18:31:30

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

Receipt Date:	20020822
Manifest ID:	21679028
Trans EPA ID:	NJD080631369
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	F002
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.2375
Waste Quantity:	475
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20020524
Creation Date:	7/19/2002 15:54:46
Receipt Date:	20020530
Manifest ID:	21686845
Trans EPA ID:	NJD080631369
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	F002
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.25
Waste Quantity:	500
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20020412
Creation Date:	1/8/2003 18:31:12
Receipt Date:	20020418
Manifest ID:	21684238
Trans EPA ID:	NJD080631369
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	F002
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.25
Waste Quantity:	500
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20020301
Creation Date:	7/17/2002 18:31:10
Receipt Date:	20020308
Manifest ID:	21675282
Trans EPA ID:	NJD080631369
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	211 - Halogenated solvents (chloroform, methyl chloride, perchloroethylene, etc.
RCRA Code:	F003
Meth Code:	R01 - Recycler
Quantity Tons:	0.0834
Waste Quantity:	20
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20020215
Creation Date:	7/25/2002 18:31:24
Receipt Date:	20020220
Manifest ID:	21876321
Trans EPA ID:	NJD080631369
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	F002
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.25
Waste Quantity:	500
Quantity Unit:	P
Additional Code 1:	Not reported

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20020118
Creation Date:	2/26/2002 0:00:00
Receipt Date:	20020123
Manifest ID:	21876030
Trans EPA ID:	NJD080631369
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	F002
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.3
Waste Quantity:	600
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2001
Gen EPA ID:	CAD981375280
Shipment Date:	20011012
Creation Date:	12/17/2001 0:00:00
Receipt Date:	20011012
Manifest ID:	20725820
Trans EPA ID:	NJD080631369
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	F002
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.3
Waste Quantity:	600
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

Shipment Date:	20010907
Creation Date:	11/1/2001 0:00:00
Receipt Date:	20010912
Manifest ID:	20730317
Trans EPA ID:	NJD080631369
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	211 - Halogenated solvents (chloroform, methyl chloride, perchloroethylene, etc.
RCRA Code:	F003
Meth Code:	R01 - Recycler
Quantity Tons:	0.2085
Waste Quantity:	50
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20010907
Creation Date:	11/1/2001 0:00:00
Receipt Date:	20010912
Manifest ID:	20730317
Trans EPA ID:	NJD080631369
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	211 - Halogenated solvents (chloroform, methyl chloride, perchloroethylene, etc.
RCRA Code:	F002
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.1668
Waste Quantity:	40
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20010831
Creation Date:	11/1/2001 0:00:00
Receipt Date:	20010831
Manifest ID:	20730178
Trans EPA ID:	NJD080631369
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	F002
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.225
Waste Quantity:	450
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20010720
Creation Date:	10/3/2001 0:00:00
Receipt Date:	20010725
Manifest ID:	20441481
Trans EPA ID:	NJD080631369
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	D006
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.8428
Waste Quantity:	1
Quantity Unit:	Y
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20010601
Creation Date:	8/24/2001 0:00:00
Receipt Date:	20010605
Manifest ID:	20728123
Trans EPA ID:	NJD080631369
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	D006
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.2

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

Waste Quantity:	400
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20010511
Creation Date:	7/20/2001 0:00:00
Receipt Date:	20010516
Manifest ID:	20727956
Trans EPA ID:	NJD080631369
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	D006
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.2
Waste Quantity:	400
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20010330
Creation Date:	6/12/2001 0:00:00
Receipt Date:	20010404
Manifest ID:	20727608
Trans EPA ID:	NJD080631369
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	D006
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.4
Waste Quantity:	800
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20010302

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

Creation Date:	5/16/2001 0:00:00
Receipt Date:	20010306
Manifest ID:	20539848
Trans EPA ID:	NJD080631369
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	D006
Meth Code:	R01 - Recycler
Quantity Tons:	0.2
Waste Quantity:	400
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20010126
Creation Date:	4/19/2001 0:00:00
Receipt Date:	20010130
Manifest ID:	20444702
Trans EPA ID:	NJD080631369
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	D006
Meth Code:	R01 - Recycler
Quantity Tons:	0.2
Waste Quantity:	400
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2000
Gen EPA ID:	CAD981375280

Shipment Date:	20001222
Creation Date:	3/22/2001 0:00:00
Receipt Date:	20001229
Manifest ID:	20444310
Trans EPA ID:	NJD080631369
Trans Name:	Not reported

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	D006
Meth Code:	R01 - Recycler
Quantity Tons:	0.4
Waste Quantity:	800
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20001222
Creation Date:	3/22/2001 0:00:00
Receipt Date:	20001229
Manifest ID:	20444310
Trans EPA ID:	NJD080631369
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	Not reported
Meth Code:	R01 - Recycler
Quantity Tons:	0.021
Waste Quantity:	5
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20001222
Creation Date:	3/22/2001 0:00:00
Receipt Date:	20001229
Manifest ID:	20444310
Trans EPA ID:	NJD080631369
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	211 - Halogenated solvents (chloroform, methyl chloride, perchloroethylene, etc.
RCRA Code:	D001

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

Meth Code:	R01 - Recycler
Quantity Tons:	0.2085
Waste Quantity:	50
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20001117
Creation Date:	2/1/2001 0:00:00
Receipt Date:	20001121
Manifest ID:	20444096
Trans EPA ID:	NJD080631369
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	D006
Meth Code:	R01 - Recycler
Quantity Tons:	0.2
Waste Quantity:	400
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20001020
Creation Date:	12/13/2000 0:00:00
Receipt Date:	20001024
Manifest ID:	20436458
Trans EPA ID:	NJD080631369
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	D006
Meth Code:	R01 - Recycler
Quantity Tons:	0.2
Waste Quantity:	400
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

Shipment Date:	20000929
Creation Date:	12/8/2000 0:00:00
Receipt Date:	20000929
Manifest ID:	20443898
Trans EPA ID:	NJD080631369
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	D006
Meth Code:	R01 - Recycler
Quantity Tons:	0.175
Waste Quantity:	350
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20000224
Creation Date:	6/7/2000 0:00:00
Receipt Date:	20000314
Manifest ID:	99307614
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	SCR000074591
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD050806850
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD050806850
TSDF Alt Name:	Not reported
Waste Code Description:	451 - Degreasing sludge
RCRA Code:	F001
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.0834
Waste Quantity:	20
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	1999
Gen EPA ID:	CAD981375280

Shipment Date:	19991220
Creation Date:	3/22/2000 0:00:00
Receipt Date:	19991220
Manifest ID:	99335798
Trans EPA ID:	NJD080631369

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	211 - Halogenated solvents (chloroform, methyl chloride, perchloroethylene, etc.
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.2293
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19991220
Creation Date:	3/22/2000 0:00:00
Receipt Date:	19991220
Manifest ID:	99335798
Trans EPA ID:	NJD080631369
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	211 - Halogenated solvents (chloroform, methyl chloride, perchloroethylene, etc.
RCRA Code:	D039
Meth Code:	- Not reported
Quantity Tons:	0.0625
Waste Quantity:	15
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19990618
Creation Date:	8/16/1999 0:00:00
Receipt Date:	19990618
Manifest ID:	98521006
Trans EPA ID:	NJD080631369
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

Waste Code Description:	211 - Halogenated solvents (chloroform, methyl chloride, perchloroethylene, etc.
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.2085
Waste Quantity:	50
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19990618
Creation Date:	8/16/1999 0:00:00
Receipt Date:	19990618
Manifest ID:	98521006
Trans EPA ID:	NJD080631369
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.21
Waste Quantity:	50
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	1998
Gen EPA ID:	CAD981375280
Shipment Date:	19980918
Creation Date:	11/24/1998 0:00:00
Receipt Date:	19980918
Manifest ID:	98306086
Trans EPA ID:	NJD080631369
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.21

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

Waste Quantity:	50
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19980626
Creation Date:	9/3/1998 0:00:00
Receipt Date:	19980626
Manifest ID:	98307400
Trans EPA ID:	NJD080631369
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.189
Waste Quantity:	45
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19980626
Creation Date:	9/3/1998 0:00:00
Receipt Date:	19980626
Manifest ID:	98307400
Trans EPA ID:	NJD080631369
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	741 - Liquids with halogenated organic compounds > 1000 mg/l
RCRA Code:	D001
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.2085
Waste Quantity:	50
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

CERS:
Name: RANCHO DRIVETRAIN ENGINEERING
Address: 3127 CHICAGO AVE
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 567708
CERS ID: 10842835
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 567708
Site Name: Rancho Drivetrain Engineering
Violation Date: 08-17-2020
Citation: Un-Specified
Violation Description: Business Plan Program - Administration/Documentation - General Local Ordinance
Violation Notes: Returned to compliance on 12/15/2020. 100 - Current permit issued/posted. [RMC 9.48.140] - No current permit was posted. Obtain the current permit and post in a conspicuous location.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 567708
Site Name: Rancho Drivetrain Engineering
Violation Date: 09-30-2021
Citation: HSC 6.95 25508.1(a)-(f) - California Health and Safety Code, Chapter 6.95, Section(s) 25508.1(a)-(f)
Violation Description: Failure to electronically update business plan within 30 days of any one of the following events: A 100 percent or more increase in the quantity of a previously disclosed material. Any handling of a previously undisclosed hazardous materials at or above reportable quantities. A change of business address, business ownership, or business name. A substantial change in the handler's operations that requires modification to any portion of the business plan.
Violation Notes: Returned to compliance on 10/14/2021. The business plan update within 30 days has not been completed as required.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 567708
Site Name: Rancho Drivetrain Engineering
Violation Date: 09-30-2021
Citation: HSC 6.95 25508(a)(3) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(3)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: Returned to compliance on 10/14/2021. The chemical inventory has not been submitted accurately. Submit the chemical inventory in CERS. Include the changes of the following chemicals in CERS: Remove propane; add 240 gal waste water
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 567708

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

Site Name: Rancho Drivetrain Engineering
Violation Date: 07-09-2020
Citation: 22 CCR 12 66262.12 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.12
Violation Description: Failure to obtain an Identification Number prior to treating, storing, disposing of, transporting or offering for transportation any hazardous waste.
Violation Notes: Returned to compliance on 08/05/2020. OBSERVATION: Observed facility generating hazardous waste without an EPA ID number. CORRECTIVE ACTION: Owner/operator shall activate and maintain EPA ID number. Hazardous waste shall not be offered for transport until EPA ID is active. Owner is in the process of applying online with the DTSC.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-30-2021
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 10-14-2021
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Reinspection - D. Young. All violations from 9/30/2021 routine inspection have been abated.
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-09-2020
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: This facility is a small quantity, hazardous waste generator of contaminated water, used oil and filters, absorbent materials, metal dust, bead blasting residual, and non empty aerosols. Heidi Barrios performed the initial routine hazardous waste inspection. Notes: Facility has above threshold quantities of hazardous materials and shall report on the California Environmental Reporting System (CERS). Owner is in the process of obtaining an EPA ID #. Provide a labeled container for the metal dust and do not commingle this with other solids. Bead blaster residual shall be placed into the solid hazardous material container.
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 08-17-2020
Violations Found: Yes

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 12-15-2020
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Reinspection - D. Young. All violations from 8/17/2020 routine inspection have been abated.
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Affiliation:
Affiliation Type Desc: CUPA District
Entity Name: Riverside Cnty Env Health
Entity Title: Not reported
Affiliation Address: 4065 County Circle Drive, Room 104
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92503
Affiliation Phone: (951) 358-5055,

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: P.O. Box 5966
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 925917
Affiliation Phone: ,

Affiliation Type Desc: Property Owner
Entity Name: Raymond Field
Entity Title: Not reported
Affiliation Address: P.O. Box 5966
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 92571
Affiliation Phone: (951) 532-0421,

Affiliation Type Desc: Document Preparer
Entity Name: Elisha Bravo
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

Affiliation Type Desc:	Legal Owner
Entity Name:	Raymond Field
Entity Title:	Not reported
Affiliation Address:	P.O. Box 5966
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92517
Affiliation Phone:	(951) 532-0421,

Affiliation Type Desc:	Environmental Contact
Entity Name:	Raymond Field
Entity Title:	Not reported
Affiliation Address:	P.O. Box 5966
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92517
Affiliation Phone:	,

Affiliation Type Desc:	Identification Signer
Entity Name:	Elisha Bravo
Entity Title:	Controller
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,

Affiliation Type Desc:	Operator
Entity Name:	Raymond Field
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(951) 532-0421,

Affiliation Type Desc:	Parent Corporation
Entity Name:	Rancho Drivetrain Engineering
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,

Name:	CADDOCK ELECTRONICS, INC
Address:	3127 CHICAGO AVE
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	456476
CERS ID:	110002685498
CERS Description:	US EPA Air Emission Inventory System (EIS)

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

Affiliation:

Affiliation Type Desc:	Public Contact
Entity Name:	HEIDIE RHODES
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,

HWTS:

Name:	RSF ENTERPRISES INC
Address:	3127 CHICAGO AVE
Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 92507
EPA ID:	CAL000455600
Inactive Date:	Not reported
Create Date:	07/14/2020
Last Act Date:	Not reported
Mailing Name:	Not reported
Mailing Address:	3127 CHICAGO AVE.
Mailing Address 2:	Not reported
Mailing City,State,Zip:	RIVERSIDE, CA 925070000
Owner Name:	RANCHO DRTRAIN ENGINEERING
Owner Address:	3127 CHICAGO AVE.
Owner Address 2:	Not reported
Owner City,State,Zip:	RIVERSIDE, CA 92507
Contact Name:	RAYMOND FIELD SR.
Contact Address:	3127 CHICAGO AVE.
Contact Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 92507
Facility Status:	Active
Facility Type:	PERMANENT
Category:	STATE
Latitude:	33.975433
Longitude:	-117.481361

NAICS:

EPA ID:	CAL000455600
Create Date:	2020-07-14 09:51:23.317
NAICS Code:	336399
NAICS Description:	All Other Motor Vehicle Parts Manufacturing
Issued EPA ID Date:	2020-07-14 09:51:23.30000
Inactive Date:	Not reported
Facility Name:	RSF ENTERPRISES INC
Facility Address:	3127 CHICAGO AVE
Facility Address 2:	Not reported
Facility City:	RIVERSIDE
Facility County:	Not reported
Facility State:	CA
Facility Zip:	92507

Name:	CADDOCK ELECTRONICS, INC
Address:	3127 CHICAGO AVE

CADDOCK ELECTRONICS, INC (Continued) **1000190733**

Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 92507
EPA ID:	CAD981375280
Inactive Date:	06/30/2006
Create Date:	03/01/1988
Last Act Date:	Not reported
Mailing Name:	Not reported
Mailing Address:	1717 CHICAGO AVE
Mailing Address 2:	Not reported
Mailing City,State,Zip:	RIVERSIDE, CA 925072208
Owner Name:	CADDOCK ELECTRONICS INC
Owner Address:	1717 CHICAGO AVE
Owner Address 2:	Not reported
Owner City,State,Zip:	RIVERSIDE, CA 925072364
Contact Name:	WESLEY J MCCRACKEN/DIRECTOR
Contact Address:	1717 CHICAGO AVE
Contact Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 925072364
Facility Status:	Inactive
Facility Type:	PERMANENT
Category:	FEDERAL
Latitude:	33.984613
Longitude:	-117.348501

NAICS:

EPA ID:	CAD981375280
Create Date:	2002-03-14 16:36:26.000
NAICS Code:	334415
NAICS Description:	Electronic Resistor Manufacturing
Issued EPA ID Date:	1988-03-01 00:00:00
Inactive Date:	2006-06-30 00:00:00
Facility Name:	CADDOCK ELECTRONICS, INC
Facility Address:	3127 CHICAGO AVE
Facility Address 2:	Not reported
Facility City:	RIVERSIDE
Facility County:	Not reported
Facility State:	CA
Facility Zip:	925070000

U92 **PROTRANS AUTOMOTIVE & TRANSMISSION SPECI** **RCRA NonGen / NLR** **1024806139**
ESE **3420 GATO CT** **CAL000267352**
1/8-1/4 **RIVERSIDE, CA 92507**
0.151 mi.
796 ft. **Site 1 of 2 in cluster U**

Relative: **Higher**
Actual: **978 ft.**

RCRA Listings:

Date Form Received by Agency:	20030306
Handler Name:	PROTRANS AUTOMOTIVE & TRANSMISSION SPECI
Handler Address:	3420 GATO CT
Handler City,State,Zip:	RIVERSIDE, CA 92507-0000
EPA ID:	CAL000267352
Contact Name:	MICHAEL RADAK
Contact Address:	3420 GATO CT
Contact City,State,Zip:	RIVERSIDE, CA 92507
Contact Telephone:	951-367-7400
Contact Fax:	951-367-7406
Contact Email:	MISSPROTRANS@GMAIL.COM

PROTRANS AUTOMOTIVE & TRANSMISSION SPECI (Continued) **1024806139**

Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		3420 GATO CT
Mailing City,State,Zip:		RIVERSIDE, CA 92507-0000
Owner Name:	MICHAEL RADAK	
Owner Type:		Other
Operator Name:	MICHAEL RADAK	
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		Yes
Universal Waste Destination Facility:		Yes
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported
Permit Workload Universe:		Not reported
Permit Progress Universe:		Not reported
Post-Closure Workload Universe:		Not reported
Closure Workload Universe:		Not reported
202 GPRA Corrective Action Baseline:		No
Corrective Action Workload Universe:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:		No
TSDFs Only Subject to CA under Discretionary Auth Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Operating TSDF Universe:		Not reported

PROTRANS AUTOMOTIVE & TRANSMISSION SPECI (Continued) **1024806139**

Full Enforcement Universe: Not reported
Significant Non-Complier Universe: No
Unaddressed Significant Non-Complier Universe: No
Addressed Significant Non-Complier Universe: No
Significant Non-Complier With a Compliance Schedule Universe: No
Financial Assurance Required: Not reported
Handler Date of Last Change: 20180905
Recognized Trader-Importer: No
Recognized Trader-Exporter: No
Importer of Spent Lead Acid Batteries: No
Exporter of Spent Lead Acid Batteries: No
Recycler Activity Without Storage: No
Manifest Broker: No
Sub-Part P Indicator: No

Handler - Owner Operator:
Owner/Operator Indicator: Operator
Owner/Operator Name: MICHAEL RADAK
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 3420 GATO CT
Owner/Operator City,State,Zip: RIVERSIDE, CA 92507
Owner/Operator Telephone: 951-367-7400
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: MICHAEL RADAK
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 3420 GATO CT
Owner/Operator City,State,Zip: RIVERSIDE, CA 92507-6800
Owner/Operator Telephone: 951-367-7400
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20030306
Handler Name: PROTRANS AUTOMOTIVE & TRANSMISSION SPECI
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

PROTRANS AUTOMOTIVE & TRANSMISSION SPECI (Continued) **1024806139**

List of NAICS Codes and Descriptions:
NAICS Code: 811113
NAICS Description: AUTOMOTIVE TRANSMISSION REPAIR

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

U93 **PROTRANS AUTOMOTIVE & TRANSMISSION SPECI** **CERS HAZ WASTE** **S113465567**
ESE **3420 GATO CT** **HAZNET** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507** **CERS**
0.151 mi. **HWTS**
796 ft. **Site 2 of 2 in cluster U**

Relative:
Higher

Actual:
978 ft.

CERS HAZ WASTE:
Name: PROTRANS TRANSMISSION SPECIALISTS
Address: 3420 GATO CT
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 180023
CERS ID: 10519990
CERS Description: Hazardous Waste Generator

HAZNET:
Name: PROTRANS AUTOMOTIVE & TRANSMISSION SPECI
Address: 3420 GATO CT
Address 2: Not reported
City,State,Zip: RIVERSIDE, CA 925070000
Contact: MICHAEL RADAK
Telephone: 9513677400
Mailing Name: Not reported
Mailing Address: 3420 GATO CT

Year: 2014
Gepaid: CAL000267352
TSD EPA ID: CAT080013352
CA Waste Code: 343 - Unspecified organic liquid mixture
Disposal Method: H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Tons: 0.187

Year: 2010
Gepaid: CAL000267352
TSD EPA ID: CAT000613927
CA Waste Code: 134 - Aqueous solution with total organic residues less than 10 percent
Disposal Method: -
Tons: 0.168

Additional Info:
Year: 2014
Gen EPA ID: CAL000267352

PROTRANS AUTOMOTIVE & TRANSMISSION SPECI (Continued) **S113465567**

Shipment Date:	20140909
Creation Date:	11/8/2014 22:15:16
Receipt Date:	20140917
Manifest ID:	013091431JJK
Trans EPA ID:	CAD028277036
Trans Name:	ASBURY ENVIRONMENTAL SERVICES
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT080013352
Trans Name:	DEMENNO / KERDOON
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	D018
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.187
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2010
Gen EPA ID:	CAL000267352

Shipment Date:	20100519
Creation Date:	12/16/2010 18:31:07
Receipt Date:	20100519
Manifest ID:	003322767FLE
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613927
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	0.168
Waste Quantity:	40
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CERS:

Name:	PROTRANS TRANSMISSION SPECIALISTS
Address:	3420 GATO CT

PROTRANS AUTOMOTIVE & TRANSMISSION SPECI (Continued) **S113465567**

City,State,Zip: RIVERSIDE, CA 92507
Site ID: 180023
CERS ID: 10519990
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 180023
Site Name: Protrans Transmission Specialists
Violation Date: 07-18-2018
Citation: 22 CCR 12 66262.12 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.12
Violation Description: Failure to obtain an Identification Number prior to treating, storing, disposing of, transporting or offering for transportation any hazardous waste.
Violation Notes: Returned to compliance on 10/02/2018.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 180023
Site Name: Protrans Transmission Specialists
Violation Date: 07-18-2018
Citation: 40 CFR 1 265.201(c)(3) - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.201(c)(3)
Violation Description: Failure to inspect hazardous waste tanks at least once each operating day for the following, when present: (1) Discharge control equipment (e.g., waste feed cutoff systems, by-pass systems, and drainage systems) to ensure that it is in good working order; (2) Data gathered from monitoring equipment (e.g., pressure and temperature gauges) to ensure that the tank is being operated according to its design; (3) The level of waste in the tank.
Violation Notes: Returned to compliance on 10/02/2018.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 180023
Site Name: Protrans Transmission Specialists
Violation Date: 09-21-2016
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes: Returned to compliance on 06/29/2017.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 180023
Site Name: Protrans Transmission Specialists
Violation Date: 07-28-2020
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: Returned to compliance on 09/01/2020. The chemical inventory has not

PROTRANS AUTOMOTIVE & TRANSMISSION SPECI (Continued) **S113465567**

	been submitted accurately. Include the changes of the following chemicals in CERS: Antifreeze- 110gal; Waste Antifreeze- 110gal; Motor Oil (5W30)- 55gal; Motor Oil (5W20)- 55gal
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	180023
Site Name:	Protrans Transmission Specialists
Violation Date:	07-16-2015
Citation:	HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description:	Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes:	Returned to compliance on 08/05/2015.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	180023
Site Name:	Protrans Transmission Specialists
Violation Date:	06-29-2022
Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	Returned to compliance on 06/29/2022. OBSERVATION: Observed incomplete labels on 3 - 55 gallon drums of oily water with blank labels, 2 - 55 gallon drums of drained metal filters without an accumulation start date, and a waste oil tank with an illegible label. CORRECTIVE ACTION: Owner/operator shall label hazardous waste containers with all the required information. Label shall include at least: the words ""hazardous waste"", generator name and address, accumulation start date, composition and physical state of waste, and hazardous property statement. Labels and education given. Violation corrected at the time of this inspection.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	180023
Site Name:	Protrans Transmission Specialists
Violation Date:	07-18-2018
Citation:	40 CFR 1 265.201(c)(5) - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.201(c)(5)
Violation Description:	Failure to inspect hazardous waste tanks for the following, when present: 4) The construction materials of the tank at least weekly to detect corrosion or leaking of fixtures or seams. 5) The construction materials of, and the area immediately surrounding, discharge confinement structures (e.g., dikes) at least weekly to detect erosion or obvious signs of leakage (e.g., wet spots or dead vegetation).
Violation Notes:	Returned to compliance on 10/02/2018.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW

PROTRANS AUTOMOTIVE & TRANSMISSION SPECI (Continued) **S113465567**

Violation Source: CERS,

Site ID: 180023
Site Name: Protrans Transmission Specialists
Violation Date: 07-18-2018
Citation: 40 CFR 1 265.173 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.173
Violation Description: Failure to meet the following container management requirements: (a) A container holding hazardous waste must always be closed during storage, except when it is necessary to add or remove waste. (b) A container holding hazardous waste must not be opened, handled, or stored in a manner which may rupture the container or cause it to leak.
Violation Notes: Returned to compliance on 10/02/2018.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-17-2019
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 09-21-2016
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-07-2019
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-29-2022
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: This facility is an automotive repair shop and is a small quantity, hazardous waste generator of used oil, antifreeze, parts washer sludge, oily mop water, and absorbent materials. Heidi Barrios, REHS performed a routine hazardous waste inspection.
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

PROTRANS AUTOMOTIVE & TRANSMISSION SPECI (Continued) **S113465567**

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-21-2015
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-28-2020
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 12-10-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 10-02-2018
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: HW Generator follow up
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 07-16-2015
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-18-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Hazardous Waste Generator Inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 09-01-2020
Violations Found: No

PROTRANS AUTOMOTIVE & TRANSMISSION SPECI (Continued) **S113465567**

Eval Type: Other, not routine, done by local agency
Eval Notes: Reinspection by D. Young. All violations from 7/28/2020 routine inspection have been abated.
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Enforcement Action:
Site ID: 180023
Site Name: Protrans Transmission Specialists
Site Address: 3420 GATO CT
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 07-16-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Fines/Penalties Assessed: $100.00. Administrative Citation.
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Site ID: 180023
Site Name: Protrans Transmission Specialists
Site Address: 3420 GATO CT
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 09-21-2016
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Fines/Penalties Assessed: $100.00. Administrative Citation.
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Coordinates:
Site ID: 180023
Facility Name: Protrans Transmission Specialists
Env Int Type Code: HMBP
Program ID: 10519990
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.,
Latitude: 33.980580
Longitude: -117.341620

Affiliation:
Affiliation Type Desc: Environmental Contact
Entity Name: Michael Radak
Entity Title: Not reported
Affiliation Address: 3420 Gato Ct
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92507
Affiliation Phone: ,

Affiliation Type Desc: Facility Mailing Address

PROTRANS AUTOMOTIVE & TRANSMISSION SPECI (Continued) **S113465567**

Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	3420 Gato Court
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92507
Affiliation Phone:	,
Affiliation Type Desc:	Legal Owner
Entity Name:	Michael Radak
Entity Title:	Not reported
Affiliation Address:	1146 Coronet Drive
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92506
Affiliation Phone:	(714) 342-8442,
Affiliation Type Desc:	Parent Corporation
Entity Name:	Protrans Transmission Specialists
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,
Affiliation Type Desc:	CUPA District
Entity Name:	Riverside Cnty Env Health
Entity Title:	Not reported
Affiliation Address:	4065 County Circle Drive, Room 104
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92503
Affiliation Phone:	(951) 358-5055,
Affiliation Type Desc:	Document Preparer
Entity Name:	Samantha Radak
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,
Affiliation Type Desc:	Operator
Entity Name:	Michael Radak
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported

PROTRANS AUTOMOTIVE & TRANSMISSION SPECI (Continued) **S113465567**

Affiliation Phone: (714) 342-8442,

Affiliation Type Desc: Property Owner
Entity Name: R&R Companies LLC
Entity Title: Not reported
Affiliation Address: 3420 Gato Court
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 92507
Affiliation Phone: (951) 367-7400,

Affiliation Type Desc: Identification Signer
Entity Name: Samantha Radak
Entity Title: Corp Secretary
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

HWTS:
Name: PROTRANS AUTOMOTIVE & TRANSMISSION SPECI
Address: 3420 GATO CT
Address 2: Not reported
City,State,Zip: RIVERSIDE, CA 92507
EPA ID: CAL000267352
Inactive Date: Not reported
Create Date: 03/06/2003
Last Act Date: Not reported
Mailing Name: Not reported
Mailing Address: 3420 GATO CT
Mailing Address 2: Not reported
Mailing City,State,Zip: RIVERSIDE, CA 925070000
Owner Name: MICHAEL RADAK
Owner Address: 3420 GATO CT
Owner Address 2: Not reported
Owner City,State,Zip: RIVERSIDE, CA 925076800
Contact Name: MICHAEL RADAK
Contact Address: 3420 GATO CT
Contact Address 2: Not reported
City,State,Zip: RIVERSIDE, CA 92507
Facility Status: Active
Facility Type: PERMANENT
Category: STATE
Latitude: 33.980902
Longitude: -117.342296

NAICS:
EPA ID: CAL000267352
Create Date: 2003-03-06 15:44:45.717
NAICS Code: 811113
NAICS Description: Automotive Transmission Repair
Issued EPA ID Date: 2003-03-06 15:44:45.68700
Inactive Date: Not reported

PROTRANS AUTOMOTIVE & TRANSMISSION SPECI (Continued) **S113465567**

Facility Name:	PROTRANS AUTOMOTIVE & TRANSMISSION SPECI
Facility Address:	3420 GATO CT
Facility Address 2:	Not reported
Facility City:	RIVERSIDE
Facility County:	Not reported
Facility State:	CA
Facility Zip:	925070000

T94 **EJAY FILTRATION, INC.** **CERS HAZ WASTE** **S123522206**
NW **3126 DURAHART ST** **CERS** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507**
0.152 mi.
802 ft. **Site 4 of 6 in cluster T**

Relative:
Lower

Actual:
932 ft.

CERS HAZ WASTE:

Name:	EJAY FILTRATION, INC.
Address:	3126 DURAHART ST
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	443766
CERS ID:	10773541
CERS Description:	Hazardous Waste Generator

CERS:

Name:	EJAY FILTRATION, INC.
Address:	3126 DURAHART ST
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	443766
CERS ID:	10773541
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	443766
Site Name:	Ejay Filtration, Inc.
Violation Date:	11-09-2018
Citation:	HSC 6.95 25508.1(a)-(f) - California Health and Safety Code, Chapter 6.95, Section(s) 25508.1(a)-(f)
Violation Description:	Failure to electronically update business plan within 30 days of any one of the following events: A 100 percent or more increase in the quantity of a previously disclosed material. Any handling of a previously undisclosed hazardous materials at or above reportable quantities. A change of business address, business ownership, or business name. A substantial change in the handler's operations that requires modification to any portion of the business plan.
Violation Notes:	Returned to compliance on 12/11/2018. The business plan update within 30 days has not been completed as required due to the change 55gal of waste oil.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Evaluation:

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	11-09-2018
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Not reported

EJAY FILTRATION, INC. (Continued) **S123522206**

Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-07-2019
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Hazardous Waste Generator Inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Coordinates:
Site ID: 443766
Facility Name: Ejay Filtration, Inc.
Env Int Type Code: HMBP
Program ID: 10773541
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.,
Latitude: 33.984760
Longitude: -117.349490

Affiliation:
Affiliation Type Desc: CUPA District
Entity Name: Riverside Cnty Env Health
Entity Title: Not reported
Affiliation Address: 4065 County Circle Drive, Room 104
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92503
Affiliation Phone: (951) 358-5055,

Affiliation Type Desc: Environmental Contact
Entity Name: Gerald D. Green
Entity Title: Not reported
Affiliation Address: 3036 Durahart Street
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92507
Affiliation Phone: ,

Affiliation Type Desc: Operator
Entity Name: Gerald D. Green
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (951) 683-0805,

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address

EJAY FILTRATION, INC. (Continued) **S123522206**

Entity Title: Not reported
Affiliation Address: 3036 Durahart Street
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92507
Affiliation Phone: ,

Affiliation Type Desc: Legal Owner
Entity Name: Geral D. Green
Entity Title: Not reported
Affiliation Address: 3036 Durahart Street
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 92507
Affiliation Phone: (951) 683-0805,

Affiliation Type Desc: Onsite Treatment Unit Owner Operator
Entity Name: Vivian Urteaga
Entity Title: VP of Operations
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: Document Preparer
Entity Name: Vivian Urteaga
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: Parent Corporation
Entity Name: Ejay Filtration, Inc.
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: Property Owner
Entity Name: Gerald D. Green
Entity Title: Not reported
Affiliation Address: 3036 Durahart Street
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 92507
Affiliation Phone: (951) 683-0805,

EJAY FILTRATION, INC. (Continued) **S123522206**

Affiliation Type Desc:	Identification Signer
Entity Name:	Vivian Urteaga
Entity Title:	VP of Operations
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,

V95 **BLAINE 76** **RCRA NonGen / NLR** **1024798158**
ENE **1395 W BLAINE ST** **CAL000196258**
1/8-1/4 **RIVERSIDE, CA 92507**
0.158 mi.
836 ft. **Site 1 of 18 in cluster V**

Relative: RCRA Listings:
Higher

Actual: Date Form Received by Agency:		19990524
968 ft. Handler Name:	BLAINE 76	
Handler Address:		1395 W BLAINE ST
Handler City,State,Zip:		RIVERSIDE, CA 92507-3617
EPA ID:		CAL000196258
Contact Name:		MARTHA V ZAIOUN
Contact Address:		1395 W BLAINE ST
Contact City,State,Zip:		RIVERSIDE, CA 92507
Contact Telephone:		951-858-3777
Contact Fax:		951-684-7020
Contact Email:		BLAINE76Z@SBCGLOBAL.NET
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		1395 W BLAINE ST
Mailing City,State,Zip:		RIVERSIDE, CA 92507-3617
Owner Name:	MARTHA V ZAIOUN & HASSAN A ZAIOUN	
Owner Type:		Other
Operator Name:	MARTHA V ZAIOUN	
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		Yes
Universal Waste Destination Facility:		Yes
Federal Universal Waste:		No

BLAINE 76 (Continued) **1024798158**

Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20180905
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: MARTHA V ZAIOUN	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	1395 W BLAINE ST
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507
Owner/Operator Telephone:	951-858-3777
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

BLAINE 76 (Continued) **1024798158**

Owner/Operator Indicator: Owner
Owner/Operator Name: MARTHA V ZAIOUN & HASSAN A ZAIOUN
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 1395 W BLAINE ST
Owner/Operator City,State,Zip: RIVERSIDE, CA 92507-3617
Owner/Operator Telephone: 951-858-3777
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 19990524
Handler Name: BLAINE 76
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 44711
NAICS Description: GASOLINE STATIONS WITH CONVENIENCE STORES

NAICS Code: 44719
NAICS Description: OTHER GASOLINE STATIONS

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

V96 **TOSCO CORPORATION STATION #31001** **CERS HAZ WASTE** **S123619156**
ENE **1395 W BLAINE ST** **CERS TANKS** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507** **HAZNET**
0.158 mi. **CERS**
836 ft. **Site 2 of 18 in cluster V** **HWTS**

Relative: Higher
Actual: 968 ft.

CERS HAZ WASTE:
Name: IMPERIAL RETAIL STORE. INC
Address: 1395 W BLAINE ST
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 387940
CERS ID: 10509799
CERS Description: Hazardous Waste Generator

CERS TANKS:

TOSCO CORPORATION STATION #31001 (Continued) **S123619156**

Name: IMPERIAL RETAIL STORE. INC
Address: 1395 W BLAINE ST
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 387940
CERS ID: 10509799
CERS Description: Underground Storage Tank

HAZNET:
Name: TOSCO CORPORATION STATION #31001
Address: 1395 W BLAINE ST
Address 2: Not reported
City,State,Zip: RIVERSIDE, CA 925073617
Contact: HAZMAT SPECIALIST
Telephone: 6027284180
Mailing Name: Not reported
Mailing Address: PO BOX 52085

Year: 2003
Gepaid: CAL000135606
TSD EPA ID: CAD028409019
CA Waste Code: 134 - Aqueous solution with total organic residues less than 10 percent
Disposal Method: T01 - Treatment, Tank
Tons: 0.063

Year: 2001
Gepaid: CAL000135606
TSD EPA ID: CAD028409019
CA Waste Code: 135 - Unspecified aqueous solution
Disposal Method: H01 - Transfer Station
Tons: 0.231

Year: 2001
Gepaid: CAL000135606
TSD EPA ID: CAT080013352
CA Waste Code: 134 - Aqueous solution with total organic residues less than 10 percent
Disposal Method: R01 - Recycler
Tons: 2.016

Year: 2000
Gepaid: CAL000135606
TSD EPA ID: CAT080013352
CA Waste Code: 134 - Aqueous solution with total organic residues less than 10 percent
Disposal Method: R01 - Recycler
Tons: 0.1134

Year: 1998
Gepaid: CAL000135606
TSD EPA ID: CAD028409019
CA Waste Code: 133 - Aqueous solution with total organic residues 10 percent or more
Disposal Method: T01 - Treatment, Tank
Tons: 0.1918

Year: 1998
Gepaid: CAL000135606

TOSCO CORPORATION STATION #31001 (Continued) **S123619156**

TSD EPA ID:	CAD028409019
CA Waste Code:	134 - Aqueous solution with total organic residues less than 10 percent
Disposal Method:	T01 - Treatment, Tank
Tons:	0.0756

Additional Info:

Year:	2003
Gen EPA ID:	CAL000135606
Shipment Date:	20031124
Creation Date:	8/5/2004 10:14:17
Receipt Date:	20031126
Manifest ID:	22508179
Trans EPA ID:	CAR000031211
Trans Name:	CALIFORNIA HAZARDOUS SERVICES
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD028409019
Trans Name:	CROSBY & OVERTON INC
TSDF Alt EPA ID:	CAD028409019
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	D001
Meth Code:	T01 - Treatment, Tank
Quantity Tons:	0.063
Waste Quantity:	15
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2001
Gen EPA ID:	CAL000135606
Shipment Date:	20010928
Creation Date:	1/16/2002 0:00:00
Receipt Date:	20011004
Manifest ID:	20771829
Trans EPA ID:	CAD982444481
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD028409019
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	135 - Unspecified aqueous solution
RCRA Code:	D001
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.231
Waste Quantity:	55

TOSCO CORPORATION STATION #31001 (Continued) **S123619156**

Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20010404
Creation Date:	6/20/2001 0:00:00
Receipt Date:	20010404
Manifest ID:	20777499
Trans EPA ID:	CAR000031211
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT080013352
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	2.016
Waste Quantity:	480
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2000
Gen EPA ID:	CAL000135606
Shipment Date:	20001128
Creation Date:	3/6/2001 0:00:00
Receipt Date:	20001201
Manifest ID:	20125929
Trans EPA ID:	CAR000031211
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT080013352
Trans Name:	Not reported
TSDF Alt EPA ID:	CAT080013352
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.0336
Waste Quantity:	8
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported

TOSCO CORPORATION STATION #31001 (Continued) **S123619156**

Additional Code 5:	Not reported
Shipment Date:	20000306
Creation Date:	5/23/2000 0:00:00
Receipt Date:	20000314
Manifest ID:	99324715
Trans EPA ID:	CAR000031211
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT080013352
Trans Name:	Not reported
TSDF Alt EPA ID:	CAT080013352
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.0798
Waste Quantity:	19
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	1998
Gen EPA ID:	CAL000135606
Shipment Date:	19980721
Creation Date:	9/15/1998 0:00:00
Receipt Date:	19980722
Manifest ID:	98246820
Trans EPA ID:	CAR000031211
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD028409019
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	D001
Meth Code:	T01 - Treatment, Tank
Quantity Tons:	0.0252
Waste Quantity:	6
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19980602
Creation Date:	8/3/1998 0:00:00
Receipt Date:	19980603

TOSCO CORPORATION STATION #31001 (Continued) **S123619156**

Manifest ID:	98092274
Trans EPA ID:	CAR000031211
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD028409019
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	D001
Meth Code:	T01 - Treatment, Tank
Quantity Tons:	0.0504
Waste Quantity:	12
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	19980303
Creation Date:	4/16/1998 0:00:00
Receipt Date:	19980303
Manifest ID:	97210217
Trans EPA ID:	CAR000031211
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD028409019
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD028409019
TSDF Alt Name:	Not reported
Waste Code Description:	133 - Aqueous solution with 10% or more total organic residues
RCRA Code:	D001
Meth Code:	T01 - Treatment, Tank
Quantity Tons:	0.1918
Waste Quantity:	46
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CERS:

Name:	IMPERIAL RETAIL STORE. INC
Address:	1395 W BLAINE ST
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	387940
CERS ID:	10509799
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	387940
Site Name:	IMPERIAL RETAIL STORE. INC
Violation Date:	03-16-2020

TOSCO CORPORATION STATION #31001 (Continued) **S123619156**

Citation:	23 CCR 16 2665(b) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2665(b)
Violation Description:	"Failure to submit a copy of the overfill prevention equipment inspection results on the Overfill Prevention Equipment Inspection Report Form to the UPA within 30 days after the inspection. "
Violation Notes:	Returned to compliance on 03/16/2020. OBSERVATION: An "Overfill Prevention Equipment Inspection Report Form"" was not submitted to this Department within 30 days after the completion of the test. Retest dated 6/4/2019 was not received by the CUPA CORRECTIVE ACTION: The 6/4/2019 Overfill Prevention Report was given to the inspector at the time of this inspection.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	387940
Site Name:	IMPERIAL RETAIL STORE. INC
Violation Date:	03-16-2021
Citation:	23 CCR 16 2636(f)(1) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)(1)
Violation Description:	Failure of the double-walled pressurized piping to be continuously monitored with a system that activates an audible and visual alarm or stops flow at the dispenser when a leak is detected.
Violation Notes:	Returned to compliance on 03/31/2021.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	387940
Site Name:	IMPERIAL RETAIL STORE. INC
Violation Date:	03-11-2015
Citation:	23 CCR 16 2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2711(a)(8)
Violation Description:	Failure to submit, obtain approval, or maintain a complete/accurate plot plan.
Violation Notes:	Returned to compliance on 03/20/2015.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	387940
Site Name:	IMPERIAL RETAIL STORE. INC
Violation Date:	03-16-2020
Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	Returned to compliance on 03/24/2020. OBSERVATION: Observed 3 - 55 gallon drums that were missing proper labels. CORRECTIVE ACTION: Owner/operator shall label hazardous waste containers with all the required information. Label shall include at least: the words ""hazardous waste"", generator name and address, accumulation start date, composition and physical state of waste, and hazardous property statement. Submit photos to this department, if applicable. Note: One

TOSCO CORPORATION STATION #31001 (Continued) **S123619156**

drum was empty and will be removed, 1 drum will remain and has been labeled for petroleum liquids and 1 drum will be replaced with a new, closeable drum for solid / absorbent waste.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 387940
Site Name: IMPERIAL RETAIL STORE. INC
Violation Date: 08-05-2013
Citation: 19 CCR 4 2729.2(a)(1) - California Code of Regulations, Title 19, Chapter 4, Section(s) 2729.2(a)(1)
Violation Description: Owner/Operator failed to complete and/or submit the Business Activities Page and/or Business Owner Operator Identification Page.
Violation Notes: Returned to compliance on 08/19/2013.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 387940
Site Name: IMPERIAL RETAIL STORE. INC
Violation Date: 03-11-2015
Citation: 23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description: Failure to maintain on site an approved monitoring plan.
Violation Notes: Returned to compliance on 03/20/2015.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 387940
Site Name: IMPERIAL RETAIL STORE. INC
Violation Date: 08-05-2013
Citation: HSC 6.95 25505(b) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(b)
Violation Description: Failure to submit a revised business plan upon a substantial change in the handler's operations.
Violation Notes: Returned to compliance on 08/19/2013.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 387940
Site Name: IMPERIAL RETAIL STORE. INC
Violation Date: 08-18-2015
Citation: HSC 6.95 Multiple - California Health and Safety Code, Chapter 6.95, Section(s) Multiple
Violation Description: Business Plan Program - Release/Leaks/Spills - General
Violation Notes: Returned to compliance on 09/30/2015. Provide spill kits and PPE's
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 387940
Site Name: IMPERIAL RETAIL STORE. INC
Violation Date: 08-18-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter

TOSCO CORPORATION STATION #31001 (Continued) **S123619156**

	6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to establish and electronically submit an adequate emergency response plan and procedures for a release or threatened release of a hazardous material.
Violation Notes:	Returned to compliance on 09/30/2015. Update emergency plan to include Co2
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	387940
Site Name:	IMPERIAL RETAIL STORE. INC
Violation Date:	03-16-2017
Citation:	22 CCR 12 66262.12 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.12
Violation Description:	Failure to obtain an Identification Number prior to treating, storing, disposing of, transporting or offering for transportation any hazardous waste.
Violation Notes:	Returned to compliance on 09/13/2017.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	387940
Site Name:	IMPERIAL RETAIL STORE. INC
Violation Date:	08-05-2013
Citation:	HSC 6.95 25510 - California Health and Safety Code, Chapter 6.95, Section(s) 25510
Violation Description:	Failure to update hazardous material inventory within 30 days when one of the following occurs: A 100 percent or more increase in the quantity of a previously disclosed material. Any handling of a previously undisclosed hazardous materials A change of business address, business ownership, or business name.
Violation Notes:	Returned to compliance on 08/19/2013.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	387940
Site Name:	IMPERIAL RETAIL STORE. INC
Violation Date:	05-22-2018
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes:	Returned to compliance on 07/26/2018. Update chemical inventory in CERS to reflect CO2 tank located on back side of building. Enter in pounds.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	387940
Site Name:	IMPERIAL RETAIL STORE. INC
Violation Date:	10-08-2014
Citation:	HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95,

TOSCO CORPORATION STATION #31001 (Continued) **S123619156**

Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes: Returned to compliance on 10/15/2014.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 387940
Site Name: IMPERIAL RETAIL STORE. INC
Violation Date: 08-18-2015
Citation: HSC 6.95 25504(c) - California Health and Safety Code, Chapter 6.95, Section(s) 25504(c)
Violation Description: Failure to include provisions in the business plan to ensure that appropriate personnel receive initial and annual training.
Violation Notes: Returned to compliance on 09/30/2015.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 387940
Site Name: IMPERIAL RETAIL STORE. INC
Violation Date: 03-22-2021
Citation: HSC 6.95 25508.1(a)-(f) - California Health and Safety Code, Chapter 6.95, Section(s) 25508.1(a)-(f)
Violation Description: Failure to electronically update business plan within 30 days of any one of the following events: A 100 percent or more increase in the quantity of a previously disclosed material. Any handling of a previously undisclosed hazardous materials at or above reportable quantities. A change of business address, business ownership, or business name. A substantial change in the handler's operations that requires modification to any portion of the business plan.
Violation Notes: Returned to compliance on 04/28/2021. The business plan update within 30 days has not been completed as required due to the change of CO2.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 387940
Site Name: IMPERIAL RETAIL STORE. INC
Violation Date: 03-16-2021
Citation: 23 CCR 16 2641(h) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(h)
Violation Description: Failure to submit or maintain a current facility plot plan.
Violation Notes: Returned to compliance on 03/16/2021.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 387940
Site Name: IMPERIAL RETAIL STORE. INC
Violation Date: 03-22-2021
Citation: HSC 6.95 25508(a)(3) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(3)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.

TOSCO CORPORATION STATION #31001 (Continued) **S123619156**

Violation Notes:	Returned to compliance on 04/28/2021. The chemical inventory has not been submitted or not submitted accurately. Submit the chemical inventory in CERS. Include the changes of the following chemicals in CERS: Add CO2 that is located in the rear of the business
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	387940
Site Name:	IMPERIAL RETAIL STORE. INC
Violation Date:	03-04-2020
Citation:	23 CCR 16 2712(b)(1)(G) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(1)(G)
Violation Description:	Failure to comply with one or more of the following overfill prevention equipment requirements: Alert the transfer operator when the tank is 90 percent full by restricting the flow into the tank or triggering an audible and visual alarm; or Restrict delivery of flow to the tank at least 30 minutes before the tank overfills, provided the restriction occurs when the tank is filled to no more than 95 percent of capacity; and activate an audible alarm at least five minutes before the tank overfills; or Provide positive shut-off of flow to the tank when the tank is filled to no more than 95 percent of capacity; or Provide positive shut-off of flow to the tank so that none of the fittings located on the top of the tank are exposed to product due to overfilling. Install/retrofit overfill prevention equipment that does not use flow restrictors on vent piping to meet overfill prevention equipment requirements when the overfill prevention equipment is installed, repaired, or replaced on and after October 1, 2018. For USTs installed before October 1, 2018, perform an inspection by October 13, 2018 and every 36 months thereafter. For USTs installed on and after October 1, 2018, perform an inspection at installation and every 36 months thereafter. Inspected within 30 days after a repair to the overfill prevention equipment. Inspected using an applicable manufacturer guidelines, industry codes, engineering standards, or a method approved by a professional engineer. Inspected by a certified UST service technician. Maintain records of overfill prevention equipment inspection for 36 months.
Violation Notes:	Returned to compliance on 03/17/2020.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	387940
Site Name:	IMPERIAL RETAIL STORE. INC
Violation Date:	08-18-2015
Citation:	HSC 6.95 25505(a)(4) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(a)(4)
Violation Description:	Failure to provide initial and annual training to all employees in safety procedures in the event of a release or threatened release of a hazardous material or failure to document and maintain training records for a minimum of three years.
Violation Notes:	Returned to compliance on 09/30/2015.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	387940

TOSCO CORPORATION STATION #31001 (Continued) **S123619156**

Site Name:	IMPERIAL RETAIL STORE. INC
Violation Date:	03-11-2015
Citation:	23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description:	Failure to submit, obtain approval, or maintain a complete/accurate response plan.
Violation Notes:	Returned to compliance on 03/20/2015.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	387940
Site Name:	IMPERIAL RETAIL STORE. INC
Violation Date:	05-11-2021
Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	Returned to compliance on 05/11/2021. OBSERVATION: Observed incomplete labels on 2 - 55 gallon drums of solid and liquid hazardous waste. Information missing included the accumulation start date. CORRECTIVE ACTION: Owner/operator shall label hazardous waste containers with all the required information. Label shall include at least: the words ""hazardous waste"", generator name and address, accumulation start date, composition and physical state of waste, and hazardous property statement. Submit photos to this department, if applicable. Operator added the accumulation start date of 4/1/21 to both drum labels at the time of this inspection.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	387940
Site Name:	IMPERIAL RETAIL STORE. INC
Violation Date:	05-22-2018
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit a site map with all required content.
Violation Notes:	Returned to compliance on 07/26/2018. Update site map and submit to CERS to reflect CO2 and LPG cage location. Site map shall be legible.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	387940
Site Name:	IMPERIAL RETAIL STORE. INC
Violation Date:	03-22-2021
Citation:	Un-Specified
Violation Description:	Business Plan Program - Administration/Documentation - General Local Ordinance
Violation Notes:	Returned to compliance on 04/28/2021. 100 - Current permit issued/posted. [RMC 9.48.140] - No current permit was posted. Obtain the current permit and post in a conspicuous location

TOSCO CORPORATION STATION #31001 (Continued) **S123619156**

Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 387940
Site Name: IMPERIAL RETAIL STORE. INC
Violation Date: 08-05-2013
Citation: HSC 6.95 25505(a) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(a)
Violation Description: Owner/Operator failed to complete and/or submit a Hazardous Materials Business Plan when storing hazardous materials at or above the thresholds quantities of 55 gallons/500 lbs/200 cubic feet.
Violation Notes: Returned to compliance on 08/19/2013.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 387940
Site Name: IMPERIAL RETAIL STORE. INC
Violation Date: 08-18-2015
Citation: HSC 6.95 Multiple - California Health and Safety Code, Chapter 6.95, Section(s) Multiple
Violation Description: Business Plan Program - Administration/Documentation - General
Violation Notes: Returned to compliance on 09/30/2015. Post emergency numbers
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 387940
Site Name: IMPERIAL RETAIL STORE. INC
Violation Date: 08-18-2015
Citation: HSC 6.95 Multiple - California Health and Safety Code, Chapter 6.95, Section(s) Multiple
Violation Description: Business Plan Program - Operations/Maintenance - General
Violation Notes: Returned to compliance on 09/30/2015. Provide 704 signage on Co2 cage
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 387940
Site Name: IMPERIAL RETAIL STORE. INC
Violation Date: 08-18-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: Returned to compliance on 09/30/2015. Add Co2
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 387940
Site Name: IMPERIAL RETAIL STORE. INC
Violation Date: 08-05-2013
Citation: HSC 6.95 25507 - California Health and Safety Code, Chapter 6.95, Section(s) 25507

TOSCO CORPORATION STATION #31001 (Continued) **S123619156**

Violation Description:	Failure to adequately establish and implement a business plan when storing/handling a hazardous material at or above reportable quantities.
Violation Notes:	Returned to compliance on 08/19/2013.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	387940
Site Name:	IMPERIAL RETAIL STORE. INC
Violation Date:	05-22-2018
Citation:	HSC 6.95 25508.1(a)-(f) - California Health and Safety Code, Chapter 6.95, Section(s) 25508.1(a)-(f)
Violation Description:	Failure to electronically update business plan within 30 days of any one of the following events: A 100 percent or more increase in the quantity of a previously disclosed material. Any handling of a previously undisclosed hazardous materials at or above reportable quantities. A change of business address, business ownership, or business name. A substantial change in the handler's operations that requires modification to any portion of the business plan.
Violation Notes:	Returned to compliance on 07/26/2018. Update chemical inventory in CERS.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	387940
Site Name:	IMPERIAL RETAIL STORE. INC
Violation Date:	05-11-2021
Citation:	Un-Specified
Violation Description:	Hazardous Waste Generator Program - Administration/Documentation - General Local Ordinance
Violation Notes:	Returned to compliance on 05/11/2021. OBSERVATION: Owner/operator is generating hazardous waste without a valid permit issued by this department. CORRECTIVE ACTION: Owner/operator shall obtain a hazardous waste generator permit from this department. Owner paid for current invoice of $719.00 at the time of this inspection, via the website.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	387940
Site Name:	IMPERIAL RETAIL STORE. INC
Violation Date:	05-22-2018
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes:	Returned to compliance on 07/26/2018. Update CERS to reflect CO2 on site.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	387940
Site Name:	IMPERIAL RETAIL STORE. INC

TOSCO CORPORATION STATION #31001 (Continued) **S123619156**

Violation Date: 08-18-2015
Citation: 19 CCR 4 2729.2(a)(3) - California Code of Regulations, Title 19, Chapter 4, Section(s) 2729.2(a)(3)
Violation Description: Failure to complete and/or submit an annotated site map if required by CUPA.
Violation Notes: Returned to compliance on 09/30/2015. Update map with new state requirements
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Evaluation:
Eval General Type: Other/Unknown
Eval Date: 03-02-2020
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-13-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: HW Generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-15-2016
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: UST annual inspection/CMD witness
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-16-2017
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-16-2020
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: This facility is a small quantity hazardous waste generator of oily liquid and absorbent waste. Routine inspection was conducted today.
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

TOSCO CORPORATION STATION #31001 (Continued) **S123619156**

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-19-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Haz waste generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-19-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: UST CMD/annual inspection
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-11-2019
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Monitoring Certification anniversary month is March and testing shall be scheduled during that month in the future. Original inspection scheduled and started on 3/20/19 but due to monitoring panel crash, inspection re-scheduled and completed 4/11/19. Site utilizes drop tube shut off valves to meet overfill requirements. Drop tube shut-off valves installed and set to activate at 95% capacity based on full tank volume programmed into veeder root. Based on manufacturers tank charts, veeder root programming was inaccurate and drop tube shut off valves are set too high. Site records revealed that the wrong tank volume had been used since the installation of the Veeder root monitoring panel. Programming was corrected and drop tubes need to be replaced by next inspection to meet requirements. Site does have audible visual alarm set to activate at 90% tank capacity.
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 08-19-2013
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-11-2015
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

TOSCO CORPORATION STATION #31001 (Continued) **S123619156**

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-16-2021
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Annual Monitoring Certification today. Cox Compliance on site to conduct testing. Note: No signature captured due to COVID. Report reviewed with Area Supervisor Jesus Chavarin.
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-22-2021
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Inspector: David Young
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-11-2021
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: This facility is a gas station with a convenience store and is a small quantity, hazardous waste generator of petroleum contaminated test liquid, fuel filters, hoses and absorbent material. NOTE: This facility is under new ownership as of March 2021 and has not yet had a manifested waste pick up. Manifests will be reviewed at a future inspection.
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-11-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: UST CMD/annual inspection
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-15-2016
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: HW Generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-15-2017
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: UST CMD/annual inspection

TOSCO CORPORATION STATION #31001 (Continued) **S123619156**

Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-16-2020
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Chris Rodriguez of Robinson Maintenance, ICC #5087403, expires 3-6-22 performed the annual monitoring certification. H. Barrios performed the routine, UST inspection. Notes: UDC 3/4 & 7/8, western Bravo float and chain stuck during the initial testing: Units were cleaned, chains tightened and functioned properly at retest. Discontinue placing a zip tie on the emergency shut off switch cover to discourage vandalism. Maintain this emergency device readily available in the event of a spill/discharge.
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-22-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 08-05-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 10-08-2014
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-13-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: UST CMD/inspection
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown

TOSCO CORPORATION STATION #31001 (Continued) **S123619156**

Eval Date: 03-16-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Conclude UST inspection
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-16-2022
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Annual Monitoring Certification today. COX Testing and Compliance on site for testing. VMI Certification Jimmy Kong #3392 5/8/2023 Please Note: SB989 due last test performed 6/4/2019
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 04-28-2021
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Reinspection - D. Young. All violations from 3/22/2021 routine inspection have been abated.
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 08-18-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Enforcement Action:
Site ID: 387940
Site Name: IMPERIAL RETAIL STORE. INC
Site Address: 1395 W BLAINE ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 03-11-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside County Department of Env Health
Enf Action Program: UST
Enf Action Source: CERS,

Site ID: 387940
Site Name: IMPERIAL RETAIL STORE. INC
Site Address: 1395 W BLAINE ST
Site City: RIVERSIDE
Site Zip: 92507

TOSCO CORPORATION STATION #31001 (Continued) **S123619156**

Enf Action Date: 07-05-2014
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Site ID: 387940
Site Name: IMPERIAL RETAIL STORE. INC
Site Address: 1395 W BLAINE ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 08-19-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Coordinates:
Site ID: 387940
Facility Name: IMPERIAL RETAIL STORE. INC
Env Int Type Code: HMBP
Program ID: 10509799
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.,
Latitude: 33.983340
Longitude: -117.341890

Affiliation:
Affiliation Type Desc: Environmental Contact
Entity Name: JIMMY KONG
Entity Title: Not reported
Affiliation Address: 418 E COMMONWEALTH AVE #7
Affiliation City: FULLERTON
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92832
Affiliation Phone: ,

Affiliation Type Desc: Identification Signer
Entity Name: RALPH KIM
Entity Title: OWNER
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: Parent Corporation
Entity Name: VALLEY CHEVRON
Entity Title: Not reported
Affiliation Address: Not reported

TOSCO CORPORATION STATION #31001 (Continued) **S123619156**

Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,
Affiliation Type Desc:	UST Property Owner Name
Entity Name:	IMPERIAL RETAIL STORE, INC
Entity Title:	Not reported
Affiliation Address:	1395 W BLAIN ST
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92507
Affiliation Phone:	(951) 682-9963,
Affiliation Type Desc:	Document Preparer
Entity Name:	Diego Chung
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,
Affiliation Type Desc:	Operator
Entity Name:	IMPERIAL RETAIL STORE, INC
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(951) 682-9963,
Affiliation Type Desc:	CUPA District
Entity Name:	Riverside Cnty Env Health
Entity Title:	Not reported
Affiliation Address:	4065 County Circle Drive, Room 104
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92503
Affiliation Phone:	(951) 358-5055,
Affiliation Type Desc:	UST Tank Owner
Entity Name:	IMPERIAL RETAIL STORE, INC
Entity Title:	Not reported
Affiliation Address:	1395 W BLAIN ST
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92507
Affiliation Phone:	(951) 682-9963,
Affiliation Type Desc:	Facility Mailing Address

TOSCO CORPORATION STATION #31001 (Continued) **S123619156**

Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	1395 W BLAIN ST
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92507
Affiliation Phone:	,
Affiliation Type Desc:	Legal Owner
Entity Name:	IMPERIAL RETAIL STORE, INC
Entity Title:	Not reported
Affiliation Address:	1395 W Blaine St
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92507
Affiliation Phone:	(951) 682-9963,
Affiliation Type Desc:	Property Owner
Entity Name:	IMPERIAL RETAIL STORE, INC
Entity Title:	Not reported
Affiliation Address:	1395 W Blaine St
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92507
Affiliation Phone:	(951) 682-9963,
Affiliation Type Desc:	UST Tank Operator
Entity Name:	IMPERIAL RETAIL STORE, INC
Entity Title:	Not reported
Affiliation Address:	1395 W BLAIN ST
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92507
Affiliation Phone:	(951) 682-9963,

HWTS:

Name:	TOSCO CORPORATION STATION #31001
Address:	1395 W BLAINE ST
Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 92507
EPA ID:	CAL000135606
Inactive Date:	06/30/2002
Create Date:	04/24/1997
Last Act Date:	Not reported
Mailing Name:	Not reported
Mailing Address:	PO BOX 52085
Mailing Address 2:	Not reported
Mailing City,State,Zip:	PHOENIX, AZ 850722085
Owner Name:	TOSCO MARKETING
Owner Address:	PO BOX 52085
Owner Address 2:	Not reported
Owner City,State,Zip:	PHOENIX, AZ 850722085

TOSCO CORPORATION STATION #31001 (Continued) **S123619156**

Contact Name:	HAZMAT SPECIALIST
Contact Address:	PO BOX 52085
Contact Address 2:	Not reported
City,State,Zip:	PHOENIX, AZ 850722085
Facility Status:	Inactive
Facility Type:	PERMANENT
Category:	STATE
Latitude:	33.983051
Longitude:	-117.341891

V97 **TOSCO 31001** **RCRA-SQG** **1007200295**
ENE **1395 BLAINE ST** **CAL000135606**
1/8-1/4 **RIVERSIDE, CA 92506**
0.158 mi.
836 ft. **Site 3 of 18 in cluster V**

Relative: RCRA Listings:
Higher

Actual: Date Form Received by Agency:		20020202
968 ft. Handler Name:	TOSCO 31001	
Handler Address:		1395 BLAINE ST
Handler City,State,Zip:		RIVERSIDE, CA 92506
EPA ID:		CAL000135606
Contact Name:		STEVE BOYD
Contact Address:		Not reported
Contact City,State,Zip:		Not reported
Contact Telephone:		714-428-6572
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		09
Land Type:		Private
Federal Waste Generator Description:		Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		PO BOX 52085
Mailing City,State,Zip:		PHOENIX, AZ 85072
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported

TOSCO 31001 (Continued) **1007200295**

Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20060905
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Biennial: List of Years
Year: 2001

Click Here for Biennial Reporting System Data:

Historic Generators:

Receive Date:	20020202
Handler Name: TOSCO 31001	
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No

TOSCO 31001 (Continued) **1007200295**

Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	20020202
Handler Name: TOSCO 31001	
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	44719
NAICS Description:	OTHER GASOLINE STATIONS

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

V98 **IMPERIAL RETAIL STORE INC** **RCRA NonGen / NLR** **1026723357**
ENE **1395 W BLAINE ST** **CAL000460469**
1/8-1/4 **RIVERSIDE, CA 92507**
0.158 mi.
836 ft. **Site 4 of 18 in cluster V**

Relative:
Higher

Actual:
968 ft.

RCRA Listings:

Date Form Received by Agency:	20210225
Handler Name:	IMPERIAL RETAIL STORE INC
Handler Address:	1395 W BLAINE ST
Handler City,State,Zip:	RIVERSIDE, CA 92507
EPA ID:	CAL000460469
Contact Name:	DIEGO CHUNG
Contact Address:	1395 W BLAINE ST
Contact City,State,Zip:	RIVERSIDE, CA 92507
Contact Telephone:	818-287-4983
Contact Fax:	714-972-8913
Contact Email:	IMPERIAL1395@GMAIL.COM
Contact Title:	Not reported
EPA Region:	09
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Not reported

IMPERIAL RETAIL STORE INC (Continued) **1026723357**

State District:		Not reported
Mailing Address:		1395 W BLAINE ST
Mailing City,State,Zip:		RIVERSIDE, CA 92507
Owner Name:	IMPERIAL RETAIL STORE INC	
Owner Type:		Other
Operator Name:	DIEGO CHUNG	
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported
Permit Workload Universe:		Not reported
Permit Progress Universe:		Not reported
Post-Closure Workload Universe:		Not reported
Closure Workload Universe:		Not reported
202 GPRA Corrective Action Baseline:		No
Corrective Action Workload Universe:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:		No
TSDFs Only Subject to CA under Discretionary Auth Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Operating TSDF Universe:		Not reported
Full Enforcement Universe:		Not reported
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:	Not reported	
Handler Date of Last Change:		20210226
Recognized Trader-Importer:		No
Recognized Trader-Exporter:		No

IMPERIAL RETAIL STORE INC (Continued) **1026723357**

Importer of Spent Lead Acid Batteries: No
Exporter of Spent Lead Acid Batteries: No
Recycler Activity Without Storage: No
Manifest Broker: No
Sub-Part P Indicator: No

Handler - Owner Operator:
Owner/Operator Indicator: Operator
Owner/Operator Name: DIEGO CHUNG
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 1395 W BLAINE ST
Owner/Operator City,State,Zip: RIVERSIDE, CA 92507
Owner/Operator Telephone: 818-287-4983
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: IMPERIAL RETAIL STORE INC
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 1395 W BLAINE ST
Owner/Operator City,State,Zip: RIVERSIDE, CA 92507
Owner/Operator Telephone: 951-742-5063
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20210225
Handler Name: IMPERIAL RETAIL STORE INC
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

List of NAICS Codes and Descriptions:
NAICS Code: 447190
NAICS Description: OTHER GASOLINE STATIONS

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

V99 **76 STATION #5856** **LUST** **S109280361**
ENE **1395 BLAINE** **N/A**
1/8-1/4 **RIVERSIDE, CA**
0.158 mi.
836 ft. **Site 5 of 18 in cluster V**

Relative: RIVERSIDE CO. LUST:
Higher

Actual: Name: 76 STATION #5856
968 ft. Address: 1395 BLAINE
City,State,Zip: RIVERSIDE, CA
Region: RIVERSIDE
Facility ID: 200824964
Employee: Briones-LOP
Site Closed: Yes
Case Type: Soil only
Facility Status: closed/action completed
Casetype Decode: Soil only is impacted
Fstatus Decode: Closed/Action completed

V100 **UNOCAL #5856** **SWEEPS UST** **S101631156**
ENE **1395 BLAINE ST** **CA FID UST** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507**
0.158 mi.
836 ft. **Site 6 of 18 in cluster V**

Relative: SWEEPS UST:
Higher

Actual: Name: UNOCAL SS #5856
968 ft. Address: 1395 BLAINE ST
City: RIVERSIDE
Status: Active
Comp Number: 55210
Number: 1
Board Of Equalization: 44-001057
Referral Date: 03-22-94
Action Date: 05-24-94
Created Date: 02-29-88
Owner Tank Id: 5856-11
SWRCB Tank Id: 33-000-055210-000001
Tank Status: A
Capacity: 12000
Active Date: 04-04-94
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: 3

Name: UNOCAL SS #5856
Address: 1395 BLAINE ST
City: RIVERSIDE
Status: Active
Comp Number: 55210
Number: 1
Board Of Equalization: 44-001057
Referral Date: 03-22-94
Action Date: 05-24-94
Created Date: 02-29-88
Owner Tank Id: 5856-22
SWRCB Tank Id: 33-000-055210-000002
Tank Status: A
Capacity: 12000

UNOCAL #5856 (Continued) **S101631156**

Active Date: 04-04-94
Tank Use: M.V. FUEL
STG: P
Content: PRM UNLEADED
Number Of Tanks: Not reported

Name: UNOCAL SS #5856
Address: 1395 BLAINE ST
City: RIVERSIDE
Status: Active
Comp Number: 55210
Number: 1
Board Of Equalization: 44-001057
Referral Date: 03-22-94
Action Date: 05-24-94
Created Date: 02-29-88
Owner Tank Id: 5856-34
SWRCB Tank Id: 33-000-055210-000003
Tank Status: A
Capacity: 500
Active Date: 04-04-94
Tank Use: OIL
STG: W
Content: WASTE OIL
Number Of Tanks: Not reported

CA FID UST:
Facility ID: 33004911
Regulated By: UTNKA
Regulated ID: 00055210
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 7146829963
Mail To: Not reported
Mailing Address: 17700 CASTLETON ST
Mailing Address 2: Not reported
Mailing City,St,Zip: RIVERSIDE 92507
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

V101 **IMPERIAL RETAIL STORE INC.** **UST** **U004126532**
ENE **1395 W BLAINE ST** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507**
0.158 mi.
836 ft. **Site 7 of 18 in cluster V**

Relative:
Higher

Actual:
968 ft.

RIVERSIDE CO. UST:
Name: IMPERIAL RETAIL STORE INC.
Address: 1395 W BLAINE ST
City,State,Zip: RIVERSIDE, CA 92507
Region: RIVERSIDE
Total Tanks: 2

IMPERIAL RETAIL STORE INC. (Continued) **U004126532**

UST:
Name: IMPERIAL RETAIL STORE. INC
Address: 1395 W BLAINE ST
City,State,Zip: RIVERSIDE, CA 92507
Facility ID: FA0028742
Permitting Agency: Riverside County Department of Environmental Health
CERSID: 10509799
Latitude: 33.98334
Longitude: -117.34189

V102 **76 STATION 5856** **LUST** **S100219954**
ENE **1395 BLAINE STREET** **CHMIRS** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507** **Cortese**
0.158 mi. **CERS**
836 ft. **Site 8 of 18 in cluster V**

Relative: Higher
Actual: 968 ft.

LUST:
Name: 76 STATION 5856
Address: 1395 BLAINE STREET
City,State,Zip: RIVERSIDE, CA 92507
Lead Agency: RIVERSIDE COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0606505495
Global Id: T0606505495
Latitude: 33.9833
Longitude: -117.341958
Status: Completed - Case Closed
Status Date: 08/31/2011
Case Worker: AB
RB Case Number: Not reported
Local Agency: RIVERSIDE COUNTY LOP
File Location: Local Agency Warehouse
Local Case Number: 200824964
Potential Media Affect: Soil
Potential Contaminants of Concern: Gasoline
Site History: The current environmental case opened in June 2008, based on a baseline due diligence assessment performed during September 2007. Six soil borings (B-1 through B-6) were advanced on November 19 and 20, 2007. Maximum concentrations were reported in boring B-1 at 3.3 mg/kg TPHg, 2.2 mg/kg methyl tertiary butyl ether (MTBE), 1.8 mg/kg tertiary butyl alcohol (TBA), and 0.035 mg/kg tertiary-amyl methyl ether (TAME) between 30 and 35 feet bgs. No benzene, toluene, ethyl benzene, and total xylenes (BTEX), ethyl tertiary butyl ether (ETBE), di-isopropyl ether (DIPE), or ethanol were detected. On March 16 through 18, 2010, CRA installed SVE wells VE-1 and VE-2. The wells were screened from 20 to 40 feet bgs to target the soils beneath the USTs, and also to extract vapors from the interval which contained maximum petroleum hydrocarbons in soil (30 to 40 feet bgs). The maximum hydrocarbon concentrations detected in soil were 1.2 mg/kg TPHg and 0.0057 mg/kg total xylenes from VE-1 at 35 feet bgs, 0.44 mg/kg MTBE and 0.0017 mg/kg TAME from VE-1 at 40 feet bgs, and 0.44 mg/kg TBA from VE-2 at 39.5 feet bgs. No benzene, toluene, ethylbenzene, DIPE, ETBE, and ethanol were detected. No other VOCs were detected Petroleum hydrocarbons and fuel oxygenates detected in soil are localized in the immediate vicinity of the USTs (B-1, B-2, B-7, VE-1, and VE-2), primarily between 25 feet bgs and 45 feet bgs at concentrations that do not warrant active remediation (maximum of

76 STATION 5856 (Continued) **S100219954**

3.3 mg/kg TPHg, 2.2 mg/kg MTBE, and 1.8 mg/kg TBA from boring B-1). No BTEX, DIPE, ETBE, or ethanol were detected in any soil samples (with the exception of 0.0057 mg/kg total xylenes detected in VE-1 at 35 feet bgs). No petroleum hydrocarbons were detected in soil samples collected from boring B-8. Maximum concentrations detected in soil from VE-1 and VE-2 were 1.2 mg/kg TPHg from VE-1 at 35 feet bgs, 0.44 mg/kg MTBE from VE-1 at 40 feet bgs, and 0.44 mg/kg TBA from VE-2 at 39.5 feet bgs. Petroleum hydrocarbons and fuel oxygenates in soil from these two wells is limited to 30 to 40 feet bgs, with the exception of negligible TPHg concentrations in VE-1 between 10 and 20 feet bgs. Soil is vertically delineated to 45 feet bgs. CRA conducted approximately 21 hours of SVE from wells VE-1 and VE-2. The pilot test data demonstrated that SVE is technically feasible. Site soils yielded a flow rate greater than the minimum feasible criteria (> 10 scfm) at an acceptable applied vacuum. Although the criteria for determining the effective ROI was not met, the observed induced vacuum indicates that the ROI up to 48 feet, which covers the target area beneath the USTs. The vapor concentrations and corresponding mass removal rates from both extraction wells remained low throughout testing. No data indicated this trend will change. For comparison, SVE systems are commonly permanently shut off when the TPHg mass removal rate drops below 10 pounds per day. The maximum instantaneous TPHg mass removal rate during testing was 7.88 pounds per day (VE-2 at 16:20) after one hour of extraction; CRA conducted extraction on this well for an additional 20 hours. As previously stated, the average mass removal rate from VE-2 was 4.14 pounds per day, which is well below 10 pounds per day.

LUST:

Global Id:	T0606505495
Contact Type:	Local Agency Caseworker
Contact Name:	ANDREA BRIONES
Organization Name:	RIVERSIDE COUNTY LOP
Address:	3880 LEMON ST SUITE 200
City:	RIVERSIDE
Email:	abriones@rivco.org
Phone Number:	9519558980

LUST:

Global Id:	T0606505495
Action Type:	Other
Date:	06/03/2008
Action:	Leak Reported
Global Id:	T0606505495
Action Type:	REMEDIATION
Date:	03/22/2010
Action:	Soil Vapor Extraction (SVE)
Global Id:	T0606505495
Action Type:	ENFORCEMENT
Date:	08/12/2009
Action:	Staff Letter - #RCDEH081209
Global Id:	T0606505495
Action Type:	ENFORCEMENT
Date:	01/21/2010

76 STATION 5856 (Continued) **S100219954**

Action: Staff Letter - #RCDEH012110

Global Id: T0606505495
Action Type: ENFORCEMENT
Date: 12/28/2010
Action: Staff Letter - #RCDEH122710

Global Id: T0606505495
Action Type: RESPONSE
Date: 04/26/2010
Action: Other Report / Document - Regulator Responded

Global Id: T0606505495
Action Type: ENFORCEMENT
Date: 04/20/2009
Action: Staff Letter - #RCDEH042009

Global Id: T0606505495
Action Type: ENFORCEMENT
Date: 09/29/2009
Action: Staff Letter - #RCDEH092909

Global Id: T0606505495
Action Type: ENFORCEMENT
Date: 08/31/2011
Action: Closure/No Further Action Letter - #RCDEH Closure

Global Id: T0606505495
Action Type: RESPONSE
Date: 07/15/2010
Action: Monitoring Report - Quarterly

Global Id: T0606505495
Action Type: RESPONSE
Date: 10/15/2010
Action: Monitoring Report - Quarterly

Global Id: T0606505495
Action Type: RESPONSE
Date: 10/15/2009
Action: Monitoring Report - Quarterly

Global Id: T0606505495
Action Type: RESPONSE
Date: 04/15/2010
Action: Monitoring Report - Quarterly

Global Id: T0606505495
Action Type: RESPONSE
Date: 01/15/2010
Action: Monitoring Report - Quarterly

Global Id: T0606505495
Action Type: RESPONSE
Date: 04/10/2009
Action: Other Report / Document

76 STATION 5856 (Continued) **S100219954**

Global Id: T0606505495
Action Type: RESPONSE
Date: 06/19/2009
Action: Site Assessment Report

Global Id: T0606505495
Action Type: ENFORCEMENT
Date: 02/09/2009
Action: Staff Letter - #RCDEH020909

Global Id: T0606505495
Action Type: ENFORCEMENT
Date: 06/13/2008
Action: Staff Letter - #RCDEH061308

Global Id: T0606505495
Action Type: ENFORCEMENT
Date: 06/03/2008
Action: Notice of Responsibility - #RCDEH 06032008

Global Id: T0606505495
Action Type: RESPONSE
Date: 07/15/2009
Action: Monitoring Report - Quarterly

Global Id: T0606505495
Action Type: RESPONSE
Date: 01/15/2009
Action: Monitoring Report - Quarterly

Global Id: T0606505495
Action Type: RESPONSE
Date: 11/11/2009
Action: Other Workplan

Global Id: T0606505495
Action Type: ENFORCEMENT
Date: 12/14/2010
Action: LOP Case Closure Summary to RB

Global Id: T0606505495
Action Type: Other
Date: 10/01/2007
Action: Leak Discovery

Global Id: T0606505495
Action Type: RESPONSE
Date: 08/13/2008
Action: Other Report / Document

Global Id: T0606505495
Action Type: RESPONSE
Date: 01/15/2009
Action: Monitoring Report - Quarterly

Global Id: T0606505495
Action Type: RESPONSE

76 STATION 5856 (Continued) **S100219954**

Date: 02/26/2011
Action: Well Destruction Report

LUST:
Global Id: T0606505495
Status: Open - Case Begin Date
Status Date: 10/01/2007

Global Id: T0606505495
Status: Open - Site Assessment
Status Date: 06/13/2008

Global Id: T0606505495
Status: Completed - Case Closed
Status Date: 08/31/2011

CHMIRS:
Name: Not reported
Address: 1395 BLAINE
City,State,Zip: RIVERSIDE, CA 92504
OES Incident Number: 011155
OES notification: Not reported
OES Date: Not reported
OES Time: Not reported
Date Completed: **04-JUN-90**
Property Use: 962
Agency Id Number: 33075
Agency Incident Number: 9007518
Time Notified: 638
Time Completed: 651
Surrounding Area: 500
Estimated Temperature: 70
Property Management: C
More Than Two Substances Involved?: N
Resp Agncy Personel # Of Decontaminated: 0
Responding Agency Personel # Of Injuries: 0
Responding Agency Personel # Of Fatalities: 0
Others Number Of Decontaminated: 0
Others Number Of Injuries: 0
Others Number Of Fatalities: 0
Vehicle Make/year: Not reported
Vehicle License Number: Not reported
Vehicle State: Not reported
Vehicle Id Number: Not reported
CA DOT PUC/ICC Number: Not reported
Company Name: Not reported
Reporting Officer Name/ID: CAPT. JEFF DREDLA #24760
Report Date: 05-JUN-90
Facility Telephone: 714 782-5331
Waterway Involved: Not reported
Waterway: Not reported
Spill Site: Not reported
Cleanup By: Not reported
Containment: Not reported
What Happened: Not reported

76 STATION 5856 (Continued) **S100219954**

Type:	Not reported
Measure:	Not reported
Other:	Not reported
Date/Time:	Not reported
Year:	88-92
Agency:	Not reported
Incident Date:	04-JUN-90
Admin Agency:	Not reported
Amount:	Not reported
Contained:	Not reported
Site Type:	Not reported
E Date:	17-MAY-91
Substance:	Not reported
Unknown:	Not reported
Substance #2:	Not reported
Substance #3:	Not reported
Evacuations:	Not reported
Number of Injuries:	Not reported
Number of Fatalities:	Not reported
#1 Pipeline:	Not reported
#2 Pipeline:	Not reported
#3 Pipeline:	Not reported
#1 Vessel >= 300 Tons:	Not reported
#2 Vessel >= 300 Tons:	Not reported
#3 Vessel >= 300 Tons:	Not reported
Evacs:	Not reported
Injuries:	Not reported
Fatals:	Not reported
Comments:	Y
Description:	Not reported

CORTESE:

Name:	76 STATION 5856
Address:	1395 BLAINE STREET
City,State,Zip:	RIVERSIDE, CA 92507
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0606505495
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

76 STATION 5856 (Continued) **S100219954**

CERS:
Name: 76 STATION 5856
Address: 1395 BLAINE STREET
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 193009
CERS ID: T0606505495
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: ANDREA BRIONES - RIVERSIDE COUNTY LOP
Entity Title: Not reported
Affiliation Address: 3880 LEMON ST SUITE 200
Affiliation City: RIVERSIDE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 9519558980,

V103 **STATION #5856** **HIST UST** **U001576547**
ENE **1395 W BLAINE ST** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507**
0.158 mi.
836 ft. **Site 9 of 18 in cluster V**

Relative:
Higher

Actual:
968 ft.

HIST UST:
Name: STATION #5856
Address: 1395 W BLAINE ST
City,State,Zip: RIVERSIDE, CA 92507
File Number: Not reported
URL: Not reported
Region: STATE
Facility ID: 00000049229
Facility Type: Gas Station
Other Type: Not reported
Contact Name: ROBERT L. GRIM
Telephone: 7146829963
Owner Name: UNION OIL COMPANY OF CALIFORNI
Owner Address: 1450 FRAZEE ROAD
Owner City,St,Zip: SAN DIEGO, CA 92108
Total Tanks: 0001

Tank Num: 001
Container Num: 5856-00
Year Installed: 1967
Tank Capacity: 00000000
Tank Used for: WASTE
Type of Fuel: UNLEADED
Container Construction Thickness: 6
Leak Detection: Visual

V104 **UNION OIL SERVICE STATION #585** **HIST UST** **U001576554**
ENE **1395 W BLAINE ST** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507**
0.158 mi.
836 ft. **Site 10 of 18 in cluster V**

Relative: **Higher**

Actual: **968 ft.**

HIST UST:

Name:	UNION OIL SERVICE STATION #585
Address:	1395 W BLAINE ST
City,State,Zip:	RIVERSIDE, CA 92507
File Number:	Not reported
URL:	Not reported
Region:	STATE
Facility ID:	00000055210
Facility Type:	Gas Station
Other Type:	Not reported
Contact Name:	RONALD D HUGHES
Telephone:	7146829963
Owner Name:	UNION OIL COMPANY OF CALIFORNI
Owner Address:	123 CAMINO DELA REINA
Owner City,St,Zip:	SAN DIEGO, CA 92108
Total Tanks:	0003
Tank Num:	001
Container Num:	1
Year Installed:	1967
Tank Capacity:	00000280
Tank Used for:	WASTE
Type of Fuel:	WASTE OIL
Container Construction Thickness:	Not reported
Leak Detection:	None
Tank Num:	002
Container Num:	2
Year Installed:	1967
Tank Capacity:	00010000
Tank Used for:	PRODUCT
Type of Fuel:	PREMIUM
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor, 10
Tank Num:	003
Container Num:	3
Year Installed:	1967
Tank Capacity:	00010000
Tank Used for:	PRODUCT
Type of Fuel:	UNLEADED
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor, 10

V105 **UNION OIL SERVICE STATION 585** **HIST UST** **S113040587**
ENE **1395 BLAINE STREET** **HAZNET** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507** **HWTS**
0.158 mi.
836 ft. **Site 11 of 18 in cluster V**

Relative:
Higher

Actual:
968 ft.

HIST UST:

Name:	UNION OIL SERVICE STATION 585
Address:	1395 BLAINE STREET
City,State,Zip:	RIVERSIDE, CA 92507
File Number:	0001FA82
URL:	http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0001FA82.pdf
Region:	Not reported
Facility ID:	Not reported
Facility Type:	Not reported
Other Type:	Not reported
Contact Name:	Not reported
Telephone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Total Tanks:	Not reported
Tank Num:	Not reported
Container Num:	Not reported
Year Installed:	Not reported
Tank Capacity:	Not reported
Tank Used for:	Not reported
Type of Fuel:	Not reported
Container Construction Thickness:	Not reported
Leak Detection:	Not reported
Tank Num:	Not reported
Container Num:	Not reported
Year Installed:	Not reported
Tank Capacity:	Not reported
Tank Used for:	Not reported
Type of Fuel:	Not reported
Container Construction Thickness:	Not reported
Leak Detection:	Not reported

Click here for Geo Tracker PDF:

HAZNET:

Name:	UNOCAL SERVICE STATION #5856
Address:	1395 BLAINE ST
Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 925070000
Contact:	CHRISTOPHER Z HILL
Telephone:	7144286802
Mailing Name:	Not reported
Mailing Address:	PO BOX 25376
Year:	1997
Gepaid:	CAL000046592
TSD EPA ID:	CAD028409019
CA Waste Code:	134 - Aqueous solution with total organic residues less than 10 percent
Disposal Method:	T01 - Treatment, Tank

UNION OIL SERVICE STATION 585 (Continued) **S113040587**

Tons:	0.1008
Year:	1996
Gepaid:	CAL000046592
TSD EPA ID:	CAD028409019
CA Waste Code:	134 - Aqueous solution with total organic residues less than 10 percent
Disposal Method:	T01 - Treatment, Tank
Tons:	0.0882
Year:	1994
Gepaid:	CAL000046592
TSD EPA ID:	CAT080011059
CA Waste Code:	133 - Aqueous solution with total organic residues 10 percent or more
Disposal Method:	R01 - Recycler
Tons:	0.1668
Year:	1993
Gepaid:	CAL000046592
TSD EPA ID:	CAD099452708
CA Waste Code:	134 - Aqueous solution with total organic residues less than 10 percent
Disposal Method:	R01 - Recycler
Tons:	0.21

Additional Info:

Year:	1997
Gen EPA ID:	CAL000046592
Shipment Date:	19970425
Creation Date:	6/26/1997 0:00:00
Receipt Date:	19970425
Manifest ID:	96729649
Trans EPA ID:	CAD983641598
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD028409019
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	D001
Meth Code:	T01 - Treatment, Tank
Quantity Tons:	0.084
Waste Quantity:	20
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19970102
Creation Date:	5/21/1997 0:00:00
Receipt Date:	19970108

UNION OIL SERVICE STATION 585 (Continued) **S113040587**

Manifest ID:	96536367
Trans EPA ID:	CAD983641598
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD028409019
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	D001
Meth Code:	T01 - Treatment, Tank
Quantity Tons:	0.0168
Waste Quantity:	4
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	1996
Gen EPA ID:	CAL000046592
Shipment Date:	19960603
Creation Date:	5/20/1997 0:00:00
Receipt Date:	19960603
Manifest ID:	95792351
Trans EPA ID:	CAD983641598
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD028409019
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	D001
Meth Code:	T01 - Treatment, Tank
Quantity Tons:	0.0882
Waste Quantity:	21
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	1994
Gen EPA ID:	CAL000046592
Shipment Date:	19940216
Creation Date:	9/15/1995 0:00:00
Receipt Date:	19940217

UNION OIL SERVICE STATION 585 (Continued) **S113040587**

Manifest ID:	93113735
Trans EPA ID:	CAD983641598
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT080011059
Trans Name:	Not reported
TSDF Alt EPA ID:	CAT080011059
TSDF Alt Name:	Not reported
Waste Code Description:	133 - Aqueous solution with 10% or more total organic residues
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.1668
Waste Quantity:	40
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	1993
Gen EPA ID:	CAL000046592
Shipment Date:	19930330
Creation Date:	9/6/1995 0:00:00
Receipt Date:	19930331
Manifest ID:	92205480
Trans EPA ID:	CAD009661844
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD099452708
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	Not reported
Meth Code:	R01 - Recycler
Quantity Tons:	0.21
Waste Quantity:	50
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

HWTS:

Name:	UNOCAL SERVICE STATION #5856
Address:	1395 BLAINE ST
Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 92507
EPA ID:	CAL000046592
Inactive Date:	06/30/1997

UNION OIL SERVICE STATION 585 (Continued) **S113040587**

Create Date:	02/15/1991
Last Act Date:	Not reported
Mailing Name:	Not reported
Mailing Address:	PO BOX 25376
Mailing Address 2:	Not reported
Mailing City,State,Zip:	SANTA ANA, CA 927995376
Owner Name:	UNION OIL COMPANY OF CALIFORNI
Owner Address:	DBA UNOCAL
Owner Address 2:	Not reported
Owner City,State,Zip:	EL SEGUNDO, CA 902450000
Contact Name:	CHRISTOPHER Z HILL
Contact Address:	PO BOX 25376 CANX VQ97 CC
Contact Address 2:	Not reported
City,State,Zip:	SANTA ANA, CA 927995376
Facility Status:	Inactive
Facility Type:	PERMANENT
Category:	STATE
Latitude:	33.983051
Longitude:	-117.341891

NAICS:

EPA ID:	CAL000046592
Create Date:	2002-03-14 16:36:27.000
NAICS Code:	44719
NAICS Description:	Other Gasoline Stations
Issued EPA ID Date:	1991-02-15 00:00:00
Inactive Date:	1997-06-30 00:00:00
Facility Name:	UNOCAL SERVICE STATION #5856
Facility Address:	1395 BLAINE ST
Facility Address 2:	Not reported
Facility City:	RIVERSIDE
Facility County:	Not reported
Facility State:	CA
Facility Zip:	925070000

V106 **TOSCO CORPORATION SS# 31001** **UST** **U003942301**
ENE **1395 BLAINE ST** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507**
0.158 mi.
836 ft. **Site 12 of 18 in cluster V**

Relative:
Higher

Actual:
968 ft.

UST:

Name:	TOSCO CORPORATION SS# 31001
Address:	1395 BLAINE ST
City,State,Zip:	RIVERSIDE, CA 92507
Facility ID:	774
Permitting Agency:	RIVERSIDE COUNTY
CERSID:	Not reported
Latitude:	33.984685
Longitude:	-117.340537

V107
ENE
1/8-1/4
0.165 mi.
869 ft.

ARCO GAS & MINI MART
1360 W BLAINE ST
RIVERSIDE, CA 92507

Site 13 of 18 in cluster V

Database(s): UST
EDR ID Number: U004224324
EPA ID Number: N/A

Relative:
Higher

Actual:
967 ft.

RIVERSIDE CO. UST:
Name: ARCO GAS & MINI MART
Address: 1360 W BLAINE ST
City,State,Zip: RIVERSIDE, CA 92507
Region: RIVERSIDE
Total Tanks: 3

UST:
Name: ARCO GAS & MINI MART
Address: 1360 W BLAINE ST
City,State,Zip: RIVERSIDE, CA 92507
Facility ID: Not reported
Permitting Agency: Riverside County Department of Environme
CERSID: Not reported
Latitude: 33.98272
Longitude: -117.34154

Name: ARCO GAS & MINI MART
Address: 1360 W BLAINE ST
City,State,Zip: RIVERSIDE, CA 92507
Facility ID: FA0040301
Permitting Agency: Riverside County Department of Environmental Health
CERSID: 10508689
Latitude: 33.98272
Longitude: -117.34154

V108
ENE
1/8-1/4
0.165 mi.
869 ft.

ARCO GAS & MINI MART
1360 W BLAINE ST
RIVERSIDE, CA 92507

Site 14 of 18 in cluster V

Database(s): CERS HAZ WASTE, CERS TANKS, HAZNET, CERS
EDR ID Number: S118233553
EPA ID Number: N/A

Relative:
Higher

Actual:
967 ft.

CERS HAZ WASTE:
Name: ARCO GAS & MINI MART
Address: 1360 W BLAINE ST
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 93189
CERS ID: 10508689
CERS Description: Hazardous Waste Generator

CERS TANKS:
Name: ARCO GAS & MINI MART
Address: 1360 W BLAINE ST
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 93189
CERS ID: 10508689
CERS Description: Underground Storage Tank

HAZNET:
Name: ARCO GAS WITH MINI MART
Address: 1360 W BLAINE ST
Address 2: Not reported

ARCO GAS & MINI MART (Continued) **S118233553**

City,State,Zip:	RIVERSIDE, CA 92507
Contact:	DEEP SINGH
Telephone:	9097475180
Mailing Name:	Not reported
Mailing Address:	1360 W BLAINE ST
Year:	2014
Gepaid:	CAL000387538
TSD EPA ID:	CAT080013352
CA Waste Code:	134 - Aqueous solution with total organic residues less than 10 percent
Disposal Method:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Tons:	1.05

Additional Info:

Year:	2014
Gen EPA ID:	CAL000387538
Shipment Date:	20140304
Creation Date:	5/10/2014 22:15:07
Receipt Date:	20140307
Manifest ID:	005753652FLE
Trans EPA ID:	CAT080016116
Trans Name:	NIETO AND SONS TRUCKING INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT080013352
Trans Name:	DEMENNO KERDOON
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	D001
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	1.05
Waste Quantity:	250
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CERS:

Name:	ARCO GAS & MINI MART
Address:	1360 W BLAINE ST
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	93189
CERS ID:	10508689
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	93189
Site Name:	Arco Gas & Mini Mart
Violation Date:	06-03-2019

ARCO GAS & MINI MART (Continued) **S118233553**

Citation:	23 CCR 16 2665(b) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2665(b)
Violation Description:	"Failure to submit a copy of the overfill prevention equipment inspection results on the Overfill Prevention Equipment Inspection Report Form to the UPA within 30 days after the inspection. "
Violation Notes:	Returned to compliance on 08/29/2019.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	93189
Site Name:	Arco Gas & Mini Mart
Violation Date:	07-11-2013
Citation:	23 CCR 16 2637(e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2637(e)
Violation Description:	Failure to submit a copy of the secondary containment test results to the CUPA within 30 days after the test.
Violation Notes:	Returned to compliance on 09/12/2014.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	93189
Site Name:	Arco Gas & Mini Mart
Violation Date:	06-08-2020
Citation:	23 CCR 16 2716(e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2716(e)
Violation Description:	For designated operator (DO) monthly inspections conducted before October 1, 2018, failure to comply with one or more of the following requirements: Be performed by an ICC certified DO. Inspect monthly alarm history report, check that alarms are documented and responded to appropriately, and attach a copy. Inspect for the presence of liquid/debris in spill containers. Inspect for the presence of liquid/debris in under dispenser containment (UDC) and ensure that the monitoring equipment is positioned correctly. Inspect for liquid or debris in containment sumps where an alarm occurred with no service visit. Check that all testing and maintenance has been completed and documented. Verify that all facility employees have been trained in accordance with 23 CCR 2715(c). For designated operator (DO) 30 day inspections conducted on and after October 1, 2018, failure to conduct the designated UST operator visual inspection at least once every 30 days.
Violation Notes:	Returned to compliance on 11/05/2020. OBSERVATION: Observed that Designated Operator inspections are being improperly performed. 1. The owner operator did not sign or date the DO reports for (August, October, December, January, and February. 2. The owner operator did not complete, section V, Response / Follow up actions to compliance issues. 3. The DO did not record all alarms, clearly identifying issues nor there associated follow-up, most notably 11/17/19, Set up data warning, for all sensors. 9/24/19 and 9/26/19 and No Vacuum alarms for S18/87Vent and S19/VRecovery. CORRECTIVE ACTION: Owner/operator shall ensure that the Designated Operator is properly conducting inspections, noting observations, reviewing paperwork and alarm history reports, attaching required documentation and any other DO required functions. Owner operator shall also review and sign each monthly DO report.
Violation Division:	Riverside County Department of Env Health

ARCO GAS & MINI MART (Continued) **S118233553**

Violation Program: UST
Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 06-03-2019
Citation: 23 CCR 16 2641(h) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(h)
Violation Description: Failure to have an approved UST Monitoring Plan.
Violation Notes: Returned to compliance on 12/05/2019.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 07-15-2013
Citation: 22 CCR 12 66262.12 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.12
Violation Description: Failure to obtain and/or maintain an Active EPA ID.
Violation Notes: Returned to compliance on 07/23/2013.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 06-03-2019
Citation: HSC 6.5 25123.3(h)(1) - California Health and Safety Code, Chapter 6.5, Section(s) 25123.3(h)(1)
Violation Description: Failure to send hazardous waste offsite for treatment, storage, or disposal within 180 days (or 270 days if waste is transported over 200 miles) for a generator who generates less than 1000 kilogram per month if all of the following conditions are met: (1) The quantity of hazardous waste accumulated onsite never exceeds 6,000 kilograms. (2) The generator complies with the requirements of 40 Code of Federal Regulations section 262.34(d), (e) and (f). (3) The generator does not hold acutely hazardous waste or extremely hazardous waste in an amount greater than one kilogram for more than 90 days.
Violation Notes: Returned to compliance on 08/28/2019.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 06-03-2019
Citation: HSC 6.7 25284, 25286 - California Health and Safety Code, Chapter 6.7, Section(s) 25284, 25286
Violation Description: Failure to submit a complete and accurate application for a permit to operate a UST, or for renewal of the permit.
Violation Notes: Returned to compliance on 12/05/2019.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 93189

ARCO GAS & MINI MART (Continued) **S118233553**

Site Name:	Arco Gas & Mini Mart
Violation Date:	06-13-2016
Citation:	22 CCR 12 66262.12 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.12
Violation Description:	Failure to obtain an Identification Number prior to treating, storing, disposing of, transporting or offering for transportation any hazardous waste.
Violation Notes:	Returned to compliance on 06/22/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	93189
Site Name:	Arco Gas & Mini Mart
Violation Date:	06-13-2019
Citation:	HSC 6.7 25299(a)(9) - California Health and Safety Code, Chapter 6.7, Section(s) 25299(a)(9)
Violation Description:	Leak detection equipment disabled or tampered with in a manner that would prevent the monitoring system from detecting and/or alerting the owner/operator of a leak.
Violation Notes:	Returned to compliance on 06/13/2019.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	93189
Site Name:	Arco Gas & Mini Mart
Violation Date:	06-03-2019
Citation:	HSC 6.7 25299(a)(9) - California Health and Safety Code, Chapter 6.7, Section(s) 25299(a)(9)
Violation Description:	Leak detection equipment disabled or tampered with in a manner that would prevent the monitoring system from detecting and/or alerting the owner/operator of a leak.
Violation Notes:	Returned to compliance on 06/03/2019.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	93189
Site Name:	Arco Gas & Mini Mart
Violation Date:	06-08-2020
Citation:	23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description:	Failure to submit a current UST Response Plan available on site.
Violation Notes:	Returned to compliance on 06/15/2020. OBSERVATION: No UST Response Plan available on site during inspection. CORRECTIVE ACTION: Owner/operator shall maintain a current UST Response Plan on site that has been accepted in CERS and make available for review. Also prior to printing, make correction on CERS, change to CUPA phone number to 951-358-5055.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	93189
Site Name:	Arco Gas & Mini Mart
Violation Date:	07-18-2019

ARCO GAS & MINI MART (Continued) **S118233553**

Citation:	23 CCR 16 2638(d) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2638(d)
Violation Description:	Failure to submit the Monitoring System Certification Form to the UPA within 30 days of completion of the test.
Violation Notes:	Returned to compliance on 08/28/2019.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	93189
Site Name:	Arco Gas & Mini Mart
Violation Date:	07-18-2019
Citation:	23 CCR 16 2712 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712
Violation Description:	Failure to comply with any of the applicable requirements of the permit issued for the operation of the UST system.
Violation Notes:	Returned to compliance on 08/28/2019.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	93189
Site Name:	Arco Gas & Mini Mart
Violation Date:	08-04-2020
Citation:	23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description:	Failure to submit a current UST Response Plan available on site.
Violation Notes:	Returned to compliance on 11/05/2020. OBSERVATION: No UST Response Plan available on site during inspection. CORRECTIVE ACTION: Owner/operator shall maintain a current UST Response Plan on site that has been accepted in CERS and make available for review.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	93189
Site Name:	Arco Gas & Mini Mart
Violation Date:	06-25-2014
Citation:	HSC 6.7 Multiple Sections - California Health and Safety Code, Chapter 6.7, Section(s) Multiple Sections
Violation Description:	UST Program - Administration/Documentation - General
Violation Notes:	Returned to compliance on 09/12/2014. Re inspection done 7/29/14
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	93189
Site Name:	Arco Gas & Mini Mart
Violation Date:	06-03-2019
Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	Returned to compliance on 09/11/2019.

ARCO GAS & MINI MART (Continued) **S118233553**

Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 07-18-2019
Citation: 23 CCR 16 2712(b)(1)(G) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(1)(G)
Violation Description: Failure to comply with one or more of the following overfill prevention equipment requirements: Alert the transfer operator when the tank is 90 percent full by restricting the flow into the tank or triggering an audible and visual alarm; or Restrict delivery of flow to the tank at least 30 minutes before the tank overfills, provided the restriction occurs when the tank is filled to no more than 95 percent of capacity; and activate an audible alarm at least five minutes before the tank overfills; or Provide positive shut-off of flow to the tank when the tank is filled to no more than 95 percent of capacity; or Provide positive shut-off of flow to the tank so that none of the fittings located on the top of the tank are exposed to product due to overfilling. Install/retrofit overfill prevention equipment that does not use flow restrictors on vent piping to meet overfill prevention equipment requirements when the overfill prevention equipment is installed, repaired, or replaced on and after October 1, 2018. For USTs installed before October 1, 2018, perform an inspection by October 13, 2018 and every 36 months thereafter. For USTs installed on and after October 1, 2018, perform an inspection at installation and every 36 months thereafter. Inspected within 30 days after a repair to the overfill prevention equipment. Inspected using an applicable manufacturer guidelines, industry codes, engineering standards, or a method approved by a professional engineer. Inspected by a certified UST service technician. Maintain records of overfill prevention equipment inspection for 36 months.
Violation Notes: Returned to compliance on 08/29/2019.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 07-18-2019
Citation: 23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description: Failure to have current UST Monitoring Plan available on site.
Violation Notes: Returned to compliance on 12/05/2019.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 07-11-2013
Citation: HSC 6.7 Multiple Sections - California Health and Safety Code, Chapter 6.7, Section(s) Multiple Sections
Violation Description: UST Program - Operations/Maintenance - General
Violation Notes: Returned to compliance on 07/23/2013.
Violation Division: Riverside County Department of Env Health

ARCO GAS & MINI MART (Continued) **S118233553**

Violation Program: UST
Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 06-03-2019
Citation: 40 CFR 1 262.34(d)(5)(iii) - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 262.34(d)(5)(iii)
Violation Description: Failure to ensure that all employees are thoroughly familiar with proper waste handling and emergency procedures, relevant to their responsibilities during normal facility operations and emergencies.
Violation Notes: Returned to compliance on 11/05/2019.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 07-18-2019
Citation: HSC 6.5 25123.3(h)(1) - California Health and Safety Code, Chapter 6.5, Section(s) 25123.3(h)(1)
Violation Description: Failure to send hazardous waste offsite for treatment, storage, or disposal within 180 days (or 270 days if waste is transported over 200 miles) for a generator who generates less than 1000 kilogram per month if all of the following conditions are met: (1) The quantity of hazardous waste accumulated onsite never exceeds 6,000 kilograms. (2) The generator complies with the requirements of 40 Code of Federal Regulations section 262.34(d), (e) and (f). (3) The generator does not hold acutely hazardous waste or extremely hazardous waste in an amount greater than one kilogram for more than 90 days.
Violation Notes: Returned to compliance on 08/28/2019.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 06-03-2019
Citation: 23 CCR 16 2636(f)(1) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)(1)
Violation Description: Failure of the leak detection equipment to have an audible and visual alarm as required.
Violation Notes: Returned to compliance on 12/05/2019.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 06-13-2016
Citation: 23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description: Failure to have a UST Response Plan available on site.
Violation Notes: Returned to compliance on 07/15/2016.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

ARCO GAS & MINI MART (Continued) **S118233553**

Site ID:	93189
Site Name:	Arco Gas & Mini Mart
Violation Date:	07-18-2019
Citation:	23 CCR 16 2636(f)(1) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)(1)
Violation Description:	Failure of the leak detection equipment to have an audible and visual alarm as required.
Violation Notes:	Returned to compliance on 12/05/2019.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,

Site ID:	93189
Site Name:	Arco Gas & Mini Mart
Violation Date:	06-03-2019
Citation:	23 CCR 16 2638(d) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2638(d)
Violation Description:	Failure to submit the Monitoring System Certification Form to the UPA within 30 days of completion of the test.
Violation Notes:	Returned to compliance on 08/28/2019.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,

Site ID:	93189
Site Name:	Arco Gas & Mini Mart
Violation Date:	06-03-2019
Citation:	23 CCR 16 2715(a)(1)(B) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)(1)(B)
Violation Description:	Failure to submit the Designated Underground Storage Tank Operator Identification Form within 30 days of installing a UST system or within 30 days of a change in DO.
Violation Notes:	Returned to compliance on 12/05/2019.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,

Site ID:	93189
Site Name:	Arco Gas & Mini Mart
Violation Date:	01-31-2019
Citation:	23 CCR 16 2712(b)(1)(G) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(1)(G)
Violation Description:	Failure to comply with one or more of the following overfill prevention equipment requirements: Alert the transfer operator when the tank is 90 percent full by restricting the flow into the tank or triggering an audible and visual alarm; or Restrict delivery of flow to the tank at least 30 minutes before the tank overfills, provided the restriction occurs when the tank is filled to no more than 95 percent of capacity; and activate an audible alarm at least five minutes before the tank overfills; or Provide positive shut-off of flow to the tank when the tank is filled to no more than 95 percent of capacity; or Provide positive shut-off of flow to the tank so that none of the fittings located on the top of the tank are exposed to product due to overfilling. Install/retrofit overfill prevention equipment that does not use flow restrictors on vent piping to meet overfill prevention equipment requirements when the overfill prevention equipment is installed, repaired, or replaced on and after

ARCO GAS & MINI MART (Continued) **S118233553**

	October 1, 2018. For USTs installed before October 1, 2018, perform an inspection by October 13, 2018 and every 36 months thereafter. For USTs installed on and after October 1, 2018, perform an inspection at installation and every 36 months thereafter. Inspected within 30 days after a repair to the overfill prevention equipment. Inspected using an applicable manufacturer guidelines, industry codes, engineering standards, or a method approved by a professional engineer. Inspected by a certified UST service technician. Maintain records of overfill prevention equipment inspection for 36 months.
Violation Notes:	Returned to compliance on 08/29/2019. Overfill protection device testing required. As of Oct 13, 2018 the overfill test was due. This facility has ball floats and overfill probes that need to be tested using tank charts. All test reports including tank charts to be submitted and approved by this agency.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	93189
Site Name:	Arco Gas & Mini Mart
Violation Date:	07-18-2019
Citation:	HSC 6.7 25284, 25286 - California Health and Safety Code, Chapter 6.7, Section(s) 25284, 25286
Violation Description:	Failure to submit a complete and accurate application for a permit to operate a UST, or for renewal of the permit.
Violation Notes:	Returned to compliance on 12/05/2019.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	93189
Site Name:	Arco Gas & Mini Mart
Violation Date:	06-25-2014
Citation:	23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description:	Failure to submit, obtain approval, or maintain a complete/accurate response plan.
Violation Notes:	Returned to compliance on 09/12/2014. Re inspection done 7/29/14
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	93189
Site Name:	Arco Gas & Mini Mart
Violation Date:	07-18-2019
Citation:	HSC 6.7 25290.1(e)2 - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(e)2
Violation Description:	Failure to maintain the interstitial space such that a breach in the primary or secondary containment is detected before the liquid or vapor phase of the hazardous substance stored in the UST tank is released into the environment, i.e., vapor, pressure, hydrostatic (VPH) monitoring.
Violation Notes:	Returned to compliance on 11/05/2019.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,

ARCO GAS & MINI MART (Continued) **S118233553**

Site ID:	93189
Site Name:	Arco Gas & Mini Mart
Violation Date:	06-07-2021
Citation:	HSC 6.7 25294 - California Health and Safety Code, Chapter 6.7, Section(s) 25294
Violation Description:	Failure to record any unauthorized release from the primary containment.
Violation Notes:	Returned to compliance on 06/07/2021. OBSERVATION: Observed no fuel log on-site. CORRECTIVE ACTION: Owner/operator shall immediately maintain a spill log and record all fuel releases regardless of quantity. Spill log and education given. Violation corrected at the time of this inspection.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,

Site ID:	93189
Site Name:	Arco Gas & Mini Mart
Violation Date:	07-18-2019
Citation:	23 CCR 16 2665(b) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2665(b)
Violation Description:	"Failure to submit a copy of the overfill prevention equipment inspection results on the Overfill Prevention Equipment Inspection Report Form to the UPA within 30 days after the inspection. "
Violation Notes:	Returned to compliance on 08/29/2019.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,

Site ID:	93189
Site Name:	Arco Gas & Mini Mart
Violation Date:	06-08-2020
Citation:	23 CCR 16 2636(f)(1) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)(1)
Violation Description:	Failure of the leak detection equipment to have an audible and visual alarm as required.
Violation Notes:	Returned to compliance on 06/08/2020. OBSERVATION: Observed the 91 Fill 208 sensor fail to activate an audible and visual alarm when tested. CORRECTIVE ACTION: Technician repaired sensor at the time of the inspection.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,

Site ID:	93189
Site Name:	Arco Gas & Mini Mart
Violation Date:	06-08-2020
Citation:	HSC 6.7 25294 - California Health and Safety Code, Chapter 6.7, Section(s) 25294
Violation Description:	Failure to record any unauthorized release from the primary containment.
Violation Notes:	Returned to compliance on 06/08/2020. OBSERVATION: Observed no Spill Log at this facility. Any release from the primary containment that does not escape the secondary containment and was cleaned up within eight hours of being detected shall be recorded with the following information: 1. Operator s name and phone number 2. List of types, quantities, and concentrations of hazardous substances released 3.

ARCO GAS & MINI MART (Continued) **S118233553**

Description of actions taken to control and clean the release 4. Method and location of disposal of the released substances 5. Description of actions taken to repair and prevent future releases 6. Description of method used to reactivate interstitial monitoring after repair or replacement of primary containment. CORRECTIVE ACTION: Owner/operator was given a spill log at the time of this inspection. Record all releases and maintain log on-site.

Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 06-07-2021
Citation: HSC 6.7 25290.1(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(e)
Violation Description: Failure to maintain the interstitial space such that a breach in the primary or secondary containment is detected before the liquid or vapor phase of the hazardous substance stored in the UST tank is released into the environment, i.e., vapor, pressure, hydrostatic (VPH) monitoring.
Violation Notes: Returned to compliance on 06/07/2021. OBSERVATION: Observed the S21, 91 Vent, Smart Sensor failed to trigger an alarm when tested. Further investigation revealed that the sensor had been tampered with and ""X"" out of the monitoring panel so that the sensor would not trigger an alarm and alert the owner/operator in the event of a leak. The last time it alarmed per the alarm history was 5/26/21. The last DO inspection was performed 5/18/21. There were no entries in the alarm log since 4/6/21. The sensor was found to be faulty by the ICC technician. CORRECTIVE ACTION: Owner/operator shall cease and desist tampering with/disabling leak detection equipment and ensure monitoring system is maintained in a manner that will detect and alert the owner/operator of a leak. This is a Class 1 violation and further enforcement action will be taken. This sensor was replaced and re-programmed into the monitoring system at time of inspection, by the ICC technician.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 06-13-2022
Citation: HSC 6.7 25290.1(c)(3),25290.2(c)(3) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(c)(3),25290.2(c)(3)
Violation Description: Failure to keep water out of the secondary containment of UST systems installed on or after July 1, 2003.
Violation Notes: Returned to compliance on 06/13/2022. OBSERVATION: Observed liquid/water in the following locations: 87 STP sump, 91 STP sump, Diesel STP sump, Diesel fill sump, UDC 3/4, 7/8, and 17/18. CORRECTIVE ACTION: Owner/operator shall investigate the cause of the water intrusion into the abovementioned sumps and make the necessary repairs to eliminate the intrusion of water into the containment sump. UST systems built after 7/1/03 shall prevent water intrusion into the secondary containment system. A consultation with the Hazmat Branch area plan checker may be necessary prior to repairs or installation of equipment as plans may be required. Liquid/water was removed by the

ARCO GAS & MINI MART (Continued) **S118233553**

service technician at the time of inspection. Violation is corrected on site (COS).
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 07-18-2019
Citation: 40 CFR 1 262.34(d)(5)(iii) - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 262.34(d)(5)(iii)
Violation Description: Failure to ensure that all employees are thoroughly familiar with proper waste handling and emergency procedures, relevant to their responsibilities during normal facility operations and emergencies.
Violation Notes: Returned to compliance on 11/05/2019.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 07-18-2019
Citation: 23 CCR 16 2712(b)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(2)
Violation Description: Failure to maintain monitoring records for release detection and/or maintain records of appropriate follow-up actions.
Violation Notes: Returned to compliance on 11/05/2019.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 06-08-2020
Citation: 23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description: Failure to have current UST Monitoring Plan available on site.
Violation Notes: Returned to compliance on 11/05/2020. OBSERVATION: No UST Monitoring Plan available on site during inspection. CORRECTIVE ACTION: Owner/operator shall maintain a current UST Monitoring Plan on site that has been accepted in CERS and make available for review.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 07-18-2019
Citation: 23 CCR 16 2637.1(e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2637.1(e)
Violation Description: Failure to submit a copy of the spill containment test results on the Spill Container Testing Report Form to the UPA within 30 days after the test.
Violation Notes: Returned to compliance on 08/28/2019.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

ARCO GAS & MINI MART (Continued) **S118233553**

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 07-18-2019
Citation: 22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description: Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes: Returned to compliance on 09/11/2019.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 06-03-2019
Citation: 23 CCR 16 2712 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712
Violation Description: Failure to comply with any of the applicable requirements of the permit issued for the operation of the UST system.
Violation Notes: Returned to compliance on 08/28/2019.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 06-13-2016
Citation: 23 CCR 16 2632(d)(1)(C), 2641(h), 2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2632(d)(1)(C), 2641(h), 2711(a)(8)
Violation Description: Failure to submit or update a plot plan.
Violation Notes: Returned to compliance on 07/15/2016.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 06-07-2021
Citation: 22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description: Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes: Returned to compliance on 06/07/2021. OBSERVATION: Observed incomplete labels on the solid hazardous waste, 55 gallon drum]. Information missing is the accumulation start date of 8-1-19. CORRECTIVE ACTION: Owner/operator shall label hazardous waste containers with all the required information. Label shall include at least: the words ""hazardous waste"", generator name and address, accumulation start date, composition and physical state of waste, and hazardous property statement. Operator completed the label at the time of this

ARCO GAS & MINI MART (Continued) **S118233553**

inspection. This container is half full and shall be scheduled for a pick up within the next 90 days.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 06-07-2021
Citation: HSC 6.7 25292.1(a) - California Health and Safety Code, Chapter 6.7, Section(s) 25292.1(a)
Violation Description: Failure to operate the UST system to prevent unauthorized releases including leaks, spills, and/or overfills.
Violation Notes: Returned to compliance on 08/27/2021. OBSERVATION: Observed fuel leaking within the 3/4 UDC and collecting in the dispenser pan, there was approximately 1/2" of fuel in this UDC. The technician placed this UDC out of service. CORRECTIVE ACTION: Owner/operator shall immediately make the necessary repairs to the 3/4 UDC to eliminate the unauthorized discharge of fuel into the base of this UDC. Owner/operator shall clean and maintain the 3/4 UDC free of fuel and contaminated debris and record the unauthorized release on the spill log.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 06-03-2019
Citation: 23 CCR 16 2641(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(a)
Violation Description: Failure of leak detection equipment to be located such that equipment is capable of detecting a leak at the earliest possible opportunity.
Violation Notes: Returned to compliance on 06/03/2019.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 07-18-2019
Citation: 23 CCR 16 2641(h) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(h)
Violation Description: Failure to have an approved UST Monitoring Plan.
Violation Notes: Returned to compliance on 12/05/2019.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 08-04-2020
Citation: HSC 6.7 25290.1(e)2 - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(e)2
Violation Description: Failure to maintain the interstitial space such that a breach in the primary or secondary containment is detected before the liquid or vapor phase of the hazardous substance stored in the UST tank is

ARCO GAS & MINI MART (Continued) **S118233553**

	released into the environment, i.e., vapor, pressure, hydrostatic (VPH) monitoring.
Violation Notes:	Returned to compliance on 11/05/2020. OBSERVATIONS: Address violations delineated on the 6/8/20 Initial inspection report, regarding brine replacement. Monitoring Certification dated 6/8/20, identifies Smart Sensors S19, S20 and S22 failed. Immediately schedule their repair and recertification.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	93189
Site Name:	Arco Gas & Mini Mart
Violation Date:	06-03-2019
Citation:	23 CCR 16 2712(b)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(2)
Violation Description:	Failure to maintain monitoring records for release detection and/or maintain records of appropriate follow-up actions.
Violation Notes:	Returned to compliance on 11/05/2019.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	93189
Site Name:	Arco Gas & Mini Mart
Violation Date:	06-25-2014
Citation:	HSC 6.7 Multiple Sections - California Health and Safety Code, Chapter 6.7, Section(s) Multiple Sections
Violation Description:	UST Program - Operations/Maintenance - General
Violation Notes:	Returned to compliance on 09/12/2014. Re inspection done 7/29/14
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	93189
Site Name:	Arco Gas & Mini Mart
Violation Date:	07-18-2019
Citation:	23 CCR 16 2712(b) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)
Violation Description:	Failure to maintain records of repairs and upgrades on site, or off site if approved by the UPA, for the life of the UST.
Violation Notes:	Returned to compliance on 11/05/2019.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	93189
Site Name:	Arco Gas & Mini Mart
Violation Date:	03-29-2016
Citation:	HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description:	Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes:	Returned to compliance on 07/19/2016.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

ARCO GAS & MINI MART (Continued) **S118233553**

Site ID:	93189
Site Name:	Arco Gas & Mini Mart
Violation Date:	08-04-2020
Citation:	23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description:	Failure to have current UST Monitoring Plan available on site.
Violation Notes:	Returned to compliance on 11/05/2020. OBSERVATION: No UST Monitoring Plan available on site during inspection. CORRECTIVE ACTION: Owner/operator shall maintain a current UST Monitoring Plan on site that has been accepted in CERS and make available for review.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,

Site ID:	93189
Site Name:	Arco Gas & Mini Mart
Violation Date:	06-13-2022
Citation:	HSC 6.7 25290.1(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(e)
Violation Description:	Failure to maintain the interstitial space such that a breach in the primary or secondary containment is detected before the liquid or vapor phase of the hazardous substance stored in the UST tank is released into the environment, i.e., vapor, pressure, hydrostatic (VPH) monitoring.
Violation Notes:	Returned to compliance on 06/13/2022. OBSERVATION: Observed low liquid in UDC 19/20 reservoir and interstitial monitoring of the sump is not being properly maintained to detect a breach in the primary or secondary containment. CORRECTIVE ACTION: Owner/operator shall make the necessary repairs (adding brine solution) so that the interstitial monitoring of annular spaces is maintained such that a breach in the primary or secondary containment will be detected before the hazardous substance is released into the environment. Service technician added brine to the reservoir at the time of inspection. Violation is corrected on site (COS).
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,

Site ID:	93189
Site Name:	Arco Gas & Mini Mart
Violation Date:	08-04-2020
Citation:	23 CCR 16 2716(e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2716(e)
Violation Description:	For designated operator (DO) monthly inspections conducted before October 1, 2018, failure to comply with one or more of the following requirements: Be performed by an ICC certified DO. Inspect monthly alarm history report, check that alarms are documented and responded to appropriately, and attach a copy. Inspect for the presence of liquid/debris in spill containers. Inspect for the presence of liquid/debris in under dispenser containment (UDC) and ensure that the monitoring equipment is positioned correctly. Inspect for liquid or debris in containment sumps where an alarm occurred with no service visit. Check that all testing and maintenance has been completed and documented. Verify that all facility employees have been trained in accordance with 23 CCR 2715(c). For designated operator (DO) 30 day inspections conducted on and after October 1, 2018, failure to conduct the designated UST operator visual inspection at least once every 30

ARCO GAS & MINI MART (Continued) **S118233553**

days.
Violation Notes: Returned to compliance on 11/05/2020. OBSERVATION: The designated operator failed to document all alarms, and failed to check that they were responded to appropriately. During the monthly inspection, the designated operator shall review the alarm history for the previous month, check that each alarm was documented and responded to appropriately, and attach a copy of the alarm history with documentation taken in response to any alarms to the monthly report. CORRECTIVE ACTION: Owner/operator shall ensure that designated operators performing monthly inspections at this facility are including all of the required information on the reports. Follow up responses shall be properly documented on the DO monthly report.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 06-03-2019
Citation: HSC 6.7 25290.1(c)(3),25290.2(c)(3) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(c)(3),25290.2(c)(3)
Violation Description: Failure to keep water out of the secondary containment of UST systems installed on or after July 1, 2003.
Violation Notes: Returned to compliance on 06/03/2019.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 01-31-2019
Citation: HSC 6.7 25284, 25286 - California Health and Safety Code, Chapter 6.7, Section(s) 25284, 25286
Violation Description: Failure to submit a complete and accurate application for a permit to operate a UST, or for renewal of the permit.
Violation Notes: Returned to compliance on 02/07/2019. CERS submittal/update required for current system. Owner/operator to ensure all components of the UST CERS submittal is complete and accurate.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 01-31-2019
Citation: 23 CCR 16 2665(b) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2665(b)
Violation Description: "Failure to submit a copy of the overfill prevention equipment inspection results on the Overfill Prevention Equipment Inspection Report Form to the UPA within 30 days after the inspection. "
Violation Notes: Returned to compliance on 08/29/2019. Overfill protection device testing required. As of Oct 13, 2018 the overfill test was due. This facility has ball floats and overfill probes that need to be tested using tank charts. All test reports including tank charts to be submitted and approved by this agency.
Violation Division: Riverside County Department of Env Health
Violation Program: UST

ARCO GAS & MINI MART (Continued) **S118233553**

Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 06-25-2014
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes: Returned to compliance on 09/12/2014. Re inspection done 7/29/14
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 06-13-2022
Citation: 23 CCR 16 2636(f)(1) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)(1)
Violation Description: Failure of the leak detection equipment to have an audible and visual alarm as required.
Violation Notes: Returned to compliance on 06/13/2022. OBSERVATION: Observed the 87 STP reservoir sump sensor fail to activate an audible and visual alarm when tested. CORRECTIVE ACTION: Owner/operator shall repair/replace the inoperable 87 STP reservoir sump sensor and certify that sensor will activate an audible visual alarm when a leak is detected. Service technician replaced and retested the sensor at the time of inspection. Violation corrected on site (COS).
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 06-03-2019
Citation: 23 CCR 16 2637.1(e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2637.1(e)
Violation Description: Failure to submit a copy of the spill containment test results on the Spill Container Testing Report Form to the UPA within 30 days after the test.
Violation Notes: Returned to compliance on 08/28/2019.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 12-27-2018
Citation: HSC 6.95 25505(a)(4) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(a)(4)
Violation Description: Failure to provide initial and annual training to all employees in safety procedures in the event of a release or threatened release of a hazardous material or failure to document and maintain training records for a minimum of three years.
Violation Notes: Returned to compliance on 01/10/2019. No training records were available for review. Provide documentation on training being conducted for the past 1-3 years.

ARCO GAS & MINI MART (Continued) **S118233553**

Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	93189
Site Name:	Arco Gas & Mini Mart
Violation Date:	06-07-2021
Citation:	40 CFR 1 265.35 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.35
Violation Description:	Failure to maintain aisle space to allow the unobstructed movement of personnel, fire protection equipment, spill control equipment, and decontamination equipment to any area of facility operation in an emergency, unless aisle space is not needed for any of these purposes.
Violation Notes:	Returned to compliance on 06/07/2021. OBSERVATION: Observed 2 - 55 gallon hazardous waste drums behind two dumpsters and buried under trash and debris, which obscured them completely The drums did not have adequate aisle space, nor were they easily accessible. CORRECTIVE ACTION: Owner/operator shall maintain adequate aisle space in hazardous waste storage areas for personnel and fire protection equipment. Operator corrected this violation at the time of this inspection. Ensure this area is maintained properly.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	93189
Site Name:	Arco Gas & Mini Mart
Violation Date:	06-08-2020
Citation:	HSC 6.7 25290.1(e)2 - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(e)2
Violation Description:	Failure to maintain the interstitial space such that a breach in the primary or secondary containment is detected before the liquid or vapor phase of the hazardous substance stored in the UST tank is released into the environment, i.e., vapor, pressure, hydrostatic (VPH) monitoring.
Violation Notes:	Returned to compliance on 11/05/2020. OBSERVATION: Observed monitoring panel indicating low liquid alarms in November and December on the 87 STP brine and Fill brine, and for UDC's 5/6, 7/8 and 19/20. Also, observed minimal brine, barely covering the sensors in UDC's (1/2, 3/4, 9/10, 11/12, 13/14, 15/16 and 17/18) CORRECTIVE ACTION: Owner/operator shall immediately add brine to the UDC's, investigate cause of the brine loss in the UDC's and make the necessary repairs so that the interstitial monitoring of annular spaces is maintained such that a breach in the primary or secondary containment will be detected before the hazardous substance is released into the environment.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	93189
Site Name:	Arco Gas & Mini Mart
Violation Date:	06-08-2020
Citation:	23 CCR 16 2712 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712
Violation Description:	Failure to comply with any of the applicable requirements of the permit issued for the operation of the UST system.
Violation Notes:	Returned to compliance on 06/15/2020. OBSERVATION: Owner/operator

ARCO GAS & MINI MART (Continued) **S118233553**

failed to comply with all the required operating permit conditions. The owner/operator failed to have on site and available for review required Financial Responsibility, Chief Financial Officer letter, and Designated Operator Information. CORRECTIVE ACTION: Owner/operator shall maintain onsite all monitoring and maintenance records as required as part of the the operating permit condition. Copies of all missing documents were given to the Store Manager at the time of this inspection.

Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 07-15-2013
Citation: HSC 6.11 25404.1 - California Health and Safety Code, Chapter 6.11, Section(s) 25404.1
Violation Description: Failure to obtain and/or maintain an active hazardous waste generator permit.
Violation Notes: Returned to compliance on 07/23/2013.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 06-07-2021
Citation: HSC 6.7 25299(a)(9) - California Health and Safety Code, Chapter 6.7, Section(s) 25299(a)(9)
Violation Description: Leak detection equipment disabled or tampered with in a manner that would prevent the monitoring system from detecting and/or alerting the owner/operator of a leak.
Violation Notes: Returned to compliance on 06/07/2021. OBSERVATION: Observed the S21, 91 Vent, Smart Sensor failed to trigger an alarm when tested. Further investigation revealed that the sensor had been tampered with and ""X"" out of the monitoring panel so that the sensor would not trigger an alarm and alert the owner/operator in the event of a leak. The last time it alarmed per the alarm history was 5/26/21. The last DO inspection was performed 5/18/21. There were no entries in the alarm log since 4/6/21. The sensor was found to be faulty by the ICC technician. CORRECTIVE ACTION: Owner/operator shall cease and desist tampering with/disabling leak detection equipment and ensure monitoring system is maintained in a manner that will detect and alert the owner/operator of a leak. This is a Class 1 violation and further enforcement action will be taken. This sensor was replaced and re-programmed into the monitoring system at time of inspection, by the ICC technician.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 06-07-2016
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to annually review and electronically certify that the

ARCO GAS & MINI MART (Continued) **S118233553**

	business plan is complete and accurate on or before the annual due date.
Violation Notes:	Returned to compliance on 07/19/2016.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	93189
Site Name:	Arco Gas & Mini Mart
Violation Date:	06-03-2019
Citation:	23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description:	Failure to have current UST Monitoring Plan available on site.
Violation Notes:	Returned to compliance on 12/05/2019.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	93189
Site Name:	Arco Gas & Mini Mart
Violation Date:	03-18-2015
Citation:	19 CCR 4 2729.5 - California Code of Regulations, Title 19, Chapter 4, Section(s) 2729.5
Violation Description:	Failure to submit inventory reports (Activities, Owner/Operator, Hazardous Materials Descriptions and Map pages, if required. Documentation must be resubmitted (for facilities which exceed EPCRA thresholds) or re-certified (for facilities which do not exceed EPCRA thresholds) by March 1.
Violation Notes:	Returned to compliance on 03/27/2015.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	93189
Site Name:	Arco Gas & Mini Mart
Violation Date:	01-31-2019
Citation:	23 CCR 16 2641(h) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(h)
Violation Description:	Failure to have an approved UST Monitoring Plan.
Violation Notes:	Returned to compliance on 02/07/2019. CERS submittal/update required for current system. Owner/operator to ensure all components of the UST CERS submittal is complete and accurate.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	93189
Site Name:	Arco Gas & Mini Mart
Violation Date:	06-07-2021
Citation:	23 CCR 16 2636(f)(1) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)(1)
Violation Description:	Failure of the leak detection equipment to have an audible and visual alarm as required.
Violation Notes:	Returned to compliance on 06/07/2021. OBSERVATION: Observed the L2, 91 Fill, 208 sensor to fail to activate an audible and visual alarm when tested. CORRECTIVE ACTION: Owner/operator shall repair/replace inoperable 91 Fill, 208 sensor and certify that sensor will activate

ARCO GAS & MINI MART (Continued) **S118233553**

an audible visual alarm when a leak is detected. The technician replaced, retested and passed the 208 sensor at the time of this inspection.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 07-18-2019
Citation: 23 CCR 16 2715(a)(1)(B) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)(1)(B)
Violation Description: Failure to submit the Designated Underground Storage Tank Operator Identification Form within 30 days of installing a UST system or within 30 days of a change in DO.
Violation Notes: Returned to compliance on 12/05/2019.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 06-14-2017
Citation: 22 CCR 12 66262.12 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.12
Violation Description: Failure to obtain an Identification Number prior to treating, storing, disposing of, transporting or offering for transportation any hazardous waste.
Violation Notes: Returned to compliance on 09/12/2017.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Violation Date: 06-03-2019
Citation: 23 CCR 16 2712(b)(1)(G) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(1)(G)
Violation Description: Failure to comply with one or more of the following overfill prevention equipment requirements: Alert the transfer operator when the tank is 90 percent full by restricting the flow into the tank or triggering an audible and visual alarm; or Restrict delivery of flow to the tank at least 30 minutes before the tank overfills, provided the restriction occurs when the tank is filled to no more than 95 percent of capacity; and activate an audible alarm at least five minutes before the tank overfills; or Provide positive shut-off of flow to the tank when the tank is filled to no more than 95 percent of capacity; or Provide positive shut-off of flow to the tank so that none of the fittings located on the top of the tank are exposed to product due to overfilling. Install/retrofit overfill prevention equipment that does not use flow restrictors on vent piping to meet overfill prevention equipment requirements when the overfill prevention equipment is installed, repaired, or replaced on and after October 1, 2018. For USTs installed before October 1, 2018, perform an inspection by October 13, 2018 and every 36 months thereafter. For USTs installed on and after October 1, 2018, perform an inspection at installation and every 36 months thereafter. Inspected within 30 days

ARCO GAS & MINI MART (Continued) **S118233553**

after a repair to the overfill prevention equipment. Inspected using an applicable manufacturer guidelines, industry codes, engineering standards, or a method approved by a professional engineer. Inspected by a certified UST service technician. Maintain records of overfill prevention equipment inspection for 36 months.
Violation Notes: Returned to compliance on 08/29/2019.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-03-2019
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 06-04-2019
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-07-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: UST CMD/inspection
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-07-2021
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: This facility is a gas station with a convenience store that is a small quantity, hazardous waste generator of petroleum contaminated testing liquid, used fuel filters, hoses, and absorbent. H. Barrios performed a routine hazardous waste inspection.
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-08-2020
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Routine UST Monitoring Certification was performed by Petroleum Tank Testing, John Kneisel Annual UST Inspection performed by H. Barrios Notes: Liquid was found in UDC 7/8, also noted last year. Fluid was

ARCO GAS & MINI MART (Continued) **S118233553**

pumped by the technician at the time of this inspection. Observed a minor leak on the fuel filter. Observed 7 out of 10 UDC's in need of brine solution. Hazardous Waste label given. Maintain hazardous waste drums labeled and in an easily accessible location.
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-12-2017
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: UST annual CMD/inspection
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-13-2022
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Annual monitoring certification today. A&P Compliance on site for testing. ICC Certified Service Technician: Paulo Magana 8177912. NOTE: All reservoir sensors went into Set Up Data Warning alarm on 11/26/2021 due to loose grounding wire caused by A&P compliance. All alarms were responded to and the corresponding work order was left on site.
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 06-14-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Conclude inspection/review and sign report
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-15-2015
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 07-15-2013
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: HW generator follow up
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

ARCO GAS & MINI MART (Continued) **S118233553**

Eval General Type: Other/Unknown
Eval Date: 07-23-2013
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Haz waste generator follow up
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 11-05-2019
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 06-07-2016
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-07-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-13-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 07-18-2019
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 03-29-2016
Violations Found: Yes

ARCO GAS & MINI MART (Continued) **S118233553**

Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-07-2021
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Annual Monitoring Certification and 36 month Overfill Test was performed by Petroleum Tank Testing, Inc., John Kneisel, ICC #5252941, expires 1/23/22. Routine UST Inspection performed by Heidi Barrios, REHS
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-13-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: UST annual inspection/witness CMD
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 06-13-2019
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 06-14-2016
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Conclude UST inspection/Review and sign report
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-14-2017
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-15-2015
Violations Found: No

ARCO GAS & MINI MART (Continued) **S118233553**

Eval Type: Routine done by local agency
Eval Notes: UST annual inspection/witness CMD
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-25-2014
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: UST Monitoring Cert
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 07-18-2019
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 08-04-2020
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Reinspection conducted by Heidi Barrios, following the initial inspection dated 6/8/20. The following compliance issues remain and must be addressed and corrected by 8/17/20. Send compliance responses to Danielle DeSaussure at ddesauss@rivco.org.
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-31-2019
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: UST Inspection/CMD. Final inspection for UST upgrade.
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 02-07-2019
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: UST follow up -verified CERS submittal for new UST upgrade. Inspection items 1 and 5 mitigated. (Overfill protection device inspection items 20 and 36 still outstanding until overfill test report is submitted and approved by this agency)
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

ARCO GAS & MINI MART (Continued) **S118233553**

Eval General Type: Other/Unknown
Eval Date: 03-18-2015
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-03-2019
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 07-11-2013
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: UST follow up
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 07-23-2013
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: UST follow up/witness CMD testing
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 07-29-2014
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: UST follow up
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 11-05-2019
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 12-27-2018
Violations Found: Yes

ARCO GAS & MINI MART (Continued) **S118233553**

Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Enforcement Action:
Site ID: 93189
Site Name: Arco Gas & Mini Mart
Site Address: 1360 W BLAINE ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 03-18-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Fines/Penalties Assessed: $100.00. administrative citation.
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Site Address: 1360 W BLAINE ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 03-29-2016
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Fines/Penalties Assessed: $100.00. Administrative citation.
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Site Address: 1360 W BLAINE ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 06-07-2016
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Fines/Penalties Assessed: $200.00. Administrative Citation.
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Site Address: 1360 W BLAINE ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 06-25-2014
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside County Department of Env Health
Enf Action Program: UST

ARCO GAS & MINI MART (Continued) **S118233553**

Enf Action Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Site Address: 1360 W BLAINE ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 07-11-2013
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside County Department of Env Health
Enf Action Program: UST
Enf Action Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Site Address: 1360 W BLAINE ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 07-18-2019
Enf Action Type: AEO - Unified Program
Enf Action Description: Administrative Enforcement Order Based on the Unified Program Statute
Enf Action Notes: Fines/Penalties Assessed: $3,000.00.
Enf Action Division: Riverside County Department of Env Health
Enf Action Program: UST
Enf Action Source: CERS,

Site ID: 93189
Site Name: Arco Gas & Mini Mart
Site Address: 1360 W BLAINE ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 07-19-2021
Enf Action Type: AEO - Unified Program
Enf Action Description: Administrative Enforcement Order Based on the Unified Program Statute
Enf Action Notes: Fines/Penalties Assessed: $2,000.00.
Enf Action Division: Riverside County Department of Env Health
Enf Action Program: UST
Enf Action Source: CERS,

Coordinates:
Site ID: 93189
Facility Name: Arco Gas & Mini Mart
Env Int Type Code: HWG
Program ID: 10508689
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.,
Latitude: 33.982720
Longitude: -117.341540

Affiliation:
Affiliation Type Desc: CUPA District
Entity Name: Riverside Cnty Env Health
Entity Title: Not reported
Affiliation Address: 4065 County Circle Drive, Room 104

ARCO GAS & MINI MART (Continued) **S118233553**

Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92503
Affiliation Phone:	(951) 358-5055,
Affiliation Type Desc:	Document Preparer
Entity Name:	Deep Singh
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,
Affiliation Type Desc:	Environmental Contact
Entity Name:	State UST Fund Advisory & Services, Inc.
Entity Title:	Not reported
Affiliation Address:	22930 CALASBASH STREET
Affiliation City:	WOODLAND HILLS
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	91364
Affiliation Phone:	,
Affiliation Type Desc:	Parent Corporation
Entity Name:	Arco Gas & Mini Mart
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,
Affiliation Type Desc:	Property Owner
Entity Name:	SURINDER PAL SINGH
Entity Title:	Not reported
Affiliation Address:	1360 BLAINE STREET
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92570
Affiliation Phone:	(909) 747-5180,
Affiliation Type Desc:	Legal Owner
Entity Name:	SURINDER PAL SINGH
Entity Title:	Not reported
Affiliation Address:	1360 BLAINE STREET
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92570
Affiliation Phone:	(909) 747-5180,
Affiliation Type Desc:	UST Permit Applicant

ARCO GAS & MINI MART (Continued) **S118233553**

Entity Name:	Deep Singh
Entity Title:	Manager
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(909) 987-0808,
Affiliation Type Desc:	UST Property Owner Name
Entity Name:	Arco Gas & Mini Mart
Entity Title:	Not reported
Affiliation Address:	1360 BLAINE STREET
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92507
Affiliation Phone:	(909) 747-5180,
Affiliation Type Desc:	UST Tank Owner
Entity Name:	GURKIRPA PROPERTIES, INC. (dba: ARCO GAS & MINI MART)
Entity Title:	Not reported
Affiliation Address:	1360 BLAINE STREET
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92507
Affiliation Phone:	(909) 747-5180,
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	1360 BLAINE STREET
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92507
Affiliation Phone:	,
Affiliation Type Desc:	Identification Signer
Entity Name:	Deep Singh
Entity Title:	Manager
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,
Affiliation Type Desc:	Operator
Entity Name:	Deep Singh
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported

ARCO GAS & MINI MART (Continued) **S118233553**

Affiliation Phone:	(909) 747-5180,
Affiliation Type Desc:	UST Tank Operator
Entity Name:	Arco Gas & Mini Mart
Entity Title:	Not reported
Affiliation Address:	1360 BLAINE STREET
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92507
Affiliation Phone:	(909) 747-5180,

V109 **MANDEEP SINGH** **RCRA NonGen / NLR** **1025845735**
ENE **1360 W BLAINE ST** **CAC003025358**
1/8-1/4 **RIVERSIDE, CA 92507**
0.165 mi.
869 ft. **Site 15 of 18 in cluster V**

Relative: **Higher**

Actual: **967 ft.**

RCRA Listings:

Date Form Received by Agency:		20190723
Handler Name:	MANDEEP SINGH	
Handler Address:		1360 W BLAINE ST
Handler City,State,Zip:		RIVERSIDE, CA 92507
EPA ID:		CAC003025358
Contact Name:		MANDEEP SINGH
Contact Address:		1360 W BLAINE ST
Contact City,State,Zip:		RIVERSIDE, CA 92507
Contact Telephone:		951-683-8924
Contact Fax:		Not reported
Contact Email:		MSINGH10_02@YAHOO.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		1360 W BLAINE ST
Mailing City,State,Zip:		RIVERSIDE, CA 92507
Owner Name:	SURINDER SINGH	
Owner Type:		Other
Operator Name:	MANDEEP SINGH	
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		Yes

MANDEEP SINGH (Continued) **1025845735**

Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20190729
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: SURINDER SINGH	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	1360 W BLAINE ST
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507
Owner/Operator Telephone:	951-683-8924
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported

MANDEEP SINGH (Continued) **1025845735**

Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: MANDEEP SINGH
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 1360 W BLAINE ST
Owner/Operator City,State,Zip: RIVERSIDE, CA 92507
Owner/Operator Telephone: 951-683-8924
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20190723
Handler Name: MANDEEP SINGH
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 238910
NAICS Description: SITE PREPARATION CONTRACTORS

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

V110 **RIVERSIDE ULTRAMAR** **UST** **U002095553**
ENE **1360 W. BLAINE ST.** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507**
0.165 mi.
869 ft. **Site 16 of 18 in cluster V**

Relative:
Higher

Actual:
967 ft.

UST:
Name: RIVERSIDE ULTRAMAR
Address: 1360 W. BLAINE ST.
City,State,Zip: RIVERSIDE, CA 92507
Facility ID: 80509
Permitting Agency: RIVERSIDE COUNTY
CERSID: Not reported
Latitude: 33.9840106
Longitude: -117.3401488

V111 **MOBIL #18-D9M** **LUST** **S101589902**
ENE **1360 BLAINE ST** **SWEEPS UST** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507** **CA FID UST**
0.165 mi. **Cortese**
869 ft. **Site 17 of 18 in cluster V** **HIST CORTESE**
CERS

Relative: Higher

Actual: 967 ft.

LUST:

Name:	MOBIL #18-D9M
Address:	1360 BLAINE ST
City,State,Zip:	RIVERSIDE, CA 92507
Lead Agency:	RIVERSIDE COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0606500520
Global Id:	T0606500520
Latitude:	33.9825844606371
Longitude:	-117.34158039093
Status:	Completed - Case Closed
Status Date:	03/18/2010
Case Worker:	YR
RB Case Number:	083303149T
Local Agency:	RIVERSIDE COUNTY LOP
File Location:	Local Agency Warehouse
Local Case Number:	980038
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Gasoline
Site History:	December 1997: A subsurface investigation was conducted by Mobil for property transfer purposes. Eleven soil borings (B1 through B11) were drilled to depths of 15 to 41 ft bgs. MTBE was detected in several borings with maximum concentrations of 28 ppm in B2-15. The site was placed into the Local Oversight Program. Assessment: Between December 1997 and October 2008, 30 borings were advanced to assess the lateral and vertical extent of petroleum hydrocarbons in soils beneath the site. Soils containing petroleum hydrocarbons and oxygenates were predominantly located in the vicinity of the gasoline USTs and eastern dispensers at depths between 10 ft and 35 ft bgs. Concentrations of TPHg were reported above laboratory detection limits in seven borings and ranged from 0.58 ppm to 7.51 ppm. Benzene was reported in three samples at concentrations ranging from 0.23J ppb to 25 ppb. Toluene was reported in three borings at concentrations ranging from 12 ppb to 17 ppb. Ethylbenzene was reported in two of the borings at concentrations ranging from 6 ppb to 38 ppb. Total xylenes were reported in three samples at concentrations ranging from 16 ppb to 190 ppb. Concentrations of MTBE were detected in 14 borings and ranged from 2 ppb to 28,000 ppb. Concentrations of TBA were reported in six borings ranging from 46 ppb to 540 ppb. Remediation/Verification: Soil remediation has been conducted at the site over a series of seven SVE events from 1999 through 2008 using a combination of the following SVE wells: TPB-1, VEW-1, VEW-2, VEW-3, VEW-4, VEW-5. The seven SVE events operated for a combined total of approx 10,751 hours and approx 1,456 lbs TPHg and 137.3 lbs of MTBE were extracted and treated. Confirmation: March through May 2008: SVE rebound test performed utilizing all 5 SVE wells. The SVE system operated for approx 955 hours and removed approx 3.13 lbs of VOChex and <1 lb of MTBE. October 2008: Seven confirmation borings drilled and sampled (CB8 through CB14) to assess the effectiveness of remediation conducted at the site. Each boring was advanced to approx 50 ft bgs. Maximum soil concentrations were: ND TPHg, 0.40J B (CB10-10), ND T, E, X, MTBE, DIPE, ETBE, TBA.

MOBIL #18-D9M (Continued) **S101589902**

Several J values of VOCs detected. No Further Action letter issued March 2010

LUST:
Global Id: T0606500520
Contact Type: Local Agency Caseworker
Contact Name: YVONNE REYES
Organization Name: RIVERSIDE COUNTY LOP
Address: 3880 LEMON ST SUITE 200
City: RIVERSIDE
Email: ayreyes@rivco.org
Phone Number: 9519558982

LUST:
Global Id: T0606500520
Action Type: ENFORCEMENT
Date: 03/18/2010
Action: Closure/No Further Action Letter - #RCDEH Closure

Global Id: T0606500520
Action Type: ENFORCEMENT
Date: 08/25/2014
Action: Other Report - #RCDEH UST Removal review docs

Global Id: T0606500520
Action Type: Other
Date: 02/17/1998
Action: Leak Reported

Global Id: T0606500520
Action Type: REMEDIATION
Date: 11/18/1999
Action: Soil Vapor Extraction (SVE)

Global Id: T0606500520
Action Type: ENFORCEMENT
Date: 03/03/2008
Action: Technical Correspondence / Assistance / Other - #RCDEH 030308

Global Id: T0606500520
Action Type: RESPONSE
Date: 04/15/2009
Action: Monitoring Report - Quarterly

Global Id: T0606500520
Action Type: RESPONSE
Date: 04/15/2008
Action: Monitoring Report - Quarterly

Global Id: T0606500520
Action Type: RESPONSE
Date: 01/15/2008
Action: Monitoring Report - Quarterly

Global Id: T0606500520
Action Type: ENFORCEMENT
Date: 03/08/2006

MOBIL #18-D9M (Continued) **S101589902**

Action:	Technical Correspondence / Assistance / Other - #RCDEH 030806
Global Id:	T0606500520
Action Type:	ENFORCEMENT
Date:	11/19/2007
Action:	File review
Global Id:	T0606500520
Action Type:	ENFORCEMENT
Date:	04/07/2009
Action:	Staff Letter - #RCDEH040709
Global Id:	T0606500520
Action Type:	ENFORCEMENT
Date:	10/17/2010
Action:	Other Report - #UST Sample Analytical Report
Global Id:	T0606500520
Action Type:	Other
Date:	01/14/1998
Action:	Leak Stopped
Global Id:	T0606500520
Action Type:	RESPONSE
Date:	10/15/2007
Action:	Monitoring Report - Quarterly
Global Id:	T0606500520
Action Type:	ENFORCEMENT
Date:	08/29/2008
Action:	Staff Letter - #RCDEH082908
Global Id:	T0606500520
Action Type:	ENFORCEMENT
Date:	03/18/2005
Action:	File review
Global Id:	T0606500520
Action Type:	RESPONSE
Date:	10/01/2008
Action:	Monitoring Report - Quarterly
Global Id:	T0606500520
Action Type:	RESPONSE
Date:	07/27/2009
Action:	Well Destruction Report
Global Id:	T0606500520
Action Type:	RESPONSE
Date:	12/22/2008
Action:	Other Report / Document
Global Id:	T0606500520
Action Type:	RESPONSE
Date:	07/28/2008
Action:	Other Report / Document

MOBIL #18-D9M (Continued) **S101589902**

Global Id: T0606500520
Action Type: Other
Date: 01/14/1998
Action: Leak Discovery

Global Id: T0606500520
Action Type: RESPONSE
Date: 11/04/2008
Action: Other Report / Document

Global Id: T0606500520
Action Type: RESPONSE
Date: 10/15/2007
Action: Remedial Progress Report

LUST:
Global Id: T0606500520
Status: Open - Case Begin Date
Status Date: 01/14/1998

Global Id: T0606500520
Status: Open - Site Assessment
Status Date: 01/14/1998

Global Id: T0606500520
Status: Open - Site Assessment
Status Date: 04/06/1998

Global Id: T0606500520
Status: Open - Remediation
Status Date: 01/01/2002

Global Id: T0606500520
Status: Open - Remediation
Status Date: 06/09/2006

Global Id: T0606500520
Status: Completed - Case Closed
Status Date: 03/18/2010

LUST REG 8:
Name: MOBIL #18-D9M
Address: 1360 BLAINE ST
City: RIVERSIDE
Region: 8
County: Riverside
Regional Board: Santa Ana Region
Facility Status: Preliminary site assessment workplan submitted
Case Number: 083303149T
Local Case Num: 980038
Case Type: Soil only
Substance: Gasoline
Qty Leaked: Not reported
Abate Method: Not reported
Cross Street: 60 FWY

MOBIL #18-D9M (Continued) **S101589902**

Enf Type:	Not reported
Funding:	Not reported
How Discovered:	OM
How Stopped:	Not reported
Leak Cause:	UNK
Leak Source:	UNK
Global ID:	T0606500520
How Stopped Date:	1/14/1998
Enter Date:	4/1/1998
Date Confirmation of Leak Began:	1/14/1998
Date Preliminary Assessment Began:	Not reported
Discover Date:	1/14/1998
Enforcement Date:	Not reported
Close Date:	Not reported
Date Prelim Assessment Workplan Submitted:	4/6/1998
Date Pollution Characterization Began:	Not reported
Date Remediation Plan Submitted:	Not reported
Date Remedial Action Underway:	Not reported
Date Post Remedial Action Monitoring:	Not reported
Enter Date:	4/1/1998
GW Qualifies:	Not reported
Soil Qualifies:	=
Operator:	Not reported
Facility Contact:	Not reported
Interim:	Not reported
Oversite Program:	LUST
Latitude:	33.9831244
Longitude:	-117.3406271
MTBE Date:	Not reported
Max MTBE GW:	Not reported
MTBE Concentration:	1
Max MTBE Soil:	28
MTBE Fuel:	1
MTBE Tested:	MTBE Detected. Site tested for MTBE & MTBE detected
MTBE Class:	*
Staff:	RS
Staff Initials:	UNK
Lead Agency:	Local Agency
Local Agency:	33000L
Hydr Basin #:	UPPER SANTA ANA VALL
Beneficial:	Not reported
Priority:	Not reported
Cleanup Fund Id:	Not reported
Work Suspended:	Not reported

Summary: PRIMARILY MTBE DETECTED IN SOIL. 11 SOIL BORINGS DRILLED 12/97. MAX MTBE IN SOIL 28 PPM AT 15 FT.

RIVERSIDE CO. LUST:

Name:	MOBIL #18-D9M
Address:	1360 BLAINE ST
City,State,Zip:	RIVERSIDE, CA
Region:	RIVERSIDE
Facility ID:	980038
Employee:	Reyes
Site Closed:	Yes
Case Type:	Soil only
Facility Status:	closed/action completed

MOBIL #18-D9M (Continued) **S101589902**

Casetype Decode: Soil only is impacted
Fstatus Decode: Closed/Action completed

SWEEPS UST:
Name: MOBIL #18-D9M
Address: 1360 BLAINE ST
City: RIVERSIDE
Status: Active
Comp Number: 39272
Number: 1
Board Of Equalization: 44-000400
Referral Date: 11-17-92
Action Date: 11-17-92
Created Date: 02-29-88
Owner Tank Id: 000721
SWRCB Tank Id: 33-000-039272-000001
Tank Status: A
Capacity: 10000
Active Date: 11-17-92
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: 4

Name: MOBIL #18-D9M
Address: 1360 BLAINE ST
City: RIVERSIDE
Status: Active
Comp Number: 39272
Number: 1
Board Of Equalization: 44-000400
Referral Date: 11-17-92
Action Date: 11-17-92
Created Date: 02-29-88
Owner Tank Id: 000721
SWRCB Tank Id: 33-000-039272-000002
Tank Status: A
Capacity: 8000
Active Date: 11-17-92
Tank Use: M.V. FUEL
STG: P
Content: LEADED
Number Of Tanks: Not reported

Name: MOBIL #18-D9M
Address: 1360 BLAINE ST
City: RIVERSIDE
Status: Active
Comp Number: 39272
Number: 1
Board Of Equalization: 44-000400
Referral Date: 11-17-92
Action Date: 11-17-92
Created Date: 02-29-88
Owner Tank Id: 000721
SWRCB Tank Id: 33-000-039272-000003
Tank Status: A

MOBIL #18-D9M (Continued) **S101589902**

Capacity: 6000
Active Date: 11-17-92
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: Not reported

Name: MOBIL #18-D9M
Address: 1360 BLAINE ST
City: RIVERSIDE
Status: Active
Comp Number: 39272
Number: 1
Board Of Equalization: 44-000400
Referral Date: 11-17-92
Action Date: 11-17-92
Created Date: 02-29-88
Owner Tank Id: 000721
SWRCB Tank Id: 33-000-039272-000004
Tank Status: A
Capacity: 550
Active Date: 11-17-92
Tank Use: OIL
STG: W
Content: WASTE OIL
Number Of Tanks: Not reported

CA FID UST:
Facility ID: 33000651
Regulated By: UTNKA
Regulated ID: 00039272
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 7146838924
Mail To: Not reported
Mailing Address: 3225 GALLOWS RD
Mailing Address 2: Not reported
Mailing City,St,Zip: RIVERSIDE 92507
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

CORTESE:
Name: MOBIL #18-D9M
Address: 1360 BLAINE ST
City,State,Zip: RIVERSIDE, CA 92507
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0606500520
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: COMPLETED - CASE CLOSED
Status Date: Not reported

MOBIL #18-D9M (Continued) **S101589902**

Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

HIST CORTESE:

edr_fname:	MOBIL #18-D9M
edr_fadd1:	1360
City,State,Zip:	RIVERSIDE, CA 92507
Region:	CORTESE
Facility County Code:	33
Reg By:	LTNKA
Reg Id:	083303149T

CERS:

Name:	MOBIL #18-D9M
Address:	1360 BLAINE ST
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	236968
CERS ID:	T0606500520
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	YVONNE REYES - RIVERSIDE COUNTY LOP
Entity Title:	Not reported
Affiliation Address:	3880 LEMON ST SUITE 200
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	9519558982,

V112 **GURKIRPA PROPERTIES INC DBA ARCO GAS & MINI MART** **RCRA NonGen / NLR** **1025868869**
ENE **1360 W BLAINE ST** **CAL000387538**
1/8-1/4 **RIVERSIDE, CA 92507**
0.165 mi.
869 ft. **Site 18 of 18 in cluster V**

Relative: **Higher**

Actual: **967 ft.**

RCRA Listings:

Date Form Received by Agency:	20191127
Handler Name:	GURKIRPA PROPERTIES INC DBA ARCO GAS & MINI MART
Handler Address:	1360 W BLAINE ST
Handler City,State,Zip:	RIVERSIDE, CA 92507
EPA ID:	CAL000387538

GURKIRPA PROPERTIES INC DBA ARCO GAS & MINI MART (Continued) **1025868869**

Contact Name:	DEEP SINGH
Contact Address:	W BLAINE ST
Contact City,State,Zip:	RIVERSIDE, CA 92507
Contact Telephone:	909-747-5180
Contact Fax:	Not reported
Contact Email:	DEEPSINGH909@YAHOO.COM
Contact Title:	Not reported
EPA Region:	09
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	CA
State District:	CA
Mailing Address:	W BLAINE ST
Mailing City,State,Zip:	RIVERSIDE, CA 92507
Owner Name:	GURKIRPA PROPERTIES INC
Owner Type:	Private
Operator Name:	GURKIRPA PROPERTIES INC
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No

GURKIRPA PROPERTIES INC DBA ARCO GAS & MINI MART (Continued) **1025868869**

Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20191211
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: GURKIRPA PROPERTIES INC	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	1360 W BLAINE ST
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507
Owner/Operator Telephone:	957-683-8924
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: GURKIRPA PROPERTIES INC	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	1360 W BLAINE ST
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507
Owner/Operator Telephone:	957-683-8924
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20191127
Handler Name:	GURKIRPA PROPERTIES INC DBA ARCO GAS & MINI MART
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	CA
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No

GURKIRPA PROPERTIES INC DBA ARCO GAS & MINI MART (Continued) **1025868869**

Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

List of NAICS Codes and Descriptions:
NAICS Code: 447190
NAICS Description: OTHER GASOLINE STATIONS

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

T113 **MCSPI** **CPS-SLIC** **S102793944**
NW **3035 CHICAGO AVE** **CERS** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507**
0.168 mi.
887 ft. **Site 5 of 6 in cluster T**

Relative:
Lower

Actual:
924 ft.

CPS-SLIC:
Name: MCSPI
Address: 3035 CHICAGO AVE
City,State,Zip: RIVERSIDE, CA 92507
Region: STATE
Facility Status: **Completed - Case Closed**
Status Date: 07/10/2006
Global Id: T0606567788
Lead Agency: RIVERSIDE COUNTY
Lead Agency Case Number: 22242
Latitude: 33.985544
Longitude: -117.348905
Case Type: Cleanup Program Site
Case Worker: Not reported
Local Agency: RIVERSIDE COUNTY LOP
RB Case Number: Not reported
File Location: Not reported
Potential Media Affected: Soil
Potential Contaminants of Concern: Waste Oil / Motor / Hydraulic / Lubricating
Site History: Not reported

Click here to access the California GeoTracker records for this facility:

CERS:
Name: MCSPI
Address: 3035 CHICAGO AVE
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 208051
CERS ID: T0606567788
CERS Description: Cleanup Program Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: SHARON BOLTINGHOUSE - RIVERSIDE COUNTY LOP

MCSPI (Continued) **S102793944**

Entity Title:	Not reported
Affiliation Address:	3880 LEMON ST SUITE 200
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	9519558980,

T114 **MC SPI INC** **SWEEPS UST** **S101631143**
NW **3035 CHICAGO AVE** **CA FID UST** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507**
0.168 mi.
887 ft. **Site 6 of 6 in cluster T**

Relative:
Lower

Actual:
924 ft.

SWEEPS UST:

Name:	MC SPI INC
Address:	3035 CHICAGO AVE
City:	RIVERSIDE
Status:	Active
Comp Number:	35691
Number:	1
Board Of Equalization:	44-018197
Referral Date:	11-17-92
Action Date:	11-17-92
Created Date:	08-29-89
Owner Tank Id:	001669
SWRCB Tank Id:	33-000-035691-000001
Tank Status:	A
Capacity:	1000
Active Date:	11-17-92
Tank Use:	M.V. FUEL
STG:	P
Content:	LEADED
Number Of Tanks:	2

Name:	MC SPI INC
Address:	3035 CHICAGO AVE
City:	RIVERSIDE
Status:	Active
Comp Number:	35691
Number:	1
Board Of Equalization:	44-018197
Referral Date:	11-17-92
Action Date:	11-17-92
Created Date:	08-29-89
Owner Tank Id:	001669
SWRCB Tank Id:	33-000-035691-000002
Tank Status:	A
Capacity:	5000
Active Date:	11-17-92
Tank Use:	M.V. FUEL
STG:	P
Content:	REG UNLEADED
Number Of Tanks:	Not reported

CA FID UST:

MC SPI INC (Continued) **S101631143**

Facility ID:	33001736
Regulated By:	UTNKA
Regulated ID:	Not reported
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	7147842336
Mail To:	Not reported
Mailing Address:	3035 CHICAGO AVE
Mailing Address 2:	Not reported
Mailing City,St,Zip:	RIVERSIDE 92507
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

W115 **RIVERSIDE TRANSIT AGENCY** **LUST** **U002095645**
WNW **1825 THIRD ST** **SWEEPS UST** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507** **CA FID UST**
0.171 mi. **Cortese**
903 ft. **Site 1 of 2 in cluster W** **HIST CORTESE**
CERS

Relative:
Lower

Actual:
931 ft.

RIVERSIDE CO. LUST:

Name:	RIVERSIDE TRANSIT AGENCY
Address:	1825 THIRD ST
City,State,Zip:	RIVERSIDE, CA
Region:	RIVERSIDE
Facility ID:	95162
Employee:	Boltinghous-LOP
Site Closed:	Yes
Case Type:	Soil only
Facility Status:	closed/action completed
Casetype Decode:	Soil only is impacted
Fstatus Decode:	Closed/Action completed

Name:	RIVERSIDE TRANSIT AGENCY
Address:	1825 THIRD ST
City,State,Zip:	RIVERSIDE, CA
Region:	RIVERSIDE
Facility ID:	970695
Employee:	Boltinghous-LOP
Site Closed:	Yes
Case Type:	Soil only
Facility Status:	closed/action completed
Casetype Decode:	Soil only is impacted
Fstatus Decode:	Closed/Action completed

Name:	RIVERSIDE TRANSIT AGENCY
Address:	1825 THIRD ST
City,State,Zip:	RIVERSIDE, CA
Region:	RIVERSIDE
Facility ID:	9914861
Employee:	Boltinghous-LOP
Site Closed:	Yes
Case Type:	Soil only

RIVERSIDE TRANSIT AGENCY (Continued) **U002095645**

Facility Status: closed/action completed
Casetype Decode: Soil only is impacted
Fstatus Decode: Closed/Action completed

Name: RIVERSIDE TRANSIT AGENCY
Address: 1825 THIRD ST
City,State,Zip: RIVERSIDE, CA
Region: RIVERSIDE
Facility ID: 200522143
Employee: Boltinghous-LOP
Site Closed: Yes
Case Type: Soil only
Facility Status: closed/action completed
Casetype Decode: Soil only is impacted
Fstatus Decode: Closed/Action completed

VENTURA CO. LUST:
Name: BMB LEASING COMPANY
Address: 1497 LOS ANGELES AVE
City: SATICOY
Region: VENTURA
Facility ID: 95162
Status: Case Closed

SWEEPS UST:
Name: RIVERSIDE TRANSIT AGENCY
Address: 1825 THIRD ST
City: RIVERSIDE
Status: Active
Comp Number: 67447
Number: 1
Board Of Equalization: 44-018511
Referral Date: 11-18-92
Action Date: 11-18-92
Created Date: 04-24-89
Owner Tank Id: 000910
SWRCB Tank Id: 33-000-067447-000001
Tank Status: A
Capacity: 20000
Active Date: 11-18-92
Tank Use: M.V. FUEL
STG: P
Content: DIESEL
Number Of Tanks: 7

Name: RIVERSIDE TRANSIT AGENCY
Address: 1825 THIRD ST
City: RIVERSIDE
Status: Active
Comp Number: 67447
Number: 1
Board Of Equalization: 44-018511
Referral Date: 11-18-92
Action Date: 11-18-92
Created Date: 04-24-89
Owner Tank Id: 000910

RIVERSIDE TRANSIT AGENCY (Continued) **U002095645**

SWRCB Tank Id: 33-000-067447-000002
Tank Status: A
Capacity: 20000
Active Date: 11-18-92
Tank Use: M.V. FUEL
STG: P
Content: DIESEL
Number Of Tanks: Not reported

Name: RIVERSIDE TRANSIT AGENCY
Address: 1825 THIRD ST
City: RIVERSIDE
Status: Active
Comp Number: 67447
Number: 1
Board Of Equalization: 44-018511
Referral Date: 11-18-92
Action Date: 11-18-92
Created Date: 04-24-89
Owner Tank Id: 000910
SWRCB Tank Id: 33-000-067447-000003
Tank Status: A
Capacity: 20000
Active Date: 11-18-92
Tank Use: M.V. FUEL
STG: P
Content: METHANOL
Number Of Tanks: Not reported

Name: RIVERSIDE TRANSIT AGENCY
Address: 1825 THIRD ST
City: RIVERSIDE
Status: Active
Comp Number: 67447
Number: 1
Board Of Equalization: 44-018511
Referral Date: 11-18-92
Action Date: 11-18-92
Created Date: 04-24-89
Owner Tank Id: 000910
SWRCB Tank Id: 33-000-067447-000004
Tank Status: A
Capacity: 2000
Active Date: 11-18-92
Tank Use: OIL
STG: W
Content: WASTE OIL
Number Of Tanks: Not reported

Name: RIVERSIDE TRANSIT AGENCY
Address: 1825 THIRD ST
City: RIVERSIDE
Status: Active
Comp Number: 67447
Number: 1
Board Of Equalization: 44-018511
Referral Date: 11-18-92

RIVERSIDE TRANSIT AGENCY (Continued) **U002095645**

Action Date: 11-18-92
Created Date: 04-24-89
Owner Tank Id: 000910
SWRCB Tank Id: 33-000-067447-000005
Tank Status: A
Capacity: 2000
Active Date: 11-18-92
Tank Use: PETROLEUM
STG: P
Content: ENGINE OIL
Number Of Tanks: Not reported

Name: RIVERSIDE TRANSIT AGENCY
Address: 1825 THIRD ST
City: RIVERSIDE
Status: Active
Comp Number: 67447
Number: 1
Board Of Equalization: 44-018511
Referral Date: 11-18-92
Action Date: 11-18-92
Created Date: 04-24-89
Owner Tank Id: 000910
SWRCB Tank Id: 33-000-067447-000006
Tank Status: A
Capacity: 1000
Active Date: 11-18-92
Tank Use: PETROLEUM
STG: P
Content: AUTOMATIC TR
Number Of Tanks: Not reported

Name: RIVERSIDE TRANSIT AGENCY
Address: 1825 THIRD ST
City: RIVERSIDE
Status: Active
Comp Number: 67447
Number: 1
Board Of Equalization: 44-018511
Referral Date: 11-18-92
Action Date: 11-18-92
Created Date: 04-24-89
Owner Tank Id: 000910
SWRCB Tank Id: 33-000-067447-000007
Tank Status: A
Capacity: 4000
Active Date: 11-18-92
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: Not reported

CA FID UST:
Facility ID: 33006698
Regulated By: UTNKA
Regulated ID: Not reported
Cortese Code: Not reported

RIVERSIDE TRANSIT AGENCY (Continued) **U002095645**

SIC Code: Not reported
Facility Phone: 7146840850
Mail To: Not reported
Mailing Address: 1825 THIRD ST
Mailing Address 2: Not reported
Mailing City,St,Zip: RIVERSIDE 92507
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

CORTESE:
Name: RIVERSIDE TRANSIT AGENCY
Address: 1825 THIRD ST
City,State,Zip: RIVERSIDE, CA 92507
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0606500037
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: COMPLETED - CASE CLOSED
Status Date: Not reported
Site Code: Not reported
Latitude: Not reported
Longitude: Not reported
Owner: Not reported
Enf Type: Not reported
Swat R: Not reported
Flag: active
Order No: Not reported
Waste Discharge System No: Not reported
Effective Date: Not reported
Region 2: Not reported
WID Id: Not reported
Solid Waste Id No: Not reported
Waste Management Uit Name: Not reported
File Name: Active Open

Name: RIVERSIDE TRANSIT AGENCY
Address: 1825 THIRD ST
City,State,Zip: RIVERSIDE, CA 92517
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0606500559
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: COMPLETED - CASE CLOSED
Status Date: Not reported
Site Code: Not reported
Latitude: Not reported
Longitude: Not reported
Owner: Not reported
Enf Type: Not reported
Swat R: Not reported
Flag: active
Order No: Not reported

RIVERSIDE TRANSIT AGENCY (Continued) **U002095645**

Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

Name:	RIVERSIDE TRANSIT AGENCY
Address:	1825 THIRD ST
City,State,Zip:	RIVERSIDE, CA 92507
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0606500499
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

Name:	RIVERSIDE TRANSIT AGENCY
Address:	1825 THIRD ST
City,State,Zip:	RIVERSIDE, CA 92507
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0606516063
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

RIVERSIDE TRANSIT AGENCY (Continued) **U002095645**

HIST CORTESE:

edr_fname:	RIVERSIDE TRANSIT AGENCY
edr_fadd1:	1825
City,State,Zip:	RIVERSIDE, CA 92507
Region:	CORTESE
Facility County Code:	33
Reg By:	LTNKA
Reg Id:	083303025T

edr_fname:	SHELL SERVICE STATION
edr_fadd1:	1825
City,State,Zip:	RIVERSIDE, CA 92507
Region:	CORTESE
Facility County Code:	33
Reg By:	LTNKA
Reg Id:	083303233T

edr_fname:	RIVERSIDE TRANSIT AGENCY
edr_fadd1:	1825
City,State,Zip:	RIVERSIDE, CA 92507
Region:	CORTESE
Facility County Code:	33
Reg By:	LTNKA
Reg Id:	083303342T

CERS:

Name:	RIVERSIDE TRANSIT AGENCY
Address:	1825 THIRD STREET
City,State,Zip:	RIVERSIDE, CA 92507-3484
Site ID:	490464
CERS ID:	110000887354
CERS Description:	US EPA Air Emission Inventory System (EIS)

Affiliation:

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	SHARON BOLTINGHOUSE RIVERSIDE CNTY LOP
Entity Title:	Not reported
Affiliation Address:	3880 LEMON ST SUITE 200
Affiliation City:	RIVERSIDE
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,

Affiliation Type Desc:	Environmental Contact
Entity Name:	BOB CABRAL
Entity Title:	MAINTENANCE QA
Affiliation Address:	1825 3RD ST
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	NANCY OLSON MARTIN SANTA ANA RWQCB REGN 8
Entity Title:	Not reported

RIVERSIDE TRANSIT AGENCY (Continued) **U002095645**

Affiliation Address:	3737 MAIN STREETNA SUITE 500
Affiliation City:	RIVERSIDE
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,
Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	CARL BERNHARDT SANTA ANA RWQCB REGN 8
Entity Title:	Not reported
Affiliation Address:	3737 MAIN STREETNA SUITE 500
Affiliation City:	RIVERSIDE
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,

W116 **RIVERSIDE TRANSIT AGENCY** **RCRA-SQG** **1000218322**
WNW **1825 3RD ST** **LUST** **CAD981690274**
1/8-1/4 **RIVERSIDE, CA 92507** **UST**
0.171 mi. **CERS HAZ WASTE**
903 ft. **Site 2 of 2 in cluster W** **CERS TANKS**
EMI
Relative: Lower **NPDES**
WDS
Actual: 931 ft. **CIWQS**
CERS

RCRA Listings:

Date Form Received by Agency:	20140301
Handler Name:	RIVERSIDE TRANSIT AGENCY
Handler Address:	1825 3RD ST
Handler City,State,Zip:	RIVERSIDE, CA 92507
EPA ID:	CAD981690274
Contact Name:	BOB CABRAL
Contact Address:	3RD ST
Contact City,State,Zip:	RIVERSIDE, CA 92507
Contact Telephone:	951-565-5030
Contact Fax:	951-565-5031
Contact Email:	BCABRAL@RIVERSIDETRANSIT.COM
Contact Title:	MAINTENANCE QA
EPA Region:	09
Land Type:	Other
Federal Waste Generator Description:	Small Quantity Generator
Non-Notifier:	Not reported
Biennial Report Cycle:	2013
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	PO BOX 59968
Mailing City,State,Zip:	RIVERSIDE, CA 92517-1968
Owner Name:	RIVERSIDE TRANSIT AGENCY
Owner Type:	Other
Operator Name:	RIVERSIDE TRANSIT AGENCY
Operator Type:	Other
Short-Term Generator Activity:	Yes

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20150401
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	No

Biennial: List of Years
Year: 2013

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Click Here for Biennial Reporting System Data:

Hazardous Waste Summary:
Waste Code: D001
Waste Description: IGNITABLE WASTE

Handler - Owner Operator:
Owner/Operator Indicator: Operator
Owner/Operator Name: RIVERSIDE TRANSIT AGENCY
Legal Status: Other
Date Became Current: 19750815
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: RIVERSIDE TRANSIT AGENCY
Legal Status: Other
Date Became Current: 19750815
Date Ended Current: Not reported
Owner/Operator Address: 1825 3RD ST
Owner/Operator City,State,Zip: RIVERSIDE, CA 92507
Owner/Operator Telephone: 951-565-5030
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: RIVERSIDE TRANSIT AGENCY
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 1825 3RD ST
Owner/Operator City,State,Zip: RIVERSIDE, CA 92507
Owner/Operator Telephone: 909-684-0850
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20140301
Handler Name: RIVERSIDE TRANSIT AGENCY
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Electronic Manifest Broker: Not reported

Receive Date: 19960901
Handler Name: RIVERSIDE TRANSIT AGENCY
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19960901
Handler Name: RIVERSIDE TRANSIT AGENCY
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19960213
Handler Name: RIVERSIDE TRANSIT AGENCY
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19920224
Handler Name: RIVERSIDE TRANSIT AGENCY
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19940321
Handler Name: RIVERSIDE TRANSIT AGENCY
Federal Waste Generator Description: Large Quantity Generator

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19960326
Handler Name: RIVERSIDE TRANSIT AGENCY
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 485113
NAICS Description: BUS AND OTHER MOTOR VEHICLE TRANSIT SYSTEMS

NAICS Code: 485999
NAICS Description: ALL OTHER TRANSIT AND GROUND PASSENGER TRANSPORTATION

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

LUST:
Name: RIVERSIDE TRANSIT AGENCY
Address: 1825 THIRD ST
City,State,Zip: RIVERSIDE, CA 92507
Lead Agency: RIVERSIDE COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0606500499
Global Id: T0606500499
Latitude: 33.9842026136907
Longitude: -117.3512777705
Status: Completed - Case Closed
Status Date: 02/23/1999
Case Worker: SCB
RB Case Number: 083303025T
Local Agency: RIVERSIDE COUNTY LOP
File Location: Local Agency Warehouse
Local Case Number: 970695
Potential Media Affect: Soil

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Potential Contaminants of Concern: Diesel
Site History: Not reported

LUST:
Global Id: T0606500499
Contact Type: Regional Board Caseworker
Contact Name: CARL BERNHARDT
Organization Name: SANTA ANA RWQCB (REGION 8)
Address: 3737 MAIN STREET, SUITE 500
City: RIVERSIDE
Email: carl.bernhardt@waterboards.ca.gov
Phone Number: 9517824495

Global Id: T0606500499
Contact Type: Local Agency Caseworker
Contact Name: SHARON BOLTINGHOUSE
Organization Name: RIVERSIDE COUNTY LOP
Address: 3880 LEMON ST SUITE 200
City: RIVERSIDE
Email: sbolting@rivco.org
Phone Number: 9519558980

LUST:
Global Id: T0606500499
Action Type: Other
Date: 07/09/1997
Action: Leak Reported

Global Id: T0606500499
Action Type: ENFORCEMENT
Date: 02/22/1999
Action: File review - #RCDEH Upload Site File 10/27/2015

Global Id: T0606500499
Action Type: Other
Date: 06/12/1997
Action: Leak Stopped

Global Id: T0606500499
Action Type: ENFORCEMENT
Date: 02/23/1999
Action: Closure/No Further Action Letter - #Riv Co Closure

Global Id: T0606500499
Action Type: Other
Date: 07/01/1997
Action: Leak Discovery

LUST:
Global Id: T0606500499
Status: Open - Case Begin Date
Status Date: 06/12/1997

Global Id: T0606500499
Status: Open - Site Assessment
Status Date: 07/01/1997

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Global Id: T0606500499
Status: Completed - Case Closed
Status Date: 02/23/1999

Name: RIVERSIDE TRANSIT AGENCY
Address: 1825 THIRD ST
City,State,Zip: RIVERSIDE, CA 92507
Lead Agency: RIVERSIDE COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0606516063
Global Id: T0606516063
Latitude: 33.9843799289223
Longitude: -117.350913541
Status: Completed - Case Closed
Status Date: 10/16/2006
Case Worker: SCB
RB Case Number: Not reported
Local Agency: RIVERSIDE COUNTY LOP
File Location: Local Agency Warehouse
Local Case Number: 200522143
Potential Media Affect: Soil
Potential Contaminants of Concern: Diesel
Site History: Not reported

LUST:
Global Id: T0606516063
Contact Type: Regional Board Caseworker
Contact Name: CARL BERNHARDT
Organization Name: SANTA ANA RWQCB (REGION 8)
Address: 3737 MAIN STREET, SUITE 500
City: RIVERSIDE
Email: carl.bernhardt@waterboards.ca.gov
Phone Number: 9517824495

Global Id: T0606516063
Contact Type: Local Agency Caseworker
Contact Name: SHARON BOLTINGHOUSE
Organization Name: RIVERSIDE COUNTY LOP
Address: 3880 LEMON ST SUITE 200
City: RIVERSIDE
Email: sbolting@rivco.org
Phone Number: 9519558980

LUST:
Global Id: T0606516063
Action Type: Other
Date: 12/23/2005
Action: Leak Reported

Global Id: T0606516063
Action Type: REMEDIATION
Date: 07/14/2006
Action: Not reported

Global Id: T0606516063
Action Type: Other

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Date: 08/08/2005
Action: Leak Stopped

Global Id: T0606516063
Action Type: ENFORCEMENT
Date: 10/15/2006
Action: File review - #RCDEH Upload Site File 10/27/2015

Global Id: T0606516063
Action Type: ENFORCEMENT
Date: 10/15/2006
Action: Other Report - #UST Sample Analytical Report

Global Id: T0606516063
Action Type: ENFORCEMENT
Date: 10/16/2006
Action: Closure/No Further Action Letter

Global Id: T0606516063
Action Type: Other
Date: 12/22/2005
Action: Leak Discovery

LUST:
Global Id: T0606516063
Status: Open - Case Begin Date
Status Date: 08/08/2005

Global Id: T0606516063
Status: Open - Site Assessment
Status Date: 12/23/2005

Global Id: T0606516063
Status: Completed - Case Closed
Status Date: 10/16/2006

Name: RIVERSIDE TRANSIT AGENCY
Address: 1825 THIRD ST
City,State,Zip: RIVERSIDE, CA 92507
Lead Agency: RIVERSIDE COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0606500037
Global Id: T0606500037
Latitude: 33.9793165
Longitude: -117.339662
Status: Completed - Case Closed
Status Date: 03/01/1996
Case Worker: SCB
RB Case Number: 083300326T
Local Agency: RIVERSIDE COUNTY LOP
File Location: Local Agency Warehouse
Local Case Number: 95162
Potential Media Affect: Soil
Potential Contaminants of Concern: Waste Oil / Motor / Hydraulic / Lubricating
Site History: Not reported

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

LUST:
Global Id: T0606500037
Contact Type: Local Agency Caseworker
Contact Name: SHARON BOLTINGHOUSE
Organization Name: RIVERSIDE COUNTY LOP
Address: 3880 LEMON ST SUITE 200
City: RIVERSIDE
Email: sbolting@rivco.org
Phone Number: 9519558980

LUST:
Global Id: T0606500037
Action Type: Other
Date: 03/09/1995
Action: Leak Reported

Global Id: T0606500037
Action Type: ENFORCEMENT
Date: 02/16/2009
Action: File review - #RCDEH Upload Site File 8/26/2010

Global Id: T0606500037
Action Type: Other
Date: 02/23/1995
Action: Leak Stopped

Global Id: T0606500037
Action Type: ENFORCEMENT
Date: 02/17/2009
Action: Closure/No Further Action Letter - #Site Closure

Global Id: T0606500037
Action Type: Other
Date: 02/07/1995
Action: Leak Discovery

LUST:
Global Id: T0606500037
Status: Open - Case Begin Date
Status Date: 05/20/1987

Global Id: T0606500037
Status: Open - Site Assessment
Status Date: 05/20/1987

Global Id: T0606500037
Status: Completed - Case Closed
Status Date: 03/01/1996

Name: RIVERSIDE TRANSIT AGENCY
Address: 1825 THIRD ST
City,State,Zip: RIVERSIDE, CA 92517
Lead Agency: RIVERSIDE COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0606500559

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Global Id: T0606500559
Latitude: 33.984787949138
Longitude: -117.351239107135
Status: Completed - Case Closed
Status Date: 09/06/2000
Case Worker: SCB
RB Case Number: 083303342T
Local Agency: RIVERSIDE COUNTY LOP
File Location: Local Agency Warehouse
Local Case Number: 9914861
Potential Media Affect: Soil
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:
Global Id: T0606500559
Contact Type: Regional Board Caseworker
Contact Name: CARL BERNHARDT
Organization Name: SANTA ANA RWQCB (REGION 8)
Address: 3737 MAIN STREET, SUITE 500
City: RIVERSIDE
Email: carl.bernhardt@waterboards.ca.gov
Phone Number: 9517824495

Global Id: T0606500559
Contact Type: Local Agency Caseworker
Contact Name: SHARON BOLTINGHOUSE
Organization Name: RIVERSIDE COUNTY LOP
Address: 3880 LEMON ST SUITE 200
City: RIVERSIDE
Email: sbolting@rivco.org
Phone Number: 9519558980

LUST:
Global Id: T0606500559
Action Type: Other
Date: 01/22/1999
Action: Leak Reported

Global Id: T0606500559
Action Type: ENFORCEMENT
Date: 08/02/2000
Action: File review - #RCDEH Upload Site File 10/27/2015

Global Id: T0606500559
Action Type: Other
Date: 01/20/1999
Action: Leak Stopped

Global Id: T0606500559
Action Type: ENFORCEMENT
Date: 08/03/2000
Action: Closure/No Further Action Letter - #Riv Co Closure

Global Id: T0606500559
Action Type: Other
Date: 01/20/1999

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Action: Leak Discovery

LUST:
Global Id: T0606500559
Status: Open - Case Begin Date
Status Date: 01/20/1999

Global Id: T0606500559
Status: Completed - Case Closed
Status Date: 09/06/2000

LUST REG 8:

Name:	RIVERSIDE TRANSIT AGENCY
Address:	1825 3RD ST
City:	RIVERSIDE
Region:	8
County:	Riverside
Regional Board:	Santa Ana Region
Facility Status:	Case Closed
Case Number:	083300326T
Local Case Num:	Not reported
Case Type:	Soil only
Substance:	Waste Oil
Qty Leaked:	Not reported
Abate Method:	Not reported
Cross Street:	CHICAGO
Enf Type:	Not reported
Funding:	Not reported
How Discovered:	Nuisance Conditions
How Stopped:	Not reported
Leak Cause:	R
Leak Source:	Piping
Global ID:	T0606500037
How Stopped Date:	2/23/1995
Enter Date:	1/1/1987
Date Confirmation of Leak Began:	Not reported
Date Preliminary Assessment Began:	Not reported
Discover Date:	2/7/1995
Enforcement Date:	Not reported
Close Date:	3/1/1996
Date Prelim Assessment Workplan Submitted:	Not reported
Date Pollution Characterization Began:	5/20/1987
Date Remediation Plan Submitted:	Not reported
Date Remedial Action Underway:	Not reported
Date Post Remedial Action Monitoring:	Not reported
Enter Date:	1/1/1987
GW Qualifies:	Not reported
Soil Qualifies:	Not reported
Operator:	Not reported
Facility Contact:	Not reported
Interim:	Not reported
Oversite Program:	LUST
Latitude:	33.9793165
Longitude:	-117.339662
MTBE Date:	Not reported

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Max MTBE GW:	Not reported
MTBE Concentration:	0
Max MTBE Soil:	Not reported
MTBE Fuel:	0
MTBE Tested:	Not Required to be Tested.
MTBE Class:	*
Staff:	NOM
Staff Initials:	UNK
Lead Agency:	Local Agency
Local Agency:	33000L
Hydr Basin #:	UPPER SANTA ANA VALL
Beneficial:	Not reported
Priority:	Not reported
Cleanup Fund Id:	Not reported
Work Suspended:	Not reported

Summary: UNLEADED GAS TANK WAS EVACUATED ON 10-15-86. PREVIOUSLY CLSD - 4/4/89 INVOLVES VIRGIL ENGINE OIL.

Name:	RIVERSIDE TRANSIT AGENCY
Address:	1825 3RD ST
City:	RIVERSIDE
Region:	8
County:	Riverside
Regional Board:	Santa Ana Region
Facility Status:	Leak being confirmed
Case Number:	083303025T
Local Case Num:	970695
Case Type:	Soil only
Substance:	Diesel
Qty Leaked:	Not reported
Abate Method:	Not reported
Cross Street:	CHICAGO
Enf Type:	Not reported
Funding:	Not reported
How Discovered:	Subsurface Monitoring
How Stopped:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Global ID:	T0606500499
How Stopped Date:	6/12/1997
Enter Date:	7/23/1997
Date Confirmation of Leak Began:	7/1/1997
Date Preliminary Assessment Began:	Not reported
Discover Date:	7/1/1997
Enforcement Date:	Not reported
Close Date:	Not reported
Date Prelim Assessment Workplan Submitted:	Not reported
Date Pollution Characterization Began:	Not reported
Date Remediation Plan Submitted:	Not reported
Date Remedial Action Underway:	Not reported
Date Post Remedial Action Monitoring:	Not reported
Enter Date:	7/23/1997
GW Qualifies:	Not reported
Soil Qualifies:	Not reported
Operator:	Not reported
Facility Contact:	Not reported
Interim:	Not reported

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Oversite Program:	LUST
Latitude:	33.983237
Longitude:	-117.351605
MTBE Date:	Not reported
Max MTBE GW:	Not reported
MTBE Concentration:	0
Max MTBE Soil:	Not reported
MTBE Fuel:	0
MTBE Tested:	Not Required to be Tested.
MTBE Class:	*
Staff:	CAB
Staff Initials:	UNK
Lead Agency:	Local Agency
Local Agency:	33000L
Hydr Basin #:	UPPER SANTA ANA VALL
Beneficial:	Not reported
Priority:	Not reported
Cleanup Fund Id:	Not reported
Work Suspended:	Not reported

Summary: Not reported

Name:	RIVERSIDE TRANSIT AGENCY
Address:	1825 3RD ST
City:	RIVERSIDE
Region:	8
County:	Riverside
Regional Board:	Santa Ana Region
Facility Status:	Case Closed
Case Number:	083303342T
Local Case Num:	99-14861
Case Type:	Soil only
Substance:	Gasoline
Qty Leaked:	Not reported
Abate Method:	Not reported
Cross Street:	CHICAGO
Enf Type:	Not reported
Funding:	Not reported
How Discovered:	OM
How Stopped:	Not reported
Leak Cause:	UNK
Leak Source:	UNK
Global ID:	T0606500559
How Stopped Date:	Not reported
Enter Date:	3/5/1999
Date Confirmation of Leak Began:	Not reported
Date Preliminary Assessment Began:	Not reported
Discover Date:	1/20/1999
Enforcement Date:	Not reported
Close Date:	9/6/2000
Date Prelim Assessment Workplan Submitted:	Not reported
Date Pollution Characterization Began:	Not reported
Date Remediation Plan Submitted:	Not reported
Date Remedial Action Underway:	Not reported
Date Post Remedial Action Monitoring:	Not reported
Enter Date:	3/5/1999
GW Qualifies:	Not reported
Soil Qualifies:	Not reported

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Operator:	Not reported
Facility Contact:	Not reported
Interim:	Not reported
Oversite Program:	LUST
Latitude:	33.9788157
Longitude:	-117.3202763
MTBE Date:	Not reported
Max MTBE GW:	Not reported
MTBE Concentration:	0
Max MTBE Soil:	Not reported
MTBE Fuel:	1
MTBE Tested:	Site NOT Tested for MTBE.Includes Unknown and Not Analyzed.
MTBE Class:	*
Staff:	CAB
Staff Initials:	UNK
Lead Agency:	Local Agency
Local Agency:	33000L
Hydr Basin #:	UPPER SANTA ANA VALL
Beneficial:	Not reported
Priority:	Not reported
Cleanup Fund Id:	Not reported
Work Suspended:	Not reported

Summary: Not reported

UST:

Name:	RIVERSIDE TRANSIT AGENCY
Address:	1825 3RD ST
City,State,Zip:	RIVERSIDE, CA 92507
Facility ID:	650
Permitting Agency:	RIVERSIDE COUNTY
CERSID:	Not reported
Latitude:	33.9847863
Longitude:	-117.3495976

CERS HAZ WASTE:

Name:	RIVERSIDE TRANSIT AGENCY
Address:	1825 3RD ST
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	178091
CERS ID:	10511449
CERS Description:	Hazardous Waste Generator

CERS TANKS:

Name:	RIVERSIDE TRANSIT AGENCY
Address:	1825 3RD ST
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	178091
CERS ID:	10511449
CERS Description:	Aboveground Petroleum Storage

EMI:

Name:	RIVERSIDE TRANSIT AGENCY
Address:	1825 3RD ST
City,State,Zip:	RIVERSIDE, CA 92507
Year:	1990

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

County Code:	33
Air Basin:	SC
Facility ID:	45227
Air District Name:	SC
SIC Code:	9621
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	2
Reactive Organic Gases Tons/Yr:	1
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	RIVERSIDE TRANSIT AGENCY
Address:	1825 3RD ST
City,State,Zip:	RIVERSIDE, CA 92507
Year:	1995
County Code:	33
Air Basin:	SC
Facility ID:	45227
Air District Name:	SC
SIC Code:	4111
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	7
Reactive Organic Gases Tons/Yr:	6
Carbon Monoxide Emissions Tons/Yr:	1
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	RIVERSIDE TRANSIT AGENCY
Address:	1825 3RD ST
City,State,Zip:	RIVERSIDE, CA 92507
Year:	1996
County Code:	33
Air Basin:	SC
Facility ID:	45227
Air District Name:	SC
SIC Code:	4111
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	8
Reactive Organic Gases Tons/Yr:	7
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	RIVERSIDE TRANSIT AGENCY

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Address:	1825 3RD ST
City,State,Zip:	RIVERSIDE, CA 92507
Year:	1997
County Code:	33
Air Basin:	SC
Facility ID:	45227
Air District Name:	SC
SIC Code:	4111
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	10
Reactive Organic Gases Tons/Yr:	7
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	RIVERSIDE TRANSIT AGENCY
Address:	1825 3RD ST
City,State,Zip:	RIVERSIDE, CA 92507
Year:	1998
County Code:	33
Air Basin:	SC
Facility ID:	45227
Air District Name:	SC
SIC Code:	4111
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	10
Reactive Organic Gases Tons/Yr:	7
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	RIVERSIDE TRANSIT AGENCY
Address:	1825 3RD ST
City,State,Zip:	RIVERSIDE, CA 92507
Year:	1999
County Code:	33
Air Basin:	SC
Facility ID:	45227
Air District Name:	SC
SIC Code:	4111
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	10
Reactive Organic Gases Tons/Yr:	7
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Part. Matter 10 Micrometers and Smllr Tons/Yr:0

Name:	RIVERSIDE TRANSIT AGENCY
Address:	1825 3RD ST
City,State,Zip:	RIVERSIDE, CA 92507
Year:	2000
County Code:	33
Air Basin:	SC
Facility ID:	45227
Air District Name:	SC
SIC Code:	4111
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	10
Reactive Organic Gases Tons/Yr:	7
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	RIVERSIDE TRANSIT AGENCY
Address:	1825 3RD ST
City,State,Zip:	RIVERSIDE, CA 92507
Year:	2001
County Code:	33
Air Basin:	SC
Facility ID:	45227
Air District Name:	SC
SIC Code:	4111
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	RIVERSIDE TRANSIT AGENCY
Address:	1825 3RD ST
City,State,Zip:	RIVERSIDE, CA 92507
Year:	2002
County Code:	33
Air Basin:	SC
Facility ID:	45227
Air District Name:	SC
SIC Code:	4111
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	2
Reactive Organic Gases Tons/Yr:	1
Carbon Monoxide Emissions Tons/Yr:	1

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	RIVERSIDE TRANSIT AGENCY
Address:	1825 3RD ST
City,State,Zip:	RIVERSIDE, CA 92507
Year:	2003
County Code:	33
Air Basin:	SC
Facility ID:	45227
Air District Name:	SC
SIC Code:	4111
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	2
Reactive Organic Gases Tons/Yr:	1
Carbon Monoxide Emissions Tons/Yr:	1
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	RIVERSIDE TRANSIT AGENCY
Address:	1825 3RD ST
City,State,Zip:	RIVERSIDE, CA 92507
Year:	2004
County Code:	33
Air Basin:	SC
Facility ID:	45227
Air District Name:	SC
SIC Code:	4111
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	2.215812
Reactive Organic Gases Tons/Yr:	1.22
Carbon Monoxide Emissions Tons/Yr:	0.76505
NOX - Oxides of Nitrogen Tons/Yr:	0.08112
SOX - Oxides of Sulphur Tons/Yr:	0.0015075
Particulate Matter Tons/Yr:	0.004958
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	RIVERSIDE TRANSIT AGENCY
Address:	1825 3RD ST
City,State,Zip:	RIVERSIDE, CA 92507
Year:	2005
County Code:	33
Air Basin:	SC
Facility ID:	45227
Air District Name:	SC
SIC Code:	4111
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Total Organic Hydrocarbon Gases Tons/Yr: .2034507
Reactive Organic Gases Tons/Yr: .1968391236
Carbon Monoxide Emissions Tons/Yr: 1.06767
NOX - Oxides of Nitrogen Tons/Yr: .05688
SOX - Oxides of Sulphur Tons/Yr: .00161
Particulate Matter Tons/Yr: .0035
Part. Matter 10 Micrometers and Smllr Tons/Yr: .00341058

Name: RIVERSIDE TRANSIT AGENCY
Address: 1825 3RD ST
City,State,Zip: RIVERSIDE, CA 92507
Year: 2009
County Code: 33
Air Basin: SC
Facility ID: 45227
Air District Name: SC
SIC Code: 4111
Air District Name: SOUTH COAST AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0.497161126028136
Reactive Organic Gases Tons/Yr: 0.48946800000000001
Carbon Monoxide Emissions Tons/Yr: 0.97384000000000004
NOX - Oxides of Nitrogen Tons/Yr: 7.2349999999999998E-2
SOX - Oxides of Sulphur Tons/Yr: 0.0018315
Particulate Matter Tons/Yr: 5.1980000000000004E-3
Part. Matter 10 Micrometers and Smllr Tons/Yr: 5.0561080000000001E-3

Name: RIVERSIDE TRANSIT AGENCY
Address: 1825 3RD ST
City,State,Zip: RIVERSIDE, CA 92507
Year: 2014
County Code: 33
Air Basin: SC
Facility ID: 45227
Air District Name: SC
SIC Code: 4111
Air District Name: SOUTH COAST AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0.20021282232
Reactive Organic Gases Tons/Yr: 0.13553
Carbon Monoxide Emissions Tons/Yr: 0.19108
NOX - Oxides of Nitrogen Tons/Yr: 0.11043
SOX - Oxides of Sulphur Tons/Yr: 0.00032
Particulate Matter Tons/Yr: 0.00202
Part. Matter 10 Micrometers and Smllr Tons/Yr: 0.0019978

Name: RIVERSIDE TRANSIT AGENCY
Address: 1825 3RD ST
City,State,Zip: RIVERSIDE, CA 92507
Year: 2016
County Code: 33
Air Basin: SC
Facility ID: 45227
Air District Name: SC
SIC Code: 4111

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.45417061547
Reactive Organic Gases Tons/Yr:	0.2411927
Carbon Monoxide Emissions Tons/Yr:	0.930763
NOX - Oxides of Nitrogen Tons/Yr:	2.51076
SOX - Oxides of Sulphur Tons/Yr:	0.01053365
Particulate Matter Tons/Yr:	0.1422046
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0.141656734

Name:	RIVERSIDE TRANSIT AGENCY
Address:	1825 3RD ST
City,State,Zip:	RIVERSIDE, CA 92507
Year:	2017
County Code:	33
Air Basin:	SC
Facility ID:	45227
Air District Name:	SC
SIC Code:	4111
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.36850087735
Reactive Organic Gases Tons/Yr:	0.224212
Carbon Monoxide Emissions Tons/Yr:	0.235193
NOX - Oxides of Nitrogen Tons/Yr:	0.49752
SOX - Oxides of Sulphur Tons/Yr:	0.00049265
Particulate Matter Tons/Yr:	0.0339935
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0.033163344

Name:	RIVERSIDE TRANSIT AGENCY
Address:	1825 3RD ST
City,State,Zip:	RIVERSIDE, CA 92507
Year:	2018
County Code:	33
Air Basin:	SC
Facility ID:	45227
Air District Name:	SC
SIC Code:	4111
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.38599390827
Reactive Organic Gases Tons/Yr:	0.26091286
Carbon Monoxide Emissions Tons/Yr:	0.225449275
NOX - Oxides of Nitrogen Tons/Yr:	0.69164997
SOX - Oxides of Sulphur Tons/Yr:	0.000485456
Particulate Matter Tons/Yr:	0.052836638
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0.052394176142

Name:	RIVERSIDE TRANSIT AGENCY
Address:	1825 3RD ST
City,State,Zip:	RIVERSIDE, CA 92507
Year:	2019
County Code:	33
Air Basin:	SC

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Facility ID:	45227
Air District Name:	SC
SIC Code:	4111
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.40777642875
Reactive Organic Gases Tons/Yr:	0.27739828
Carbon Monoxide Emissions Tons/Yr:	0.2714176
NOX - Oxides of Nitrogen Tons/Yr:	0.79074747
SOX - Oxides of Sulphur Tons/Yr:	0.0006198465
Particulate Matter Tons/Yr:	0.060039768
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0.059543199342

NPDES:

Name:	RIVERSIDE TRANSIT AGENCY
Address:	1825 3RD STREET
City,State,Zip:	RIVERSIDE, CA 92507
Facility Status:	Not reported
NPDES Number:	Not reported
Region:	Not reported
Agency Number:	Not reported
Regulatory Measure ID:	Not reported
Place ID:	Not reported
Order Number:	Not reported
WDID:	8 33I016286
Regulatory Measure Type:	Industrial
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Discharge Address:	Not reported
Discharge Name:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Status:	Active
Status Date:	12/18/2000
Operator Name:	Riverside Transit Agency
Operator Address:	1825 3rd Street
Operator City:	Riverside
Operator State:	California
Operator Zip:	92507

NPDES as of 03/2018:

NPDES Number:	Not reported
Status:	Not reported
Agency Number:	Not reported
Region:	8
Regulatory Measure ID:	210919
Order Number:	Not reported
Regulatory Measure Type:	Industrial
Place ID:	Not reported
WDID:	8 33I016286
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Effective Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Discharge Name:	Not reported
Discharge Address:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Received Date:	05/09/2008
Processed Date:	12/18/2000
Status:	Active
Status Date:	12/18/2000
Place Size:	215061
Place Size Unit:	SqFt
Contact:	Michael Black
Contact Title:	Facilities Manager
Contact Phone:	951-565-5036
Contact Phone Ext:	Not reported
Contact Email:	mblack@riversidetransit.com
Operator Name:	Riverside Transit Agency
Operator Address:	1825 3rd Street
Operator City:	Riverside
Operator State:	California
Operator Zip:	92507
Operator Contact:	Michael Black
Operator Contact Title:	Facilities Manager
Operator Contact Phone:	951-565-5036
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	mblack@riversidetransit.com
Operator Type:	Private Business
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	California
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commertial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	N

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Receiving Water Name:	Santa Ana River
Certifier:	Michael Black
Certifier Title:	Facilities Manager
Certification Date:	13-JUL-15
Primary Sic:	4173-Terminal and Service Facilities for Motor Vehicle Passenger Transportation
Secondary Sic:	Not reported
Tertiary Sic:	Not reported
NPDES Number:	CAS000001
Status:	Active
Agency Number:	0
Region:	8
Regulatory Measure ID:	210919
Order Number:	97-03-DWQ
Regulatory Measure Type:	Enrollee
Place ID:	Not reported
WDID:	8 33I016286
Program Type:	Industrial
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	12/18/2000
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Discharge Name:	Riverside Transit Agency
Discharge Address:	1825 3rd Street
Discharge City:	Riverside
Discharge State:	California
Discharge Zip:	92507
Received Date:	Not reported
Processed Date:	Not reported
Status:	Not reported
Status Date:	Not reported
Place Size:	Not reported
Place Size Unit:	Not reported
Contact:	Not reported
Contact Title:	Not reported
Contact Phone:	Not reported
Contact Phone Ext:	Not reported
Contact Email:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported
Operator Contact:	Not reported
Operator Contact Title:	Not reported
Operator Contact Phone:	Not reported
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	Not reported
Operator Type:	Not reported
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	Not reported
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Constype Linear Utility Ind:	Not reported
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commertial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	Not reported
Receiving Water Name:	Not reported
Certifier:	Not reported
Certifier Title:	Not reported
Certification Date:	Not reported
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported

Name:	RIVERSIDE TRANSIT AGENCY
Address:	1825 3RD STREET
City,State,Zip:	RIVERSIDE, CA 92507
Facility Status:	Active
NPDES Number:	CAS000001
Region:	8
Agency Number:	0
Regulatory Measure ID:	210919
Place ID:	Not reported
Order Number:	97-03-DWQ
WDID:	8 33I016286
Regulatory Measure Type:	Enrollee
Program Type:	Industrial
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	12/18/2000
Termination Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Discharge Address:	1825 3rd Street
Discharge Name:	Riverside Transit Agency
Discharge City:	Riverside
Discharge State:	California
Discharge Zip:	92507
Status:	Not reported
Status Date:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Operator Zip:	Not reported

NPDES as of 03/2018:

NPDES Number:	Not reported
Status:	Not reported
Agency Number:	Not reported
Region:	8
Regulatory Measure ID:	210919
Order Number:	Not reported
Regulatory Measure Type:	Industrial
Place ID:	Not reported
WDID:	8 33I016286
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Discharge Name:	Not reported
Discharge Address:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Received Date:	05/09/2008
Processed Date:	12/18/2000
Status:	Active
Status Date:	12/18/2000
Place Size:	215061
Place Size Unit:	SqFt
Contact:	Michael Black
Contact Title:	Facilities Manager
Contact Phone:	951-565-5036
Contact Phone Ext:	Not reported
Contact Email:	mblack@riversidetransit.com
Operator Name:	Riverside Transit Agency
Operator Address:	1825 3rd Street
Operator City:	Riverside
Operator State:	California
Operator Zip:	92507
Operator Contact:	Michael Black
Operator Contact Title:	Facilities Manager
Operator Contact Phone:	951-565-5036
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	mblack@riversidetransit.com
Operator Type:	Private Business
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	California
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Constype Commertial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	N
Receiving Water Name:	Santa Ana River
Certifier:	Michael Black
Certifier Title:	Facilities Manager
Certification Date:	13-JUL-15
Primary Sic:	4173-Terminal and Service Facilities for Motor Vehicle Passenger Transportation
Secondary Sic:	Not reported
Tertiary Sic:	Not reported
NPDES Number:	CAS000001
Status:	Active
Agency Number:	0
Region:	8
Regulatory Measure ID:	210919
Order Number:	97-03-DWQ
Regulatory Measure Type:	Enrollee
Place ID:	Not reported
WDID:	8 33I016286
Program Type:	Industrial
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	12/18/2000
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Discharge Name:	Riverside Transit Agency
Discharge Address:	1825 3rd Street
Discharge City:	Riverside
Discharge State:	California
Discharge Zip:	92507
Received Date:	Not reported
Processed Date:	Not reported
Status:	Not reported
Status Date:	Not reported
Place Size:	Not reported
Place Size Unit:	Not reported
Contact:	Not reported
Contact Title:	Not reported
Contact Phone:	Not reported
Contact Phone Ext:	Not reported
Contact Email:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Operator Contact:	Not reported
Operator Contact Title:	Not reported
Operator Contact Phone:	Not reported
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	Not reported
Operator Type:	Not reported
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	Not reported
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commertial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	Not reported
Receiving Water Name:	Not reported
Certifier:	Not reported
Certifier Title:	Not reported
Certification Date:	Not reported
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported

WDS:

Name:	RIVERSIDE TRANSIT AGENCY
Address:	1825 3rd St
City:	RIVERSIDE
Facility ID:	Santa Ana River 33I016286
Facility Type:	Industrial - Facility that treats and/or disposes of liquid or semisolid wastes from any servicing, producing, manufacturing or processing operation of whatever nature, including mining, gravel washing, geothermal operations, air conditioning, ship building and repairing, oil production, storage and disposal operations, water pumping.
Facility Status:	Active - Any facility with a continuous or seasonal discharge that is under Waste Discharge Requirements.
NPDES Number:	CAS000001 The 1st 2 characters designate the state. The remaining 7 are assigned by the Regional Board

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Subregion:	8
Facility Telephone:	9096840850
Facility Contact:	Not reported
Agency Name:	RIVERSIDE TRANSIT AGENCY
Agency Address:	1825 3rd St
Agency City,St,Zip:	Riverside 925073484
Agency Contact:	ACCOUNTS PAYABLE
Agency Telephone:	9096840850
Agency Type:	?
SIC Code:	0
SIC Code 2:	Not reported
Primary Waste Type:	Not reported
Primary Waste:	Not reported
Waste Type2:	Not reported
Waste2:	Not reported
Primary Waste Type:	Not reported
Secondary Waste:	Not reported
Secondary Waste Type:	Not reported
Design Flow:	0
Baseline Flow:	0
Reclamation:	Not reported
POTW:	Not reported
Treat To Water:	Minor Threat to Water Quality. A violation of a regional board order should cause a relatively minor impairment of beneficial uses compared to a major or minor threat. Not: All nurds without a TTWQ will be considered a minor threat to water quality unless coded at a higher Level. A Zero (0) may be used to code those NURDS that are found to represent no threat to water quality.
Complexity:	Category C - Facilities having no waste treatment systems, such as cooling water dischargers or thosewho must comply through best management practices, facilities with passive waste treatment and disposal systems, such as septic systems with subsurface disposal, or dischargers having waste storage systems with land disposal such as dairy waste ponds.

CIWQS:

Name:	RIVERSIDE TRANSIT AGENCY
Address:	1825 3RD STREET
City,State,Zip:	RIVERSIDE, CA 92507
Agency:	Riverside Transit Agency
Agency Address:	1825 3rd Street, Riverside, CA 92507
Place/Project Type:	Industrial - Terminal and Service Facilities for Motor Vehicle Passenger Transportation
SIC/NAICS:	4173
Region:	8
Program:	INDSTW
Regulatory Measure Status:	Active
Regulatory Measure Type:	Storm water industrial
Order Number:	2014-0057-DWQ
WDID:	8 33I016286
NPDES Number:	CAS000001
Adoption Date:	Not reported
Effective Date:	12/18/2000
Termination Date:	Not reported
Expiration/Review Date:	Not reported
Design Flow:	Not reported
Major/Minor:	Not reported

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Complexity: Not reported
TTWQ: Not reported
Enforcement Actions within 5 years: 1
Violations within 5 years: 1
Latitude: 33.983
Longitude: -117.35172

CERS:
Name: RIVERSIDE TRANSIT AGENCY
Address: 1825 3RD ST
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 178091
CERS ID: 10511449
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 10-22-2013
Citation: HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description: Failure to prepare and implement a Spill Prevention Control and Countermeasure (SPCC) Plan .
Violation Notes: Returned to compliance on 11/19/2013.
Violation Division: Riverside City Fire Department
Violation Program: APSA
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 06-26-2018
Citation: Un-Specified
Violation Description: Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes: Returned to compliance on 07/26/2018. Hazmat storage area(s) properly posted. [RMC 16.32.020; CFC, Section 5003.6] - Provide and post signage for empty barrel hazardous storage area.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 10-22-2013
Citation: HSC 6.95 25504(a) - California Health and Safety Code, Chapter 6.95, Section(s) 25504(a)
Violation Description: Failure to complete and/or submit hazardous material inventory forms for all reportable hazardous materials on site.
Violation Notes: Returned to compliance on 11/19/2013.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 02-03-2021
Citation: HSC 6.95 25508(a)(3) - California Health and Safety Code, Chapter

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

	6.95, Section(s) 25508(a)(3)
Violation Description:	Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes:	Returned to compliance on 02/04/2021. The chemical inventory has not been submitted accurately. Submit the chemical inventory in CERS. Include the changes of the following chemicals in CERS: add nitrogen = 625 cubic feet
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	10-22-2013
Citation:	19 CCR 4 2729.2(a)(3) - California Code of Regulations, Title 19, Chapter 4, Section(s) 2729.2(a)(3)
Violation Description:	Failure to complete and/or submit an annotated site map if required by CUPA.
Violation Notes:	Returned to compliance on 11/19/2013.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	10-28-2015
Citation:	HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description:	Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes:	Returned to compliance on 11/03/2015.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-26-2018
Citation:	HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description:	Failure to discuss in the SPCC Plan procedures to test or inspect each aboveground container for integrity in accordance with industry standards: 1. On a regular schedule. 2. After material repairs are made. 3. By qualified personnel. 4. The frequency and type of testing and inspections based on container size, configuration, and design.
Violation Notes:	Returned to compliance on 08/31/2018. Failed to include in the SPCC Plan procedures to test or inspect each aboveground container for integrity in accordance with industry standards on a regular schedule, after material repairs are made, by qualified personnel; failed to include the frequency and type of testing and inspections based on container size, configuration, and design. (40 CFR 112.8(c)(6).) HSC 25270.4.5(e)
Violation Division:	Riverside City Fire Department
Violation Program:	APSA
Violation Source:	CERS,

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	05-24-2016
Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	Returned to compliance on 08/11/2017.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,

Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	06-26-2018
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit a site map with all required content.
Violation Notes:	Returned to compliance on 07/26/2018. Update site map to reflect current chemical and spill kit locations.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	10-22-2013
Citation:	HSC 6.95 Multiple - California Health and Safety Code, Chapter 6.95, Section(s) Multiple
Violation Description:	Business Plan Program - Administration/Documentation - General
Violation Notes:	Returned to compliance on 11/19/2013. HMBP was not available onsite during inspection.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-28-2020
Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	Returned to compliance on 08/13/2020.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,

Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-28-2020

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Citation:	22 CCR 15 66265.16 - California Code of Regulations, Title 22, Chapter 15, Section(s) 66265.16
Violation Description:	Failure to provide employees with hazardous waste training program of class room instructions or on-the-job training within the first six months after the date of their employment or assignment to a facility, or to a new position at a facility and annually thereafter. Training records on current personnel shall be kept until closure of the facility and for former employees the record shall be kept for at least three years from the date the employee last worked at the facility. The records shall include the following: the job title for each position at the facility related to hazardous waste management, and the name of the employee filling each job; a written job description for each position, duties of facility personnel assigned to each position, and a written description of the type and amount of both introductory and continuing training that will be given to each person filling a position.
Violation Notes:	Returned to compliance on 08/13/2020.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	05-24-2016
Citation:	40 CFR 1 265.35 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.35
Violation Description:	Failure to maintain aisle space to allow the unobstructed movement of personnel, fire protection, spill control equipment, and decontamination equipment to any area of facility operation in an emergency, unless it can be demonstrated to the Department that aisle space is not needed for any of these purposes.
Violation Notes:	Returned to compliance on 08/11/2017.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-26-2018
Citation:	HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description:	Failure to include in the SPCC Plan an adequate facility diagram, or no facility diagram included. The facility diagram is not required on a Tier I qualified facility SPCC Plan.
Violation Notes:	Returned to compliance on 08/31/2018. Failed to include in the SPCC Plan an adequate facility diagram, or no facility diagram included. The facility diagram is not required for a Tier I Qualified Facility. (40 CFR 112.7(a)(3).) HSC 25270.4.5(a)
Violation Division:	Riverside City Fire Department
Violation Program:	APSA
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	10-22-2013
Citation:	HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Violation Description:	Failure to maintain SPCC plan onsite (applies if facility is manned at least four (4) hours per day).
Violation Notes:	Returned to compliance on 11/19/2013.
Violation Division:	Riverside City Fire Department
Violation Program:	APSA
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-28-2020
Citation:	22 CCR 15 66265.173 - California Code of Regulations, Title 22, Chapter 15, Section(s) 66265.173
Violation Description:	Failure to meet the following container management requirements: (a) A container holding hazardous waste must always be closed during storage, except when it is necessary to add or remove waste. (b) A container holding hazardous waste must not be opened, handled, or stored in a manner which may rupture the container or cause it to leak.
Violation Notes:	Returned to compliance on 08/13/2020.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	02-03-2021
Citation:	HSC 6.95 25508.1(a)-(f) - California Health and Safety Code, Chapter 6.95, Section(s) 25508.1(a)-(f)
Violation Description:	Failure to electronically update business plan within 30 days of any one of the following events: A 100 percent or more increase in the quantity of a previously disclosed material. Any handling of a previously undisclosed hazardous materials at or above reportable quantities. A change of business address, business ownership, or business name. A substantial change in the handler's operations that requires modification to any portion of the business plan.
Violation Notes:	Returned to compliance on 02/04/2021. The business plan update within 30 days has not been completed as required due to the change of 625 cubic feet of nitrogen.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-28-2020
Citation:	HSC 6.5 25144.6(b) - California Health and Safety Code, Chapter 6.5, Section(s) 25144.6(b)
Violation Description:	Failure to properly manage reusable soiled textile materials prior to being sent for laundering.
Violation Notes:	Returned to compliance on 08/13/2020.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	05-24-2016

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Citation:	40 CFR 1 265.173 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.173
Violation Description:	Failure to properly close hazardous waste containers when not in active use.
Violation Notes:	Returned to compliance on 08/11/2017.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-26-2018
Citation:	HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description:	"Failure to test or inspect each aboveground container for integrity based on industry standards as discussed in the SPCC Plan: 1. On a regular schedule. 2. After making material repairs. 3. Use non-destructive testing. 4. Inspect each container s supports, foundations, and outside for signs of deterioration, discharges, or accumulation of oil inside diked areas."
Violation Notes:	Returned to compliance on 08/31/2018. Failed to test or inspect each aboveground tank or container for integrity on a regular schedule and after material repairs. (40 CFR 112.8(c)(6).) HSC 25270.4.5(a)
Violation Division:	Riverside City Fire Department
Violation Program:	APSA
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-26-2018
Citation:	HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description:	Failure to state reasons for nonconformance and describe equivalent methods in detail if claiming equivalent environmental protection for SPCC requirements other than secondary containment.
Violation Notes:	Returned to compliance on 08/31/2018. Failed to include alternative environmental protection to SPCC requirements within SPCC plan. (40 CFR 112.7(a)(2).) HSC 25270.4.5(a)
Violation Division:	Riverside City Fire Department
Violation Program:	APSA
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	10-22-2013
Citation:	HSC 6.95 25510 - California Health and Safety Code, Chapter 6.95, Section(s) 25510
Violation Description:	Failure to update hazardous material inventory within 30 days when one of the following occurs: A 100 percent or more increase in the quantity of a previously disclosed material. Any handling of a previously undisclosed hazardous materials A change of business address, business ownership, or business name.
Violation Notes:	Returned to compliance on 11/19/2013.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 10-22-2013
Citation: HSC 6.95 25504(b) - California Health and Safety Code, Chapter 6.95, Section(s) 25504(b)
Violation Description: Failure to include adequate emergency response procedures in the business plan for a release or threatened release.
Violation Notes: Returned to compliance on 11/19/2013.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 06-26-2018
Citation: Un-Specified
Violation Description: Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes: Returned to compliance on 07/26/2018. Emergency equipment properly posted. [RMC 16.32.020; CFC, Section 5001.5.1(2)] - Provide spill kits and signage for locations.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 06-26-2018
Citation: Un-Specified
Violation Description: Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes: Returned to compliance on 07/26/2018. NFPA 704 sign(s) properly posted. [RMC 16.32.020; CFC, Section 5003.5] - Provide and post 704 placard to hazardous empty barrels storage area.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 07-26-2018
Citation: HSC 6.67 Multiple - California Health and Safety Code, Chapter 6.67, Section(s) Multiple
Violation Description: APSA Program - Administration/Documentation - General
Violation Notes: Returned to compliance on 08/31/2018. Complete and sign.
Violation Division: Riverside City Fire Department
Violation Program: APSA
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 10-22-2013
Citation: HSC 6.95 25505(b) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(b)
Violation Description: Failure to submit a revised business plan upon a substantial change in the handler’s operations.
Violation Notes: Returned to compliance on 11/19/2013.

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 06-26-2018
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: Returned to compliance on 07/26/2018. Update chemical inventory in CERS to reflect current chemicals stored/used on site.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 05-24-2016
Citation: 40 CFR 1 265.201(c)(5) - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.201(c)(5)
Violation Description: Failure to conduct weekly inspections of the construction materials, fixtures, and surrounding areas of the hazardous waste tanks.
Violation Notes: Returned to compliance on 08/11/2017.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-26-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-22-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 11-19-2013
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Eval General Type: Other/Unknown
Eval Date: 12-02-2016
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 02-03-2021
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: APSA
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-26-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: APSA
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-22-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: APSA
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 11-19-2013
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: APSA
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 12-02-2016
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: APSA
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-28-2020
Violations Found: Yes

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Eval Type: Routine done by local agency
Eval Notes: LQG
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 02-03-2021
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-24-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 10-28-2015
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Enforcement Action:
Site ID: 178091
Site Name: Riverside Transit Agency
Site Address: 1825 3RD ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 10-22-2013
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside City Fire Department
Enf Action Program: APSA
Enf Action Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Site Address: 1825 3RD ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 10-22-2013
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside City Fire Department

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Enf Action Program: HMRRP
Enf Action Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Site Address: 1825 3RD ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 10-28-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Fines/Penalties Assessed: $100.00. Administrative Citation.
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Coordinates:
Site ID: 178091
Facility Name: Riverside Transit Agency
Env Int Type Code: HMBP
Program ID: 10511449
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.,
Latitude: 33.983050
Longitude: -117.350970

Affiliation:
Affiliation Type Desc: CUPA District
Entity Name: Riverside Cnty Env Health
Entity Title: Not reported
Affiliation Address: 4065 County Circle Drive, Room 104
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92503
Affiliation Phone: (951) 358-5055,

Affiliation Type Desc: Property Owner
Entity Name: Riverside Transit Agency
Entity Title: Not reported
Affiliation Address: 1825 3rd St
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 92507
Affiliation Phone: (951) 565-5000,

Affiliation Type Desc: Document Preparer
Entity Name: Robert Wyman
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Affiliation Type Desc:	Identification Signer
Entity Name:	Ro
Entity Title:	Sr. Facilities Mgr.
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,

Affiliation Type Desc:	Parent Corporation
Entity Name:	Riverside Transit Agency
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,

Affiliation Type Desc:	Environmental Contact
Entity Name:	Robert Wyman
Entity Title:	Not reported
Affiliation Address:	1825 3rd St
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92507
Affiliation Phone:	,

Affiliation Type Desc:	Legal Owner
Entity Name:	Riverside Transit Agency
Entity Title:	Not reported
Affiliation Address:	1825 3rd St
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92507
Affiliation Phone:	(951) 565-5000,

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	SHARON BOLTINGHOUSE - RIVERSIDE COUNTY LOP
Entity Title:	Not reported
Affiliation Address:	3880 LEMON ST SUITE 200
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	9519558980,

Affiliation Type Desc:	Operator
Entity Name:	Riverside Transit Agency
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Affiliation Zip: Not reported
Affiliation Phone: (951) 565-5036,

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 1825 3rd St
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92507
Affiliation Phone: ,

Affiliation Type Desc: Regional Board Caseworker
Entity Name: MAILE SEEGER GEE - SANTA ANA RWQCB (REGION 8)
Entity Title: Not reported
Affiliation Address: 3737 MAIN STREET, SUITE 500
Affiliation City: RIVERSIDE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 9517824379,

Name: RIVERSIDE TRANSIT AGENCY
Address: 1825 3RD ST
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 178091
CERS ID: T0606516063
CERS Description: Leaking Underground Storage Tank Cleanup Site

Violations:

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 10-22-2013
Citation: HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description: Failure to prepare and implement a Spill Prevention Control and Countermeasure (SPCC) Plan .
Violation Notes: Returned to compliance on 11/19/2013.
Violation Division: Riverside City Fire Department
Violation Program: APSA
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 06-26-2018
Citation: Un-Specified
Violation Description: Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes: Returned to compliance on 07/26/2018. Hazmat storage area(s) properly posted. [RMC 16.32.020; CFC, Section 5003.6] - Provide and post signage for empty barrel hazardous storage area.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 178091

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Site Name:	Riverside Transit Agency
Violation Date:	10-22-2013
Citation:	HSC 6.95 25504(a) - California Health and Safety Code, Chapter 6.95, Section(s) 25504(a)
Violation Description:	Failure to complete and/or submit hazardous material inventory forms for all reportable hazardous materials on site.
Violation Notes:	Returned to compliance on 11/19/2013.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	02-03-2021
Citation:	HSC 6.95 25508(a)(3) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(3)
Violation Description:	Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes:	Returned to compliance on 02/04/2021. The chemical inventory has not been submitted accurately. Submit the chemical inventory in CERS. Include the changes of the following chemicals in CERS: add nitrogen = 625 cubic feet
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	10-22-2013
Citation:	19 CCR 4 2729.2(a)(3) - California Code of Regulations, Title 19, Chapter 4, Section(s) 2729.2(a)(3)
Violation Description:	Failure to complete and/or submit an annotated site map if required by CUPA.
Violation Notes:	Returned to compliance on 11/19/2013.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	10-28-2015
Citation:	HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description:	Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes:	Returned to compliance on 11/03/2015.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-26-2018
Citation:	HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description:	Failure to discuss in the SPCC Plan procedures to test or inspect each

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

	aboveground container for integrity in accordance with industry standards: 1. On a regular schedule. 2. After material repairs are made. 3. By qualified personnel. 4. The frequency and type of testing and inspections based on container size, configuration, and design.
Violation Notes:	Returned to compliance on 08/31/2018. Failed to include in the SPCC Plan procedures to test or inspect each aboveground container for integrity in accordance with industry standards on a regular schedule, after material repairs are made, by qualified personnel; failed to include the frequency and type of testing and inspections based on container size, configuration, and design. (40 CFR 112.8(c)(6).) HSC 25270.4.5(e)
Violation Division:	Riverside City Fire Department
Violation Program:	APSA
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	05-24-2016
Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	Returned to compliance on 08/11/2017.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	06-26-2018
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit a site map with all required content.
Violation Notes:	Returned to compliance on 07/26/2018. Update site map to reflect current chemical and spill kit locations.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	10-22-2013
Citation:	HSC 6.95 Multiple - California Health and Safety Code, Chapter 6.95, Section(s) Multiple
Violation Description:	Business Plan Program - Administration/Documentation - General
Violation Notes:	Returned to compliance on 11/19/2013. HMBP was not available onsite during inspection.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-28-2020

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	Returned to compliance on 08/13/2020.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-28-2020
Citation:	22 CCR 15 66265.16 - California Code of Regulations, Title 22, Chapter 15, Section(s) 66265.16
Violation Description:	Failure to provide employees with hazardous waste training program of class room instructions or on-the-job training within the first six months after the date of their employment or assignment to a facility, or to a new position at a facility and annually thereafter. Training records on current personnel shall be kept until closure of the facility and for former employees the record shall be kept for at least three years from the date the employee last worked at the facility. The records shall include the following: the job title for each position at the facility related to hazardous waste management, and the name of the employee filling each job; a written job description for each position, duties of facility personnel assigned to each position, and a written description of the type and amount of both introductory and continuing training that will be given to each person filling a position.
Violation Notes:	Returned to compliance on 08/13/2020.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	05-24-2016
Citation:	40 CFR 1 265.35 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.35
Violation Description:	Failure to maintain aisle space to allow the unobstructed movement of personnel, fire protection, spill control equipment, and decontamination equipment to any area of facility operation in an emergency, unless it can be demonstrated to the Department that aisle space is not needed for any of these purposes.
Violation Notes:	Returned to compliance on 08/11/2017.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-26-2018
Citation:	HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description:	Failure to include in the SPCC Plan an adequate facility diagram, or

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

	no facility diagram included. The facility diagram is not required on a Tier I qualified facility SPCC Plan.
Violation Notes:	Returned to compliance on 08/31/2018. Failed to include in the SPCC Plan an adequate facility diagram, or no facility diagram included. The facility diagram is not required for a Tier I Qualified Facility. (40 CFR 112.7(a)(3).) HSC 25270.4.5(a)
Violation Division:	Riverside City Fire Department
Violation Program:	APSA
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	10-22-2013
Citation:	HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description:	Failure to maintain SPCC plan onsite (applies if facility is manned at least four (4) hours per day).
Violation Notes:	Returned to compliance on 11/19/2013.
Violation Division:	Riverside City Fire Department
Violation Program:	APSA
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-28-2020
Citation:	22 CCR 15 66265.173 - California Code of Regulations, Title 22, Chapter 15, Section(s) 66265.173
Violation Description:	Failure to meet the following container management requirements: (a) A container holding hazardous waste must always be closed during storage, except when it is necessary to add or remove waste. (b) A container holding hazardous waste must not be opened, handled, or stored in a manner which may rupture the container or cause it to leak.
Violation Notes:	Returned to compliance on 08/13/2020.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	02-03-2021
Citation:	HSC 6.95 25508.1(a)-(f) - California Health and Safety Code, Chapter 6.95, Section(s) 25508.1(a)-(f)
Violation Description:	Failure to electronically update business plan within 30 days of any one of the following events: A 100 percent or more increase in the quantity of a previously disclosed material. Any handling of a previously undisclosed hazardous materials at or above reportable quantities. A change of business address, business ownership, or business name. A substantial change in the handler's operations that requires modification to any portion of the business plan.
Violation Notes:	Returned to compliance on 02/04/2021. The business plan update within 30 days has not been completed as required due to the change of 625 cubic feet of nitrogen.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-28-2020
Citation:	HSC 6.5 25144.6(b) - California Health and Safety Code, Chapter 6.5, Section(s) 25144.6(b)
Violation Description:	Failure to properly manage reusable soiled textile materials prior to being sent for laundering.
Violation Notes:	Returned to compliance on 08/13/2020.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,

Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	05-24-2016
Citation:	40 CFR 1 265.173 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.173
Violation Description:	Failure to properly close hazardous waste containers when not in active use.
Violation Notes:	Returned to compliance on 08/11/2017.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,

Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-26-2018
Citation:	HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description:	"Failure to test or inspect each aboveground container for integrity based on industry standards as discussed in the SPCC Plan: 1. On a regular schedule. 2. After making material repairs. 3. Use non-destructive testing. 4. Inspect each container s supports, foundations, and outside for signs of deterioration, discharges, or accumulation of oil inside diked areas."
Violation Notes:	Returned to compliance on 08/31/2018. Failed to test or inspect each aboveground tank or container for integrity on a regular schedule and after material repairs. (40 CFR 112.8(c)(6).) HSC 25270.4.5(a)
Violation Division:	Riverside City Fire Department
Violation Program:	APSA
Violation Source:	CERS,

Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-26-2018
Citation:	HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description:	Failure to state reasons for nonconformance and describe equivalent methods in detail if claiming equivalent environmental protection for SPCC requirements other than secondary containment.
Violation Notes:	Returned to compliance on 08/31/2018. Failed to include alternative environmental protection to SPCC requirements within SPCC plan. (40 CFR 112.7(a)(2).) HSC 25270.4.5(a)
Violation Division:	Riverside City Fire Department
Violation Program:	APSA
Violation Source:	CERS,

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	10-22-2013
Citation:	HSC 6.95 25510 - California Health and Safety Code, Chapter 6.95, Section(s) 25510
Violation Description:	Failure to update hazardous material inventory within 30 days when one of the following occurs: A 100 percent or more increase in the quantity of a previously disclosed material. Any handling of a previously undisclosed hazardous materials A change of business address, business ownership, or business name.
Violation Notes:	Returned to compliance on 11/19/2013.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	10-22-2013
Citation:	HSC 6.95 25504(b) - California Health and Safety Code, Chapter 6.95, Section(s) 25504(b)
Violation Description:	Failure to include adequate emergency response procedures in the business plan for a release or threatened release.
Violation Notes:	Returned to compliance on 11/19/2013.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	06-26-2018
Citation:	Un-Specified
Violation Description:	Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes:	Returned to compliance on 07/26/2018. Emergency equipment properly posted. [RMC 16.32.020; CFC, Section 5001.5.1(2)] - Provide spill kits and signage for locations.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	06-26-2018
Citation:	Un-Specified
Violation Description:	Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes:	Returned to compliance on 07/26/2018. NFPA 704 sign(s) properly posted. [RMC 16.32.020; CFC, Section 5003.5] - Provide and post 704 placard to hazardous empty barrels storage area.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-26-2018
Citation:	HSC 6.67 Multiple - California Health and Safety Code, Chapter 6.67,

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Section(s) Multiple
Violation Description: APSA Program - Administration/Documentation - General
Violation Notes: Returned to compliance on 08/31/2018. Complete and sign.
Violation Division: Riverside City Fire Department
Violation Program: APSA
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 10-22-2013
Citation: HSC 6.95 25505(b) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(b)
Violation Description: Failure to submit a revised business plan upon a substantial change in the handler's operations.
Violation Notes: Returned to compliance on 11/19/2013.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 06-26-2018
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: Returned to compliance on 07/26/2018. Update chemical inventory in CERS to reflect current chemicals stored/used on site.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 05-24-2016
Citation: 40 CFR 1 265.201(c)(5) - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.201(c)(5)
Violation Description: Failure to conduct weekly inspections of the construction materials, fixtures, and surrounding areas of the hazardous waste tanks.
Violation Notes: Returned to compliance on 08/11/2017.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-26-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-22-2013

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 11-19-2013
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 12-02-2016
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 02-03-2021
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: APSA
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-26-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: APSA
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-22-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: APSA
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 11-19-2013
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Eval Division: Riverside City Fire Department
Eval Program: APSA
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 12-02-2016
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: APSA
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-28-2020
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: LQG
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 02-03-2021
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-24-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 10-28-2015
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Enforcement Action:
Site ID: 178091
Site Name: Riverside Transit Agency
Site Address: 1825 3RD ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 10-22-2013
Enf Action Type: Notice of Violation (Unified Program)

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside City Fire Department
Enf Action Program: APSA
Enf Action Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Site Address: 1825 3RD ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 10-22-2013
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Site Address: 1825 3RD ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 10-28-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Fines/Penalties Assessed: $100.00. Administrative Citation.
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Coordinates:
Site ID: 178091
Facility Name: Riverside Transit Agency
Env Int Type Code: HMBP
Program ID: 10511449
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.,
Latitude: 33.983050
Longitude: -117.350970

Affiliation:
Affiliation Type Desc: CUPA District
Entity Name: Riverside Cnty Env Health
Entity Title: Not reported
Affiliation Address: 4065 County Circle Drive, Room 104
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92503
Affiliation Phone: (951) 358-5055,

Affiliation Type Desc: Property Owner
Entity Name: Riverside Transit Agency
Entity Title: Not reported

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Affiliation Address: 1825 3rd St
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 92507
Affiliation Phone: (951) 565-5000,

Affiliation Type Desc: Document Preparer
Entity Name: Robert Wyman
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: Identification Signer
Entity Name: Ro
Entity Title: Sr. Facilities Mgr.
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: Parent Corporation
Entity Name: Riverside Transit Agency
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: Environmental Contact
Entity Name: Robert Wyman
Entity Title: Not reported
Affiliation Address: 1825 3rd St
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92507
Affiliation Phone: ,

Affiliation Type Desc: Legal Owner
Entity Name: Riverside Transit Agency
Entity Title: Not reported
Affiliation Address: 1825 3rd St
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 92507
Affiliation Phone: (951) 565-5000,

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Affiliation Type Desc: Local Agency Caseworker
Entity Name: SHARON BOLTINGHOUSE - RIVERSIDE COUNTY LOP
Entity Title: Not reported
Affiliation Address: 3880 LEMON ST SUITE 200
Affiliation City: RIVERSIDE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 9519558980,

Affiliation Type Desc: Operator
Entity Name: Riverside Transit Agency
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (951) 565-5036,

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 1825 3rd St
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92507
Affiliation Phone: ,

Affiliation Type Desc: Regional Board Caseworker
Entity Name: MAILE SEEGER GEE - SANTA ANA RWQCB (REGION 8)
Entity Title: Not reported
Affiliation Address: 3737 MAIN STREET, SUITE 500
Affiliation City: RIVERSIDE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 9517824379,

Name: RIVERSIDE TRANSIT AGENCY
Address: 1825 3RD STREET
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 540985
CERS ID: 252915
CERS Description: Industrial Facility Storm Water

Violations:
Site ID: 540985
Site Name: Riverside Transit Agency
Violation Date: 08-07-2008
Citation: 2014-0057-DWQ - Industrial General Permit
Violation Description: SW - Late Report
Violation Notes: Failure to submit 2007-2008 Annual Report
Violation Division: Water Boards
Violation Program: INDSTW
Violation Source: SMARTS,

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Site ID: 540985
Site Name: Riverside Transit Agency
Violation Date: 07-29-2010
Citation: 2014-0057-DWQ - Industrial General Permit
Violation Description: SW - Late Report
Violation Notes: 2009-2010 Annual Report was not received by July 1, 2010. Certified letter was sent to facility address to Willie T Jones III the carbon copy of the letter was sent to the owner, Willie T. Jones III. Both letters were sent out on 7/29/2010. Certified mail returned date: Reason of returned mail:
Violation Division: Water Boards
Violation Program: INDSTW
Violation Source: SMARTS,

Site ID: 540985
Site Name: Riverside Transit Agency
Violation Date: 01-02-2019
Citation: 2014-0057-DWQ - Industrial General Permit
Violation Description: SW - Late Report
Violation Notes: Failure to submit Level 1 ERA Report for pH by January 1, 2019
Violation Division: Water Boards
Violation Program: INDSTW
Violation Source: SMARTS,

Enforcement Action:
Site ID: 540985
Site Name: Riverside Transit Agency
Site Address: 1825 3RD STREET
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 04-29-2019
Enf Action Type: Staff Enforcement Letter
Enf Action Description: Staff Enforcement Letter
Enf Action Notes: Failure to submit Level 1 ERA Report for pH by January 1, 2019
Enf Action Division: Water Boards
Enf Action Program: INDSTW
Enf Action Source: SMARTS,

Site ID: 540985
Site Name: Riverside Transit Agency
Site Address: 1825 3RD STREET
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 07-29-2010
Enf Action Type: Industrial Storm Water Enforcement
Enf Action Description: Industrial Storm Water Enforcement
Enf Action Notes: 2009-2010 Annual Report was not received by July 1, 2010. Certified letter was sent to facility address to Willie T Jones III the carbon copy of the letter was sent to the owner, Willie T. Jones III. Both letters were sent out on 7/29/2010. Certified mail returned date:
Enf Action Division: Water Boards
Enf Action Program: INDSTW
Enf Action Source: SMARTS,

Site ID: 540985
Site Name: Riverside Transit Agency
Site Address: 1825 3RD STREET

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Site City:	RIVERSIDE
Site Zip:	92507
Enf Action Date:	08-07-2008
Enf Action Type:	Notice of Non-Compliance for Non-Filers
Enf Action Description:	Notice of Non-Compliance for Non-Filers
Enf Action Notes:	Failure to submit Annual Report for the reporting year 2007-2008 before July 1, 2008. Annual Report 2007-2008 Notice of Non-Compliance was sent out on August 7, 2008.
Enf Action Division:	Water Boards
Enf Action Program:	INDSTW
Enf Action Source:	SMARTS,

Affiliation:

Affiliation Type Desc:	Owner/Operator
Entity Name:	Riverside Transit Agency
Entity Title:	Operator
Affiliation Address:	1825 3rd Street
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92507
Affiliation Phone:	,

Name:	RIVERSIDE TRANSIT AGENCY
Address:	1825 3RD ST
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	178091
CERS ID:	T0606500499
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Violations:

Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	10-22-2013
Citation:	HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description:	Failure to prepare and implement a Spill Prevention Control and Countermeasure (SPCC) Plan .
Violation Notes:	Returned to compliance on 11/19/2013.
Violation Division:	Riverside City Fire Department
Violation Program:	APSA
Violation Source:	CERS,

Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	06-26-2018
Citation:	Un-Specified
Violation Description:	Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes:	Returned to compliance on 07/26/2018. Hazmat storage area(s) properly posted. [RMC 16.32.020; CFC, Section 5003.6] - Provide and post signage for empty barrel hazardous storage area.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 10-22-2013
Citation: HSC 6.95 25504(a) - California Health and Safety Code, Chapter 6.95, Section(s) 25504(a)
Violation Description: Failure to complete and/or submit hazardous material inventory forms for all reportable hazardous materials on site.
Violation Notes: Returned to compliance on 11/19/2013.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 02-03-2021
Citation: HSC 6.95 25508(a)(3) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(3)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: Returned to compliance on 02/04/2021. The chemical inventory has not been submitted accurately. Submit the chemical inventory in CERS. Include the changes of the following chemicals in CERS: add nitrogen = 625 cubic feet
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 10-22-2013
Citation: 19 CCR 4 2729.2(a)(3) - California Code of Regulations, Title 19, Chapter 4, Section(s) 2729.2(a)(3)
Violation Description: Failure to complete and/or submit an annotated site map if required by CUPA.
Violation Notes: Returned to compliance on 11/19/2013.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 10-28-2015
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes: Returned to compliance on 11/03/2015.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 07-26-2018
Citation: HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Violation Description:	Failure to discuss in the SPCC Plan procedures to test or inspect each aboveground container for integrity in accordance with industry standards: 1. On a regular schedule. 2. After material repairs are made. 3. By qualified personnel. 4. The frequency and type of testing and inspections based on container size, configuration, and design.
Violation Notes:	Returned to compliance on 08/31/2018. Failed to include in the SPCC Plan procedures to test or inspect each aboveground container for integrity in accordance with industry standards on a regular schedule, after material repairs are made, by qualified personnel; failed to include the frequency and type of testing and inspections based on container size, configuration, and design. (40 CFR 112.8(c)(6).) HSC 25270.4.5(e)
Violation Division:	Riverside City Fire Department
Violation Program:	APSA
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	05-24-2016
Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	Returned to compliance on 08/11/2017.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	06-26-2018
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit a site map with all required content.
Violation Notes:	Returned to compliance on 07/26/2018. Update site map to reflect current chemical and spill kit locations.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	10-22-2013
Citation:	HSC 6.95 Multiple - California Health and Safety Code, Chapter 6.95, Section(s) Multiple
Violation Description:	Business Plan Program - Administration/Documentation - General
Violation Notes:	Returned to compliance on 11/19/2013. HMBP was not available onsite during inspection.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Violation Date:	07-28-2020
Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	Returned to compliance on 08/13/2020.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-28-2020
Citation:	22 CCR 15 66265.16 - California Code of Regulations, Title 22, Chapter 15, Section(s) 66265.16
Violation Description:	Failure to provide employees with hazardous waste training program of class room instructions or on-the-job training within the first six months after the date of their employment or assignment to a facility, or to a new position at a facility and annually thereafter. Training records on current personnel shall be kept until closure of the facility and for former employees the record shall be kept for at least three years from the date the employee last worked at the facility. The records shall include the following: the job title for each position at the facility related to hazardous waste management, and the name of the employee filling each job; a written job description for each position, duties of facility personnel assigned to each position, and a written description of the type and amount of both introductory and continuing training that will be given to each person filling a position.
Violation Notes:	Returned to compliance on 08/13/2020.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	05-24-2016
Citation:	40 CFR 1 265.35 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.35
Violation Description:	Failure to maintain aisle space to allow the unobstructed movement of personnel, fire protection, spill control equipment, and decontamination equipment to any area of facility operation in an emergency, unless it can be demonstrated to the Department that aisle space is not needed for any of these purposes.
Violation Notes:	Returned to compliance on 08/11/2017.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-26-2018
Citation:	HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Violation Description:	Failure to include in the SPCC Plan an adequate facility diagram, or no facility diagram included. The facility diagram is not required on a Tier I qualified facility SPCC Plan.
Violation Notes:	Returned to compliance on 08/31/2018. Failed to include in the SPCC Plan an adequate facility diagram, or no facility diagram included. The facility diagram is not required for a Tier I Qualified Facility. (40 CFR 112.7(a)(3).) HSC 25270.4.5(a)
Violation Division:	Riverside City Fire Department
Violation Program:	APSA
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	10-22-2013
Citation:	HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description:	Failure to maintain SPCC plan onsite (applies if facility is manned at least four (4) hours per day).
Violation Notes:	Returned to compliance on 11/19/2013.
Violation Division:	Riverside City Fire Department
Violation Program:	APSA
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-28-2020
Citation:	22 CCR 15 66265.173 - California Code of Regulations, Title 22, Chapter 15, Section(s) 66265.173
Violation Description:	Failure to meet the following container management requirements: (a) A container holding hazardous waste must always be closed during storage, except when it is necessary to add or remove waste. (b) A container holding hazardous waste must not be opened, handled, or stored in a manner which may rupture the container or cause it to leak.
Violation Notes:	Returned to compliance on 08/13/2020.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	02-03-2021
Citation:	HSC 6.95 25508.1(a)-(f) - California Health and Safety Code, Chapter 6.95, Section(s) 25508.1(a)-(f)
Violation Description:	Failure to electronically update business plan within 30 days of any one of the following events: A 100 percent or more increase in the quantity of a previously disclosed material. Any handling of a previously undisclosed hazardous materials at or above reportable quantities. A change of business address, business ownership, or business name. A substantial change in the handler's operations that requires modification to any portion of the business plan.
Violation Notes:	Returned to compliance on 02/04/2021. The business plan update within 30 days has not been completed as required due to the change of 625 cubic feet of nitrogen.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-28-2020
Citation:	HSC 6.5 25144.6(b) - California Health and Safety Code, Chapter 6.5, Section(s) 25144.6(b)
Violation Description:	Failure to properly manage reusable soiled textile materials prior to being sent for laundering.
Violation Notes:	Returned to compliance on 08/13/2020.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,

Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	05-24-2016
Citation:	40 CFR 1 265.173 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.173
Violation Description:	Failure to properly close hazardous waste containers when not in active use.
Violation Notes:	Returned to compliance on 08/11/2017.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,

Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-26-2018
Citation:	HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description:	"Failure to test or inspect each aboveground container for integrity based on industry standards as discussed in the SPCC Plan: 1. On a regular schedule. 2. After making material repairs. 3. Use non-destructive testing. 4. Inspect each container s supports, foundations, and outside for signs of deterioration, discharges, or accumulation of oil inside diked areas."
Violation Notes:	Returned to compliance on 08/31/2018. Failed to test or inspect each aboveground tank or container for integrity on a regular schedule and after material repairs. (40 CFR 112.8(c)(6).) HSC 25270.4.5(a)
Violation Division:	Riverside City Fire Department
Violation Program:	APSA
Violation Source:	CERS,

Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-26-2018
Citation:	HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description:	Failure to state reasons for nonconformance and describe equivalent methods in detail if claiming equivalent environmental protection for SPCC requirements other than secondary containment.
Violation Notes:	Returned to compliance on 08/31/2018. Failed to include alternative environmental protection to SPCC requirements within SPCC plan. (40 CFR 112.7(a)(2).) HSC 25270.4.5(a)
Violation Division:	Riverside City Fire Department
Violation Program:	APSA
Violation Source:	CERS,

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	10-22-2013
Citation:	HSC 6.95 25510 - California Health and Safety Code, Chapter 6.95, Section(s) 25510
Violation Description:	Failure to update hazardous material inventory within 30 days when one of the following occurs: A 100 percent or more increase in the quantity of a previously disclosed material. Any handling of a previously undisclosed hazardous materials A change of business address, business ownership, or business name.
Violation Notes:	Returned to compliance on 11/19/2013.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	10-22-2013
Citation:	HSC 6.95 25504(b) - California Health and Safety Code, Chapter 6.95, Section(s) 25504(b)
Violation Description:	Failure to include adequate emergency response procedures in the business plan for a release or threatened release.
Violation Notes:	Returned to compliance on 11/19/2013.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	06-26-2018
Citation:	Un-Specified
Violation Description:	Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes:	Returned to compliance on 07/26/2018. Emergency equipment properly posted. [RMC 16.32.020; CFC, Section 5001.5.1(2)] - Provide spill kits and signage for locations.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	06-26-2018
Citation:	Un-Specified
Violation Description:	Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes:	Returned to compliance on 07/26/2018. NFPA 704 sign(s) properly posted. [RMC 16.32.020; CFC, Section 5003.5] - Provide and post 704 placard to hazardous empty barrels storage area.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-26-2018
Citation:	HSC 6.67 Multiple - California Health and Safety Code, Chapter 6.67,

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Section(s) Multiple
Violation Description: APSA Program - Administration/Documentation - General
Violation Notes: Returned to compliance on 08/31/2018. Complete and sign.
Violation Division: Riverside City Fire Department
Violation Program: APSA
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 10-22-2013
Citation: HSC 6.95 25505(b) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(b)
Violation Description: Failure to submit a revised business plan upon a substantial change in the handler's operations.
Violation Notes: Returned to compliance on 11/19/2013.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 06-26-2018
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: Returned to compliance on 07/26/2018. Update chemical inventory in CERS to reflect current chemicals stored/used on site.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 05-24-2016
Citation: 40 CFR 1 265.201(c)(5) - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.201(c)(5)
Violation Description: Failure to conduct weekly inspections of the construction materials, fixtures, and surrounding areas of the hazardous waste tanks.
Violation Notes: Returned to compliance on 08/11/2017.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-26-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-22-2013

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 11-19-2013
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 12-02-2016
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 02-03-2021
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: APSA
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-26-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: APSA
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-22-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: APSA
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 11-19-2013
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Eval Division: Riverside City Fire Department
Eval Program: APSA
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 12-02-2016
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: APSA
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-28-2020
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: LQG
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 02-03-2021
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-24-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 10-28-2015
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Enforcement Action:
Site ID: 178091
Site Name: Riverside Transit Agency
Site Address: 1825 3RD ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 10-22-2013
Enf Action Type: Notice of Violation (Unified Program)

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside City Fire Department
Enf Action Program: APSA
Enf Action Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Site Address: 1825 3RD ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 10-22-2013
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Site Address: 1825 3RD ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 10-28-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Fines/Penalties Assessed: $100.00. Administrative Citation.
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Coordinates:
Site ID: 178091
Facility Name: Riverside Transit Agency
Env Int Type Code: HMBP
Program ID: 10511449
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.,
Latitude: 33.983050
Longitude: -117.350970

Affiliation:
Affiliation Type Desc: CUPA District
Entity Name: Riverside Cnty Env Health
Entity Title: Not reported
Affiliation Address: 4065 County Circle Drive, Room 104
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92503
Affiliation Phone: (951) 358-5055,

Affiliation Type Desc: Property Owner
Entity Name: Riverside Transit Agency
Entity Title: Not reported

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Affiliation Address: 1825 3rd St
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 92507
Affiliation Phone: (951) 565-5000,

Affiliation Type Desc: Document Preparer
Entity Name: Robert Wyman
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: Identification Signer
Entity Name: Ro
Entity Title: Sr. Facilities Mgr.
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: Parent Corporation
Entity Name: Riverside Transit Agency
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: Environmental Contact
Entity Name: Robert Wyman
Entity Title: Not reported
Affiliation Address: 1825 3rd St
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92507
Affiliation Phone: ,

Affiliation Type Desc: Legal Owner
Entity Name: Riverside Transit Agency
Entity Title: Not reported
Affiliation Address: 1825 3rd St
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 92507
Affiliation Phone: (951) 565-5000,

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Affiliation Type Desc: Local Agency Caseworker
Entity Name: SHARON BOLTINGHOUSE - RIVERSIDE COUNTY LOP
Entity Title: Not reported
Affiliation Address: 3880 LEMON ST SUITE 200
Affiliation City: RIVERSIDE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 9519558980,

Affiliation Type Desc: Operator
Entity Name: Riverside Transit Agency
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (951) 565-5036,

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 1825 3rd St
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92507
Affiliation Phone: ,

Affiliation Type Desc: Regional Board Caseworker
Entity Name: MAILE SEEGER GEE - SANTA ANA RWQCB (REGION 8)
Entity Title: Not reported
Affiliation Address: 3737 MAIN STREET, SUITE 500
Affiliation City: RIVERSIDE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 9517824379,

Name: RIVERSIDE TRANSIT AGENCY
Address: 1825 3RD ST
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 178091
CERS ID: T0606500037
CERS Description: Leaking Underground Storage Tank Cleanup Site

Violations:
Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 10-22-2013
Citation: HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description: Failure to prepare and implement a Spill Prevention Control and Countermeasure (SPCC) Plan .
Violation Notes: Returned to compliance on 11/19/2013.
Violation Division: Riverside City Fire Department

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Violation Program: APSA
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 06-26-2018
Citation: Un-Specified
Violation Description: Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes: Returned to compliance on 07/26/2018. Hazmat storage area(s) properly posted. [RMC 16.32.020; CFC, Section 5003.6] - Provide and post signage for empty barrel hazardous storage area.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 10-22-2013
Citation: HSC 6.95 25504(a) - California Health and Safety Code, Chapter 6.95, Section(s) 25504(a)
Violation Description: Failure to complete and/or submit hazardous material inventory forms for all reportable hazardous materials on site.
Violation Notes: Returned to compliance on 11/19/2013.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 02-03-2021
Citation: HSC 6.95 25508(a)(3) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(3)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: Returned to compliance on 02/04/2021. The chemical inventory has not been submitted accurately. Submit the chemical inventory in CERS. Include the changes of the following chemicals in CERS: add nitrogen = 625 cubic feet
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 10-22-2013
Citation: 19 CCR 4 2729.2(a)(3) - California Code of Regulations, Title 19, Chapter 4, Section(s) 2729.2(a)(3)
Violation Description: Failure to complete and/or submit an annotated site map if required by CUPA.
Violation Notes: Returned to compliance on 11/19/2013.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 178091

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Site Name:	Riverside Transit Agency
Violation Date:	10-28-2015
Citation:	HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description:	Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes:	Returned to compliance on 11/03/2015.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-26-2018
Citation:	HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description:	Failure to discuss in the SPCC Plan procedures to test or inspect each aboveground container for integrity in accordance with industry standards: 1. On a regular schedule. 2. After material repairs are made. 3. By qualified personnel. 4. The frequency and type of testing and inspections based on container size, configuration, and design.
Violation Notes:	Returned to compliance on 08/31/2018. Failed to include in the SPCC Plan procedures to test or inspect each aboveground container for integrity in accordance with industry standards on a regular schedule, after material repairs are made, by qualified personnel; failed to include the frequency and type of testing and inspections based on container size, configuration, and design. (40 CFR 112.8(c)(6).) HSC 25270.4.5(e)
Violation Division:	Riverside City Fire Department
Violation Program:	APSA
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	05-24-2016
Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	Returned to compliance on 08/11/2017.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	06-26-2018
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit a site map with all required content.
Violation Notes:	Returned to compliance on 07/26/2018. Update site map to reflect current chemical and spill kit locations.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	10-22-2013
Citation:	HSC 6.95 Multiple - California Health and Safety Code, Chapter 6.95, Section(s) Multiple
Violation Description:	Business Plan Program - Administration/Documentation - General
Violation Notes:	Returned to compliance on 11/19/2013. HMBP was not available onsite during inspection.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-28-2020
Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	Returned to compliance on 08/13/2020.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-28-2020
Citation:	22 CCR 15 66265.16 - California Code of Regulations, Title 22, Chapter 15, Section(s) 66265.16
Violation Description:	Failure to provide employees with hazardous waste training program of class room instructions or on-the-job training within the first six months after the date of their employment or assignment to a facility, or to a new position at a facility and annually thereafter. Training records on current personnel shall be kept until closure of the facility and for former employees the record shall be kept for at least three years from the date the employee last worked at the facility. The records shall include the following: the job title for each position at the facility related to hazardous waste management, and the name of the employee filling each job; a written job description for each position, duties of facility personnel assigned to each position, and a written description of the type and amount of both introductory and continuing training that will be given to each person filling a position.
Violation Notes:	Returned to compliance on 08/13/2020.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	05-24-2016
Citation:	40 CFR 1 265.35 - U.S. Code of Federal Regulations, Title 40, Chapter

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

	1, Section(s) 265.35
Violation Description:	Failure to maintain aisle space to allow the unobstructed movement of personnel, fire protection, spill control equipment, and decontamination equipment to any area of facility operation in an emergency, unless it can be demonstrated to the Department that aisle space is not needed for any of these purposes.
Violation Notes:	Returned to compliance on 08/11/2017.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-26-2018
Citation:	HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description:	Failure to include in the SPCC Plan an adequate facility diagram, or no facility diagram included. The facility diagram is not required on a Tier I qualified facility SPCC Plan.
Violation Notes:	Returned to compliance on 08/31/2018. Failed to include in the SPCC Plan an adequate facility diagram, or no facility diagram included. The facility diagram is not required for a Tier I Qualified Facility. (40 CFR 112.7(a)(3).) HSC 25270.4.5(a)
Violation Division:	Riverside City Fire Department
Violation Program:	APSA
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	10-22-2013
Citation:	HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description:	Failure to maintain SPCC plan onsite (applies if facility is manned at least four (4) hours per day).
Violation Notes:	Returned to compliance on 11/19/2013.
Violation Division:	Riverside City Fire Department
Violation Program:	APSA
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-28-2020
Citation:	22 CCR 15 66265.173 - California Code of Regulations, Title 22, Chapter 15, Section(s) 66265.173
Violation Description:	Failure to meet the following container management requirements: (a) A container holding hazardous waste must always be closed during storage, except when it is necessary to add or remove waste. (b) A container holding hazardous waste must not be opened, handled, or stored in a manner which may rupture the container or cause it to leak.
Violation Notes:	Returned to compliance on 08/13/2020.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Violation Date:	02-03-2021
Citation:	HSC 6.95 25508.1(a)-(f) - California Health and Safety Code, Chapter 6.95, Section(s) 25508.1(a)-(f)
Violation Description:	Failure to electronically update business plan within 30 days of any one of the following events: A 100 percent or more increase in the quantity of a previously disclosed material. Any handling of a previously undisclosed hazardous materials at or above reportable quantities. A change of business address, business ownership, or business name. A substantial change in the handler's operations that requires modification to any portion of the business plan.
Violation Notes:	Returned to compliance on 02/04/2021. The business plan update within 30 days has not been completed as required due to the change of 625 cubic feet of nitrogen.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-28-2020
Citation:	HSC 6.5 25144.6(b) - California Health and Safety Code, Chapter 6.5, Section(s) 25144.6(b)
Violation Description:	Failure to properly manage reusable soiled textile materials prior to being sent for laundering.
Violation Notes:	Returned to compliance on 08/13/2020.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	05-24-2016
Citation:	40 CFR 1 265.173 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.173
Violation Description:	Failure to properly close hazardous waste containers when not in active use.
Violation Notes:	Returned to compliance on 08/11/2017.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-26-2018
Citation:	HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description:	"Failure to test or inspect each aboveground container for integrity based on industry standards as discussed in the SPCC Plan: 1. On a regular schedule. 2. After making material repairs. 3. Use non-destructive testing. 4. Inspect each container s supports, foundations, and outside for signs of deterioration, discharges, or accumulation of oil inside diked areas."
Violation Notes:	Returned to compliance on 08/31/2018. Failed to test or inspect each aboveground tank or container for integrity on a regular schedule and after material repairs. (40 CFR 112.8(c)(6).) HSC 25270.4.5(a)
Violation Division:	Riverside City Fire Department
Violation Program:	APSA

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-26-2018
Citation:	HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description:	Failure to state reasons for nonconformance and describe equivalent methods in detail if claiming equivalent environmental protection for SPCC requirements other than secondary containment.
Violation Notes:	Returned to compliance on 08/31/2018. Failed to include alternative environmental protection to SPCC requirements within SPCC plan. (40 CFR 112.7(a)(2).) HSC 25270.4.5(a)
Violation Division:	Riverside City Fire Department
Violation Program:	APSA
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	10-22-2013
Citation:	HSC 6.95 25510 - California Health and Safety Code, Chapter 6.95, Section(s) 25510
Violation Description:	Failure to update hazardous material inventory within 30 days when one of the following occurs: A 100 percent or more increase in the quantity of a previously disclosed material. Any handling of a previously undisclosed hazardous materials A change of business address, business ownership, or business name.
Violation Notes:	Returned to compliance on 11/19/2013.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	10-22-2013
Citation:	HSC 6.95 25504(b) - California Health and Safety Code, Chapter 6.95, Section(s) 25504(b)
Violation Description:	Failure to include adequate emergency response procedures in the business plan for a release or threatened release.
Violation Notes:	Returned to compliance on 11/19/2013.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	06-26-2018
Citation:	Un-Specified
Violation Description:	Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes:	Returned to compliance on 07/26/2018. Emergency equipment properly posted. [RMC 16.32.020; CFC, Section 5001.5.1(2)] - Provide spill kits and signage for locations.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	06-26-2018
Citation:	Un-Specified
Violation Description:	Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes:	Returned to compliance on 07/26/2018. NFPA 704 sign(s) properly posted. [RMC 16.32.020; CFC, Section 5003.5] - Provide and post 704 placard to hazardous empty barrels storage area.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-26-2018
Citation:	HSC 6.67 Multiple - California Health and Safety Code, Chapter 6.67, Section(s) Multiple
Violation Description:	APSA Program - Administration/Documentation - General
Violation Notes:	Returned to compliance on 08/31/2018. Complete and sign.
Violation Division:	Riverside City Fire Department
Violation Program:	APSA
Violation Source:	CERS,

Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	10-22-2013
Citation:	HSC 6.95 25505(b) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(b)
Violation Description:	Failure to submit a revised business plan upon a substantial change in the handler's operations.
Violation Notes:	Returned to compliance on 11/19/2013.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	06-26-2018
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes:	Returned to compliance on 07/26/2018. Update chemical inventory in CERS to reflect current chemicals stored/used on site.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	05-24-2016
Citation:	40 CFR 1 265.201(c)(5) - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.201(c)(5)
Violation Description:	Failure to conduct weekly inspections of the construction materials, fixtures, and surrounding areas of the hazardous waste tanks.

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Violation Notes: Returned to compliance on 08/11/2017.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-26-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-22-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 11-19-2013
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 12-02-2016
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 02-03-2021
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: APSA
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-26-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Eval Program: APSA
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-22-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: APSA
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 11-19-2013
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: APSA
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 12-02-2016
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: APSA
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-28-2020
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: LQG
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 02-03-2021
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-24-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Eval General Type: Other/Unknown
Eval Date: 10-28-2015
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Enforcement Action:
Site ID: 178091
Site Name: Riverside Transit Agency
Site Address: 1825 3RD ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 10-22-2013
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside City Fire Department
Enf Action Program: APSA
Enf Action Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Site Address: 1825 3RD ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 10-22-2013
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Site Address: 1825 3RD ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 10-28-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Fines/Penalties Assessed: $100.00. Administrative Citation.
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Coordinates:
Site ID: 178091
Facility Name: Riverside Transit Agency
Env Int Type Code: HMBP
Program ID: 10511449
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.,

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Latitude: 33.983050
Longitude: -117.350970

Affiliation:
Affiliation Type Desc: CUPA District
Entity Name: Riverside Cnty Env Health
Entity Title: Not reported
Affiliation Address: 4065 County Circle Drive, Room 104
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92503
Affiliation Phone: (951) 358-5055,

Affiliation Type Desc: Property Owner
Entity Name: Riverside Transit Agency
Entity Title: Not reported
Affiliation Address: 1825 3rd St
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 92507
Affiliation Phone: (951) 565-5000,

Affiliation Type Desc: Document Preparer
Entity Name: Robert Wyman
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: Identification Signer
Entity Name: Ro
Entity Title: Sr. Facilities Mgr.
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: Parent Corporation
Entity Name: Riverside Transit Agency
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: Environmental Contact
Entity Name: Robert Wyman
Entity Title: Not reported

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Affiliation Address:	1825 3rd St
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92507
Affiliation Phone:	,
Affiliation Type Desc:	Legal Owner
Entity Name:	Riverside Transit Agency
Entity Title:	Not reported
Affiliation Address:	1825 3rd St
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92507
Affiliation Phone:	(951) 565-5000,
Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	SHARON BOLTINGHOUSE - RIVERSIDE COUNTY LOP
Entity Title:	Not reported
Affiliation Address:	3880 LEMON ST SUITE 200
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	9519558980,
Affiliation Type Desc:	Operator
Entity Name:	Riverside Transit Agency
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(951) 565-5036,
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	1825 3rd St
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92507
Affiliation Phone:	,
Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	MAILE SEEGER GEE - SANTA ANA RWQCB (REGION 8)
Entity Title:	Not reported
Affiliation Address:	3737 MAIN STREET, SUITE 500
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	9517824379,

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Name: RIVERSIDE TRANSIT AGENCY
Address: 1825 3RD ST
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 178091
CERS ID: T0606500559
CERS Description: Leaking Underground Storage Tank Cleanup Site

Violations:

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 10-22-2013
Citation: HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description: Failure to prepare and implement a Spill Prevention Control and Countermeasure (SPCC) Plan .
Violation Notes: Returned to compliance on 11/19/2013.
Violation Division: Riverside City Fire Department
Violation Program: APSA
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 06-26-2018
Citation: Un-Specified
Violation Description: Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes: Returned to compliance on 07/26/2018. Hazmat storage area(s) properly posted. [RMC 16.32.020; CFC, Section 5003.6] - Provide and post signage for empty barrel hazardous storage area.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 10-22-2013
Citation: HSC 6.95 25504(a) - California Health and Safety Code, Chapter 6.95, Section(s) 25504(a)
Violation Description: Failure to complete and/or submit hazardous material inventory forms for all reportable hazardous materials on site.
Violation Notes: Returned to compliance on 11/19/2013.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 02-03-2021
Citation: HSC 6.95 25508(a)(3) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(3)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: Returned to compliance on 02/04/2021. The chemical inventory has not been submitted accurately. Submit the chemical inventory in CERS. Include the changes of the following chemicals in CERS: add nitrogen = 625 cubic feet
Violation Division: Riverside City Fire Department

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	10-22-2013
Citation:	19 CCR 4 2729.2(a)(3) - California Code of Regulations, Title 19, Chapter 4, Section(s) 2729.2(a)(3)
Violation Description:	Failure to complete and/or submit an annotated site map if required by CUPA.
Violation Notes:	Returned to compliance on 11/19/2013.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	10-28-2015
Citation:	HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description:	Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes:	Returned to compliance on 11/03/2015.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-26-2018
Citation:	HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description:	Failure to discuss in the SPCC Plan procedures to test or inspect each aboveground container for integrity in accordance with industry standards: 1. On a regular schedule. 2. After material repairs are made. 3. By qualified personnel. 4. The frequency and type of testing and inspections based on container size, configuration, and design.
Violation Notes:	Returned to compliance on 08/31/2018. Failed to include in the SPCC Plan procedures to test or inspect each aboveground container for integrity in accordance with industry standards on a regular schedule, after material repairs are made, by qualified personnel; failed to include the frequency and type of testing and inspections based on container size, configuration, and design. (40 CFR 112.8(c)(6).) HSC 25270.4.5(e)
Violation Division:	Riverside City Fire Department
Violation Program:	APSA
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	05-24-2016
Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Violation Notes: Returned to compliance on 08/11/2017.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 06-26-2018
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes: Returned to compliance on 07/26/2018. Update site map to reflect current chemical and spill kit locations.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 10-22-2013
Citation: HSC 6.95 Multiple - California Health and Safety Code, Chapter 6.95, Section(s) Multiple
Violation Description: Business Plan Program - Administration/Documentation - General
Violation Notes: Returned to compliance on 11/19/2013. HMBP was not available onsite during inspection.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 07-28-2020
Citation: 22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description: Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes: Returned to compliance on 08/13/2020.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 07-28-2020
Citation: 22 CCR 15 66265.16 - California Code of Regulations, Title 22, Chapter 15, Section(s) 66265.16
Violation Description: Failure to provide employees with hazardous waste training program of class room instructions or on-the-job training within the first six months after the date of their employment or assignment to a facility, or to a new position at a facility and annually thereafter. Training records on current personnel shall be kept until closure of the facility and for former employees the record shall be kept for at least three years from the date the employee last worked at the

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

	facility. The records shall include the following: the job title for each position at the facility related to hazardous waste management, and the name of the employee filling each job; a written job description for each position, duties of facility personnel assigned to each position, and a written description of the type and amount of both introductory and continuing training that will be given to each person filling a position.
Violation Notes:	Returned to compliance on 08/13/2020.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	05-24-2016
Citation:	40 CFR 1 265.35 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.35
Violation Description:	Failure to maintain aisle space to allow the unobstructed movement of personnel, fire protection, spill control equipment, and decontamination equipment to any area of facility operation in an emergency, unless it can be demonstrated to the Department that aisle space is not needed for any of these purposes.
Violation Notes:	Returned to compliance on 08/11/2017.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-26-2018
Citation:	HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description:	Failure to include in the SPCC Plan an adequate facility diagram, or no facility diagram included. The facility diagram is not required on a Tier I qualified facility SPCC Plan.
Violation Notes:	Returned to compliance on 08/31/2018. Failed to include in the SPCC Plan an adequate facility diagram, or no facility diagram included. The facility diagram is not required for a Tier I Qualified Facility. (40 CFR 112.7(a)(3).) HSC 25270.4.5(a)
Violation Division:	Riverside City Fire Department
Violation Program:	APSA
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	10-22-2013
Citation:	HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description:	Failure to maintain SPCC plan onsite (applies if facility is manned at least four (4) hours per day).
Violation Notes:	Returned to compliance on 11/19/2013.
Violation Division:	Riverside City Fire Department
Violation Program:	APSA
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Violation Date:	07-28-2020
Citation:	22 CCR 15 66265.173 - California Code of Regulations, Title 22, Chapter 15, Section(s) 66265.173
Violation Description:	Failure to meet the following container management requirements: (a) A container holding hazardous waste must always be closed during storage, except when it is necessary to add or remove waste. (b) A container holding hazardous waste must not be opened, handled, or stored in a manner which may rupture the container or cause it to leak.
Violation Notes:	Returned to compliance on 08/13/2020.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	02-03-2021
Citation:	HSC 6.95 25508.1(a)-(f) - California Health and Safety Code, Chapter 6.95, Section(s) 25508.1(a)-(f)
Violation Description:	Failure to electronically update business plan within 30 days of any one of the following events: A 100 percent or more increase in the quantity of a previously disclosed material. Any handling of a previously undisclosed hazardous materials at or above reportable quantities. A change of business address, business ownership, or business name. A substantial change in the handler's operations that requires modification to any portion of the business plan.
Violation Notes:	Returned to compliance on 02/04/2021. The business plan update within 30 days has not been completed as required due to the change of 625 cubic feet of nitrogen.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-28-2020
Citation:	HSC 6.5 25144.6(b) - California Health and Safety Code, Chapter 6.5, Section(s) 25144.6(b)
Violation Description:	Failure to properly manage reusable soiled textile materials prior to being sent for laundering.
Violation Notes:	Returned to compliance on 08/13/2020.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	05-24-2016
Citation:	40 CFR 1 265.173 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.173
Violation Description:	Failure to properly close hazardous waste containers when not in active use.
Violation Notes:	Returned to compliance on 08/11/2017.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-26-2018
Citation:	HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description:	"Failure to test or inspect each aboveground container for integrity based on industry standards as discussed in the SPCC Plan: 1. On a regular schedule. 2. After making material repairs. 3. Use non-destructive testing. 4. Inspect each container s supports, foundations, and outside for signs of deterioration, discharges, or accumulation of oil inside diked areas."
Violation Notes:	Returned to compliance on 08/31/2018. Failed to test or inspect each aboveground tank or container for integrity on a regular schedule and after material repairs. (40 CFR 112.8(c)(6).) HSC 25270.4.5(a)
Violation Division:	Riverside City Fire Department
Violation Program:	APSA
Violation Source:	CERS,

Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	07-26-2018
Citation:	HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description:	Failure to state reasons for nonconformance and describe equivalent methods in detail if claiming equivalent environmental protection for SPCC requirements other than secondary containment.
Violation Notes:	Returned to compliance on 08/31/2018. Failed to include alternative environmental protection to SPCC requirements within SPCC plan. (40 CFR 112.7(a)(2).) HSC 25270.4.5(a)
Violation Division:	Riverside City Fire Department
Violation Program:	APSA
Violation Source:	CERS,

Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	10-22-2013
Citation:	HSC 6.95 25510 - California Health and Safety Code, Chapter 6.95, Section(s) 25510
Violation Description:	Failure to update hazardous material inventory within 30 days when one of the following occurs: A 100 percent or more increase in the quantity of a previously disclosed material. Any handling of a previously undisclosed hazardous materials A change of business address, business ownership, or business name.
Violation Notes:	Returned to compliance on 11/19/2013.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	178091
Site Name:	Riverside Transit Agency
Violation Date:	10-22-2013
Citation:	HSC 6.95 25504(b) - California Health and Safety Code, Chapter 6.95, Section(s) 25504(b)
Violation Description:	Failure to include adequate emergency response procedures in the business plan for a release or threatened release.
Violation Notes:	Returned to compliance on 11/19/2013.
Violation Division:	Riverside City Fire Department

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Violation Program: HMRRP
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 06-26-2018
Citation: Un-Specified
Violation Description: Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes: Returned to compliance on 07/26/2018. Emergency equipment properly posted. [RMC 16.32.020; CFC, Section 5001.5.1(2)] - Provide spill kits and signage for locations.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 06-26-2018
Citation: Un-Specified
Violation Description: Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes: Returned to compliance on 07/26/2018. NFPA 704 sign(s) properly posted. [RMC 16.32.020; CFC, Section 5003.5] - Provide and post 704 placard to hazardous empty barrels storage area.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 07-26-2018
Citation: HSC 6.67 Multiple - California Health and Safety Code, Chapter 6.67, Section(s) Multiple
Violation Description: APSA Program - Administration/Documentation - General
Violation Notes: Returned to compliance on 08/31/2018. Complete and sign.
Violation Division: Riverside City Fire Department
Violation Program: APSA
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 10-22-2013
Citation: HSC 6.95 25505(b) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(b)
Violation Description: Failure to submit a revised business plan upon a substantial change in the handler's operations.
Violation Notes: Returned to compliance on 11/19/2013.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 06-26-2018
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: Returned to compliance on 07/26/2018. Update chemical inventory in CERS to reflect current chemicals stored/used on site.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Violation Date: 05-24-2016
Citation: 40 CFR 1 265.201(c)(5) - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.201(c)(5)
Violation Description: Failure to conduct weekly inspections of the construction materials, fixtures, and surrounding areas of the hazardous waste tanks.
Violation Notes: Returned to compliance on 08/11/2017.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-26-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-22-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 11-19-2013
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 12-02-2016
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Eval General Type: Compliance Evaluation Inspection
Eval Date: 02-03-2021
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: APSA
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-26-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: APSA
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-22-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: APSA
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 11-19-2013
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: APSA
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 12-02-2016
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: APSA
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-28-2020
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: LQG
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 02-03-2021
Violations Found: Yes

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-24-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 10-28-2015
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Enforcement Action:
Site ID: 178091
Site Name: Riverside Transit Agency
Site Address: 1825 3RD ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 10-22-2013
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside City Fire Department
Enf Action Program: APSA
Enf Action Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Site Address: 1825 3RD ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 10-22-2013
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Site ID: 178091
Site Name: Riverside Transit Agency
Site Address: 1825 3RD ST
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 10-28-2015

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Fines/Penalties Assessed: $100.00. Administrative Citation.
Enf Action Division:	Riverside City Fire Department
Enf Action Program:	HMRRP
Enf Action Source:	CERS,

Coordinates:

Site ID:	178091
Facility Name:	Riverside Transit Agency
Env Int Type Code:	HMBP
Program ID:	10511449
Coord Name:	Not reported
Ref Point Type Desc:	Center of a facility or station.,
Latitude:	33.983050
Longitude:	-117.350970

Affiliation:

Affiliation Type Desc:	CUPA District
Entity Name:	Riverside Cnty Env Health
Entity Title:	Not reported
Affiliation Address:	4065 County Circle Drive, Room 104
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92503
Affiliation Phone:	(951) 358-5055,

Affiliation Type Desc:	Property Owner
Entity Name:	Riverside Transit Agency
Entity Title:	Not reported
Affiliation Address:	1825 3rd St
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92507
Affiliation Phone:	(951) 565-5000,

Affiliation Type Desc:	Document Preparer
Entity Name:	Robert Wyman
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,

Affiliation Type Desc:	Identification Signer
Entity Name:	Ro
Entity Title:	Sr. Facilities Mgr.
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Affiliation Phone: ,

Affiliation Type Desc: Parent Corporation
Entity Name: Riverside Transit Agency
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: Environmental Contact
Entity Name: Robert Wyman
Entity Title: Not reported
Affiliation Address: 1825 3rd St
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92507
Affiliation Phone: ,

Affiliation Type Desc: Legal Owner
Entity Name: Riverside Transit Agency
Entity Title: Not reported
Affiliation Address: 1825 3rd St
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 92507
Affiliation Phone: (951) 565-5000,

Affiliation Type Desc: Local Agency Caseworker
Entity Name: SHARON BOLTINGHOUSE - RIVERSIDE COUNTY LOP
Entity Title: Not reported
Affiliation Address: 3880 LEMON ST SUITE 200
Affiliation City: RIVERSIDE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 9519558980,

Affiliation Type Desc: Operator
Entity Name: Riverside Transit Agency
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (951) 565-5036,

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 1825 3rd St
Affiliation City: Riverside

RIVERSIDE TRANSIT AGENCY (Continued) **1000218322**

Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92507
Affiliation Phone:	,
Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	MAILE SEEGER GEE - SANTA ANA RWQCB (REGION 8)
Entity Title:	Not reported
Affiliation Address:	3737 MAIN STREET, SUITE 500
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	9517824379,

X117 **ENTRADA APARTMENTS** **RCRA-SQG** **1027219192**
SSW **1705 SEVENTH STREET** **CAP000337261**
1/8-1/4 **RIVERSIDE, CA 92507**
0.177 mi.
936 ft. **Site 1 of 8 in cluster X**

Relative: **Lower**

Actual: **953 ft.**

RCRA Listings:

Date Form Received by Agency:		20220414
Handler Name:	ENTRADA APARTMENTS	
Handler Address:		1705 SEVENTH STREET
Handler City,State,Zip:		RIVERSIDE, CA 92507
EPA ID:		CAP000337261
Contact Name:		JOHN SUGDEN
Contact Address:		COLUMBIA STREET, SUITE 950
Contact City,State,Zip:		SAN DIEGO, CA 92101
Contact Telephone:		619-326-6212
Contact Fax:		Not reported
Contact Email:		JSUGDEN@WAKELANDHDC.COM
Contact Title:		PROJECT MANAGER
EPA Region:		09
Land Type:		Private
Federal Waste Generator Description:		Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		COLUMBIA STREET, SUITE 950
Mailing City,State,Zip:		SAN DIEGO, CA 92101
Owner Name:	WAKELAND ENTRADA LP	
Owner Type:		Private
Operator Name:	WAKELAND ENTRADA LP	
Operator Type:		Private
Short-Term Generator Activity:		Yes
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No

ENTRADA APARTMENTS (Continued) **1027219192**

Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20220415
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	U061
Waste Description:	BENZENE, 1,1'-(2,2,2-TRICHLOROETHYLIDENE)BIS[4-CHLORO- (OR) DDT
Waste Code:	U144
Waste Description:	ACETIC ACID, LEAD(2+) SALT (OR) LEAD ACETATE

ENTRADA APARTMENTS (Continued) **1027219192**

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: WAKELAND ENTRADA LP	
Legal Status:	Private
Date Became Current:	20220414
Date Ended Current:	Not reported
Owner/Operator Address:	1230 COLUMBIA STREET, SUITE 950
Owner/Operator City,State,Zip:	SAN DIEGO, CA 92101
Owner/Operator Telephone:	619-326-6212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	JSUGDEN@WAKELANDHDC.COM

Owner/Operator Indicator:	Owner
Owner/Operator Name: WAKELAND ENTRADA LP	
Legal Status:	Private
Date Became Current:	20220414
Date Ended Current:	Not reported
Owner/Operator Address:	1230 COLUMBIA STREET, SUITE 950
Owner/Operator City,State,Zip:	SAN DIEGO, CA 92101
Owner/Operator Telephone:	619-326-6212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	JSUGDEN@WAKLANDHDC.COM

Historic Generators:

Receive Date:	20220414
Handler Name: ENTRADA APARTMENTS	
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

List of NAICS Codes and Descriptions:

NAICS Code:	236116
NAICS Description:	NEW MULTIFAMILY HOUSING CONSTRUCTION (EXCEPT OPERATIVE BUILDERS)

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

Y118 **UNIVERSITY GARDENS APARTMENTS** **RCRA NonGen / NLR** **1026485329**
South **3725 CRANFORD AVE** **CAC003091457**
1/8-1/4 **RIVERSIDE, CA 92507**
0.180 mi.
953 ft. **Site 1 of 3 in cluster Y**

Relative:
Higher

Actual:
975 ft.

RCRA Listings:

Date Form Received by Agency:		20201104
Handler Name:	UNIVERSITY GARDENS APARTMENTS	
Handler Address:		3725 CRANFORD AVE
Handler City,State,Zip:		RIVERSIDE, CA 92507
EPA ID:		CAC003091457
Contact Name:		REYNA ORLANDO
Contact Address:		3725 CRANFORD AVE
Contact City,State,Zip:		RIVERSIDE, CA 92507
Contact Telephone:		951-222-2080
Contact Fax:		Not reported
Contact Email:		ORLANDOR@QMGONLINE.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		3725 CRANFORD AVE
Mailing City,State,Zip:		RIVERSIDE, CA 92507
Owner Name:	REYNA ORLANDO	
Owner Type:		Other
Operator Name:	REYNA ORLANDO	
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported

UNIVERSITY GARDENS APARTMENTS (Continued) **1026485329**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20201106
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: REYNA ORLANDO	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	3725 CRANFORD AVE
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507
Owner/Operator Telephone:	951-222-2080
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name: REYNA ORLANDO	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	3725 CRANFORD AVE
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507
Owner/Operator Telephone:	951-222-2080
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

UNIVERSITY GARDENS APARTMENTS (Continued) **1026485329**

Historic Generators:
- Receive Date: 20201104
- Handler Name: UNIVERSITY GARDENS APARTMENTS
- Federal Waste Generator Description: Not a generator, verified
- State District Owner: Not reported
- Large Quantity Handler of Universal Waste: No
- Recognized Trader Importer: No
- Recognized Trader Exporter: No
- Spent Lead Acid Battery Importer: No
- Spent Lead Acid Battery Exporter: No
- Current Record: Yes
- Non Storage Recycler Activity: Not reported
- Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
- NAICS Code: 56299
- NAICS Description: ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:
- Violations: No Violations Found

Evaluation Action Summary:
- Evaluations: No Evaluations Found

X119 **CITY OF RIVERSIDE CA.** **RCRA NonGen / NLR** **1024754733**
SW **1725 7TH STREET** **CAC002974551**
1/8-1/4 **RIVERSIDE, CA 92507**
0.181 mi.
957 ft. **Site 2 of 8 in cluster X**

Relative: **Lower**

Actual: **952 ft.**

RCRA Listings:
- Date Form Received by Agency: 20180807
- Handler Name: CITY OF RIVERSIDE CA.
- Handler Address: 1725 7TH STREET
- Handler City,State,Zip: RIVERSIDE, CA 92507
- EPA ID: CAC002974551
- Contact Name: ROBERT LEWIS
- Contact Address: 3900 MAIN STREET
- Contact City,State,Zip: RIVERSIDE, CA 92522
- Contact Telephone: 951-826-5637
- Contact Fax: Not reported
- Contact Email: RHLEWIS@RIVERSIDECA.GOV
- Contact Title: Not reported
- EPA Region: 09
- Land Type: Not reported
- Federal Waste Generator Description: Not a generator, verified
- Non-Notifier: Not reported
- Biennial Report Cycle: Not reported
- Accessibility: Not reported
- Active Site Indicator: Handler Activities
- State District Owner: Not reported
- State District: Not reported
- Mailing Address: 3900 MAIN STREET -5TH FLOOR
- Mailing City,State,Zip: RIVERSIDE, CA 92522
- Owner Name: CITY OF RIVERSIDE CA.

CITY OF RIVERSIDE CA. (Continued) **1024754733**

Owner Type:		Other
Operator Name:	ROBERT LEWIS	
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		Yes
Universal Waste Destination Facility:		Yes
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported
Permit Workload Universe:		Not reported
Permit Progress Universe:		Not reported
Post-Closure Workload Universe:		Not reported
Closure Workload Universe:		Not reported
202 GPRA Corrective Action Baseline:		No
Corrective Action Workload Universe:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:		No
TSDFs Only Subject to CA under Discretionary Auth Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Operating TSDF Universe:		Not reported
Full Enforcement Universe:		Not reported
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:	Not reported	
Handler Date of Last Change:		20180831
Recognized Trader-Importer:		No
Recognized Trader-Exporter:		No
Importer of Spent Lead Acid Batteries:		No
Exporter of Spent Lead Acid Batteries:		No
Recycler Activity Without Storage:		No
Manifest Broker:		No

CITY OF RIVERSIDE CA. (Continued) **1024754733**

Sub-Part P Indicator: No

Handler - Owner Operator:
Owner/Operator Indicator: Owner
Owner/Operator Name: CITY OF RIVERSIDE CA.
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 3900 MAIN STREET
Owner/Operator City,State,Zip: RIVERSIDE, CA 92522
Owner/Operator Telephone: 951-826-5637
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: ROBERT LEWIS
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 3900 MAIN STREET
Owner/Operator City,State,Zip: RIVERSIDE, CA 92522
Owner/Operator Telephone: 951-826-5637
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20180807
Handler Name: CITY OF RIVERSIDE CA.
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 56299
NAICS Description: ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

X120 **EARL SCHEIB OF CAL INC** **CERS HAZ WASTE** **S100934416**
SSW **3700 CHICAGO AV** **EMI** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507** **CERS**
0.181 mi.
958 ft. **Site 3 of 8 in cluster X**

Relative:
Lower

Actual:
957 ft.

CERS HAZ WASTE:

Name:	TOP DAWG AUTO REPAIR
Address:	3700 CHICAGO AVE
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	424546
CERS ID:	10740679
CERS Description:	Hazardous Waste Generator

EMI:

Name:	EARL SCHEIB OF CAL INC
Address:	3700 CHICAGO AV
City,State,Zip:	RIVERSIDE, CA 925070000
Year:	1987
County Code:	33
Air Basin:	SC
Facility ID:	12667
Air District Name:	SC
SIC Code:	7538
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1
Reactive Organic Gases Tons/Yr:	1
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	EARL SCHEIB OF CAL INC
Address:	3700 CHICAGO AV
City,State,Zip:	RIVERSIDE, CA 925070000
Year:	1990
County Code:	33
Air Basin:	SC
Facility ID:	12667
Air District Name:	SC
SIC Code:	7538
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1
Reactive Organic Gases Tons/Yr:	1
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

CERS:

Name:	TOP DAWG AUTO REPAIR
Address:	3700 CHICAGO AVE

EARL SCHEIB OF CAL INC (Continued) **S100934416**

City,State,Zip: RIVERSIDE, CA 92507
Site ID: 424546
CERS ID: 10740679
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 424546
Site Name: Top Dawg Auto Repair
Violation Date: 06-01-2021
Citation: 40 CFR 1 265.173 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.173
Violation Description: Failure to meet the following container management requirements: (a) A container holding hazardous waste must always be closed during storage, except when it is necessary to add or remove waste. (b) A container holding hazardous waste must not be opened, handled, or stored in a manner which may rupture the container or cause it to leak.
Violation Notes: Returned to compliance on 07/30/2021. OBSERVATION: Observed the following: 55 gallon drum holding antifreeze without cover/lid in place, 55 gallon drum holding used oil with no bung, 55 gallon drum holding metal filters to be open. CORRECTIVE ACTION: Owner/operator shall maintain all hazardous waste containers closed when not adding/removing hazardous waste. Ensure to provide the appropriate lids to the containers. Submit photos to this department at JoLindse@rivco.org once the violations have been abated.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 424546
Site Name: Top Dawg Auto Repair
Violation Date: 06-01-2021
Citation: 40 CFR 1 265.35 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.35
Violation Description: Failure to maintain aisle space to allow the unobstructed movement of personnel, fire protection equipment, spill control equipment, and decontamination equipment to any area of facility operation in an emergency, unless aisle space is not needed for any of these purposes.
Violation Notes: Returned to compliance on 07/30/2021. OBSERVATION: Observed radiators to be obstructing two 55 gallon drums holding used oil in the hazardous waste storage area. CORRECTIVE ACTION: Owner/operator shall maintain adequate aisle space in hazardous waste storage areas for personnel and fire protection equipment. Relocate the radiators to ensure not to obstruct the two 55 gallon drums holding used oil.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 424546
Site Name: Top Dawg Auto Repair
Violation Date: 06-01-2021
Citation: HSC 6.5 25144.6(b) - California Health and Safety Code, Chapter 6.5, Section(s) 25144.6(b)
Violation Description: Failure to properly manage reusable soiled textile materials prior to being sent for laundering.
Violation Notes: Returned to compliance on 07/30/2021. OBSERVATION: Observed improper textile/contaminated rag management. Observed several rags drenched in oil placed on top of two 55 gallon drums holding used oil in the

EARL SCHEIB OF CAL INC (Continued) **S100934416**

	hazardous waste storage area. CORRECTIVE ACTION: Owner/operator shall properly manage used/soiled textiles. Ensure to properly dispose or launder the rags in an approved manner. Ensure rags are not completely drenched in oil.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	424546
Site Name:	Top Dawg Auto Repair
Violation Date:	11-16-2018
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to establish and electronically submit an adequate training program in safety procedures in the event of a release or threatened release of a hazardous material.
Violation Notes:	Returned to compliance on 12/17/2018. Training program has not been completed. Submit the required training program requirement in the CERS portal.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	424546
Site Name:	Top Dawg Auto Repair
Violation Date:	11-16-2016
Citation:	Un-Specified
Violation Description:	Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes:	Returned to compliance on 12/17/2018. NO POSTED 704 PLACARD. PROVIDE AND POST A 704PLACARD. SHALL BE POSTED ON EXTERIOR OF BUILDING ON ADDRESS SIDE.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	424546
Site Name:	Top Dawg Auto Repair
Violation Date:	11-16-2018
Citation:	Un-Specified
Violation Description:	Business Plan Program - Administration/Documentation - General Local Ordinance
Violation Notes:	Returned to compliance on 12/17/2018. Emergency contact information posted in a conspicuous location. [RMC 9.48.040(5)] - No emergency contact information was found. Post the required emergency contact information.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	424546
Site Name:	Top Dawg Auto Repair
Violation Date:	11-16-2018
Citation:	Un-Specified
Violation Description:	Business Plan Program - Administration/Documentation - General Local Ordinance
Violation Notes:	Returned to compliance on 12/17/2018. NFPA 704 sign(s) properly

EARL SCHEIB OF CAL INC (Continued) **S100934416**

posted. [RMC 16.32.020;CFC, Section 5003.5] - No NFPA 704 is posted. Provide the proper 704 signage in the following location: on exterior side of building on address side.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 424546
Site Name: Top Dawg Auto Repair
Violation Date: 11-19-2021
Citation: HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description: Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes: Returned to compliance on 12/01/2021.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 424546
Site Name: Top Dawg Auto Repair
Violation Date: 06-01-2021
Citation: 22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description: Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes: Returned to compliance on 07/30/2021. OBSERVATION: Observed the following: faded labels on two 55 gallons drums holding used oil with no accumulation start date. Missing accumulation start time for the two 55 gallon drum holding antifreeze and the other holding metal filters.. CORRECTIVE ACTION: Owner/operator shall re-label hazardous waste containers with all the required information. Label shall include at least: the words "hazardous waste", generator name and address, accumulation start date, composition and physical state of waste, and hazardous property statement. Submit photos to this department at JoLindse@rivco.org once the violations have been abated.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 424546
Site Name: Top Dawg Auto Repair
Violation Date: 11-16-2016
Citation: HSC 6.95 25505(c) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(c)
Violation Description: Failure to have a business plan readily available to personnel of the business or the unified program facility with responsibilities for emergency response or training.
Violation Notes: Returned to compliance on 12/17/2018. PLAN NOT AVAILABLE ON SITE. OBTAIN A COPY OF THE BUSINESS EMERGENCY PLAN OR ACCESS TO PLAN ELECTRONICALLY.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP

EARL SCHEIB OF CAL INC (Continued) **S100934416**

Violation Source:	CERS,
Site ID:	424546
Site Name:	Top Dawg Auto Repair
Violation Date:	11-16-2018
Citation:	HSC 6.95 25505(a)(4) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(a)(4)
Violation Description:	Failure to provide initial and annual training to all employees in safety procedures in the event of a release or threatened release of a hazardous material or failure to document and maintain training records for a minimum of three years.
Violation Notes:	Returned to compliance on 12/17/2018. No training records were available for review. Provide documentation on training being conducted for the past 1-3 years.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	424546
Site Name:	Top Dawg Auto Repair
Violation Date:	11-16-2016
Citation:	HSC 6.95 25505(a)(4) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(a)(4)
Violation Description:	Failure to provide initial and annual training to all employees in safety procedures in the event of a release or threatened release of a hazardous material or failure to document and maintain training records for a minimum of three years.
Violation Notes:	Returned to compliance on 12/17/2018. NO RECORDS AVAILABLE FOR REVIEW. PROVIDE DOCUMENTATION ON TRAINING BEING DONE FOR PAST 3 YEARS
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	424546
Site Name:	Top Dawg Auto Repair
Violation Date:	11-16-2018
Citation:	HSC 6.95 25505(c) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(c)
Violation Description:	Failure to have a business plan readily available to personnel of the business or the unified program facility with responsibilities for emergency response or training.
Violation Notes:	Returned to compliance on 12/17/2018. No business plan was readily available. Obtain a copy of the business plan or have access to the plan electronically.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	424546
Site Name:	Top Dawg Auto Repair
Violation Date:	11-16-2016
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to establish and electronically submit an adequate training program in safety procedures in the event of a release or threatened release of a hazardous material.
Violation Notes:	Returned to compliance on 12/17/2018. TRAININ PROGRAM NOT AVAILABLE

EARL SCHEIB OF CAL INC (Continued) **S100934416**

FOR REVIEW. CONDUCT AND DOCUMENT TRAINING
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 424546
Site Name: Top Dawg Auto Repair
Violation Date: 11-16-2016
Citation: Un-Specified
Violation Description: Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes: Returned to compliance on 12/17/2018. NO EMERGENCY CONTACT INFORMATION POSTED. POST REQUIRED EMERGENCY CONTACT INFO.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Evaluation:
Eval General Type: Other/Unknown
Eval Date: 11-19-2021
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-01-2021
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: This is an autorepair shop holding used oil, antifreeze, rags, paper and metal filters. A joint inspection was conducted with J. Lindsey. No signature was obtained at the time of inspection due to COVID-19 pandemic. The inspection reported was reviewed with owner, Warren Valenson.
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 07-30-2021
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Reinspection was conducted today in regards to the routine inspection on 6/1/2021. All violations have been corrected.
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-15-2017
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW

EARL SCHEIB OF CAL INC (Continued) **S100934416**

Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-16-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-16-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 08-27-2020
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Inspector: Young
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Enforcement Action:
Site ID: 424546
Site Name: Top Dawg Auto Repair
Site Address: 3700 CHICAGO AVE
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 11-19-2021
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Administrative Citation.
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Coordinates:
Site ID: 424546
Facility Name: Top Dawg Auto Repair
Env Int Type Code: HMBP
Program ID: 10740679
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.,
Latitude: 33.976870
Longitude: -117.348020

Affiliation:
Affiliation Type Desc: CUPA District
Entity Name: Riverside Cnty Env Health

EARL SCHEIB OF CAL INC (Continued) **S100934416**

Entity Title:	Not reported
Affiliation Address:	4065 County Circle Drive, Room 104
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92503
Affiliation Phone:	(951) 358-5055,
Affiliation Type Desc:	Document Preparer
Entity Name:	Warren Valenson
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,
Affiliation Type Desc:	Legal Owner
Entity Name:	Warren Valenson
Entity Title:	Not reported
Affiliation Address:	3700 Chicago Ave
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92507
Affiliation Phone:	(951) 545-6330,
Affiliation Type Desc:	Environmental Contact
Entity Name:	Warren Valenson
Entity Title:	Not reported
Affiliation Address:	3700 Chicago Ave
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92507
Affiliation Phone:	,
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	3700 Chicago Ave
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92507
Affiliation Phone:	,
Affiliation Type Desc:	Operator
Entity Name:	top dawg auto repair inc
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(951) 686-6828,

EARL SCHEIB OF CAL INC (Continued) **S100934416**

Affiliation Type Desc:	Parent Corporation
Entity Name:	Top Dawg Auto Repairs
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,

Affiliation Type Desc:	Identification Signer
Entity Name:	warren valenson
Entity Title:	president
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,

X121 **TOP DAWG AUTO REPAIR INC** **RCRA NonGen / NLR** **1024862888**
SSW **3700 CHICAGO AVE** **CAL000431422**
1/8-1/4 **RIVERSIDE, CA 92507**
0.181 mi.
958 ft. **Site 4 of 8 in cluster X**

Relative: **Lower**

Actual: **957 ft.**

RCRA Listings:

Date Form Received by Agency:		20171011
Handler Name:	TOP DAWG AUTO REPAIR INC	
Handler Address:		3700 CHICAGO AVE
Handler City,State,Zip:		RIVERSIDE, CA 92507
EPA ID:		CAL000431422
Contact Name:		WARREN VALENSON
Contact Address:		3700 CHICAGO AVE
Contact City,State,Zip:		RIVERSIDE, CA 92507
Contact Telephone:		951-686-6828
Contact Fax:		951-686-6888
Contact Email:		TOPDAWGAUTOREPAIR@HOTMAIL.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		3700 CHICAGO AVE
Mailing City,State,Zip:		RIVERSIDE, CA 92507
Owner Name:	WARREN VALENSON	
Owner Type:		Other
Operator Name:	WARREN VALENSON	
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No

TOP DAWG AUTO REPAIR INC (Continued) **1024862888**

Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20180907
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:
Owner/Operator Indicator: Owner
Owner/Operator Name: WARREN VALENSON

TOP DAWG AUTO REPAIR INC (Continued) **1024862888**

Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	3700 CHICAGO AVE
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507
Owner/Operator Telephone:	951-686-6828
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name: WARREN VALENSON	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	3700 CHICAGO AVE
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507
Owner/Operator Telephone:	951-686-6828
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20171011
Handler Name:	TOP DAWG AUTO REPAIR INC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	811111
NAICS Description:	GENERAL AUTOMOTIVE REPAIR

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

122
SSE
1/8-1/4
0.183 mi.
967 ft.

GLORIA MARTINEZ
1415 7TH ST
RIVERSIDE, CA 92507

RCRA NonGen / NLR

1026162743
CAC003062729

Relative:
Higher

Actual:
985 ft.

RCRA Listings:

Date Form Received by Agency:		20200408
Handler Name:	GLORIA MARTINEZ	
Handler Address:		1415 7TH ST
Handler City,State,Zip:		RIVERSIDE, CA 92507
EPA ID:		CAC003062729
Contact Name:		GLORIA MARTINEZ
Contact Address:		1415 7TH ST
Contact City,State,Zip:		RIVERSIDE, CA 92507
Contact Telephone:		310-345-7685
Contact Fax:		Not reported
Contact Email:		ANAB@PWSEI.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		1415 7TH ST
Mailing City,State,Zip:		RIVERSIDE, CA 92507
Owner Name:	GM TOMMIE PROPERTIES	
Owner Type:		Other
Operator Name:	GLORIA MARTINEZ	
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported

GLORIA MARTINEZ (Continued) **1026162743**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20200408
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: GLORIA MARTINEZ	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	1415 7TH ST
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507
Owner/Operator Telephone:	310-345-7685
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: GM TOMMIE PROPERTIES	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	1415 7TH ST
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507
Owner/Operator Telephone:	310-345-7685
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

GLORIA MARTINEZ (Continued) **1026162743**

Historic Generators:
Receive Date: 20200408
Handler Name: GLORIA MARTINEZ
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 56299
NAICS Description: ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

Z123 **EJAY FILTRATION, INC.** **CERS HAZ WASTE** **S113026264**
NW **3036 DURAHART ST** **CERS** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507**
0.185 mi.
977 ft. **Site 1 of 2 in cluster Z**

Relative:
Lower

Actual:
927 ft.

CERS HAZ WASTE:
Name: EJAY FILTRATION, INC.
Address: 3036 DURAHART ST
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 548932
CERS ID: 10529941
CERS Description: Hazardous Waste Generator

CERS:
Name: EJAY FILTRATION, INC.
Address: 3036 DURAHART ST
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 548932
CERS ID: 10529941
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 548932
Site Name: Ejay Filtration, Inc.
Violation Date: 08-24-2018
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes: Returned to compliance on 10/05/2018. HSC 6.95 25508.1(a)(1). Update

EJAY FILTRATION, INC. (Continued) **S113026264**

site map to reflect correct hydrogen tank storage location, and emergency response equipment.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 548932
Site Name: Ejay Filtration, Inc.
Violation Date: 08-24-2018
Citation: HSC 6.95 25508.1(a)-(f) - California Health and Safety Code, Chapter 6.95, Section(s) 25508.1(a)-(f)
Violation Description: Failure to electronically update business plan within 30 days of any one of the following events: A 100 percent or more increase in the quantity of a previously disclosed material. Any handling of a previously undisclosed hazardous materials at or above reportable quantities. A change of business address, business ownership, or business name. A substantial change in the handler's operations that requires modification to any portion of the business plan.
Violation Notes: Returned to compliance on 10/05/2018. HSC 6.95 25508.1(a)-(f). Update chemical hazard categories for hydrogen based off SDS.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-04-2019
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Hazardous Waste Generator Inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-05-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Field re-inspection.
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-11-2021
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-27-2016
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: HW generator inspection

EJAY FILTRATION, INC. (Continued) **S113026264**

Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 08-24-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Site Inspection.
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Coordinates:
Site ID: 548932
Facility Name: Ejay Filtration, Inc.
Env Int Type Code: HMBP
Program ID: 10529941
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.,
Latitude: 33.985320
Longitude: -117.349490

Affiliation:
Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 3036 Durahart St
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92507
Affiliation Phone: ,

Affiliation Type Desc: Property Owner
Entity Name: Gerald D. Green
Entity Title: Not reported
Affiliation Address: 3036 Duarhart Street
Affiliation City: Riveside
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 92507
Affiliation Phone: (951) 683-0805,

Affiliation Type Desc: Environmental Contact
Entity Name: Gerald D. Green
Entity Title: Not reported
Affiliation Address: 3036 Durahart Street
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92507
Affiliation Phone: ,

Affiliation Type Desc: Document Preparer
Entity Name: Vivian G. Urteaga

EJAY FILTRATION, INC. (Continued) **S113026264**

Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,
Affiliation Type Desc:	Legal Owner
Entity Name:	Gerald D. Green
Entity Title:	Not reported
Affiliation Address:	3036 Durahart St
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92507
Affiliation Phone:	(951) 683-0805,
Affiliation Type Desc:	CUPA District
Entity Name:	Riverside Cnty Env Health
Entity Title:	Not reported
Affiliation Address:	4065 County Circle Drive, Room 104
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92503
Affiliation Phone:	(951) 358-5055,
Affiliation Type Desc:	Identification Signer
Entity Name:	Vivian G. Urteaga
Entity Title:	VP of Operations
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,
Affiliation Type Desc:	Operator
Entity Name:	Gerald D. Green
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(951) 683-0805,
Affiliation Type Desc:	Parent Corporation
Entity Name:	Ejay Filtration, Inc.
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,

Z124 **EJAY FILTRATION INC** **RCRA NonGen / NLR** **1024814966**
NW **3036 DURAHART ST** **CAL000311257**
1/8-1/4 **RIVERSIDE, CA 92507**
0.185 mi.
977 ft. **Site 2 of 2 in cluster Z**

Relative: **Lower**
Actual: **927 ft.**

RCRA Listings:

Date Form Received by Agency:		20060905
Handler Name:	EJAY FILTRATION INC	
Handler Address:		3036 DURAHART ST
Handler City,State,Zip:		RIVERSIDE, CA 92507-3446
EPA ID:		CAL000311257
Contact Name:		CHERYL YOUNG
Contact Address:		3036 DURAHART ST
Contact City,State,Zip:		RIVERSIDE, CA 92507
Contact Telephone:		951-683-0805
Contact Fax:		951-683-0783
Contact Email:		VGUTIERREZ@EJAYFILTRATION.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		3036 DURAHART ST
Mailing City,State,Zip:		RIVERSIDE, CA 92507-3446
Owner Name:	EJAY FILTRATION INC	
Owner Type:		Other
Operator Name:	CHERYL YOUNG	
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		Yes
Universal Waste Destination Facility:		Yes
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported

EJAY FILTRATION INC (Continued) **1024814966**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20180905
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: CHERYL YOUNG	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	3036 DURAHART ST
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507
Owner/Operator Telephone:	951-683-0805
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: EJAY FILTRATION INC	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	3036 DURAHART ST
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507-3446
Owner/Operator Telephone:	951-683-0805
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

EJAY FILTRATION INC (Continued) **1024814966**

Historic Generators:
Receive Date: 20060905
Handler Name: EJAY FILTRATION INC
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 56299
NAICS Description: ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

AA125 **CSAI AUTO SERVICE** **RCRA NonGen / NLR** **1024833032**
NW **3001 CHICAGO AVE** **CAL000371761**
1/8-1/4 **RIVERSIDE, CA 92507**
0.196 mi.
1034 ft. **Site 1 of 2 in cluster AA**

Relative: **Lower**
Actual: **923 ft.**

RCRA Listings:
Date Form Received by Agency: 20120215
Handler Name: CSAI AUTO SERVICE
Handler Address: 3001 CHICAGO AVE
Handler City,State,Zip: RIVERSIDE, CA 92507
EPA ID: CAL000371761
Contact Name: JONATHAN SUMMERS
Contact Address: 3001 CHICAGO AVE
Contact City,State,Zip: RIVERSIDE, CA 92507
Contact Telephone: 951-781-0412
Contact Fax: 951-781-2370
Contact Email: JSUMMERS@CASMOGINST.ORG
Contact Title: Not reported
EPA Region: 09
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: Not reported
State District: Not reported
Mailing Address: 3001 CHICAGO AVE
Mailing City,State,Zip: RIVERSIDE, CA 92507-0000
Owner Name: JONATHAN & PATRICIA SUMMERS

CSAI AUTO SERVICE (Continued) **1024833032**

Owner Type:		Other
Operator Name:	JONATHAN SUMMERS	
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		Yes
Universal Waste Destination Facility:		Yes
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported
Permit Workload Universe:		Not reported
Permit Progress Universe:		Not reported
Post-Closure Workload Universe:		Not reported
Closure Workload Universe:		Not reported
202 GPRA Corrective Action Baseline:		No
Corrective Action Workload Universe:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:		No
TSDFs Only Subject to CA under Discretionary Auth Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Operating TSDF Universe:		Not reported
Full Enforcement Universe:		Not reported
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:	Not reported	
Handler Date of Last Change:		20180906
Recognized Trader-Importer:		No
Recognized Trader-Exporter:		No
Importer of Spent Lead Acid Batteries:		No
Exporter of Spent Lead Acid Batteries:		No
Recycler Activity Without Storage:		No
Manifest Broker:		No

CSAI AUTO SERVICE (Continued) **1024833032**

Sub-Part P Indicator: No

Handler - Owner Operator:
Owner/Operator Indicator: Operator
Owner/Operator Name: JONATHAN SUMMERS
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 3001 CHICAGO AVE
Owner/Operator City,State,Zip: RIVERSIDE, CA 92507
Owner/Operator Telephone: 951-781-0412
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: JONATHAN & PATRICIA SUMMERS
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 3001 CHICAGO AVE
Owner/Operator City,State,Zip: RIVERSIDE, CA 92507-0000
Owner/Operator Telephone: 951-781-0412
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20120215
Handler Name: CSAI AUTO SERVICE
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 811111
NAICS Description: GENERAL AUTOMOTIVE REPAIR

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

AA126 **CALIFORNIA SMOG & AUTOMOTIVE INSTITUTE** **CERS HAZ WASTE** **S118937173**
NW **3001 CHICAGO AVE** **HAZNET** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507** **CERS**
0.196 mi. **HWTS**
1034 ft. **Site 2 of 2 in cluster AA**

Relative:
Lower

Actual:
923 ft.

CERS HAZ WASTE:
Name: CALIFORNIA SMOG & AUTOMOTIVE INSTITUTE
Address: 3001 CHICAGO AVE
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 375592
CERS ID: 10686406
CERS Description: Hazardous Waste Generator

HAZNET:
Name: CSAI AUTO SERVICE
Address: 3001 CHICAGO AVE
Address 2: Not reported
City,State,Zip: RIVERSIDE, CA 92507
Contact: JONATHAN SUMMERS
Telephone: 9517810412
Mailing Name: Not reported
Mailing Address: 3001 CHICAGO AVE

Year: 2021
Gepaid: CAL000371761
TSD EPA ID: AZR000030452
CA Waste Code: 223 - Unspecified oil-containing waste
Disposal Method: H135 - Discharge To Sewer/Potw Or Npdes(With Prior Storage--With Or Without Treatment)
Tons: 0.0834

Year: 2020
Gepaid: CAL000371761
TSD EPA ID: AZR000030452
CA Waste Code: 221 - Waste oil and mixed oil
Disposal Method: H135 - Discharge To Sewer/Potw Or Npdes(With Prior Storage--With Or Without Treatment)
Tons: 0.0684

Year: 2020
Gepaid: CAL000371761
TSD EPA ID: AZR000030452
CA Waste Code: 223 - Unspecified oil-containing waste
Disposal Method: H135 - Discharge To Sewer/Potw Or Npdes(With Prior Storage--With Or Without Treatment)
Tons: 0.12927

Year: 2018
Gepaid: CAL000371761
TSD EPA ID: CAT080013352
CA Waste Code: 343 - Unspecified organic liquid mixture
Disposal Method: H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Tons: 0.74120

Year: 2018
Gepaid: CAL000371761
TSD EPA ID: IL0431205134

CALIFORNIA SMOG & AUTOMOTIVE INSTITUTE (Continued) **S118937173**

CA Waste Code:	221 - Waste oil and mixed oil
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.00000
Year:	2015
Gepaid:	CAL000371761
TSD EPA ID:	CAT080013352
CA Waste Code:	343 - Unspecified organic liquid mixture
Disposal Method:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Tons:	0.102

Detail Two:

Year:	2020
EM Manifest ID:	7b8e6d87-7e2b-4b15-85b0-5d668eed7849
Shipment Date:	7/23/2020
Receipt Date:	8/4/2020
Manifest Number:	006578058GBF
Generator EPA ID:	CAL000371761
Name:	CSAI AUTO SERVICE
Address:	3001 CHICAGO AVE
Address 2:	Not reported
City:	RIVERSIDE
Zip:	92507
Telephone:	800-424-9300
Contact:	JONATHAN SUMMERS
Contact Telephone:	951-781-0412
Transporter 1 EPA ID:	ILR000130062
Transporter 1 Emergency Number:	Not reported
Transporter 2 EPA ID:	IND984868406
Transporter 2 Emergency Number:	Not reported
TSDF EPA ID:	AZR000030452
TSDF Name:	LES - PHOENIX
TSDF Address 1:	5159 W VAN BUREN ST
TSDF Address 2:	Not reported
TSDF City:	PHOENIX
TSDF Zip:	85043
TSDF Telephone:	Not reported

State:

Year:	2020
EM Manifest ID:	7b8e6d87-7e2b-4b15-85b0-5d668eed7849
Generator EPA ID:	CAL000371761
Shipment Date:	2020-07-23
Manifest Number:	006578058GBF
Line Number:	1
Method Code:	H135
Quantity Tons:	0.06672
Quantity Waste:	16.000000
Quantity Unit:	G
Number of Containers:	1
Type of Container:	Metal drums, barrels, kegs
Quantity Type:	Gallons
State Code:	223

CALIFORNIA SMOG & AUTOMOTIVE INSTITUTE (Continued) **S118937173**

Year:	2020
EM Manifest ID:	58a15230-e2c5-4384-9f2d-7b7288836c2a
Shipment Date:	3/24/2020
Receipt Date:	4/10/2020
Manifest Number:	006497790GBF
Generator EPA ID:	CAL000371761
Name:	CSAI AUTO SERVICE
Address:	3001 CHICAGO AVE
Address 2:	Not reported
City:	RIVERSIDE
Zip:	92507
Telephone:	800-424-9300
Contact:	JONATHAN SUMMERS
Contact Telephone:	951-781-0412
Transporter 1 EPA ID:	ILR000130062
Transporter 1 Emergency Number:	Not reported
Transporter 2 EPA ID:	IND984868406
Transporter 2 Emergency Number:	Not reported
TSDF EPA ID:	AZR000030452
TSDF Name:	LES - PHOENIX
TSDF Address 1:	5159 W VAN BUREN ST
TSDF Address 2:	Not reported
TSDF City:	PHOENIX
TSDF Zip:	85043
TSDF Telephone:	Not reported

State:

Year:	2020
EM Manifest ID:	58a15230-e2c5-4384-9f2d-7b7288836c2a
Generator EPA ID:	CAL000371761
Shipment Date:	2020-03-24
Manifest Number:	006497790GBF
Line Number:	1
Method Code:	H135
Quantity Tons:	0.06840
Quantity Waste:	18.000000
Quantity Unit:	G
Number of Containers:	1
Type of Container:	Metal drums, barrels, kegs
Quantity Type:	Gallons
State Code:	221

Year:	2020
EM Manifest ID:	f4496ed4-3bbf-4fbb-a734-4c215cfc6180
Shipment Date:	11/19/2020
Receipt Date:	12/4/2020
Manifest Number:	006598368GBF
Generator EPA ID:	CAL000371761
Name:	CSAI AUTO SERVICE
Address:	3001 CHICAGO AVE
Address 2:	Not reported
City:	RIVERSIDE
Zip:	92507
Telephone:	800-424-9300
Contact:	JONATHAN SUMMERS
Contact Telephone:	951-781-0412
Transporter 1 EPA ID:	ILR000130062

CALIFORNIA SMOG & AUTOMOTIVE INSTITUTE (Continued) **S118937173**

Transporter 1 Emergency Number: Not reported
Transporter 2 EPA ID: IND984868406
Transporter 2 Emergency Number: Not reported
TSDF EPA ID: AZR000030452
TSDF Name: LES - PHOENIX
TSDF Address 1: 5159 W VAN BUREN ST
TSDF Address 2: Not reported
TSDF City: PHOENIX
TSDF Zip: 85043
TSDF Telephone: Not reported

State:
Year: 2020
EM Manifest ID: f4496ed4-3bbf-4fbb-a734-4c215cfc6180
Generator EPA ID: CAL000371761
Shipment Date: 2020-11-19
Manifest Number: 006598368GBF
Line Number: 1
Method Code: H135
Quantity Tons: 0.06255
Quantity Waste: 15.000000
Quantity Unit: G
Number of Containers: 1
Type of Container: Metal drums, barrels, kegs
Quantity Type: Gallons
State Code: 223

Year: 2020
EM Manifest ID: 954880
Shipment Date: 11/19/2019
Receipt Date: 12/2/2019
Manifest Number: 006413822GBF
Generator EPA ID: CAL000371761
Name: CSAI AUTO SERVICE
Address: 3001 CHICAGO AVE
Address 2: Not reported
City: RIVERSIDE
Zip: 92507
Telephone: 800-424-9300
Contact: Not reported
Contact Telephone: 951-781-0412
Transporter 1 EPA ID: ILR000130062
Transporter 1 Emergency Number: Not reported
Transporter 2 EPA ID: IND984868406
Transporter 2 Emergency Number: Not reported
TSDF EPA ID: ILR000130062
TSDF Name: HERITAGE CRYSTAL CLEAN LLC
TSDF Address 1: 2175 POINT BLVD STE 375
TSDF Address 2: Not reported
TSDF City: ELGIN
TSDF Zip: 60123
TSDF Telephone: Not reported

Additional Info:
Year: 2015
Gen EPA ID: CAL000371761

CALIFORNIA SMOG & AUTOMOTIVE INSTITUTE (Continued) **S118937173**

Shipment Date:	20150929
Creation Date:	12/18/2015 22:15:09
Receipt Date:	20151005
Manifest ID:	014622795JJK
Trans EPA ID:	CAD028277036
Trans Name:	ASBURY ENVIRONMENTAL SERVICES
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT080013352
Trans Name:	DEMENNO / KERDOON
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	D018
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.102
Waste Quantity:	30
Quantity Unit:	G
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CERS:

Name:	CALIFORNIA SMOG & AUTOMOTIVE INSTITUTE
Address:	3001 CHICAGO AVE
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	375592
CERS ID:	10686406
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	375592
Site Name:	California Smog & Automotive Institute
Violation Date:	08-15-2017
Citation:	40 CFR 1 265.173 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.173
Violation Description:	Failure to meet the following container management requirements: (a) A container holding hazardous waste must always be closed during storage, except when it is necessary to add or remove waste. (b) A container holding hazardous waste must not be opened, handled, or stored in a manner which may rupture the container or cause it to leak.
Violation Notes:	Returned to compliance on 09/20/2017.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,

Site ID:	375592
Site Name:	California Smog & Automotive Institute
Violation Date:	06-01-2021
Citation:	40 CFR 1 265.173 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.173
Violation Description:	Failure to meet the following container management requirements: (a) A container holding hazardous waste must always be closed during

CALIFORNIA SMOG & AUTOMOTIVE INSTITUTE (Continued) **S118937173**

	storage, except when it is necessary to add or remove waste. (b) A container holding hazardous waste must not be opened, handled, or stored in a manner which may rupture the container or cause it to leak.
Violation Notes:	Returned to compliance on 07/28/2021. OBSERVATION: Observed three 55 gallon drums of hazardous waste storage (used oil. metal filters and paper filters) to be stored without lock ring properly in place. CORRECTIVE ACTION: Owner/operator shall maintain all hazardous waste containers closed with locking ring or other seal in place when not adding/removing liquid/volatile hazardous waste.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	375592
Site Name:	California Smog & Automotive Institute
Violation Date:	08-24-2018
Citation:	Un-Specified
Violation Description:	Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes:	Returned to compliance on 10/02/2018. 104D-RMC 16.32.020; CFC sec. 5001.5.1(2): Provide spill kit and eyewash station for shop area and provide signage for emergency response equipment.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	375592
Site Name:	California Smog & Automotive Institute
Violation Date:	08-15-2017
Citation:	40 CFR 1 265.171 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.171
Violation Description:	Failure to accumulate hazardous waste in a container that is in good condition.
Violation Notes:	Returned to compliance on 09/20/2017.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	375592
Site Name:	California Smog & Automotive Institute
Violation Date:	06-01-2021
Citation:	40 CFR 1 265.31 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.31
Violation Description:	Failure to maintain and operate the facility to minimize the possibility of a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil, or surface water which could threaten human health or the environment.
Violation Notes:	Returned to compliance on 07/28/2021. OBSERVATION: Observed secondary containment pallets for the used oil drums filled with oil and several pig rags were stored on top of the pallet. Also observed staining and absorbent material spilled outside the hazardous waste storage area. CORRECTIVE ACTION: Owner/operator shall maintain used oil storage area, and manage according to Title 22 hazardous waste regulations. Submit a statement and supporting documentation (photos) explaining how this waste was managed to this department. Send corrective photos

CALIFORNIA SMOG & AUTOMOTIVE INSTITUTE (Continued) **S118937173**

	to inspector Kathleeen Estrada at KEstrada@rivco.org
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	375592
Site Name:	California Smog & Automotive Institute
Violation Date:	08-15-2017
Citation:	40 CFR 1 265.31 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.31
Violation Description:	Failure to maintain and operate the facility to minimize the possibility of a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil, or surface water which could threaten human health or the environment.
Violation Notes:	Returned to compliance on 09/20/2017.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	375592
Site Name:	California Smog & Automotive Institute
Violation Date:	12-13-2017
Citation:	HSC 6.95 25505(c) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(c)
Violation Description:	Failure to have a business plan readily available to personnel of the business or the unified program facility with responsibilities for emergency response or training.
Violation Notes:	Returned to compliance on 12/07/2018.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	375592
Site Name:	California Smog & Automotive Institute
Violation Date:	09-20-2017
Citation:	Un-Specified
Violation Description:	Hazardous Waste Generator Program - Administration/Documentation - General Local Ordinance
Violation Notes:	Returned to compliance on 11/15/2017.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	375592
Site Name:	California Smog & Automotive Institute
Violation Date:	12-13-2017
Citation:	HSC 6.95 25508.1(a)-(f) - California Health and Safety Code, Chapter 6.95, Section(s) 25508.1(a)-(f)
Violation Description:	Failure to electronically update business plan within 30 days of any one of the following events: A 100 percent or more increase in the quantity of a previously disclosed material. Any handling of a previously undisclosed hazardous materials at or above reportable quantities. A change of business address, business ownership, or business name. A substantial change in the handler's operations that requires modification to any portion of the business plan.
Violation Notes:	Returned to compliance on 01/26/2018.

CALIFORNIA SMOG & AUTOMOTIVE INSTITUTE (Continued) **S118937173**

Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	375592
Site Name:	California Smog & Automotive Institute
Violation Date:	12-13-2017
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit a business plan when storing/handling a hazardous material at or above reportable quantities.
Violation Notes:	Returned to compliance on 01/26/2018.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	375592
Site Name:	California Smog & Automotive Institute
Violation Date:	06-16-2020
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes:	Returned to compliance on 07/27/2020. The chemical inventory has not been submitted accurately. Include the changes of the following chemicals in CERS: show 55 gallons of waste ethylene glycol.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	375592
Site Name:	California Smog & Automotive Institute
Violation Date:	06-16-2020
Citation:	Un-Specified
Violation Description:	Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes:	Returned to compliance on 07/27/2020. Failure to maintain safe facility conditions [RMC 16.32.020] - Failure to maintain safe facility conditions by the waste oil/ATF storage area. Provide better housekeeping and keep area clean.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	375592
Site Name:	California Smog & Automotive Institute
Violation Date:	08-24-2018
Citation:	Un-Specified
Violation Description:	Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes:	Returned to compliance on 10/02/2018. 104A-RMC 16.32.020; CFC sec. 5003.5: Provide and post NFPA 704 placard for hazardous waste storage area.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP

CALIFORNIA SMOG & AUTOMOTIVE INSTITUTE (Continued) **S118937173**

Violation Source:	CERS,
Site ID:	375592
Site Name:	California Smog & Automotive Institute
Violation Date:	07-28-2021
Citation:	HSC 6.95 25508(a)(3) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(3)
Violation Description:	Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes:	Returned to compliance on 09/08/2021. The chemical inventory has not been submitted accurately. Submit the chemical inventory in CERS. Include the changes of the following chemicals in CERS: Add one 55-gallon drum of brake fluid waste
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	375592
Site Name:	California Smog & Automotive Institute
Violation Date:	09-25-2019
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes:	Returned to compliance on 01/09/2020.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	375592
Site Name:	California Smog & Automotive Institute
Violation Date:	12-13-2017
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit a site map with all required content.
Violation Notes:	Returned to compliance on 02/02/2018. Indicate waste oil location on map / added in 1/16 submittal
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	375592
Site Name:	California Smog & Automotive Institute
Violation Date:	06-01-2021
Citation:	HSC 6.5 25250.7(a) - California Health and Safety Code, Chapter 6.5, Section(s) 25250.7(a)
Violation Description:	Failure to prevent intentional contamination of used oil with other hazardous waste other than minimal amounts of vehicle fuel.
Violation Notes:	Returned to compliance on 07/28/2021. OBSERVATION: As per operator the 55 gallon drum of used oil was contaminated with other hazardous waste, through the practice of including the waste fluids of the power steering and brake systems with the used oil. CORRECTIVE ACTION: Owner/operator shall cease and desist from contaminating used oil with other hazardous substances. Obtain separate hazardous waste storage

CALIFORNIA SMOG & AUTOMOTIVE INSTITUTE (Continued) **S118937173**

containers for the brake fluid/steering fluid.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 375592
Site Name: California Smog & Automotive Institute
Violation Date: 12-13-2017
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes: Returned to compliance on 01/26/2018.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 375592
Site Name: California Smog & Automotive Institute
Violation Date: 08-15-2017
Citation: 40 CFR 1 265.174 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.174
Violation Description: Failure to inspect hazardous waste storage areas at least weekly and look for leaking and deteriorating containers.
Violation Notes: Returned to compliance on 09/20/2017.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 375592
Site Name: California Smog & Automotive Institute
Violation Date: 06-16-2020
Citation: Un-Specified
Violation Description: Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes: Returned to compliance on 07/27/2020. Materials stored to minimize the possibility of release. [RMC 16.32.020; CFC, Section 5004.2] - No spill control and secondary containment was observed per CFC requirement. Spill control and secondary containment was observed to be full at time of inspection. Clean up area/housekeeping.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 375592
Site Name: California Smog & Automotive Institute
Violation Date: 02-02-2018
Citation: HSC 6.95 Multiple - California Health and Safety Code, Chapter 6.95, Section(s) Multiple
Violation Description: Business Plan Program - Training - General
Violation Notes: Returned to compliance on 10/02/2018. Provide training records for employees
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

CALIFORNIA SMOG & AUTOMOTIVE INSTITUTE (Continued) **S118937173**

Site ID:	375592
Site Name:	California Smog & Automotive Institute
Violation Date:	08-24-2018
Citation:	Un-Specified
Violation Description:	Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes:	Returned to compliance on 10/02/2018. 100-RMC 9.48.030: Provide and post current hazmat permit.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	375592
Site Name:	California Smog & Automotive Institute
Violation Date:	08-24-2018
Citation:	Un-Specified
Violation Description:	Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes:	Returned to compliance on 10/02/2018. 104C-RMC 16.32.020; CFC sec. 5003.6: Provide and post signage for hazardous waste storage areas.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	375592
Site Name:	California Smog & Automotive Institute
Violation Date:	06-16-2020
Citation:	Un-Specified
Violation Description:	Business Plan Program - Administration/Documentation - General Local Ordinance
Violation Notes:	Returned to compliance on 07/27/2020. Container(s) properly labeled. [RMC 16.32.020; CFC, Section 5003.6] - The chemical container(s) signage was obscured/ removed/not provided. Post signage on the container in waste storage area. Provide better housekeeping.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	375592
Site Name:	California Smog & Automotive Institute
Violation Date:	11-12-2019
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes:	Returned to compliance on 01/09/2020.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	375592
Site Name:	California Smog & Automotive Institute
Violation Date:	01-05-2018
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to annually review and electronically certify that the

CALIFORNIA SMOG & AUTOMOTIVE INSTITUTE (Continued) **S118937173**

	business plan is complete and accurate on or before the annual due date.
Violation Notes:	Returned to compliance on 01/26/2018.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	375592
Site Name:	California Smog & Automotive Institute
Violation Date:	02-02-2018
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes:	Returned to compliance on 10/02/2018. Update CERS submittal with waste inventory
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	375592
Site Name:	California Smog & Automotive Institute
Violation Date:	08-24-2018
Citation:	Un-Specified
Violation Description:	Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes:	Returned to compliance on 10/02/2018. 104B-RMC 9.48.040(5): Provide and post emergency phone numbers in a visible location for all employees.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	375592
Site Name:	California Smog & Automotive Institute
Violation Date:	12-07-2018
Citation:	HSC 6.95 25505(c) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(c)
Violation Description:	Failure to have a business plan readily available to personnel of the business or the unified program facility with responsibilities for emergency response or training.
Violation Notes:	Returned to compliance on 12/07/2018. No business plan was readily available on site. To obtain a copy of the Business plan or have access to the plan electronically.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	375592
Site Name:	California Smog & Automotive Institute
Violation Date:	12-13-2017
Citation:	HSC 6.95 Multiple - California Health and Safety Code, Chapter 6.95, Section(s) Multiple
Violation Description:	Business Plan Program - Administration/Documentation - General
Violation Notes:	Returned to compliance on 01/16/2018. Need to submit inspection o CErS / submitted 1/16/18

CALIFORNIA SMOG & AUTOMOTIVE INSTITUTE (Continued) **S118937173**

Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 375592
Site Name: California Smog & Automotive Institute
Violation Date: 07-28-2021
Citation: HSC 6.95 25505(a)(4) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(a)(4)
Violation Description: Failure to provide initial and annual training to all employees in safety procedures in the event of a release or threatened release of a hazardous material or failure to document and maintain training records for a minimum of three years.
Violation Notes: Returned to compliance on 09/08/2021. No training records were available for review. Provide documentation on training being conducted for the past 1-3 years.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 375592
Site Name: California Smog & Automotive Institute
Violation Date: 08-24-2018
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: Returned to compliance on 10/02/2018. HSC 6.95 25505(a)(1), 25506, 25508(a)(1): 19 CCR 2729.2(a)(2). Update chemical inventory to reflect correct size of oil and ATF dispensing tanks, total amount of waste oil, and add total amount of waste oil filters.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 08-24-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Site Inspection.
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 09-20-2017
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: HW generator follow up
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 09-25-2019

CALIFORNIA SMOG & AUTOMOTIVE INSTITUTE (Continued) **S118937173**

Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 11-15-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: HW generator follow up
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 01-05-2018
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-01-2021
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Facility is a SQG auto repair shop generating used oil, waste antifreeze, drained metal filters, paper filters parts washer solution and spent lead acid batteries.
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-28-2021
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Inspector Z. Rehfeld
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 08-15-2017
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: HW Generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 09-08-2021
Violations Found: No

CALIFORNIA SMOG & AUTOMOTIVE INSTITUTE (Continued) **S118937173**

Eval Type: Other, not routine, done by local agency
Eval Notes: Reinspection - Z. Rehfeld. All violations from 7/28/2021 routine inspection have been abated.
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 12-13-2017
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Complaint inspection from public.
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 02-02-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-16-2020
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 07-27-2020
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Re-Inspection- All Violations from 06/16/20 RTC Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 11-12-2019
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 12-07-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported

CALIFORNIA SMOG & AUTOMOTIVE INSTITUTE (Continued) **S118937173**

Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Enforcement Action:
Site ID: 375592
Site Name: California Smog & Automotive Institute
Site Address: 3001 CHICAGO AVE
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 01-05-2018
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Fines/Penalties Assessed: $100.00. ADMIN CITE.
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Site ID: 375592
Site Name: California Smog & Automotive Institute
Site Address: 3001 CHICAGO AVE
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 09-25-2019
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Fines/Penalties Assessed: $100.00. Administrative citation.
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Site ID: 375592
Site Name: California Smog & Automotive Institute
Site Address: 3001 CHICAGO AVE
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 11-12-2019
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Fines/Penalties Assessed: $200.00. Admin Cite .
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Site ID: 375592
Site Name: California Smog & Automotive Institute
Site Address: 3001 CHICAGO AVE
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 11-12-2019
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Fines/Penalties Assessed: $200.00. Administrative citation.
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

CALIFORNIA SMOG & AUTOMOTIVE INSTITUTE (Continued) **S118937173**

Affiliation:

Affiliation Type Desc:	Property Owner
Entity Name:	Howarth & Bonnie Drake
Entity Title:	Not reported
Affiliation Address:	18410 Cactus Ave
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92508
Affiliation Phone:	(951) 776-8119,

Affiliation Type Desc:	Legal Owner
Entity Name:	Jonathan Summers
Entity Title:	Not reported
Affiliation Address:	jsummers@casmoginst.org
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92507-3447
Affiliation Phone:	(909) 646-0002,

Affiliation Type Desc:	Operator
Entity Name:	Jonathan Summers
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(909) 646-0002,

Affiliation Type Desc:	CUPA District
Entity Name:	Riverside Cnty Env Health
Entity Title:	Not reported
Affiliation Address:	4065 County Circle Drive, Room 104
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92503
Affiliation Phone:	(951) 358-5055,

Affiliation Type Desc:	Document Preparer
Entity Name:	Jonathan Summers
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,

Affiliation Type Desc:	Environmental Contact
Entity Name:	Jonathan Summers
Entity Title:	Not reported
Affiliation Address:	3001 Chicago Ave
Affiliation City:	RIVERSIDE
Affiliation State:	CA

CALIFORNIA SMOG & AUTOMOTIVE INSTITUTE (Continued) **S118937173**

Affiliation Country: Not reported
Affiliation Zip: 92507
Affiliation Phone: ,

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 3001 Chicago Ave
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92507
Affiliation Phone: ,

Affiliation Type Desc: Identification Signer
Entity Name: Jonathan Summers
Entity Title: Owner
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: Parent Corporation
Entity Name: California Smog & Automotive Institute
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

HWTS:
Name: CSAI AUTO SERVICE
Address: 3001 CHICAGO AVE
Address 2: Not reported
City,State,Zip: RIVERSIDE, CA 92507
EPA ID: CAL000371761
Inactive Date: Not reported
Create Date: 02/15/2012
Last Act Date: Not reported
Mailing Name: Not reported
Mailing Address: 3001 CHICAGO AVE
Mailing Address 2: Not reported
Mailing City,State,Zip: RIVERSIDE, CA 925070000
Owner Name: JONATHAN & PATRICIA SUMMERS
Owner Address: 3001 CHICAGO AVE
Owner Address 2: Not reported
Owner City,State,Zip: RIVERSIDE, CA 925070000
Contact Name: JONATHAN SUMMERS
Contact Address: 3001 CHICAGO AVE
Contact Address 2: Not reported
City,State,Zip: RIVERSIDE, CA 92507
Facility Status: Active

CALIFORNIA SMOG & AUTOMOTIVE INSTITUTE (Continued) **S118937173**

Facility Type:	PERMANENT
Category:	STATE
Latitude:	33.98572
Longitude:	-117.3489
NAICS:	
EPA ID:	CAL000371761
Create Date:	2012-02-15 09:12:48.697
NAICS Code:	811111
NAICS Description:	General Automotive Repair
Issued EPA ID Date:	2012-02-15 09:12:48.68000
Inactive Date:	Not reported
Facility Name:	CSAI AUTO SERVICE
Facility Address:	3001 CHICAGO AVE
Facility Address 2:	Not reported
Facility City:	RIVERSIDE
Facility County:	Not reported
Facility State:	CA
Facility Zip:	92507

X127 **CHARGER 4** **LUST** **U001576445**
SSW **3750 CHICAGO AVE** **HIST UST** **N/A**
1/8-1/4 **RIVERSIDE, CA 92506** **Cortese**
0.205 mi. **CERS**
1080 ft. **Site 5 of 8 in cluster X**

Relative:
Lower

Actual:
958 ft.

LUST:

Name:	BUY RITE
Address:	3750 CHICAGO AVENUE
City,State,Zip:	RIVERSIDE, CA 92507
Lead Agency:	RIVERSIDE COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0606586370
Global Id:	T0606586370
Latitude:	33.9765302234891
Longitude:	-117.348103523254
Status:	Completed - Case Closed
Status Date:	04/15/2014
Case Worker:	AB
RB Case Number:	Not reported
Local Agency:	RIVERSIDE COUNTY LOP
File Location:	Local Agency
Local Case Number:	200420804
Potential Media Affect:	Aquifer used for drinking water supply
Potential Contaminants of Concern:	Gasoline
Site History:	***Data prior to 2005 does not appear in GeoTracker. Consult agency files for all site data*** On April 29, 2004, three Underground Storage Tanks (USTs) were removed from the subject site. Chemical analyses of the soil samples indicated that, with the exception of one sample, no significant concentrations of TPH (C4-C10), BTEX or MTBE were reported in the samples. Sample no. T1N-16, collected beneath the north end (turbine end) of Tank #1, was reported to contain 2,650 mg/kg of TPH (C4-C10), and lesser concentrations of Ethylbenzene and Xylenes. No Benzene or MTBE was detected in this sample. This sample was also analyzed for total lead and reported to contain 4.52 mg/kg.The subject site was a former gas station, and is currently an undeveloped dirt lot. The ground surface topography of

CHARGER 4 (Continued) **U001576445**

the site is flat with a slight downward slope toward the northwest. The elevation of the site is approximately 956 feet above mean sea level (msl). In March 2005, soil was excavated in the area of former tank removal soil sample no. T1N-16, to a maximum depth of approximately 28 feet, using a track-mounted excavator. Verification samples collected from the over-excavated pit indicated that the lateral extent of the petroleum-impacted soil had been removed; however, impacted soil remained in the pit bottom, in a relatively small area focused around verification soil sample no. VS13-S-27. In June 2005, boring B1 was advanced to further assess the vertical extent of soil impacts beneath the previously over-excavated area. Soil samples collected from boring B1 indicated low to moderate concentrations of MTBE and TBA between 30 and 95 feet deep. Due to difficult drilling conditions, Boring B1 could not be advanced beyond 95 feet with the drilling rig used. In January 2006, four additional borings were advanced to further assess the vertical and lateral extents of soil impacts at the subject site. One boring was converted to a groundwater monitoring well (MW1). Two borings were converted to vadose wells (VW1 and VW2) for potential future soil vapor extraction. An additional boring was drilled and sampled but was not converted into a well (B2). In September and October 2006, two additional borings were advanced to further assess the vertical and lateral extents of soil and groundwater impacts at the subject site. Both borings were converted into groundwater monitoring wells (MW2 and MW3). Groundwater samples collected from all on-site wells (MW1-MW3) indicated that the extent of petroleumimpacted groundwater has not been adequately assessed. In February 2007, one additional groundwater monitoring well was installed to better assess the groundwater flow direction and the extent of soil and groundwater impacts at the site. Groundwater monitoring events were completed in January / February, May, and September of 2007. The January / February 2007 samples were reported to contain a maximum of 1,770 ug/L (TPH C4-C10), 788 ug/L (Benzene), and 175 ug/L (MTBE). The May 2007 samples were reported to contain a maximum of 3,090 ug/L (TPH C4-C10), 1,320 ug/L (Benzene) and 336 ug/L (MTBE). The September 2007 samples were reported to contain a maximum of 1,300 ug/L (TPHg), 676 ug/L (Benzene) and 147 ug/L (MTBE). No TEX or Fuel Oxygenates (other than MTBE) were reported in any of the analyzed samples collected in 2007. In December 2007, two additional groundwater monitoring wells (MW5 and MW6) were installed to better assess the groundwater flow direction and the extent of groundwater impacts under the adjoining Chicago Avenue. Soil analytical results indicated no significant detected TPH (C4-C10), BTEX, Fuel Oxygenates or other VOCs in any of the analyzed soil samples. In June 2008, a four-day dual phase extraction pilot study was conducted at the subject site per the request of the RCDEH. A total of 1,250 gallons of groundwater was extracted at a rate estimated to be less than 0.2 gallons per minute. Soil gas samples indicated that MTBE is the primary contaminant of concern in the soil gas, at concentrations up to a maximum of 1,300 ppmv. In August, 2008, a new boring was advanced (approximately 9 feet east from the original boring). No soil samples were collected (already collected in first boring). This boring was successfully advanced to 171 feet and converted into a groundwater monitoring (Well MW7). Since at least September 2008, the concentrations of detected TPH (C4-C10) and benzene have been greatly decreased or non detected. This pattern is typified in wells MW2, MW3 and MW5. During this same time period, the groundwater table elevation has steadily

CHARGER 4 (Continued) **U001576445**

decreased, and is now at a three-year historical low. The decreased TPH and benzene concentrations are occurring coincident with the decreased groundwater table elevation. The maximum TPH (C4-C10) reported in a historical groundwater sample was 4,810ug/L (well MW3 - September 2006). The current maximum reported TPH (C4-C10) is Non Detected. The maximum benzene reported in a historical groundwater sample was 1,730 ug/L (well MW2- September 2006). The current maximum reported benzene is 2.28 ug/L. No active remediation has been completed at the site during this period except for a 4-day dual phase extraction pilot study. MTBE concentrations have, overall, been increasing in well MW3 (located at down gradient property edge), and decreasing in well MW1 (located in source release area). This pattern indicates that dissolved phase MTBE is moving in a slug-like fashion from the source area to the down gradient property edge. The maximum MTBE reported in a historical groundwater sample was 1,500 ug/L (well MW1 January 2006), while the current maximum is 717 ug/L (well MW3). ETBE, DIPE and TAME have historically not been detected in samples from the site. TBA was reported at a maximum historical concentration of 154 ug/L in September 2007 (well MW3), but was not detected during the current event. Groundwater Monitoring: GW monitoring has been conducted since 2006 through March 2013. Water levels have fluctuated from ~150 to ~163 ft bgs and are currently ~158 ft bgs. GW flow direction has been consistently to the west and west-northwest at a relatively flat gradient. Highest GW concentrations were detected in 2006: 4810 ppb TPHg (MW3), 1730 ppb benzene (MW2) and 1500 ppb MTBE (MW1) and have since decreased to non-detectable levels in all monitoring wells (since early 2012). TPHg has not been detected in any of the wells since December 2008, MTBE since September 2011, and benzene since March 2012. Remediation: Excavation: March 2005 - Soil was excavated in the area of soil sample T1N-16 to a maximum depth of approximately 28 feet bgs. Confirmation samples from the bottom of the excavation indicated that impacted soil remained in the pit bottom, in a relatively small area around sample VS13-S-27 which had concentrations of 631 ppm TPHg, 6.93 ppm ethylbenzene, 100 ppm xylenes, 46.7 ppm TBA, 12.9 ppm naphthalene, 104 ppm 1,2,4-TMB, and 30.6 ppm 1,3,5-TMB. Remediation Pilot Testing: June 2008 - A four-day dual-phase extraction pilot study was conducted using wells MW1 and MW3 for GW extraction and wells VW1 for vapor extraction. A total of 1250 gallons of GW was extracted at a rate estimated to be less than 0.2 gallons per minute. The radius of influence (ROI) of vapor extraction in the shallow zone (65 to 105 ft) was 50 ft whereas the ROI in the deeper zone (130-170 ft) was 50 to 75 ft. Soil vapor samples indicated that MTBE was the primary contaminant of concern in the soil vapor with concentrations up to a maximum of 1300 ppmv (VW2). Maximum vapor concentrations for the other constituents were 122 ppmv TPHg and 3 ppmv benzene. Soil vapor extraction (SVE) remediation was determined to be feasible for the site. Soil Vapor Extraction (SVE): February 2012 - Two additional vadose wells (VW3 and VW4) were installed with screens from 40 to 60 ft bgs and 65 to 105 ft bgs, respectively. Soil samples were not collected. March 2012 to May 2013 A SVE system was operated on-site using varying combinations of wells VW1-VW4, MW1, MW2, MW3, and MW7 for extraction. MTBE was the primary constituent detected in the extracted vapors. All wells except VW3 had detectable MTBE vapor concentrations with the highest concentrations in wells VW1 (24.9 ppmv) and VW2 (71.7 ppmv). There were several periods of SVE non-operation (due to lack of funding, vandalism, etc.) and the system removed a cumulative

CHARGER 4 (Continued) **U001576445**

total of 26.21 lbs (4.29 gallons) MTBE. TPHg and BTEX were not detected in any of the vapors and TBA was not reported. Verification: Vapor: July 2013 - SVE rebound testing was conducted at the site between 07/01/13 and 07/06/13. Individual soil vapor samples were collected at prescribed intervals from all eight wells used for SVE (VW1-VW4, MW1, MW2, MW3, and MW7). Vapor samples collected at SVE system start-up, after 2 hours and after 5 days of operation were analyzed for TPHg, BTXE and oxygenates using EPA methods 8015 and 8260B. Vapor concentrations for samples collected at start-up and 2 hours were all below the detection limits and samples collected on Day 5 were also all non-detect with the exception of two MTBE detections (17.5 ppmv in MW-1 and 0.9 ppmv in MW-2). Soil: August 2013 One confirmation soil boring (CB1) was completed to 120 ft bgs just east of the former remedial excavation. Soil samples were collected at 5-foot depth intervals from 40 to 120 ft and analyzed for TPHg, BTXE and oxygenates using EPA methods 8015 and 8260B. All samples were below the detection limits for all constituents tested, except the sample from 120 ft bgs which contained 0.113 ppm MTBE. Groundwater: Historically, a downward trend in all consistent concentrations has been observed in the seven GW monitoring wells since December 2008. MTBE was last observed in MW1 in 2011 at a concentration of 7.58 ppb. GW in wells MW2 through MW7 has been below the detection limits for TPHg for the last three consecutive semi-annual GW monitoring events with the exception of 3.10 ppb benzene (MW7) observed in March 2012. Other Information: Subsurface Soil types: interbedded and intermixed sand, silt, and clay to 160 ft bgs. Sensitive Receptors: City of Riverside water supply well located 135 feet of site Land Use: A mix of residential and commercial developments occupies the immediate site vicinity. The site was a former gas station, and is currently a vacant lot within a commercial area. 3/14-15/2014 All wells properly abandoned/destroyed. 4/15/2014 CASE CLOSED. RCDEH issued NFA/Closure letter.

LUST:

Global Id:	T0606586370
Contact Type:	Local Agency Caseworker
Contact Name:	ANDREA BRIONES
Organization Name:	RIVERSIDE COUNTY LOP
Address:	3880 LEMON ST SUITE 200
City:	RIVERSIDE
Email:	abriones@rivco.org
Phone Number:	9519558980

LUST:

Global Id:	T0606586370
Action Type:	ENFORCEMENT
Date:	05/30/2013
Action:	Staff Letter - #RCDEH#053013
Global Id:	T0606586370
Action Type:	ENFORCEMENT
Date:	04/25/2013
Action:	Staff Letter - #RCDEH#042513
Global Id:	T0606586370
Action Type:	Other
Date:	07/30/2004

CHARGER 4 (Continued) **U001576445**

Action: Leak Reported

Global Id: T0606586370
Action Type: RESPONSE
Date: 06/15/2007
Action: Soil and Water Investigation Workplan

Global Id: T0606586370
Action Type: RESPONSE
Date: 06/15/2007
Action: Electronic Reporting Submittal Due

Global Id: T0606586370
Action Type: RESPONSE
Date: 01/15/2013
Action: Monitoring Report - Quarterly

Global Id: T0606586370
Action Type: RESPONSE
Date: 04/15/2013
Action: Monitoring Report - Quarterly

Global Id: T0606586370
Action Type: RESPONSE
Date: 07/15/2013
Action: Monitoring Report - Quarterly

Global Id: T0606586370
Action Type: RESPONSE
Date: 10/15/2012
Action: Other Report / Document

Global Id: T0606586370
Action Type: RESPONSE
Date: 04/15/2013
Action: Monitoring Report - Semi-Annually

Global Id: T0606586370
Action Type: REMEDIATION
Date: 03/18/2005
Action: Excavation

Global Id: T0606586370
Action Type: REMEDIATION
Date: 03/01/2012
Action: Soil Vapor Extraction (SVE)

Global Id: T0606586370
Action Type: REMEDIATION
Date: 03/01/2012
Action: Soil Vapor Extraction (SVE)

Global Id: T0606586370
Action Type: ENFORCEMENT
Date: 07/01/2008
Action: Staff Letter - #RCDEH070108

CHARGER 4 (Continued) **U001576445**

Global Id: T0606586370
Action Type: ENFORCEMENT
Date: 08/17/2009
Action: Staff Letter - #RCDEH081709

Global Id: T0606586370
Action Type: ENFORCEMENT
Date: 04/15/2014
Action: Closure/No Further Action Letter - #RivCo Closure Docs

Global Id: T0606586370
Action Type: RESPONSE
Date: 01/15/2008
Action: Monitoring Report - Quarterly

Global Id: T0606586370
Action Type: RESPONSE
Date: 04/15/2008
Action: Monitoring Report - Quarterly

Global Id: T0606586370
Action Type: RESPONSE
Date: 10/15/2012
Action: Monitoring Report - Semi-Annually

Global Id: T0606586370
Action Type: RESPONSE
Date: 06/30/2013
Action: Other Workplan - Regulator Responded

Global Id: T0606586370
Action Type: RESPONSE
Date: 08/31/2013
Action: Other Report / Document - Regulator Responded

Global Id: T0606586370
Action Type: RESPONSE
Date: 01/28/2014
Action: Correspondence - Regulator Responded

Global Id: T0606586370
Action Type: RESPONSE
Date: 03/24/2014
Action: Request for Closure - Regulator Responded

Global Id: T0606586370
Action Type: ENFORCEMENT
Date: 05/07/2007
Action: Staff Letter - #RCDEH 050707

Global Id: T0606586370
Action Type: ENFORCEMENT
Date: 02/25/2008
Action: Technical Correspondence / Assistance / Other - #RCDEH 022508

Global Id: T0606586370
Action Type: ENFORCEMENT

CHARGER 4 (Continued) **U001576445**

Date: 11/19/2007
Action: File review

Global Id: T0606586370
Action Type: ENFORCEMENT
Date: 10/28/2013
Action: LOP Case Closure Summary to RB - #RCDEH#111513

Global Id: T0606586370
Action Type: ENFORCEMENT
Date: 12/06/2013
Action: File review - #RCDEH SITE SUMMARY

Global Id: T0606586370
Action Type: Other
Date: 04/29/2004
Action: Leak Stopped

Global Id: T0606586370
Action Type: RESPONSE
Date: 01/15/2010
Action: Monitoring Report - Quarterly

Global Id: T0606586370
Action Type: RESPONSE
Date: 04/15/2010
Action: Monitoring Report - Quarterly

Global Id: T0606586370
Action Type: RESPONSE
Date: 07/15/2010
Action: Monitoring Report - Quarterly

Global Id: T0606586370
Action Type: RESPONSE
Date: 10/15/2010
Action: Monitoring Report - Quarterly

Global Id: T0606586370
Action Type: RESPONSE
Date: 06/27/2008
Action: Other Workplan

Global Id: T0606586370
Action Type: RESPONSE
Date: 03/21/2012
Action: Other Report / Document

Global Id: T0606586370
Action Type: RESPONSE
Date: 04/19/2016
Action: Soil and Water Investigation Workplan

Global Id: T0606586370
Action Type: RESPONSE
Date: 02/08/2008
Action: Monitoring Report - Other

CHARGER 4 (Continued) **U001576445**

Global Id: T0606586370
Action Type: RESPONSE
Date: 04/10/2008
Action: Correspondence

Global Id: T0606586370
Action Type: ENFORCEMENT
Date: 04/11/2011
Action: Staff Letter - #RCDEH 041111

Global Id: T0606586370
Action Type: ENFORCEMENT
Date: 05/30/2012
Action: Staff Letter - #RCDEH053012

Global Id: T0606586370
Action Type: ENFORCEMENT
Date: 11/26/2013
Action: Notification - Public Notice of Case Closure - #RCDEH#112613

Global Id: T0606586370
Action Type: ENFORCEMENT
Date: 11/26/2013
Action: Staff Letter - #RCDEH#112613

Global Id: T0606586370
Action Type: ENFORCEMENT
Date: 09/06/2012
Action: Clean Up Fund - Case Closure Review Summary Report (RSR)

Global Id: T0606586370
Action Type: RESPONSE
Date: 10/15/2008
Action: Monitoring Report - Quarterly

Global Id: T0606586370
Action Type: RESPONSE
Date: 06/10/2009
Action: Monitoring Report - Quarterly

Global Id: T0606586370
Action Type: RESPONSE
Date: 10/15/2009
Action: Monitoring Report - Quarterly

Global Id: T0606586370
Action Type: RESPONSE
Date: 11/28/2008
Action: CAP/RAP - Other Report

Global Id: T0606586370
Action Type: RESPONSE
Date: 01/15/2011
Action: Monitoring Report - Quarterly

Global Id: T0606586370
Action Type: RESPONSE

CHARGER 4 (Continued) **U001576445**

Date: 04/15/2011
Action: Monitoring Report - Quarterly

Global Id: T0606586370
Action Type: RESPONSE
Date: 10/15/2011
Action: Monitoring Report - Quarterly

Global Id: T0606586370
Action Type: RESPONSE
Date: 01/15/2012
Action: Monitoring Report - Quarterly

Global Id: T0606586370
Action Type: RESPONSE
Date: 04/15/2012
Action: Monitoring Report - Quarterly

Global Id: T0606586370
Action Type: RESPONSE
Date: 07/15/2012
Action: Monitoring Report - Quarterly

Global Id: T0606586370
Action Type: ENFORCEMENT
Date: 05/28/2008
Action: Staff Letter - #RCDEH 051608

Global Id: T0606586370
Action Type: ENFORCEMENT
Date: 10/08/2008
Action: Staff Letter - #RCDEH100808

Global Id: T0606586370
Action Type: ENFORCEMENT
Date: 10/10/2013
Action: Staff Letter - #RCDEH#101013

Global Id: T0606586370
Action Type: Other
Date: 07/29/2004
Action: Leak Discovery

Global Id: T0606586370
Action Type: RESPONSE
Date: 09/01/2008
Action: Well Installation Report

Global Id: T0606586370
Action Type: RESPONSE
Date: 07/14/2011
Action: Other Report / Document

Global Id: T0606586370
Action Type: RESPONSE
Date: 02/17/2014
Action: Verbal Communication

CHARGER 4 (Continued) **U001576445**

Global Id: T0606586370
Action Type: RESPONSE
Date: 04/01/2014
Action: Well Destruction Report

Global Id: T0606586370
Action Type: RESPONSE
Date: 12/23/2013
Action: Other Report / Document

LUST:
Global Id: T0606586370
Status: Open - Case Begin Date
Status Date: 04/29/2004

Global Id: T0606586370
Status: Open - Site Assessment
Status Date: 08/02/2004

Global Id: T0606586370
Status: Open - Remediation
Status Date: 03/18/2005

Global Id: T0606586370
Status: Open - Site Assessment
Status Date: 03/18/2005

Global Id: T0606586370
Status: Open - Eligible for Closure
Status Date: 11/26/2013

Global Id: T0606586370
Status: Completed - Case Closed
Status Date: 04/15/2014

RIVERSIDE CO. LUST:
Name: BUY RITE
Address: 3750 CHICAGO AVENUE
City,State,Zip: RIVERSIDE, CA
Region: RIVERSIDE
Facility ID: 200420804
Employee: Briones-LOP
Site Closed: Yes
Case Type: Drinking Water Aquifer affected
Facility Status: closed/action completed
Casetype Decode: An Aquifer used for Drinking Water supply has been contaminated.
Fstatus Decode: Closed/Action completed

HIST UST:
Name: CHARGER 4
Address: 3750 CHICAGO AVE
City,State,Zip: RIVERSIDE, CA 92506
File Number: 0002AA88
URL: http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0002AA88.pdf
Region: STATE

CHARGER 4 (Continued) **U001576445**

Facility ID:	00000043934
Facility Type:	Gas Station
Other Type:	Not reported
Contact Name:	A.S. SWAIN
Telephone:	6195623152
Owner Name:	WILLIAM AND BARBARA WRIGHT
Owner Address:	8681 N. MAGNOLIA
Owner City,St,Zip:	SANTEE, CA 92071
Total Tanks:	0003
Tank Num:	001
Container Num:	3
Year Installed:	Not reported
Tank Capacity:	00020000
Tank Used for:	PRODUCT
Type of Fuel:	REGULAR
Container Construction Thickness:	Not reported
Leak Detection:	Visual, Stock Inventor
Tank Num:	002
Container Num:	1
Year Installed:	Not reported
Tank Capacity:	00009940
Tank Used for:	PRODUCT
Type of Fuel:	PREMIUM
Container Construction Thickness:	Not reported
Leak Detection:	Visual, Stock Inventor
Tank Num:	003
Container Num:	2
Year Installed:	Not reported
Tank Capacity:	00016000
Tank Used for:	PRODUCT
Type of Fuel:	UNLEADED
Container Construction Thickness:	Not reported
Leak Detection:	Visual, Stock Inventor

Click here for Geo Tracker PDF:

CORTESE:

Name:	BUY RITE
Address:	3750 CHICAGO AVENUE
City,State,Zip:	RIVERSIDE, CA 92507
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0606586370
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported

CHARGER 4 (Continued) **U001576445**

Waste Discharge System No: Not reported
Effective Date: Not reported
Region 2: Not reported
WID Id: Not reported
Solid Waste Id No: Not reported
Waste Management Uit Name: Not reported
File Name: Active Open

CERS:
Name: BUY RITE
Address: 3750 CHICAGO AVENUE
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 194059
CERS ID: T0606586370
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: ANDREA BRIONES - RIVERSIDE COUNTY LOP
Entity Title: Not reported
Affiliation Address: 3880 LEMON ST SUITE 200
Affiliation City: RIVERSIDE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 9519558980,

X128 **BUY RITE #203** **UST U003948805**
SSW **3750 CHICAGO AVE** **SWEEPS UST N/A**
1/8-1/4 **RIVERSIDE, CA 92507**
0.205 mi.
1080 ft. **Site 6 of 8 in cluster X**

Relative:
Lower

Actual:
958 ft.

UST:
Name: BUY RITE #203
Address: 3750 CHICAGO AVE
City,State,Zip: RIVERSIDE, CA 92507
Facility ID: 124
Permitting Agency: RIVERSIDE COUNTY
CERSID: Not reported
Latitude: 33.977888
Longitude: -117.346678

SWEEPS UST:
Name: BUY RITE #203
Address: 3750 CHICAGO AVE
City: RIVERSIDE
Status: Active
Comp Number: 12148
Number: 1
Board Of Equalization: Not reported
Referral Date: 10-21-92
Action Date: 10-21-92
Created Date: 07-19-90
Owner Tank Id: 000019
SWRCB Tank Id: 33-000-012148-000001

BUY RITE #203 (Continued) **U003948805**

Tank Status:	A
Capacity:	16000
Active Date:	10-21-92
Tank Use:	M.V. FUEL
STG:	P
Content:	LEADED
Number Of Tanks:	3

Name:	BUY RITE #203
Address:	3750 CHICAGO AVE
City:	RIVERSIDE
Status:	Active
Comp Number:	12148
Number:	1
Board Of Equalization:	Not reported
Referral Date:	10-21-92
Action Date:	10-21-92
Created Date:	07-19-90
Owner Tank Id:	000019
SWRCB Tank Id:	33-000-012148-000002
Tank Status:	A
Capacity:	20000
Active Date:	10-21-92
Tank Use:	M.V. FUEL
STG:	P
Content:	REG UNLEADED
Number Of Tanks:	Not reported

Name:	BUY RITE #203
Address:	3750 CHICAGO AVE
City:	RIVERSIDE
Status:	Active
Comp Number:	12148
Number:	1
Board Of Equalization:	Not reported
Referral Date:	10-21-92
Action Date:	10-21-92
Created Date:	07-19-90
Owner Tank Id:	000019
SWRCB Tank Id:	33-000-012148-000003
Tank Status:	A
Capacity:	10000
Active Date:	10-21-92
Tank Use:	M.V. FUEL
STG:	P
Content:	REG UNLEADED
Number Of Tanks:	Not reported

X129 **BUY RITE #203** **CA FID UST** **S101590254**
SSW **3750 CHICAGO AVE** **N/A**
1/8-1/4 **RIVERSIDE, CA 92506**
0.205 mi.
1080 ft. **Site 7 of 8 in cluster X**

Relative: **Lower**
Actual: **958 ft.**

CA FID UST:

Facility ID:	33006880
Regulated By:	UTNKA
Regulated ID:	Not reported
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	7146839786
Mail To:	Not reported
Mailing Address:	1308 W ROBINHOOD DR
Mailing Address 2:	Not reported
Mailing City,St,Zip:	RIVERSIDE 92506
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

X130 **BUY RITE** **LUST** **S106567408**
SSW **3750 CHICAGO AVENUE** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507**
0.205 mi.
1080 ft. **Site 8 of 8 in cluster X**

Relative: **Lower**
Actual: **958 ft.**

LUST REG 8:

Name:	BUY RITE
Address:	3750 CHICAGO AVENUE
City:	RIVERSIDE
Region:	8
County:	Riverside
Regional Board:	Santa Ana Region
Facility Status:	Leak being confirmed
Case Number:	Not reported
Local Case Num:	200420804
Case Type:	Soil only
Substance:	Gasoline
Qty Leaked:	Not reported
Abate Method:	Not reported
Cross Street:	UNIVERSITY AVENUE
Enf Type:	Not reported
Funding:	LOPF
How Discovered:	OM
How Stopped:	Close Tank
Leak Cause:	UNK
Leak Source:	UNK
Global ID:	T0606586370
How Stopped Date:	Not reported
Enter Date:	Not reported
Date Confirmation of Leak Began:	8/2/2004
Date Preliminary Assessment Began:	Not reported
Discover Date:	7/29/2004
Enforcement Date:	Not reported
Close Date:	Not reported

BUY RITE (Continued) **S106567408**

Date Prelim Assessment Workplan Submitted:	Not reported
Date Pollution Characterization Began:	Not reported
Date Remediation Plan Submitted:	Not reported
Date Remedial Action Underway:	Not reported
Date Post Remedial Action Monitoring:	Not reported
Enter Date:	Not reported
GW Qualifies:	Not reported
Soil Qualifies:	Not reported
Operator:	Not reported
Facility Contact:	Not reported
Interim:	Not reported
Oversite Program:	LUST
Latitude:	0
Longitude:	0
MTBE Date:	Not reported
Max MTBE GW:	Not reported
MTBE Concentration:	0
Max MTBE Soil:	Not reported
MTBE Fuel:	1
MTBE Tested:	Site NOT Tested for MTBE.Includes Unknown and Not Analyzed.
MTBE Class:	*
Staff:	RS
Staff Initials:	SCB
Lead Agency:	Local Agency
Local Agency:	33000L
Hydr Basin #:	Not reported
Beneficial:	Not reported
Priority:	Not reported
Cleanup Fund Id:	Not reported
Work Suspended:	Not reported

Summary: **CASE TYPE = SOIL ONLY

AB131 **VALVOLINE INSTANT OIL CHANGE GN0119** **RCRA NonGen / NLR** **1024832547**
East **3335 IOWA AVE** **CAL000370670**
1/8-1/4 **RIVERSIDE, CA 92507**
0.223 mi.
1178 ft. **Site 1 of 12 in cluster AB**

Relative: **Higher**
Actual: **982 ft.**

RCRA Listings:

Date Form Received by Agency:	20120109
Handler Name:	VALVOLINE INSTANT OIL CHANGE GN0119
Handler Address:	3335 IOWA AVE
Handler City,State,Zip:	RIVERSIDE, CA 92507
EPA ID:	CAL000370670
Contact Name:	JOSE HERRERA
Contact Address:	17802 SKY PARK CIRCLE STE 104
Contact City,State,Zip:	IRVINE, CA 92614
Contact Telephone:	949-474-1300
Contact Fax:	Not reported
Contact Email:	LICENSING@VIOC.NET
Contact Title:	Not reported
EPA Region:	09
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities

VALVOLINE INSTANT OIL CHANGE GN0119 (Continued) **1024832547**

State District Owner:		Not reported
State District:		Not reported
Mailing Address:		17802 SKY PARK CIRCLE STE 104
Mailing City,State,Zip:		IRVINE, CA 92614-0000
Owner Name:	HENLEY PACIFIC LA LLC	
Owner Type:		Other
Operator Name:	JOSE HERRERA	
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		Yes
Universal Waste Destination Facility:		Yes
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported
Permit Workload Universe:		Not reported
Permit Progress Universe:		Not reported
Post-Closure Workload Universe:		Not reported
Closure Workload Universe:		Not reported
202 GPRA Corrective Action Baseline:		No
Corrective Action Workload Universe:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:		No
TSDFs Only Subject to CA under Discretionary Auth Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Operating TSDF Universe:		Not reported
Full Enforcement Universe:		Not reported
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:	Not reported	
Handler Date of Last Change:		20180906
Recognized Trader-Importer:		No

VALVOLINE INSTANT OIL CHANGE GN0119 (Continued) **1024832547**

Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: HENLEY PACIFIC LA LLC	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	54 JACONNET ST STE 100
Owner/Operator City,State,Zip:	NEWTON HIGHLANDS, MA 02461-1956
Owner/Operator Telephone:	617-243-0404
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name: JOSE HERRERA	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	17802 SKY PARK CIRCLE STE 104
Owner/Operator City,State,Zip:	IRVINE, CA 92614
Owner/Operator Telephone:	949-474-1300
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20120109
Handler Name:	VALVOLINE INSTANT OIL CHANGE GN0119
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	811198
NAICS Description:	ALL OTHER AUTOMOTIVE REPAIR AND MAINTENANCE

Facility Has Received Notices of Violations:

Violations:	No Violations Found

VALVOLINE INSTANT OIL CHANGE GN0119 (Continued) **1024832547**

Evaluation Action Summary:
Evaluations: No Evaluations Found

AB132 **VALVOLINE INSTANT OIL CHANGE GN0119** **CERS HAZ WASTE** **S113143735**
East **3335 IOWA AVE** **CERS TANKS** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507** **CERS**
0.223 mi.
1178 ft. **Site 2 of 12 in cluster AB**

Relative:
Higher

Actual:
982 ft.

CERS HAZ WASTE:
Name: VALVOLINE INSTANT OIL CHANGE GN0119
Address: 3335 IOWA AVE
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 165841
CERS ID: 10165653
CERS Description: Hazardous Waste Generator

CERS TANKS:
Name: VALVOLINE INSTANT OIL CHANGE GN0119
Address: 3335 IOWA AVE
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 165841
CERS ID: 10165653
CERS Description: Aboveground Petroleum Storage

CERS:
Name: VALVOLINE INSTANT OIL CHANGE GN0119
Address: 3335 IOWA AVE
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 165841
CERS ID: 10165653
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 165841
Site Name: Valvoline Instant Oil Change GN0119
Violation Date: 10-23-2014
Citation: HSC 6.67 25270.6(a)(2) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.6(a)(2)
Violation Description: Failure to submit a Tank Facility Statement or Business Plan.
Violation Notes: Returned to compliance on 11/17/2014. Remove Antifreeze from SPCC
Violation Division: Riverside City Fire Department
Violation Program: APSA
Violation Source: CERS,

Site ID: 165841
Site Name: Valvoline Instant Oil Change GN0119
Violation Date: 10-23-2014
Citation: HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description: Failure to test or inspect aboveground tanks for integrity by a person qualified in accordance with industry standards.
Violation Notes: Returned to compliance on 11/17/2014. Provide High liquid level alarm test records for review
Violation Division: Riverside City Fire Department
Violation Program: APSA

VALVOLINE INSTANT OIL CHANGE GN0119 (Continued) **S113143735**

Violation Source: CERS,

Site ID: 165841
Site Name: Valvoline Instant Oil Change GN0119
Violation Date: 11-24-2021
Citation: 22 CCR 15 66265.192(k) - California Code of Regulations, Title 22, Chapter 15, Section(s) 66265.192(k)
Violation Description: Failure to include all required information in the tank system assessment.
Violation Notes: Returned to compliance on 12/09/2021.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 165841
Site Name: Valvoline Instant Oil Change GN0119
Violation Date: 10-23-2014
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: Returned to compliance on 11/17/2014. Add glass cleaner
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 165841
Site Name: Valvoline Instant Oil Change GN0119
Violation Date: 11-24-2021
Citation: 22 CCR 15 66265.16 - California Code of Regulations, Title 22, Chapter 15, Section(s) 66265.16
Violation Description: Failure to provide employees with hazardous waste training program of class room instructions or on-the-job training within the first six months after the date of their employment or assignment to a facility, or to a new position at a facility and annually thereafter. Training records on current personnel shall be kept until closure of the facility and for former employees the record shall be kept for at least three years from the date the employee last worked at the facility. The records shall include the following: the job title for each position at the facility related to hazardous waste management, and the name of the employee filling each job; a written job description for each position, duties of facility personnel assigned to each position, and a written description of the type and amount of both introductory and continuing training that will be given to each person filling a position.
Violation Notes: Returned to compliance on 12/09/2021.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 165841
Site Name: Valvoline Instant Oil Change GN0119
Violation Date: 07-21-2020
Citation: Un-Specified
Violation Description: Business Plan Program - Operations/Maintenance - General Local Ordinance

VALVOLINE INSTANT OIL CHANGE GN0119 (Continued) **S113143735**

Violation Notes:	Returned to compliance on 08/24/2020. 104A - NFPA 704 sign(s) properly posted. [RMC 16.32.020; CFC, Section 5003.5] - No NFPA 704 is posted. Provide the required NFPA 704 signage. Update and repair your 2- NFPA 704 signs.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	165841
Site Name:	Valvoline Instant Oil Change GN0119
Violation Date:	11-20-2018
Citation:	Un-Specified
Violation Description:	Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes:	Returned to compliance on 12/13/2018. Place card is missing numbers. Update/replace 2-1-0 and install at Iowa side of building.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	165841
Site Name:	Valvoline Instant Oil Change GN0119
Violation Date:	07-21-2020
Citation:	Un-Specified
Violation Description:	Business Plan Program - Administration/Documentation - General Local Ordinance
Violation Notes:	Returned to compliance on 08/24/2020. 105D - Container(s) properly labeled. [RMC 16.32.020; CFC, Section 5003.6] - The chemical container(s) signage was obscured/ removed/not provided. All containers need to be properly labeled.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	165841
Site Name:	Valvoline Instant Oil Change GN0119
Violation Date:	08-24-2020
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes:	Returned to compliance on 09/14/2020. The chemical inventory has not been submitted accurately. Include the changes of the following chemicals in CERS: increase motor oil to 2865 gal.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	165841
Site Name:	Valvoline Instant Oil Change GN0119
Violation Date:	11-24-2021
Citation:	22 CCR 15 66265.192(a) - California Code of Regulations, Title 22, Chapter 15, Section(s) 66265.192(a)
Violation Description:	Failure to obtain and maintain a written assessment reviewed and certified by an independent, qualified, professional engineer prior to placing the tank system in service. The written assessment shall state

VALVOLINE INSTANT OIL CHANGE GN0119 (Continued) **S113143735**

that, the new hazardous waste tank system has sufficient structural integrity, is acceptable for the transferring, storing and treating of hazardous waste, and that the tanks and containment system including the foundation, structural support, seams, connections, and pressure controls (if applicable) are suitably designed to meet the regulation.

Violation Notes: Returned to compliance on 12/09/2021.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 165841
Site Name: Valvoline Instant Oil Change GN0119
Violation Date: 07-21-2020
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: Returned to compliance on 09/14/2020. The chemical inventory has not been submitted accurately. Include the changes of the following chemicals in CERS: increase motor oil to 2865 gal.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 165841
Site Name: Valvoline Instant Oil Change GN0119
Violation Date: 11-24-2021
Citation: 22 CCR 12 66262.40(a) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.40(a)
Violation Description: Failure to keep a copy of each properly signed manifest for at least three years from the date the waste was accepted by the initial transporter. The manifest signed at the time the waste was accepted for transport shall be kept until receiving a signed copy from the designated facility which received the waste.
Violation Notes: Returned to compliance on 12/09/2021.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 08-05-2013
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: APSA
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 08-24-2020
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Re-Inspection Inspector: Young
Eval Division: Riverside City Fire Department
Eval Program: HMRRP

VALVOLINE INSTANT OIL CHANGE GN0119 (Continued) **S113143735**

Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 08-26-2013
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-23-2014
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: APSA
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-20-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: APSA
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-12-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: HW Generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 08-26-2013
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: APSA
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-23-2014
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection

VALVOLINE INSTANT OIL CHANGE GN0119 (Continued) **S113143735**

Eval Date: 07-21-2020
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: APSA
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-24-2021
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-06-2015
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 03-06-2015
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Conclude inspection/review and sign report
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-21-2020
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 08-05-2013
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 09-14-2020
Violations Found: No
Eval Type: Other, not routine, done by local agency

VALVOLINE INSTANT OIL CHANGE GN0119 (Continued) **S113143735**

Eval Notes: Reinspection - D. Young. All violations from 7/21/2020 routine inspection have been abated.
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-20-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Coordinates:
Site ID: 165841
Facility Name: Valvoline Instant Oil Change GN0119
Env Int Type Code: HWG
Program ID: 10165653
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.,
Latitude: 33.982400
Longitude: -117.340390

Affiliation:
Affiliation Type Desc: Environmental Contact
Entity Name: Keith Rondeau
Entity Title: Not reported
Affiliation Address: 54 Jaconnet Street Ste 100
Affiliation City: Newton
Affiliation State: MA
Affiliation Country: Not reported
Affiliation Zip: 02461
Affiliation Phone: ,

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 17802 Sky Park Circle Ste 104
Affiliation City: Irvine
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92614-6405
Affiliation Phone: ,

Affiliation Type Desc: Identification Signer
Entity Name: Keith Rondeau
Entity Title: Asset Protection and EH&S Maanger
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

VALVOLINE INSTANT OIL CHANGE GN0119 (Continued) **S113143735**

Affiliation Type Desc:	Parent Corporation
Entity Name:	Henley Pacific LA LLC dba Valvoline Instant Oil Change
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,

Affiliation Type Desc:	CUPA District
Entity Name:	Riverside Cnty Env Health
Entity Title:	Not reported
Affiliation Address:	4065 County Circle Drive, Room 104
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92503
Affiliation Phone:	(951) 358-5055,

Affiliation Type Desc:	Operator
Entity Name:	Henley Pacific LA LLC
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(617) 243-0404,

Affiliation Type Desc:	Property Owner
Entity Name:	Sunshine LLC
Entity Title:	Not reported
Affiliation Address:	PO Box 91869
Affiliation City:	Long Beach
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	90809
Affiliation Phone:	(562) 331-7636,

Affiliation Type Desc:	Document Preparer
Entity Name:	Keith Rondeau
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,

Affiliation Type Desc:	Legal Owner
Entity Name:	Henley Pacific LA LLC
Entity Title:	Not reported
Affiliation Address:	54 Jaconnet Street Ste 100
Affiliation City:	Newton Highlands
Affiliation State:	MA
Affiliation Country:	United States

VALVOLINE INSTANT OIL CHANGE GN0119 (Continued) **S113143735**

Affiliation Zip: 02461
Affiliation Phone: (617) 243-0404,

AB133 **VALVOLINE INSTANT OIL CHANGE GN0119** **AST** **A100425797**
East **3335 IOWA AVE** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507**
0.223 mi.
1178 ft. **Site 3 of 12 in cluster AB**

Relative: **Higher**
Actual: **982 ft.**

AST:

Name:	VALVOLINE INSTANT OIL CHANGE GN0119
Address:	3335 IOWA AVE
City/Zip:	RIVERSIDE,92507
Certified Unified Program Agencies:	Not reported
Owner:	Henley Pacific LA LLC
Total Gallons:	Not reported
CERSID:	10165653
Facility ID:	FA0037550
Business Name:	Henley Pacific LA LLC dba Valvoline Instant Oil
Phone:	951-367-0147
Fax:	Not reported
Mailing Address:	17802 Sky Park Circle Ste 104
Mailing Address City:	Irvine
Mailing Address State:	CA
Mailing Address Zip Code:	Not reported
Operator Name:	Henley Pacific LA LLC
Operator Phone:	617-243-0404
Owner Phone:	617-243-0404
Owner Mail Address:	54 Jaconnet Street Ste 100
Owner State:	MA
Owner Zip Code:	2461
Owner Country:	United States
Property Owner Name:	Sunsine LLC
Property Owner Phone:	562-331-7636
Property Owner Mailing Address:	6124 Avalon Court
Property Owner City:	Long Beach
Property Owner Stat :	CA
Property Owner Zip Code:	90803
Property Owner Country:	United States
EPAID:	CAL000370670

Y134 **BUDGET CAR AND TRUCK RIVERSIDE** **RCRA-SQG** **1000820268**
South **1521 UNIVERSITY AVE** **FINDS** **CAD983663022**
1/8-1/4 **RIVERSIDE, CA 92507** **ECHO**
0.224 mi.
1184 ft. **Site 2 of 3 in cluster Y**

Relative: **Higher**
Actual: **976 ft.**

RCRA Listings:

Date Form Received by Agency:	19930330
Handler Name:	BUDGET CAR AND TRUCK RIVERSIDE
Handler Address:	1521 UNIVERSITY AVE
Handler City,State,Zip:	RIVERSIDE, CA 92507-4450
EPA ID:	CAD983663022
Contact Name:	JEFFREY PHILLIPS
Contact Address:	1521 UNIVERSITY AVE

BUDGET CAR AND TRUCK RIVERSIDE (Continued) **1000820268**

Contact City,State,Zip:		RIVERSIDE, CA 92507-4450
Contact Telephone:		909-682-2260
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		09
Land Type:		Private
Federal Waste Generator Description:		Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		UNIVERSITY AVE
Mailing City,State,Zip:		RIVERSIDE, CA 92507-4450
Owner Name:	BRAC OPCO INC	
Owner Type:		Private
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		NN
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported
Permit Workload Universe:		Not reported
Permit Progress Universe:		Not reported
Post-Closure Workload Universe:		Not reported
Closure Workload Universe:		Not reported
202 GPRA Corrective Action Baseline:		No
Corrective Action Workload Universe:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:		No
TSDFs Only Subject to CA under Discretionary Auth Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No

BUDGET CAR AND TRUCK RIVERSIDE (Continued) **1000820268**

Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20000915
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: BRAC OPCO INC	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	130 W CENTRAL AVE
Owner/Operator City,State,Zip:	SANTA ANA, CA 92707
Owner/Operator Telephone:	714-662-0635
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	19930330
Handler Name: BUDGET CAR AND TRUCK RIVERSIDE	
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Codes:	No NAICS Codes Found

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

BUDGET CAR AND TRUCK RIVERSIDE (Continued) **1000820268**

FINDS:
Registry ID: 110002895369

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000820268
Registry ID:	110002895369
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110002895369
Name:	BUDGET CAR AND TRUCK RIVERSIDE
Address:	1521 UNIVERSITY AVE
City,State,Zip:	RIVERSIDE, CA 92507

Y135 **BUDGET CAR AND TRUCK RENTAL** **HIST UST** **U001576490**
South **1521 UNIVERSITY AVE** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507**
0.224 mi.
1184 ft. **Site 3 of 3 in cluster Y**

Relative:
Higher

Actual:
976 ft.

HIST UST:

Name:	BUDGET CAR AND TRUCK RENTAL
Address:	1521 UNIVERSITY AVE
City,State,Zip:	RIVERSIDE, CA 92507
File Number:	0001F450
URL:	http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0001F450.pdf
Region:	STATE
Facility ID:	00000043309
Facility Type:	Other
Other Type:	CAR RENTAL
Contact Name:	MAUREEN ZOEBELEIN
Telephone:	7146822610
Owner Name:	BUDGET CAR & TRUCK RENTAL
Owner Address:	125 S. VINEYARD
Owner City,St,Zip:	ONTARIO, CA 91761
Total Tanks:	0001
Tank Num:	001
Container Num:	1
Year Installed:	Not reported
Tank Capacity:	00005000
Tank Used for:	PRODUCT
Type of Fuel:	UNLEADED
Container Construction Thickness:	3/16
Leak Detection:	Stock Inventor

BUDGET CAR AND TRUCK RENTAL (Continued) **U001576490**

Click here for Geo Tracker PDF:

AC136 **MAGNUSON TIRES & AUTO REPAIR** **CERS HAZ WASTE** **S113014418**
South **1555 UNIVERSITY AVE** **HAZNET** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507** **CERS**
0.225 mi. **HWTS**
1186 ft. **Site 1 of 2 in cluster AC**

Relative:
Higher

Actual:
974 ft.

CERS HAZ WASTE:
Name: MAGNUSON TIRES & AUTO REPAIR
Address: 1555 UNIVERSITY AVE
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 355347
CERS ID: 10525327
CERS Description: Hazardous Waste Generator

HAZNET:
Name: MAGNUSON TIRES INC.
Address: 1555 UNIVERSITY AVE
Address 2: Not reported
City,State,Zip: RIVERSIDE, CA 925070000
Contact: ARNULFO ZAMORA PRESIDENT
Telephone: 9516831780
Mailing Name: Not reported
Mailing Address: 1555 UNIVERSITY AVE

Year: 2015
Gepaid: CAD982325631
TSD EPA ID: CAT000613927
CA Waste Code: 134 - Aqueous solution with total organic residues less than 10 percent
Disposal Method: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 0.0672

Year: 2006
Gepaid: CAD982325631
TSD EPA ID: CAT080013352
CA Waste Code: 343 - Unspecified organic liquid mixture
Disposal Method: R01 - Recycler
Tons: 0.068

Year: 2004
Gepaid: CAD982325631
TSD EPA ID: CAT080013352
CA Waste Code: 223 - Unspecified oil-containing waste
Disposal Method: R01 - Recycler
Tons: 0.35445

Year: 2004
Gepaid: CAD982325631
TSD EPA ID: CAT000613927
CA Waste Code: 134 - Aqueous solution with total organic residues less than 10 percent
Disposal Method: H01 - Transfer Station
Tons: 0.1596

MAGNUSON TIRES & AUTO REPAIR (Continued) **S113014418**

Year: 2003
Gepaid: CAD982325631
TSD EPA ID: CAT080013352
CA Waste Code: 223 - Unspecified oil-containing waste
Disposal Method: R01 - Recycler
Tons: 0.1251

Year: 2002
Gepaid: CAD982325631
TSD EPA ID: CAT000613927
CA Waste Code: 134 - Aqueous solution with total organic residues less than 10 percent
Disposal Method: H01 - Transfer Station
Tons: 0.1974

Year: 2002
Gepaid: CAD982325631
TSD EPA ID: CAT080013352
CA Waste Code: 223 - Unspecified oil-containing waste
Disposal Method: R01 - Recycler
Tons: 0.1251

Year: 2001
Gepaid: CAD982325631
TSD EPA ID: CAT000613927
CA Waste Code: 134 - Aqueous solution with total organic residues less than 10 percent
Disposal Method: H01 - Transfer Station
Tons: 0.1512

Year: 2001
Gepaid: CAD982325631
TSD EPA ID: CAT000613927
CA Waste Code: -
Disposal Method: H01 - Transfer Station
Tons: 0.0166

Year: 2000
Gepaid: CAD982325631
TSD EPA ID: CAT000613927
CA Waste Code: 134 - Aqueous solution with total organic residues less than 10 percent
Disposal Method: H01 - Transfer Station
Tons: 0.0966

Click this hyperlink while viewing on your computer to access
5 additional CA HAZNET: record(s) in the EDR Site Report.

Additional Info:
Year: 2015
Gen EPA ID: CAD982325631

Shipment Date: 20150617
Creation Date: 1/19/2016 22:15:36
Receipt Date: 20150617
Manifest ID: 004836719SKS

MAGNUSON TIRES & AUTO REPAIR (Continued) **S113014418**

Trans EPA ID:	TXR000081205
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613927
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0672
Waste Quantity:	16
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2006
Gen EPA ID:	CAD982325631
Shipment Date:	20060223
Creation Date:	7/5/2006 12:04:15
Receipt Date:	20060303
Manifest ID:	24835895
Trans EPA ID:	CAD028277036
Trans Name:	ASBURY ENVIRONMENTAL SERVICES
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT080013352
Trans Name:	DEMENNO / KERDOON
TSDF Alt EPA ID:	CAT080013352
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.068
Waste Quantity:	20
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2004
Gen EPA ID:	CAD982325631
Shipment Date:	20041115
Creation Date:	2/17/2005 18:32:22
Receipt Date:	20041118

MAGNUSON TIRES & AUTO REPAIR (Continued) **S113014418**

Manifest ID:	24025436
Trans EPA ID:	CAD028277036
Trans Name:	ASBURY ENVIRONMENTAL SERVICES
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT080013352
Trans Name:	DEMENNO / KERDOON
TSDF Alt EPA ID:	CAT080013352
TSDF Alt Name:	Not reported
Waste Code Description:	223 - Unspecified oil-containing waste
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.35445
Waste Quantity:	85
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20040415
Creation Date:	10/14/2004 7:35:58
Receipt Date:	20040416
Manifest ID:	23479169
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613927
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CAT000613927
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	D039
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.0168
Waste Quantity:	4
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20040415
Creation Date:	10/14/2004 7:35:58
Receipt Date:	20040416
Manifest ID:	23479169
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613927
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CAT000613927
TSDF Alt Name:	Not reported

MAGNUSON TIRES & AUTO REPAIR (Continued) **S113014418**

Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.063
Waste Quantity:	15
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20040126
Creation Date:	8/19/2004 11:23:00
Receipt Date:	20040126
Manifest ID:	22586520
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613927
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CAT000613927
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	D039
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.0168
Waste Quantity:	4
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20040126
Creation Date:	8/19/2004 11:23:00
Receipt Date:	20040126
Manifest ID:	22586520
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613927
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CAT000613927
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.063
Waste Quantity:	15
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported

MAGNUSON TIRES & AUTO REPAIR (Continued) **S113014418**

Additional Code 4: Not reported
Additional Code 5: Not reported

Additional Info:
Year: 2003
Gen EPA ID: CAD982325631

Shipment Date: 20030304
Creation Date: 6/22/2003 18:31:12
Receipt Date: 20030310
Manifest ID: 21659731
Trans EPA ID: CAD028277036
Trans Name: Not reported
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
TSDF EPA ID: CAT080013352
Trans Name: Not reported
TSDF Alt EPA ID: CAT080013352
TSDF Alt Name: Not reported
Waste Code Description: 223 - Unspecified oil-containing waste
RCRA Code: D001
Meth Code: R01 - Recycler
Quantity Tons: 0.1251
Waste Quantity: 30
Quantity Unit: G
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

Additional Info:
Year: 2002
Gen EPA ID: CAD982325631

Shipment Date: 20021220
Creation Date: 4/2/2003 18:31:15
Receipt Date: 20021220
Manifest ID: 22198380
Trans EPA ID: SCR000075150
Trans Name: Not reported
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
TSDF EPA ID: CAT000613927
Trans Name: Not reported
TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported
Waste Code Description: 134 - Aqueous solution with <10% total organic residues
RCRA Code: Not reported
Meth Code: H01 - Transfer Station
Quantity Tons: 0.063
Waste Quantity: 15
Quantity Unit: G
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported

MAGNUSON TIRES & AUTO REPAIR (Continued) **S113014418**

Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20021220
Creation Date:	4/2/2003 18:31:15
Receipt Date:	20021220
Manifest ID:	22198380
Trans EPA ID:	SCR000075150
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613927
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	D039
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.0168
Waste Quantity:	4
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20021023
Creation Date:	3/16/2007 18:30:20
Receipt Date:	20021112
Manifest ID:	22043509
Trans EPA ID:	CAD028277036
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT080013352
Trans Name:	Not reported
TSDF Alt EPA ID:	CAT080013352
TSDF Alt Name:	Not reported
Waste Code Description:	223 - Unspecified oil-containing waste
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.1251
Waste Quantity:	30
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20021004
Creation Date:	2/11/2003 18:31:24
Receipt Date:	20021004
Manifest ID:	21909256
Trans EPA ID:	SCR000075150
Trans Name:	Not reported

MAGNUSON TIRES & AUTO REPAIR (Continued) **S113014418**

Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613927
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.042
Waste Quantity:	10
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20021004
Creation Date:	2/11/2003 18:31:24
Receipt Date:	20021004
Manifest ID:	21909256
Trans EPA ID:	SCR000075150
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613927
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	D039
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.0168
Waste Quantity:	4
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20020716
Creation Date:	9/18/2002 18:31:39
Receipt Date:	20020716
Manifest ID:	21737096
Trans EPA ID:	SCR000075150
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613927
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station

MAGNUSON TIRES & AUTO REPAIR (Continued) **S113014418**

Quantity Tons:	0.021
Waste Quantity:	5
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20020206
Creation Date:	3/7/2002 0:00:00
Receipt Date:	20020206
Manifest ID:	21485349
Trans EPA ID:	SCR000075150
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613927
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	D039
Meth Code:	H01 - Transfer Station
Quantity Tons:	0
Waste Quantity:	4
Quantity Unit:	*
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20020206
Creation Date:	3/7/2002 0:00:00
Receipt Date:	20020206
Manifest ID:	21485349
Trans EPA ID:	SCR000075150
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613927
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.0378
Waste Quantity:	9
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

MAGNUSON TIRES & AUTO REPAIR (Continued) **S113014418**

Additional Info:

Year:	2001
Gen EPA ID:	CAD982325631
Shipment Date:	20011109
Creation Date:	1/16/2002 0:00:00
Receipt Date:	20011109
Manifest ID:	21312744
Trans EPA ID:	SCR000075150
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613927
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	D039
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.0378
Waste Quantity:	9
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20011109
Creation Date:	1/16/2002 0:00:00
Receipt Date:	20011109
Manifest ID:	21312744
Trans EPA ID:	SCR000075150
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613927
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	D039
Meth Code:	H01 - Transfer Station
Quantity Tons:	0
Waste Quantity:	4
Quantity Unit:	*
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20010820
Creation Date:	10/3/2001 0:00:00
Receipt Date:	20010821
Manifest ID:	21110499
Trans EPA ID:	SCR000075150

MAGNUSON TIRES & AUTO REPAIR (Continued) **S113014418**

Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613927
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	D039
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.0378
Waste Quantity:	9
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20010820
Creation Date:	10/3/2001 0:00:00
Receipt Date:	20010821
Manifest ID:	21110499
Trans EPA ID:	SCR000075150
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613927
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	D039
Meth Code:	H01 - Transfer Station
Quantity Tons:	0
Waste Quantity:	4
Quantity Unit:	*
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20010530
Creation Date:	7/20/2001 0:00:00
Receipt Date:	20010531
Manifest ID:	20652071
Trans EPA ID:	SCR000075150
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613927
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	D039

MAGNUSON TIRES & AUTO REPAIR (Continued) **S113014418**

Meth Code:	H01 - Transfer Station
Quantity Tons:	0.0336
Waste Quantity:	8
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20010530
Creation Date:	7/20/2001 0:00:00
Receipt Date:	20010531
Manifest ID:	20652071
Trans EPA ID:	SCR000075150
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613927
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	D039
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.0168
Waste Quantity:	4
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20010305
Creation Date:	4/30/2001 0:00:00
Receipt Date:	20010306
Manifest ID:	20367397
Trans EPA ID:	SCR000075150
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613927
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	D039
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.0252
Waste Quantity:	6
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

MAGNUSON TIRES & AUTO REPAIR (Continued) **S113014418**

Shipment Date:	20010305
Creation Date:	4/30/2001 0:00:00
Receipt Date:	20010306
Manifest ID:	20367397
Trans EPA ID:	SCR000075150
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613927
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	- Not reported
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.0166
Waste Quantity:	4
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2000
Gen EPA ID:	CAD982325631

Shipment Date:	20001211
Creation Date:	1/24/2001 0:00:00
Receipt Date:	20001211
Manifest ID:	20382587
Trans EPA ID:	SCR000075150
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613927
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	- Not reported
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	0
Waste Quantity:	4
Quantity Unit:	*
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20001211
Creation Date:	1/24/2001 0:00:00
Receipt Date:	20001211
Manifest ID:	20382587
Trans EPA ID:	SCR000075150

MAGNUSON TIRES & AUTO REPAIR (Continued) **S113014418**

Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613927
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	D039
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.0252
Waste Quantity:	6
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20000918
Creation Date:	10/30/2000 0:00:00
Receipt Date:	20000918
Manifest ID:	20023391
Trans EPA ID:	SCR000075150
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613927
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	D039
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.0714
Waste Quantity:	17
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	1999
Gen EPA ID:	CAD982325631

Shipment Date:	19991020
Creation Date:	1/11/2000 0:00:00
Receipt Date:	19991020
Manifest ID:	99509491
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613927
Trans Name:	Not reported

MAGNUSON TIRES & AUTO REPAIR (Continued) **S113014418**

TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	D039
Meth Code:	H01 - Transfer Station
Quantity Tons:	0
Waste Quantity:	0
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19990726
Creation Date:	9/21/1999 0:00:00
Receipt Date:	19990726
Manifest ID:	99032533
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613927
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	D039
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.0672
Waste Quantity:	16
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19990212
Creation Date:	4/5/1999 0:00:00
Receipt Date:	19990218
Manifest ID:	98636987
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	SCD987574647
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613893
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	D039
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.042
Waste Quantity:	10
Quantity Unit:	G
Additional Code 1:	Not reported

MAGNUSON TIRES & AUTO REPAIR (Continued) **S113014418**

Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	1998
Gen EPA ID:	CAD982325631
Shipment Date:	19981116
Creation Date:	1/13/1999 0:00:00
Receipt Date:	19981118
Manifest ID:	98447350
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	SCD987574647
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613893
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	D006
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.084
Waste Quantity:	20
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	1995
Gen EPA ID:	CAD982325631
Shipment Date:	19951218
Creation Date:	9/18/1996 0:00:00
Receipt Date:	19951227
Manifest ID:	95757159
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	ILD984908202
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD093459485
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D039
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.0144
Waste Quantity:	4
Quantity Unit:	G
Additional Code 1:	Not reported

MAGNUSON TIRES & AUTO REPAIR (Continued) **S113014418**

Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19951025
Creation Date:	7/26/1996 0:00:00
Receipt Date:	19951030
Manifest ID:	95757080
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	ILD984908202
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD093459485
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D039
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.0144
Waste Quantity:	4
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19950707
Creation Date:	11/13/1995 0:00:00
Receipt Date:	19950712
Manifest ID:	95420433
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	ILD984908202
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD093459485
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D039
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.0144
Waste Quantity:	4
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19950509
Creation Date:	4/2/1996 0:00:00
Receipt Date:	19950516
Manifest ID:	95516183

MAGNUSON TIRES & AUTO REPAIR (Continued) **S113014418**

Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	ILD984908202
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD093459485
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD093459485
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D039
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.036
Waste Quantity:	10
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CERS:

Name:	MAGNUSON TIRES & AUTO REPAIR
Address:	1555 UNIVERSITY AVE
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	355347
CERS ID:	10525327
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	355347
Site Name:	Magnuson Tires & Auto Repair
Violation Date:	05-19-2021
Citation:	22 CCR 12 66262.12 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.12
Violation Description:	Failure to obtain an Identification Number prior to treating, storing, disposing of, transporting or offering for transportation any hazardous waste.
Violation Notes:	Returned to compliance on 05/20/2021. OBSERVATION: Observed facility using EPA ID CAL000408820 which is listed by DTSC as being inactive since 6/30/2016. CORRECTIVE ACTION: Owner/operator shall activate and maintain EPA ID number. Hazardous waste shall not be offered for transport until EPA ID is active. See the follow website and file form 1358 https://dtsc.ca.gov/reactivate-epa-id-number/
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,

Site ID:	355347
Site Name:	Magnuson Tires & Auto Repair
Violation Date:	05-19-2021
Citation:	HSC 6.5 25160(b)(1)(C) - California Health and Safety Code, Chapter 6.5, Section(s) 25160(b)(1)(C)
Violation Description:	Failure to send a legible copy of each hazardous waste manifest to the Department within 30 days of each shipment of hazardous waste.
Violation Notes:	Returned to compliance on 05/26/2021. Owner operator and TSDF failed to provide a copy of the hazardous waste manifest #006627232 GBF. Owner shall file a Manifest Exception report with the DTSC. Education

MAGNUSON TIRES & AUTO REPAIR (Continued) **S113014418**

given See the DTSC website for guidance.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 355347
Site Name: Magnuson Tires & Auto Repair
Violation Date: 10-18-2021
Citation: Un-Specified
Violation Description: Business Plan Program - Administration/Documentation - General Local Ordinance
Violation Notes: Returned to compliance on 11/18/2021. 100 - Current permit issued/posted. [RMC 9.48.140] - No current permit was posted. Obtain the current permit and post in a conspicuous location.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 355347
Site Name: Magnuson Tires & Auto Repair
Violation Date: 05-19-2021
Citation: 22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description: Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes: Returned to compliance on 05/19/2021. OBSERVATION: Observed 1-220 gallon used oil tank, 1-110 gallon used antifreeze tank, 2-55 gallon drums of metal filters and absorbent that were missing proper labels. CORRECTIVE ACTION: Owner/operator shall label hazardous waste containers with all the required information. Label shall include at least: the words ""hazardous waste"", generator name and address, accumulation start date, composition and physical state of waste, and hazardous property statement. Submit photos to this department.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 355347
Site Name: Magnuson Tires & Auto Repair
Violation Date: 05-19-2021
Citation: 22 CCR 12 66262.23(a) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.23(a)
Violation Description: Failure to properly complete the Uniform Hazardous Waste Manifest.
Violation Notes: Returned to compliance on 05/26/2021. OBSERVATION: Observed manifest(s) with missing information. Specifically, manifest number 0066272323 was missing the final signature from the Treatment, Storage and Disposal Facility. CORRECTIVE ACTION: Owner/Operator shall properly prepare manifests for any transport of a hazardous waste for off-site transfer, treatment, storage or disposal. Obtain a final signed copy of the manifest.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

MAGNUSON TIRES & AUTO REPAIR (Continued) **S113014418**

Site ID: 355347
Site Name: Magnuson Tires & Auto Repair
Violation Date: 05-19-2021
Citation: 40 CFR 1 265.31 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.31
Violation Description: Failure to maintain and operate the facility to minimize the possibility of a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil, or surface water which could threaten human health or the environment.
Violation Notes: Returned to compliance on 05/19/2021. OBSERVATION: Observed an oil spill on the ground and on cardboard in the Hazardous Waste Storage area. There were approximately, 3 uncovered, 5 gallon buckets with used oil in them near the waste oil tank. CORRECTIVE ACTION: Owner/operator shall absorb all oil spills, empty buckets into the tank, wipe down containers and place all absorbent material in the hazardous waste drum, and manage according to Title 22 hazardous waste regulations. Submit several photos of cleaned area.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 355347
Site Name: Magnuson Tires & Auto Repair
Violation Date: 09-14-2021
Citation: Un-Specified
Violation Description: Business Plan Program - Administration/Documentation - General Local Ordinance
Violation Notes: Returned to compliance on 11/18/2021. 100 - Current permit issued/posted. [RMC 9.48.140] - No current permit was posted. Obtain the current permit and post in a conspicuous location.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 355347
Site Name: Magnuson Tires & Auto Repair
Violation Date: 09-14-2021
Citation: Un-Specified
Violation Description: Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes: Returned to compliance on 10/18/2021. 104A - NFPA 704 sign(s) properly posted. [RMC 16.32.020; CFC, Section 5003.5] - No NFPA 704 is posted. Provide the required NFPA 704 signage in the following locations: front of building or front gate
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-10-2016
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW

MAGNUSON TIRES & AUTO REPAIR (Continued) **S113014418**

Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 05-13-2016
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: HW generator follow up
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 11-18-2021
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Reinspection - D. Young. All violations from 9/14/2021 routine inspection have been abated.
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-19-2021
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: This facility is an automotive repair shop that is a small quantity, hazardous waste generator of used oil, filters, antifreeze parts washer sludge and absorbent materials. Heidi Barrios conducted a routine hazardous waste inspection. All compliance documents may be sent to hbarrios@rivco.org, within 30 days. The permit pays for one inspection and one reinspection, any subsequent inspections will be billable at the rate of $245.00/hour.
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 10-18-2021
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Reinspection - D. Young
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-26-2013
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Haz waste generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 08-02-2021
Violations Found: No

MAGNUSON TIRES & AUTO REPAIR (Continued) **S113014418**

Eval Type: Other, not routine, done by local agency
Eval Notes: Inspector D. Young issued 30-day notice to comply with HMBP requirements.
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-14-2021
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Coordinates:
Site ID: 355347
Facility Name: Magnuson Tires & Auto Repair
Env Int Type Code: HWG
Program ID: 10525327
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.,
Latitude: 33.976230
Longitude: -117.345060

Affiliation:
Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 1555 University Ave.
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92507
Affiliation Phone: ,

Affiliation Type Desc: Property Owner
Entity Name: Ron Magnuson
Entity Title: Not reported
Affiliation Address: 7056 poco senda
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 92504
Affiliation Phone: (951) 312-6383,

Affiliation Type Desc: Environmental Contact
Entity Name: Erenesto Mora
Entity Title: Not reported
Affiliation Address: 1555 University Ave
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92507
Affiliation Phone: ,

MAGNUSON TIRES & AUTO REPAIR (Continued) **S113014418**

Affiliation Type Desc:	Operator
Entity Name:	Magnuson Tire & Auto Repair
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(951) 623-5221,

Affiliation Type Desc:	Parent Corporation
Entity Name:	Magnuson Tires, Inc
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,

Affiliation Type Desc:	CUPA District
Entity Name:	Riverside Cnty Env Health
Entity Title:	Not reported
Affiliation Address:	4065 County Circle Drive, Room 104
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92503
Affiliation Phone:	(951) 358-5055,

Affiliation Type Desc:	Identification Signer
Entity Name:	Ernesto Mora
Entity Title:	President
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,

Affiliation Type Desc:	Document Preparer
Entity Name:	Ernesto Mora
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,

Affiliation Type Desc:	Legal Owner
Entity Name:	Ernesto Mora
Entity Title:	Not reported
Affiliation Address:	1555 University Ave
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	United States

MAGNUSON TIRES & AUTO REPAIR (Continued) **S113014418**

Affiliation Zip: 92507
Affiliation Phone: (951) 683-1780,

HWTS:
Name: MAGNUSON TIRES INC.
Address: 1555 UNIVERSITY AVE
Address 2: Not reported
City,State,Zip: RIVERSIDE, CA 92507
EPA ID: CAD982325631
Inactive Date: 11/20/2012
Create Date: 06/17/1988
Last Act Date: Not reported
Mailing Name: Not reported
Mailing Address: 1555 UNIVERSITY AVE
Mailing Address 2: Not reported
Mailing City,State,Zip: RIVERSIDE, CA 925070000
Owner Name: MAGNUSON TIRES INC.
Owner Address: 1555 UNIVERSITY AVE
Owner Address 2: Not reported
Owner City,State,Zip: RIVERSIDE, CA 925074450
Contact Name: ARNULFO ZAMORA PRESIDENT
Contact Address: 1555 UNIVERSITY AVE
Contact Address 2: Not reported
City,State,Zip: RIVERSIDE, CA 925700000
Facility Status: Inactive
Facility Type: PERMANENT
Category: STATE
Latitude: 33.975669
Longitude: -117.345388

NAICS:
EPA ID: CAD982325631
Create Date: 2002-03-14 16:36:26.000
NAICS Code: 324191
NAICS Description: Petroleum Lubricating Oil and Grease Manufacturing
Issued EPA ID Date: 1988-06-17 00:00:00
Inactive Date: 2012-11-20 00:00:00
Facility Name: MAGNUSON TIRES INC.
Facility Address: 1555 UNIVERSITY AVE
Facility Address 2: Not reported
Facility City: RIVERSIDE
Facility County: Not reported
Facility State: CA
Facility Zip: 925070000

AC137 **MAGNUSON TIRE AND AUTO REPAIR INC** **RCRA NonGen / NLR** **1026825841**
South **1555 UNIVERSITY AVE** **CAL000408820**
1/8-1/4 **RIVERSIDE, CA 92507**
0.225 mi.
1186 ft. **Site 2 of 2 in cluster AC**

Relative:
Higher

Actual:
974 ft.

RCRA Listings:
Date Form Received by Agency: 20150728
Handler Name: MAGNUSON TIRE AND AUTO REPAIR INC
Handler Address: 1555 UNIVERSITY AVE
Handler City,State,Zip: RIVERSIDE, CA 92507

MAGNUSON TIRE AND AUTO REPAIR INC (Continued) **1026825841**

EPA ID:		CAL000408820
Contact Name:		ERNESTO MORA
Contact Address:		1555 UNIVERSITY AVE
Contact City,State,Zip:		RIVERSIDE, CA 92507
Contact Telephone:		951-683-1780
Contact Fax:		951-683-1213
Contact Email:		MAGNUSONTIRES@GMAIL.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		1555 UNIVERSITY AVE
Mailing City,State,Zip:		RIVERSIDE, CA 92507-0000
Owner Name:	ERNESTO MORA	
Owner Type:		Other
Operator Name:	ERNESTO MORA	
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported
Permit Workload Universe:		Not reported
Permit Progress Universe:		Not reported
Post-Closure Workload Universe:		Not reported
Closure Workload Universe:		Not reported
202 GPRA Corrective Action Baseline:		No
Corrective Action Workload Universe:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:		No

MAGNUSON TIRE AND AUTO REPAIR INC (Continued) **1026825841**

TSDFs Only Subject to CA under Discretionary Auth Universe: No
Corrective Action Priority Ranking: No NCAPS ranking
Environmental Control Indicator: No
Institutional Control Indicator: No
Human Exposure Controls Indicator: N/A
Groundwater Controls Indicator: N/A
Operating TSDF Universe: Not reported
Full Enforcement Universe: Not reported
Significant Non-Complier Universe: No
Unaddressed Significant Non-Complier Universe: No
Addressed Significant Non-Complier Universe: No
Significant Non-Complier With a Compliance Schedule Universe: No
Financial Assurance Required: Not reported
Handler Date of Last Change: 20210521
Recognized Trader-Importer: No
Recognized Trader-Exporter: No
Importer of Spent Lead Acid Batteries: No
Exporter of Spent Lead Acid Batteries: No
Recycler Activity Without Storage: No
Manifest Broker: No
Sub-Part P Indicator: No

Handler - Owner Operator:
Owner/Operator Indicator: Operator
Owner/Operator Name: ERNESTO MORA
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 1555 UNIVERSITY AVE
Owner/Operator City,State,Zip: RIVERSIDE, CA 92507
Owner/Operator Telephone: 951-683-1780
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: ERNESTO MORA
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 1555 UNIVERSITY AVE
Owner/Operator City,State,Zip: RIVERSIDE, CA 92507-0000
Owner/Operator Telephone: 951-683-1783
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20150728
Handler Name: MAGNUSON TIRE AND AUTO REPAIR INC
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: Not reported
Recognized Trader Exporter: Not reported

MAGNUSON TIRE AND AUTO REPAIR INC (Continued) **1026825841**

Spent Lead Acid Battery Importer: Not reported
Spent Lead Acid Battery Exporter: Not reported
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 56299
NAICS Description: ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

AB138 **DAVID NEWMAN** **HIST UST** **U001576497**
ENE **1306 BLAINE ST** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507**
0.229 mi.
1207 ft. **Site 4 of 12 in cluster AB**

Relative:
Higher

Actual:
980 ft.

HIST UST:
Name: DAVID NEWMAN
Address: 1306 BLAINE ST
City,State,Zip: RIVERSIDE, CA 92507
File Number: 0001F7FE
URL: http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0001F7FE.pdf
Region: STATE
Facility ID: 00000039272
Facility Type: Not reported
Other Type: Not reported
Contact Name: Not reported
Telephone: 7146838924
Owner Name: MOBIL OIL CORPORATION
Owner Address: 612 S. FLOWER STREET
Owner City,St,Zip: LOS ANGELES, CA 90017
Total Tanks: 0004

Tank Num: 001
Container Num: 1
Year Installed: Not reported
Tank Capacity: 00010000
Tank Used for: PRODUCT
Type of Fuel: UNLEADED
Container Construction Thickness: Not reported
Leak Detection: Stock Inventor

Tank Num: 002
Container Num: 2
Year Installed: Not reported
Tank Capacity: 00008000
Tank Used for: PRODUCT
Type of Fuel: REGULAR
Container Construction Thickness: Not reported

DAVID NEWMAN (Continued) **U001576497**

Leak Detection: Stock Inventor

Tank Num: 003
Container Num: 3
Year Installed: Not reported
Tank Capacity: 00006000
Tank Used for: PRODUCT
Type of Fuel: PREMIUM
Container Construction Thickness: Not reported
Leak Detection: Stock Inventor

Tank Num: 004
Container Num: 4
Year Installed: Not reported
Tank Capacity: 00000280
Tank Used for: WASTE
Type of Fuel: WASTE OIL
Container Construction Thickness: Not reported
Leak Detection: Stock Inventor

Click here for Geo Tracker PDF:

AB139 **TEXACO STATION** **UST** **U003739436**
ENE **1300 BLAINE ST** **SWEEPS UST** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507**
0.237 mi.
1254 ft. **Site 5 of 12 in cluster AB**

Relative:
Higher

Actual:
981 ft.

UST:
Name: TEXACO STATION
Address: 1300 BLAINE ST
City,State,Zip: RIVERSIDE, CA 92507
Facility ID: 758
Permitting Agency: RIVERSIDE COUNTY
CERSID: Not reported
Latitude: 33.9840839
Longitude: -117.3390326

SWEEPS UST:
Name: TEXACO STATION
Address: 1300 BLAINE ST
City: RIVERSIDE
Status: Active
Comp Number: 24161
Number: 1
Board Of Equalization: 44-000217
Referral Date: 11-19-92
Action Date: 11-19-92
Created Date: 02-29-88
Owner Tank Id: 001369
SWRCB Tank Id: 33-000-024161-000001
Tank Status: A
Capacity: 8000
Active Date: 11-19-92
Tank Use: M.V. FUEL
STG: P
Content: LEADED

TEXACO STATION (Continued) **U003739436**

Number Of Tanks: 4

Name: TEXACO STATION
Address: 1300 BLAINE ST
City: RIVERSIDE
Status: Active
Comp Number: 24161
Number: 1
Board Of Equalization: 44-000217
Referral Date: 11-19-92
Action Date: 11-19-92
Created Date: 02-29-88
Owner Tank Id: 001369
SWRCB Tank Id: 33-000-024161-000002
Tank Status: A
Capacity: 8000
Active Date: 11-19-92
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: Not reported

Name: TEXACO STATION
Address: 1300 BLAINE ST
City: RIVERSIDE
Status: Active
Comp Number: 24161
Number: 1
Board Of Equalization: 44-000217
Referral Date: 11-19-92
Action Date: 11-19-92
Created Date: 02-29-88
Owner Tank Id: 001369
SWRCB Tank Id: 33-000-024161-000003
Tank Status: A
Capacity: 10000
Active Date: 11-19-92
Tank Use: M.V. FUEL
STG: P
Content: DIESEL
Number Of Tanks: Not reported

Name: TEXACO STATION
Address: 1300 BLAINE ST
City: RIVERSIDE
Status: Active
Comp Number: 24161
Number: 1
Board Of Equalization: 44-000217
Referral Date: 11-19-92
Action Date: 11-19-92
Created Date: 02-29-88
Owner Tank Id: 001369
SWRCB Tank Id: 33-000-024161-000004
Tank Status: A
Capacity: 1000
Active Date: 11-19-92

TEXACO STATION (Continued) **U003739436**

Tank Use: OIL
STG: W
Content: WASTE OIL
Number Of Tanks: Not reported

AB140 **TEXACO SERVICE STATION** **CA FID UST** **S101590023**
ENE **1300 BLAINE ST** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507**
0.237 mi.
1254 ft. **Site 6 of 12 in cluster AB**

Relative:
Higher

Actual:
981 ft.

CA FID UST:
Facility ID: 33002484
Regulated By: UTNKA
Regulated ID: 00024161
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 7147870625
Mail To: Not reported
Mailing Address: P O BOX 7812
Mailing Address 2: Not reported
Mailing City,St,Zip: RIVERSIDE 92507
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

AB141 **TEXACO BLAINE** **LUST** **S104576318**
ENE **1300 BLAINE STREET** **Cortese** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507** **CERS**
0.237 mi.
1254 ft. **Site 7 of 12 in cluster AB**

Relative:
Higher

Actual:
981 ft.

LUST:
Name: EXXON SERVICE STATION #2899
Address: 1300 BLAINE ST
City,State,Zip: RIVERSIDE, CA 92507
Lead Agency: SANTA ANA RWQCB (REGION 8)
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0606500065
Global Id: T0606500065
Latitude: 33.9829958
Longitude: -117.3398698
Status: Completed - Case Closed
Status Date: 07/11/1988
Case Worker: CAB
RB Case Number: 083300601T
Local Agency: RIVERSIDE COUNTY LOP
File Location: Not reported
Local Case Number: Not reported
Potential Media Affect: Soil
Potential Contaminants of Concern: Gasoline
Site History: Not reported

TEXACO BLAINE (Continued) **S104576318**

LUST:
Global Id: T0606500065
Contact Type: Regional Board Caseworker
Contact Name: CARL BERNHARDT
Organization Name: SANTA ANA RWQCB (REGION 8)
Address: 3737 MAIN STREET, SUITE 500
City: RIVERSIDE
Email: carl.bernhardt@waterboards.ca.gov
Phone Number: 9517824495

Global Id: T0606500065
Contact Type: Local Agency Caseworker
Contact Name: SHARON BOLTINGHOUSE
Organization Name: RIVERSIDE COUNTY LOP
Address: 3880 LEMON ST SUITE 200
City: RIVERSIDE
Email: sbolting@rivco.org
Phone Number: 9519558980

LUST:
Global Id: T0606500065
Action Type: Other
Date: 08/07/1987
Action: Leak Reported

LUST:
Global Id: T0606500065
Status: Open - Case Begin Date
Status Date: 08/07/1987

Global Id: T0606500065
Status: Open - Site Assessment
Status Date: 08/07/1987

Global Id: T0606500065
Status: Completed - Case Closed
Status Date: 07/11/1988

Name: TEXACO BLAINE
Address: 1300 BLAINE STREET
City,State,Zip: RIVERSIDE, CA 92507
Lead Agency: RIVERSIDE COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0606599251
Global Id: T0606599251
Latitude: 33.9826498109872
Longitude: -117.340077671199
Status: Completed - Case Closed
Status Date: 05/18/2005
Case Worker: SCB
RB Case Number: 083303932T
Local Agency: RIVERSIDE COUNTY LOP
File Location: Not reported
Local Case Number: 200218657
Potential Media Affect: Soil

TEXACO BLAINE (Continued) **S104576318**

Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:
Global Id: T0606599251
Contact Type: Regional Board Caseworker
Contact Name: MIGUEL OVIEDO
Organization Name: SANTA ANA RWQCB (REGION 8)
Address: 3737 Main Street, Suite 500
City: RIVERSIDE
Email: miguel.oviedo@waterboards.ca.gov
Phone Number: 9517823238

Global Id: T0606599251
Contact Type: Local Agency Caseworker
Contact Name: SHARON BOLTINGHOUSE
Organization Name: RIVERSIDE COUNTY LOP
Address: 3880 LEMON ST SUITE 200
City: RIVERSIDE
Email: sbolting@rivco.org
Phone Number: 9519558980

LUST:
Global Id: T0606599251
Action Type: Other
Date: 06/12/2002
Action: Leak Reported

Global Id: T0606599251
Action Type: ENFORCEMENT
Date: 05/17/2005
Action: File review - #RCDEH uploaded site file 12/9/2014

Global Id: T0606599251
Action Type: Other
Date: 06/11/2002
Action: Leak Stopped

Global Id: T0606599251
Action Type: ENFORCEMENT
Date: 03/09/2005
Action: Closure/No Further Action Letter

Global Id: T0606599251
Action Type: Other
Date: 06/11/2002
Action: Leak Discovery

LUST:
Global Id: T0606599251
Status: Open - Case Begin Date
Status Date: 06/11/2002

Global Id: T0606599251
Status: Open - Site Assessment
Status Date: 06/12/2002

TEXACO BLAINE (Continued) **S104576318**

Global Id: T0606599251
Status: Completed - Case Closed
Status Date: 05/18/2005

RIVERSIDE CO. LUST:
Name: TEXACO BLAINE
Address: 1300 BLAINE ST
City,State,Zip: RIVERSIDE, CA
Region: RIVERSIDE
Facility ID: 200218657
Employee: Boltinghous-LOP
Site Closed: Yes
Case Type: Soil only
Facility Status: closed/action completed
Casetype Decode: Soil only is impacted
Fstatus Decode: Closed/Action completed

CORTESE:
Name: TEXACO BLAINE
Address: 1300 BLAINE STREET
City,State,Zip: RIVERSIDE, CA 92507
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0606599251
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: COMPLETED - CASE CLOSED
Status Date: Not reported
Site Code: Not reported
Latitude: Not reported
Longitude: Not reported
Owner: Not reported
Enf Type: Not reported
Swat R: Not reported
Flag: active
Order No: Not reported
Waste Discharge System No: Not reported
Effective Date: Not reported
Region 2: Not reported
WID Id: Not reported
Solid Waste Id No: Not reported
Waste Management Uit Name: Not reported
File Name: Active Open

CERS:
Name: TEXACO BLAINE
Address: 1300 BLAINE STREET
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 244435
CERS ID: T0606599251
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: MIGUEL OVIEDO - SANTA ANA RWQCB (REGION 8)
Entity Title: Not reported

TEXACO BLAINE (Continued) **S104576318**

Affiliation Address: 3737 Main Street, Suite 500
Affiliation City: RIVERSIDE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 9517823238,

Affiliation Type Desc: Local Agency Caseworker
Entity Name: SHARON BOLTINGHOUSE - RIVERSIDE COUNTY LOP
Entity Title: Not reported
Affiliation Address: 3880 LEMON ST SUITE 200
Affiliation City: RIVERSIDE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 9519558980,

Name: EXXON SERVICE STATION #2899
Address: 1300 BLAINE ST
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 195270
CERS ID: T0606500065
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: SHARON BOLTINGHOUSE - RIVERSIDE COUNTY LOP
Entity Title: Not reported
Affiliation Address: 3880 LEMON ST SUITE 200
Affiliation City: RIVERSIDE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 9519558980,

Affiliation Type Desc: Regional Board Caseworker
Entity Name: MAILE SEEGER GEE - SANTA ANA RWQCB (REGION 8)
Entity Title: Not reported
Affiliation Address: 3737 MAIN STREET, SUITE 500
Affiliation City: RIVERSIDE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 9517824379,

AB142 **EXXON R/S #7-2899** **HIST UST** **U001576502**
ENE **1300 W BLAINE ST** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507**
0.237 mi.
1254 ft. **Site 8 of 12 in cluster AB**

Relative:
Higher

Actual:
981 ft.

HIST UST:
Name: EXXON R/S #7-2899
Address: 1300 W BLAINE ST
City,State,Zip: RIVERSIDE, CA 92507
File Number: Not reported

EXXON R/S #7-2899 (Continued) **U001576502**

URL:	Not reported
Region:	STATE
Facility ID:	00000069246
Facility Type:	Gas Station
Other Type:	Not reported
Contact Name:	W.F. SALEEB
Telephone:	7147870625
Owner Name:	EXXON COMPANY USA
Owner Address:	4550 DACOMA, 3RD FLOOR
Owner City,St,Zip:	HOUSTON, TX 77092
Total Tanks:	0005
Tank Num:	001
Container Num:	1
Year Installed:	1987
Tank Capacity:	00008000
Tank Used for:	WASTE
Type of Fuel:	4
Container Construction Thickness:	X
Leak Detection:	Sensor Instrument
Tank Num:	002
Container Num:	2
Year Installed:	1987
Tank Capacity:	00010000
Tank Used for:	PRODUCT
Type of Fuel:	REGULAR
Container Construction Thickness:	Not reported
Leak Detection:	Sensor Instrument
Tank Num:	003
Container Num:	3
Year Installed:	1987
Tank Capacity:	00010000
Tank Used for:	PRODUCT
Type of Fuel:	UNLEADED
Container Construction Thickness:	Not reported
Leak Detection:	Sensor Instrument
Tank Num:	004
Container Num:	4
Year Installed:	1987
Tank Capacity:	00012000
Tank Used for:	PRODUCT
Type of Fuel:	UNLEADED
Container Construction Thickness:	Not reported
Leak Detection:	Sensor Instrument
Tank Num:	005
Container Num:	5
Year Installed:	1987
Tank Capacity:	00001000
Tank Used for:	PRODUCT
Type of Fuel:	WASTE OIL
Container Construction Thickness:	Not reported
Leak Detection:	Sensor Instrument

AB143 **EXXON SERVICE STATION** **HIST UST** **U001576503**
ENE **1300 W BLAINE ST** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507**
0.237 mi.
1254 ft. **Site 9 of 12 in cluster AB**

Relative:
Higher

Actual:
981 ft.

HIST UST:

Name:	EXXON SERVICE STATION
Address:	1300 W BLAINE ST
City,State,Zip:	RIVERSIDE, CA 92507
File Number:	Not reported
URL:	Not reported
Region:	STATE
Facility ID:	00000024161
Facility Type:	Gas Station
Other Type:	Not reported
Contact Name:	W.F. SALEEB
Telephone:	7147870625
Owner Name:	EXXON COMPANY U.S.A.
Owner Address:	16945 NORTHCHASE BLVD.
Owner City,St,Zip:	HOUSTON, TX 77210
Total Tanks:	0004
Tank Num:	001
Container Num:	1
Year Installed:	1971
Tank Capacity:	00006000
Tank Used for:	PRODUCT
Type of Fuel:	REGULAR
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor
Tank Num:	002
Container Num:	2
Year Installed:	1971
Tank Capacity:	00008000
Tank Used for:	PRODUCT
Type of Fuel:	UNLEADED
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor
Tank Num:	003
Container Num:	3
Year Installed:	1971
Tank Capacity:	00010000
Tank Used for:	PRODUCT
Type of Fuel:	PREMIUM
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor
Tank Num:	004
Container Num:	4
Year Installed:	1971
Tank Capacity:	00001000
Tank Used for:	PRODUCT
Type of Fuel:	WASTE OIL
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor

AB144 **TEXACO REFINING AND MARKETING INC** **HIST UST** **S113041056**
ENE **1300 BLAINE** **HAZNET** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507** **HWTS**
0.237 mi.
1254 ft. **Site 10 of 12 in cluster AB**

Relative:
Higher

Actual:
981 ft.

HIST UST:

Name:	EXXON SERVICE STATION
Address:	1300 BLAINE
City,State,Zip:	RIVERSIDE, CA 92507
File Number:	0001F65A
URL:	http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0001F65A.pdf
Region:	Not reported
Facility ID:	Not reported
Facility Type:	Not reported
Other Type:	Not reported
Contact Name:	Not reported
Telephone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Total Tanks:	Not reported
Tank Num:	Not reported
Container Num:	Not reported
Year Installed:	Not reported
Tank Capacity:	Not reported
Tank Used for:	Not reported
Type of Fuel:	Not reported
Container Construction Thickness:	Not reported
Leak Detection:	Not reported

Click here for Geo Tracker PDF:

HAZNET:

Name:	TEXACO REFINING AND MARKETING INC
Address:	1300 BLAINE
Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 925070000
Contact:	ED DINKFELD
Telephone:	8185052802
Mailing Name:	Not reported
Mailing Address:	10 UNIVERSAL CITY PLAZA 7TH FLOOR
Year:	1999
Gepaid:	CAL000047492
TSD EPA ID:	CAD028409019
CA Waste Code:	221 - Waste oil and mixed oil
Disposal Method:	T01 - Treatment, Tank
Tons:	0.418
Year:	1999
Gepaid:	CAL000047492
TSD EPA ID:	CAD982484933
CA Waste Code:	513 - Empty containers less than 30 gallons
Disposal Method:	D99 - Disposal, Other
Tons:	1.5
Year:	1998

TEXACO REFINING AND MARKETING INC (Continued) **S113041056**

Gepaid:	CAL000047492
TSD EPA ID:	CAD028409019
CA Waste Code:	352 - Other organic solids
Disposal Method:	H01 - Transfer Station
Tons:	1.5
Year:	1996
Gepaid:	CAL000047492
TSD EPA ID:	CAT080013352
CA Waste Code:	221 - Waste oil and mixed oil
Disposal Method:	R01 - Recycler
Tons:	0.076

Additional Info:

Year:	1999
Gen EPA ID:	CAL000047492
Shipment Date:	19990319
Creation Date:	5/17/1999 0:00:00
Receipt Date:	19990329
Manifest ID:	99183691
Trans EPA ID:	CAD982030173
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD028409019
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD028409019
TSDF Alt Name:	Not reported
Waste Code Description:	221 - Waste oil and mixed oil
RCRA Code:	D001
Meth Code:	T01 - Treatment, Tank
Quantity Tons:	0.418
Waste Quantity:	110
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19990105
Creation Date:	2/8/1999 0:00:00
Receipt Date:	19990106
Manifest ID:	98641103
Trans EPA ID:	CAD982030173
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD982484933
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	513 - Empty containers less than 30 gallons
RCRA Code:	Not reported
Meth Code:	D99 - Disposal, Other

TEXACO REFINING AND MARKETING INC (Continued) **S113041056**

Quantity Tons:	1.5
Waste Quantity:	3000
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	1998
Gen EPA ID:	CAL000047492
Shipment Date:	19980708
Creation Date:	9/3/1998 0:00:00
Receipt Date:	19980714
Manifest ID:	98246750
Trans EPA ID:	CAR000031211
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD028409019
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	1.5
Waste Quantity:	3000
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	1996
Gen EPA ID:	CAL000047492
Shipment Date:	19960419
Creation Date:	10/29/1996 0:00:00
Receipt Date:	19960425
Manifest ID:	95298028
Trans EPA ID:	CAD000628636
Trans Name:	Not reported
Trans 2 EPA ID:	CAD028277036
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT080013352
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	221 - Waste oil and mixed oil
RCRA Code:	D018
Meth Code:	R01 - Recycler

TEXACO REFINING AND MARKETING INC (Continued) **S113041056**

Quantity Tons: 0.076
Waste Quantity: 20
Quantity Unit: G
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

HWTS:
Name: TEXACO REFINING AND MARKETING INC
Address: 1300 BLAINE
Address 2: Not reported
City,State,Zip: RIVERSIDE, CA 92507
EPA ID: CAL000061765
Inactive Date: 06/30/1996
Create Date: 08/03/1993
Last Act Date: Not reported
Mailing Name: Not reported
Mailing Address: 10 UNIVERSAL CITY PLAZA 7TH FLOOR
Mailing Address 2: Not reported
Mailing City,State,Zip: UNIVERSAL CITY, CA 916081009
Owner Name: TEXACO REFINING AND MARKETING
Owner Address: 10 UNIVERSAL CITY PLAZA 7TH FLOOR
Owner Address 2: Not reported
Owner City,State,Zip: UNIVERSAL CITY, CA 916081009
Contact Name: ED DINKFELD-DEACT V96/97 -PH
Contact Address: 10 UNIVERSAL CITY PLAZA 7TH FLOOR
Contact Address 2: Not reported
City,State,Zip: UNIVERSAL CITY, CA 916081009
Facility Status: Inactive
Facility Type: PERMANENT
Category: STATE
Latitude: 33.982953
Longitude: -117.338311

Name: TEXACO REFINING AND MARKETING INC
Address: 1300 BLAINE
Address 2: Not reported
City,State,Zip: RIVERSIDE, CA 92507
EPA ID: CAL000047492
Inactive Date: 06/30/1999
Create Date: 04/02/1991
Last Act Date: Not reported
Mailing Name: Not reported
Mailing Address: 10 UNIVERSAL CITY PLAZA 7TH FLOOR
Mailing Address 2: Not reported
Mailing City,State,Zip: UNIVERSAL CITY, CA 916081009
Owner Name: TEXACO REFINING AND MARKETING
Owner Address: 10 UNIVERSAL CITY PLAZA 7TH FLOOR
Owner Address 2: Not reported
Owner City,State,Zip: UNIVERSAL CITY, CA 916081009
Contact Name: ED DINKFELD
Contact Address: INACTIVE PER VI99 LC H FLOOR
Contact Address 2: Not reported
City,State,Zip: UNIVERSAL CITY, CA 916081009
Facility Status: Inactive

TEXACO REFINING AND MARKETING INC (Continued) **S113041056**

Facility Type:	PERMANENT
Category:	STATE
Latitude:	33.982953
Longitude:	-117.338311

AB145 **TEXACO SERVICE STATION 120593** **RCRA-SQG** **1004678170**
ENE **1300 BLAINE ST** **LUST** **CAR000105809**
1/8-1/4 **RIVERSIDE, CA 92507** **FINDS**
0.237 mi. **ECHO**
1254 ft. **Site 11 of 12 in cluster AB**

Relative: **Higher**
Actual: **981 ft.**

RCRA Listings:

Date Form Received by Agency:		20020228
Handler Name:	TEXACO SERVICE STATION 120593	
Handler Address:		1300 BLAINE ST
Handler City,State,Zip:		RIVERSIDE, CA 92507
EPA ID:		CAR000105809
Contact Name:		SONDRA E BIENVENU
Contact Address:		Not reported
Contact City,State,Zip:		Not reported
Contact Telephone:		713-241-5036
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		PO BOX 2648
Mailing City,State,Zip:		HOUSTON, TX 77252
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		NN

TEXACO SERVICE STATION 120593 (Continued) **1004678170**

Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20060905
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	No

Biennial: List of Years
Year: 2001

Click Here for Biennial Reporting System Data:

Hazardous Waste Summary:
Waste Code: D001
Waste Description: IGNITABLE WASTE

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: EQUILON ENTERPRISES L L C	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	P O BOX 2648
Owner/Operator City,State,Zip:	HOUSTON, TX 77252-5036
Owner/Operator Telephone:	713-241-5036
Owner/Operator Telephone Ext:	Not reported

TEXACO SERVICE STATION 120593 (Continued) **1004678170**

Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20020228
Handler Name: TEXACO SERVICE STATION 120593
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20010918
Handler Name: TEXACO SERVICE STATION
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20020228
Handler Name: TEXACO SERVICE STATION 120593
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 44719
NAICS Description: OTHER GASOLINE STATIONS

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

TEXACO SERVICE STATION 120593 (Continued) **1004678170**

LUST REG 8:

Name:	TEXACO OIL COMPANY
Address:	1300 BLAINE STREET
City:	RIVERSIDE
Region:	8
County:	Riverside
Regional Board:	Santa Ana Region
Facility Status:	Leak being confirmed
Case Number:	083303932T
Local Case Num:	200218657
Case Type:	Soil only
Substance:	Gasoline
Qty Leaked:	Not reported
Abate Method:	Not reported
Cross Street:	HWY 215
Enf Type:	Not reported
Funding:	Not reported
How Discovered:	Tank Closure
How Stopped:	Close Tank
Leak Cause:	UNK
Leak Source:	UNK
Global ID:	T0606599251
How Stopped Date:	6/11/2002
Enter Date:	Not reported
Date Confirmation of Leak Began:	6/12/2002
Date Preliminary Assessment Began:	Not reported
Discover Date:	6/11/2002
Enforcement Date:	Not reported
Close Date:	Not reported
Date Prelim Assessment Workplan Submitted:	Not reported
Date Pollution Characterization Began:	Not reported
Date Remediation Plan Submitted:	Not reported
Date Remedial Action Underway:	Not reported
Date Post Remedial Action Monitoring:	Not reported
Enter Date:	Not reported
GW Qualifies:	Not reported
Soil Qualifies:	=
Operator:	Not reported
Facility Contact:	Not reported
Interim:	Not reported
Oversite Program:	LUST
Latitude:	0
Longitude:	0
MTBE Date:	Not reported
Max MTBE GW:	Not reported
MTBE Concentration:	0
Max MTBE Soil:	33000
MTBE Fuel:	1
MTBE Tested:	MTBE Detected. Site tested for MTBE & MTBE detected
MTBE Class:	*
Staff:	TME
Staff Initials:	SCB
Lead Agency:	Local Agency
Local Agency:	33000L
Hydr Basin #:	Not reported
Beneficial:	Not reported
Priority:	Not reported

TEXACO SERVICE STATION 120593 (Continued) **1004678170**

Cleanup Fund Id: Not reported
Work Suspended: Not reported
Summary: Not reported

FINDS:
Registry ID: 110012189023

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
California Hazardous Waste Tracking System - Datamart (HWTS-DATAMART) provides California with information on hazardous waste shipments for generators, transporters, and treatment, storage, and disposal facilities.
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.
HAZARDOUS WASTE BIENNIAL REPORTER

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1004678170
Registry ID:	110012189023
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110012189023
Name:	TEXACO SERVICE STATION 120593
Address:	1300 BLAINE ST
City,State,Zip:	RIVERSIDE, CA 92507

AB146 **EXXON SERVICE STATION #2899** **LUST** **S104164200**
ENE **1300 BLAINE ST** **Cortese** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507**
0.237 mi.
1254 ft. **Site 12 of 12 in cluster AB**

Relative: **Higher**

Actual: **981 ft.**

LUST REG 8:

Name:	EXXON SERVICE STATION #2899
Address:	1300 BLAINE ST
City:	RIVERSIDE
Region:	8
County:	Riverside
Regional Board:	Santa Ana Region
Facility Status:	Case Closed
Case Number:	083300601T
Local Case Num:	Not reported
Case Type:	Soil only
Substance:	Gasoline
Qty Leaked:	Not reported
Abate Method:	Not reported
Cross Street:	IOWA
Enf Type:	Not reported
Funding:	Not reported
How Discovered:	Not reported
How Stopped:	Not reported

EXXON SERVICE STATION #2899 (Continued) **S104164200**

Leak Cause:	Not reported
Leak Source:	Not reported
Global ID:	T0606500065
How Stopped Date:	Not reported
Enter Date:	8/6/1987
Date Confirmation of Leak Began:	Not reported
Date Preliminary Assessment Began:	Not reported
Discover Date:	Not reported
Enforcement Date:	Not reported
Close Date:	7/11/1988
Date Prelim Assessment Workplan Submitted:	Not reported
Date Pollution Characterization Began:	8/7/1987
Date Remediation Plan Submitted:	Not reported
Date Remedial Action Underway:	Not reported
Date Post Remedial Action Monitoring:	Not reported
Enter Date:	8/6/1987
GW Qualifies:	Not reported
Soil Qualifies:	Not reported
Operator:	Not reported
Facility Contact:	Not reported
Interim:	Not reported
Oversite Program:	LUST
Latitude:	33.9831244
Longitude:	-117.339803
MTBE Date:	Not reported
Max MTBE GW:	Not reported
MTBE Concentration:	0
Max MTBE Soil:	Not reported
MTBE Fuel:	1
MTBE Tested:	Site NOT Tested for MTBE.Includes Unknown and Not Analyzed.
MTBE Class:	*
Staff:	CAB
Staff Initials:	UNK
Lead Agency:	Local Agency
Local Agency:	33000L
Hydr Basin #:	UPPER SANTA ANA VALL
Beneficial:	Not reported
Priority:	Not reported
Cleanup Fund Id:	Not reported
Work Suspended:	Not reported

Summary: Not reported

CORTESE:

Name:	EXXON SERVICE STATION #2899
Address:	1300 BLAINE ST
City,State,Zip:	RIVERSIDE, CA 92507
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0606500065
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported

EXXON SERVICE STATION #2899 (Continued) **S104164200**

Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

AD147 **UCR SHELL** **RCRA NonGen / NLR** **1024850295**
ENE **3261 IOWA AVE** **CAL000407734**
1/8-1/4 **RIVERSIDE, CA 92507**
0.247 mi.
1303 ft. **Site 1 of 8 in cluster AD**

Relative: **Higher**
Actual: **980 ft.**

RCRA Listings:

Date Form Received by Agency:		20150615
Handler Name:	UCR SHELL	
Handler Address:		3261 IOWA AVE
Handler City,State,Zip:		RIVERSIDE, CA 92507
EPA ID:		CAL000407734
Contact Name:		ERIC DRANSFIELD
Contact Address:		3261 IOWA AVE
Contact City,State,Zip:		RIVERSIDE, CA 92507
Contact Telephone:		951-551-5750
Contact Fax:		951-346-3013
Contact Email:		EEDRANS@GMAIL.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		3261 IOWA AVE
Mailing City,State,Zip:		RIVERSIDE, CA 92507
Owner Name:	PETRO CONSULTING SERVICES LLC	
Owner Type:		Other
Operator Name:	ERIC DRANSFIELD	
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		Yes
Universal Waste Destination Facility:		Yes
Federal Universal Waste:		No

UCR SHELL (Continued) **1024850295**

Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20180906
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: PETRO CONSULTING SERVICES LLC	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	3680 W COTTONWOOD
Owner/Operator City,State,Zip:	REXBURG, ID 83440
Owner/Operator Telephone:	951-551-5750
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

UCR SHELL (Continued) **1024850295**

Owner/Operator Indicator:	Operator
Owner/Operator Name: ERIC DRANSFIELD	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	3261 IOWA AVE
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92507
Owner/Operator Telephone:	951-551-5750
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20150615
Handler Name: UCR SHELL	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	44719
NAICS Description:	OTHER GASOLINE STATIONS

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

AD148 **SHELL/GHARABIKLOU & MILLER** **UST** **U004349846**
ENE **3261 IOWA AVE** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507**
0.247 mi.
1303 ft. **Site 2 of 8 in cluster AD**

Relative:
Higher

Actual:
980 ft.

UST:

Name:	SHELL/GHARABIKLOU & MILLER
Address:	3261 IOWA AVE
City,State,Zip:	RIVERSIDE, CA 92507
Facility ID:	700
Permitting Agency:	RIVERSIDE COUNTY
CERSID:	Not reported
Latitude:	33.984661
Longitude:	-117.3389917

AD149 **SHELL SERVICE STATION** **RCRA-SQG** **1005441128**
ENE **3261 IOWA** **FINDS** **CAR000115790**
1/8-1/4 **RIVERSIDE, CA 92507** **ECHO**
0.247 mi. **HAZNET**
1303 ft. **Site 3 of 8 in cluster AD** **HWTS**

Relative: Higher
Actual: 980 ft.

RCRA Listings:

Date Form Received by Agency:		20020508
Handler Name:	SHELL SERVICE STATION	
Handler Address:		3261 IOWA
Handler City,State,Zip:		RIVERSIDE, CA 92507
EPA ID:		CAR000115790
Contact Name:		SONDRA BIENVENU
Contact Address:		P O BOX 2648
Contact City,State,Zip:		HOUSTON, TX 77252-2648
Contact Telephone:		713-241-5036
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		09
Land Type:		Private
Federal Waste Generator Description:		Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		P O BOX 2648
Mailing City,State,Zip:		HOUSTON, TX 77252-2648
Owner Name:	EQUILON ENT LLC DBA S O P US	
Owner Type:		Private
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		NN
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported

SHELL SERVICE STATION (Continued) **1005441128**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20021007
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D001
Waste Description:	IGNITABLE WASTE
Waste Code:	D018
Waste Description:	BENZENE

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: EQUILON ENT LLC DBA S O P US	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	P O BOX 2648
Owner/Operator City,State,Zip:	HOUSTON, TX 77252-2648
Owner/Operator Telephone:	713-241-5036
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20020508
Handler Name: SHELL SERVICE STATION	
Federal Waste Generator Description:	Small Quantity Generator

SHELL SERVICE STATION (Continued) **1005441128**

State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110012537638

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
California Hazardous Waste Tracking System - Datamart (HWTS-DATAMART) provides California with information on hazardous waste shipments for generators, transporters, and treatment, storage, and disposal facilities.
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1005441128
Registry ID:	110012537638
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110012537638
Name:	SHELL SERVICE STATION
Address:	3261 IOWA
City,State,Zip:	RIVERSIDE, CA 92507

HAZNET:

Name:	BLAINE STREET CORP DBA BLAINE SHELL
Address:	3261 IOWA AVE
Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 925072816
Contact:	FARHAD GHARABIKLOU
Telephone:	9513693433
Mailing Name:	Not reported

SHELL SERVICE STATION (Continued) **1005441128**

Mailing Address: 3261 IOWA AVE

Year: 2015
Gepaid: CAL000368809
TSD EPA ID: CAD028409019
CA Waste Code: 223 - Unspecified oil-containing waste
Disposal Method: H135 - Discharge To Sewer/Potw Or Npdes(With Prior Storage--With Or Without Treatment)
Tons: 0.22935

Year: 2013
Gepaid: CAL000368809
TSD EPA ID: CAD982444481
CA Waste Code: 134 - Aqueous solution with total organic residues less than 10 percent
Disposal Method: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 0.21

Additional Info:
Year: 2015
Gen EPA ID: CAL000368809

Shipment Date: 20150504
Creation Date: 8/31/2015 22:15:49
Receipt Date: 20150511
Manifest ID: 009680036JJK
Trans EPA ID: CAR000235960
Trans Name: EVR ENVIRONMENTAL INC
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
TSDF EPA ID: CAD028409019
Trans Name: CROSBY & OVERTON
TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported
Waste Code Description: 223 - Unspecified oil-containing waste
RCRA Code: Not reported
Meth Code: H135 - Discharge To Sewer/Potw Or Npdes(With Prior Storage--With Or Without Treatment)
Quantity Tons: 0.22935
Waste Quantity: 55
Quantity Unit: G
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

Additional Info:
Year: 2013
Gen EPA ID: CAL000368809

Shipment Date: 20130501
Creation Date: 7/9/2013 22:15:12
Receipt Date: 20130513

SHELL SERVICE STATION (Continued) **1005441128**

Manifest ID:	002070579GBF
Trans EPA ID:	CAL000224539
Trans Name:	FRS ENVIRONMENTAL INC.
Trans 2 EPA ID:	CAL000224539
Trans 2 Name:	FRS ENVIRONMENTAL
TSDF EPA ID:	CAD982444481
Trans Name:	FILTER RECYCLING SERVICES
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.21
Waste Quantity:	50
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

HWTS:

Name:	BLAINE STREET CORP DBA BLAINE SHELL
Address:	3261 IOWA AVE
Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 92507
EPA ID:	CAL000368809
Inactive Date:	06/30/2015
Create Date:	11/01/2011
Last Act Date:	Not reported
Mailing Name:	Not reported
Mailing Address:	3261 IOWA AVE
Mailing Address 2:	Not reported
Mailing City,State,Zip:	RIVERSIDE, CA 925072816
Owner Name:	BLAINE STREET CORP
Owner Address:	3261 IOWA AVE
Owner Address 2:	Not reported
Owner City,State,Zip:	RIVERSIDE, CA 925072816
Contact Name:	FARHAD GHARABIKLOU
Contact Address:	3261 IOWA AVE
Contact Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 92507
Facility Status:	Inactive
Facility Type:	PERMANENT
Category:	STATE
Latitude:	33.983298
Longitude:	-117.340245

NAICS:

EPA ID:	CAL000368809
Create Date:	2011-11-01 14:31:56.367
NAICS Code:	44719
NAICS Description:	Other Gasoline Stations
Issued EPA ID Date:	2011-11-01 14:31:56.30700
Inactive Date:	2015-06-30 00:00:00
Facility Name:	BLAINE STREET CORP DBA BLAINE SHELL

SHELL SERVICE STATION (Continued) **1005441128**

Facility Address:	3261 IOWA AVE
Facility Address 2:	Not reported
Facility City:	RIVERSIDE
Facility County:	Not reported
Facility State:	CA
Facility Zip:	925072816

AD150 **UCR SHELL** **UST** **U004354630**
ENE **3261 IOWA AVE** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507**
0.247 mi.
1303 ft. **Site 4 of 8 in cluster AD**

Relative:
Higher

Actual:
980 ft.

RIVERSIDE CO. UST:

Name:	UCR SHELL
Address:	3261 IOWA AVE
City,State,Zip:	RIVERSIDE, CA 92507
Region:	RIVERSIDE
Total Tanks:	3

UST:

Name:	UCR SHELL
Address:	3261 IOWA AVE
City,State,Zip:	RIVERSIDE, CA 92507
Facility ID:	FA0044747
Permitting Agency:	Riverside County Department of Environmental Health
CERSID:	10496332
Latitude:	33.98335
Longitude:	-117.34027

AD151 **SHELL IOWA AVENUE** **LUST** **S106716773**
ENE **3261 IOWA AVENUE** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507**
0.247 mi.
1303 ft. **Site 5 of 8 in cluster AD**

Relative:
Higher

Actual:
980 ft.

LUST REG 8:

Name:	SHELL IOWA AVENUE
Address:	3261 IOWA AVENUE
City:	RIVERSIDE
Region:	8
County:	Riverside
Regional Board:	Santa Ana Region
Facility Status:	Leak being confirmed
Case Number:	Not reported
Local Case Num:	200421108
Case Type:	Soil only
Substance:	Gasoline
Qty Leaked:	Not reported
Abate Method:	Not reported
Cross Street:	BLAINE
Enf Type:	Not reported
Funding:	LOPF
How Discovered:	OM
How Stopped:	Other Means

SHELL IOWA AVENUE (Continued) **S106716773**

Leak Cause:	Other Cause
Leak Source:	UNK
Global ID:	T0606575445
How Stopped Date:	Not reported
Enter Date:	Not reported
Date Confirmation of Leak Began:	12/14/2004
Date Preliminary Assessment Began:	Not reported
Discover Date:	11/15/2004
Enforcement Date:	Not reported
Close Date:	Not reported
Date Prelim Assessment Workplan Submitted:	Not reported
Date Pollution Characterization Began:	Not reported
Date Remediation Plan Submitted:	Not reported
Date Remedial Action Underway:	Not reported
Date Post Remedial Action Monitoring:	Not reported
Enter Date:	Not reported
GW Qualifies:	Not reported
Soil Qualifies:	Not reported
Operator:	Not reported
Facility Contact:	Not reported
Interim:	Not reported
Oversite Program:	LOCNL
Latitude:	0
Longitude:	0
MTBE Date:	Not reported
Max MTBE GW:	Not reported
MTBE Concentration:	0
Max MTBE Soil:	Not reported
MTBE Fuel:	1
MTBE Tested:	Site NOT Tested for MTBE.Includes Unknown and Not Analyzed.
MTBE Class:	*
Staff:	CAB
Staff Initials:	SCB
Lead Agency:	Local Agency
Local Agency:	33000L
Hydr Basin #:	Not reported
Beneficial:	Not reported
Priority:	Not reported
Cleanup Fund Id:	Not reported
Work Suspended:	Not reported

Summary: Not reported

AD152 **BLAINE SHELL** **LUST S105033180**
ENE **3261 IOWA AVE** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507**
0.247 mi.
1303 ft. **Site 6 of 8 in cluster AD**

Relative: LUST REG 8:
Higher

Name:	BLAINE SHELL
Address:	3261 IOWA AVE
City:	RIVERSIDE
Region:	8
County:	Riverside
Regional Board:	Santa Ana Region
Facility Status:	Case Closed
Case Number:	083302449T
Local Case Num:	Not reported

Actual:
980 ft.

BLAINE SHELL (Continued) **S105033180**

Case Type:	Soil only
Substance:	Gasoline
Qty Leaked:	Not reported
Abate Method:	Not reported
Cross Street:	BLAINE
Enf Type:	Not reported
Funding:	Federal Funds
How Discovered:	Tank Closure
How Stopped:	Not reported
Leak Cause:	UNK
Leak Source:	UNK
Global ID:	T0606500371
How Stopped Date:	3/31/1994
Enter Date:	6/16/1994
Date Confirmation of Leak Began:	Not reported
Date Preliminary Assessment Began:	Not reported
Discover Date:	3/31/1994
Enforcement Date:	Not reported
Close Date:	5/16/1996
Date Prelim Assessment Workplan Submitted:	Not reported
Date Pollution Characterization Began:	Not reported
Date Remediation Plan Submitted:	Not reported
Date Remedial Action Underway:	Not reported
Date Post Remedial Action Monitoring:	Not reported
Enter Date:	6/16/1994
GW Qualifies:	Not reported
Soil Qualifies:	Not reported
Operator:	Not reported
Facility Contact:	Not reported
Interim:	Not reported
Oversite Program:	LUST
Latitude:	33.9832774
Longitude:	-117.3400601
MTBE Date:	Not reported
Max MTBE GW:	Not reported
MTBE Concentration:	0
Max MTBE Soil:	Not reported
MTBE Fuel:	1
MTBE Tested:	Site NOT Tested for MTBE.Includes Unknown and Not Analyzed.
MTBE Class:	*
Staff:	CAB
Staff Initials:	SCB
Lead Agency:	Local Agency
Local Agency:	33000L
Hydr Basin #:	UPPER SANTA ANA VALL
Beneficial:	Not reported
Priority:	Not reported
Cleanup Fund Id:	Not reported
Work Suspended:	Not reported

Summary: ADDITIONAL RP MIKE CLAUDIO BOBBY AND CYNTHIA MILLER SHELL OIL CO. 3261 IOWA AVE. 511 BROOKHURST RIVERSIDE CA 92507 ANAHEIM, CA 92803

AD153 **PACIFIC COAST ENTERPRISES** **SWEEPS UST** **S101589968**
ENE **3261 IOWA AVE** **CA FID UST** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507**
0.247 mi.
1303 ft. **Site 7 of 8 in cluster AD**

Relative:
Higher

Actual:
980 ft.

SWEEPS UST:

Name:	PACIFIC COAST ENTERPRISES
Address:	3261 IOWA AVE
City:	RIVERSIDE
Status:	Active
Comp Number:	43153
Number:	1
Board Of Equalization:	44-000074
Referral Date:	11-17-92
Action Date:	11-17-92
Created Date:	04-03-89
Owner Tank Id:	000783
SWRCB Tank Id:	33-000-043153-000001
Tank Status:	A
Capacity:	12000
Active Date:	11-17-92
Tank Use:	M.V. FUEL
STG:	P
Content:	REG UNLEADED
Number Of Tanks:	3

Name:	PACIFIC COAST ENTERPRISES
Address:	3261 IOWA AVE
City:	RIVERSIDE
Status:	Active
Comp Number:	43153
Number:	1
Board Of Equalization:	44-000074
Referral Date:	11-17-92
Action Date:	11-17-92
Created Date:	04-03-89
Owner Tank Id:	000783
SWRCB Tank Id:	33-000-043153-000002
Tank Status:	A
Capacity:	12000
Active Date:	11-17-92
Tank Use:	M.V. FUEL
STG:	P
Content:	REG UNLEADED
Number Of Tanks:	Not reported

Name:	PACIFIC COAST ENTERPRISES
Address:	3261 IOWA AVE
City:	RIVERSIDE
Status:	Active
Comp Number:	43153
Number:	1
Board Of Equalization:	44-000074
Referral Date:	11-17-92
Action Date:	11-17-92
Created Date:	04-03-89
Owner Tank Id:	000783
SWRCB Tank Id:	33-000-043153-000003

PACIFIC COAST ENTERPRISES (Continued) **S101589968**

Tank Status: A
Capacity: 12000
Active Date: 11-17-92
Tank Use: M.V. FUEL
STG: P
Content: LEADED
Number Of Tanks: Not reported

CA FID UST:
Facility ID: 33001868
Regulated By: UTNKA
Regulated ID: Not reported
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 7146839959
Mail To: Not reported
Mailing Address: P O BOX 4492
Mailing Address 2: Not reported
Mailing City,St,Zip: RIVERSIDE 92507
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

AD154 **SHELL** **LUST** **U001576545**
ENE **3261 IOWA** **CERS HAZ WASTE** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507** **HIST UST**
0.247 mi. **CERS TANKS**
1303 ft. **Site 8 of 8 in cluster AD** **CHMIRS**
Cortese
Relative: Higher **HIST CORTESE**
HAZNET
Actual: 980 ft. **CERS**
HWTS

LUST:
Name: SHELL IOWA AVENUE
Address: 3261 IOWA AVE
City,State,Zip: RIVERSIDE, CA 92507
Lead Agency: RIVERSIDE COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0606575445
Global Id: T0606575445
Latitude: 33.983522
Longitude: -117.340273
Status: Completed - Case Closed
Status Date: 04/07/2006
Case Worker: SCB
RB Case Number: Not reported
Local Agency: RIVERSIDE COUNTY LOP
File Location: Not reported
Local Case Number: 200421108
Potential Media Affect: Soil
Potential Contaminants of Concern: Gasoline

SHELL (Continued) **U001576545**

Site History: Not reported

LUST:
Global Id: T0606575445
Contact Type: Regional Board Caseworker
Contact Name: CARL BERNHARDT
Organization Name: SANTA ANA RWQCB (REGION 8)
Address: 3737 MAIN STREET, SUITE 500
City: RIVERSIDE
Email: carl.bernhardt@waterboards.ca.gov
Phone Number: 9517824495

Global Id: T0606575445
Contact Type: Local Agency Caseworker
Contact Name: SHARON BOLTINGHOUSE
Organization Name: RIVERSIDE COUNTY LOP
Address: 3880 LEMON ST SUITE 200
City: RIVERSIDE
Email: sbolting@rivco.org
Phone Number: 9519558980

LUST:
Global Id: T0606575445
Action Type: ENFORCEMENT
Date: 05/07/2007
Action: File review

Global Id: T0606575445
Action Type: Other
Date: 11/17/2004
Action: Leak Reported

Global Id: T0606575445
Action Type: REMEDIATION
Date: 12/14/2004
Action: Excavation

Global Id: T0606575445
Action Type: Other
Date: 11/15/2004
Action: Leak Discovery

LUST:
Global Id: T0606575445
Status: Open - Case Begin Date
Status Date: 11/15/2004

Global Id: T0606575445
Status: Open - Site Assessment
Status Date: 12/14/2004

Global Id: T0606575445
Status: Completed - Case Closed
Status Date: 04/07/2006

Name: SHELL BLAINE

SHELL (Continued) **U001576545**

Address:	3261 IOWA AVE
City,State,Zip:	RIVERSIDE, CA 92507
Lead Agency:	RIVERSIDE COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0606500371
Global Id:	T0606500371
Latitude:	33.9834926852973
Longitude:	-117.340431250332
Status:	Completed - Case Closed
Status Date:	05/16/1996
Case Worker:	SCB
RB Case Number:	083302449T
Local Agency:	RIVERSIDE COUNTY LOP
File Location:	Local Agency Warehouse
Local Case Number:	94345
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

LUST:

Global Id:	T0606500371
Contact Type:	Regional Board Caseworker
Contact Name:	CARL BERNHARDT
Organization Name:	SANTA ANA RWQCB (REGION 8)
Address:	3737 MAIN STREET, SUITE 500
City:	RIVERSIDE
Email:	carl.bernhardt@waterboards.ca.gov
Phone Number:	9517824495

Global Id:	T0606500371
Contact Type:	Local Agency Caseworker
Contact Name:	SHARON BOLTINGHOUSE
Organization Name:	RIVERSIDE COUNTY LOP
Address:	3880 LEMON ST SUITE 200
City:	RIVERSIDE
Email:	sbolting@rivco.org
Phone Number:	9519558980

LUST:

Global Id:	T0606500371
Action Type:	Other
Date:	05/02/1994
Action:	Leak Reported

Global Id:	T0606500371
Action Type:	REMEDIATION
Date:	04/04/1994
Action:	Excavation

Global Id:	T0606500371
Action Type:	ENFORCEMENT
Date:	05/16/1996
Action:	Closure/No Further Action Letter - #RCDEH0516

Global Id:	T0606500371
Action Type:	Other
Date:	03/31/1994

SHELL (Continued) **U001576545**

Action: Leak Stopped

Global Id: T0606500371
Action Type: ENFORCEMENT
Date: 05/15/1996
Action: File review - #RCDEH Upload Site File 10/28/2015

Global Id: T0606500371
Action Type: Other
Date: 03/31/1994
Action: Leak Discovery

LUST:
Global Id: T0606500371
Status: Open - Case Begin Date
Status Date: 03/31/1994

Global Id: T0606500371
Status: Open - Remediation
Status Date: 04/04/1994

Global Id: T0606500371
Status: Open - Site Assessment
Status Date: 05/02/1994

Global Id: T0606500371
Status: Completed - Case Closed
Status Date: 05/16/1996

RIVERSIDE CO. LUST:
Name: SHELL BLAINE
Address: 3261 IOWA AVE
City,State,Zip: RIVERSIDE, CA
Region: RIVERSIDE
Facility ID: 94345
Employee: Boltinghous-LOP
Site Closed: Yes
Case Type: Soil only
Facility Status: closed/action completed
Casetype Decode: Soil only is impacted
Fstatus Decode: Closed/Action completed

Name: SHELL IOWA AVE
Address: 3261 IOWA AVE
City,State,Zip: RIVERSIDE, CA
Region: RIVERSIDE
Facility ID: 200421108
Employee: Boltinghous-LOP
Site Closed: Yes
Case Type: Soil only
Facility Status: closed/action completed
Casetype Decode: Soil only is impacted
Fstatus Decode: Closed/Action completed

SHELL (Continued) **U001576545**

CERS HAZ WASTE:
Name: UCR SHELL
Address: 3261 IOWA AVE
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 99082
CERS ID: 10496332
CERS Description: Hazardous Waste Generator

HIST UST:
Name: SHELL
Address: 3261 IOWA
City,State,Zip: RIVERSIDE, CA 92507
File Number: 0001F975
URL: http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0001F975.pdf
Region: STATE
Facility ID: 00000009500
Facility Type: Gas Station
Other Type: Not reported
Contact Name: ROGER SCHNIEDER
Telephone: 7146839959
Owner Name: SHELL OIL COMPANY
Owner Address: P.O. BOX 4848
Owner City,St,Zip: ANAHEIM, CA 92803
Total Tanks: 0003

Tank Num: 001
Container Num: 3
Year Installed: 1979
Tank Capacity: 00012000
Tank Used for: PRODUCT
Type of Fuel: PREMIUM
Container Construction Thickness: 1/4
Leak Detection: Stock Inventor, Groundwater Monitoring Well, 10

Tank Num: 002
Container Num: 1
Year Installed: 1979
Tank Capacity: 00012000
Tank Used for: PRODUCT
Type of Fuel: UNLEADED
Container Construction Thickness: 1/4
Leak Detection: Stock Inventor, Groundwater Monitoring Well, 10

Tank Num: 003
Container Num: 2
Year Installed: 1979
Tank Capacity: 00012000
Tank Used for: PRODUCT
Type of Fuel: REGULAR
Container Construction Thickness: 1/4
Leak Detection: Stock Inventor, Groundwater Monitoring Well, 10

Click here for Geo Tracker PDF:

CERS TANKS:
Name: UCR SHELL

SHELL (Continued) **U001576545**

Address: 3261 IOWA AVE
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 99082
CERS ID: 10496332
CERS Description: Underground Storage Tank

CHMIRS:
Name: Not reported
Address: 3261 IOWA AVE
City,State,Zip: RIVERSIDE, CA
OES Incident Number: 092
OES notification: Not reported
OES Date: 3/4/1994
OES Time: 10:18:24 AM
Date Completed: Not reported
Property Use: Not reported
Agency Id Number: Not reported
Agency Incident Number: Not reported
Time Notified: Not reported
Time Completed: Not reported
Surrounding Area: Not reported
Estimated Temperature: Not reported
Property Management: Not reported
More Than Two Substances Involved?: Not reported
Resp Agncy Personel # Of Decontaminated: Not reported
Responding Agency Personel # Of Injuries: Not reported
Responding Agency Personel # Of Fatalities: Not reported
Others Number Of Decontaminated: Not reported
Others Number Of Injuries: Not reported
Others Number Of Fatalities: Not reported
Vehicle Make/year: Not reported
Vehicle License Number: Not reported
Vehicle State: Not reported
Vehicle Id Number: Not reported
CA DOT PUC/ICC Number: Not reported
Company Name: Not reported
Reporting Officer Name/ID: Not reported
Report Date: Not reported
Facility Telephone: Not reported
Waterway Involved: YES
Waterway: Not reported
Spill Site: Not reported
Cleanup By: tanks emptied, contractor enroute
Containment: Not reported
What Happened: Not reported
Type: PETROLEUM
Measure: Not reported
Other: Not reported
Date/Time: Not reported
Year: 1994
Agency: shell oil
Incident Date: 03/04/94 0900
Admin Agency: Not reported
Amount: unknown
Contained: NO
Site Type: S/S
E Date: Not reported

SHELL (Continued) **U001576545**

Substance:	gasoline
Unknown:	Not reported
Substance #2:	Not reported
Substance #3:	Not reported
Evacuations:	NO
Number of Injuries:	NO
Number of Fatalities:	NO
#1 Pipeline:	Not reported
#2 Pipeline:	Not reported
#3 Pipeline:	Not reported
#1 Vessel >= 300 Tons:	Not reported
#2 Vessel >= 300 Tons:	Not reported
#3 Vessel >= 300 Tons:	Not reported
Evacs:	Not reported
Injuries:	Not reported
Fatals:	Not reported
Comments:	Not reported
Description:	tank test failure for 2 tanks.

CORTESE:

Name:	SHELL BLAINE
Address:	3261 IOWA AVE
City,State,Zip:	RIVERSIDE, CA 92507
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0606500371
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

Name:	SHELL IOWA AVENUE
Address:	3261 IOWA AVE
City,State,Zip:	RIVERSIDE, CA 92507
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0606575445
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported

SHELL (Continued) **U001576545**

Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

HIST CORTESE:

edr_fname:	BLAINE SHELL
edr_fadd1:	3261 IOWA
City,State,Zip:	RIVERSIDE, CA 92507
Region:	CORTESE
Facility County Code:	33
Reg By:	LTNKA
Reg Id:	083302449T

HAZNET:

Name:	UCR SHELL
Address:	3261 IOWA AVE
Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 92507
Contact:	ERIC DRANSFIELD
Telephone:	9515515750
Mailing Name:	Not reported
Mailing Address:	3261 IOWA AVE
Year:	2021
Gepaid:	CAL000407734
TSD EPA ID:	CAT080013352
CA Waste Code:	135 - Unspecified aqueous solution
Disposal Method:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Tons:	0.462
Year:	2021
Gepaid:	CAL000407734
TSD EPA ID:	AZR000521146
CA Waste Code:	352 - Other organic solids
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.175
Year:	2019
Gepaid:	CAL000407734
TSD EPA ID:	AZR000521146
CA Waste Code:	352 - Other organic solids
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.05000

SHELL (Continued) **U001576545**

Year: 2019
Gepaid: CAL000407734
TSD EPA ID: CAT080013352
CA Waste Code: 135 - Unspecified aqueous solution
Disposal Method: H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Tons: 1.15500

Detail Two:
Year: 2019
EM Manifest ID: 412109
Shipment Date: 5/16/2019
Receipt Date: 5/31/2019
Manifest Number: 020375995JJK
Generator EPA ID: CAL000407734
Name: UCR SHELL
Address: 3261 IOWA AVE
Address 2: Not reported
City: RIVERSIDE
Zip: 92507
Telephone: 800-424-9300
Contact: Not reported
Contact Telephone: 909-384-2719
Transporter 1 EPA ID: CAD028277036
Transporter 1 Emergency Number: Not reported
Transporter 2 EPA ID: CAR000175422
Transporter 2 Emergency Number: Not reported
TSDF EPA ID: AZR000521146
TSDF Name: YUMA YES 2 WASTE TRANSFER STATION
TSDF Address 1: 6500 S US HIGHWAY 95
TSDF Address 2: Not reported
TSDF City: YUMA
TSDF Zip: 85365
TSDF Telephone: Not reported

State:
Year: 2019
EM Manifest ID: 412109
Generator EPA ID: CAL000407734
Shipment Date: 2019-05-16
Manifest Number: 020375995JJK
Line Number: 1
Method Code: H141
Quantity Tons: 0.05000
Quantity Waste: 100.000000
Quantity Unit: P
Number of Containers: 1
Type of Container: Metal drums, barrels, kegs
Quantity Type: Pounds
State Code: 352

CERS:
Name: UCR SHELL
Address: 3261 IOWA AVE
City,State,Zip: RIVERSIDE, CA 92507

SHELL (Continued) **U001576545**

Site ID: 99082
CERS ID: 10496332
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 99082
Site Name: UCR Shell
Violation Date: 08-25-2015
Citation: HSC 6.95 25505(a)(4) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(a)(4)
Violation Description: Failure to provide initial and annual training to all employees in safety procedures in the event of a release or threatened release of a hazardous material or failure to document and maintain training records for a minimum of three years.
Violation Notes: Returned to compliance on 10/08/2015.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 99082
Site Name: UCR Shell
Violation Date: 03-15-2022
Citation: 23 CCR 16 2644.1(a)(4) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2644.1(a)(4)
Violation Description: Failure to notify the UPA 48 hours prior to testing.
Violation Notes: Returned to compliance on 03/15/2022. OBSERVATION: This facility conducted a Cold Start on 7/15/2021 and did not notify the CUPA at least 48 hours prior to the beginning of the test. CORRECTIVE ACTION: Owner/operator shall ensure that the CUPA is notified at least 48 hours prior to the start of a test.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 99082
Site Name: UCR Shell
Violation Date: 04-06-2021
Citation: HSC 6.95 25508(a)(3) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(3)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: Returned to compliance on 04/28/2021. The chemical inventory has not been submitted accurately. Submit the chemical inventory in CERS. Include the changes of the following chemicals in CERS: add CO2 located in the rear of the business
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 99082
Site Name: UCR Shell
Violation Date: 10-23-2014
Citation: HSC 6.95 25508(d) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(d)
Violation Description: Failure to complete and/or electronically submit a business plan when storing/handling a hazardous material at or above reportable quantities.

SHELL (Continued) **U001576545**

Violation Notes: Returned to compliance on 11/25/2014.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 99082
Site Name: UCR Shell
Violation Date: 08-25-2015
Citation: HSC 6.95 Multiple - California Health and Safety Code, Chapter 6.95, Section(s) Multiple
Violation Description: Business Plan Program - Release/Leaks/Spills - General
Violation Notes: Returned to compliance on 10/08/2015. Provide spill kit and PPE's
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 99082
Site Name: UCR Shell
Violation Date: 03-29-2021
Citation: 22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description: Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes: Returned to compliance on 03/29/2021. OBSERVATION: Observed incomplete labels on 3 - 55 gallon drums of testing liquid and solid absorbent waste. Information missing included the accumulation start date. CORRECTIVE ACTION: Owner/operator shall label hazardous waste containers with all the required information. Label shall include at least: the words ""hazardous waste"", generator name and address, accumulation start date, composition and physical state of waste, and hazardous property statement. Submit photos to this department, if applicable. Operator corrected the violation at the time of this inspection.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 99082
Site Name: UCR Shell
Violation Date: 03-17-2021
Citation: Un-Specified
Violation Description: Business Plan Program - Administration/Documentation - General Local Ordinance
Violation Notes: Returned to compliance on 04/06/2021. 100 - Current permit issued/posted. [RMC 9.48.140] - No current permit was posted. Obtain the current permit and post in a conspicuous location.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 99082
Site Name: UCR Shell
Violation Date: 03-15-2022
Citation: 23 CCR 16 2638(d) - California Code of Regulations, Title 23, Chapter

SHELL (Continued) **U001576545**

16, Section(s) 2638(d)
Violation Description: Failure to submit the Monitoring System Certification Form to the UPA within 30 days of completion of the test.
Violation Notes: Returned to compliance on 06/07/2022. OBSERVATION: Owner/operator failed to submit the cold start monitoring certification forms to this Department within 30 days of testing . Results for monitoring certification conducted on 7/15/2021 were not submitted to the Department. CORRECTIVE ACTION: Owner/operator shall ensure Cold Start monitoring certification results are submitted to the CUPA within 30 days of testing.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 99082
Site Name: UCR Shell
Violation Date: 08-25-2015
Citation: 19 CCR 4 2729.2(a)(3) - California Code of Regulations, Title 19, Chapter 4, Section(s) 2729.2(a)(3)
Violation Description: Failure to complete and/or submit an annotated site map if required by CUPA.
Violation Notes: Returned to compliance on 10/08/2015.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 99082
Site Name: UCR Shell
Violation Date: 03-25-2014
Citation: HSC 6.7 Multiple Sections - California Health and Safety Code, Chapter 6.7, Section(s) Multiple Sections
Violation Description: UST Program - Operations/Maintenance - General
Violation Notes: Returned to compliance on 03/20/2015.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 99082
Site Name: UCR Shell
Violation Date: 03-25-2014
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes: Returned to compliance on 03/20/2015.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 99082
Site Name: UCR Shell
Violation Date: 10-23-2014
Citation: 19 CCR 4 2729.2(a)(3) - California Code of Regulations, Title 19, Chapter 4, Section(s) 2729.2(a)(3)
Violation Description: Failure to complete and/or submit an annotated site map if required by CUPA.
Violation Notes: Returned to compliance on 11/25/2014.

SHELL (Continued) **U001576545**

Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 99082
Site Name: UCR Shell
Violation Date: 03-07-2019
Citation: HSC 6.7 25284, 25286 - California Health and Safety Code, Chapter 6.7, Section(s) 25284, 25286
Violation Description: Failure to submit a complete and accurate application for a permit to operate a UST, or for renewal of the permit.
Violation Notes: Returned to compliance on 04/05/2019.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 99082
Site Name: UCR Shell
Violation Date: 03-31-2020
Citation: 23 CCR 16 2716(e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2716(e)
Violation Description: For designated operator (DO) monthly inspections conducted before October 1, 2018, failure to comply with one or more of the following requirements: Be performed by an ICC certified DO. Inspect monthly alarm history report, check that alarms are documented and responded to appropriately, and attach a copy. Inspect for the presence of liquid/debris in spill containers. Inspect for the presence of liquid/debris in under dispenser containment (UDC) and ensure that the monitoring equipment is positioned correctly. Inspect for liquid or debris in containment sumps where an alarm occurred with no service visit. Check that all testing and maintenance has been completed and documented. Verify that all facility employees have been trained in accordance with 23 CCR 2715(c). For designated operator (DO) 30 day inspections conducted on and after October 1, 2018, failure to conduct the designated UST operator visual inspection at least once every 30 days.
Violation Notes: Returned to compliance on 06/23/2020.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 99082
Site Name: UCR Shell
Violation Date: 03-25-2014
Citation: 23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description: Failure to submit, obtain approval, or maintain a complete/accurate response plan.
Violation Notes: Returned to compliance on 03/20/2015.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 99082
Site Name: UCR Shell
Violation Date: 10-23-2014
Citation: HSC 6.95 25503.5(a) - California Health and Safety Code, Chapter 6.95,

SHELL (Continued) **U001576545**

	Section(s) 25503.5(a)
Violation Description:	Owner/Operator failed to establish and implement a Hazardous Materials Business Plan when storing hazardous materials at or above the thresholds quantities of 55 gallons/500 lbs/200 cubic feet.
Violation Notes:	Returned to compliance on 11/25/2014.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	99082
Site Name:	UCR Shell
Violation Date:	11-13-2018
Citation:	Un-Specified
Violation Description:	Business Plan Program - Administration/Documentation - General Local Ordinance
Violation Notes:	Returned to compliance on 12/13/2018. Current permit issued/posted. [RMC 9.48.030] - No current permit was posted Obtain current permit and post in a conspicuous location.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	99082
Site Name:	UCR Shell
Violation Date:	03-29-2021
Citation:	23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description:	Failure to have current UST Monitoring Plan available on site.
Violation Notes:	Returned to compliance on 03/29/2021. OBSERVATION: No UST Monitoring Plan available on site during inspection. The 87 main, 87 slave and 91 STP sump, 208 sensors did not shut down the turbine when tested. CERS reporting indicates that these locations will shut down. ction. CORRECTIVE ACTION: Owner/operator shall maintain a current UST Monitoring Plan on site that has been accepted in CERS and make available for review. A copy of all 3 tank monitoring plans were emailed to the Paul Vidakovich the Environmental Contact at the time of this inspection. UST binder shall be updated. The technician reprogrammed the Veeder Root for turbine shut down when the 208 sensor detects a leak to correlate with CERS reporting.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	99082
Site Name:	UCR Shell
Violation Date:	04-28-2016
Citation:	HSC 6.11 25404.1 - California Health and Safety Code, Chapter 6.11, Section(s) 25404.1
Violation Description:	Failure to obtain and/or maintain an active hazardous waste generator permit.
Violation Notes:	Returned to compliance on 06/03/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	99082
Site Name:	UCR Shell

SHELL (Continued) **U001576545**

Violation Date: 02-27-2017
Citation: 22 CCR 12 66262.12 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.12
Violation Description: Failure to obtain an Identification Number prior to treating, storing, disposing of, transporting or offering for transportation any hazardous waste.
Violation Notes: Returned to compliance on 06/06/2017.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 99082
Site Name: UCR Shell
Violation Date: 10-23-2014
Citation: HSC 6.95 25505(a)(4) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(a)(4)
Violation Description: Failure to provide initial and annual training to all employees in safety procedures in the event of a release or threatened release of a hazardous material or failure to document and maintain training records for a minimum of three years.
Violation Notes: Returned to compliance on 11/25/2014.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 99082
Site Name: UCR Shell
Violation Date: 10-23-2014
Citation: HSC 6.95 Multiple - California Health and Safety Code, Chapter 6.95, Section(s) Multiple
Violation Description: Business Plan Program - Release/Leaks/Spills - General
Violation Notes: Returned to compliance on 11/25/2014. Provide spill kit.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 99082
Site Name: UCR Shell
Violation Date: 05-11-2022
Citation: 23 CCR 16 2638(d) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2638(d)
Violation Description: Failure to submit the Monitoring System Certification Form to the UPA within 30 days of completion of the test.
Violation Notes: Returned to compliance on 06/07/2022. Owner/operator failed to submit the cold start monitoring certification forms to this Department within 30 days of testing. Results for monitoring certification conducted on 7/15/2021 were not submitted to the Department. Owner/operator shall ensure cold start monitoring certification results are submitted to the CUPA within 30 days of testing.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 99082
Site Name: UCR Shell
Violation Date: 10-23-2014
Citation: HSC 6.95 Multiple - California Health and Safety Code, Chapter 6.95,

SHELL (Continued) **U001576545**

	Section(s) Multiple
Violation Description:	Business Plan Program - Operations/Maintenance - General
Violation Notes:	Returned to compliance on 11/25/2014. Post signage on storage area.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	99082
Site Name:	UCR Shell
Violation Date:	10-23-2014
Citation:	HSC 6.95 Multiple - California Health and Safety Code, Chapter 6.95, Section(s) Multiple
Violation Description:	Business Plan Program - Operations/Maintenance - General
Violation Notes:	Returned to compliance on 11/25/2014. Post NFPA 704 signage
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	99082
Site Name:	UCR Shell
Violation Date:	10-23-2014
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to establish and electronically submit an adequate emergency response plan and procedures for a release or threatened release of a hazardous material.
Violation Notes:	Returned to compliance on 11/25/2014.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	99082
Site Name:	UCR Shell
Violation Date:	03-31-2020
Citation:	23 CCR 16 2712(b)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(2)
Violation Description:	Failure to maintain monitoring records for release detection and/or maintain records of appropriate follow-up actions.
Violation Notes:	Returned to compliance on 06/23/2020.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	99082
Site Name:	UCR Shell
Violation Date:	04-28-2016
Citation:	HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description:	Failure to obtain and maintain a valid operation permit from the CUPA.
Violation Notes:	Returned to compliance on 06/02/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	99082
Site Name:	UCR Shell
Violation Date:	03-15-2022

SHELL (Continued) **U001576545**

Citation:	23 CCR 16 2641(h) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(h)
Violation Description:	Failure to submit or maintain a current facility plot plan.
Violation Notes:	Returned to compliance on 04/13/2022. OBSERVATION: Observed site plot plan to be inaccurate and/or incomplete with missing required information. The plan failed to show the correct location of 91 Tank and the 87 Syphon Tank. CORRECTIVE ACTION: Owner/operator shall update the facility site plot plan making sure all required information is documented on the map and submit in CERS maintaining a copy on site and available for review.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	99082
Site Name:	UCR Shell
Violation Date:	03-31-2020
Citation:	HSC 6.7 25294 - California Health and Safety Code, Chapter 6.7, Section(s) 25294
Violation Description:	Failure to record any unauthorized release from the primary containment.
Violation Notes:	Returned to compliance on 06/04/2020.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	99082
Site Name:	UCR Shell
Violation Date:	03-17-2021
Citation:	HSC 6.95 25508(a)(3) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(3)
Violation Description:	Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes:	Returned to compliance on 04/28/2021. The chemical inventory has not been submitted accurately. Submit the chemical inventory in CERS. Include the changes of the following chemicals in CERS: add CO2 located in the rear of the business
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	99082
Site Name:	UCR Shell
Violation Date:	03-25-2014
Citation:	HSC 6.7 Multiple Sections - California Health and Safety Code, Chapter 6.7, Section(s) Multiple Sections
Violation Description:	UST Program - Administration/Documentation - General
Violation Notes:	Returned to compliance on 03/20/2015.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,

Evaluation:

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	02-26-2018
Violations Found:	No

SHELL (Continued) **U001576545**

Eval Type: Routine done by local agency
Eval Notes: UST CMD/inspection
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 02-27-2017
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: DARs, envision entry
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 03-01-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Conclude inspection/review and sign report
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-07-2016
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: UST CMD/inspection
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-29-2021
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: This facility is a gas station with a convenience store. They are a small quantity, hazardous waste generator of petroleum contaminated testing liquid, hoses, filters and absorbent material.
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 04-28-2021
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Reinspection - D. Young. All violations from 3/17/2021 routine inspection have been abated.
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 05-11-2022
Violations Found: Yes

SHELL (Continued) **U001576545**

Eval Type: Other, not routine, done by local agency
Eval Notes: Reinspection following original inspection on 3/15/22.
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 02-26-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: HW Generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 03-12-2020
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Cancelled - heavy rain
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-17-2021
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-29-2021
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Annual monitoring certification was performed by PCET, Erin Celiceo, ICC Technician #8035367, expires 12/8/22. Routine UST inspection performed by H. Barrios NOTE: L1 (1/2 UDC), L5 (7/8 UDC) 208's have been alarming "Sensor Out" several times this month and have been noted on previous DO reports. L10 (87 Slave, annualar) 301 has been giving a fuel alarm throughout this month and during this inspection. The 208's and 301 passed inspection today. Continue to monitor their activity and access and repair as necessary.
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 04-06-2021
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Reinspection - D. Young
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

SHELL (Continued) **U001576545**

Eval General Type: Other/Unknown
Eval Date: 05-07-2014
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: UST follow up
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 08-25-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-23-2014
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 02-27-2017
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-07-2016
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 03-09-2016
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Conclude inspection
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-13-2015
Violations Found: No

SHELL (Continued) **U001576545**

Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-13-2015
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: UST annual inspection
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-31-2020
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: CMD
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 04-05-2019
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: UST follow up to verify CERS information and UST records submitted as required (overfill protection device testing still pending. items 20, 36 will be verified once a passing overfill device test report is approved by this department)
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 04-28-2016
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: HW generator follow up
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 04-28-2016
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: UST follow up
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 02-28-2018
Violations Found: No

SHELL (Continued) **U001576545**

Eval Type: Other, not routine, done by local agency
Eval Notes: Conclude inspection/review and sign report
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-07-2019
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: UST CMD/Inspection
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-15-2022
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Monitoring certification today. PCET on site for testing, Please Note During the past year the facility has had multiple Sensor Out alarms on L5 7/8 UDC 208 sensor. The D.O, has stated that facility may be having potential wiring issues. If problem persist facility will need to further investigate the cause of the alarms.
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-25-2014
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: UST CMD/annual inspection
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-13-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Enforcement Action:
Site ID: 99082
Site Name: UCR Shell
Site Address: 3261 IOWA AVE
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 03-25-2014
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside County Department of Env Health

SHELL (Continued) **U001576545**

Enf Action Program: UST
Enf Action Source: CERS,

Site ID: 99082
Site Name: UCR Shell
Site Address: 3261 IOWA AVE
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 08-26-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Site ID: 99082
Site Name: UCR Shell
Site Address: 3261 IOWA AVE
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 10-23-2014
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside City Fire Department
Enf Action Program: UNSPEC
Enf Action Source: CERS,

Coordinates:
Site ID: 99082
Facility Name: UCR Shell
Env Int Type Code: HWG
Program ID: 10496332
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.,
Latitude: 33.983350
Longitude: -117.340270

Affiliation:
Affiliation Type Desc: Identification Signer
Entity Name: Paul Vidakovich
Entity Title: Consultant
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: Legal Owner
Entity Name: Eric Dransfield
Entity Title: Not reported
Affiliation Address: 3261 Iowa Avenue
Affiliation City: Riverside
Affiliation State: CA

SHELL (Continued) **U001576545**

Affiliation Country:	United States
Affiliation Zip:	92507
Affiliation Phone:	(951) 551-5750,
Affiliation Type Desc:	UST Tank Owner
Entity Name:	Eric Dransfield
Entity Title:	Not reported
Affiliation Address:	3261 Iowa Ave
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92507
Affiliation Phone:	951-551-575-,
Affiliation Type Desc:	CUPA District
Entity Name:	Riverside Cnty Env Health
Entity Title:	Not reported
Affiliation Address:	4065 County Circle Drive, Room 104
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92503
Affiliation Phone:	(951) 358-5055,
Affiliation Type Desc:	Document Preparer
Entity Name:	Paul Vidakovich
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,
Affiliation Type Desc:	Environmental Contact
Entity Name:	PAUL VIDAKOVICH-PCET INC
Entity Title:	Not reported
Affiliation Address:	3720 Oceanic Way #205
Affiliation City:	OCEANSIDE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92054
Affiliation Phone:	,
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	3261 Iowa Avenue
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92507
Affiliation Phone:	,
Affiliation Type Desc:	Parent Corporation
Entity Name:	UCR Shell
Entity Title:	Not reported

SHELL (Continued) **U001576545**

Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: UST Tank Operator
Entity Name: Eric Dransfield
Entity Title: Not reported
Affiliation Address: 3261 Iowa Ave
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 92507
Affiliation Phone: (951) 551-5750,

Affiliation Type Desc: Operator
Entity Name: Eric Dranfield
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (951) 551-5750,

Affiliation Type Desc: Property Owner
Entity Name: Getty Leasing Inc
Entity Title: Not reported
Affiliation Address: 125 Jericho Turnpike #103
Affiliation City: Jericho
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 11753
Affiliation Phone: (860) 428-4432,

Affiliation Type Desc: UST Property Owner Name
Entity Name: Getty Leasiing
Entity Title: Not reported
Affiliation Address: 125 Jericho Turnpike #103
Affiliation City: Jericho
Affiliation State: NY
Affiliation Country: United States
Affiliation Zip: 11753
Affiliation Phone: (860) 428-4432,

Name: SHELL BLAINE
Address: 3261 IOWA AVE
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 230715
CERS ID: T0606500371
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: SHARON BOLTINGHOUSE - RIVERSIDE COUNTY LOP

SHELL (Continued) **U001576545**

Entity Title: Not reported
Affiliation Address: 3880 LEMON ST SUITE 200
Affiliation City: RIVERSIDE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 9519558980,

Affiliation Type Desc: Regional Board Caseworker
Entity Name: MAILE SEEGER GEE - SANTA ANA RWQCB (REGION 8)
Entity Title: Not reported
Affiliation Address: 3737 MAIN STREET, SUITE 500
Affiliation City: RIVERSIDE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 9517824379,

Name: SHELL IOWA AVENUE
Address: 3261 IOWA AVE
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 198131
CERS ID: T0606575445
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: MAILE SEEGER GEE - SANTA ANA RWQCB (REGION 8)
Entity Title: Not reported
Affiliation Address: 3737 MAIN STREET, SUITE 500
Affiliation City: RIVERSIDE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 9517824379,

Affiliation Type Desc: Local Agency Caseworker
Entity Name: SHARON BOLTINGHOUSE - RIVERSIDE COUNTY LOP
Entity Title: Not reported
Affiliation Address: 3880 LEMON ST SUITE 200
Affiliation City: RIVERSIDE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 9519558980,

HWTS:
Name: UCR SHELL
Address: 3261 IOWA AVE
Address 2: Not reported
City,State,Zip: RIVERSIDE, CA 92507
EPA ID: CAL000407734
Inactive Date: Not reported
Create Date: 06/15/2015
Last Act Date: Not reported

SHELL (Continued) **U001576545**

Mailing Name:	Not reported
Mailing Address:	3261 IOWA AVE
Mailing Address 2:	Not reported
Mailing City,State,Zip:	RIVERSIDE, CA 92507
Owner Name:	PETRO CONSULTING SERVICES LLC
Owner Address:	3680 W COTTONWOOD
Owner Address 2:	Not reported
Owner City,State,Zip:	REXBURG, ID 83440
Contact Name:	ERIC DRANSFIELD
Contact Address:	3261 IOWA AVE
Contact Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 92507
Facility Status:	Active
Facility Type:	PERMANENT
Category:	STATE
Latitude:	33.983298
Longitude:	-117.340245

NAICS:

EPA ID:	CAL000407734
Create Date:	2015-06-15 16:09:12.500
NAICS Code:	44719
NAICS Description:	Other Gasoline Stations
Issued EPA ID Date:	2015-06-15 16:09:12.49700
Inactive Date:	Not reported
Facility Name:	UCR SHELL
Facility Address:	3261 IOWA AVE
Facility Address 2:	Not reported
Facility City:	RIVERSIDE
Facility County:	Not reported
Facility State:	CA
Facility Zip:	92507

AE155 **O'REILLY AUTO PARTS STORE 3072** **RCRA NonGen / NLR** **1024842367**
SSW **1691 UNIVERSITY AVE** **CAL000392775**
1/8-1/4 **RIVERSIDE, CA 92507**
0.247 mi.
1306 ft. **Site 1 of 2 in cluster AE**

Relative: **Lower**
Actual: **961 ft.**

RCRA Listings:

Date Form Received by Agency:	20140114
Handler Name:	O'REILLY AUTO PARTS STORE 3072
Handler Address:	1691 UNIVERSITY AVE
Handler City,State,Zip:	RIVERSIDE, CA 92507
EPA ID:	CAL000392775
Contact Name:	JOHN BOUNDS
Contact Address:	233 S. PATTERSON AVE.
Contact City,State,Zip:	SPRINGFIELD, MO 65802
Contact Telephone:	417-520-4589
Contact Fax:	417-874-7102
Contact Email:	JBOUNDS2@OREILLYAUTO.COM
Contact Title:	Not reported
EPA Region:	09
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported

O'REILLY AUTO PARTS STORE 3072 (Continued) **1024842367**

Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		233 S PATTERSON
Mailing City,State,Zip:		SPRINGFIELD, MO 65802-0000
Owner Name:	O'REILLY AUTO PARTS	
Owner Type:		Other
Operator Name:	JOHN BOUNDS	
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		Yes
Universal Waste Destination Facility:		Yes
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported
Permit Workload Universe:		Not reported
Permit Progress Universe:		Not reported
Post-Closure Workload Universe:		Not reported
Closure Workload Universe:		Not reported
202 GPRA Corrective Action Baseline:		No
Corrective Action Workload Universe:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:		No
TSDFs Only Subject to CA under Discretionary Auth Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Operating TSDF Universe:		Not reported
Full Enforcement Universe:		Not reported
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:	Not reported	

O'REILLY AUTO PARTS STORE 3072 (Continued) **1024842367**

Handler Date of Last Change:	20180906
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: JOHN BOUNDS	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	233 S. PATTERSON AVE.
Owner/Operator City,State,Zip:	SPRINGFIELD, MO 65802
Owner/Operator Telephone:	417-520-4589
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: O'REILLY AUTO PARTS	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	233 S PATTERSON
Owner/Operator City,State,Zip:	SPRINGFIELD, MO 65802-0000
Owner/Operator Telephone:	417-862-3333
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20140114
Handler Name:	O'REILLY AUTO PARTS STORE 3072
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	44131
NAICS Description:	AUTOMOTIVE PARTS AND ACCESSORIES STORES

Facility Has Received Notices of Violations:

Violations:	No Violations Found

O'REILLY AUTO PARTS STORE 3072 (Continued) **1024842367**

Evaluation Action Summary:
Evaluations: No Evaluations Found

AE156 **O'REILLY AUTO PARTS #3072** **CERS HAZ WASTE** **S113098384**
SSW **1691 UNIVERSITY AVE** **CERS** **N/A**
1/8-1/4 **RIVERSIDE, CA 92507**
0.247 mi.
1306 ft. **Site 2 of 2 in cluster AE**

Relative:
Lower

Actual:
961 ft.

CERS HAZ WASTE:
Name: O'REILLY AUTO PARTS #3072
Address: 1691 UNIVERSITY AVE
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 53101
CERS ID: 10326649
CERS Description: Hazardous Waste Generator

CERS:
Name: O'REILLY AUTO PARTS #3072
Address: 1691 UNIVERSITY AVE
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 53101
CERS ID: 10326649
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 53101
Site Name: O'Reilly Auto Parts #3072
Violation Date: 08-25-2015
Citation: 40 CFR 1 265.171 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.171
Violation Description: Failure to accumulate hazardous waste in a container that is in good condition.
Violation Notes: Returned to compliance on 10/02/2015.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 53101
Site Name: O'Reilly Auto Parts #3072
Violation Date: 11-15-2016
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes: Returned to compliance on 11/28/2016.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 53101
Site Name: O'Reilly Auto Parts #3072
Violation Date: 08-25-2015
Citation: 40 CFR 1 265.31 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.31

O'REILLY AUTO PARTS #3072 (Continued) **S113098384**

Violation Description: Failure to maintain and operate the facility to minimize the possibility of a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to the air, soil, or surface water which could threaten human health or the environment..
Violation Notes: Returned to compliance on 10/02/2015.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 53101
Site Name: O'Reilly Auto Parts #3072
Violation Date: 08-25-2015
Citation: 40 CFR 1 265.174 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.174
Violation Description: Failure to inspect hazardous waste storage areas at least weekly.
Violation Notes: Returned to compliance on 10/02/2015.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 53101
Site Name: O'Reilly Auto Parts #3072
Violation Date: 08-25-2015
Citation: 40 CFR 1 265.173 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.173
Violation Description: Failure to properly close hazardous waste containers when not in active use.
Violation Notes: Returned to compliance on 10/02/2015.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-23-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 10-02-2015
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Haz Waste generator follow up
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 11-15-2016
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported

O'REILLY AUTO PARTS #3072 (Continued) **S113098384**

Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-19-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-02-2020
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 08-25-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-17-2021
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: This facility as an automotive parts supplier and used oil recycling center, that is a small quantity, hazardous waste generator of used oil, filters and absorbent. Heidi Barrios conducted a routine hazardous waste inspection.
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Enforcement Action:
Site ID: 53101
Site Name: O'Reilly Auto Parts #3072
Site Address: 1691 UNIVERSITY AVE
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 08-25-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside County Department of Env Health
Enf Action Program: HW
Enf Action Source: CERS,

O'REILLY AUTO PARTS #3072 (Continued) **S113098384**

Site ID:	53101
Site Name:	O'Reilly Auto Parts #3072
Site Address:	1691 UNIVERSITY AVE
Site City:	RIVERSIDE
Site Zip:	92507
Enf Action Date:	11-15-2016
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Fines/Penalties Assessed: $100.00. Administrative Citation.
Enf Action Division:	Riverside City Fire Department
Enf Action Program:	HMRRP
Enf Action Source:	CERS,

Coordinates:

Site ID:	53101
Facility Name:	O'Reilly Auto Parts #3072
Env Int Type Code:	HWG
Program ID:	10326649
Coord Name:	Not reported
Ref Point Type Desc:	Center of a facility or station.,
Latitude:	33.976080
Longitude:	-117.348030

Affiliation:

Affiliation Type Desc:	CUPA District
Entity Name:	Riverside Cnty Env Health
Entity Title:	Not reported
Affiliation Address:	4065 County Circle Drive, Room 104
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92503
Affiliation Phone:	(951) 358-5055,

Affiliation Type Desc:	Environmental Contact
Entity Name:	Verisk 3E, Regulatory Department/O'Reilly Auto Parts
Entity Title:	Not reported
Affiliation Address:	3207 Grey Hawk Court, Suite 200
Affiliation City:	Carlsbad
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92010
Affiliation Phone:	,

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	Verisk 3E, Reg Dept./O'Reilly Auto Parts, 3207 Grey Hawk Ct, Ste 200
Affiliation City:	Carlsbad
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92010
Affiliation Phone:	,

Affiliation Type Desc:	Operator
Entity Name:	O'Reilly Auto Enterprises, L.L.C.

O'REILLY AUTO PARTS #3072 (Continued) **S113098384**

Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(417) 862-3333,
Affiliation Type Desc:	Document Preparer
Entity Name:	Jim Zhao, Agent for O Reilly Auto Enterprises, L.L.C.
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,
Affiliation Type Desc:	Legal Owner
Entity Name:	O'Reilly Auto Enterprises, L.L.C.
Entity Title:	Not reported
Affiliation Address:	702 E. Bethany Home Road
Affiliation City:	Phoenix
Affiliation State:	AZ
Affiliation Country:	United States
Affiliation Zip:	85014
Affiliation Phone:	(417) 862-3333,
Affiliation Type Desc:	Identification Signer
Entity Name:	Jim Zhao, Agent for O Reilly Auto Enterprises, L.L.C.
Entity Title:	Regulatory Compliance Specialist, Verisk 3E
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,
Affiliation Type Desc:	Parent Corporation
Entity Name:	O'Reilly Auto Parts
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,

157
SSE
1/8-1/4
0.248 mi.
1310 ft.

BAILEY CALIFORNIA PROPERTIES LLC
1393 UNIVERSITY AVE
RIVERSIDE, CA 92507

RCRA NonGen / NLR

1026812214
CAC003124720

Relative:
Higher

Actual:
988 ft.

RCRA Listings:

Date Form Received by Agency:	20210615
Handler Name:	BAILEY CALIFORNIA PROPERTIES LLC
Handler Address:	1393 UNIVERSITY AVE
Handler City,State,Zip:	RIVERSIDE, CA 92507
EPA ID:	CAC003124720
Contact Name:	BAILEY CALIFORNIA PROPERTIES LLC
Contact Address:	7220 BRANDON COURT
Contact City,State,Zip:	RIVERSIDE, CA 92506
Contact Telephone:	951-684-8500
Contact Fax:	Not reported
Contact Email:	ALYSSA@TEAMSEI.COM
Contact Title:	Not reported
EPA Region:	09
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	7220 BRANDON COURT
Mailing City,State,Zip:	RIVERSIDE, CA 92506
Owner Name:	BAILEY CALIFORNIA PROPERTIES LLC
Owner Type:	Other
Operator Name:	BAILEY CALIFORNIA PROPERTIES LLC
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported

BAILEY CALIFORNIA PROPERTIES LLC (Continued) **1026812214**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20210618
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: BAILEY CALIFORNIA PROPERTIES LLC	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	7220 BRANDON COURT
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92506
Owner/Operator Telephone:	951-684-8500
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: BAILEY CALIFORNIA PROPERTIES LLC	
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	7220 BRANDON COURT
Owner/Operator City,State,Zip:	RIVERSIDE, CA 92506
Owner/Operator Telephone:	951-684-4850
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

BAILEY CALIFORNIA PROPERTIES LLC (Continued) **1026812214**

Historic Generators:
Receive Date: 20210615
Handler Name: BAILEY CALIFORNIA PROPERTIES LLC
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

List of NAICS Codes and Descriptions:
NAICS Code: 722514
NAICS Description: CAFETERIAS, GRILL BUFFETS, AND BUFFETS

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

158
ESE
1/4-1/2
0.261 mi.
1376 ft.

GROVE 186 **LUST** **S110654903**
COLE ST **N/A**
RIVERSIDE, CA 92507

Relative:
Higher

Actual:
986 ft.

LUST:
Name: GROVE 186
Address: COLE ST
City,State,Zip: RIVERSIDE, CA 92507
Lead Agency: RIVERSIDE COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0606500130
Global Id: T0606500130
Latitude: 33.9793165
Longitude: -117.339662
Status: Completed - Case Closed
Status Date: 12/11/1989
Case Worker: RIV
RB Case Number: 083301228T
Local Agency: RIVERSIDE COUNTY LOP
File Location: Not reported
Local Case Number: Not reported
Potential Media Affect: Soil
Potential Contaminants of Concern: Diesel
Site History: Not reported

LUST:
Global Id: T0606500130
Contact Type: Regional Board Caseworker
Contact Name: PATRICIA HANNON

GROVE 186 (Continued) **S110654903**

Organization Name: SANTA ANA RWQCB (REGION 8)
Address: 3737 MAIN STREET, SUITE 500
City: RIVERSIDE
Email: patricia.hannon@waterboards.ca.gov
Phone Number: Not reported

Global Id: T0606500130
Contact Type: Local Agency Caseworker
Contact Name: Riverside County LOP
Organization Name: RIVERSIDE COUNTY LOP
Address: 3880 LEMON ST SUITE 200
City: RIVERSIDE
Email: Not reported
Phone Number: 9519558980

LUST:
Global Id: T0606500130
Action Type: Other
Date: 08/10/1988
Action: Leak Reported

Global Id: T0606500130
Action Type: Other
Date: 08/05/1988
Action: Leak Stopped

Global Id: T0606500130
Action Type: ENFORCEMENT
Date: 12/11/1989
Action: Closure/No Further Action Letter

Global Id: T0606500130
Action Type: Other
Date: 08/05/1988
Action: Leak Discovery

LUST:
Global Id: T0606500130
Status: Open - Case Begin Date
Status Date: 08/05/1988

Global Id: T0606500130
Status: Open - Site Assessment
Status Date: 07/21/1989

Global Id: T0606500130
Status: Completed - Case Closed
Status Date: 12/11/1989

AF159 **UNOCAL #3779** **CPS-SLIC** **S102440279**
South **1490 UNIVERSITY AVE** **N/A**
1/4-1/2 **RIVERSIDE, CA 92507**
0.287 mi.
1515 ft. **Site 1 of 2 in cluster AF**

Relative: **Higher**

Actual: **982 ft.**

CPS-SLIC:

Name:	UNOCAL #3779
Address:	1490 UNIVERSITY AVE
City,State,Zip:	RIVERSIDE, CA 92507
Region:	STATE
Facility Status:	**Completed - Case Closed**
Status Date:	05/20/1993
Global Id:	T0606500397
Lead Agency:	RIVERSIDE COUNTY
Lead Agency Case Number:	Not reported
Latitude:	33.9754575
Longitude:	-117.3439821
Case Type:	Cleanup Program Site
Case Worker:	BER
Local Agency:	RIVERSIDE COUNTY
RB Case Number:	083302540T
File Location:	Not reported
Potential Media Affected:	Soil
Potential Contaminants of Concern:	Not reported
Site History:	Not reported

Click here to access the California GeoTracker records for this facility:

AF160 **UNOCAL #3779** **LUST** **S103943694**
South **1490 UNIVERSITY AVE** **CERS** **N/A**
1/4-1/2 **RIVERSIDE, CA 92507**
0.287 mi.
1515 ft. **Site 2 of 2 in cluster AF**

Relative: **Higher**

Actual: **982 ft.**

LUST REG 8:

Name:	UNOCAL #3779
Address:	1490 UNIVERSITY AVE
City:	RIVERSIDE
Region:	8
County:	Riverside
Regional Board:	Santa Ana Region
Facility Status:	Preliminary site assessment workplan submitted
Case Number:	083302540T
Local Case Num:	Not reported
Case Type:	Soil only
Substance:	Unleaded Gasoline
Qty Leaked:	Not reported
Abate Method:	Not reported
Cross Street:	CRANFORD
Enf Type:	Not reported
Funding:	Not reported
How Discovered:	OM
How Stopped:	Not reported
Leak Cause:	UNK
Leak Source:	UNK
Global ID:	T0606500397
How Stopped Date:	6/22/1994
Enter Date:	12/13/1994
Date Confirmation of Leak Began:	Not reported

UNOCAL #3779 (Continued) **S103943694**

Date Preliminary Assessment Began:	Not reported
Discover Date:	6/20/1994
Enforcement Date:	Not reported
Close Date:	Not reported
Date Prelim Assessment Workplan Submitted:	1/1/1965
Date Pollution Characterization Began:	Not reported
Date Remediation Plan Submitted:	Not reported
Date Remedial Action Underway:	Not reported
Date Post Remedial Action Monitoring:	Not reported
Enter Date:	12/13/1994
GW Qualifies:	Not reported
Soil Qualifies:	Not reported
Operator:	Not reported
Facility Contact:	Not reported
Interim:	Not reported
Oversite Program:	LUST
Latitude:	33.9754575
Longitude:	-117.3439821
MTBE Date:	Not reported
Max MTBE GW:	Not reported
MTBE Concentration:	0
Max MTBE Soil:	Not reported
MTBE Fuel:	1
MTBE Tested:	Site NOT Tested for MTBE.Includes Unknown and Not Analyzed.
MTBE Class:	*
Staff:	NOM
Staff Initials:	UNK
Lead Agency:	Local Agency
Local Agency:	33000L
Hydr Basin #:	UPPER SANTA ANA VALL
Beneficial:	Not reported
Priority:	Not reported
Cleanup Fund Id:	Not reported
Work Suspended:	Not reported

Summary: Not reported

CERS:

Name:	UNOCAL #3779
Address:	1490 UNIVERSITY AVE
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	185665
CERS ID:	T0606500397
CERS Description:	Cleanup Program Site

Affiliation:

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	BERNIE SCHLEICHER - RIVERSIDE COUNTY
Entity Title:	Not reported
Affiliation Address:	2275 S. Main St #204
Affiliation City:	Corona
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,

161
NW
1/4-1/2
0.349 mi.
1841 ft.

ALL WOODS LAMINATING & MILLING INC.
1850 MASS AVE. BLDG 'C'
RIVERSIDE, CA 92507

SEMS-ARCHIVE

1003879569
CAD983594185

Relative:
Lower

Actual:
909 ft.

SEMS Archive:

Site ID:	0904049
EPA ID:	CAD983594185
Name:	ALL WOODS LAMINATING & MILLING INC.
Address:	1850 MASS AVE. BLDG 'C'
Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 92507
Cong District:	36
FIPS Code:	06065
FF:	N
NPL:	Not on the NPL
Non NPL Status:	NFRAP-Site does not qualify for the NPL based on existing information

SEMS Archive Detail:

Region:	09
Site ID:	0904049
EPA ID:	CAD983594185
Site Name:	ALL WOODS LAMINATING & MILLING INC.
NPL:	N
FF:	N
OU:	00
Action Code:	VS
Action Name:	ARCH SITE
SEQ:	1
Start Date:	Not reported
Finish Date:	1993-12-02 05:00:00
Qual:	Not reported
Current Action Lead:	EPA Perf In-Hse

Region:	09
Site ID:	0904049
EPA ID:	CAD983594185
Site Name:	ALL WOODS LAMINATING & MILLING INC.
NPL:	N
FF:	N
OU:	00
Action Code:	DS
Action Name:	DISCVRY
SEQ:	1
Start Date:	1991-08-16 04:00:00
Finish Date:	1991-08-16 04:00:00
Qual:	Not reported
Current Action Lead:	EPA Perf

Region:	09
Site ID:	0904049
EPA ID:	CAD983594185
Site Name:	ALL WOODS LAMINATING & MILLING INC.
NPL:	N
FF:	N
OU:	00
Action Code:	PA
Action Name:	PA
SEQ:	1

ALL WOODS LAMINATING & MILLING INC. (Continued) **1003879569**

Start Date:	Not reported
Finish Date:	1993-12-02 05:00:00
Qual:	N
Current Action Lead:	EPA Perf

162
WNW
1/4-1/2
0.360 mi.
1899 ft.

LUXFER USA LIMITED
1995 THIRD STREET
RIVERSIDE, CA 92507

CPS-SLIC **S106487195**
HIST UST **N/A**
CERS

Relative:
Lower

Actual:
915 ft.

CPS-SLIC:

Name:	LUXFER GAS CYLINDERS
Address:	1995 THIRD STREET
City,State,Zip:	RIVERSIDE, CA 92507
Region:	STATE
Facility Status:	**Completed - Case Closed**
Status Date:	08/09/2011
Global Id:	SL0606583253
Lead Agency:	SANTA ANA RWQCB (REGION 8)
Lead Agency Case Number:	Not reported
Latitude:	33.984669
Longitude:	-117.353859
Case Type:	Cleanup Program Site
Case Worker:	PAH
Local Agency:	Not reported
RB Case Number:	LGC_RIV
File Location:	Regional Board
Potential Media Affected:	Aquifer used for drinking water supply, Soil
Potential Contaminants of Concern:	Other Chlorinated Hydrocarbons, Tetrachloroethylene (PCE), Trichloroethylene (TCE), Lead, Other Metal, Diesel, Gasoline, Waste Oil / Motor / Hydraulic / Lubricating
Site History:	Primary UST Area - On September 17, 2002, a UST was discovered at the Luxfer facility during installation of a new sewer line. The UST was located in an asphalt paved area between Buildings 2 and 3. The 2,OOO-gallon UST was six feet in diameter, 24 feet in length, and was buried approximately three feet below ground surface (bgs). A single pipe was connected to the UST on the east side of the tank. It was cut off approximately three feet from the entrance bay of Building 3. A sample of tank sludge and a side wall soil sample were collected. Analytical results indicated: metals (2% lead), total petroleum hydrocarbons (TPH) diesel (d), motor oil (mo), and extractable range organics, and fuel related and chlorinated volatile organic compounds (VOCs). In October 2002, a single angle-boring was drilled beneath the partially exposed UST. Soil samples were collected from the borehole at ten-foot intervals, to a depth of 25 feet below ground surface (bgs). On November 2,2002, the UST was removed and transported off site for disposal. Three soil samples were collected from two locations beneath the former position of the tank. The samples were analyzed for metals, petroleum hydrocarbons, and chlorinated VOCs. Contaminants of Potential Concern (COPCs) were determined for the site, following the U.S. EPA's risk assessment guidance (2001). Thirty-three COPCs were detected in the soil. From 2003 through 2004, initial site characterization consisted of two phases of soil borings and the installation of 3 groundwater monitoring wells (MW1 -MW3). Following the first phase of 5 borings, 6 additional borings were installed using the membraneinterface probe

LUXFER USA LIMITED (Continued) **S106487195**

and direct-push soil boring method. An evaluation of background soil metal concentrations and regional groundwater conditions was also conducted. It was found that, with the exception of a single lead concentration, none of the metals concentrations detected at the site had exceeded the U.S. EPA Region IX Preliminary Remediation Goals (PRGs) for residential soils. During June and July of 2005, five groundwater monitoring wells (MW4 -MW8) were installed to further evaluate the groundwater flow direction and define the extent of contaminants in the groundwater at the site. Thirteen groundwater monitoring wells were installed at the site in three phases, between 2004 and 2006. The depth to groundwater is approximately 136 feet bgs. The maximum detected VOC concentrations were detected as follows: 2,700 microgramslliter (~g/L) TCE & 220 ~g/L PCE in MW-6; and 520 ~g/L TCE &52 ~g/L PCE in MW12. The report identifies that the chemical signature of these two monitoring wells, as well as MW8, is different than that of the other ten monitoring wells. In July 2008, Luxfer submitted the "Remedial Action Plan (RAP) Addendum and Work Plan for Soil Excavation". Board staff approved the RAP and work plan on August 27,2008. The work plan proposed 22 direct-push borings to maximum depths of 36 to 39 feet bgs. From late March through April 2008, the pre-excavation characterization was conducted. COPC concentrations ranged up to 3,965 mg/kg VOCs and 16,000 mg/kg TPH. Levels of contamination progressively decreased in samples taken farther away from the former UST, and generally did not extend beyond 20 feet bgs, with the exception of four locations. In January 2008, a Remedial Action Plan was submitted, proposing to excavate soil within the Primary UST Area, to remove the threat that the COPCs may pose to human health and groundwater quality. The target cleanup levels proposed for soil were: total VOCs -1 mg/kg; TPH as gasoline -100 mg/kg; TPH as diesel-100 mg/kg; and TPH as waste oil 1,000 mg/kg. A pre-excavation work phase was proposed, to delineate the area of impacted soil where concentrations of the COPCs were above the target cleanup levels, and to assess the amount of excavated soil that would require off-site disposal. Between September 2 and September 16, 2008, soil excavation of the primary source area was completed, utilizing large-diameter borings and the pre-excavation characterization analytical data. A total of 64 large-diameter borings were advanced to a maximum depth of 30 feet bgs in stages of 5-foot, 4-foot, 3-foot and 2-foot borings. The borings were backfilled with cement/sand slurry. A total of 1,747 tons of impacted soil were removed and transported to Thermal Remediation Solutions in Azusa, California, for treatment and disposal. The pre-excavation confirmation sampling results verified that the target soil cleanup levels had been achieved at the Luxfer site with the removal of the COPC-impacted soils. The maximum concentrations of COPCs remaining in soil at the site, from 30 feet bgs to the water table at 140 to 150 feet bgs, ranged from 0.3 mg/kg TCE at 39 feet bgs to non-detected for chlorinated VOCs and TPH. Metals were not considered to be at COPCs at a depth of 30 feet bgs or greater. No Further Action (NFA) for Soil The Executive Officer of the Board issued a NFA determination for the soil contamination at the Site on June 25, 2009. Two groundwater monitoring events (August 2009 and February 2010) were completed after the removal of the contaminated soil near the primary UST. In August 2009, the detectable concentrations of PCE in groundwater ranged from 4.4 to 170 a%g/L and TCE ranged from 14 to 2,200 a%g/L. In February 2010, the detectable concentrations of PCE in groundwater ranged from 3.7 to 180 a%g/L and TCE ranged from 10 to

LUXFER USA LIMITED (Continued) **S106487195**

2,200 a%g/L. As in previous sampling events, the highest TCE and PCE concentrations were found in samples from MW6. No Further Action for groundwater was issued August 9, 2011, with the request that the groundwater monitoring wells remain in place for at least one year from the date of the NFA letter, so that wells may be available for future monitoring if a responsible party for the VOC plume migrating on to the Site is identified.

Click here to access the California GeoTracker records for this facility:

HIST UST:

Name:	LUXFER USA LIMITED
Address:	1995 THIRD STREET
City,State,Zip:	RIVERSIDE, CA 92507
File Number:	0001F7C3
URL:	http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0001F7C3.pdf
Region:	Not reported
Facility ID:	Not reported
Facility Type:	Not reported
Other Type:	Not reported
Contact Name:	Not reported
Telephone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Total Tanks:	Not reported
Tank Num:	Not reported
Container Num:	Not reported
Year Installed:	Not reported
Tank Capacity:	Not reported
Tank Used for:	Not reported
Type of Fuel:	Not reported
Container Construction Thickness:	Not reported
Leak Detection:	Not reported

Click here for Geo Tracker PDF:

CERS:

Name:	LUXFER GAS CYLINDERS
Address:	1995 THIRD STREET
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	251942
CERS ID:	SL0606583253
CERS Description:	Cleanup Program Site

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	PATRICIA HANNON - SANTA ANA RWQCB (REGION 8)
Entity Title:	Not reported
Affiliation Address:	3737 MAIN STREET, SUITE 500
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,

163
SSW
1/4-1/2
0.375 mi.
1979 ft.

YTK CHICAGO PLAZA LLC
3900 CHICAGO AVE
RIVERSIDE, CA 92507

SWRCY
CERS HAZ WASTE
HAZNET
CERS
HWTS

S113171690
N/A

Relative:
Higher

Actual:
969 ft.

SWRCY:

Name:	EVERYDAY RECYCLING
Address:	3900 CHICAGO AVE
City,State,Zip:	RIVERSIDE, CA 92507
Reg Id:	Not reported
Cert Id:	RC297191.001
Mailing Address:	125 S Ashton Dr
Mailing City:	Covina
Mailing State:	CA
Mailing Zip Code:	91724
Website:	Not reported
Email:	Not reported
Phone Number:	(626) 290-0895
Rural:	N
Operation Begin Date:	03/18/2020
Aluminium:	Not reported
Glass:	Not reported
Plastic:	Not reported
Bimetal:	Not reported
Hours of Operation:	Mon - Fri 9:00 am - 5:00 pm, Closed 12:00-12:30; Sat - Sun 9:00 am - 4:00 pm, Closed 12:00-12:30
Organization ID:	Not reported
Organization Name:	Everyday Recycling

CERS HAZ WASTE:

Name:	FOOD 4 LESS #329
Address:	3900 CHICAGO AVENUE
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	117142
CERS ID:	10160445
CERS Description:	Hazardous Waste Generator

HAZNET:

Name:	YTK CHICAGO PLAZA LLC
Address:	3900 CHICAGO AVE
Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 92507
Contact:	PEGGY STEPE
Telephone:	0000000000
Mailing Name:	Not reported
Mailing Address:	3281 E GUASTI RD
Year:	2011
Gepaid:	CAP000200092
TSD EPA ID:	NVT330010000
CA Waste Code:	181 - Other inorganic solid waste
Disposal Method:	H132 - Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Tons:	12.642
Year:	2011
Gepaid:	CAP000200092

YTK CHICAGO PLAZA LLC (Continued) **S113171690**

TSD EPA ID: CAD008364432
CA Waste Code: 725 - Liquids with mercury >= 20 Mg./L
Disposal Method: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 0.01

Year: 2011
Gepaid: CAP000200092
TSD EPA ID: NVT330010000
CA Waste Code: 135 - Unspecified aqueous solution
Disposal Method: H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Tons: 0.15

Additional Info:
Year: 2011
Gen EPA ID: CAP000200092

Shipment Date: 20111224
Creation Date: 4/26/2012 20:30:19
Receipt Date: 20111228
Manifest ID: 004767491FLE
Trans EPA ID: CAR000177576
Trans Name: DOUBLE BARREL ENVIRONMENTAL SERVICES
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
TSDF EPA ID: NVT330010000
Trans Name: US ECOLOGY NEVADA INC
TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported
Waste Code Description: 135 - Unspecified aqueous solution
RCRA Code: Not reported
Meth Code: H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons: 0.15
Waste Quantity: 300
Quantity Unit: P
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

Shipment Date: 20111223
Creation Date: 4/26/2012 20:30:19
Receipt Date: 20111230
Manifest ID: 004767489FLE
Trans EPA ID: CAR000177576
Trans Name: DOUBLE BARREL ENVIRONMENTAL SERVICES
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
TSDF EPA ID: NVT330010000
Trans Name: US ECOLOGY NEVADA INC
TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported
Waste Code Description: 181 - Other inorganic solid waste Organics

YTK CHICAGO PLAZA LLC (Continued) **S113171690**

RCRA Code:	D009
Meth Code:	H132 - Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Quantity Tons:	12.642
Waste Quantity:	15
Quantity Unit:	Y
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20111223
Creation Date:	3/16/2012 20:30:47
Receipt Date:	20120103
Manifest ID:	004767490FLE
Trans EPA ID:	CAR000177576
Trans Name:	DOUBLE BARREL ENVIRONMENTAL SERVICES
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES OF POMONA CA
TSDF EPA ID:	CAD008364432
Trans Name:	RHO-CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	725 - Liquids with mercury > 20 mg/l
RCRA Code:	D009
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.01
Waste Quantity:	20
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CERS:

Name:	FOOD 4 LESS #329
Address:	3900 CHICAGO AVENUE
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	117142
CERS ID:	10160445
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	117142
Site Name:	Food 4 Less #329
Violation Date:	12-02-2014
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes:	Returned to compliance on 01/07/2015.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP

YTK CHICAGO PLAZA LLC (Continued) **S113171690**

Violation Source: CERS,

Site ID: 117142
Site Name: Food 4 Less #329
Violation Date: 03-17-2017
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes: Returned to compliance on 03/21/2017. Remove element, Propane no longer on site and add new lead acid battery charging station
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 117142
Site Name: Food 4 Less #329
Violation Date: 03-17-2017
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes: Returned to compliance on 03/21/2017.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 12-02-2014
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 02-03-2016
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-17-2017
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-21-2017

YTK CHICAGO PLAZA LLC (Continued) **S113171690**

Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-29-2020
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 08-07-2019
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Retail Supermarket which generates various retail hazardous waste.
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 12-11-2013
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Conclude HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 12-04-2013
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Haz waste generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Affiliation:
Affiliation Type Desc: CUPA District
Entity Name: Riverside Cnty Env Health
Entity Title: Not reported
Affiliation Address: 4065 County Circle Drive, Room 104
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92503
Affiliation Phone: (951) 358-5055,

Affiliation Type Desc: Identification Signer
Entity Name: Edward Idian
Entity Title: Env Affairs Specialist

YTK CHICAGO PLAZA LLC (Continued) **S113171690**

Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,
Affiliation Type Desc:	Legal Owner
Entity Name:	Ralphs Grocery Company
Entity Title:	Not reported
Affiliation Address:	P.O. Box 54143
Affiliation City:	Los Angeles
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	90054-0143
Affiliation Phone:	(310) 884-9000,
Affiliation Type Desc:	Parent Corporation
Entity Name:	Ralphs Grocery Company
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,
Affiliation Type Desc:	Property Owner
Entity Name:	YTK Chicago Plaza LLC
Entity Title:	Not reported
Affiliation Address:	23701 Sunnymead Blvd., Su
Affiliation City:	Moreno Valley
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92553
Affiliation Phone:	(949) 608-2052,
Affiliation Type Desc:	Document Preparer
Entity Name:	Ralphs Grocery Company
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,
Affiliation Type Desc:	Environmental Contact
Entity Name:	Edward Idian
Entity Title:	Not reported
Affiliation Address:	P.O. Box 54143
Affiliation City:	Los Angeles
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90054-0143
Affiliation Phone:	,

YTK CHICAGO PLAZA LLC (Continued) **S113171690**

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	P.O. Box 54143
Affiliation City:	Los Angeles
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90054-0143
Affiliation Phone:	,

Affiliation Type Desc:	Operator
Entity Name:	Ralphs Grocery Company
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(310) 884-9000,

HWTS:

Name:	YTK CHICAGO PLAZA LLC
Address:	3900 CHICAGO AVE
Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 92507
EPA ID:	CAP000200092
Inactive Date:	09/23/2012
Create Date:	03/26/2012
Last Act Date:	Not reported
Mailing Name:	Not reported
Mailing Address:	3281 E GUASTI RD
Mailing Address 2:	Not reported
Mailing City,State,Zip:	ONTARIO, CA 917617622
Owner Name:	YTK CHICAGO PLAZA LLC
Owner Address:	3281 E GUASTI RD
Owner Address 2:	Not reported
Owner City,State,Zip:	ONTARIO, CA 917617622
Contact Name:	PEGGY STEPE
Contact Address:	3281 E GUASTI RD
Contact Address 2:	Not reported
City,State,Zip:	ONTARIO, CA 917617622
Facility Status:	Inactive
Facility Type:	PERMANENT
Category:	FEDERAL
Latitude:	33.97406
Longitude:	-117.3473

NAICS:

EPA ID:	CAP000200092
Create Date:	2012-03-26 12:56:21.310
NAICS Code:	99999
NAICS Description:	Not Otherwise Specified
Issued EPA ID Date:	2012-03-26 12:56:21.31000
Inactive Date:	2012-09-23 12:56:21.29000
Facility Name:	YTK CHICAGO PLAZA LLC
Facility Address:	3900 CHICAGO AVE

YTK CHICAGO PLAZA LLC (Continued) **S113171690**

Facility Address 2:	Not reported
Facility City:	RIVERSIDE
Facility County:	Not reported
Facility State:	CA
Facility Zip:	92507

AG164 **DEVOE MARINE COATING COMPANY** **LUST** **1000332285**
NW **2625 DURAHART ST** **HIST UST** **N/A**
1/4-1/2 **RIVERSIDE, CA 92507** **Cortese**
0.384 mi. **NPDES**
2030 ft. **Site 1 of 4 in cluster AG** **CIWQS**

Relative:
Lower

Actual:
915 ft.

LUST REG 8:

Name:	DEVOE MARINE COATING COMPANY
Address:	2625 DURAHART ST
City:	RIVERSIDE
Region:	8
County:	Riverside
Regional Board:	Santa Ana Region
Facility Status:	Case Closed
Case Number:	083300500T
Local Case Num:	Not reported
Case Type:	Aquifer affected
Substance:	Chlorinated Hydrocarbons
Qty Leaked:	Not reported
Abate Method:	VEGTFP
Cross Street:	MASSACHUSETTS
Enf Type:	None Taken
Funding:	Not reported
How Discovered:	Not reported
How Stopped:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Global ID:	T0606500056
How Stopped Date:	Not reported
Enter Date:	7/20/1987
Date Confirmation of Leak Began:	Not reported
Date Preliminary Assessment Began:	Not reported
Discover Date:	Not reported
Enforcement Date:	1/1/1965
Close Date:	6/17/1997
Date Prelim Assessment Workplan Submitted:	Not reported
Date Pollution Characterization Began:	1/17/1990
Date Remediation Plan Submitted:	Not reported
Date Remedial Action Underway:	Not reported
Date Post Remedial Action Monitoring:	Not reported
Enter Date:	7/20/1987
GW Qualifies:	Not reported
Soil Qualifies:	Not reported
Operator:	Not reported
Facility Contact:	Not reported
Interim:	Yes
Oversite Program:	LUST
Latitude:	33.9881482
Longitude:	-117.3507515
MTBE Date:	Not reported
Max MTBE GW:	Not reported

DEVOE MARINE COATING COMPANY (Continued) **1000332285**

MTBE Concentration:	0
Max MTBE Soil:	Not reported
MTBE Fuel:	0
MTBE Tested:	Not Required to be Tested.
MTBE Class:	*
Staff:	NOM
Staff Initials:	UNK
Lead Agency:	Regional Board
Local Agency:	33000L
Hydr Basin #:	UPPER SANTA ANA VALL
Beneficial:	Not reported
Priority:	Not reported
Cleanup Fund Id:	Not reported
Work Suspended:	Not reported

Summary: WP FOR ADDITIONAL SITE INVESTIGATION APPROVED 9/90. 8/96 - CONFIRMATION SAMPLING AND ONE ADDITIONAL WELL. TRACE OF FP IN ONE WELL - MONITORING FOR ONE YEAR AND WILL REVIEW AND MEET WITH DEVOE (5/97).

HIST UST:

Name:	DEVOE MARINE COATINGS CO., INC
Address:	2625 DURAHART ST
City,State,Zip:	RIVERSIDE, CA 92507
File Number:	Not reported
URL:	Not reported
Region:	STATE
Facility ID:	00000008415
Facility Type:	Other
Other Type:	PAINT MANUFACTURER
Contact Name:	DAVID V. GARCIA
Telephone:	7146866930
Owner Name:	GROW GROUP, INC.
Owner Address:	200 PARK AVENUE, PAN AM BUILDI
Owner City,St,Zip:	NEW YORK, NY 10017
Total Tanks:	0007
Tank Num:	001
Container Num:	1
Year Installed:	1958
Tank Capacity:	00002000
Tank Used for:	PRODUCT
Type of Fuel:	Not reported
Container Construction Thickness:	Not reported
Leak Detection:	Pressure Test
Tank Num:	002
Container Num:	SUMP #1
Year Installed:	Not reported
Tank Capacity:	00000400
Tank Used for:	WASTE
Type of Fuel:	Not reported
Container Construction Thickness:	2
Leak Detection:	Visual
Tank Num:	003
Container Num:	6
Year Installed:	1958
Tank Capacity:	00010000

DEVOE MARINE COATING COMPANY (Continued) **1000332285**

Tank Used for: PRODUCT
Type of Fuel: Not reported
Container Construction Thickness: Not reported
Leak Detection: Pressure Test

Tank Num: 004
Container Num: 5
Year Installed: 1958
Tank Capacity: 00010000
Tank Used for: PRODUCT
Type of Fuel: Not reported
Container Construction Thickness: Not reported
Leak Detection: Pressure Test

Tank Num: 005
Container Num: 2
Year Installed: 1958
Tank Capacity: 00002000
Tank Used for: PRODUCT
Type of Fuel: Not reported
Container Construction Thickness: Not reported
Leak Detection: Pressure Test

Tank Num: 006
Container Num: 3
Year Installed: 1958
Tank Capacity: 00002000
Tank Used for: PRODUCT
Type of Fuel: Not reported
Container Construction Thickness: Not reported
Leak Detection: Pressure Test

Tank Num: 007
Container Num: 4
Year Installed: 1958
Tank Capacity: 00002000
Tank Used for: PRODUCT
Type of Fuel: Not reported
Container Construction Thickness: Not reported
Leak Detection: Pressure Test

CORTESE:
Name: DEVOE MARINE COATING COMPANY
Address: 2625 DURAHART ST
City,State,Zip: RIVERSIDE, CA 92507
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0606500056
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: COMPLETED - CASE CLOSED
Status Date: Not reported
Site Code: Not reported
Latitude: Not reported
Longitude: Not reported
Owner: Not reported
Enf Type: Not reported
Swat R: Not reported

DEVOE MARINE COATING COMPANY (Continued) **1000332285**

Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

NPDES:

Name:	BFS RIVERSIDE TRUSS YARD
Address:	2625 DURAHART STREET
City,State,Zip:	RIVERSIDE, CA 92507
Facility Status:	Not reported
NPDES Number:	Not reported
Region:	Not reported
Agency Number:	Not reported
Regulatory Measure ID:	Not reported
Place ID:	Not reported
Order Number:	Not reported
WDID:	8 33I029807
Regulatory Measure Type:	Industrial
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Discharge Address:	Not reported
Discharge Name:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Status:	Active
Status Date:	07/07/2022
Operator Name:	BFS
Operator Address:	2625 Durahart St
Operator City:	Riverside
Operator State:	California
Operator Zip:	92507

Name:	BFS RIVERSIDE TRUSS YARD
Address:	2625 DURAHART STREET
City,State,Zip:	RIVERSIDE, CA 92507
Facility Status:	Active
NPDES Number:	CAS000001
Region:	8
Agency Number:	0
Regulatory Measure ID:	548057
Place ID:	Not reported
Order Number:	97-03-DWQ
WDID:	8 33I029807
Regulatory Measure Type:	Enrollee
Program Type:	Industrial
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	07/07/2022
Termination Date Of Regulatory Measure:	Not reported

DEVOE MARINE COATING COMPANY (Continued) **1000332285**

Expiration Date Of Regulatory Measure:	Not reported
Discharge Address:	2625 Durahart St
Discharge Name:	BFS
Discharge City:	Riverside
Discharge State:	California
Discharge Zip:	92507
Status:	Not reported
Status Date:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported

CIWQS:

Name:	BFS RIVERSIDE TRUSS YARD
Address:	2625 DURAHART STREET
City,State,Zip:	RIVERSIDE, CA 92507
Agency:	BFS
Agency Address:	2625 Durahart St, Riverside, CA 92507
Place/Project Type:	Industrial - Structural Wood Members, NEC
SIC/NAICS:	2439
Region:	8
Program:	INDSTW
Regulatory Measure Status:	Active
Regulatory Measure Type:	Storm water industrial
Order Number:	2014-0057-DWQ
WDID:	8 33I029807
NPDES Number:	CAS000001
Adoption Date:	Not reported
Effective Date:	07/07/2022
Termination Date:	Not reported
Expiration/Review Date:	Not reported
Design Flow:	Not reported
Major/Minor:	Not reported
Complexity:	Not reported
TTWQ:	Not reported
Enforcement Actions within 5 years:	0
Violations within 5 years:	0
Latitude:	33.98803
Longitude:	-117.35176

AG165 **DEVOE MARINE COATING COMPANY** **ENVIROSTOR** **S100182006**
NW **2625 DURAHART ST** **LUST** **N/A**
1/4-1/2 **RIVERSIDE, CA 92507** **CHMIRS**
0.384 mi. **CERS**
2030 ft. **Site 2 of 4 in cluster AG**

Relative:
Lower

Actual:
915 ft.

ENVIROSTOR:

Name:	DEVOE MARINE COATINGS
Address:	2625 DURAHART STREET
City,State,Zip:	RIVERSIDE, CA 92502
Facility ID:	33280153
Status:	Refer: Other Agency
Status Date:	09/05/2003
Site Code:	400976
Site Type:	Evaluation

DEVOE MARINE COATING COMPANY (Continued) **S100182006**

Site Type Detailed: Evaluation
Acres: Not reported
NPL: NO
Regulatory Agencies: US EPA
Lead Agency: US EPA
Program Manager: Not reported
Supervisor: * Greg Holmes
Division Branch: Cleanup Cypress
Assembly: 61
Senate: 31
Special Program: Not reported
Restricted Use: NO
Site Mgmt Req: NONE SPECIFIED
Funding: EPA Grant
Latitude: 33.98718
Longitude: -117.3521
APN: NONE SPECIFIED
Past Use: NONE SPECIFIED
Potential COC: * HALOGENATED SOLVENTS * HYDROCARBON SOLVENTS
Confirmed COC: NONE SPECIFIED
Potential Description: NONE SPECIFIED
Alias Name: DEVOE MARINE COATINGS
Alias Type: Alternate Name
Alias Name: CAD097574073
Alias Type: EPA Identification Number
Alias Name: 400976
Alias Type: Project Code (Site Code)
Alias Name: 33280153
Alias Type: Envirostor ID Number

Completed Info:
Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Site Screening
Completed Date: 06/06/2007
Comments: Site Screening approved by EPA. "OCA Start - RWQCB".

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Preliminary Endangerment Assessment Workplan
Completed Date: 09/23/2002
Comments: Approved by U.S. EPA.

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported
Schedule Document Type: Not reported
Schedule Due Date: Not reported
Schedule Revised Date: Not reported

LUST:
Name: DEVOE MARINE COATING COMPANY
Address: 2625 DURAHART ST
City,State,Zip: RIVERSIDE, CA 92507

DEVOE MARINE COATING COMPANY (Continued) **S100182006**

Lead Agency:	SANTA ANA RWQCB (REGION 8)
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0606500056
Global Id:	T0606500056
Latitude:	33.988034
Longitude:	-117.351759
Status:	Completed - Case Closed
Status Date:	06/17/1997
Case Worker:	Not reported
RB Case Number:	083300500T
Local Agency:	RIVERSIDE COUNTY LOP
File Location:	Not reported
Local Case Number:	89204
Potential Media Affect:	Aquifer used for drinking water supply
Potential Contaminants of Concern:	* Chlorinated Hydrocarbons
Site History:	Not reported

LUST:

Global Id:	T0606500056
Contact Type:	Local Agency Caseworker
Contact Name:	Riverside County LOP
Organization Name:	RIVERSIDE COUNTY LOP
Address:	3880 LEMON ST SUITE 200
City:	RIVERSIDE
Email:	Not reported
Phone Number:	9519558980

LUST:

Global Id:	T0606500056
Action Type:	Other
Date:	07/20/1987
Action:	Leak Reported

Global Id:	T0606500056
Action Type:	ENFORCEMENT
Date:	07/22/2020
Action:	Historic Files

Global Id:	T0606500056
Action Type:	ENFORCEMENT
Date:	06/17/1997
Action:	Closure/No Further Action Letter

Global Id:	T0606500056
Action Type:	ENFORCEMENT
Date:	05/06/1991
Action:	File review

LUST:

Global Id:	T0606500056
Status:	Open - Case Begin Date
Status Date:	07/20/1987

Global Id:	T0606500056
Status:	Open - Site Assessment
Status Date:	01/17/1990

DEVOE MARINE COATING COMPANY (Continued) **S100182006**

Global Id: T0606500056
Status: Completed - Case Closed
Status Date: 06/17/1997

RIVERSIDE CO. LUST:
Name: DEVOE MARINE
Address: 2625 DURAHART ST
City,State,Zip: RIVERSIDE, CA
Region: RIVERSIDE
Facility ID: 89204
Employee: Bunchek
Site Closed: Referred to Water Board
Case Type: Ground water
Facility Status: 0
Casetype Decode: Groundwater is impacted
Fstatus Decode: Not reported

CHMIRS:
Name: Not reported
Address: 2625 DURAHART
City,State,Zip: RIVERSIDE, CA 92507-2608
OES Incident Number: 990767
OES notification: Not reported
OES Date: Not reported
OES Time: Not reported
Date Completed: **02-JUN-88**
Property Use: 700
Agency Id Number: 33075
Agency Incident Number: 8806882
Time Notified: 1330
Time Completed: 352
Surrounding Area: Not reported
Estimated Temperature: 92
Property Management: P
More Than Two Substances Involved?: N
Resp Agncy Personel # Of Decontaminated: Not reported
Responding Agency Personel # Of Injuries: Not reported
Responding Agency Personel # Of Fatalities: Not reported
Others Number Of Decontaminated: Not reported
Others Number Of Injuries: Not reported
Others Number Of Fatalities: Not reported
Vehicle Make/year: Not reported
Vehicle License Number: Not reported
Vehicle State: Not reported
Vehicle Id Number: Not reported
CA DOT PUC/ICC Number: Not reported
Company Name: Not reported
Reporting Officer Name/ID: STUART L. SMITH, FIRE CAPT.
Report Date: 03-JUN-88
Facility Telephone: 714 782-5804
Waterway Involved: Not reported
Waterway: Not reported
Spill Site: Not reported
Cleanup By: Not reported
Containment: Not reported

DEVOE MARINE COATING COMPANY (Continued) **S100182006**

What Happened:	Not reported
Type:	Not reported
Measure:	Not reported
Other:	Not reported
Date/Time:	Not reported
Year:	88-92
Agency:	Not reported
Incident Date:	01-JUN-88
Admin Agency:	Not reported
Amount:	Not reported
Contained:	Not reported
Site Type:	Not reported
E Date:	02-MAR-89
Substance:	Not reported
Unknown:	Not reported
Substance #2:	Not reported
Substance #3:	Not reported
Evacuations:	Not reported
Number of Injuries:	Not reported
Number of Fatalities:	Not reported
#1 Pipeline:	Not reported
#2 Pipeline:	Not reported
#3 Pipeline:	Not reported
#1 Vessel >= 300 Tons:	Not reported
#2 Vessel >= 300 Tons:	Not reported
#3 Vessel >= 300 Tons:	Not reported
Evacs:	Not reported
Injuries:	Not reported
Fatals:	Not reported
Comments:	N
Description:	Not reported

CERS:

Name:	DEVOE MARINE COATING COMPANY
Address:	2625 DURAHART ST
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	259208
CERS ID:	T0606500056
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	Riverside County LOP - RIVERSIDE COUNTY LOP
Entity Title:	Not reported
Affiliation Address:	3880 LEMON ST SUITE 200
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	9519558980,

AG166 **DEVOE COATINGS** **SEMS** **1015730642**
NW **2625 DURAHART ST** **RCRA-SQG** **CAD097574073**
1/4-1/2 **RIVERSIDE, CA 92507**
0.384 mi.
2030 ft. **Site 3 of 4 in cluster AG**

Relative:
Lower

Actual:
915 ft.

SEMS:

Site ID:	0901689
EPA ID:	CAD097574073
Name:	DEVOE MARINE COATINGS
Address:	2625 DURAHART ST.
Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 92502
Cong District:	36
FIPS Code:	06065
Latitude:	33.96
Longitude:	-117.391667
FF:	N
NPL:	Not on the NPL
Non NPL Status:	Other Cleanup Activity: State-Lead Cleanup

SEMS Detail:

Region:	09
Site ID:	0901689
EPA ID:	CAD097574073
Site Name:	DEVOE MARINE COATINGS
NPL:	N
FF:	N
OU:	00
Action Code:	PA
Action Name:	PA
SEQ:	1
Start Date:	Not reported
Finish Date:	1993-04-27 04:00:00
Qual:	N
Current Action Lead:	EPA Perf

Region:	09
Site ID:	0901689
EPA ID:	CAD097574073
Site Name:	DEVOE MARINE COATINGS
NPL:	N
FF:	N
OU:	00
Action Code:	DS
Action Name:	DISCVRY
SEQ:	1
Start Date:	1990-10-26 04:00:00
Finish Date:	1990-10-26 04:00:00
Qual:	Not reported
Current Action Lead:	EPA Perf

Region:	09
Site ID:	0901689
EPA ID:	CAD097574073
Site Name:	DEVOE MARINE COATINGS
NPL:	N
FF:	N
OU:	00
Action Code:	PA

DEVOE COATINGS (Continued) **1015730642**

Action Name:	PA
SEQ:	2
Start Date:	2001-10-01 04:00:00
Finish Date:	2002-09-23 04:00:00
Qual:	L
Current Action Lead:	St Perf
Region:	09
Site ID:	0901689
EPA ID:	CAD097574073
Site Name:	DEVOE MARINE COATINGS
NPL:	N
FF:	N
OU:	00
Action Code:	OO
Action Name:	SITE REASS
SEQ:	1
Start Date:	Not reported
Finish Date:	2007-06-06 04:00:00
Qual:	Not reported
Current Action Lead:	St Perf
Region:	09
Site ID:	0901689
EPA ID:	CAD097574073
Site Name:	DEVOE MARINE COATINGS
NPL:	N
FF:	N
OU:	00
Action Code:	VA
Action Name:	OTHR CLEANUP
SEQ:	1
Start Date:	2007-06-06 04:00:00
Finish Date:	Not reported
Qual:	Not reported
Current Action Lead:	St Perf

RCRA Listings:

Date Form Received by Agency:		19970312
Handler Name:	DEVOE COATINGS	
Handler Address:		2625 DURAHART ST
Handler City,State,Zip:		RIVERSIDE, CA 92507
EPA ID:		CAD097574073
Contact Name:		GARY EAGLESON
Contact Address:		2625 DURAHART ST
Contact City,State,Zip:		RIVERSIDE, CA 92507
Contact Telephone:		909-686-6930
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		09
Land Type:		Private
Federal Waste Generator Description:		Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported

DEVOE COATINGS (Continued) **1015730642**

Active Site Indicator:		Handler Activities
State District Owner:		CA
State District:		4
Mailing Address:		2625 DURAHART ST
Mailing City,State,Zip:		RIVERSIDE, CA 92507
Owner Name:	GLIDDEN CO	
Owner Type:		Private
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		NN
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported
Permit Workload Universe:		Not reported
Permit Progress Universe:		Not reported
Post-Closure Workload Universe:		Not reported
Closure Workload Universe:		Not reported
202 GPRA Corrective Action Baseline:		No
Corrective Action Workload Universe:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:		No
TSDFs Only Subject to CA under Discretionary Auth Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Operating TSDF Universe:		Not reported
Full Enforcement Universe:		Not reported
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:	Not reported	
Handler Date of Last Change:		20060905

DEVOE COATINGS (Continued) **1015730642**

Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: DEVOE MARINE COATINGS COMPANY	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	2625 DURAHART ST
Owner/Operator City,State,Zip:	CITY NOT REPORTED, CA 99999
Owner/Operator Telephone:	714-686-6930
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: GLIDDEN CO	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	925 EUCLID AVE
Owner/Operator City,State,Zip:	CLEVELAND, OH 44115
Owner/Operator Telephone:	216-344-8000
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: GLIDDEN CO	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	925 EUCLID AVE
Owner/Operator City,State,Zip:	CLEVELAND, OH 44115
Owner/Operator Telephone:	216-344-8000
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	19960901
Handler Name: DEVOE COATINGS	
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	CA
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No

DEVOE COATINGS (Continued) **1015730642**

Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19970312
Handler Name: DEVOE COATINGS
Federal Waste Generator Description: Small Quantity Generator
State District Owner: CA
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19970312
Handler Name: DEVOE COATINGS
Federal Waste Generator Description: Large Quantity Generator
State District Owner: CA
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19900405
Handler Name: DEVOE COATINGS COMPANY
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19920326
Handler Name: DEVOE COATINGS COMPANY
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19940330

DEVOE COATINGS (Continued) **1015730642**

Handler Name: DEVOE COATINGS COMPANY
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19960712
Handler Name: DEVOE COATINGS COMPANY
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19990415
Handler Name: GLIDDEN COMPANY
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20001012
Handler Name: GLIDDEN CO DEVOE COATINGS COMPANY
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 32551
NAICS Description: PAINT AND COATING MANUFACTURING

Facility Has Received Notices of Violation:

DEVOE COATINGS (Continued) **1015730642**

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Formal Enforcement Agreement or Order
Date Violation was Determined: 19840509
Actual Return to Compliance Date: 19840830
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 19840830
Enforcement Identifier: 001
Date of Enforcement Action: 19840510
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: R9STA
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - General
Date Violation was Determined: 19840509
Actual Return to Compliance Date: 19840830
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 19840830
Enforcement Identifier: 002
Date of Enforcement Action: 19840816
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported

DEVOE COATINGS (Continued) **1015730642**

Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: R9STA
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - General
Date Violation was Determined: 19840509
Actual Return to Compliance Date: 19840830
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 19840830
Enforcement Identifier: 001
Date of Enforcement Action: 19840510
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: R9STA
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

DEVOE COATINGS (Continued) **1015730642**

Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Formal Enforcement Agreement or Order
Date Violation was Determined:	19840810
Actual Return to Compliance Date:	19940516
Return to Compliance Qualifier:	Observed
Violation Responsible Agency:	State
Scheduled Compliance Date:	19840830
Enforcement Identifier:	002
Date of Enforcement Action:	19840816
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	R9STA
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported

DEVOE COATINGS (Continued) **1015730642**

Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Formal Enforcement Agreement or Order
Date Violation was Determined: 19840509
Actual Return to Compliance Date: 19840830
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 19840830
Enforcement Identifier: 002
Date of Enforcement Action: 19840816
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: R9STA
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

DEVOE COATINGS (Continued) **1015730642**

Evaluation Action Summary:

Evaluation Date:	19840509
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	R9STA
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	19840830
Scheduled Compliance Date:	19840830
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19840509
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	R9STA
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	19840830
Scheduled Compliance Date:	19840830
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19840509
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	R9STA
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	19840830
Scheduled Compliance Date:	19840830
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19840810
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE SCHEDULE EVALUATION
Evaluation Responsible Person Identifier:	R9STA
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	19940516
Scheduled Compliance Date:	19840830
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19920228
Evaluation Responsible Agency:	State Contractor/Grantee
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE

DEVOE COATINGS (Continued) **1015730642**

Evaluation Responsible Person Identifier:	R9STA
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19840509
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	R9STA
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	19840830
Scheduled Compliance Date:	19840830
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

AG167 **LAUS INVESTMENT COMPANY** **LUST** **S102432541**
NW **2620 DURAHART ST** **Cortese** **N/A**
1/4-1/2 **RIVERSIDE, CA 92507** **CERS**
0.385 mi.
2035 ft. **Site 4 of 4 in cluster AG**

Relative: **Lower**
Actual: **916 ft.**

LUST:

Name:	LAUS INVESTMENT COMPANY
Address:	2620 DURAHART ST
City,State,Zip:	RIVERSIDE, CA 92507
Lead Agency:	RIVERSIDE COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0606500074
Global Id:	T0606500074
Latitude:	33.9881722
Longitude:	-117.3504845
Status:	Completed - Case Closed
Status Date:	04/04/1989
Case Worker:	RIV
RB Case Number:	083300662T
Local Agency:	RIVERSIDE COUNTY LOP
File Location:	Not reported
Local Case Number:	Not reported
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

LUST:

Global Id:	T0606500074
Contact Type:	Regional Board Caseworker
Contact Name:	PATRICIA HANNON
Organization Name:	SANTA ANA RWQCB (REGION 8)
Address:	3737 MAIN STREET, SUITE 500
City:	RIVERSIDE
Email:	patricia.hannon@waterboards.ca.gov

LAUS INVESTMENT COMPANY (Continued) **S102432541**

Phone Number: Not reported

Global Id: T0606500074
Contact Type: Local Agency Caseworker
Contact Name: Riverside County LOP
Organization Name: RIVERSIDE COUNTY LOP
Address: 3880 LEMON ST SUITE 200
City: RIVERSIDE
Email: Not reported
Phone Number: 9519558980

LUST:
Global Id: T0606500074
Action Type: Other
Date: 02/23/1989
Action: Leak Reported

Global Id: T0606500074
Action Type: ENFORCEMENT
Date: 04/04/1989
Action: Closure/No Further Action Letter

LUST:
Global Id: T0606500074
Status: Open - Case Begin Date
Status Date: 10/15/1987

Global Id: T0606500074
Status: Open - Site Assessment
Status Date: 10/15/1987

Global Id: T0606500074
Status: Completed - Case Closed
Status Date: 04/04/1989

LUST REG 8:
Name: LAUS INVESTMENT COMPANY
Address: 2620 DURAHART ST
City: RIVERSIDE
Region: 8
County: Riverside
Regional Board: Santa Ana Region
Facility Status: Case Closed
Case Number: 083300662T
Local Case Num: Not reported
Case Type: Soil only
Substance: Gasoline
Qty Leaked: Not reported
Abate Method: Not reported
Cross Street: MASSACHUSETTS
Enf Type: CLOS
Funding: Not reported
How Discovered: Not reported
How Stopped: Not reported
Leak Cause: Not reported

LAUS INVESTMENT COMPANY (Continued) **S102432541**

Leak Source:	Not reported
Global ID:	T0606500074
How Stopped Date:	Not reported
Enter Date:	10/15/1987
Date Confirmation of Leak Began:	Not reported
Date Preliminary Assessment Began:	Not reported
Discover Date:	Not reported
Enforcement Date:	Not reported
Close Date:	4/4/1989
Date Prelim Assessment Workplan Submitted:	Not reported
Date Pollution Characterization Began:	10/15/1987
Date Remediation Plan Submitted:	Not reported
Date Remedial Action Underway:	Not reported
Date Post Remedial Action Monitoring:	Not reported
Enter Date:	10/15/1987
GW Qualifies:	Not reported
Soil Qualifies:	Not reported
Operator:	Not reported
Facility Contact:	Not reported
Interim:	Not reported
Oversite Program:	LUST
Latitude:	33.9881722
Longitude:	-117.3504845
MTBE Date:	Not reported
Max MTBE GW:	Not reported
MTBE Concentration:	0
Max MTBE Soil:	Not reported
MTBE Fuel:	1
MTBE Tested:	Site NOT Tested for MTBE.Includes Unknown and Not Analyzed.
MTBE Class:	*
Staff:	PAH
Staff Initials:	UNK
Lead Agency:	Local Agency
Local Agency:	33000L
Hydr Basin #:	UPPER SANTA ANA VALL
Beneficial:	Not reported
Priority:	Not reported
Cleanup Fund Id:	Not reported
Work Suspended:	Not reported

Summary: Not reported

CORTESE:

Name:	LAUS INVESTMENT COMPANY
Address:	2620 DURAHART ST
City,State,Zip:	RIVERSIDE, CA 92507
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0606500074
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported

LAUS INVESTMENT COMPANY (Continued) **S102432541**

Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

CERS:

Name:	LAUS INVESTMENT COMPANY
Address:	2620 DURAHART ST
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	208143
CERS ID:	T0606500074
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	PATRICIA HANNON - SANTA ANA RWQCB (REGION 8)
Entity Title:	Not reported
Affiliation Address:	3737 MAIN STREET, SUITE 500
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	Riverside County LOP - RIVERSIDE COUNTY LOP
Entity Title:	Not reported
Affiliation Address:	3880 LEMON ST SUITE 200
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	9519558980,

AH168 **EXXON SERVICE STATION #3645** **LUST** **S102429527**
SE **1295 UNIVERSITY AVE** **Cortese** **N/A**
1/4-1/2 **RIVERSIDE, CA 92507**
0.388 mi.
2048 ft. **Site 1 of 6 in cluster AH**

Relative:
Higher

Actual:
1004 ft.

LUST REG 8:

Name:	EXXON SERVICE STATION #3645
Address:	1295 UNIVERSITY AVE
City:	RIVERSIDE
Region:	8
County:	Riverside
Regional Board:	Santa Ana Region
Facility Status:	Case Closed
Case Number:	083300510T
Local Case Num:	Not reported
Case Type:	Soil only
Substance:	Gasoline

EXXON SERVICE STATION #3645 (Continued) **S102429527**

Qty Leaked:	Not reported
Abate Method:	Not reported
Cross Street:	IOWA
Enf Type:	Not reported
Funding:	Not reported
How Discovered:	Not reported
How Stopped:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Global ID:	T0606500058
How Stopped Date:	Not reported
Enter Date:	7/21/1987
Date Confirmation of Leak Began:	Not reported
Date Preliminary Assessment Began:	Not reported
Discover Date:	Not reported
Enforcement Date:	Not reported
Close Date:	9/24/1987
Date Prelim Assessment Workplan Submitted:	Not reported
Date Pollution Characterization Began:	7/21/1987
Date Remediation Plan Submitted:	Not reported
Date Remedial Action Underway:	Not reported
Date Post Remedial Action Monitoring:	Not reported
Enter Date:	7/21/1987
GW Qualifies:	Not reported
Soil Qualifies:	Not reported
Operator:	Not reported
Facility Contact:	Not reported
Interim:	Not reported
Oversite Program:	LUST
Latitude:	33.9757526
Longitude:	-117.3396869
MTBE Date:	Not reported
Max MTBE GW:	Not reported
MTBE Concentration:	0
Max MTBE Soil:	Not reported
MTBE Fuel:	1
MTBE Tested:	Site NOT Tested for MTBE.Includes Unknown and Not Analyzed.
MTBE Class:	*
Staff:	CAB
Staff Initials:	UNK
Lead Agency:	Local Agency
Local Agency:	33000L
Hydr Basin #:	UPPER SANTA ANA VALL
Beneficial:	Not reported
Priority:	Not reported
Cleanup Fund Id:	Not reported
Work Suspended:	Not reported

Summary: THE NAME OF THIS SITE IS: MARV'S EXXON SERVICE.

CORTESE:

Name:	EXXON SERVICE STATION #3645
Address:	1295 UNIVERSITY AVE
City,State,Zip:	RIVERSIDE, CA 92507
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0606500058
Site/Facility Type:	LUST CLEANUP SITE

EXXON SERVICE STATION #3645 (Continued) **S102429527**

Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

AH169 **EXXON SERVICE STATION #36** **LUST** **S103627553**
SE **1295 UNIVERSITY** **HIST CORTESE** **N/A**
1/4-1/2 **RIVERSIDE, CA 92713** **CERS**
0.388 mi.
2048 ft. **Site 2 of 6 in cluster AH**

Relative:
Higher

Actual:
1004 ft.

LUST:

Name:	EXXON SERVICE STATION #3645
Address:	1295 UNIVERSITY AVE
City,State,Zip:	RIVERSIDE, CA 92507
Lead Agency:	RIVERSIDE COUNTY
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0606500058
Global Id:	T0606500058
Latitude:	33.9757959
Longitude:	-117.339721
Status:	Completed - Case Closed
Status Date:	06/08/2005
Case Worker:	BER
RB Case Number:	083300510T
Local Agency:	RIVERSIDE COUNTY
File Location:	Not reported
Local Case Number:	Not reported
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

LUST:

Global Id:	T0606500058
Contact Type:	Local Agency Caseworker
Contact Name:	BERNIE SCHLEICHER
Organization Name:	RIVERSIDE COUNTY
Address:	2275 S. Main St #204
City:	Corona
Email:	bschleic@rivcocha.org
Phone Number:	Not reported

Global Id:	T0606500058
Contact Type:	Regional Board Caseworker
Contact Name:	CARL BERNHARDT

EXXON SERVICE STATION #36 (Continued) **S103627553**

Organization Name: SANTA ANA RWQCB (REGION 8)
Address: 3737 MAIN STREET, SUITE 500
City: RIVERSIDE
Email: carl.bernhardt@waterboards.ca.gov
Phone Number: 9517824495

LUST:
Global Id: T0606500058
Action Type: Other
Date: 11/05/1987
Action: Leak Reported

Global Id: T0606500058
Action Type: Other
Date: 05/17/1990
Action: Leak Stopped

Global Id: T0606500058
Action Type: ENFORCEMENT
Date: 06/08/2005
Action: Closure/No Further Action Letter

LUST:
Global Id: T0606500058
Status: Open - Case Begin Date
Status Date: 07/21/1987

Global Id: T0606500058
Status: Open - Site Assessment
Status Date: 07/21/1987

Global Id: T0606500058
Status: Completed - Case Closed
Status Date: 09/24/1987

Global Id: T0606500058
Status: Completed - Case Closed
Status Date: 06/08/2005

HIST CORTESE:
edr_fname: EXXON SERVICE STATION #36
edr_fadd1: 1295 UNIVERSITY
City,State,Zip: RIVERSIDE, CA 92713
Region: CORTESE
Facility County Code: 33
Reg By: LTNKA
Reg Id: 083300510T

CERS:
Name: EXXON SERVICE STATION #3645
Address: 1295 UNIVERSITY AVE
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 189943
CERS ID: T0606500058

EXXON SERVICE STATION #36 (Continued) **S103627553**

CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: BERNIE SCHLEICHER - RIVERSIDE COUNTY
Entity Title: Not reported
Affiliation Address: 2275 S. Main St #204
Affiliation City: Corona
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: Regional Board Caseworker
Entity Name: MAILE SEEGER GEE - SANTA ANA RWQCB (REGION 8)
Entity Title: Not reported
Affiliation Address: 3737 MAIN STREET, SUITE 500
Affiliation City: RIVERSIDE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 9517824379,

AH170 **THRIFTY OIL #344 ARCO #9714** **LUST** **S103950775**
SE **1294 UNIVERSITY AVE** **CERS HAZ WASTE** **N/A**
1/4-1/2 **RIVERSIDE, CA 92507** **CERS TANKS**
0.391 mi. **CHMIRS**
2064 ft. **Site 3 of 6 in cluster AH** **Cortese**
HIST CORTESE
Relative: **CERS**
Higher

Actual: LUST:
1002 ft.
Name: THRIFTY OIL #344 ARCO #9714
Address: 1294 UNIVERSITY AVE
City,State,Zip: RIVERSIDE, CA 92507
Lead Agency: RIVERSIDE COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0606500545
Global Id: T0606500545
Latitude: 33.975381295804
Longitude: -117.339448539217
Status: Completed - Case Closed
Status Date: 01/10/2014
Case Worker: AB
RB Case Number: 083303277T
Local Agency: RIVERSIDE COUNTY LOP
File Location: Local Agency Warehouse
Local Case Number: 980441
Potential Media Affect: Aquifer used for drinking water supply
Potential Contaminants of Concern: Gasoline
Site History: Unauthorzed release of fuel hydrocarbon was first identified during baselining investigation in 1997. Additional site assessment activities since then have characterized its constituents and its lateral and vertical distribution heath the site. In March 1998, the USTs and all the associated fuel pipings were replaced with new dual-walled fiberglass, effectively eliminatinglreducing any potential new release to the soil. In July 1997, a site investigation

THRIFTY OIL #344 ARCO #9714 (Continued) **S103950775**

was conducted which consisted of drilling and sampling three 50 to 90-foot soil borings (TDD-1, TDD-3, and TDD-5) in the vicinity of pump islands and the underground storage tank (UST) area; drilling and sampling two 10-foot soil borings (TDD-7 and TDD-8) by the pump islands; and collecting eight grab soil samples from beneath the dispenser. Analytical results of soil samples from these borings indicated that hydrocarbon-impacted soil was detected in the vicinity of the dispenser area. Hydrocarbon-impacted soil concentrations appeared to be highest at 35-60 feet below ground surface (bgs), which contained up to 8,000 mg/kg TPHg, 66 mg/kg benzene, and 550 mg/kg MTBE, as detected in the sample collected from boring TDD-5 at 60 feet bgs; hydrocarbon concentrations then declined with depth. No groundwater or free-product was encountered during drilling. In March 1998, during UST replacement activities, soil samples were collected from locations beneath the USTs and the dispenser islands. Soil sample analyses indicated up to 12,000 mg/kg TPHg with no detectable benzene and up to 130 mg/kg MTBE. As an interim remedial action, approximately 842 tons of hydrocarbon-impacted soil were excavated. In March 1999, Compliance site investigation was conducted which consisted of drilling six soil borings (TOC-11 through TOC-16) to depths ranging from 40 to 150 feet bgs. Borings TOC- 1 1 and TOC- 12 were drilled around the former UST area and borings TOC- 13 through TOC-16 were drilled around dispenser area. Groundwater was not encountered during the site investigation. Results of soil sample analyses indicated maximum concentrations of 8,300 mg/kg TPHg and 130 mg/kg benzene, as detected in the sample from boring TOC-15 at 55 feet bgs. On December 4 through 8,2000, three 2-inch diameter dual completion vapor extraction wells (TDD- 17s,i TDD- 18s,d, and PZ- 1 s,d) were installed to 95 feet bgs, 72 feet bgs, and 70 feet bgs, respectively, and one 2-inch diameter single completion vapor extraction well (TDD-17d) to 150 feet bgs. On December 12 through 14,2000, a vapor pilot study using each section of the newly installed vapor extraction wells as independent extraction points. In January and February 2001, three groundwater monitoring wells (TOC-17w through TOC-19w) were installed at the site to depths of 175 feet bgs each. Soil sample analyses indicated up to 7,550 mg/kg TPHg (TOC-17w at 40ft), 0.064 mg/kg benzene (TOC-18w at 155ft), and 0.607 mg/kg MTBE (TOC-17w at 80'). Groundwater was encountered at approximately 160 feet bgs during drilling. Groundwater sample analyses indicated TPHg concentrations ranging from 176 ppb (TOC-18w) to 1,470 ppb (TOC- 19w), benzene concentrations ranging from non-detectable (TOC- 18w) to 1,100 ppb (TOC- 19w), and MTBE concentrations ranging from non-detectable (TOC- 18w and TOC-19w) to 1.4 ppb (TOC-17w). In October 2002, Thrifty proposed to cancel the additional site assessment and to implement the Remedial Action Plan (RAP). In December 2002, Thrifty obtained RCDEH concurrence and approval. On April 9,2003, the City required the treatment compound to be relocated 10 feet from the southern property boundary and to limit the noise levels to 45-60 dba, as conditions for approval of the CUP. To avoid costly noise abatement, while still keeping the "noise" to within the) from the South Coast Air Quality Management District (signed by the SCAQMD Executive Officer on August 14,2003). In the fourth quarter 2004, GHC obtained gas and electric connection and initiated system startup in early November 2004. The System operated through late November 2004, and ceased functioning because of broken butterfly valve in the system inlet. The system has been operating continuously since the first quarter 2005. Due to continual

THRIFTY OIL #344 ARCO #9714 (Continued) **S103950775**

decrease in the concentrations of extracted soil vapor, the system was converted to catalytic mode on August 10,2005, to keep the operation cost-effective. On October 6,2005, the system was shut down due to high hydrocarbon concentrations in the SVE effluent stream caused by a defective catalyst bed. In the 4th quarter 2005, the system was restarted on October 19,2005. Due to the apparent low influent concentrations,vapor extraction was focused on well TOC- 17m and began pulsing on May 24, 2006, by shutting off the system for two weeks, restarted and conducted active vapor extraction for one week, and shut down again in mid-June 2006 for evaluation. Due to the apparent increase in the vapor concentrations in well TOC-17m during the pulsing events, full time SVE operation was resumed again on June 28,2006, concentrating mainly on well TOC- 17m. To maximize vapor extraction, the SVE system began pulsing again in the 1" Quarter 2007, by running the system for approximately two weeks and shutting it down for approximately two weeks. Furthermore, to maximize vapor extraction from well TOC- 17m (the only well still exhibiting high hydrocarbon vapor concentrations), Thrifty installed a holding tank and transfer pumps to contain the extracted groundwater and/or condensate when applying vacuum on this well. The system continued to operate in pulsing mode until converted to continuous mode in October 2008. Due to the low vapor concentrations and the low SVE extraction/removal rate during the 2nd semester 2008 remedial activities, The SVE operation was shut down at this site in early January 2009. Since SVE startup, the system operated for a total of 18,201 hours and removed 25,587 lbs of hydrocarbons (as of December 24,2008), for an average destruction rate of 1.41 lbs/hr. Currently, the SVE system is off; ongoing environmental activities at the site include semi-annual groundwater monitoring and sampling. Site Information This site is currently an operating USA gas station and convenience store in Riverside, California. The above-ground structures at the site consist of a single-story, convenience store building, two product dispenser islands with four dispensers, and a canopy covering the dispenser island area. Two 20,000-gallon double-walled fiberglass underground storage tanks (USTs) are located south of the building, each containing unleaded gasoline. Site History/Release Information: July 1997- A baseline investigation was conducted with five soil borings (TDD-1, TDD-3, TDD-5, TDD-7, and TDD-8) drilled from 5-90 ft bgs (feet below ground surface) in and around the dispensers and former UST areas. The most heavily impacted soils were observed northeast of the dispensers at TDD5-60, with 8000 ppm TPHg, 66 ppm benzene, 440 ppm toluene, 120 ppm ethylbenzene, 750 ppm xylenes, 550 ppm MTBE and TDD5-35 with 760 ppm TPHg, 3.4 ppm toluene, 7.6 ppm ethylbenzene and 64 ppm xylenes . Eight grab soil samples were also collected from 2 ft bgs beneath the dispensers. (D1/2-D15/16). Hydrocarbon impacted soils were identified in the western dispenser area at D3/4 of 6900 ppm TPHg and the eastern dispenser D11/12 with 2.1 ppm xylenes . March 1998 The four gasoline USTs (1-15,000, 1-10,000, 2-8,000 gallon USTs) and associated piping were removed. Two 20,000 gallon double-walled gasoline USTs were re-installed in the area of the former UST cavities. Eight soil samples (T1-T8) were collected from the bottom of the UST pit from two and eight ft bgs. Petroleum hydrocarbons were present in soil samples from the northern area of the most southern UST (T7-2) with 12,000 ppm TPHg, 34 ppm toluene, 48 ppm ethylbenzene, 690 xylenes and 130 ppm MTBE and from T3-2, the western end of tank three (T3-2) with 110 ppm TPHg, 2.7ppm toluene, 1.5 ppm ethylbenzene, and 14 ppm

THRIFTY OIL #344 ARCO #9714 (Continued) **S103950775**

xylenes. Eight soil samples were collected in the dispenser areas (D1-D8) and impacted soil was observed with maximum contaminant levels of with 4.9 ppm TPHg (D7) and 9.5 ppm MTBE (D5) at the western dispenser island. Assessment: March 1999 - To further assess hydrocarbon impacts, six soil borings (TOC11- TOC16) were drilled north and south of the canopy and south of the existing USTs. The borings were completed to depths of 51 ft bgs (TOC-13) to a maximum of 151 ft bgs (TOC- 14, TOC-16). Maximum concentrations in soil were observed at the northern area of the dispenser islands in TOC-15-55: 8,300 ppm TPHg, 130 ppm benzene, 360 ppm ethylbenzene, 810 ppm toluene and 1.2 ppm MTBE (TOC-11-35) located near the most southern former UST. December 2000 Three multi-completion vapor wells (TOC-17 s/i/d, TOC-18 s/d, and PZ-1s/d) were installed. TOC-17 s/i/d was installed north of the dispensers and was screened 25-60 ft (s), 65-95 ft (i) and 100-150 ft(d). TOC-18 s/d was installed south of the USTs and was screened 17-37 ft (s) and 42-72 ft (d)). PZ-1s/d was installed south of the dispensers and was screened 15-40 ft (s) and 45-70 ft (d)). A pilot test was conducted and as described below. January 2001 Three groundwater (GW) monitoring wells (TOC-17w, TOC-18w and TOC-19w) were installed near the north, south and west property boundaries to a total depth of 175 ft. bgs. GW was encountered at approximately 160 ft bgs and the wells were screened from 150-175 ft (17w), 157-177 ft (18w) and 150-175 (19w). The GW impacts were detected with maximum concentrations of 1470 ppb TPHg (TOC-19w), 1100 ppb benzene (TOC-19w), 39 ppb toluene, (TOC-17w), 8.5 ppb xylenes (TOC-17w), 1.4 ppb MTBE (TOC-17w), and 23 ppb TBA (TOC-19w). Impacted soils were observed primarily in TOC-17w with concentrations of 7550 ppm TPHg (TOC-17-40), 65.5 ppm benzene (TOC-17-60), and 62.4 ppb ethylbenzene (TOC-17-40). Remediation: April 1998 Soil excavation was conducted during tank removal/replacement activities. A total of 842 tons of soil was removed from the site and transported off-site for recycling. December 2000 - A soil vapor extraction (SVE) pilot test was conducted utilizing TOC-17s,i,d and TOC-18s,i,d. The highest vapor concentrations were detected in well TOC-17i with maximum vapor concentrations of 48700 ppmv TPHg, 3990 ppmv benzene, and 2060 ppmv MTBE. Well TOC-17i had a radius of influence of 82 feet. A total of 183 lbs. of hydrocarbon vapors were removed during the 4-hour SVE pilot test. November 2004 December 2008 - Soil vapor extraction (SVE) was initiated in 2004 utilizing the four on-site vapor extraction wells TOC-17 s/i/d, TOC-18 s/i/d, TOC-19 s/i/d and PZ-1s/d. Well TOC-17i had the highest initial concentrations of 23000 ppmv TPHg, 1090 ppmv benzene, 1710 ppmv toluene, 118 ppmv ethylbenzene, 545 ppmv xylenes and 185 ppmv MTBE. As of October 2008, TOC-17i still had the highest vapor concentrations of 17 ppmv TPHg, 0.09 ppmv toluene, 0.13 ppmv ethylbenzene, and 1.4 ppmv xylenes. All other constituents were below the detection limits (ND) in this well. As vapor levels in all wells had declined to near asymptotic levels, the SVE system was shut-off in December 2008. A total of 25,587 petroleum hydrocarbons were during the 18,201 hours of operation. Groundwater Monitoring: March 2001 - February 2012 GW sampling was initiated in March 2001 with the installation of the three groundwater wells TOC-17, TOC-18 and TOC-19 and has continued until February 2012. The depth to GW has fluctuated from 166.56 to 173.40 ft bgs with a flow direction consistently to the northwest and relatively flat (0.009 ft/ft) gradient. Initial GW concentrations (2001) were 1470 ppb TPHg (TOC-19), 1100 ppb benzene (TOC-19), 39 ppb toluene (TOC-17), 8.5 ppb

THRIFTY OIL #344 ARCO #9714 (Continued) **S103950775**

xylenes (TOC-17), and 1.4 ppb MTBE(TOC-17). Concentrations quickly decreased and were at or below the detection limits in all wells by 2003. During the most recent groundwater sampling event in March 2012, TPHg, BTEX, MTBE remained non-detect in all three wells. Thrifty believes that GW impacts were likely the result from cross contamination during drilling/well installation, and impacts were very limited. Verification: Vapor verification - August 2010 - A five-day SVE rebound test was conducting using well TOC-17M. SVE system start-up concentrations were observed to be 81.6 ppmv TPHg and 22.6 ppmV at the end of the test. Benzene and MTBE were at or below the MDLs (method detection limits). The total mass removed during the rebound test was 1.76 lbs. and a cumulative total of 25,589 lbs. of vapor-phase petroleum hydrocarbons have been removed from the site.. The system operated for 121.8 hours and vapor samples were analyzed for TPHg by EPA Method 8015M and for BTEX and MTBE and oxygenates by EPA Method 8260B. Based on the results of the rebound test, the SVE system was turned-off and confirmation borings were proposed. Soil verification March 2011 - Two confirmation soil borings (CB-1, CB-2) were north of the dispenser island and southwest of new USTs to 170 ft bgs. Soil samples were collected at 5-foot depth intervals to the bottom of the borings (170 ft bgs). All soil samples were below the detection limits for TPHg, BTEX, MTBE, DIPE, ETBE, TAME and TBA. (Full suite VOCs were not analyzed due to the low TPH concentrations). TPHd was detected in two soil samples: 2.1 ppm in CB1-55 and 1.7 ppm in CB2-105. Thrifty estimates the mass of TPHd remaining in-situ is 0.27 lbs. Residual Mass in Soil: Thrifty states no residual mass of TPHg, MTBE, TBA or other oxygenates remain in the subsurface soil as it has been effectively removed by SVE remediation and natural attenuation and verified by confirmation drilling. They also state a 5-foot radius spherical mass of diesel-impacted soil remains in-situ around each confirmation boring as residual diesel concentrations were observed in one soil sample from each boring. Other information: A UST system is currently installed and operating at the site. The piping and dispensers were replaced in March 1998 and the leak has been stopped. The site has been adequately characterized. Residual impacts remain at the site between 50 and 155 ft bgs in the soils north of the dispenser island and west of the former most southern UST of the USTs (CB-1 and CB-2). Wells were removed and the case was closed 1/10/2014

LUST:

Global Id:	T0606500545
Contact Type:	Local Agency Caseworker
Contact Name:	ANDREA BRIONES
Organization Name:	RIVERSIDE COUNTY LOP
Address:	3880 LEMON ST SUITE 200
City:	RIVERSIDE
Email:	abriones@rivco.org
Phone Number:	9519558980

Global Id:	T0606500545
Contact Type:	Regional Board Caseworker
Contact Name:	VALERIE JAHN-BULL
Organization Name:	SANTA ANA RWQCB (REGION 8)
Address:	3737 MAIN STREET, SUITE 500
City:	RIVERSIDE
Email:	valerie.jahn-bull@waterboards.ca.gov
Phone Number:	9517824903

THRIFTY OIL #344 ARCO #9714 (Continued) **S103950775**

LUST:

Global Id:	T0606500545
Action Type:	ENFORCEMENT
Date:	05/17/2012
Action:	Staff Letter - #RCDEH0517
Global Id:	T0606500545
Action Type:	ENFORCEMENT
Date:	01/10/2014
Action:	Closure/No Further Action Letter - #RCDEH closure documents
Global Id:	T0606500545
Action Type:	Other
Date:	05/26/1998
Action:	Leak Reported
Global Id:	T0606500545
Action Type:	RESPONSE
Date:	04/15/2008
Action:	Monitoring Report - Quarterly
Global Id:	T0606500545
Action Type:	RESPONSE
Date:	07/15/2008
Action:	Monitoring Report - Semi-Annually
Global Id:	T0606500545
Action Type:	RESPONSE
Date:	10/15/2012
Action:	Monitoring Report - Quarterly
Global Id:	T0606500545
Action Type:	RESPONSE
Date:	10/22/2013
Action:	Verbal Communication
Global Id:	T0606500545
Action Type:	RESPONSE
Date:	08/22/2013
Action:	Other Report / Document
Global Id:	T0606500545
Action Type:	RESPONSE
Date:	12/07/2013
Action:	Well Destruction Report
Global Id:	T0606500545
Action Type:	REMEDIATION
Date:	03/01/1998
Action:	Excavation
Global Id:	T0606500545
Action Type:	REMEDIATION
Date:	11/03/2004
Action:	Soil Vapor Extraction (SVE)
Global Id:	T0606500545

THRIFTY OIL #344 ARCO #9714 (Continued) **S103950775**

Action Type: ENFORCEMENT
Date: 08/12/2009
Action: Staff Letter - #RCDEH081209

Global Id: T0606500545
Action Type: RESPONSE
Date: 06/08/2009
Action: Other Workplan

Global Id: T0606500545
Action Type: RESPONSE
Date: 07/06/2012
Action: Request for Closure - Regulator Responded

Global Id: T0606500545
Action Type: RESPONSE
Date: 01/15/2013
Action: Monitoring Report - Quarterly - Regulator Responded

Global Id: T0606500545
Action Type: ENFORCEMENT
Date: 02/27/2008
Action: Technical Correspondence / Assistance / Other - #RCDEH 022708

Global Id: T0606500545
Action Type: ENFORCEMENT
Date: 05/07/2007
Action: File review

Global Id: T0606500545
Action Type: ENFORCEMENT
Date: 04/27/2009
Action: Staff Letter - #RCDEH042709

Global Id: T0606500545
Action Type: ENFORCEMENT
Date: 12/06/2013
Action: File review - #RCDEH SITE SUMMARY

Global Id: T0606500545
Action Type: Other
Date: 03/01/1998
Action: Leak Stopped

Global Id: T0606500545
Action Type: RESPONSE
Date: 07/15/2010
Action: Monitoring Report - Quarterly

Global Id: T0606500545
Action Type: RESPONSE
Date: 01/15/2010
Action: Monitoring Report - Quarterly

Global Id: T0606500545
Action Type: RESPONSE
Date: 10/15/2009

THRIFTY OIL #344 ARCO #9714 (Continued) **S103950775**

Action: Monitoring Report - Quarterly

Global Id: T0606500545
Action Type: RESPONSE
Date: 04/15/2010
Action: Monitoring Report - Quarterly

Global Id: T0606500545
Action Type: RESPONSE
Date: 01/15/2008
Action: Monitoring Report - Quarterly

Global Id: T0606500545
Action Type: RESPONSE
Date: 07/15/2007
Action: Monitoring Report - Quarterly

Global Id: T0606500545
Action Type: ENFORCEMENT
Date: 05/15/2007
Action: File review

Global Id: T0606500545
Action Type: ENFORCEMENT
Date: 02/15/2011
Action: Staff Letter - #RCDEH 021511

Global Id: T0606500545
Action Type: ENFORCEMENT
Date: 08/07/2013
Action: Notification - Public Notice of Case Closure - #RCDEH#080713

Global Id: T0606500545
Action Type: ENFORCEMENT
Date: 08/07/2013
Action: Staff Letter - #RCDEH#080713

Global Id: T0606500545
Action Type: ENFORCEMENT
Date: 01/09/2014
Action: File review - #RCDEH uploaded site file

Global Id: T0606500545
Action Type: RESPONSE
Date: 01/15/2009
Action: Monitoring Report - Quarterly

Global Id: T0606500545
Action Type: RESPONSE
Date: 07/15/2009
Action: Monitoring Report - Semi-Annually

Global Id: T0606500545
Action Type: RESPONSE
Date: 07/15/2011
Action: Monitoring Report - Quarterly

THRIFTY OIL #344 ARCO #9714 (Continued) **S103950775**

Global Id: T0606500545
Action Type: RESPONSE
Date: 10/15/2011
Action: Monitoring Report - Quarterly

Global Id: T0606500545
Action Type: RESPONSE
Date: 01/15/2012
Action: Monitoring Report - Quarterly

Global Id: T0606500545
Action Type: RESPONSE
Date: 04/15/2012
Action: Monitoring Report - Quarterly

Global Id: T0606500545
Action Type: RESPONSE
Date: 07/15/2012
Action: Monitoring Report - Quarterly

Global Id: T0606500545
Action Type: RESPONSE
Date: 04/15/2011
Action: Monitoring Report - Quarterly

Global Id: T0606500545
Action Type: ENFORCEMENT
Date: 03/09/2011
Action: Staff Letter - #RCDEH030911

Global Id: T0606500545
Action Type: ENFORCEMENT
Date: 07/01/2013
Action: Staff Letter - #RCDEH#070113

Global Id: T0606500545
Action Type: ENFORCEMENT
Date: 07/22/2013
Action: LOP Case Closure Summary to RB - #RCDEH#072213

Global Id: T0606500545
Action Type: ENFORCEMENT
Date: 09/28/2009
Action: Clean Up Fund - Case Closure Review Summary Report (RSR)

Global Id: T0606500545
Action Type: ENFORCEMENT
Date: 03/10/2011
Action: Clean Up Fund - Case Closure Review Summary Report (RSR)

Global Id: T0606500545
Action Type: Other
Date: 12/29/1997
Action: Leak Discovery

Global Id: T0606500545
Action Type: RESPONSE

THRIFTY OIL #344 ARCO #9714 (Continued) **S103950775**

Date: 10/15/2007
Action: Monitoring Report - Quarterly

Global Id: T0606500545
Action Type: RESPONSE
Date: 07/15/2007
Action: Monitoring Report - Quarterly

Global Id: T0606500545
Action Type: RESPONSE
Date: 01/15/2007
Action: Monitoring Report - Quarterly

Global Id: T0606500545
Action Type: RESPONSE
Date: 04/15/2007
Action: Monitoring Report - Quarterly

Global Id: T0606500545
Action Type: RESPONSE
Date: 01/15/2008
Action: Monitoring Report - Quarterly

Global Id: T0606500545
Action Type: RESPONSE
Date: 04/14/2011
Action: Other Report / Document

LUST:
Global Id: T0606500545
Status: Open - Case Begin Date
Status Date: 07/01/1997

Global Id: T0606500545
Status: Open - Site Assessment
Status Date: 07/01/1997

Global Id: T0606500545
Status: Open - Remediation
Status Date: 03/01/1998

Global Id: T0606500545
Status: Open - Site Assessment
Status Date: 05/26/1998

Global Id: T0606500545
Status: Open - Remediation
Status Date: 11/03/2004

Global Id: T0606500545
Status: Open - Eligible for Closure
Status Date: 07/11/2013

Global Id: T0606500545
Status: Completed - Case Closed
Status Date: 01/10/2014

THRIFTY OIL #344 ARCO #9714 (Continued) **S103950775**

RIVERSIDE CO. LUST:
Name: THRIFTY OIL #344 ARCO #9714
Address: 1294 UNIVERSITY AVE
City,State,Zip: RIVERSIDE, CA
Region: RIVERSIDE
Facility ID: 980441
Employee: Briones-LOP
Site Closed: Yes
Case Type: Drinking Water Aquifer affected
Facility Status: closed/action completed
Casetype Decode: An Aquifer used for Drinking Water supply has been contaminated.
Fstatus Decode: Closed/Action completed

CERS HAZ WASTE:
Name: ARCO 42134
Address: 1294 UNIVERSITY AVE
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 93091
CERS ID: 10339576
CERS Description: Hazardous Waste Generator

CERS TANKS:
Name: ARCO 42134
Address: 1294 UNIVERSITY AVE
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 93091
CERS ID: 10339576
CERS Description: Underground Storage Tank

CHMIRS:
Name: Not reported
Address: 1294 UNIVERSITY AVENUE
City,State,Zip: RIVERSIDE, CA 92507
OES Incident Number: 20-3609
OES notification: 07/08/2020
OES Date: Not reported
OES Time: Not reported
Date Completed: **Not reported**
Property Use: Not reported
Agency Id Number: Not reported
Agency Incident Number: Not reported
Time Notified: Not reported
Time Completed: Not reported
Surrounding Area: Not reported
Estimated Temperature: Not reported
Property Management: Not reported
More Than Two Substances Involved?: Not reported
Resp Agncy Personel # Of Decontaminated: Not reported
Responding Agency Personel # Of Injuries: Not reported
Responding Agency Personel # Of Fatalities: Not reported
Others Number Of Decontaminated: Not reported
Others Number Of Injuries: Not reported
Others Number Of Fatalities: Not reported
Vehicle Make/year: Not reported
Vehicle License Number: Not reported

THRIFTY OIL #344 ARCO #9714 (Continued) **S103950775**

Vehicle State:	Not reported
Vehicle Id Number:	Not reported
CA DOT PUC/ICC Number:	Not reported
Company Name:	Not reported
Reporting Officer Name/ID:	Not reported
Report Date:	Not reported
Facility Telephone:	Not reported
Waterway Involved:	No
Waterway:	non
Spill Site:	Merchant/Business
Cleanup By:	Unrecoverable
Containment:	Not reported
What Happened:	Not reported
Type:	Not reported
Measure:	Not reported
Other:	Not reported
Type:	VAPOR
Measure:	Lbs.
Other:	Not reported
Date/Time:	907
Year:	2020
Agency:	SoCal Gas
Incident Date:	07/08/2020
Admin Agency:	City of Riverside Fire Marshal
Amount:	Not reported
Contained:	Not stopped,Not contained
Site Type:	non
E Date:	Not reported
Substance:	Natural Gas
Quantity Released:	unknown
Unknown:	Not reported
Substance #2:	Not reported
Substance #3:	Not reported
Evacuations:	30
Number of Injuries:	Not reported
Number of Fatalities:	Not reported
#1 Pipeline:	No
#2 Pipeline:	No
#3 Pipeline:	No
#1 Vessel >= 300 Tons:	No
#2 Vessel >= 300 Tons:	No
#3 Vessel >= 300 Tons:	No
Evacs:	Yes
Injuries:	No
Fatals:	No
Comments:	Not reported
Description:	RP states release was due to third party excavation damage to a 3/4 inch steel service line, material vented to the atmosphere becoming unrecoverable, the release is ongoing, SoCal Gas crews are on scene making repairs, estimated time of control is approximately 3 hours, there is no vapor cloud, Fire and Police are on scene, approximately 30 people have been evacuated, there are road closures with detours in place.

THRIFTY OIL #344 ARCO #9714 (Continued) **S103950775**

CORTESE:

Name:	THRIFTY OIL #344 ARCO #9714
Address:	1294 UNIVERSITY AVE
City,State,Zip:	RIVERSIDE, CA 92507
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0606500545
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

HIST CORTESE:

edr_fname:	THRIFTY OIL #344/ ARCO #9
edr_fadd1:	1294
City,State,Zip:	RIVERSIDE, CA 92507
Region:	CORTESE
Facility County Code:	33
Reg By:	LTNKA
Reg Id:	083303277T

CERS:

Name:	ARCO 42134
Address:	1294 UNIVERSITY AVE
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	93091
CERS ID:	10339576
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	93091
Site Name:	ARCO 42134
Violation Date:	11-19-2013
Citation:	23 CCR 16 2637(e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2637(e)
Violation Description:	Failure to submit a copy of the secondary containment test results to the CUPA within 30 days after the test.
Violation Notes:	Returned to compliance on 12/31/2013. SB-989 Repairs completed 12/20/13 - Violation Abated
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,

THRIFTY OIL #344 ARCO #9714 (Continued) **S103950775**

Site ID:	93091
Site Name:	ARCO 42134
Violation Date:	03-04-2020
Citation:	23 CCR 16 2712(b)(1)(G) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(1)(G)
Violation Description:	Failure to comply with one or more of the following overfill prevention equipment requirements: Alert the transfer operator when the tank is 90 percent full by restricting the flow into the tank or triggering an audible and visual alarm; or Restrict delivery of flow to the tank at least 30 minutes before the tank overfills, provided the restriction occurs when the tank is filled to no more than 95 percent of capacity; and activate an audible alarm at least five minutes before the tank overfills; or Provide positive shut-off of flow to the tank when the tank is filled to no more than 95 percent of capacity; or Provide positive shut-off of flow to the tank so that none of the fittings located on the top of the tank are exposed to product due to overfilling. Install/retrofit overfill prevention equipment that does not use flow restrictors on vent piping to meet overfill prevention equipment requirements when the overfill prevention equipment is installed, repaired, or replaced on and after October 1, 2018. For USTs installed before October 1, 2018, perform an inspection by October 13, 2018 and every 36 months thereafter. For USTs installed on and after October 1, 2018, perform an inspection at installation and every 36 months thereafter. Inspected within 30 days after a repair to the overfill prevention equipment. Inspected using an applicable manufacturer guidelines, industry codes, engineering standards, or a method approved by a professional engineer. Inspected by a certified UST service technician. Maintain records of overfill prevention equipment inspection for 36 months.
Violation Notes:	Returned to compliance on 03/20/2020.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,

Site ID:	93091
Site Name:	ARCO 42134
Violation Date:	10-03-2013
Citation:	23 CCR 16 2637(e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2637(e)
Violation Description:	Failure to submit a copy of the secondary containment test results to the CUPA within 30 days after the test.
Violation Notes:	Returned to compliance on 12/31/2013. SB-989 Repairs completed 12/20/13 - Violation Abated
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,

Site ID:	93091
Site Name:	ARCO 42134
Violation Date:	12-05-2019
Citation:	23 CCR 16 2712(b)(1)(G) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(1)(G)
Violation Description:	Failure to comply with one or more of the following overfill prevention equipment requirements: Alert the transfer operator when the tank is 90 percent full by restricting the flow into the tank or triggering an audible and visual alarm; or Restrict delivery of flow to the tank at least 30 minutes before the tank overfills, provided

THRIFTY OIL #344 ARCO #9714 (Continued) **S103950775**

the restriction occurs when the tank is filled to no more than 95 percent of capacity; and activate an audible alarm at least five minutes before the tank overfills; or Provide positive shut-off of flow to the tank when the tank is filled to no more than 95 percent of capacity; or Provide positive shut-off of flow to the tank so that none of the fittings located on the top of the tank are exposed to product due to overfilling. Install/retrofit overfill prevention equipment that does not use flow restrictors on vent piping to meet overfill prevention equipment requirements when the overfill prevention equipment is installed, repaired, or replaced on and after October 1, 2018. For USTs installed before October 1, 2018, perform an inspection by October 13, 2018 and every 36 months thereafter. For USTs installed on and after October 1, 2018, perform an inspection at installation and every 36 months thereafter. Inspected within 30 days after a repair to the overfill prevention equipment. Inspected using an applicable manufacturer guidelines, industry codes, engineering standards, or a method approved by a professional engineer. Inspected by a certified UST service technician. Maintain records of overfill prevention equipment inspection for 36 months.

Violation Notes: Returned to compliance on 01/21/2020.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 93091
Site Name: ARCO 42134
Violation Date: 12-16-2020
Citation: 23 CCR 16 2712(b)(1)(G) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(1)(G)

Violation Description: Failure to comply with one or more of the following overfill prevention equipment requirements: Alert the transfer operator when the tank is 90 percent full by restricting the flow into the tank or triggering an audible and visual alarm; or Restrict delivery of flow to the tank at least 30 minutes before the tank overfills, provided the restriction occurs when the tank is filled to no more than 95 percent of capacity; and activate an audible alarm at least five minutes before the tank overfills; or Provide positive shut-off of flow to the tank when the tank is filled to no more than 95 percent of capacity; or Provide positive shut-off of flow to the tank so that none of the fittings located on the top of the tank are exposed to product due to overfilling. Install/retrofit overfill prevention equipment that does not use flow restrictors on vent piping to meet overfill prevention equipment requirements when the overfill prevention equipment is installed, repaired, or replaced on and after October 1, 2018. For USTs installed before October 1, 2018, perform an inspection by October 13, 2018 and every 36 months thereafter. For USTs installed on and after October 1, 2018, perform an inspection at installation and every 36 months thereafter. Inspected within 30 days after a repair to the overfill prevention equipment. Inspected using an applicable manufacturer guidelines, industry codes, engineering standards, or a method approved by a professional engineer. Inspected by a certified UST service technician. Maintain records of overfill prevention equipment inspection for 36 months.

Violation Notes: Returned to compliance on 01/21/2021. OBSERVATION: Observed installed overfill equipment that doesn't meet current requirements. Overfill fill tube shut-off valve (flapper) for the 87 siphon UST system was set at 96%, which is above allowable limit of 95% tank capacity.

THRIFTY OIL #344 ARCO #9714 (Continued) **S103950775**

CORRECTIVE ACTION: Owner/operator shall ensure that overfill requirements are being met by adjusting/replacing overfill equipment. Owner/operator shall repair/replace or adjust the 87 siphon tank fill tube shut-off valve (flapper) overfill equipment to be set at no greater than 95% tank capacity. Any overfill adjustment may require a plan check with this department.

Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 93091
Site Name: ARCO 42134
Violation Date: 12-11-2019
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes: Returned to compliance on 12/12/2019.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 93091
Site Name: ARCO 42134
Violation Date: 12-06-2018
Citation: 23 CCR 16 2715(a)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)(2)
Violation Description: Failure to submit the Underground Storage Tank Statement of Understanding and Compliance Form.
Violation Notes: Returned to compliance on 01/30/2019. Understanding and compliance form required
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 93091
Site Name: ARCO 42134
Violation Date: 07-08-2016
Citation: HSC 6.7 25290.1(c)(3), 25290.2(c)(3) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(c)(3), 25290.2(c)(3)
Violation Description: Failure to keep water out of the secondary containment of UST systems installed on or after July 1, 2003 and before July 1, 2004, or on or after July 1, 2004.
Violation Notes: Returned to compliance on 08/08/2016.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 93091
Site Name: ARCO 42134
Violation Date: 11-20-2018
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: Returned to compliance on 12/20/2018. The chemical inventory has not

THRIFTY OIL #344 ARCO #9714 (Continued) **S103950775**

	been submitted accurately.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	93091
Site Name:	ARCO 42134
Violation Date:	08-14-2015
Citation:	23 CCR 16 2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2711(a)(8)
Violation Description:	Failure to submit, obtain approval, or maintain a complete/accurate plot plan.
Violation Notes:	Returned to compliance on 12/22/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	93091
Site Name:	ARCO 42134
Violation Date:	12-06-2018
Citation:	23 CCR 16 2665(b) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2665(b)
Violation Description:	"Failure to submit a copy of the overfill prevention equipment inspection results on the Overfill Prevention Equipment Inspection Report Form to the UPA within 30 days after the inspection. "
Violation Notes:	Returned to compliance on 01/30/2019. Overfill protection testing still required for this site. Plans have been submitted for flapper valve install.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	93091
Site Name:	ARCO 42134
Violation Date:	08-14-2015
Citation:	23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description:	Failure to maintain on site an approved monitoring plan.
Violation Notes:	Returned to compliance on 12/22/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	93091
Site Name:	ARCO 42134
Violation Date:	08-14-2015
Citation:	23 CCR 16 2636(f)(1) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)(1)
Violation Description:	Failure of the double wall pressurized piping in the under dispenser containment to be continuously monitored by a method that either shuts down the flow of product to the dispenser or activates an audible/visual alarm when a leak is detected.
Violation Notes:	Returned to compliance on 12/22/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,

THRIFTY OIL #344 ARCO #9714 (Continued) **S103950775**

Site ID: 93091
Site Name: ARCO 42134
Violation Date: 12-11-2019
Citation: 23 CCR 16 2712(b)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(2)
Violation Description: Failure to maintain monitoring records for release detection and/or maintain records of appropriate follow-up actions.
Violation Notes: Returned to compliance on 01/14/2020.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-05-2016
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-05-2016
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: UST CMD/annual inspection
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 01-16-2015
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Conclude inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 10-03-2013
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: UST follow up
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 10-24-2016
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: UST follow up
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

THRIFTY OIL #344 ARCO #9714 (Continued) **S103950775**

Eval General Type: Compliance Evaluation Inspection
Eval Date: 12-06-2021
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-14-2015
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-14-2015
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: UST annual CMD/inspection
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-21-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Haz waste generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 03-02-2020
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-05-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 07-08-2016
Violations Found: Yes

THRIFTY OIL #344 ARCO #9714 (Continued) **S103950775**

Eval Type: Other, not routine, done by local agency
Eval Notes: UST follow up
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 08-14-2015
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: UST follow up
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 12-05-2019
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: NOV- Overfill
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 12-06-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Hazardous Waste Generator
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 12-06-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: UST Inspection
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 01-16-2015
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Conclude inspection/review and sign report
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 01-30-2019
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: UST follow up to verify proper repair/replacement of overfill drop tubes.

THRIFTY OIL #344 ARCO #9714 (Continued) **S103950775**

Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-02-2020
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 11-19-2013
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: UST follow up
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-20-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 12-11-2019
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 12-16-2020
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Annual monitoring certification conducted today. Fastech on site for testing. ICC Certified Service Technician: Daniel Sanchez 8361015. NOTE 1: Spill bucket testing still in progress and is marked N/A because it is unable to be determined/verified at the time of inspection. Please submit results for spill bucket testing within 30 days of testing. NOTE 2: The facility is conducting the Overfill Prevention Equipment Inspection (OPEI) early today, to reset their 36 month anniversary date. The test conducted today will reset the date and make the next due date December 16th, 2023.
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

THRIFTY OIL #344 ARCO #9714 (Continued) **S103950775**

Eval General Type: Other/Unknown
Eval Date: 12-20-2013
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: UST follow up inspection
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 12-22-2016
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: HW inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 12-06-2021
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 12-11-2017
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: UST CMD/Inspection
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 12-22-2016
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Annual CMD/UST inspection
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-21-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: UST annual CMD/inspection
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 12-09-2013
Violations Found: No

THRIFTY OIL #344 ARCO #9714 (Continued) **S103950775**

Eval Type: Other, not routine, done by local agency
Eval Notes: UST follow up
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 12-11-2017
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 12-18-2019
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Notice of violation/ compliance was handed to person in charge at station
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Enforcement Action:
Site ID: 93091
Site Name: ARCO 42134
Site Address: 1294 UNIVERSITY AVE
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 08-14-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside County Department of Env Health
Enf Action Program: UST
Enf Action Source: CERS,

Site ID: 93091
Site Name: ARCO 42134
Site Address: 1294 UNIVERSITY AVE
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 10-03-2013
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside County Department of Env Health
Enf Action Program: UST
Enf Action Source: CERS,

Site ID: 93091
Site Name: ARCO 42134
Site Address: 1294 UNIVERSITY AVE
Site City: RIVERSIDE
Site Zip: 92507

THRIFTY OIL #344 ARCO #9714 (Continued) **S103950775**

Enf Action Date:	11-19-2013
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Riverside County Department of Env Health
Enf Action Program:	UST
Enf Action Source:	CERS,

Coordinates:

Site ID:	93091
Facility Name:	ARCO 42134
Env Int Type Code:	HWG
Program ID:	10339576
Coord Name:	Not reported
Ref Point Type Desc:	Center of a facility or station.,
Latitude:	33.975320
Longitude:	-117.339450

Affiliation:

Affiliation Type Desc:	Legal Owner
Entity Name:	Tesoro Refining & Marketing Company LLC
Entity Title:	Not reported
Affiliation Address:	301 E OCEAN BOULEVARD, SUITE 1600
Affiliation City:	LONG BEACH
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	90802
Affiliation Phone:	(562) 495-6937,
Affiliation Type Desc:	UST Tank Operator
Entity Name:	CALGAS CORP
Entity Title:	Not reported
Affiliation Address:	1294 UNIVERSITY AVENUE
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92507
Affiliation Phone:	(951) 682-3908,
Affiliation Type Desc:	Document Preparer
Entity Name:	BELSHIRE ENVIRONMENTAL SERVICES, INC.
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	301 E OCEAN BOULEVARD, SUITE 1600
Affiliation City:	LONG BEACH
Affiliation State:	CA
Affiliation Country:	Not reported

THRIFTY OIL #344 ARCO #9714 (Continued) **S103950775**

Affiliation Zip:	90802
Affiliation Phone:	,
Affiliation Type Desc:	Operator
Entity Name:	Tesoro Refining & Marketing Company LLC
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(562) 495-6937,
Affiliation Type Desc:	UST Permit Applicant
Entity Name:	TERESA A. MILES
Entity Title:	ENVIRONMENTAL COMPLIANCE SUPERVISOR
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(562) 495-6850,
Affiliation Type Desc:	UST Property Owner Name
Entity Name:	Thrifty Oil Co.
Entity Title:	Not reported
Affiliation Address:	13116 IMPERIAL HIGHWAY
Affiliation City:	SANTA FE SPRINGS
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	90670
Affiliation Phone:	(562) 921-3581,
Affiliation Type Desc:	CUPA District
Entity Name:	Riverside Cnty Env Health
Entity Title:	Not reported
Affiliation Address:	4065 County Circle Drive, Room 104
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92503
Affiliation Phone:	(951) 358-5055,
Affiliation Type Desc:	Environmental Contact
Entity Name:	ROMAN SHEKHTER
Entity Title:	Not reported
Affiliation Address:	301 E OCEAN BOULEVARD, SUITE 1600
Affiliation City:	LONG BEACH
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90802
Affiliation Phone:	,
Affiliation Type Desc:	UST Tank Owner
Entity Name:	Thrifty Oil Co.
Entity Title:	Not reported
Affiliation Address:	13116 IMPERIAL HIGHWAY

THRIFTY OIL #344 ARCO #9714 (Continued) **S103950775**

Affiliation City: SANTA FE SPRINGS
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 90670
Affiliation Phone: (562) 921-3581,

Affiliation Type Desc: Identification Signer
Entity Name: VICTOR ESEIGBE
Entity Title: DIRECTOR, DIRECT DEALER MARKETING OPERATIONS
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: Parent Corporation
Entity Name: Tesoro Refining and Marketing Company LLC
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: Property Owner
Entity Name: Thrifty Oil Co.
Entity Title: Not reported
Affiliation Address: 13116 IMPERIAL HIGHWAY
Affiliation City: SANTA FE SPRINGS
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 90670
Affiliation Phone: (562) 921-3581,

Name: THRIFTY OIL #344 ARCO #9714
Address: 1294 UNIVERSITY AVE
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 186904
CERS ID: T0606500545
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: ANDREA BRIONES - RIVERSIDE COUNTY LOP
Entity Title: Not reported
Affiliation Address: 3880 LEMON ST SUITE 200
Affiliation City: RIVERSIDE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 9519558980,

Affiliation Type Desc: Regional Board Caseworker
Entity Name: VALERIE JAHN-BULL - SANTA ANA RWQCB (REGION 8)
Entity Title: Not reported

THRIFTY OIL #344 ARCO #9714 (Continued) **S103950775**

Affiliation Address:	3737 MAIN STREET, SUITE 500
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	9517824903,

AH171 **THRIFTY OIL #344/ ARCO #9714** **LUST** **S103943693**
SE **1294 UNIVERSITY AVE** **N/A**
1/4-1/2 **RIVERSIDE, CA 92507**
0.391 mi.
2064 ft. **Site 4 of 6 in cluster AH**

Relative:
Higher

Actual:
1002 ft.

LUST REG 8:

Name:	THRIFTY OIL #344/ ARCO #9714
Address:	1294 UNIVERSITY AVE
City:	RIVERSIDE
Region:	8
County:	Riverside
Regional Board:	Santa Ana Region
Facility Status:	Preliminary site assessment workplan submitted
Case Number:	083303277T
Local Case Num:	980441
Case Type:	Soil only
Substance:	Gasoline
Qty Leaked:	Not reported
Abate Method:	Not reported
Cross Street:	IOWA
Enf Type:	Not reported
Funding:	Not reported
How Discovered:	Not reported
How Stopped:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Global ID:	T0606500545
How Stopped Date:	Not reported
Enter Date:	11/6/1998
Date Confirmation of Leak Began:	Not reported
Date Preliminary Assessment Began:	Not reported
Discover Date:	12/29/1997
Enforcement Date:	Not reported
Close Date:	Not reported
Date Prelim Assessment Workplan Submitted:	1/1/1965
Date Pollution Characterization Began:	Not reported
Date Remediation Plan Submitted:	Not reported
Date Remedial Action Underway:	Not reported
Date Post Remedial Action Monitoring:	Not reported
Enter Date:	11/6/1998
GW Qualifies:	=
Soil Qualifies:	Not reported
Operator:	Not reported
Facility Contact:	Not reported
Interim:	Not reported
Oversite Program:	LUST
Latitude:	33.9757246
Longitude:	-117.3397409
MTBE Date:	9/1/2004

THRIFTY OIL #344/ ARCO #9714 (Continued) **S103943693**

Max MTBE GW:	3.8
MTBE Concentration:	0
Max MTBE Soil:	Not reported
MTBE Fuel:	1
MTBE Tested:	MTBE Detected. Site tested for MTBE & MTBE detected
MTBE Class:	*
Staff:	VJJ
Staff Initials:	UNK
Lead Agency:	Local Agency
Local Agency:	33000L
Hydr Basin #:	UPPER SANTA ANA VALL
Beneficial:	Not reported
Priority:	Not reported
Cleanup Fund Id:	Not reported
Work Suspended:	Not reported

Summary: USTS REPLACED MARCH/APRIL1998. REMOVED 842 TONS OF CONTAMINATED SOIL.

---

172 SW 1/4-1/2 0.415 mi. 2189 ft. **EASTSIDE ELEMENTARY SCHOOL** **ENVIROSTOR SCH** **S107027259 N/A**
UNIVERSITY AVENUE/OTTAWA AVENUE
RIVERSIDE, CA 92507

Relative: Lower
Actual: 947 ft.

ENVIROSTOR:

Name:	EASTSIDE ELEMENTARY SCHOOL
Address:	UNIVERSITY AVENUE/OTTAWA AVENUE
City,State,Zip:	RIVERSIDE, CA 92507
Facility ID:	33000044
Status:	Inactive - Needs Evaluation
Status Date:	02/07/2007
Site Code:	404630
Site Type:	School Investigation
Site Type Detailed:	School
Acres:	11.5
NPL:	NO
Regulatory Agencies:	SMBRP
Lead Agency:	SMBRP
Program Manager:	S. Steven Hariri
Supervisor:	Shahir Haddad
Division Branch:	Southern California Schools & Brownfields Outreach
Assembly:	61
Senate:	31
Special Program:	Not reported
Restricted Use:	NO
Site Mgmt Req:	NONE SPECIFIED
Funding:	School District
Latitude:	33.9742
Longitude:	-117.3517
APN:	NONE SPECIFIED
Past Use:	* UNKNOWN
Potential COC:	Benzene Lead Polynuclear aromatic hydrocarbons (PAHs TPH-diesel TPH-gas TPH-MOTOR OIL
Confirmed COC:	30019-NO 30024-NO 30025-NO 30003-NO 30013-NO 3002502-NO
Potential Description:	SOIL
Alias Name:	RIVERSIDE UNIFIED SCHOOL DISTRICT
Alias Type:	Alternate Name
Alias Name:	RIVERSIDE USD-PRPSD EASTSIDE ELEM SCHOOL
Alias Type:	Alternate Name

EASTSIDE ELEMENTARY SCHOOL (Continued) **S107027259**

Alias Name: 404630
Alias Type: Project Code (Site Code)
Alias Name: 33000044
Alias Type: Envirostor ID Number

Completed Info:
Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Preliminary Endangerment Assessment Workplan
Completed Date: 01/10/2006
Comments: Field Work Scheduled for 1/16/06

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Environmental Oversight Agreement
Completed Date: 06/28/2005
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Amendment - Order/Agreement
Completed Date: 04/27/2006
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Inactive Status Letter
Completed Date: 01/16/2007
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Cost Recovery Closeout Memo
Completed Date: 02/07/2007
Comments: CRU Completed

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported
Schedule Document Type: Not reported
Schedule Due Date: Not reported
Schedule Revised Date: Not reported

SCH:

Name: EASTSIDE ELEMENTARY SCHOOL
Address: UNIVERSITY AVENUE/OTTAWA AVENUE
City,State,Zip: RIVERSIDE, CA 92507
Facility ID: 33000044
Site Type: School Investigation
Site Type Detail: School
Site Mgmt. Req.: NONE SPECIFIED
Acres: 11.5
National Priorities List: NO

EASTSIDE ELEMENTARY SCHOOL (Continued) **S107027259**

Cleanup Oversight Agencies:	SMBRP
Lead Agency:	SMBRP
Lead Agency Description:	DTSC - Site Cleanup Program
Project Manager:	S. Steven Hariri
Supervisor:	Shahir Haddad
Division Branch:	Southern California Schools & Brownfields Outreach
Site Code:	404630
Assembly:	61
Senate:	31
Special Program Status:	Not reported
Status:	Inactive - Needs Evaluation
Status Date:	02/07/2007
Restricted Use:	NO
Funding:	School District
Latitude:	33.9742
Longitude:	-117.3517
APN:	NONE SPECIFIED
Past Use:	* UNKNOWN
Potential COC:	Benzene, Lead, Polynuclear aromatic hydrocarbons (PAHs, TPH-diesel, TPH-gas, TPH-MOTOR OIL
Confirmed COC:	30019-NO, 30024-NO, 30025-NO, 30003-NO, 30013-NO, 3002502-NO
Potential Description:	SOIL
Alias Name:	RIVERSIDE UNIFIED SCHOOL DISTRICT
Alias Type:	Alternate Name
Alias Name:	RIVERSIDE USD-PRPSD EASTSIDE ELEM SCHOOL
Alias Type:	Alternate Name
Alias Name:	404630
Alias Type:	Project Code (Site Code)
Alias Name:	33000044
Alias Type:	Envirostor ID Number

Completed Info:

Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Preliminary Endangerment Assessment Workplan
Completed Date:	01/10/2006
Comments:	Field Work Scheduled for 1/16/06
Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Environmental Oversight Agreement
Completed Date:	06/28/2005
Comments:	Not reported
Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Amendment - Order/Agreement
Completed Date:	04/27/2006
Comments:	Not reported
Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Inactive Status Letter
Completed Date:	01/16/2007
Comments:	Not reported
Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported

EASTSIDE ELEMENTARY SCHOOL (Continued) **S107027259**

Completed Document Type:	Cost Recovery Closeout Memo
Completed Date:	02/07/2007
Comments:	CRU Completed
Future Area Name:	Not reported
Future Sub Area Name:	Not reported
Future Document Type:	Not reported
Future Due Date:	Not reported
Schedule Area Name:	Not reported
Schedule Sub Area Name:	Not reported
Schedule Document Type:	Not reported
Schedule Due Date:	Not reported
Schedule Revised Date:	Not reported

AH173 **TEXACO** **LUST** **S103625973**
SE **1221 UNIVERSITY AVE** **Cortese** **N/A**
1/4-1/2 **RIVERSIDE, CA 92507** **CERS**
0.428 mi.
2261 ft. **Site 5 of 6 in cluster AH**

Relative: **Higher**
Actual: **1008 ft.**

LUST:

Name:	TEXACO
Address:	1221 UNIVERSITY AVE
City,State,Zip:	RIVERSIDE, CA 92507
Lead Agency:	RIVERSIDE COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0606500471
Global Id:	T0606500471
Latitude:	33.9759457437572
Longitude:	-117.338538053165
Status:	Completed - Case Closed
Status Date:	07/28/1997
Case Worker:	SCB
RB Case Number:	083302877T
Local Agency:	RIVERSIDE COUNTY LOP
File Location:	Local Agency Warehouse
Local Case Number:	960698
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

LUST:

Global Id:	T0606500471
Contact Type:	Local Agency Caseworker
Contact Name:	SHARON BOLTINGHOUSE
Organization Name:	RIVERSIDE COUNTY LOP
Address:	3880 LEMON ST SUITE 200
City:	RIVERSIDE
Email:	sbolting@rivco.org
Phone Number:	9519558980

LUST:

Global Id:	T0606500471
Action Type:	Other
Date:	07/05/1996
Action:	Leak Reported
Global Id:	T0606500471

TEXACO (Continued) **S103625973**

Action Type: REMEDIATION
Date: 07/18/1996
Action: Excavation

Global Id: T0606500471
Action Type: Other
Date: 10/16/1986
Action: Leak Stopped

Global Id: T0606500471
Action Type: RESPONSE
Date: 05/12/1997
Action: Other Report / Document

Global Id: T0606500471
Action Type: RESPONSE
Date: 02/10/1997
Action: Tank Removal Report / UST Sampling Report

Global Id: T0606500471
Action Type: RESPONSE
Date: 08/01/1996
Action: Soil and Water Investigation Report

Global Id: T0606500471
Action Type: RESPONSE
Date: 07/05/1996
Action: Unauthorized Release Form

Global Id: T0606500471
Action Type: ENFORCEMENT
Date: 07/28/1997
Action: Closure/No Further Action Letter - #RCDEH0728

Global Id: T0606500471
Action Type: ENFORCEMENT
Date: 07/27/1997
Action: File review - #RCDEH Upload Site File 10/29/2015

Global Id: T0606500471
Action Type: Other
Date: 07/03/1996
Action: Leak Discovery

LUST:
Global Id: T0606500471
Status: Open - Case Begin Date
Status Date: 10/16/1986

Global Id: T0606500471
Status: Open - Site Assessment
Status Date: 07/05/1996

Global Id: T0606500471
Status: Open - Site Assessment
Status Date: 07/08/1996

TEXACO (Continued) **S103625973**

Global Id: T0606500471
Status: Open - Remediation
Status Date: 08/20/1996

Global Id: T0606500471
Status: Completed - Case Closed
Status Date: 07/28/1997

RIVERSIDE CO. LUST:
Name: TEXACO
Address: 1221 UNIVERSITY AVE
City,State,Zip: RIVERSIDE, CA
Region: RIVERSIDE
Facility ID: 960698
Employee: Boltinghous-LOP
Site Closed: Yes
Case Type: Soil only
Facility Status: closed/action completed
Casetype Decode: Soil only is impacted
Fstatus Decode: Closed/Action completed

Name: TEXACO
Address: 1221 UNIVERSITY AVE
City,State,Zip: RIVERSIDE, CA
Region: RIVERSIDE
Facility ID: 200117614
Employee: Boltinghous-LOP
Site Closed: Yes
Case Type: Soil only
Facility Status: closed/action completed
Casetype Decode: Soil only is impacted
Fstatus Decode: Closed/Action completed

Name: TEXACO
Address: 1221 UNIVERSITY AVE
City,State,Zip: RIVERSIDE, CA
Region: RIVERSIDE
Facility ID: 200218406
Employee: Boltinghous-LOP
Site Closed: Referred to Water Board
Case Type: Drinking Water Aquifer affected
Facility Status: 0
Casetype Decode: An Aquifer used for Drinking Water supply has been contaminated.
Fstatus Decode: Not reported

CORTESE:
Name: TEXACO
Address: 1221 UNIVERSITY AVE
City,State,Zip: RIVERSIDE, CA 92507
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0606500471
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: COMPLETED - CASE CLOSED
Status Date: Not reported

TEXACO (Continued) **S103625973**

Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

CERS:

Name:	TEXACO
Address:	1221 UNIVERSITY AVE
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	208442
CERS ID:	T0606500471
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	SHARON BOLTINGHOUSE - RIVERSIDE COUNTY LOP
Entity Title:	Not reported
Affiliation Address:	3880 LEMON ST SUITE 200
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	9519558980,

AH174 **TEXACO SERVICE STATION** **LUST** **S101590154**
SE **1221 UNIVERSITY AVE** **SWEEPS UST** **N/A**
1/4-1/2 **RIVERSIDE, CA 92507** **CA FID UST**
0.428 mi. **HIST CORTESE**
2261 ft. **Site 6 of 6 in cluster AH**

Relative: **Higher**

Actual: **1008 ft.**

LUST REG 8:

Name:	TEXACO SERVICE STATION
Address:	1221 UNIVERSITY AVE
City:	RIVERSIDE
Region:	8
County:	Riverside
Regional Board:	Santa Ana Region
Facility Status:	Case Closed
Case Number:	083302877T
Local Case Num:	960698
Case Type:	Soil only
Substance:	Gasoline
Qty Leaked:	Not reported
Abate Method:	Excavate and Dispose - remove contaminated soil and dispose in approved site
Cross Street:	IOWA

TEXACO SERVICE STATION (Continued) **S101590154**

Enf Type:	CLOS
Funding:	Not reported
How Discovered:	Tank Closure
How Stopped:	Not reported
Leak Cause:	UNK
Leak Source:	UNK
Global ID:	T0606500471
How Stopped Date:	10/16/1986
Enter Date:	9/16/1996
Date Confirmation of Leak Began:	7/3/1996
Date Preliminary Assessment Began:	Not reported
Discover Date:	7/3/1996
Enforcement Date:	Not reported
Close Date:	7/28/1997
Date Prelim Assessment Workplan Submitted:	Not reported
Date Pollution Characterization Began:	6/21/1996
Date Remediation Plan Submitted:	8/20/1996
Date Remedial Action Underway:	10/11/1996
Date Post Remedial Action Monitoring:	4/30/1997
Enter Date:	9/16/1996
GW Qualifies:	Not reported
Soil Qualifies:	Not reported
Operator:	Not reported
Facility Contact:	Not reported
Interim:	Not reported
Oversite Program:	LUST
Latitude:	33.9757476
Longitude:	-117.3379649
MTBE Date:	Not reported
Max MTBE GW:	Not reported
MTBE Concentration:	0
Max MTBE Soil:	Not reported
MTBE Fuel:	1
MTBE Tested:	Site NOT Tested for MTBE.Includes Unknown and Not Analyzed.
MTBE Class:	*
Staff:	RS
Staff Initials:	UNK
Lead Agency:	Local Agency
Local Agency:	33000L
Hydr Basin #:	UPPER SANTA ANA VALL
Beneficial:	Not reported
Priority:	Not reported
Cleanup Fund Id:	Not reported
Work Suspended:	Not reported

Summary: Not reported

SWEEPS UST:

Name:	TEXACO STATION
Address:	1221 UNIVERSITY AVE
City:	RIVERSIDE
Status:	Active
Comp Number:	7317
Number:	1
Board Of Equalization:	44-000217
Referral Date:	11-19-92
Action Date:	11-19-92
Created Date:	02-29-88

TEXACO SERVICE STATION (Continued) **S101590154**

Owner Tank Id: 001008
SWRCB Tank Id: 33-000-007317-000002
Tank Status: A
Capacity: 12000
Active Date: 11-19-92
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: 4

Name: TEXACO STATION
Address: 1221 UNIVERSITY AVE
City: RIVERSIDE
Status: Active
Comp Number: 7317
Number: 1
Board Of Equalization: 44-000217
Referral Date: 11-19-92
Action Date: 11-19-92
Created Date: 02-29-88
Owner Tank Id: 001008
SWRCB Tank Id: 33-000-007317-000003
Tank Status: A
Capacity: 10000
Active Date: 11-19-92
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: Not reported

Name: TEXACO STATION
Address: 1221 UNIVERSITY AVE
City: RIVERSIDE
Status: Active
Comp Number: 7317
Number: 1
Board Of Equalization: 44-000217
Referral Date: 11-19-92
Action Date: 11-19-92
Created Date: 02-29-88
Owner Tank Id: 001008
SWRCB Tank Id: 33-000-007317-000004
Tank Status: A
Capacity: 10000
Active Date: 11-19-92
Tank Use: M.V. FUEL
STG: P
Content: LEADED
Number Of Tanks: Not reported

Name: TEXACO STATION
Address: 1221 UNIVERSITY AVE
City: RIVERSIDE
Status: Active
Comp Number: 7317
Number: 1
Board Of Equalization: 44-000217

TEXACO SERVICE STATION (Continued) **S101590154**

Referral Date: 11-19-92
Action Date: 11-19-92
Created Date: 02-29-88
Owner Tank Id: 001008
SWRCB Tank Id: 33-000-007317-000005
Tank Status: A
Capacity: 10000
Active Date: 11-19-92
Tank Use: M.V. FUEL
STG: P
Content: DIESEL
Number Of Tanks: Not reported

CA FID UST:
Facility ID: 33004934
Regulated By: UTNKA
Regulated ID: 00007317
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 7147885275
Mail To: Not reported
Mailing Address: 299 W FOOTHILL BLVD
Mailing Address 2: Not reported
Mailing City,St,Zip: RIVERSIDE 92504
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

HIST CORTESE:
edr_fname: TEXACO SERVICE STATION
edr_fadd1: 1221
City,State,Zip: RIVERSIDE, CA 92507
Region: CORTESE
Facility County Code: 33
Reg By: LTNKA
Reg Id: 083302877T

---

175 WNW 1/4-1/2 0.454 mi. 2396 ft.

SCIND MASSACHUSETTS POINT - SCIND MASSACHUSETTS PO
1989 MASSACHUSETTS AVENUE
RIVERSIDE, CA 92501

CPS-SLIC
CERS HAZ WASTE
CIWQS
CERS

S121638559
N/A

Relative: Lower
Actual: 902 ft.

CPS-SLIC:
Name: SCIND MASSACHUSETTS POINT - SCIND MASSACHUSETTS POINT
Address: 1989 MASSACHUSETTS AVENUE
City,State,Zip: RIVERSIDE, CA 92501
Region: STATE
Facility Status: **Open - Remediation**
Status Date: 12/18/2018
Global Id: T10000010448
Lead Agency: SANTA ANA RWQCB (REGION 8)
Lead Agency Case Number: Not reported

SCIND MASSACHUSETTS POINT - SCIND MASSACHUSETTS POINT (Continued) **S121638559**

Latitude:	33.9872205240039
Longitude:	-117.354924085963
Case Type:	Cleanup Program Site
Case Worker:	PAH
Local Agency:	Not reported
RB Case Number:	Not reported
File Location:	All Files are on GeoTracker or in the Local Agency Database
Potential Media Affected:	Aquifer used for drinking water supply, Soil, Soil Vapor
Potential Contaminants of Concern:	Tetrachloroethylene (PCE), Trichloroethylene (TCE)
Site History:	See also 2626 Kansas Avenue

Click here to access the California GeoTracker records for this facility:

CERS HAZ WASTE:

Name:	STUDENT TRANSPORTATION OF AMERICA - RIVERSIDE
Address:	1989 MASSACHUSETTS AVE
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	71875
CERS ID:	10413247
CERS Description:	Hazardous Waste Generator

CIWQS:

Name:	FIRST STUDENT INC
Address:	1989 MASSACHUSETTS AVE
City,State,Zip:	RIVERSIDE, CA 92507
Agency:	First Student Inc c/o Strata
Agency Address:	110 Perimeter Park, Suite E, Knoxville, TN 37922
Place/Project Type:	Industrial - School Buses
SIC/NAICS:	4151
Region:	8
Program:	INDSTW
Regulatory Measure Status:	Terminated
Regulatory Measure Type:	Storm water industrial
Order Number:	2014-0057-DWQ
WDID:	8 33I020239
NPDES Number:	CAS000001
Adoption Date:	Not reported
Effective Date:	05/30/2006
Termination Date:	07/25/2007
Expiration/Review Date:	Not reported
Design Flow:	Not reported
Major/Minor:	Not reported
Complexity:	Not reported
TTWQ:	Not reported
Enforcement Actions within 5 years:	0
Violations within 5 years:	0
Latitude:	33.98658
Longitude:	-117.3561

CERS:

Name:	STUDENT TRANSPORTATION OF AMERICA - RIVERSIDE
Address:	1989 MASSACHUSETTS AVE
City,State,Zip:	RIVERSIDE, CA 92507
Site ID:	71875
CERS ID:	10413247
CERS Description:	Chemical Storage Facilities

SCIND MASSACHUSETTS POINT - SCIND MASSACHUSETTS POINT (Continued) **S121638559**

Violations:

Site ID:	71875
Site Name:	Student Transportation of America - Riverside
Violation Date:	11-15-2016
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes:	Returned to compliance on 02/24/2017.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	71875
Site Name:	Student Transportation of America - Riverside
Violation Date:	09-28-2020
Citation:	Un-Specified
Violation Description:	Business Plan Program - Administration/Documentation - General Local Ordinance
Violation Notes:	Returned to compliance on 12/02/2020. 100 - Current permit issued/posted. [RMC 9.48.140] - No current permit was posted. Obtain the current permit and post in a conspicuous location.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	71875
Site Name:	Student Transportation of America - Riverside
Violation Date:	08-31-2020
Citation:	Un-Specified
Violation Description:	Business Plan Program - Administration/Documentation - General Local Ordinance
Violation Notes:	Returned to compliance on 12/02/2020. 100 - Current permit issued/posted. [RMC 9.48.140] - No current permit was posted. Obtain the current permit and post in a conspicuous location.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	71875
Site Name:	Student Transportation of America - Riverside
Violation Date:	10-28-2015
Citation:	HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description:	Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes:	Returned to compliance on 01/08/2016.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	71875
Site Name:	Student Transportation of America - Riverside
Violation Date:	08-31-2020
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)

SCIND MASSACHUSETTS POINT - SCIND MASSACHUSETTS POINT (Continued) **S121638559**

Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: Returned to compliance on 09/28/2020. The chemical inventory has not been submitted accurately. Submit the chemical inventory in CERS. Include the changes of the following chemicals in CERS: 5W30 - 350 gal; 15W40 - 55 gal
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 71875
Site Name: Student Transportation of America - Riverside
Violation Date: 09-25-2019
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes: Returned to compliance on 10/07/2019.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 71875
Site Name: Student Transportation of America - Riverside
Violation Date: 03-21-2017
Citation: HSC 6.95 25505(a)(4) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(a)(4)
Violation Description: Failure to provide initial and annual training to all employees in safety procedures in the event of a release or threatened release of a hazardous material or failure to document and maintain training records for a minimum of three years.
Violation Notes: Returned to compliance on 12/29/2017. Provide detail description of the training for the elements stored in the maintenance shop and signature sheet.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 71875
Site Name: Student Transportation of America - Riverside
Violation Date: 01-12-2017
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes: Returned to compliance on 02/24/2017.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-23-2017
Violations Found: Yes

SCIND MASSACHUSETTS POINT - SCIND MASSACHUSETTS POINT (Continued) **S121638559**

Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 01-12-2017
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 09-28-2020
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 08-31-2020
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Inspector D. Young
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 09-25-2019
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 10-28-2015
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-14-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department

SCIND MASSACHUSETTS POINT - SCIND MASSACHUSETTS POINT (Continued) **S121638559**

Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 11-15-2016
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 12-02-2020
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Reinspection - D. Young. All violations from 8/31/2020 routine inspection have been abated.
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Enforcement Action:
Site ID: 71875
Site Name: Student Transportation of America - Riverside
Site Address: 1989 MASSACHUSETTS AVE
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 01-12-2017
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Fines/Penalties Assessed: $200.00. Administrative Citation.
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Site ID: 71875
Site Name: Student Transportation of America - Riverside
Site Address: 1989 MASSACHUSETTS AVE
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 09-25-2019
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Fines/Penalties Assessed: $100.00. Administrative citation.
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Site ID: 71875
Site Name: Student Transportation of America - Riverside
Site Address: 1989 MASSACHUSETTS AVE
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 10-28-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection

SCIND MASSACHUSETTS POINT - SCIND MASSACHUSETTS POINT (Continued) **S121638559**

Enf Action Notes: Fines/Penalties Assessed: $100.00. Administrative Citation.
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Site ID: 71875
Site Name: Student Transportation of America - Riverside
Site Address: 1989 MASSACHUSETTS AVE
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 11-15-2016
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Fines/Penalties Assessed: $100.00. Administrative Citation.
Enf Action Division: Riverside City Fire Department
Enf Action Program: HMRRP
Enf Action Source: CERS,

Coordinates:
Site ID: 71875
Facility Name: Student Transportation of America - Riverside
Env Int Type Code: HWG
Program ID: 10413247
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.,
Latitude: 33.987680
Longitude: -117.354550

Affiliation:
Affiliation Type Desc: CUPA District
Entity Name: Riverside Cnty Env Health
Entity Title: Not reported
Affiliation Address: 4065 County Circle Drive, Room 104
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92503
Affiliation Phone: (951) 358-5055,

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 1989 Massachusetts Ave
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92507
Affiliation Phone: ,

Affiliation Type Desc: Document Preparer
Entity Name: James Rezendes
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported

SCIND MASSACHUSETTS POINT - SCIND MASSACHUSETTS POINT (Continued) **S121638559**

Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: Environmental Contact
Entity Name: Suzanne Johnson
Entity Title: Not reported
Affiliation Address: 6500 Hollister Avenue, Suite 100
Affiliation City: Goleta
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 93117
Affiliation Phone: ,

Affiliation Type Desc: Parent Corporation
Entity Name: Student Transportation of America- Riverside
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: Legal Owner
Entity Name: Student Transportation of America
Entity Title: Not reported
Affiliation Address: 6500 Hollister Avenue, Suite 100
Affiliation City: Goleta
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 93117
Affiliation Phone: (916) 289-2654,

Affiliation Type Desc: Operator
Entity Name: Student Transportation of America
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (951) 509-0838,

Affiliation Type Desc: Identification Signer
Entity Name: James Rezendes
Entity Title: Western Region Fleet Maintenance Director
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Name: SCIND MASSACHUSETTS POINT - SCIND MASSACHUSETTS POINT
Address: 1989 MASSACHUSETTS AVENUE
City,State,Zip: RIVERSIDE, CA 92501

SCIND MASSACHUSETTS POINT - SCIND MASSACHUSETTS POINT (Continued) **S121638559**

Site ID: 423086
CERS ID: T10000010448
CERS Description: Cleanup Program Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: PATRICIA HANNON - SANTA ANA RWQCB (REGION 8)
Entity Title: Not reported
Affiliation Address: 3737 MAIN STREET, SUITE 500
Affiliation City: RIVERSIDE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

AI176 **J.D. DIFFENBRUGH** **Notify 65** **U000034633**
NNW **2375 CHICAGO STREET** **N/A**
1/4-1/2 **RIVERSIDE, CA 90040**
0.456 mi.
2409 ft. **Site 1 of 3 in cluster AI**

Relative: **Lower**
Actual: **934 ft.**

NOTIFY 65:
Name: J.D. DIFFENBRUGH
Address: 2375 CHICAGO STREET
City,State,Zip: RIVERSIDE, CA 90040
Date Reported: Not reported
Staff Initials: Not reported
Board File Number: Not reported
Facility Type: Not reported
Discharge Date: Not reported
Issue Date: Not reported
Incident Description: Not reported
Global ID: Not reported
Status: Not reported

AI177 **J D DIFFENBAUGH** **LUST** **U001576513**
NNW **2375 CHICAGO AVE** **HIST UST** **N/A**
1/4-1/2 **RIVERSIDE, CA 92507** **Cortese**
0.456 mi. **CERS**
2409 ft. **Site 2 of 3 in cluster AI**

Relative: **Lower**
Actual: **934 ft.**

LUST:
Name: J D DIFFENBAUGH
Address: 2375 CHICAGO AVE
City,State,Zip: RIVERSIDE, CA 92507
Lead Agency: RIVERSIDE COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0606500121
Global Id: T0606500121
Latitude: 33.989581
Longitude: -117.348962
Status: Completed - Case Closed
Status Date: 08/02/1989
Case Worker: SCB
RB Case Number: 083301198T
Local Agency: RIVERSIDE COUNTY LOP

J D DIFFENBAUGH (Continued) **U001576513**

File Location: Local Agency Warehouse
Local Case Number: 89318
Potential Media Affect: Soil
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:
Global Id: T0606500121
Contact Type: Regional Board Caseworker
Contact Name: PATRICIA HANNON
Organization Name: SANTA ANA RWQCB (REGION 8)
Address: 3737 MAIN STREET, SUITE 500
City: RIVERSIDE
Email: patricia.hannon@waterboards.ca.gov
Phone Number: Not reported

Global Id: T0606500121
Contact Type: Local Agency Caseworker
Contact Name: SHARON BOLTINGHOUSE
Organization Name: RIVERSIDE COUNTY LOP
Address: 3880 LEMON ST SUITE 200
City: RIVERSIDE
Email: sbolting@rivco.org
Phone Number: 9519558980

LUST:
Global Id: T0606500121
Action Type: ENFORCEMENT
Date: 08/02/1989
Action: Closure/No Further Action Letter - #RCDEH0802

Global Id: T0606500121
Action Type: ENFORCEMENT
Date: 08/01/1989
Action: File review - #RCDEH Upload Site File 6/3/2010

Global Id: T0606500121
Action Type: Other
Date: 04/19/1989
Action: Leak Reported

Global Id: T0606500121
Action Type: REMEDIATION
Date: 05/31/1989
Action: Excavation

Global Id: T0606500121
Action Type: Other
Date: 04/10/1989
Action: Leak Stopped

Global Id: T0606500121
Action Type: Other
Date: 04/10/1989
Action: Leak Discovery

J D DIFFENBAUGH (Continued) **U001576513**

LUST:
Global Id: T0606500121
Status: Open - Case Begin Date
Status Date: 04/10/1989

Global Id: T0606500121
Status: Open - Site Assessment
Status Date: 04/10/1989

Global Id: T0606500121
Status: Open - Remediation
Status Date: 05/31/1989

Global Id: T0606500121
Status: Open - Site Assessment
Status Date: 05/31/1989

Global Id: T0606500121
Status: Completed - Case Closed
Status Date: 08/02/1989

RIVERSIDE CO. LUST:
Name: J D DIFFENBAUGH
Address: 2375 CHICAGO AVE
City,State,Zip: RIVERSIDE, CA
Region: RIVERSIDE
Facility ID: 89318
Employee: Rogers
Site Closed: Yes
Case Type: Soil only
Facility Status: closed/action completed
Casetype Decode: Soil only is impacted
Fstatus Decode: Closed/Action completed

HIST UST:
Name: J D DIFFENBAUGH INC
Address: 2375 CHICAGO AVENUE
City,State,Zip: RIVERSIDE, CA 92507
File Number: 0001F724
URL: http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0001F724.pdf
Region: STATE
Facility ID: 00000032874
Facility Type: Other
Other Type: CONST. OFFICE-EQPT.
Contact Name: Not reported
Telephone: 7146842820
Owner Name: JACK HAWKINS
Owner Address: 5584 INNER CIRCLE
Owner City,St,Zip: RIVERSIDE, CA 92506
Total Tanks: 0001

Tank Num: 001
Container Num: 1
Year Installed: Not reported
Tank Capacity: 00001000

J D DIFFENBAUGH (Continued) **U001576513**

Tank Used for: PRODUCT
Type of Fuel: UNLEADED
Container Construction Thickness: Not reported
Leak Detection: Visual

Tank Num: 001
Container Num: 1
Year Installed: Not reported
Tank Capacity: 00001000
Tank Used for: PRODUCT
Type of Fuel: UNLEADED
Container Construction Thickness: Not reported
Leak Detection: Visual

Click here for Geo Tracker PDF:

CORTESE:
Name: J D DIFFENBAUGH
Address: 2375 CHICAGO AVE
City,State,Zip: RIVERSIDE, CA 92507
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0606500121
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: COMPLETED - CASE CLOSED
Status Date: Not reported
Site Code: Not reported
Latitude: Not reported
Longitude: Not reported
Owner: Not reported
Enf Type: Not reported
Swat R: Not reported
Flag: active
Order No: Not reported
Waste Discharge System No: Not reported
Effective Date: Not reported
Region 2: Not reported
WID Id: Not reported
Solid Waste Id No: Not reported
Waste Management Uit Name: Not reported
File Name: Active Open

CERS:
Name: J D DIFFENBAUGH
Address: 2375 CHICAGO AVE
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 186480
CERS ID: T0606500121
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: SHARON BOLTINGHOUSE - RIVERSIDE COUNTY LOP
Entity Title: Not reported
Affiliation Address: 3880 LEMON ST SUITE 200
Affiliation City: RIVERSIDE
Affiliation State: CA

J D DIFFENBAUGH (Continued) **U001576513**

Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	9519558980,
Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	PATRICIA HANNON - SANTA ANA RWQCB (REGION 8)
Entity Title:	Not reported
Affiliation Address:	3737 MAIN STREET, SUITE 500
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,

AI178 **DIFFENBAUGH, J.D.** **LUST S102428811**
NNW **2375 CHICAGO AVE** **CDL N/A**
1/4-1/2 **RIVERSIDE, CA 92507**
0.456 mi.
2409 ft. **Site 3 of 3 in cluster AI**

Relative: LUST REG 8:
Lower

Actual:
934 ft.

Name:	DIFFENBAUGH, J.D.
Address:	2375 CHICAGO AVE
City:	RIVERSIDE
Region:	8
County:	Riverside
Regional Board:	Santa Ana Region
Facility Status:	Case Closed
Case Number:	083301198T
Local Case Num:	Not reported
Case Type:	Soil only
Substance:	Gasoline
Qty Leaked:	Not reported
Abate Method:	Not reported
Cross Street:	SPRUCE
Enf Type:	CLOS
Funding:	State Funds
How Discovered:	Tank Closure
How Stopped:	Not reported
Leak Cause:	Overfill
Leak Source:	Tank
Global ID:	T0606500121
How Stopped Date:	4/10/1989
Enter Date:	Not reported
Date Confirmation of Leak Began:	Not reported
Date Preliminary Assessment Began:	7/24/1989
Discover Date:	4/10/1989
Enforcement Date:	1/1/1965
Close Date:	8/14/1989
Date Prelim Assessment Workplan Submitted:	Not reported
Date Pollution Characterization Began:	Not reported
Date Remediation Plan Submitted:	Not reported
Date Remedial Action Underway:	Not reported
Date Post Remedial Action Monitoring:	Not reported
Enter Date:	Not reported
GW Qualifies:	Not reported
Soil Qualifies:	Not reported

DIFFENBAUGH, J.D. (Continued) **S102428811**

Operator:	Not reported
Facility Contact:	Not reported
Interim:	Yes
Oversite Program:	LUST
Latitude:	33.9896292
Longitude:	-117.3486155
MTBE Date:	Not reported
Max MTBE GW:	Not reported
MTBE Concentration:	0
Max MTBE Soil:	Not reported
MTBE Fuel:	1
MTBE Tested:	Site NOT Tested for MTBE.Includes Unknown and Not Analyzed.
MTBE Class:	*
Staff:	PAH
Staff Initials:	UNK
Lead Agency:	Local Agency
Local Agency:	33000L
Hydr Basin #:	UPPER SANTA ANA VALL
Beneficial:	Not reported
Priority:	Not reported
Cleanup Fund Id:	Not reported
Work Suspended:	Not reported

Summary: Not reported

CDL:

Name:	Not reported
Address:	2375 CHICAGO AVE
City,State,Zip:	RIVERSIDE, CA 92501
Facility ID:	2001-05-017
Date:	05/02/2001
Labtype:	Abandoned Drug Lab
Lab Type:	Abandoned Drug Lab Waste (A) - location away from an actual illegal drug lab where drug lab waste and/or equipment were abandoned.

AJ179 **MOBIL #18-402** **LUST** **S101589937**
SE **1147 UNIVERSITY AVE** **SWEEPS UST** **N/A**
1/4-1/2 **RIVERSIDE, CA 92507** **CA FID UST**
0.496 mi. **HIST CORTESE**
2617 ft. **Site 1 of 2 in cluster AJ**

Relative: **Higher**

Actual: **1017 ft.**

LUST REG 8:

Name:	MOBIL #18-402
Address:	1147 UNIVERSITY AVE
City:	RIVERSIDE
Region:	8
County:	Riverside
Regional Board:	Santa Ana Region
Facility Status:	Pollution Characterization
Case Number:	083303453T
Local Case Num:	9914834
Case Type:	Soil only
Substance:	Gasoline
Qty Leaked:	Not reported
Abate Method:	Not reported
Cross Street:	I-215
Enf Type:	Not reported
Funding:	Not reported

MOBIL #18-402 (Continued) **S101589937**

How Discovered:	Subsurface Monitoring
How Stopped:	Not reported
Leak Cause:	UNK
Leak Source:	UNK
Global ID:	T0606500586
How Stopped Date:	10/22/1998
Enter Date:	5/12/1999
Date Confirmation of Leak Began:	12/30/1998
Date Preliminary Assessment Began:	12/5/2000
Discover Date:	1/7/1999
Enforcement Date:	Not reported
Close Date:	Not reported
Date Prelim Assessment Workplan Submitted:	Not reported
Date Pollution Characterization Began:	3/13/2001
Date Remediation Plan Submitted:	Not reported
Date Remedial Action Underway:	Not reported
Date Post Remedial Action Monitoring:	Not reported
Enter Date:	5/12/1999
GW Qualifies:	=
Soil Qualifies:	=
Operator:	Not reported
Facility Contact:	Not reported
Interim:	Not reported
Oversite Program:	LUST
Latitude:	33.9757296
Longitude:	-117.3358158
MTBE Date:	11/28/2001
Max MTBE GW:	9.4
MTBE Concentration:	1
Max MTBE Soil:	330
MTBE Fuel:	1
MTBE Tested:	MTBE Detected. Site tested for MTBE & MTBE detected
MTBE Class:	*
Staff:	RS
Staff Initials:	UNK
Lead Agency:	Local Agency
Local Agency:	33000L
Hydr Basin #:	UPPER SANTA ANA VALL
Beneficial:	Not reported
Priority:	Not reported
Cleanup Fund Id:	Not reported
Work Suspended:	Not reported

Summary: Not reported

SWEEPS UST:

Name:	MOBIL #18-402
Address:	1147 UNIVERSITY AVE
City:	RIVERSIDE
Status:	Active
Comp Number:	39266
Number:	1
Board Of Equalization:	44-000400
Referral Date:	11-17-92
Action Date:	11-17-92
Created Date:	02-29-88
Owner Tank Id:	000727
SWRCB Tank Id:	33-000-039266-000001

MOBIL #18-402 (Continued) **S101589937**

Tank Status: A
Capacity: 12000
Active Date: 11-17-92
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: 4

Name: MOBIL #18-402
Address: 1147 UNIVERSITY AVE
City: RIVERSIDE
Status: Active
Comp Number: 39266
Number: 1
Board Of Equalization: 44-000400
Referral Date: 11-17-92
Action Date: 11-17-92
Created Date: 02-29-88
Owner Tank Id: 000727
SWRCB Tank Id: 33-000-039266-000002
Tank Status: A
Capacity: 8000
Active Date: 11-17-92
Tank Use: M.V. FUEL
STG: P
Content: DIESEL
Number Of Tanks: Not reported

Name: MOBIL #18-402
Address: 1147 UNIVERSITY AVE
City: RIVERSIDE
Status: Active
Comp Number: 39266
Number: 1
Board Of Equalization: 44-000400
Referral Date: 11-17-92
Action Date: 11-17-92
Created Date: 02-29-88
Owner Tank Id: 000727
SWRCB Tank Id: 33-000-039266-000003
Tank Status: A
Capacity: 6000
Active Date: 11-17-92
Tank Use: M.V. FUEL
STG: P
Content: LEADED
Number Of Tanks: Not reported

Name: MOBIL #18-402
Address: 1147 UNIVERSITY AVE
City: RIVERSIDE
Status: Active
Comp Number: 39266
Number: 1
Board Of Equalization: 44-000400
Referral Date: 11-17-92
Action Date: 11-17-92

MOBIL #18-402 (Continued) **S101589937**

Created Date: 02-29-88
Owner Tank Id: 000727
SWRCB Tank Id: 33-000-039266-000004
Tank Status: A
Capacity: 1000
Active Date: 11-17-92
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: Not reported

CA FID UST:
Facility ID: 33001427
Regulated By: UTNKA
Regulated ID: 00039266
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 7146839434
Mail To: Not reported
Mailing Address: 3225 GALLOWS RD
Mailing Address 2: Not reported
Mailing City,St,Zip: RIVERSIDE 92507
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

HIST CORTESE:
edr_fname: MOBIL #18-402
edr_fadd1: 1147
City,State,Zip: RIVERSIDE, CA 92507
Region: CORTESE
Facility County Code: 33
Reg By: LTNKA
Reg Id: 083303453T

AJ180 **CITY OF RIVERSIDE** **LUST** **S100275475**
SE **1147 UNIVERSITY AVE** **CERS HAZ WASTE** **N/A**
1/4-1/2 **RIVERSIDE, CA 92507** **CERS TANKS**
0.496 mi. **CHMIRS**
2617 ft. **Site 2 of 2 in cluster AJ** **Cortese**
HAZNET
Relative: Higher **CERS**
HWTS
Actual: 1017 ft.

LUST:
Name: MOBIL #18-402
Address: 1147 UNIVERSITY AVE
City,State,Zip: RIVERSIDE, CA 92507
Lead Agency: RIVERSIDE COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0606500586
Global Id: T0606500586
Latitude: 33.9760321025203

CITY OF RIVERSIDE (Continued) **S100275475**

Longitude:	-117.336867225934
Status:	Completed - Case Closed
Status Date:	01/13/2011
Case Worker:	YR
RB Case Number:	083303453T
Local Agency:	RIVERSIDE COUNTY LOP
File Location:	Local Agency Warehouse
Local Case Number:	9914834
Potential Media Affect:	Aquifer used for drinking water supply
Potential Contaminants of Concern:	Gasoline
Site History:	The station currently maintains five double-walled, fiberglass gasoline underground storage tanks (USTs). There are two 8,000-gallon capacity tanks, one 12,000-gallon capacity tank, one 10,000-gallon capacity tank, and one 6,000-gallon capacity tank. Several phases of investigations and remediation have been conducted at the Site since October 1998.In October 1998, compliance soil sampling (D1 through D8) was performed at the Site during piping upgrades (Kleinfelder, 1998). Hydrocarbon-affected soil was encountered adjacent to the western (D7 and D8) and east-central (D3) dispenser islands. In November 1999 to January 2000, five soil borings (B-1 through B-5) were drilled at the Site to total depths ranging between 65 feet below ground surface (bgs) and 85 feet bgs (Kleinfelder, 2000). Benzene was detected at concentrations above the laboratory reporting limit in soil samples collected from borings B-1, B-3 and B-4. Methyl tertiarybutyl ether (MtBE) was detected at concentrations above the laboratory reporting limit in soil samples collected from borings B-1, B-3, B-4, and B-5, located in the area surrounding the western-most dispenser island and near the east-central dispenser island. Fuel oxygenates, including diisopropyl ether (DIPE), ethyl tertiary-butyl ether (EtBE), tertiary-amyl methyl ether (tAME), and tertiary-butyl alcohol (tBA) were not detected above laboratory reporting limits in soil samples collected from the borings. In June 2001, one groundwater monitoring well (MW-4), three SVE wells (SVE-1 [B-7], SVE-2 [B-6], and SVE-3 [B-8]), and three soil borings (B-9, B-10, and B-11), were completed at the Site (Kleinfelder, 2001). Soil borings and SVE wells were drilled to total depths ranging from 95 feet bgs to 195 feet bgs. Total petroleum hydrocarbons as gasoline (TPH-g) was reported at a maximum concentration of 17 milligrams per kilogram (mg/kg) in a sample from MW-4 at 20 feet bgs. Benzene was reported in one soil sample, collected from MW-4 at 70 feet bgs, at a concentration of 26 micrograms per kilogram ("g/kg). MtBE was reported above the laboratory reporting limit in soil samples collected from borings SVE-1, SVE-3, B-9, and MW-4, with a maximum concentration of 820 "g/kg (MW-4 at 70 feet bgs). Fuel oxygenates DIPE, EtBE, tAME, and tBA were not detected above laboratory reporting limits in the soil samples analyzed. From May to July 2002, Kleinfelder supervised the completion of one SVE well (SVE-4), two groundwater monitoring wells (MW-1 and MW-2), and one soil boring (B-13) (Kleinfelder, 2002b). The soil boring and wells were drilled to total depths ranging from 150 feet bgs to 197 feet bgs. The maximum TPH-g concentration was 12,000 mg/kg in the sample collected from boring SVE-4 at 10 feet bgs. Benzene was detected in only one soil sample, SVE-4 at 15 feet bgs, at a concentration of 540 "g/kg. MtBE was reported in soil samples collected from borings SVE-4, MW-1, MW-2, and B-13, with a maximum concentration of 330 mg/kg (SVE-4 at 50 feet bgs). In April 2002, Kleinfelder performed a soil remediation feasibility evaluation for the Site (Kleinfelder, 2002a). For this

CITY OF RIVERSIDE (Continued) **S100275475**

evaluation, the primary constituents of concern at the Site were identified as benzene and MtBE. Hydrocarbon-affected soil was located in two areas: the vicinity of the western dispenser island (Area One); and the vicinity of the east-central dispenser island (Area Two). It was estimated that Area One had approximately 4,187 cubic yards (yd3) of soil containing hydrocarbons. Based on the average TPH-g concentrations, it was estimated that soil within Area One contained approximately 19,000 pounds (lbs) of hydrocarbons, of which MtBE represented an estimated 19 lbs, and benzene represented an estimated 4 lbs. It was estimated that Area Two had approximately 1,832 yd3 of hydrocarbon-affected soil. Based on the average TPH-g concentrations, it was estimated that soil within Area Two contained approximately 430 lbs of hydrocarbons,of which MtBE represented an estimated 0.2 lbs. The mass of benzene in the soil could not be calculated since benzene concentrations in soil samples collected in Area Two have historically been below laboratory reporting limits. In July 2002, Kleinfelder began groundwater monitoring and sampling from three on- Site groundwater monitoring wells (MW-1, MW-2, and MW-4). Following a decline in hydrocarbon groundwater concentrations during Fourth Quarter 2003, Kleinfelder proposed that groundwater monitoring frequency be reduced from quarterly to semiannually (Kleinfelder, 2004). In a letter dated February 26, 2004, RCDEH approved the semi-annual groundwater monitoring schedule (RCDEH, 2004). Concentrations of dissolved-phase TPH-g and benzene have been below laboratory reporting limits since January 2002. Dissolved-phase MtBE was last reported in October 2007 at a concentration of 0.69 J (J = estimated value) micrograms per liter ("g/L) in a sample collected from MW-2 (Kleinfelder, 2010). On August 2002, Kleinfelder performed SVE feasibility testing at the Site (Kleinfelder, 2002c). Based on the results of SVE step testing, performed as part of the feasibility testing, high vapor flow appeared to be attainable at the Site with relatively low vacuum and an SVE radius of influence (ROI) for the Site was approximately 65 feet. Based on results of the feasibility testing, Kleinfelder proposed that SVE be performed on well SVE-4. It was proposed that a SVE system operate until vapor concentrations display asymptotic conditions (diminishing returns), after which the SVE system effectiveness would be evaluated by pulse testing the system for vapor rebound concentrations. Additional details of the soil remediation feasibility study and the feasibility testing are described in Kleinfelders Corrective Action Plan, dated September 30, 2002 (Kleinfelder, 2002c), and Addendum to Corrective Action Plan, dated January 15, 2003 (Kleinfelder, 2003). A SVE system was installed at the Site and began operation on October 14, 2003. The SVE system was a VR Systems Internal Combustion Engine (ICE) that extracted soil vapors from vapor extraction well SVE-4. By June 1, 2005, the system had extracted and treated approximately 10,086 lbs of hydrocarbons, and influent vapor concentrations displayed asymptotic reductions in hydrocarbon concentrations (diminishing returns). To confirm asymptotic levels had been achieved, Kleinfelder requested that pulsing of the system, for one month on and one month off cycles, be initiated and continued for a four month period, as part of a vapor rebound test (Kleinfelder, 2005a). The RCDEH approved the request to begin pulsing of the SVE system (RCDEH, 2005). A summary of system operation data and a request to cease remediation at the Site was presented in Kleinfelders Soil Vapor Extraction Rebound Test Report and Site Closure Request (Kleinfelder, 2005b). The RCDEH approved the request to cease SVE operations in February

CITY OF RIVERSIDE (Continued) **S100275475**

2006 (RCDEH, 2006). In March and April 2006, Kleinfelder supervised the advancement of four confirmation soil borings (CB-1 through CB-4) at the Site as part of a post remediation assessment for support of case closure (Kleinfelder, 2006). Borings CB-1 through CB-3 were drilled and sampled to 140 feet bgs, and boring CB-4 was advanced to 126.5 feet bgs. Boring CB-4 could not be advanced deeper than 126.5 feet bgs due to refusal at that depth. Concentrations of TPH-g were reported in three soil borings and ranged from 0.095 J mg/kg (CB-3 at 10 feet bgs) to 1,200 mg/kg (CB-4 at 25 feet bgs). Benzene was reported in one soil sample (CB-1 at 90 feet bgs) at a concentration of 0.55 J "g/kg. Toluene was reported at concentrations ranging from 0.61 J "g/kg to 81 "g/kg.In March and April 2006, Kleinfelder supervised the advancement of four confirmation soil borings (CB-1 through CB-4) at the Site as part of a post remediation assessment for support of case closure (Kleinfelder, 2006). Borings CB-1 through CB-3 were drilled and sampled to 140 feet bgs, and boring CB-4 was advanced to 126.5 feet bgs. Boring CB-4 could not be advanced deeper than 126.5 feet bgs due to refusal at that depth. Concentrations of TPH-g were reported in three soil borings and ranged from 0.095 J mg/kg (CB-3 at 10 feet bgs) to 1,200 mg/kg (CB-4 at 25 feet bgs). Benzene was reported in one soil sample (CB-1 at 90 feet bgs) at a concentration of 0.55 J "g/kg. Toluene was reported at concentrations ranging from 0.61 J "g/kg to 81 "g/kg.In March and April 2006, Kleinfelder supervised the advancement of four confirmation soil borings (CB-1 through CB-4) at the Site as part of a post remediation assessment for support of case closure (Kleinfelder, 2006). Borings CB-1 through CB-3 were drilled and sampled to 140 feet bgs, and boring CB-4 was advanced to 126.5 feet bgs. Boring CB-4 could not be advanced deeper than 126.5 feet bgs due to refusal at that depth. Concentrations of TPH-g were reported in three soil borings and ranged from 0.095 J mg/kg (CB-3 at 10 feet bgs) to 1,200 mg/kg (CB-4 at 25 feet bgs). benzene was reported in one soil sample (CB-1 at 90 feet bgs) at a concentration of 0.55 J "g/kg. Toluene was reported at concentrations ranging from 0.61 J "g/kg to 81 "g/kg. Ethylbenzene was reported at concentrations ranging from 0.78 J "g/kg to 3,000 "g/kg, and total xylenes were reported at concentrations ranging from 0.56 J "g/kg to 103,000 B "g/kg (B = analyte was detected in an associated method blank). The reported concentrations of toluene, ethylbenzene, and total xylenes were predominantly located in samples collected from CB-4, drilled in the vicinity of the eastern dispenser island. Concentrations of MtBE were reported to range from 1.0 J "g/kg to 33 "g/kg, with the maximum concentration of MtBE reported in the sample collected from CB-3 at 75 feet bgs. On February 8, 2007, Kleinfelder met with the RCDEH to discuss case closure. The attendees present were Ms. Sharon Boltinghouse from RCDEH, and Mssrs. Brad McCardell, Jeremy Whitcomb, and Hiram Garcia from Kleinfelder. The proposed scope of work as agreed to at the meeting included drilling three additional soil confirmation borings (CB-5, CB-6, and CB-7) to assess the effectiveness of SVE near previous borings CB-2, CB-3, and CB-4 in support of case closure with the RCDEH. Each proposed soil confirmation boring was to be advanced to approximately 40 feet bgs. The RCDEH prepared a letter dated March 1, 2007 confirming the scope of work (RCDEH, 2007). The details of this investigation are presented below. In March 2007, three soil confirmation borings (CB-5, CB-6, and CB-7) were advanced to 40 feet bgs to assess the effectiveness of SVE near previous borings CB-2, CB-3, and CB-4 in support of case closure with the RCDEH (Kleinfelder, 2007a). Soil

CITY OF RIVERSIDE (Continued) **S100275475**

encountered during drilling generally consisted of silty sand with intermittent lenses of well-graded sand to the total depth explored (40 feet bgs). Soil samples collected from boring CB-7, near the eastern dispenser island, were reported to contain detectable concentrations of petroleum hydrocarbons and oxygenates. TPH-g concentrations were reported in samples collected from boring CB-7, ranging from 2.3 mg/kg (30 feet bgs) to 740 mg/kg (25 feet bgs). Benzene and toluene concentrations were below laboratory reporting limits in soil samples collected from borings CB-5, CB-6, and CB-7. Ethylbenzene was reported at concentrations ranging from 280 J "g/kg to 1,800 "g/kg, and total xylenes were reported at concentrations ranging from 19,000 "g/kg to 99,000 "g/kg. Concentrations of ethylbenzene and total xylenes were reported in samples collected from CB-7 at depths of 20 and 25 feet bgs in the vicinity of the eastern dispenser island. MtBE concentrations were below laboratory reporting limits in the soil samples collected from borings CB-5, CB-6, and CB-7. In August 2007, two SVE wells (SVE-5 and SVE-6) were installed at depths of 30 and 35feet bgs, respectively (Kleinfelder, 2007b). TPH-g was detected in soil samples collected from boring SVE-6, at a maximum concentration of 1,200 mg/kg (25 feet bgs). TPH-g was not detected in soil samples collected from boring SVE-5. Benzene, toluene, MtBE, DIPE, EtBE, tAME, and tBA were not detected above laboratory reporting limits in soil samples collected from borings SVE-5 and SVE-6. Ethylbenzene and total xylenes were detected in soil samples collected from boring SVE-6 at maximum concentrations of 510 "g/kg (25 feet bgs) and 30,000 "g/kg (25 feet bgs), respectively. Ethylbenzene and total xylenes were not detected above laboratory reporting limits in soil samples collected from boring SVE-5. Between February 29, 2008 and May 22, 2009, SVE operations were initiated on SVE-5 and SVE-6 for the purpose of primarily recovering trimethylbenzene concentrations (detected in soil confirmation boring CB-7). An estimated 270 pounds of VOCs as hexane, an estimated 1,292 pounds of VOC based on FID readings, an estimated 15.1 pounds of 1,2,4-TMB, and an estimated 9.8 pounds of 1,3,5-TMB were extracted from the subsurface. Due to low mass recovery rates (less than one pound per day) and the SCAQMD permit moratorium, the system was shut down on May 22, 2009. During the three SVE events, the system operated for a total of 21,600 hours and an estimated 10,407 pounds VOCF, 10,538 pounds of VOCs as hexane, 3.2 pounds benzene, 404 pounds toluene, 113 pounds ethylbenzene, 744 pounds xylenes, 29.2 pounds 1,2,4-TMB, and 17.9 pounds 1,3,4-TMB were removed from the subsurface. Vapor concentrations were reduced from 10,500 to 66 ppmV for VOCs as hexane, from 990 to 0.09 ppmV for toluene, from 570 to 1.2 ppmV for xylenes, from 120 to 0.012 ppmV for ethylbenzene, from 20 ppmV to non-detect for MTBE, and from 31 to 2.7 ppmV for 1,2,4-TMB. Other VOCs were less than 20 ppm at the beginning of operations and decreased to below 2 ppm prior to shutdown. On May 20, 2010, two confirmation borings (CB-8 and CB-9) were advanced in the vicinity of well SVE-6 to assess the effectiveness of remedial activities at the Site. Based upon laboratory analytical results of soil samples collected from boring SVE-6 in 2007 and CB-8 and CB-9 in 2010, constituent concentrations in soil near SVE-6 appear to have been reduced by SVE operations. Maximum TPH-g concentrations in soil have been reduced from 1,200 mg/kg (SVE-6 at 25 feet bgs) to 47 mg/kg (CB-9 at 30 feet bgs). BTEX constituents and MtBE were not detected above laboratory reporting limits in soil samples collected from borings CB-8 and CB-9. Groundwater monitoring and sampling commenced

CITY OF RIVERSIDE (Continued) **S100275475**

in July 2002, utilizing three on-site groundwater monitoring wells (MW-1, MW-2, and MW-4). Following a decline in groundwater hydrocarbon concentrations the RCDEH approved a reduced, semi-annual, groundwater monitoring schedule. Concentrations of dissolved-phase TPH-g and benzene have been below laboratory reporting limits since January 2002. Dissolved-phase MTBE was last reported in December 2007 in a sample collected from MW-2 at an estimated concentration of 0.69 J a%g/L. During First Quarter 2010, TPH-g, benzene, toluene, ethylbenzene, and fuel oxygenates are no longer present in samples above laboratory reporting limits. A low concentration of xylenes (1.3 a%g/L) was reported in the February 3, 2010 groundwater sample collected from monitoring well MW-4. RWQCB and RCDEH concur with closure. 01/13/2011 NFA/closure letter issued by RCDEH.

LUST:
Global Id: T0606500586
Contact Type: Local Agency Caseworker
Contact Name: YVONNE REYES
Organization Name: RIVERSIDE COUNTY LOP
Address: 3880 LEMON ST SUITE 200
City: RIVERSIDE
Email: ayreyes@rivco.org
Phone Number: 9519558982

LUST:
Global Id: T0606500586
Action Type: ENFORCEMENT
Date: 11/19/2007
Action: File review

Global Id: T0606500586
Action Type: ENFORCEMENT
Date: 05/04/2010
Action: Staff Letter - #RCDEH050410

Global Id: T0606500586
Action Type: Other
Date: 01/11/1999
Action: Leak Reported

Global Id: T0606500586
Action Type: RESPONSE
Date: 12/16/2010
Action: Well Destruction Report

Global Id: T0606500586
Action Type: REMEDIATION
Date: 10/14/2003
Action: Soil Vapor Extraction (SVE)

Global Id: T0606500586
Action Type: ENFORCEMENT
Date: 08/13/2009
Action: Staff Letter - #RCDEH081309

Global Id: T0606500586
Action Type: ENFORCEMENT

CITY OF RIVERSIDE (Continued) **S100275475**

Date: 01/12/2011
Action: File review - #RCDEH uploaded site file

Global Id: T0606500586
Action Type: RESPONSE
Date: 04/15/2009
Action: Monitoring Report - Quarterly

Global Id: T0606500586
Action Type: ENFORCEMENT
Date: 03/03/2008
Action: Technical Correspondence / Assistance / Other - #RCDEH 030308

Global Id: T0606500586
Action Type: ENFORCEMENT
Date: 10/12/2010
Action: Staff Letter - #RCDEH101210

Global Id: T0606500586
Action Type: Other
Date: 10/22/1998
Action: Leak Stopped

Global Id: T0606500586
Action Type: RESPONSE
Date: 04/15/2010
Action: Monitoring Report - Annually

Global Id: T0606500586
Action Type: RESPONSE
Date: 10/15/2009
Action: Monitoring Report - Quarterly

Global Id: T0606500586
Action Type: RESPONSE
Date: 01/15/2010
Action: Monitoring Report - Quarterly

Global Id: T0606500586
Action Type: RESPONSE
Date: 10/15/2010
Action: Monitoring Report - Quarterly

Global Id: T0606500586
Action Type: RESPONSE
Date: 12/23/2008
Action: Monitoring Report - Quarterly

Global Id: T0606500586
Action Type: RESPONSE
Date: 10/07/2008
Action: Monitoring Report - Quarterly

Global Id: T0606500586
Action Type: RESPONSE
Date: 10/31/2007
Action: Other Report / Document

CITY OF RIVERSIDE (Continued) **S100275475**

Global Id: T0606500586
Action Type: RESPONSE
Date: 07/05/2010
Action: Other Report / Document

Global Id: T0606500586
Action Type: ENFORCEMENT
Date: 08/24/2007
Action: Staff Letter - #RCDEH 082407

Global Id: T0606500586
Action Type: ENFORCEMENT
Date: 01/15/2004
Action: File review

Global Id: T0606500586
Action Type: RESPONSE
Date: 01/15/2009
Action: Other Report / Document

Global Id: T0606500586
Action Type: RESPONSE
Date: 10/01/2008
Action: Monitoring Report - Quarterly

Global Id: T0606500586
Action Type: RESPONSE
Date: 07/15/2009
Action: Monitoring Report - Quarterly

Global Id: T0606500586
Action Type: RESPONSE
Date: 07/15/2010
Action: Monitoring Report - Quarterly

Global Id: T0606500586
Action Type: RESPONSE
Date: 10/15/2007
Action: Monitoring Report - Quarterly

Global Id: T0606500586
Action Type: ENFORCEMENT
Date: 01/13/2011
Action: Closure/No Further Action Letter - #RCDEH closure

Global Id: T0606500586
Action Type: Other
Date: 01/07/1999
Action: Leak Discovery

Global Id: T0606500586
Action Type: RESPONSE
Date: 07/15/2008
Action: Monitoring Report - Quarterly

Global Id: T0606500586
Action Type: RESPONSE

CITY OF RIVERSIDE (Continued) **S100275475**

Date: 01/15/2008
Action: Monitoring Report - Quarterly

Global Id: T0606500586
Action Type: RESPONSE
Date: 04/15/2008
Action: Monitoring Report - Quarterly

LUST:
Global Id: T0606500586
Status: Open - Case Begin Date
Status Date: 10/22/1998

Global Id: T0606500586
Status: Open - Site Assessment
Status Date: 12/13/1999

Global Id: T0606500586
Status: Open - Remediation
Status Date: 10/14/2003

Global Id: T0606500586
Status: Open - Verification Monitoring
Status Date: 03/27/2007

Global Id: T0606500586
Status: Completed - Case Closed
Status Date: 01/13/2011

RIVERSIDE CO. LUST:
Name: MOBIL #18-402
Address: 1147 UNIVERSITY AVE
City,State,Zip: RIVERSIDE, CA
Region: RIVERSIDE
Facility ID: 9914834
Employee: Reyes
Site Closed: Yes
Case Type: Drinking Water Aquifer affected
Facility Status: closed/action completed
Casetype Decode: An Aquifer used for Drinking Water supply has been contaminated.
Fstatus Decode: Closed/Action completed

CERS HAZ WASTE:
Name: RASHID'S, INC., DBA UNIVERSITY MOBIL
Address: 1147 UNIVERSITY AVE
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 105652
CERS ID: 10340815
CERS Description: Hazardous Waste Generator

CERS TANKS:
Name: RASHID'S, INC., DBA UNIVERSITY MOBIL
Address: 1147 UNIVERSITY AVE
City,State,Zip: RIVERSIDE, CA 92507

CITY OF RIVERSIDE (Continued) **S100275475**

Site ID: 105652
CERS ID: 10340815
CERS Description: Underground Storage Tank

CHMIRS:

Name:	Not reported
Address:	1147 UNIVERSITY AVE
City,State,Zip:	RIVERSIDE, CA 92507
OES Incident Number:	12-1972
OES notification:	04/03/2012
OES Date:	Not reported
OES Time:	Not reported
Date Completed:	**Not reported**
Property Use:	Not reported
Agency Id Number:	Not reported
Agency Incident Number:	Not reported
Time Notified:	Not reported
Time Completed:	Not reported
Surrounding Area:	Not reported
Estimated Temperature:	Not reported
Property Management:	Not reported
More Than Two Substances Involved?:	Not reported
Resp Agncy Personel # Of Decontaminated:	Not reported
Responding Agency Personel # Of Injuries:	Not reported
Responding Agency Personel # Of Fatalities:	Not reported
Others Number Of Decontaminated:	Not reported
Others Number Of Injuries:	Not reported
Others Number Of Fatalities:	Not reported
Vehicle Make/year:	Not reported
Vehicle License Number:	Not reported
Vehicle State:	Not reported
Vehicle Id Number:	Not reported
CA DOT PUC/ICC Number:	Not reported
Company Name:	Not reported
Reporting Officer Name/ID:	Not reported
Report Date:	Not reported
Facility Telephone:	Not reported
Waterway Involved:	No
Waterway:	Not reported
Spill Site:	Service Station
Cleanup By:	Responsible Party
Containment:	Not reported
What Happened:	Not reported
Type:	Not reported
Measure:	Cup(s)
Other:	Not reported
Date/Time:	1600
Year:	2012
Agency:	Veeder Root
Incident Date:	4/3/2012
Admin Agency:	Riverside City Fire Department
Amount:	Not reported
Contained:	Yes
Site Type:	Not reported
E Date:	Not reported
Substance:	Gasoline
Quantity Released:	2

CITY OF RIVERSIDE (Continued) **S100275475**

Unknown:	Not reported
Substance #2:	Not reported
Substance #3:	Not reported
Evacuations:	Not reported
Number of Injuries:	Not reported
Number of Fatalities:	Not reported
#1 Pipeline:	Not reported
#2 Pipeline:	Not reported
#3 Pipeline:	Not reported
#1 Vessel >= 300 Tons:	Not reported
#2 Vessel >= 300 Tons:	Not reported
#3 Vessel >= 300 Tons:	Not reported
Evacs:	Not reported
Injuries:	Not reported
Fatals:	Not reported
Comments:	Not reported
Description:	RP states that an automatic shutoff failed resulting in the release of 2 cups of gasoline onto the concrete at an Exxon Mobile gas station. The release is contained and cleanup is complete. No waterways have been impacted.

Name:	Not reported
Address:	1147 UNIVERSITY
City,State,Zip:	RIVERSIDE, CA 92507
OES Incident Number:	910917
OES notification:	Not reported
OES Date:	Not reported
OES Time:	Not reported
Date Completed:	**28-NOV-89**
Property Use:	500
Agency Id Number:	33075
Agency Incident Number:	8916261
Time Notified:	1927
Time Completed:	1949
Surrounding Area:	500
Estimated Temperature:	Not reported
Property Management:	P
More Than Two Substances Involved?:	N
Resp Agncy Personel # Of Decontaminated:	0
Responding Agency Personel # Of Injuries:	0
Responding Agency Personel # Of Fatalities:	0
Others Number Of Decontaminated:	0
Others Number Of Injuries:	0
Others Number Of Fatalities:	0
Vehicle Make/year:	Not reported
Vehicle License Number:	Not reported
Vehicle State:	Not reported
Vehicle Id Number:	Not reported
CA DOT PUC/ICC Number:	Not reported
Company Name:	Not reported
Reporting Officer Name/ID:	CAPTAIN FISHER / 29732
Report Date:	02-JAN-90
Facility Telephone:	714 782-5679
Waterway Involved:	Not reported
Waterway:	Not reported
Spill Site:	Not reported

CITY OF RIVERSIDE (Continued) **S100275475**

Cleanup By:	Not reported
Containment:	Not reported
What Happened:	Not reported
Type:	Not reported
Measure:	Not reported
Other:	Not reported
Date/Time:	Not reported
Year:	88-92
Agency:	Not reported
Incident Date:	28-NOV-89
Admin Agency:	Not reported
Amount:	Not reported
Contained:	Not reported
Site Type:	Not reported
E Date:	23-MAY-90
Substance:	Not reported
Unknown:	Not reported
Substance #2:	Not reported
Substance #3:	Not reported
Evacuations:	Not reported
Number of Injuries:	Not reported
Number of Fatalities:	Not reported
#1 Pipeline:	Not reported
#2 Pipeline:	Not reported
#3 Pipeline:	Not reported
#1 Vessel >= 300 Tons:	Not reported
#2 Vessel >= 300 Tons:	Not reported
#3 Vessel >= 300 Tons:	Not reported
Evacs:	Not reported
Injuries:	Not reported
Fatals:	Not reported
Comments:	Not reported
Description:	Not reported

CORTESE:

Name:	MOBIL #18-402
Address:	1147 UNIVERSITY AVE
City,State,Zip:	RIVERSIDE, CA 92507
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0606500586
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported

CITY OF RIVERSIDE (Continued) **S100275475**

Waste Management Uit Name: Not reported
File Name: Active Open

HAZNET:
Name: CITY OF RIVERSIDE
Address: 1147 UNIVERSITY AVE
Address 2: Not reported
City,State,Zip: RIVERSIDE, CA 925074587
Contact: JC CORTEZ
Telephone: 9514537524
Mailing Name: Not reported
Mailing Address: 3900 MAIN ST FL 6

Year: 2015
Gepaid: CAC002820688
TSD EPA ID: CAD008364432
CA Waste Code: 331 - Off-specification, aged or surplus organics
Disposal Method: H061 - Fuel Blending Prior To Energy Recovery At Another Site
Tons: 0.495

Additional Info:
Year: 2015
Gen EPA ID: CAC002820688

Shipment Date: 20150702
Creation Date: 9/4/2015 22:15:45
Receipt Date: 20150720
Manifest ID: 013430002JJK
Trans EPA ID: CAR000177576
Trans Name: DOUBLE BARREL ENVIRONMENTAL SERVICES
Trans 2 EPA ID: CAD983649880
Trans 2 Name: PSC ENVIRONMENTAL SERVICES OF POMONA LP
TSDF EPA ID: CAD008364432
Trans Name: RHO CHEM LLC
TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported
Waste Code Description: 331 - Off-specification, aged, or surplus organics
RCRA Code: D001
Meth Code: H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons: 0.495
Waste Quantity: 150
Quantity Unit: G
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

CERS:
Name: RASHID'S, INC., DBA UNIVERSITY MOBIL
Address: 1147 UNIVERSITY AVE
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 105652
CERS ID: 10340815
CERS Description: Chemical Storage Facilities

CITY OF RIVERSIDE (Continued) **S100275475**

Violations:

Site ID:	105652
Site Name:	RASHID'S, INC., dba UNIVERSITY MOBIL
Violation Date:	07-22-2013
Citation:	HSC 6.7 Multiple Sections - California Health and Safety Code, Chapter 6.7, Section(s) Multiple Sections
Violation Description:	UST Program - Administration/Documentation - General
Violation Notes:	Returned to compliance on 06/15/2017.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,

Site ID:	105652
Site Name:	RASHID'S, INC., dba UNIVERSITY MOBIL
Violation Date:	03-10-2022
Citation:	22 CCR 12 66262.40(a) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.40(a)
Violation Description:	Failure to keep a copy of each properly signed manifest for at least three years from the date the waste was accepted by the initial transporter. The manifest signed at the time the waste was accepted for transport shall be kept until receiving a signed copy from the designated facility which received the waste.
Violation Notes:	OBSERVATION: No manifests available during inspection. CORRECTIVE ACTION: Owner/operator shall obtain all manifests for hazardous waste shipments which occurred in the past 3 years. Manifests shall be made available for inspection. Provide a copy of the last hazardous waste manifest to hbarrios@rivco.org. Per the owner, they have not had a waste pick up for a few years and must locate their last manifest. Education given.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,

Site ID:	105652
Site Name:	RASHID'S, INC., dba UNIVERSITY MOBIL
Violation Date:	07-22-2013
Citation:	HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description:	Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes:	Returned to compliance on 06/15/2017.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,

Site ID:	105652
Site Name:	RASHID'S, INC., dba UNIVERSITY MOBIL
Violation Date:	01-19-2017
Citation:	22 CCR 12 66262.12 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.12
Violation Description:	Failure to obtain an Identification Number prior to treating, storing, disposing of, transporting or offering for transportation any hazardous waste.
Violation Notes:	Returned to compliance on 02/16/2017.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,

CITY OF RIVERSIDE (Continued) **S100275475**

Site ID:	105652
Site Name:	RASHID'S, INC., dba UNIVERSITY MOBIL
Violation Date:	07-22-2013
Citation:	23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description:	Failure to submit, obtain approval, or maintain a complete/accurate response plan.
Violation Notes:	Returned to compliance on 06/15/2017.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,

Site ID:	105652
Site Name:	RASHID'S, INC., dba UNIVERSITY MOBIL
Violation Date:	04-05-2022
Citation:	Un-Specified
Violation Description:	Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes:	Returned to compliance on 05/25/2022. 104A - NFPA 704 sign(s) properly posted. [RMC 16.32.020; CFC, Section 5003.5] - The exterior signage is faded and needs to be replaced.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	105652
Site Name:	RASHID'S, INC., dba UNIVERSITY MOBIL
Violation Date:	05-11-2022
Citation:	Un-Specified
Violation Description:	Business Plan Program - Administration/Documentation - General Local Ordinance
Violation Notes:	Returned to compliance on 05/25/2022. 104E - SDS available or maintained on site. [RMC 16.32.020; CFC, Section 5003.4] - SDS must be available for all employees on site via paper or electronic formats.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	105652
Site Name:	RASHID'S, INC., dba UNIVERSITY MOBIL
Violation Date:	01-18-2022
Citation:	HSC 6.7 25284.2 - California Health and Safety Code, Chapter 6.7, Section(s) 25284.2
Violation Description:	"Failure to meet one or more of the following requirements: Install or maintain a liquid-tight spill container. Have a minimum capacity of five gallons. Have a functional drain valve or other method for the removal of liquid from the spill container. Be resistant to galvanic corrosion. Perform a tightness test at installation, every 12 months thereafter, or within 30 days after a repair to the spill container. Tested using applicable manufacturer guidelines, industry codes, engineering standards, or a method approved by a professional engineer. Tested by a certified UST service technician. Maintain records of spill containment testing for 36 months. "
Violation Notes:	OBSERVATION: Observed 87 fuel product siphon sump drain valve to be leaking and would not hold liquid. CORRECTIVE ACTION: Owner/operator shall repair/replace the leaking spill bucket drain valve so that bucket is able to hold liquid and contain release until detected.

CITY OF RIVERSIDE (Continued) **S100275475**

Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	105652
Site Name:	RASHID'S, INC., dba UNIVERSITY MOBIL
Violation Date:	07-02-2015
Citation:	HSC 6.95 Multiple - California Health and Safety Code, Chapter 6.95, Section(s) Multiple
Violation Description:	Business Plan Program - Release/Leaks/Spills - General
Violation Notes:	Returned to compliance on 07/13/2015. add and maintain spill kit and PPE's on site at all times.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	105652
Site Name:	RASHID'S, INC., dba UNIVERSITY MOBIL
Violation Date:	05-11-2022
Citation:	HSC 6.95 25508(a)(3) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(3)
Violation Description:	Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes:	Returned to compliance on 05/25/2022. The chemical inventory has not been submitted accurately. Submit the chemical inventory in CERS. Include the changes of the following chemicals in CERS: add 55 gal waste drum and car wash soaps.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	105652
Site Name:	RASHID'S, INC., dba UNIVERSITY MOBIL
Violation Date:	04-05-2022
Citation:	HSC 6.95 25508(a)(3) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(3)
Violation Description:	Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes:	Returned to compliance on 05/25/2022. The chemical inventory has not been submitted accurately. Submit the chemical inventory in CERS. Include the changes of the following chemicals in CERS: add 55 gal waste drum and car wash soaps.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	105652
Site Name:	RASHID'S, INC., dba UNIVERSITY MOBIL
Violation Date:	04-05-2022
Citation:	Un-Specified
Violation Description:	Business Plan Program - Administration/Documentation - General Local Ordinance
Violation Notes:	Returned to compliance on 04/27/2022. 100 -Current permit issued/posted. [RMC 9.48.140] - No current permit was posted. Obtain the current permit and post in a conspicuous location.

CITY OF RIVERSIDE (Continued) **S100275475**

Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 105652
Site Name: RASHID'S, INC., dba UNIVERSITY MOBIL
Violation Date: 07-22-2013
Citation: HSC 6.11 25404.1 - California Health and Safety Code, Chapter 6.11, Section(s) 25404.1
Violation Description: Failure to obtain and/or maintain an active hazardous waste generator permit.
Violation Notes: Returned to compliance on 06/15/2017.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 105652
Site Name: RASHID'S, INC., dba UNIVERSITY MOBIL
Violation Date: 11-17-2021
Citation: 23 CCR 16 2712(b)(1)(G) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(1)(G)
Violation Description: Failure to comply with one or more of the following overfill prevention equipment requirements: Alert the transfer operator when the tank is 90 percent full by restricting the flow into the tank or triggering an audible and visual alarm; or Restrict delivery of flow to the tank at least 30 minutes before the tank overfills, provided the restriction occurs when the tank is filled to no more than 95 percent of capacity; and activate an audible alarm at least five minutes before the tank overfills; or Provide positive shut-off of flow to the tank when the tank is filled to no more than 95 percent of capacity; or Provide positive shut-off of flow to the tank so that none of the fittings located on the top of the tank are exposed to product due to overfilling. Install/retrofit overfill prevention equipment that does not use flow restrictors on vent piping to meet overfill prevention equipment requirements when the overfill prevention equipment is installed, repaired, or replaced on and after October 1, 2018. For USTs installed before October 1, 2018, perform an inspection by October 13, 2018 and every 36 months thereafter. For USTs installed on and after October 1, 2018, perform an inspection at installation and every 36 months thereafter. Inspected within 30 days after a repair to the overfill prevention equipment. Inspected using an applicable manufacturer guidelines, industry codes, engineering standards, or a method approved by a professional engineer. Inspected by a certified UST service technician. Maintain records of overfill prevention equipment inspection for 36 months.
Violation Notes: Not reported
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 105652
Site Name: RASHID'S, INC., dba UNIVERSITY MOBIL
Violation Date: 01-18-2022
Citation: 23 CCR 16 2712(b)(1)(G) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(1)(G)
Violation Description: Failure to comply with one or more of the following overfill prevention equipment requirements: Alert the transfer operator when

CITY OF RIVERSIDE (Continued) **S100275475**

the tank is 90 percent full by restricting the flow into the tank or triggering an audible and visual alarm; or Restrict delivery of flow to the tank at least 30 minutes before the tank overfills, provided the restriction occurs when the tank is filled to no more than 95 percent of capacity; and activate an audible alarm at least five minutes before the tank overfills; or Provide positive shut-off of flow to the tank when the tank is filled to no more than 95 percent of capacity; or Provide positive shut-off of flow to the tank so that none of the fittings located on the top of the tank are exposed to product due to overfilling. Install/retrofit overfill prevention equipment that does not use flow restrictors on vent piping to meet overfill prevention equipment requirements when the overfill prevention equipment is installed, repaired, or replaced on and after October 1, 2018. For USTs installed before October 1, 2018, perform an inspection by October 13, 2018 and every 36 months thereafter. For USTs installed on and after October 1, 2018, perform an inspection at installation and every 36 months thereafter. Inspected within 30 days after a repair to the overfill prevention equipment. Inspected using an applicable manufacturer guidelines, industry codes, engineering standards, or a method approved by a professional engineer. Inspected by a certified UST service technician. Maintain records of overfill prevention equipment inspection for 36 months.

Violation Notes: OBSERVATION: Observed installed flow restrictor to be inoperable, missing ball floats in all tanks, preventing proper flow restrictor operation. CORRECTIVE ACTION: Owner/operator shall replace inoperable flow restrictor with approved overfill prevention equipment e.g. drop tube shut off device. Flow restrictors no longer satisfy this requirement. Plan submittal will be required for installation of new overfill prevention equipment. Contact Joel Harris, the plan check personnel at the department by calling (951) 358-5055 or via email at joelharris@rivco.org within TWO weeks (14 days).
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 105652
Site Name: RASHID'S, INC., dba UNIVERSITY MOBIL
Violation Date: 07-22-2013
Citation: 22 CCR 12 66262.12 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.12
Violation Description: Failure to obtain and/or maintain an Active EPA ID.
Violation Notes: Returned to compliance on 06/15/2017.
Violation Division: Riverside County Department of Env Health
Violation Program: HW
Violation Source: CERS,

Site ID: 105652
Site Name: RASHID'S, INC., dba UNIVERSITY MOBIL
Violation Date: 07-22-2013
Citation: HSC 6.7 25284(a)(3) - California Health and Safety Code, Chapter 6.7, Section(s) 25284(a)(3)
Violation Description: Failure to submit, maintain, or implement an owner/operator written agreement.
Violation Notes: Returned to compliance on 06/15/2017.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

CITY OF RIVERSIDE (Continued) **S100275475**

Site ID:	105652
Site Name:	RASHID'S, INC., dba UNIVERSITY MOBIL
Violation Date:	04-27-2022
Citation:	HSC 6.95 25508(a)(3) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(3)
Violation Description:	Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes:	Returned to compliance on 05/25/2022. The chemical inventory has not been submitted accurately. Submit the chemical inventory in CERS. Include the changes of the following chemicals in CERS: add 55 gal waste drum and car wash soaps.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

Site ID:	105652
Site Name:	RASHID'S, INC., dba UNIVERSITY MOBIL
Violation Date:	01-21-2021
Citation:	23 CCR 16 2637(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2637(f)
Violation Description:	Failure to submit a copy of the secondary containment test results on the Secondary Containment Testing report Form to the UPA within 30 days after the test.
Violation Notes:	Returned to compliance on 01/18/2022. OBSERVATION: Secondary containment testing was conducted on 08/17/2020 as reported by the DO on the monthly inspection reports. Observed that owner/operator failed to submit test results to the CUPA within 30 days of testing. CORRECTIVE ACTION: Owner/operator shall submit test results for secondary containment testing conducted on 08/17/2020 to the CUPA within 30 days. Documents must be provided on state-approved forms. Maintain a copy on site.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,

Site ID:	105652
Site Name:	RASHID'S, INC., dba UNIVERSITY MOBIL
Violation Date:	01-23-2020
Citation:	HSC 6.7 25293 - California Health and Safety Code, Chapter 6.7, Section(s) 25293
Violation Description:	Failure to maintain UST records in sufficient detail to enable the UPA to determine whether the UST systems are in compliance.
Violation Notes:	Returned to compliance on 01/21/2021. OBSERVATION: Observed piping monitoring records to be illegible and lacking sufficient detail to determine if Hybrid UST system -Double walled tanks Single walled piping are in compliance. CORRECTIVE ACTION: Owner/operator shall ensure monthly ELLD records are completed so as to be legible and in sufficient detail to verify compliance.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,

Site ID:	105652
Site Name:	RASHID'S, INC., dba UNIVERSITY MOBIL
Violation Date:	07-22-2013
Citation:	HSC 6.7 Multiple Sections - California Health and Safety Code, Chapter

CITY OF RIVERSIDE (Continued) **S100275475**

	6.7, Section(s) Multiple Sections
Violation Description:	UST Program - Operations/Maintenance - General
Violation Notes:	Returned to compliance on 06/15/2017.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	105652
Site Name:	RASHID'S, INC., dba UNIVERSITY MOBIL
Violation Date:	05-11-2022
Citation:	Un-Specified
Violation Description:	Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes:	Returned to compliance on 05/25/2022. 104A - NFPA 704 sign(s) properly posted. [RMC 16.32.020; CFC, Section 5003.5] - The exterior signage is faded and needs to be replaced.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	105652
Site Name:	RASHID'S, INC., dba UNIVERSITY MOBIL
Violation Date:	03-10-2022
Citation:	HSC 6.7 25290.2(c) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.2(c)
Violation Description:	Failure to maintain secondary containment (e.g., failure of secondary containment testing).
Violation Notes:	Not reported
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	105652
Site Name:	RASHID'S, INC., dba UNIVERSITY MOBIL
Violation Date:	04-27-2022
Citation:	Un-Specified
Violation Description:	Business Plan Program - Administration/Documentation - General Local Ordinance
Violation Notes:	Returned to compliance on 05/25/2022. 104E - SDS available or maintained on site. [RMC 16.32.020; CFC, Section 5003.4] - SDS must be available for all employees on site via paper or electronic formats.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,
Site ID:	105652
Site Name:	RASHID'S, INC., dba UNIVERSITY MOBIL
Violation Date:	04-27-2022
Citation:	Un-Specified
Violation Description:	Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes:	Returned to compliance on 05/25/2022. 104A - NFPA 704 sign(s) properly posted. [RMC 16.32.020; CFC, Section 5003.5] - The exterior signage is faded and needs to be replaced.
Violation Division:	Riverside City Fire Department
Violation Program:	HMRRP
Violation Source:	CERS,

CITY OF RIVERSIDE (Continued) **S100275475**

Site ID: 105652
Site Name: RASHID'S, INC., dba UNIVERSITY MOBIL
Violation Date: 01-21-2021
Citation: HSC 6.7 25284.2 - California Health and Safety Code, Chapter 6.7, Section(s) 25284.2
Violation Description: "Failure to meet one or more of the following requirements: Install or maintain a liquid-tight spill container. Have a minimum capacity of five gallons. Have a functional drain valve or other method for the removal of liquid from the spill container. Be resistant to galvanic corrosion. Perform a tightness test at installation, every 12 months thereafter, or within 30 days after a repair to the spill container. Tested using applicable manufacturer guidelines, industry codes, engineering standards, or a method approved by a professional engineer. Tested by a certified UST service technician. Maintain records of spill containment testing for 36 months. "
Violation Notes: Returned to compliance on 04/23/2021. OBSERVATION: Observed 91 fuel product spill bucket drain valve to be leaking and would not hold liquid. CORRECTIVE ACTION: Owner/operator shall repair/replace the leaking spill bucket drain valve so that bucket is able to hold liquid and contain release until detected.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 105652
Site Name: RASHID'S, INC., dba UNIVERSITY MOBIL
Violation Date: 01-23-2020
Citation: 23 CCR 16 2715(a)(1)(B) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)(1)(B)
Violation Description: Failure to submit the Designated Underground Storage Tank Operator Identification Form within 30 days of installing a UST system or within 30 days of a change in DO.
Violation Notes: Returned to compliance on 01/21/2021. OBSERVATION: Owner/ operator failed to submit the Designated UST Operator Identification form to the statewide system (i.e., CERS). CORRECTIVE ACTION: Owner/operator shall submit the Designated UST Operator Identification form to the statewide system (i.e., CERS).
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Site ID: 105652
Site Name: RASHID'S, INC., dba UNIVERSITY MOBIL
Violation Date: 04-05-2022
Citation: Un-Specified
Violation Description: Business Plan Program - Administration/Documentation - General Local Ordinance
Violation Notes: Returned to compliance on 05/25/2022. 104E - SDS available or maintained on site. [RMC 16.32.020; CFC, Section 5003.4] - SDS must be available for all employees on site via paper or electronic formats.
Violation Division: Riverside City Fire Department
Violation Program: HMRRP
Violation Source: CERS,

Site ID: 105652
Site Name: RASHID'S, INC., dba UNIVERSITY MOBIL
Violation Date: 03-10-2022

CITY OF RIVERSIDE (Continued) **S100275475**

Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	OBSERVATION: Observed one 55 gallon, solid drum without a hazardous waste label that had a bag of waste on top of the lid. CORRECTIVE ACTION: Owner/operator shall label hazardous waste containers with all the required information. Label shall include at least: the words ""hazardous waste"", generator name and address, accumulation start date, composition and physical state of waste, and hazardous property statement. Submit photos to this department. Labels given.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	105652
Site Name:	RASHID'S, INC., dba UNIVERSITY MOBIL
Violation Date:	01-19-2017
Citation:	HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description:	Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes:	Returned to compliance on 02/16/2017.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS,
Site ID:	105652
Site Name:	RASHID'S, INC., dba UNIVERSITY MOBIL
Violation Date:	03-10-2022
Citation:	40 CFR 1 265.174 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.174
Violation Description:	Failure to inspect hazardous waste storage areas at least weekly and look for leaking and deteriorating containers.
Violation Notes:	OBSERVATION: Observed the presence of multiple hazardous waste violations at this facility. The presence of multiple violations indicates that inspections of the hazardous waste areas are not being conducted. The condition of the hazardous waste enclosure precludes employees from properly managing the hazardous waste. CORRECTIVE ACTION: Owner/operator shall immediately clean the waste enclosure, place waste into the drum and properly label each waste drum. Operator shall conduct weekly inspections of all hazardous waste storage areas to ensure best management practices.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS,
Site ID:	105652
Site Name:	RASHID'S, INC., dba UNIVERSITY MOBIL
Violation Date:	01-05-2022
Citation:	23 CCR 16 2712(b)(1)(G) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(1)(G)
Violation Description:	Failure to comply with one or more of the following overfill prevention equipment requirements: Alert the transfer operator when

CITY OF RIVERSIDE (Continued) **S100275475**

the tank is 90 percent full by restricting the flow into the tank or triggering an audible and visual alarm; or Restrict delivery of flow to the tank at least 30 minutes before the tank overfills, provided the restriction occurs when the tank is filled to no more than 95 percent of capacity; and activate an audible alarm at least five minutes before the tank overfills; or Provide positive shut-off of flow to the tank when the tank is filled to no more than 95 percent of capacity; or Provide positive shut-off of flow to the tank so that none of the fittings located on the top of the tank are exposed to product due to overfilling. Install/retrofit overfill prevention equipment that does not use flow restrictors on vent piping to meet overfill prevention equipment requirements when the overfill prevention equipment is installed, repaired, or replaced on and after October 1, 2018. For USTs installed before October 1, 2018, perform an inspection by October 13, 2018 and every 36 months thereafter. For USTs installed on and after October 1, 2018, perform an inspection at installation and every 36 months thereafter. Inspected within 30 days after a repair to the overfill prevention equipment. Inspected using an applicable manufacturer guidelines, industry codes, engineering standards, or a method approved by a professional engineer. Inspected by a certified UST service technician. Maintain records of overfill prevention equipment inspection for 36 months.

Violation Notes: Not reported
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS,

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-19-2017
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: UST annual inspection/CMD
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-20-2016
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 01-20-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Review and sign report
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 02-05-2015

CITY OF RIVERSIDE (Continued) **S100275475**

Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: UST follow up
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-01-2016
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-05-2019
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-22-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Haz waste generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 11-17-2021
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 12-17-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Annual CMD/UST inspection
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 12-23-2014
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Conclude UST inspection

CITY OF RIVERSIDE (Continued) **S100275475**

Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-18-2022
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: On site with R& C compliance technician, Brad Larsen (ICC # 8146911 expires 04/24/2023), to conduct a monitoring certification inspection including an overfill inspection. NOTE: ATP and sumps' sensors were removed prior to inspector's arrival. This action was discussed with technician and manager on site. Technicians should await for the arrival and approval of the CUPA to remove the sensors. Ensure to submit monitoring certification and overfill inspection test reslts to the department within 30 days.
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-19-2017
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-05-2022
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Inspector M. Kinser
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 07-29-2013
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: UST follow up inspection
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 12-17-2013
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Haz waste generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection

CITY OF RIVERSIDE (Continued) **S100275475**

Eval Date: 12-17-2013
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: UST annual inspection/CMD
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 01-05-2022
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 01-09-2014
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: UST Follow up Inspection
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-18-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: HW generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-20-2016
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: UST annual inspection/CMD
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-24-2019
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: HW Generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-24-2019
Violations Found: No
Eval Type: Routine done by local agency

CITY OF RIVERSIDE (Continued) **S100275475**

Eval Notes: UST CMD
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 01-28-2019
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: conclude inspection/Review and sign reports
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 02-16-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: HW follow up
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 04-27-2022
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Reinspection - M. Kinser
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-18-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: UST CMD/inspection
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 01-20-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Conclude inspection
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-21-2021
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: The purpose of this inspection is to conduct an annual monitoring certification inspection.
Eval Division: Riverside County Department of Env Health

CITY OF RIVERSIDE (Continued) **S100275475**

Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-23-2020
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Monitoring option for pressurized system section was all marked N/A; Hybrid UST system-double walled tanks; Single walled piping. Refer to to supplementary report attached to this inspection report.
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-10-2022
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: This facility is a small quantity, hazardous waste generator of petroleum contaminated testing liquid, used fuel filters, hoses and absorbent material. NOTES: Reactivate your EPA ID # CAL000329975 which expired 6/30/17, via the DTSC website https://dtsc.ca.gov/reactivate-epa-id-number/ The facility did not have a liquid, hazardous waste drum, but was instructed to provide a properly labeled drum for petroleum contaminated liquid.
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 03-10-2022
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Notice to comply
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 05-11-2022
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Reinspection - M. Kinser
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 05-25-2022
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Reinspection - M. Kinser. All violations from 4/5/2022 routine inspection have been abated.
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

CITY OF RIVERSIDE (Continued) **S100275475**

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-02-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside City Fire Department
Eval Program: HMRRP
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-22-2013
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: UST Inspection
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 08-16-2013
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: HW generator follow up
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Compliance Evaluation Inspection
Eval Date: 12-17-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Haz waste generator inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Eval General Type: Other/Unknown
Eval Date: 12-23-2014
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Conclude inspection
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS,

Enforcement Action:
Site ID: 105652
Site Name: RASHID'S, INC., dba UNIVERSITY MOBIL
Site Address: 1147 UNIVERSITY AVE
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 07-22-2013
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside County Department of Env Health
Enf Action Program: HW

CITY OF RIVERSIDE (Continued) **S100275475**

Enf Action Source: CERS,

Site ID: 105652
Site Name: RASHID'S, INC., dba UNIVERSITY MOBIL
Site Address: 1147 UNIVERSITY AVE
Site City: RIVERSIDE
Site Zip: 92507
Enf Action Date: 07-22-2013
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside County Department of Env Health
Enf Action Program: UST
Enf Action Source: CERS,

Coordinates:
Site ID: 105652
Facility Name: RASHID'S, INC., dba UNIVERSITY MOBIL
Env Int Type Code: HWG
Program ID: 10340815
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.,
Latitude: 33.976090
Longitude: -117.336750

Affiliation:
Affiliation Type Desc: Legal Owner
Entity Name: 1147 UNIVERSITY, LLC.
Entity Title: Not reported
Affiliation Address: 1147 UNIVERSITY DR.
Affiliation City: RIVERSIDE
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 92507
Affiliation Phone: (951) 787-0182,

Affiliation Type Desc: Operator
Entity Name: RASHID'S, INC. dba UNIVERSITY MOBIL
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (714) 397-4710,

Affiliation Type Desc: Property Owner
Entity Name: 1147 UNIVERSITY, LLC
Entity Title: Not reported
Affiliation Address: 1147 UNIVERSITY DR.
Affiliation City: RIVERSIDE
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 92507
Affiliation Phone: (951) 787-0182,

CITY OF RIVERSIDE (Continued) **S100275475**

Affiliation Type Desc:	CUPA District
Entity Name:	Riverside Cnty Env Health
Entity Title:	Not reported
Affiliation Address:	4065 County Circle Drive, Room 104
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92503
Affiliation Phone:	(951) 358-5055,

Affiliation Type Desc:	Document Preparer
Entity Name:	LANCE YORK
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	1147 UNIVERSITY DR.
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92507
Affiliation Phone:	,

Affiliation Type Desc:	Identification Signer
Entity Name:	Lance York
Entity Title:	Owner’s Authorized Agent
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	,

Affiliation Type Desc:	UST Property Owner Name
Entity Name:	1147 UNIVERSITY, LLC.
Entity Title:	Not reported
Affiliation Address:	1147 UNIVERSITY DR.
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92507
Affiliation Phone:	(951) 787-0182,

Affiliation Type Desc:	Environmental Contact
Entity Name:	ABDUL RASHID
Entity Title:	Not reported
Affiliation Address:	1147 UNIVERSITY DR.
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	Not reported

CITY OF RIVERSIDE (Continued) **S100275475**

Affiliation Zip: 92507
Affiliation Phone: ,

Affiliation Type Desc: Parent Corporation
Entity Name: ARLINGTON, INC.
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: ,

Affiliation Type Desc: UST Permit Applicant
Entity Name: ABDUL RASHID
Entity Title: PRESIDENT
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (714) 397-4710,

Affiliation Type Desc: UST Tank Operator
Entity Name: RASHID'S, INC. dba UNIVERSITY MOBIL
Entity Title: Not reported
Affiliation Address: 1147 UNIVERSITY DR.
Affiliation City: RIVERSIDE
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 92507
Affiliation Phone: (951) 787-0182,

Affiliation Type Desc: UST Tank Owner
Entity Name: 1147 UNIVERSITY, LLC.
Entity Title: Not reported
Affiliation Address: 1147 UNIVERSITY DR.
Affiliation City: RIVERSIDE
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 92507
Affiliation Phone: (951) 787-0182,

Name: MOBIL #18-402
Address: 1147 UNIVERSITY AVE
City,State,Zip: RIVERSIDE, CA 92507
Site ID: 192273
CERS ID: T0606500586
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: YVONNE REYES - RIVERSIDE COUNTY LOP
Entity Title: Not reported
Affiliation Address: 3880 LEMON ST SUITE 200
Affiliation City: RIVERSIDE
Affiliation State: CA

CITY OF RIVERSIDE (Continued) **S100275475**

Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 9519558982,

HWTS:
Name: CITY OF RIVERSIDE
Address: 1147 UNIVERSITY AVE
Address 2: Not reported
City,State,Zip: RIVERSIDE, CA 92507
EPA ID: CAC002820688
Inactive Date: 10/01/2015
Create Date: 07/02/2015
Last Act Date: Not reported
Mailing Name: Not reported
Mailing Address: 3900 MAIN ST FL 6
Mailing Address 2: Not reported
Mailing City,State,Zip: RIVERSIDE, CA 92502
Owner Name: CITY OF RIVERSIDE
Owner Address: 3900 MAIN ST FL 6
Owner Address 2: Not reported
Owner City,State,Zip: RIVERSIDE, CA 92502
Contact Name: JC CORTEZ
Contact Address: 3900 MAIN ST FL 6
Contact Address 2: Not reported
City,State,Zip: RIVERSIDE, CA 92502
Facility Status: Inactive
Facility Type: TEMPORARY
Category: STATE
Latitude: 33.975807
Longitude: -117.336858

AK181 **ALCAN, INC.** **ENVIROSTOR** **S107504409**
WNW **3016 KANSAS AV** **CPS-SLIC** **N/A**
1/2-1 **RIVERSIDE, CA 92507** **NPDES**
0.545 mi. **CIWQS**
2877 ft. **Site 1 of 2 in cluster AK**

Relative:
Lower

Actual:
897 ft.

ENVIROSTOR:
Name: ALCAN, INC.
Address: 3016 KANSAS AV
City,State,Zip: RIVERSIDE, CA 92507
Facility ID: 60000212
Status: Refer: RWQCB
Status Date: 04/12/2013
Site Code: Not reported
Site Type: Evaluation
Site Type Detailed: Evaluation
Acres: 1
NPL: NO
Regulatory Agencies: SMBRP, RWQCB 8 - Santa Ana, US EPA
Lead Agency: RWQCB 8 - Santa Ana
Program Manager: Not reported
Supervisor: * Greg Holmes
Division Branch: Cleanup Cypress
Assembly: 61
Senate: 31

ALCAN, INC. (Continued) **S107504409**

Special Program: EPA - PASI
Restricted Use: NO
Site Mgmt Req: NONE SPECIFIED
Funding: Not Applicable
Latitude: 33.98563
Longitude: -117.3549
APN: NONE SPECIFIED
Past Use: MANUFACTURING - INDUSTRIAL MACHINERY
Potential COC: Tetrachloroethylene (PCE TPH-MOTOR OIL Trichloroethylene (TCE 1,1-Dichloroethane
Confirmed COC: Tetrachloroethylene (PCE Trichloroethylene (TCE 1,1-Dichloroethane TPH-MOTOR OIL
Potential Description: OTH, SOIL
Alias Name: 60000212
Alias Type: Envirostor ID Number

Completed Info:
Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Site Screening
Completed Date: 06/13/2006
Comments: EPA approval June 13,2006, concurrence that further action is required.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: PA/SI Reassessment
Completed Date: 03/21/2012
Comments: USEPA final signature page uploaded 4/12/13

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported
Schedule Document Type: Not reported
Schedule Due Date: Not reported
Schedule Revised Date: Not reported

SLIC REG 8:
Name: LUXFER GAS CYLINDERS
Address: 3016 KANSAS
City: RIVERSIDE
Type: Soil and Groundwater
Facility Status: Additional Characterization Underway
Staff: WDM
Substance: VOCS, TPH, MTLS
Lead Agency: Regional Board
Location Code: Not reported
Thomas Bros Code: Not reported

CPS-SLIC:
Name: SOUTHEAST CORNER OF KANSAS AVE. AND MASSACHUSETTS AVE.
Address: 3016 KANSAS AVENUE
City,State,Zip: RIVERSIDE, CA 92501
Region: STATE

ALCAN, INC. (Continued) **S107504409**

Facility Status:	**Open - Site Assessment**
Status Date:	10/07/2021
Global Id:	T10000017401
Lead Agency:	SANTA ANA RWQCB (REGION 8)
Lead Agency Case Number:	Not reported
Latitude:	33.9858846752275
Longitude:	-117.355653879623
Case Type:	Cleanup Program Site
Case Worker:	PAH
Local Agency:	Not reported
RB Case Number:	Not reported
File Location:	Not reported
Potential Media Affected:	Aquifer used for drinking water supply, Soil, Soil Vapor
Potential Contaminants of Concern:	Tetrachloroethylene (PCE), Trichloroethylene (TCE)
Site History:	Not reported

Click here to access the California GeoTracker records for this facility:

NPDES:

Name:	ECLIPSE RECREATIONAL VEHICLES
Address:	3016 KANSAS AVENUE #14
City,State,Zip:	RIVERSIDE, CA 92507
Facility Status:	Active
NPDES Number:	CAS000001
Region:	8
Agency Number:	0
Regulatory Measure ID:	505784
Place ID:	Not reported
Order Number:	97-03-DWQ
WDID:	8 33I028130
Regulatory Measure Type:	Enrollee
Program Type:	Industrial
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	04/16/2019
Termination Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Discharge Address:	3016 Kansas Avenue #14
Discharge Name:	Eclipse Recreational Vehicles Inc
Discharge City:	Riverside
Discharge State:	California
Discharge Zip:	92507
Status:	Not reported
Status Date:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported

Name:	ECLIPSE RECREATIONAL VEHICLES
Address:	3016 KANSAS AVENUE #14
City,State,Zip:	RIVERSIDE, CA 92507
Facility Status:	Not reported
NPDES Number:	Not reported
Region:	Not reported
Agency Number:	Not reported
Regulatory Measure ID:	Not reported

ALCAN, INC. (Continued) **S107504409**

Place ID:	Not reported
Order Number:	Not reported
WDID:	8 33I028130
Regulatory Measure Type:	Industrial
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Discharge Address:	Not reported
Discharge Name:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Status:	Active
Status Date:	04/16/2019
Operator Name:	Eclipse Recreational Vehicles Inc
Operator Address:	3016 Kansas Avenue #14
Operator City:	Riverside
Operator State:	California
Operator Zip:	92507

Name:	ECLIPSE RECREATIONAL VEHICLES INC
Address:	3016 KANSAS AVENUE #14
City,State,Zip:	RIVERSIDE, CA 92507
Facility Status:	Not reported
NPDES Number:	Not reported
Region:	Not reported
Agency Number:	Not reported
Regulatory Measure ID:	Not reported
Place ID:	Not reported
Order Number:	Not reported
WDID:	Not reported
Regulatory Measure Type:	Industrial
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Discharge Address:	Not reported
Discharge Name:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Status:	Returned
Status Date:	11/27/2021
Operator Name:	Eclipse Recreational Vehicles Inc
Operator Address:	3016 Kansas Avenue #14
Operator City:	Riverside
Operator State:	California
Operator Zip:	92507

CIWQS:

Name:	ECLIPSE RECREATIONAL VEHICLES
Address:	3016 KANSAS AVENUE #14
City,State,Zip:	RIVERSIDE, CA 92507
Agency:	Eclipse Recreational Vehicles Inc

ALCAN, INC. (Continued) **S107504409**

Agency Address:	3016 Kansas Avenue #14, Riverside, CA 92507
Place/Project Type:	Industrial - Travel Trailers and Campers
SIC/NAICS:	3792
Region:	8
Program:	INDSTW
Regulatory Measure Status:	Active
Regulatory Measure Type:	Storm water industrial
Order Number:	2014-0057-DWQ
WDID:	8 33I028130
NPDES Number:	CAS000001
Adoption Date:	Not reported
Effective Date:	04/16/2019
Termination Date:	Not reported
Expiration/Review Date:	Not reported
Design Flow:	Not reported
Major/Minor:	Not reported
Complexity:	Not reported
TTWQ:	Not reported
Enforcement Actions within 5 years:	2
Violations within 5 years:	1
Latitude:	33.98521
Longitude:	-117.35677

AK182 **HUNTER DOUGLAS ALUMINUM PLANT, DIV. OF BRIDGEPORT** **FUSRAP** **1016603122**
WNW **3016 KANSAS AVENUE** **N/A**
1/2-1 **RIVERSIDE, CA**
0.545 mi.
2877 ft. **Site 2 of 2 in cluster AK**

Relative: **Lower**
Actual: **897 ft.**

FUSRAP:

Site Name:	HUNTER DOUGLAS ALUMINUM PLANT, DIV. OF BRIDGEPORT
Site Id:	CA.11
Site Status:	Eliminated from consideration under FUSRAP
Designated Name:	Not Designated
Alternate Name:	Hunter Douglas Aluminum Corporation
Location Street Address:	3016 KANSAS AVENUE
Location City:	RIVERSIDE
Location State:	CA
Location County:	Not reported
Evaluation Year:	1995
Site Oprerations:	Fabricated uranium metal tubing during the late 1950s.
Site Disposition:	Eliminated - No Authority - NRC licensed
Radioactice Materials Handled:	Yes
Primary Radioactivce Materials Handled:	Uranium Metal
Radiological Survey(S):	No
Long Term Care Requirements:	Not reported
Historical Operations:	Not reported
Website URL:	http://www.lm.doe.gov/Considered_Sites/Hunter_Douglas_Aluminum_Plant_Div_of_Bridgeport_Brass_Co_-_CA_11

183
NNE
1/2-1
0.564 mi.
2976 ft.

VALERION CORPORATION
2280 IOWA
RIVERSIDE, CA 92507

ENVIROSTOR
HIST CORTESE

S100201826
N/A

Relative:
Higher

Actual:
965 ft.

ENVIROSTOR:

Name:	VALERION CORPORATION
Address:	2280 IOWA AVENUE
City,State,Zip:	RIVERSIDE, CA 92507
Facility ID:	33280139
Status:	Refer: Other Agency
Status Date:	08/12/1988
Site Code:	Not reported
Site Type:	Historical
Site Type Detailed:	* Historical
Acres:	Not reported
NPL:	NO
Regulatory Agencies:	NONE SPECIFIED
Lead Agency:	NONE SPECIFIED
Program Manager:	Not reported
Supervisor:	* Mmonroy
Division Branch:	Cleanup Cypress
Assembly:	61
Senate:	31
Special Program:	Not reported
Restricted Use:	NO
Site Mgmt Req:	NONE SPECIFIED
Funding:	Not reported
Latitude:	33.99083
Longitude:	-117.3394
APN:	NONE SPECIFIED
Past Use:	NONE SPECIFIED
Potential COC:	* Metals - Other Inorganic Solid Waste * UNSPECIFIED OIL CONTAINING WASTE * UNSPECIFIED SLUDGE WASTE * UNSPECIFIED SOLVENT MIXTURES
Confirmed COC:	NONE SPECIFIED
Potential Description:	NONE SPECIFIED
Alias Name:	GTE-VALERION.
Alias Type:	Alternate Name
Alias Name:	CAD980884415
Alias Type:	EPA Identification Number
Alias Name:	33280139
Alias Type:	Envirostor ID Number

Completed Info:

Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	* Discovery
Completed Date:	03/22/1983
Comments:	FACILITY IDENTIFIED ID FROM RWQCB COMPLAINTS 1980 FILE. CHEM BEING DISPOSED OF IN A PIT BEHIND PLANT. NOT KNOWN IF THE PIT IS LINED OR SPECIFIC CHEM USED. INSPECTOR REP: NO PROB EVIDENT AT SITE. COMPLAINT APPEARS TO BE UNFOUND.
Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Site Screening
Completed Date:	10/25/1994
Comments:	CALSITES VALIDATION PROGRAM CONFIRMS NFA FOR DTSC.

VALERION CORPORATION (Continued) **S100201826**

Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Site Screening
Completed Date:	08/12/1988
Comments:	SITE SCREENING DONE NFA UNDER CERCLA RECOMMENDED BY FIT NFA UNDER SITE MITIGATION

Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Preliminary Assessment Report
Completed Date:	06/01/1984
Comments:	SOURCE ACT: T/C W/ E.SANTIMAW,GTE-VALERI (714)781-4382, 6/26/84 - MFG TUNGSTEN CARBIDE TOOLING. WASTE: METAL FILING, HEPTANE, OIL GRINDING SLUDGE,GRAPHITE. FAC TYPE: CTY OF RIVERSIDE INTER OFFICE MEMO, 1/15/81 - ILLEGAL DUMP OF OIL IN 2 AREAS. SUBMIT TO EPA PRELIM ASSESS DONE RCRA 3012

Future Area Name:	Not reported
Future Sub Area Name:	Not reported
Future Document Type:	Not reported
Future Due Date:	Not reported
Schedule Area Name:	Not reported
Schedule Sub Area Name:	Not reported
Schedule Document Type:	Not reported
Schedule Due Date:	Not reported
Schedule Revised Date:	Not reported

HIST CORTESE:

edr_fname:	VALERION CORPORATION
edr_fadd1:	2280 IOWA
City,State,Zip:	RIVERSIDE, CA 92507
Region:	CORTESE
Facility County Code:	33
Reg By:	CALSI
Reg Id:	33280139

184
WNW
1/2-1
0.620 mi.
3274 ft.

LEWIS, A.M.
2727 KANSAS AVENUE
RIVERSIDE, CA 90040

Notify 65 **S100179035**
N/A

Relative:
Lower

Actual:
890 ft.

NOTIFY 65:

Name:	LEWIS, A.M.
Address:	2727 KANSAS AVENUE
City,State,Zip:	RIVERSIDE, CA 90040
Date Reported:	Not reported
Staff Initials:	Not reported
Board File Number:	Not reported
Facility Type:	Not reported
Discharge Date:	Not reported
Issue Date:	Not reported
Incident Description:	Not reported
Global ID:	Not reported
Status:	Not reported

185
WSW
1/2-1
0.653 mi.
3449 ft.

LONGFELLOW ELEMENTARY SCHOOL
3610 EUCALYPTUS AVENUE
RIVERSIDE, CA 92507

ENVIROSTOR
SCH
HWTS

S124801140
N/A

Relative:
Lower

Actual:
906 ft.

ENVIROSTOR:

Name:	LONGFELLOW ELEMENTARY SCHOOL
Address:	3610 EUCALYPTUS AVENUE
City,State,Zip:	RIVERSIDE, CA 92507
Facility ID:	60002955
Status:	No Action Required
Status Date:	12/24/2021
Site Code:	404970
Site Type:	School Investigation
Site Type Detailed:	School
Acres:	1
NPL:	NO
Regulatory Agencies:	SMBRP
Lead Agency:	SMBRP
Program Manager:	Johnson Abraham
Supervisor:	Shahir Haddad
Division Branch:	Southern California Schools & Brownfields Outreach
Assembly:	, 61
Senate:	, 31
Special Program:	Not reported
Restricted Use:	NO
Site Mgmt Req:	NONE SPECIFIED
Funding:	School District
Latitude:	33.97830
Longitude:	-117.3590
APN:	211-105-001-7, 211-143-006-0, 211-143-007, 211-143-008
Past Use:	RESIDENTIAL AREA
Potential COC:	DDD DDE DDT Lead
Confirmed COC:	30006-NO 30007-NO 30008-NO 30013-NO
Potential Description:	NMA
Alias Name:	211-105-001-7
Alias Type:	APN
Alias Name:	211-143-006-0
Alias Type:	APN
Alias Name:	211-143-007
Alias Type:	APN
Alias Name:	211-143-008
Alias Type:	APN
Alias Name:	404970
Alias Type:	Project Code (Site Code)
Alias Name:	60002955
Alias Type:	Envirostor ID Number

Completed Info:

Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Project Management
Completed Date:	06/30/2021
Comments:	Not reported
Completed Area Name:	Area Outside the School Property - Adjacent Residential Lots
Completed Sub Area Name:	Not reported
Completed Document Type:	Phase 1 Addendum
Completed Date:	12/24/2021

LONGFELLOW ELEMENTARY SCHOOL (Continued) **S124801140**

Comments: Not reported

Completed Area Name: Area Within the School Property
Completed Sub Area Name: Not reported
Completed Document Type: 4.14 Request
Completed Date: 06/17/2020
Comments: DTSC signed and mailed out.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Application
Completed Date: 03/02/2020
Comments: Application reviewed and site code requested.

Completed Area Name: Area Within the School Property
Completed Sub Area Name: Not reported
Completed Document Type: Phase 1
Completed Date: 04/21/2020
Comments: DTSC approved no action for the area of the site inside the School Campus. The proposed expansion aread outside the School campus consists of two residential parcels require a Phase I Addendum.

Completed Area Name: Area Within the School Property
Completed Sub Area Name: Not reported
Completed Document Type: Phase 1 Addendum
Completed Date: 04/21/2020
Comments: DTSC approved no action for the area of the site inside the School Campus. The proposed expansion area outside the School campus consists of two residential parcels require a Phase I Addendum.

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported
Schedule Document Type: Not reported
Schedule Due Date: Not reported
Schedule Revised Date: Not reported

SCH:

Name: LONGFELLOW ELEMENTARY SCHOOL
Address: 3610 EUCALYPTUS AVENUE
City,State,Zip: RIVERSIDE, CA 92507
Facility ID: 60002955
Site Type: School Investigation
Site Type Detail: School
Site Mgmt. Req.: NONE SPECIFIED
Acres: 1
National Priorities List: NO
Cleanup Oversight Agencies: SMBRP
Lead Agency: SMBRP
Lead Agency Description: DTSC - Site Cleanup Program
Project Manager: Johnson Abraham
Supervisor: Shahir Haddad
Division Branch: Southern California Schools & Brownfields Outreach

LONGFELLOW ELEMENTARY SCHOOL (Continued) **S124801140**

Site Code:	404970
Assembly:	, 61
Senate:	, 31
Special Program Status:	Not reported
Status:	No Action Required
Status Date:	12/24/2021
Restricted Use:	NO
Funding:	School District
Latitude:	33.97830
Longitude:	-117.3590
APN:	211-105-001-7, 211-143-006-0, 211-143-007, 211-143-008
Past Use:	RESIDENTIAL AREA
Potential COC:	DDD, DDE, DDT, Lead
Confirmed COC:	30006-NO, 30007-NO, 30008-NO, 30013-NO
Potential Description:	NMA
Alias Name:	211-105-001-7
Alias Type:	APN
Alias Name:	211-143-006-0
Alias Type:	APN
Alias Name:	211-143-007
Alias Type:	APN
Alias Name:	211-143-008
Alias Type:	APN
Alias Name:	404970
Alias Type:	Project Code (Site Code)
Alias Name:	60002955
Alias Type:	Envirostor ID Number

Completed Info:

Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Project Management
Completed Date:	06/30/2021
Comments:	Not reported
Completed Area Name:	Area Outside the School Property - Adjacent Residential Lots
Completed Sub Area Name:	Not reported
Completed Document Type:	Phase 1 Addendum
Completed Date:	12/24/2021
Comments:	Not reported
Completed Area Name:	Area Within the School Property
Completed Sub Area Name:	Not reported
Completed Document Type:	4.14 Request
Completed Date:	06/17/2020
Comments:	DTSC signed and mailed out.
Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Application
Completed Date:	03/02/2020
Comments:	Application reviewed and site code requested.
Completed Area Name:	Area Within the School Property
Completed Sub Area Name:	Not reported
Completed Document Type:	Phase 1
Completed Date:	04/21/2020
Comments:	DTSC approved no action for the area of the site inside the School

LONGFELLOW ELEMENTARY SCHOOL (Continued) **S124801140**

Campus. The proposed expansion aread outside the School campus consists of two residential parcels require a Phase I Addendum.

Completed Area Name: Area Within the School Property
Completed Sub Area Name: Not reported
Completed Document Type: Phase 1 Addendum
Completed Date: 04/21/2020
Comments: DTSC approved no action for the area of the site inside the School Campus. The proposed expansion area outside the School campus consists of two residential parcels require a Phase I Addendum.

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported
Schedule Document Type: Not reported
Schedule Due Date: Not reported
Schedule Revised Date: Not reported

HWTS:
Name: LONGFELLOW ELEMENTARY SCHOOL
Address: 3610 EUCALYPTUS AVENUE
Address 2: Not reported
City,State,Zip: RIVERSIDE, CA 92507
EPA ID: CAL000113130
Inactive Date: 06/30/1993
Create Date: 03/30/1993
Last Act Date: Not reported
Mailing Name: Not reported
Mailing Address: P O BOX 2800
Mailing Address 2: Not reported
Mailing City,State,Zip: RIVERSIDE, CA 925162800
Owner Name: RIVERSIDE UNIFIED SCHOOL DIST
Owner Address: P O BOX 2800
Owner Address 2: Not reported
Owner City,State,Zip: RIVERSIDE, CA 925162800
Contact Name: INACTIVE PER FEE FORM 6/93
Contact Address: Not reported
Contact Address 2: Not reported
City,State,Zip: Not reported
Facility Status: Inactive
Facility Type: PERMANENT
Category: STATE
Latitude: 33.978396
Longitude: -117.359684

AL186 **UNIVERSITY OF CA RIVERSIDE** **SEMS-ARCHIVE** **1000431600**
ESE **RIVERSIDE CAMPUS** **CORRACTS** **CAD073134777**
1/2-1 **RIVERSIDE, CA 92521** **RCRA-TSDF**
0.791 mi. **RCRA-LQG**
4177 ft. **Site 1 of 2 in cluster AL** **RAATS**

Relative:
Higher

Actual:
1035 ft.

SEMS Archive:

Site ID:	0901566
EPA ID:	CAD073134777
Name:	UNIVERSITY OF CA RIVERSIDE
Address:	RIVERSIDE CAMPUS
Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 92521
Cong District:	36
FIPS Code:	06065
FF:	N
NPL:	Not on the NPL
Non NPL Status:	NFRAP-Site does not qualify for the NPL based on existing information

SEMS Archive Detail:

Region:	09
Site ID:	0901566
EPA ID:	CAD073134777
Site Name:	UNIVERSITY OF CA RIVERSIDE
NPL:	N
FF:	N
OU:	00
Action Code:	VS
Action Name:	ARCH SITE
SEQ:	1
Start Date:	Not reported
Finish Date:	1990-07-20 04:00:00
Qual:	Not reported
Current Action Lead:	EPA Perf In-Hse

Region:	09
Site ID:	0901566
EPA ID:	CAD073134777
Site Name:	UNIVERSITY OF CA RIVERSIDE
NPL:	N
FF:	N
OU:	00
Action Code:	DS
Action Name:	DISCVRY
SEQ:	1
Start Date:	1980-08-01 04:00:00
Finish Date:	1980-08-01 04:00:00
Qual:	Not reported
Current Action Lead:	EPA Perf

Region:	09
Site ID:	0901566
EPA ID:	CAD073134777
Site Name:	UNIVERSITY OF CA RIVERSIDE
NPL:	N
FF:	N
OU:	00
Action Code:	SI
Action Name:	SI
SEQ:	1

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Start Date: Not reported
Finish Date: 1986-09-01 04:00:00
Qual: H
Current Action Lead: EPA Perf

Region: 09
Site ID: 0901566
EPA ID: CAD073134777
Site Name: UNIVERSITY OF CA RIVERSIDE
NPL: N
FF: N
OU: 00
Action Code: SI
Action Name: SI
SEQ: 2
Start Date: Not reported
Finish Date: 1990-07-20 04:00:00
Qual: N
Current Action Lead: EPA Perf

Region: 09
Site ID: 0901566
EPA ID: CAD073134777
Site Name: UNIVERSITY OF CA RIVERSIDE
NPL: N
FF: N
OU: 00
Action Code: PA
Action Name: PA
SEQ: 1
Start Date: 1985-04-01 06:00:00
Finish Date: 1985-07-01 05:00:00
Qual: L
Current Action Lead: St Perf

CORRACTS:
Name: UNIVERSITY OF CALIFORNIA, RIVERSIDE
Address: 900 UNIVERSITY AVE
Address 2: Not reported
EPA ID: CAD073134777
Area Name: ENTIRE FACILITY
Corrective Action: INVESTIGATION WORKPLAN APPROVED
Actual Date: 19940315
Air Release Indicator: Not reported
Groundwater Release Indicator: Not reported
Soil Release Indicator: Not reported
Surface Water Release Indicator: Not reported

Name: UNIVERSITY OF CALIFORNIA, RIVERSIDE
Address: 900 UNIVERSITY AVE
Address 2: Not reported
EPA ID: CAD073134777
Area Name: ENTIRE FACILITY
Corrective Action: INVESTIGATION COMPLETE
Actual Date: 19951010
Air Release Indicator: Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Groundwater Release Indicator: Not reported
Soil Release Indicator: Not reported
Surface Water Release Indicator: Not reported

Name: UNIVERSITY OF CALIFORNIA, RIVERSIDE
Address: 900 UNIVERSITY AVE
Address 2: Not reported
EPA ID: CAD073134777
Area Name: ENTIRE FACILITY
Corrective Action: CMS WORKPLAN APPROVED
Actual Date: 19951010
Air Release Indicator: Not reported
Groundwater Release Indicator: Not reported
Soil Release Indicator: Not reported
Surface Water Release Indicator: Not reported

Name: UNIVERSITY OF CALIFORNIA, RIVERSIDE
Address: 900 UNIVERSITY AVE
Address 2: Not reported
EPA ID: CAD073134777
Area Name: ENTIRE FACILITY
Corrective Action: CMS COMPLETE
Actual Date: 19951010
Air Release Indicator: Not reported
Groundwater Release Indicator: Not reported
Soil Release Indicator: Not reported
Surface Water Release Indicator: Not reported

Name: UNIVERSITY OF CALIFORNIA, RIVERSIDE
Address: 900 UNIVERSITY AVE
Address 2: Not reported
EPA ID: CAD073134777
Area Name: ENTIRE FACILITY
Corrective Action: STABILIZATION MEASURES EVALUATION-FACILITY IS AMENABLE TO STABILIZATION
Actual Date: 19940523
Air Release Indicator: Not reported
Groundwater Release Indicator: Not reported
Soil Release Indicator: Not reported
Surface Water Release Indicator: Not reported

Name: UNIVERSITY OF CALIFORNIA, RIVERSIDE
Address: 900 UNIVERSITY AVE
Address 2: Not reported
EPA ID: CAD073134777
Area Name: ENTIRE FACILITY
Corrective Action: CMI WORKPLAN APPROVED
Actual Date: 19960906
Air Release Indicator: Not reported
Groundwater Release Indicator: Not reported
Soil Release Indicator: Not reported
Surface Water Release Indicator: Not reported

Name: UNIVERSITY OF CALIFORNIA, RIVERSIDE
Address: 900 UNIVERSITY AVE
Address 2: Not reported
EPA ID: CAD073134777

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Area Name: ENTIRE FACILITY
Corrective Action: STABILIZATION/INTERIM MEASURES DECISION-PRIMARY MEAS IS EXPOSURE CONTROL
Actual Date: 19901201
Air Release Indicator: Not reported
Groundwater Release Indicator: Not reported
Soil Release Indicator: Not reported
Surface Water Release Indicator: Not reported

Name: UNIVERSITY OF CALIFORNIA, RIVERSIDE
Address: 900 UNIVERSITY AVE
Address 2: Not reported
EPA ID: CAD073134777
Area Name: ENTIRE FACILITY
Corrective Action: HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE
Actual Date: 19980603
Air Release Indicator: Not reported
Groundwater Release Indicator: Not reported
Soil Release Indicator: Not reported
Surface Water Release Indicator: Not reported

Name: UNIVERSITY OF CALIFORNIA, RIVERSIDE
Address: 900 UNIVERSITY AVE
Address 2: Not reported
EPA ID: CAD073134777
Area Name: ENTIRE FACILITY
Corrective Action: RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE
Actual Date: 19980603
Air Release Indicator: Not reported
Groundwater Release Indicator: Not reported
Soil Release Indicator: Not reported
Surface Water Release Indicator: Not reported

Name: UNIVERSITY OF CALIFORNIA, RIVERSIDE
Address: 900 UNIVERSITY AVE
Address 2: Not reported
EPA ID: CAD073134777
Area Name: ENTIRE FACILITY
Corrective Action: REMEDY DECISION
Actual Date: 19960516
Air Release Indicator: Not reported
Groundwater Release Indicator: Not reported
Soil Release Indicator: Not reported
Surface Water Release Indicator: Not reported

Click this hyperlink while viewing on your computer to access additional CORRACTS: detail in the EDR Site Report.

RCRA Listings:
Date Form Received by Agency: 20220301
Handler Name: UNIVERSITY OF CALIFORNIA, RIVERSIDE
Handler Address: 900 UNIVERSITY AVE
Handler City,State,Zip: RIVERSIDE, CA 92521-0001
EPA ID: CAD073134777
Contact Name: JUAN C SANCHEZ
Contact Address: UNIVERSITY AVE

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Contact City,State,Zip:	RIVERSIDE, CA 92521-0001
Contact Telephone:	951-827-2648
Contact Fax:	951-827-5122
Contact Email:	JUAN.C.SANCHEZ@UCR.EDU
Contact Title:	HAZARDOUS WASTE SUPERVISOR
EPA Region:	09
Land Type:	State
Federal Waste Generator Description:	Large Quantity Generator
Non-Notifier:	Not reported
Biennial Report Cycle:	2021
Accessibility:	Not reported
Active Site Indicator:	Handler Activities, Permitting Activities, Corrective Action Activities
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	UNIVERSITY AVE
Mailing City,State,Zip:	RIVERSIDE, CA 92521-0001
Owner Name:	REGENTS OF THE UNIVERSITY OF CALIFORNIA
Owner Type:	State
Operator Name:	REGENTS OF THE UNIVERSITY OF CALIFORNIA
Operator Type:	State
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	Yes
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Land Disposal
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Land Disposal, Storage
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Land Disposal, Storage
Post-Closure Workload Universe:	Land Disposal
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	Yes
Subject to Corrective Action Universe:	Yes
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	Yes
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	Yes
Groundwater Controls Indicator:	Yes
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Land Disposal
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20220613
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Biennial: List of Years
Year: 2019

Click Here for Biennial Reporting System Data:
Year: 2017

Click Here for Biennial Reporting System Data:
Year: 2015

Click Here for Biennial Reporting System Data:
Year: 2011

Click Here for Biennial Reporting System Data:
Year: 2009

Click Here for Biennial Reporting System Data:
Year: 2007

Click Here for Biennial Reporting System Data:
Year: 2005

Click Here for Biennial Reporting System Data:
Year: 2003

Click Here for Biennial Reporting System Data:
Year: 2001

Click Here for Biennial Reporting System Data:

Hazardous Waste Summary:
Waste Code: D001
Waste Description: IGNITABLE WASTE

Waste Code: D002
Waste Description: CORROSIVE WASTE

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Waste Code:	D003
Waste Description:	REACTIVE WASTE
Waste Code:	D004
Waste Description:	ARSENIC
Waste Code:	D005
Waste Description:	BARIUM
Waste Code:	D006
Waste Description:	CADMIUM
Waste Code:	D007
Waste Description:	CHROMIUM
Waste Code:	D008
Waste Description:	LEAD
Waste Code:	D009
Waste Description:	MERCURY
Waste Code:	D010
Waste Description:	SELENIUM
Waste Code:	D011
Waste Description:	SILVER
Waste Code:	D012
Waste Description:	ENDRIN (1,2,3,4,10,10-HEXACHLORO-1,7-EPOXY-1,4,4A,5,6,7,8,8A-OCTAHYDRO-1,4-ENDO, ENDO-5,8-DIMETH-ANO-NAPHTHALENE)
Waste Code:	D013
Waste Description:	LINDANE (1,2,3,4,5,6-HEXA-CHLOROCYCLOHEXANE, GAMMA ISOMER)
Waste Code:	D014
Waste Description:	METHOXYCHLOR (1,1,1-TRICHLORO-2,2-BIS [P-METHOXYPHENYL] ETHANE)
Waste Code:	D015
Waste Description:	TOXAPHENE (C10 H10 CL8, TECHNICAL CHLORINATED CAMPHENE, 67-69 PERCENT CHLORINE)
Waste Code:	D016
Waste Description:	2,4-D (2,4-DICHLOROPHENOXYACETIC ACID)
Waste Code:	D017
Waste Description:	2,4,5-TP SILVEX (2,4,5-TRICHLOROPHENOXYPROPIONIC ACID)
Waste Code:	D018
Waste Description:	BENZENE
Waste Code:	D019
Waste Description:	CARBON TETRACHLORIDE
Waste Code:	D022
Waste Description:	CHLOROFORM

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Waste Code: D023
Waste Description: O-CRESOL

Waste Code: D024
Waste Description: M-CRESOL

Waste Code: D025
Waste Description: P-CRESOL

Waste Code: D027
Waste Description: 1,4-DICHLOROBENZENE

Waste Code: D028
Waste Description: 1,2-DICHLOROETHANE

Waste Code: D031
Waste Description: HEPTACHLOR (AND ITS EPOXIDE)

Waste Code: D038
Waste Description: PYRIDINE

Waste Code: F002
Waste Description: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste Code: F003
Waste Description: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste Code: F004
Waste Description: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: CRESOLS, CRESYLIC ACID, AND NITROBENZENE; AND THE STILL BOTTOMS FROM THE RECOVERY OF THESE SOLVENTS; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste Code: F005
Waste Description: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste Code: F027
Waste Description: DISCARDED UNUSED FORMULATIONS CONTAINING TRI-, TETRA-, OR PENTACHLOROPHENOL OR DISCARDED UNUSED FORMULATIONS CONTAINING COMPOUNDS DERIVED FROM THESE CHLOROPHENOLS. (THIS LISTING DOES NOT INCLUDE FORMULATIONS CONTAINING HEXACHLOROPHENE SYNTHESIZED FROM PREPURIFIED 2,4,5-TRICHLOROPHENOL AS THE SOLE COMPONENT.)

Waste Code: LABP
Waste Description: LAB PACK

Waste Code: P001
Waste Description: 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%

Waste Code: P003
Waste Description: 2-PROPENAL (OR) ACROLEIN

Waste Code: P004
Waste Description: 1,4,5,8-DIMETHANONAPHTHALENE, 1,2,3,4,10,10-HEXA-CHLORO-1,4,4A,5,8,8A,-HEXAHYDRO-, (1ALPHA, 4ALPHA, 4ABETA, 5ALPHA, 8ALPHA, 8ABETA)- (OR) ALDRIN

Waste Code: P005
Waste Description: 2-PROPEN-1-OL (OR) ALLYL ALCOHOL

Waste Code: P010
Waste Description: ARSENIC ACID H3ASO4

Waste Code: P012
Waste Description: ARSENIC OXIDE AS2O3 (OR) ARSENIC TRIOXIDE

Waste Code: P014
Waste Description: BENZENETHIOL (OR) THIOPHENOL

Waste Code: P018
Waste Description: BRUCINE (OR) STRYCHNIDIN-10-ONE, 2,3-DIMETHOXY-

Waste Code: P020
Waste Description: DINOSEB (OR) PHENOL, 2-(1-METHYLPROPYL)-4,6-DINITRO-

Waste Code: P022
Waste Description: CARBON DISULFIDE

Waste Code: P023
Waste Description: ACETALDEHYDE, CHLORO- (OR) CHLOROACETALDEHYDE

Waste Code: P024
Waste Description: BENZENAMINE, 4-CHLORO- (OR) P-CHLORANILINE

Waste Code: P030
Waste Description: CYANIDES (SOLUBLE CYANIDE SALTS), NOT OTHERWISE SPECIFIED

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Waste Code: P037
Waste Description: 2,7:3,6-DIMETHANONAPHTH[2,3-B]OXIRENE, 3,4,5,6,9,9-HEXACHLORO-1A,2,2A,3,6,6A,7,7A-OCTAHYDRO-, (1AALPHA, 2BETA, 2AALPHA, 3BETA, 6BETA, 6AALPHA, 7BETA, 7AALPHA)- (OR) DIELDRIN

Waste Code: P041
Waste Description: DIETHYL-P-NITROPHENYL PHOSPHATE (OR) PHOSPHORIC ACID, DIETHYL 4-NITROPHENYL ESTER

Waste Code: P042
Waste Description: 1,2-BENZENEDIOL, 4-[1-HYDROXY-2-(METHYLAMINO)ETHYL]-, (R)- (OR) EPINEPHRINE

Waste Code: P044
Waste Description: DIMETHOATE (OR) PHOSPHORODITHIOIC ACID, O,O-DIMETHYL S-[2-(METHYLAMINO)-2-OXOETHYL] ESTER

Waste Code: P048
Waste Description: 2,4-DINITROPHENOL (OR) PHENOL, 2,4-DINITRO-

Waste Code: P063
Waste Description: HYDROCYANIC ACID (OR) HYDROGEN CYANIDE

Waste Code: P066
Waste Description: ETHANIMIDOTHIOIC ACID, N-[[(METHYLAMINO)CARBONYL]OXY]-, METHYL ESTER (OR) METHOMYL

Waste Code: P070
Waste Description: ALDICARB (OR) PROPANAL, 2-METHYL-2-(METHYLTHIO)-, O-[(METHYLAMINO)CARBONYL]OXIME

Waste Code: P071
Waste Description: METHYL PARATHION (OR) PHOSPHOROTHIOIC ACID, O,O,-DIMETHYL O-(4-NITROPHENYL) ESTER

Waste Code: P075
Waste Description: NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS

Waste Code: P076
Waste Description: NITRIC OXIDE (OR) NITROGEN OXIDE NO

Waste Code: P077
Waste Description: BENZENAMINE, 4-NITRO- (OR) P-NITROANILINE

Waste Code: P078
Waste Description: NITROGEN DIOXIDE (OR) NITROGEN OXIDE NO2

Waste Code: P087
Waste Description: OSMIUM OXIDE OSO4, (T-4)- (OR) OSMIUM TETROXIDE

Waste Code: P088
Waste Description: 7-OXABICYCLO[2.2.1]HEPTANE-2,3-DICARBOXYLIC ACID (OR) ENDOTHALL

Waste Code: P089
Waste Description: PARATHION (OR) PHOSPHOROTHIOIC ACID, O,O-DIETHYL-O-(4-NITROPHENYL) ESTER

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Waste Code: P094
Waste Description: PHORATE (OR) PHOSPHORODITHIOIC ACID, O,O-DIETHYL S-[(ETHYLTHIO)METHYL] ESTER

Waste Code: P095
Waste Description: CARBONIC DICHLORIDE (OR) PHOSGENE

Waste Code: P098
Waste Description: POTASSIUM CYANIDE (OR) POTASSIUM CYANIDE K(CN)

Waste Code: P101
Waste Description: ETHYL CYANIDE (OR) PROPANENITRILE

Waste Code: P102
Waste Description: 2-PROPYN-1-OL (OR) PROPARGYL ALCOHOL

Waste Code: P105
Waste Description: SODIUM AZIDE

Waste Code: P106
Waste Description: SODIUM CYANIDE (OR) SODIUM CYANIDE NA(CN)

Waste Code: P108
Waste Description: STRYCHNIDIN-10-ONE, & SALTS (OR) STRYCHNINE, & SALTS

Waste Code: P109
Waste Description: TETRAETHYLDITHIOPYROPHOSPHATE (OR) THIODIPHOSPHORIC ACID, TETRAETHYL ESTER

Waste Code: P111
Waste Description: DIPHOSPHORIC ACID, TETRAETHYL ESTER (OR) TETRAETHYL PYROPHOSPHATE

Waste Code: P113
Waste Description: THALLIC OXIDE (OR) THALLIUM OXIDE TL2O3

Waste Code: P115
Waste Description: SULFURIC ACID, DITHALLIUM (1+) SALT (OR) THALLIUM(I) SULFATE

Waste Code: P119
Waste Description: AMMONIUM VANADATE (OR) VANADIC ACID, AMMONIUM SALT

Waste Code: P120
Waste Description: VANADIUM OXIDE V2O5 (OR) VANADIUM PENTOXIDE

Waste Code: P194
Waste Description: ETHANIMIDOTHIOC ACID, 2-(DIMETHYLAMINO)-N-[[(METHYLAMINO) CARBONYL]OXY]-2-OXO-, METHYL ESTER (OR) OXAMYL

Waste Code: U001
Waste Description: ACETALDEHYDE (I) (OR) ETHANAL (I)

Waste Code: U002
Waste Description: 2-PROPANONE (I) (OR) ACETONE (I)

Waste Code: U003
Waste Description: ACETONITRILE (I,T)

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Waste Code:	U006
Waste Description:	ACETYL CHLORIDE (C,R,T)
Waste Code:	U007
Waste Description:	2-PROPENAMIDE (OR) ACRYLAMIDE
Waste Code:	U009
Waste Description:	2-PROPENENITRILE (OR) ACRYLONITRILE
Waste Code:	U012
Waste Description:	ANILINE (I,T) (OR) BENZENAMINE (I,T)
Waste Code:	U019
Waste Description:	BENZENE (I,T)
Waste Code:	U029
Waste Description:	METHANE, BROMO- (OR) METHYL BROMIDE
Waste Code:	U031
Waste Description:	1-BUTANOL (I) (OR) N-BUTYL ALCOHOL (I)
Waste Code:	U038
Waste Description:	BENZENEACETIC ACID, 4-CHLORO-ALPHA-(4-CHLOROPHENYL)-ALPHA-HYDROXY-, ETHYL ESTER (OR) CHLOROBENZILATE
Waste Code:	U043
Waste Description:	ETHENE, CHLORO- (OR) VINYL CHLORIDE
Waste Code:	U044
Waste Description:	CHLOROFORM (OR) METHANE, TRICHLORO-
Waste Code:	U046
Waste Description:	CHLOROMETHYL METHYL ETHER (OR) METHANE, CHLOROMETHOXY-
Waste Code:	U052
Waste Description:	CRESOL (CRESYLIC ACID) (OR) PHENOL, METHYL-
Waste Code:	U053
Waste Description:	2-BUTENAL (OR) CROTONALDEHYDE
Waste Code:	U056
Waste Description:	BENZENE, HEXAHYDRO- (I) (OR) CYCLOHEXANE (I)
Waste Code:	U057
Waste Description:	CYCLOHEXANONE (I)
Waste Code:	U061
Waste Description:	BENZENE, 1,1'-(2,2,2-TRICHLOROETHYLIDENE)BIS[4-CHLORO- (OR) DDT
Waste Code:	U069
Waste Description:	1,2-BENZENEDICARBOXYLIC ACID, DIBUTYL ESTER (OR) DIBUTYL PHTHALATE
Waste Code:	U072
Waste Description:	BENZENE, 1,4-DICHLORO- (OR) P-DICHLOROBENZENE
Waste Code:	U076
Waste Description:	ETHANE, 1,1-DICHLORO- (OR) ETHYLIDENE DICHLORIDE

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Waste Code: U077
Waste Description: ETHANE, 1,2-DICHLORO- (OR) ETHYLENE DICHLORIDE

Waste Code: U078
Waste Description: 1,1-DICHLOROETHYLENE (OR) ETHENE, 1,1-DICHLORO-

Waste Code: U080
Waste Description: METHANE, DICHLORO- (OR) METHYLENE CHLORIDE

Waste Code: U081
Waste Description: 2,4-DICHLOROPHENOL (OR) PHENOL, 2,4-DICHLORO-

Waste Code: U103
Waste Description: DIMETHYL SULFATE (OR) SULFURIC ACID, DIMETHYL ESTER

Waste Code: U108
Waste Description: 1,4-DIETHYLENEOXIDE (OR) 1,4-DIOXANE

Waste Code: U112
Waste Description: ACETIC ACID, ETHYL ESTER (I) (OR) ETHYL ACETATE (I)

Waste Code: U115
Waste Description: ETHYLENE OXIDE (I,T) (OR) OXIRANE (I,T)

Waste Code: U117
Waste Description: ETHANE, 1,1'-OXYBIS-(I) (OR) ETHYL ETHER (I)

Waste Code: U122
Waste Description: FORMALDEHYDE

Waste Code: U123
Waste Description: FORMIC ACID (C,T)

Waste Code: U124
Waste Description: FURAN (I) (OR) FURFURAN (I)

Waste Code: U130
Waste Description: 1,3-CYCLOPENTADIENE, 1,2,3,4,5,5-HEXACHLORO- (OR) HEXACHLOROCYCLOPENTADIENE

Waste Code: U133
Waste Description: HYDRAZINE (R,T)

Waste Code: U134
Waste Description: HYDROFLUORIC ACID (C,T) (OR) HYDROGEN FLUORIDE (C,T)

Waste Code: U135
Waste Description: HYDROGEN SULFIDE (OR) HYDROGEN SULFIDE H2S

Waste Code: U138
Waste Description: METHANE, IODO- (OR) METHYL IODIDE

Waste Code: U140
Waste Description: 1-PROPANOL, 2-METHYL- (I,T) (OR) ISOBUTYL ALCOHOL (I,T)

Waste Code: U144
Waste Description: ACETIC ACID, LEAD(2+) SALT (OR) LEAD ACETATE

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Waste Code: U145
Waste Description: LEAD PHOSPHATE (OR) PHOSPHORIC ACID, LEAD(2+) SALT (2:3)

Waste Code: U146
Waste Description: LEAD SUBACETATE (OR) LEAD, BIS(ACETATO-O)TETRAHYDROXYTRI-

Waste Code: U149
Waste Description: MALONONITRILE (OR) PROPANEDINITRILE

Waste Code: U151
Waste Description: MERCURY

Waste Code: U154
Waste Description: METHANOL (I) (OR) METHYL ALCOHOL (I)

Waste Code: U161
Waste Description: 4-METHYL-2-PENTANONE (I) (OR) METHYL ISOBUTYL KETONE (I) (OR) PENTANOL, 4-METHYL-

Waste Code: U162
Waste Description: 2-PROPENOIC ACID, 2-METHYL-, METHYL ESTER (I,T) (OR) METHYL METHACRYLATE (I,T)

Waste Code: U165
Waste Description: NAPHTHALENE

Waste Code: U169
Waste Description: BENZENE, NITRO- (OR) NITROBENZENE (I,T)

Waste Code: U177
Waste Description: N-NITROSO-N-METHYLUREA (OR) UREA, N-METHYL-N-NITROSO-

Waste Code: U186
Waste Description: 1,3-PENTADIENE (I) (OR) 1-METHYLBUTADIENE (I)

Waste Code: U188
Waste Description: PHENOL

Waste Code: U189
Waste Description: PHOSPHORUS SULFIDE (R) (OR) SULFUR PHOSPHIDE (R)

Waste Code: U196
Waste Description: PYRIDINE

Waste Code: U210
Waste Description: ETHENE, TETRACHLORO- (OR) TETRACHLOROETHYLENE

Waste Code: U211
Waste Description: CARBON TETRACHLORIDE (OR) METHANE, TETRACHLORO-

Waste Code: U213
Waste Description: FURAN, TETRAHYDRO-(I) (OR) TETRAHYDROFURAN (I)

Waste Code: U217
Waste Description: NITRIC ACID, THALLIUM(1+) SALT (OR) THALLIUM(I) NITRATE

Waste Code: U220

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Waste Description: BENZENE, METHYL- (OR) TOLUENE

Waste Code: U226
Waste Description: ETHANE, 1,1,1-TRICHLORO- (OR) METHYL CHLOROFORM

Waste Code: U236
Waste Description: 2,7-NAPHTHALENEDISULFONIC ACID,3,3'-[(3,3'-DIMETHYL[1,1'-BIPHENYL]-4,4'-DIYL)BIS(AZO)BIS[5-AMINO -4-HYDROXY]-, TETRASODIUM SALT (OR) TRYPAN BLUE

Waste Code: U238
Waste Description: CARBAMIC ACID, ETHYL ESTER (OR) ETHYL CARBAMATE (URETHANE)

Waste Code: U239
Waste Description: BENZENE, DIMETHYL- (I,T) (OR) XYLENE (I)

Waste Code: U246
Waste Description: CYANOGEN BROMIDE (CN)BR

Waste Code: U271
Waste Description: BENOMYL (OR) CARBAMIC ACID, [1-[(BUTYLAMINO)CARBONYL]-1H-BENZIMIDAZOL-2-YL]-, METHYL ESTER

Waste Code: U278
Waste Description: BENDIOCARB (OR) 1,3-BENZODIOXOL-4-OL, 2,2-DIMETHYL-, METHYL CARBAMATE

Waste Code: U279
Waste Description: U279

Waste Code: U328
Waste Description: BENZENAMINE, 2-METHYL- (OR) O-TOLUIDINE

Waste Code: U353
Waste Description: BENZENAMINE, 4-METHYL- (OR) P-TOLUIDINE

Waste Code: U404
Waste Description: U404

Waste Code: U411
Waste Description: U411

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: UC RIVERSIDE EHAS	
Legal Status:	State
Date Became Current:	19900101
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	CA 94607
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name: U.C. REGENTS	
Legal Status:	State

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Date Became Current: 19480101
Date Ended Current: Not reported
Owner/Operator Address: 1111 FRANKLIN ST
Owner/Operator City,State,Zip: OAKLAND, CA 94607
Owner/Operator Telephone: 510-987-9200
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: REGENTS OF THE UNIVERSITY OF CALIFORNIA
Legal Status: State
Date Became Current: 19480101
Date Ended Current: Not reported
Owner/Operator Address: 1111 FRANKLIN STREET
Owner/Operator City,State,Zip: OAKLAND, CA 94607
Owner/Operator Telephone: 510-987-9200
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: REGENTSOFFICE@UCOP.EDU

Owner/Operator Indicator: Operator
Owner/Operator Name: REGENTS OF THE UNIVERSITY OF CALIFORNIA
Legal Status: State
Date Became Current: 19480101
Date Ended Current: Not reported
Owner/Operator Address: 1111 FRANKLIN STREET
Owner/Operator City,State,Zip: OKLAND, CA 94607
Owner/Operator Telephone: 510-987-9200
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: REGENTSOFFICE@UCOP.EDU

Owner/Operator Indicator: Operator
Owner/Operator Name: REGENTS OF THE UNIVERSITY OF CALIFORNIA
Legal Status: State
Date Became Current: 19480101
Date Ended Current: Not reported
Owner/Operator Address: 1111 FRANKLIN STREET
Owner/Operator City,State,Zip: OKLAND, CA 94607
Owner/Operator Telephone: 510-987-9200
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: REGENTSOFFICE@UCOP.EDU

Owner/Operator Indicator: Owner
Owner/Operator Name: CHANCELLOR FRANCE A CORDOVA
Legal Status: State
Date Became Current: 20020701
Date Ended Current: Not reported
Owner/Operator Address: EH&S 900 N UNIVERSITY AVE
Owner/Operator City,State,Zip: RIVERSIDE, CA 92521
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Owner/Operator Indicator: Owner
Owner/Operator Name: REGENTS UC
Legal Status: Private
Date Became Current: 19480101
Date Ended Current: Not reported
Owner/Operator Address: 900 UNIVERSITY AVENUE
Owner/Operator City,State,Zip: RIVERSIDE, CA 92521
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: UNIVERSITY OF CALIFORNIA RIVERSIDE
Legal Status: Private
Date Became Current: 19900101
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: REGENTS OF THE UNIVERSITY OF CALIFORNIA
Legal Status: State
Date Became Current: 19480101
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: REGENTS OF THE UNIVERSITY OF CALIFORNIA
Legal Status: State
Date Became Current: 19480101
Date Ended Current: Not reported
Owner/Operator Address: 1111 FRANKLIN STREET
Owner/Operator City,State,Zip: OAKLAND, CA 94607
Owner/Operator Telephone: 510-987-9200
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: REGENTSOFFICE@UCOP.EDU

Owner/Operator Indicator: Operator
Owner/Operator Name: REGENTS OF THE UNIVERSITY OF CALIFORNIA
Legal Status: State
Date Became Current: 19480101
Date Ended Current: Not reported
Owner/Operator Address: 1111 FRANKLIN STREET
Owner/Operator City,State,Zip: OKLAND, CA 94607
Owner/Operator Telephone: 510-987-9200
Owner/Operator Telephone Ext: Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Owner/Operator Fax: Not reported
Owner/Operator Email: REGENTSOFFICE@UCOP.EDU

Owner/Operator Indicator: Operator
Owner/Operator Name: REGENTS UC
Legal Status: State
Date Became Current: 19480101
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: REGENTS OF THE UNIVERSITY OF CALIFORNIA
Legal Status: State
Date Became Current: 19480101
Date Ended Current: Not reported
Owner/Operator Address: 1111 FRANKLIN STREET
Owner/Operator City,State,Zip: OAKLAND, CA 94607
Owner/Operator Telephone: 510-987-9200
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: REGENTS OF THE UNIVERSITY OF CALIFORNIA
Legal Status: State
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: PO BOX 112
Owner/Operator City,State,Zip: CITY NOT REPORTED, CA 99999
Owner/Operator Telephone: 714-787-5529
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: REGENTS OF THE UNIVERSITY OF CALIFORNIA
Legal Status: State
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: PO BOX 112
Owner/Operator City,State,Zip: RIVERSIDE, CA 92521
Owner/Operator Telephone: 714-787-5529
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: REGENTS, UC
Legal Status: State
Date Became Current: 19480101
Date Ended Current: Not reported
Owner/Operator Address: Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: UC REGENTS
Legal Status: State
Date Became Current: 19480101
Date Ended Current: Not reported
Owner/Operator Address: 1111 FRANKLIN ST
Owner/Operator City,State,Zip: OAKLAND, CA 94607
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: REGENTS OF THE UNIVERSITY OF CALIFORNIA
Legal Status: State
Date Became Current: 19480101
Date Ended Current: Not reported
Owner/Operator Address: 1111 FRANKLIN STREET
Owner/Operator City,State,Zip: OAKLAND, CA 94607
Owner/Operator Telephone: 510-987-9200
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: REGENTSOFFICE@UCOP.EDU

Owner/Operator Indicator: Owner
Owner/Operator Name: CHANCELLOR FRANCE A. CORDOVA
Legal Status: State
Date Became Current: 20020701
Date Ended Current: Not reported
Owner/Operator Address: 900 N UNIVERSITY AVE
Owner/Operator City,State,Zip: RIVERSIDE, CA 92521
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: U.C. REGENTS
Legal Status: State
Date Became Current: 19480101
Date Ended Current: Not reported
Owner/Operator Address: 1111 FRANKLIN ST
Owner/Operator City,State,Zip: OAKLAND, CA 94607
Owner/Operator Telephone: 510-987-9200
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20100301
Handler Name: UNIVERSITY OF CALIFORNIA RIVERSIDE

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: Yes
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20130319
Handler Name: UNIVERISTY OF CALIFORNIA RIVERSIDE
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: Yes
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20160222
Handler Name: UNIVERSITY OF CALIFORNIA, RIVERSIDE
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: Yes
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20180228
Handler Name: UNIVERSITY OF CALIFORNIA, RIVERSIDE
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: Yes
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 20200228
Handler Name: UNIVERSITY OF CALIFORNIA, RIVERSIDE
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: Yes
Recognized Trader Importer: No
Recognized Trader Exporter: No

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 20220301
Handler Name: UNIVERSITY OF CALIFORNIA, RIVERSIDE
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: Yes
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 19960901
Handler Name: UNIVERSITY OF CALIFORNIA RIVERSIDE
Federal Waste Generator Description: Large Quantity Generator
State District Owner: CA
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19800818
Handler Name: UNIVERSITY OF CALIFORNIA RIVERSIDE
Federal Waste Generator Description: Large Quantity Generator
State District Owner: CA
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19900413
Handler Name: UNIVERSITY OF CALIFORNIA RIVERSIDE
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Receive Date: 19920226
Handler Name: UNIVERSITY OF CALIFORNIA RIVER
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19940331
Handler Name: UNIVERSITY OF CALIFORNIA, RIVERSIDE
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19960401
Handler Name: UNIVERSITY OF CALIFORNIA, RIVERSIDE
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19990304
Handler Name: UNIVERSITY OF CALIFORNIA, RIVERSIDE
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20001012
Handler Name: UNIVERSITY OF CALIFORNIA RIVERSIDE
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20020226
Handler Name:	UNIVERSITY OF CALIFORNIA RIVERSIDE
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	Yes
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20040324
Handler Name:	UNIVERSITY OF CALIFORNIA RIVERSIDE
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	Yes
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20060227
Handler Name:	UNIVERSITY OF CALIFORNIA RIVERSIDE
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	Yes
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20080227
Handler Name:	UNIVERSITY OF CALIFORNIA RIVERSIDE
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 111998
NAICS Description: ALL OTHER MISCELLANEOUS CROP FARMING

NAICS Code: 61131
NAICS Description: COLLEGES, UNIVERSITIES, AND PROFESSIONAL SCHOOLS

NAICS Code: 611310
NAICS Description: COLLEGES, UNIVERSITIES, AND PROFESSIONAL SCHOOLS

Facility Has Received Notices of Violation:
Found Violation: Yes
Agency Which Determined Violation: EPA
Violation Short Description: TSD - General
Date Violation was Determined: 19900627
Actual Return to Compliance Date: 19910430
Return to Compliance Qualifier: Observed
Violation Responsible Agency: EPA
Scheduled Compliance Date: Not reported
Enforcement Identifier: 005
Date of Enforcement Action: 19901109
Enforcement Responsible Agency: EPA
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: INITIAL 3008(A) COMPLIANCE
Enforcement Responsible Person: R9EPA
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: 76800
Final Monetary Amount: 76800
Paid Amount: Not reported
Final Count: 1
Final Amount: 76800

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - Pre-transport
Date Violation was Determined: 20141113
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: State
Scheduled Compliance Date: 20150112
Enforcement Identifier: 601
Date of Enforcement Action: 20141113
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: EPA
Violation Short Description: TSD IS-Contingency Plan and Emergency Procedures
Date Violation was Determined: 20101006

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Actual Return to Compliance Date: 20101101
Return to Compliance Qualifier: Documented
Violation Responsible Agency: EPA
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: EPA
Violation Short Description: TSD - Closure/Post-Closure
Date Violation was Determined: 19880915
Actual Return to Compliance Date: 19890520
Return to Compliance Qualifier: Observed
Violation Responsible Agency: EPA
Scheduled Compliance Date: 19890520
Enforcement Identifier: 001
Date of Enforcement Action: 19890414
Enforcement Responsible Agency: EPA
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Enforcement Responsible Person:	R9EPA
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Found Violation:	Yes
Agency Which Determined Violation:	EPA
Violation Short Description:	TSD - General
Date Violation was Determined:	19880915
Actual Return to Compliance Date:	19890520
Return to Compliance Qualifier:	Observed
Violation Responsible Agency:	EPA
Scheduled Compliance Date:	19890520
Enforcement Identifier:	001
Date of Enforcement Action:	19890414
Enforcement Responsible Agency:	EPA
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Enforcement Responsible Person: R9EPA
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: EPA
Violation Short Description: Generators - General
Date Violation was Determined: 20020730
Actual Return to Compliance Date: 20020730
Return to Compliance Qualifier: Documented
Violation Responsible Agency: EPA
Scheduled Compliance Date: Not reported
Enforcement Identifier: 007
Date of Enforcement Action: 20020730
Enforcement Responsible Agency: EPA
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: VGARC
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: EPA
Violation Short Description: TSD - General
Date Violation was Determined: 19890911

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Actual Return to Compliance Date: 19910430
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 19891213
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: EPA
Violation Short Description: Generators - General
Date Violation was Determined: 20020730
Actual Return to Compliance Date: 20020730
Return to Compliance Qualifier: Documented
Violation Responsible Agency: EPA
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20040930
Enforcement Responsible Agency: EPA
Enforcement Docket Number: RCRA9-2004-0004
Enforcement Attorney: MOORE
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: FINAL 3008(A) COMPLIANCE ORDER

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Enforcement Responsible Person: NRUMR
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: EPA
Violation Short Description: TSD - General
Date Violation was Determined: 19910622
Actual Return to Compliance Date: 19911021
Return to Compliance Qualifier: Observed
Violation Responsible Agency: EPA
Scheduled Compliance Date: Not reported
Enforcement Identifier: 006
Date of Enforcement Action: 19910910
Enforcement Responsible Agency: EPA
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: R9STA
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: EPA
Violation Short Description: TSD - General
Date Violation was Determined: 19890911

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Actual Return to Compliance Date: 19910430
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 005
Date of Enforcement Action: 19901109
Enforcement Responsible Agency: EPA
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: INITIAL 3008(A) COMPLIANCE
Enforcement Responsible Person: R9EPA
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: 76800
Final Monetary Amount: 76800
Paid Amount: Not reported
Final Count: 1
Final Amount: 76800

Found Violation: Yes
Agency Which Determined Violation: EPA
Violation Short Description: Generators - Pre-transport
Date Violation was Determined: 20101006
Actual Return to Compliance Date: 20101006
Return to Compliance Qualifier: Observed
Violation Responsible Agency: EPA
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: EPA
Violation Short Description: Generators - General
Date Violation was Determined: 19910622
Actual Return to Compliance Date: 19911021
Return to Compliance Qualifier: Observed
Violation Responsible Agency: EPA
Scheduled Compliance Date: Not reported
Enforcement Identifier: 006
Date of Enforcement Action: 19910910
Enforcement Responsible Agency: EPA
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: R9STA
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: EPA
Violation Short Description: TSD - General
Date Violation was Determined: 19910622
Actual Return to Compliance Date: 19911021
Return to Compliance Qualifier: Observed
Violation Responsible Agency: EPA
Scheduled Compliance Date: Not reported
Enforcement Identifier: 006
Date of Enforcement Action: 19910910
Enforcement Responsible Agency: EPA
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Enforcement Responsible Person: R9STA
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: EPA
Violation Short Description: TSD - General
Date Violation was Determined: 19910622
Actual Return to Compliance Date: 19911021
Return to Compliance Qualifier: Observed
Violation Responsible Agency: EPA
Scheduled Compliance Date: Not reported
Enforcement Identifier: 006
Date of Enforcement Action: 19910910
Enforcement Responsible Agency: EPA
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: R9STA
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: EPA
Violation Short Description: Generators - General
Date Violation was Determined: 20020730

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Actual Return to Compliance Date: 20020730
Return to Compliance Qualifier: Documented
Violation Responsible Agency: EPA
Scheduled Compliance Date: Not reported
Enforcement Identifier: 007
Date of Enforcement Action: 20020730
Enforcement Responsible Agency: EPA
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: VGARC
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: EPA
Violation Short Description: TSD IS-General Facility Standards
Date Violation was Determined: 20101006
Actual Return to Compliance Date: 20101101
Return to Compliance Qualifier: Documented
Violation Responsible Agency: EPA
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - Pre-transport
Date Violation was Determined: 20141113
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: State
Scheduled Compliance Date: 20150112
Enforcement Identifier: 601
Date of Enforcement Action: 20141113
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - Pre-transport
Date Violation was Determined: 20141113

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: State
Scheduled Compliance Date: 20150112
Enforcement Identifier: 601
Date of Enforcement Action: 20141113
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: EPA
Violation Short Description: Generators - General
Date Violation was Determined: 20020730
Actual Return to Compliance Date: 20020730
Return to Compliance Qualifier: Documented
Violation Responsible Agency: EPA
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20040930
Enforcement Responsible Agency: EPA
Enforcement Docket Number: RCRA9-2004-0004
Enforcement Attorney: MOORE
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: FINAL 3008(A) COMPLIANCE ORDER

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Enforcement Responsible Person: NRUMR
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: EPA
Violation Short Description: TSD - General
Date Violation was Determined: 19900627

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Actual Return to Compliance Date: 19910430
Return to Compliance Qualifier: Observed
Violation Responsible Agency: EPA
Scheduled Compliance Date: Not reported
Enforcement Identifier: 004
Date of Enforcement Action: 19900815
Enforcement Responsible Agency: EPA
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: R9EPA
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: EPA
Violation Short Description: TSD - General
Date Violation was Determined: 19890911
Actual Return to Compliance Date: 19910430
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 19891213
Enforcement Identifier: 003
Date of Enforcement Action: 19891113
Enforcement Responsible Agency: EPA
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: R9EPA
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Evaluation Action Summary:
Evaluation Date: 19900627
Evaluation Responsible Agency: EPA
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: R9EPA
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: 19910430
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 20141119
Evaluation Responsible Agency: State
Found Violation: No
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: Not reported
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: Not reported
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 20040401
Evaluation Responsible Agency: EPA
Found Violation: No
Evaluation Type Description: SIGNIFICANT NON-COMPLIER
Evaluation Responsible Person Identifier: NRUMR
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: Not reported
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 20141113
Evaluation Responsible Agency: State

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	Not reported
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	20150112
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20101006
Evaluation Responsible Agency:	EPA
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	DFERN
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	20101101
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19880915
Evaluation Responsible Agency:	EPA
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	R9EPA
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	19890520
Scheduled Compliance Date:	19890520
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20141120
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	Not reported
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20040401
Evaluation Responsible Agency:	EPA
Found Violation:	No
Evaluation Type Description:	NOT A SIGNIFICANT NON-COMPLIER
Evaluation Responsible Person Identifier:	NRUMR
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19880915
Evaluation Responsible Agency:	EPA
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	R9EPA
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	19890520
Scheduled Compliance Date:	19890520
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20020730
Evaluation Responsible Agency:	EPA
Found Violation:	Yes
Evaluation Type Description:	NON-FINANCIAL RECORD REVIEW
Evaluation Responsible Person Identifier:	VGARC
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	20020730
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19890911
Evaluation Responsible Agency:	EPA
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	R9EPA
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	19910430
Scheduled Compliance Date:	19891213
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20020730
Evaluation Responsible Agency:	EPA
Found Violation:	Yes
Evaluation Type Description:	NON-FINANCIAL RECORD REVIEW
Evaluation Responsible Person Identifier:	VGARC
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	20020730
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Evaluation Date:	19910430
Evaluation Responsible Agency:	EPA Contractor/Grantee
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	R9EPA
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	19911021
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19890911
Evaluation Responsible Agency:	EPA
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	R9EPA
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	19910430
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20101006
Evaluation Responsible Agency:	EPA
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	DFERN
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	20101006
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19910430
Evaluation Responsible Agency:	EPA Contractor/Grantee
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	R9EPA
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	19911021
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19910430
Evaluation Responsible Agency:	EPA
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	R9EPA

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19910430
Evaluation Responsible Agency:	EPA Contractor/Grantee
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	R9EPA
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	19911021
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19910430
Evaluation Responsible Agency:	EPA Contractor/Grantee
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	R9EPA
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	19911021
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20020730
Evaluation Responsible Agency:	EPA
Found Violation:	Yes
Evaluation Type Description:	NON-FINANCIAL RECORD REVIEW
Evaluation Responsible Person Identifier:	VGARC
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	20020730
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20101006
Evaluation Responsible Agency:	EPA
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	DFERN
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	20101101
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 20141113
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: Not reported
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: Not reported
Scheduled Compliance Date: 20150112
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 20141113
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: Not reported
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: Not reported
Scheduled Compliance Date: 20150112
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 20020730
Evaluation Responsible Agency: EPA
Found Violation: Yes
Evaluation Type Description: NON-FINANCIAL RECORD REVIEW
Evaluation Responsible Person Identifier: VGARC
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: 20020730
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 20141119
Evaluation Responsible Agency: State
Found Violation: No
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: Not reported
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: Not reported
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 19900627
Evaluation Responsible Agency: EPA

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	R9EPA
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	19910430
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20050405
Evaluation Responsible Agency:	EPA
Found Violation:	No
Evaluation Type Description:	NOT A SIGNIFICANT NON-COMPLIER
Evaluation Responsible Person Identifier:	CMCDO
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19890911
Evaluation Responsible Agency:	EPA
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	R9EPA
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	19910430
Scheduled Compliance Date:	19891213
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20141120
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	Not reported
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20141113
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	Not reported
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

RCRA Listings:

Date Form Received by Agency:	20220301
Handler Name:	UNIVERSITY OF CALIFORNIA, RIVERSIDE
Handler Address:	900 UNIVERSITY AVE
Handler City,State,Zip:	RIVERSIDE, CA 92521-0001
EPA ID:	CAD073134777
Contact Name:	JUAN C SANCHEZ
Contact Address:	UNIVERSITY AVE
Contact City,State,Zip:	RIVERSIDE, CA 92521-0001
Contact Telephone:	951-827-2648
Contact Fax:	951-827-5122
Contact Email:	JUAN.C.SANCHEZ@UCR.EDU
Contact Title:	HAZARDOUS WASTE SUPERVISOR
EPA Region:	09
Land Type:	State
Federal Waste Generator Description:	Large Quantity Generator
Non-Notifier:	Not reported
Biennial Report Cycle:	2021
Accessibility:	Not reported
Active Site Indicator:	Handler Activities, Permitting Activities, Corrective Action Activities
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	UNIVERSITY AVE
Mailing City,State,Zip:	RIVERSIDE, CA 92521-0001
Owner Name:	REGENTS OF THE UNIVERSITY OF CALIFORNIA
Owner Type:	State
Operator Name:	REGENTS OF THE UNIVERSITY OF CALIFORNIA
Operator Type:	State
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	Yes
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Land Disposal
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Land Disposal, Storage
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Land Disposal, Storage
Post-Closure Workload Universe:	Land Disposal

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	Yes
Subject to Corrective Action Universe:	Yes
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	Yes
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	Yes
Groundwater Controls Indicator:	Yes
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Land Disposal
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required: Not reported	
Handler Date of Last Change:	20220613
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Biennial: List of Years
Year: 2019

Click Here for Biennial Reporting System Data:
Year: 2017

Click Here for Biennial Reporting System Data:
Year: 2015

Click Here for Biennial Reporting System Data:
Year: 2011

Click Here for Biennial Reporting System Data:
Year: 2009

Click Here for Biennial Reporting System Data:
Year: 2007

Click Here for Biennial Reporting System Data:
Year: 2005

Click Here for Biennial Reporting System Data:
Year: 2003

Click Here for Biennial Reporting System Data:
Year: 2001

Click Here for Biennial Reporting System Data:

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Hazardous Waste Summary:

Waste Code:	D001
Waste Description:	IGNITABLE WASTE
Waste Code:	D002
Waste Description:	CORROSIVE WASTE
Waste Code:	D003
Waste Description:	REACTIVE WASTE
Waste Code:	D004
Waste Description:	ARSENIC
Waste Code:	D005
Waste Description:	BARIUM
Waste Code:	D006
Waste Description:	CADMIUM
Waste Code:	D007
Waste Description:	CHROMIUM
Waste Code:	D008
Waste Description:	LEAD
Waste Code:	D009
Waste Description:	MERCURY
Waste Code:	D010
Waste Description:	SELENIUM
Waste Code:	D011
Waste Description:	SILVER
Waste Code:	D012
Waste Description:	ENDRIN (1,2,3,4,10,10-HEXACHLORO-1,7-EPOXY-1,4,4A,5,6,7,8,8A-OCTAHYDRO-1,4-ENDO, ENDO-5,8-DIMETH-ANO-NAPHTHALENE)
Waste Code:	D013
Waste Description:	LINDANE (1,2,3,4,5,6-HEXA-CHLOROCYCLOHEXANE, GAMMA ISOMER)
Waste Code:	D014
Waste Description:	METHOXYCHLOR (1,1,1-TRICHLORO-2,2-BIS [P-METHOXYPHENYL] ETHANE)
Waste Code:	D015
Waste Description:	TOXAPHENE (C10 H10 CL8, TECHNICAL CHLORINATED CAMPHENE, 67-69 PERCENT CHLORINE)
Waste Code:	D016
Waste Description:	2,4-D (2,4-DICHLOROPHENOXYACETIC ACID)
Waste Code:	D017
Waste Description:	2,4,5-TP SILVEX (2,4,5-TRICHLOROPHENOXYPROPIONIC ACID)
Waste Code:	D018
Waste Description:	BENZENE

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Waste Code: D019
Waste Description: CARBON TETRACHLORIDE

Waste Code: D022
Waste Description: CHLOROFORM

Waste Code: D023
Waste Description: O-CRESOL

Waste Code: D024
Waste Description: M-CRESOL

Waste Code: D025
Waste Description: P-CRESOL

Waste Code: D027
Waste Description: 1,4-DICHLOROBENZENE

Waste Code: D028
Waste Description: 1,2-DICHLOROETHANE

Waste Code: D031
Waste Description: HEPTACHLOR (AND ITS EPOXIDE)

Waste Code: D038
Waste Description: PYRIDINE

Waste Code: F002
Waste Description: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste Code: F003
Waste Description: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste Code: F004
Waste Description: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: CRESOLS, CRESYLIC ACID, AND NITROBENZENE; AND THE STILL BOTTOMS FROM THE RECOVERY OF THESE SOLVENTS; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

SPENT SOLVENT MIXTURES.

Waste Code: F005
Waste Description: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste Code: F027
Waste Description: DISCARDED UNUSED FORMULATIONS CONTAINING TRI-, TETRA-, OR PENTACHLOROPHENOL OR DISCARDED UNUSED FORMULATIONS CONTAINING COMPOUNDS DERIVED FROM THESE CHLOROPHENOLS. (THIS LISTING DOES NOT INCLUDE FORMULATIONS CONTAINING HEXACHLOROPHENE SYNTHESIZED FROM PREPURIFIED 2,4,5-TRICHLOROPHENOL AS THE SOLE COMPONENT.)

Waste Code: LABP
Waste Description: LAB PACK

Waste Code: P001
Waste Description: 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%

Waste Code: P003
Waste Description: 2-PROPENAL (OR) ACROLEIN

Waste Code: P004
Waste Description: 1,4,5,8-DIMETHANONAPHTHALENE, 1,2,3,4,10,10-HEXA-CHLORO-1,4,4A,5,8,8A,-HEXAHYDRO-, (1ALPHA, 4ALPHA, 4ABETA, 5ALPHA, 8ALPHA, 8ABETA)- (OR) ALDRIN

Waste Code: P005
Waste Description: 2-PROPEN-1-OL (OR) ALLYL ALCOHOL

Waste Code: P010
Waste Description: ARSENIC ACID H3ASO4

Waste Code: P012
Waste Description: ARSENIC OXIDE AS2O3 (OR) ARSENIC TRIOXIDE

Waste Code: P014
Waste Description: BENZENETHIOL (OR) THIOPHENOL

Waste Code: P018
Waste Description: BRUCINE (OR) STRYCHNIDIN-10-ONE, 2,3-DIMETHOXY-

Waste Code: P020
Waste Description: DINOSEB (OR) PHENOL, 2-(1-METHYLPROPYL)-4,6-DINITRO-

Waste Code: P022
Waste Description: CARBON DISULFIDE

Waste Code: P023
Waste Description: ACETALDEHYDE, CHLORO- (OR) CHLOROACETALDEHYDE

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Waste Code: P024
Waste Description: BENZENAMINE, 4-CHLORO- (OR) P-CHLORANILINE

Waste Code: P030
Waste Description: CYANIDES (SOLUBLE CYANIDE SALTS), NOT OTHERWISE SPECIFIED

Waste Code: P037
Waste Description: 2,7:3,6-DIMETHANONAPHTH[2,3-B]OXIRENE, 3,4,5,6,9,9-HEXACHLORO-1A,2,2A,3,6,6A,7,7A-OCTAHYDRO-, (1AALPHA, 2BETA, 2AALPHA, 3BETA, 6BETA, 6AALPHA, 7BETA, 7AALPHA)- (OR) DIELDRIN

Waste Code: P041
Waste Description: DIETHYL-P-NITROPHENYL PHOSPHATE (OR) PHOSPHORIC ACID, DIETHYL 4-NITROPHENYL ESTER

Waste Code: P042
Waste Description: 1,2-BENZENEDIOL, 4-[1-HYDROXY-2-(METHYLAMINO)ETHYL]-, (R)- (OR) EPINEPHRINE

Waste Code: P044
Waste Description: DIMETHOATE (OR) PHOSPHORODITHIOIC ACID, O,O-DIMETHYL S-[2-(METHYLAMINO)-2-OXOETHYL] ESTER

Waste Code: P048
Waste Description: 2,4-DINITROPHENOL (OR) PHENOL, 2,4-DINITRO-

Waste Code: P063
Waste Description: HYDROCYANIC ACID (OR) HYDROGEN CYANIDE

Waste Code: P066
Waste Description: ETHANIMIDOTHIOIC ACID, N-[[(METHYLAMINO)CARBONYL]OXY]-, METHYL ESTER (OR) METHOMYL

Waste Code: P070
Waste Description: ALDICARB (OR) PROPANAL, 2-METHYL-2-(METHYLTHIO)-, O-[(METHYLAMINO)CARBONYL]OXIME

Waste Code: P071
Waste Description: METHYL PARATHION (OR) PHOSPHOROTHIOIC ACID, O,O,-DIMETHYL O-(4-NITROPHENYL) ESTER

Waste Code: P075
Waste Description: NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS

Waste Code: P076
Waste Description: NITRIC OXIDE (OR) NITROGEN OXIDE NO

Waste Code: P077
Waste Description: BENZENAMINE, 4-NITRO- (OR) P-NITROANILINE

Waste Code: P078
Waste Description: NITROGEN DIOXIDE (OR) NITROGEN OXIDE NO2

Waste Code: P087
Waste Description: OSMIUM OXIDE OSO4, (T-4)- (OR) OSMIUM TETROXIDE

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Waste Code: P088
Waste Description: 7-OXABICYCLO[2.2.1]HEPTANE-2,3-DICARBOXYLIC ACID (OR) ENDOTHALL

Waste Code: P089
Waste Description: PARATHION (OR) PHOSPHOROTHIOIC ACID, O,O-DIETHYL-O-(4-NITROPHENYL) ESTER

Waste Code: P094
Waste Description: PHORATE (OR) PHOSPHORODITHIOIC ACID, O,O-DIETHYL S-[(ETHYLTHIO)METHYL] ESTER

Waste Code: P095
Waste Description: CARBONIC DICHLORIDE (OR) PHOSGENE

Waste Code: P098
Waste Description: POTASSIUM CYANIDE (OR) POTASSIUM CYANIDE K(CN)

Waste Code: P101
Waste Description: ETHYL CYANIDE (OR) PROPANENITRILE

Waste Code: P102
Waste Description: 2-PROPYN-1-OL (OR) PROPARGYL ALCOHOL

Waste Code: P105
Waste Description: SODIUM AZIDE

Waste Code: P106
Waste Description: SODIUM CYANIDE (OR) SODIUM CYANIDE NA(CN)

Waste Code: P108
Waste Description: STRYCHNIDIN-10-ONE, & SALTS (OR) STRYCHNINE, & SALTS

Waste Code: P109
Waste Description: TETRAETHYLDITHIOPYROPHOSPHATE (OR) THIODIPHOSPHORIC ACID, TETRAETHYL ESTER

Waste Code: P111
Waste Description: DIPHOSPHORIC ACID, TETRAETHYL ESTER (OR) TETRAETHYL PYROPHOSPHATE

Waste Code: P113
Waste Description: THALLIC OXIDE (OR) THALLIUM OXIDE TL2O3

Waste Code: P115
Waste Description: SULFURIC ACID, DITHALLIUM (1+) SALT (OR) THALLIUM(I) SULFATE

Waste Code: P119
Waste Description: AMMONIUM VANADATE (OR) VANADIC ACID, AMMONIUM SALT

Waste Code: P120
Waste Description: VANADIUM OXIDE V2O5 (OR) VANADIUM PENTOXIDE

Waste Code: P194
Waste Description: ETHANIMIDOTHIOC ACID, 2-(DIMETHYLAMINO)-N-[[(METHYLAMINO) CARBONYL]OXY]-2-OXO-, METHYL ESTER (OR) OXAMYL

Waste Code: U001
Waste Description: ACETALDEHYDE (I) (OR) ETHANAL (I)

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Waste Code:	U002
Waste Description:	2-PROPANONE (I) (OR) ACETONE (I)
Waste Code:	U003
Waste Description:	ACETONITRILE (I,T)
Waste Code:	U006
Waste Description:	ACETYL CHLORIDE (C,R,T)
Waste Code:	U007
Waste Description:	2-PROPENAMIDE (OR) ACRYLAMIDE
Waste Code:	U009
Waste Description:	2-PROPENENITRILE (OR) ACRYLONITRILE
Waste Code:	U012
Waste Description:	ANILINE (I,T) (OR) BENZENAMINE (I,T)
Waste Code:	U019
Waste Description:	BENZENE (I,T)
Waste Code:	U029
Waste Description:	METHANE, BROMO- (OR) METHYL BROMIDE
Waste Code:	U031
Waste Description:	1-BUTANOL (I) (OR) N-BUTYL ALCOHOL (I)
Waste Code:	U038
Waste Description:	BENZENEACETIC ACID, 4-CHLORO-ALPHA-(4-CHLOROPHENYL)-ALPHA-HYDROXY-, ETHYL ESTER (OR) CHLOROBENZILATE
Waste Code:	U043
Waste Description:	ETHENE, CHLORO- (OR) VINYL CHLORIDE
Waste Code:	U044
Waste Description:	CHLOROFORM (OR) METHANE, TRICHLORO-
Waste Code:	U046
Waste Description:	CHLOROMETHYL METHYL ETHER (OR) METHANE, CHLOROMETHOXY-
Waste Code:	U052
Waste Description:	CRESOL (CRESYLIC ACID) (OR) PHENOL, METHYL-
Waste Code:	U053
Waste Description:	2-BUTENAL (OR) CROTONALDEHYDE
Waste Code:	U056
Waste Description:	BENZENE, HEXAHYDRO- (I) (OR) CYCLOHEXANE (I)
Waste Code:	U057
Waste Description:	CYCLOHEXANONE (I)
Waste Code:	U061
Waste Description:	BENZENE, 1,1'-(2,2,2-TRICHLOROETHYLIDENE)BIS[4-CHLORO- (OR) DDT
Waste Code:	U069
Waste Description:	1,2-BENZENEDICARBOXYLIC ACID, DIBUTYL ESTER (OR) DIBUTYL PHTHALATE

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Waste Code: U072
Waste Description: BENZENE, 1,4-DICHLORO- (OR) P-DICHLOROBENZENE

Waste Code: U076
Waste Description: ETHANE, 1,1-DICHLORO- (OR) ETHYLIDENE DICHLORIDE

Waste Code: U077
Waste Description: ETHANE, 1,2-DICHLORO- (OR) ETHYLENE DICHLORIDE

Waste Code: U078
Waste Description: 1,1-DICHLOROETHYLENE (OR) ETHENE, 1,1-DICHLORO-

Waste Code: U080
Waste Description: METHANE, DICHLORO- (OR) METHYLENE CHLORIDE

Waste Code: U081
Waste Description: 2,4-DICHLOROPHENOL (OR) PHENOL, 2,4-DICHLORO-

Waste Code: U103
Waste Description: DIMETHYL SULFATE (OR) SULFURIC ACID, DIMETHYL ESTER

Waste Code: U108
Waste Description: 1,4-DIETHYLENEOXIDE (OR) 1,4-DIOXANE

Waste Code: U112
Waste Description: ACETIC ACID, ETHYL ESTER (I) (OR) ETHYL ACETATE (I)

Waste Code: U115
Waste Description: ETHYLENE OXIDE (I,T) (OR) OXIRANE (I,T)

Waste Code: U117
Waste Description: ETHANE, 1,1'-OXYBIS-(I) (OR) ETHYL ETHER (I)

Waste Code: U122
Waste Description: FORMALDEHYDE

Waste Code: U123
Waste Description: FORMIC ACID (C,T)

Waste Code: U124
Waste Description: FURAN (I) (OR) FURFURAN (I)

Waste Code: U130
Waste Description: 1,3-CYCLOPENTADIENE, 1,2,3,4,5,5-HEXACHLORO- (OR) HEXACHLOROCYCLOPENTADIENE

Waste Code: U133
Waste Description: HYDRAZINE (R,T)

Waste Code: U134
Waste Description: HYDROFLUORIC ACID (C,T) (OR) HYDROGEN FLUORIDE (C,T)

Waste Code: U135
Waste Description: HYDROGEN SULFIDE (OR) HYDROGEN SULFIDE H2S

Waste Code: U138
Waste Description: METHANE, IODO- (OR) METHYL IODIDE

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Waste Code: U140
Waste Description: 1-PROPANOL, 2-METHYL- (I,T) (OR) ISOBUTYL ALCOHOL (I,T)

Waste Code: U144
Waste Description: ACETIC ACID, LEAD(2+) SALT (OR) LEAD ACETATE

Waste Code: U145
Waste Description: LEAD PHOSPHATE (OR) PHOSPHORIC ACID, LEAD(2+) SALT (2:3)

Waste Code: U146
Waste Description: LEAD SUBACETATE (OR) LEAD, BIS(ACETATO-O)TETRAHYDROXYTRI-

Waste Code: U149
Waste Description: MALONONITRILE (OR) PROPANEDINITRILE

Waste Code: U151
Waste Description: MERCURY

Waste Code: U154
Waste Description: METHANOL (I) (OR) METHYL ALCOHOL (I)

Waste Code: U161
Waste Description: 4-METHYL-2-PENTANONE (I) (OR) METHYL ISOBUTYL KETONE (I) (OR) PENTANOL, 4-METHYL-

Waste Code: U162
Waste Description: 2-PROPENOIC ACID, 2-METHYL-, METHYL ESTER (I,T) (OR) METHYL METHACRYLATE (I,T)

Waste Code: U165
Waste Description: NAPHTHALENE

Waste Code: U169
Waste Description: BENZENE, NITRO- (OR) NITROBENZENE (I,T)

Waste Code: U177
Waste Description: N-NITROSO-N-METHYLUREA (OR) UREA, N-METHYL-N-NITROSO-

Waste Code: U186
Waste Description: 1,3-PENTADIENE (I) (OR) 1-METHYLBUTADIENE (I)

Waste Code: U188
Waste Description: PHENOL

Waste Code: U189
Waste Description: PHOSPHORUS SULFIDE (R) (OR) SULFUR PHOSPHIDE (R)

Waste Code: U196
Waste Description: PYRIDINE

Waste Code: U210
Waste Description: ETHENE, TETRACHLORO- (OR) TETRACHLOROETHYLENE

Waste Code: U211
Waste Description: CARBON TETRACHLORIDE (OR) METHANE, TETRACHLORO-

Waste Code: U213

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Waste Description: FURAN, TETRAHYDRO-(I) (OR) TETRAHYDROFURAN (I)

Waste Code: U217
Waste Description: NITRIC ACID, THALLIUM(1+) SALT (OR) THALLIUM(I) NITRATE

Waste Code: U220
Waste Description: BENZENE, METHYL- (OR) TOLUENE

Waste Code: U226
Waste Description: ETHANE, 1,1,1-TRICHLORO- (OR) METHYL CHLOROFORM

Waste Code: U236
Waste Description: 2,7-NAPHTHALENEDISULFONIC ACID,3,3'-[(3,3'-DIMETHYL[1,1'-BIPHENYL]-4,4'-DIYL)BIS(AZO)BIS[5-AMINO -4-HYDROXY]-, TETRASODIUM SALT (OR) TRYPAN BLUE

Waste Code: U238
Waste Description: CARBAMIC ACID, ETHYL ESTER (OR) ETHYL CARBAMATE (URETHANE)

Waste Code: U239
Waste Description: BENZENE, DIMETHYL- (I,T) (OR) XYLENE (I)

Waste Code: U246
Waste Description: CYANOGEN BROMIDE (CN)BR

Waste Code: U271
Waste Description: BENOMYL (OR) CARBAMIC ACID, [1-[(BUTYLAMINO)CARBONYL]-1H-BENZIMIDAZOL-2-YL]-, METHYL ESTER

Waste Code: U278
Waste Description: BENDIOCARB (OR) 1,3-BENZODIOXOL-4-OL, 2,2-DIMETHYL-, METHYL CARBAMATE

Waste Code: U279
Waste Description: U279

Waste Code: U328
Waste Description: BENZENAMINE, 2-METHYL- (OR) O-TOLUIDINE

Waste Code: U353
Waste Description: BENZENAMINE, 4-METHYL- (OR) P-TOLUIDINE

Waste Code: U404
Waste Description: U404

Waste Code: U411
Waste Description: U411

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: UC RIVERSIDE EHAS	
Legal Status:	State
Date Became Current:	19900101
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	CA 94607
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: U.C. REGENTS
Legal Status: State
Date Became Current: 19480101
Date Ended Current: Not reported
Owner/Operator Address: 1111 FRANKLIN ST
Owner/Operator City,State,Zip: OAKLAND, CA 94607
Owner/Operator Telephone: 510-987-9200
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: REGENTS OF THE UNIVERSITY OF CALIFORNIA
Legal Status: State
Date Became Current: 19480101
Date Ended Current: Not reported
Owner/Operator Address: 1111 FRANKLIN STREET
Owner/Operator City,State,Zip: OAKLAND, CA 94607
Owner/Operator Telephone: 510-987-9200
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: REGENTSOFFICE@UCOP.EDU

Owner/Operator Indicator: Operator
Owner/Operator Name: REGENTS OF THE UNIVERSITY OF CALIFORNIA
Legal Status: State
Date Became Current: 19480101
Date Ended Current: Not reported
Owner/Operator Address: 1111 FRANKLIN STREET
Owner/Operator City,State,Zip: OKLAND, CA 94607
Owner/Operator Telephone: 510-987-9200
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: REGENTSOFFICE@UCOP.EDU

Owner/Operator Indicator: Operator
Owner/Operator Name: REGENTS OF THE UNIVERSITY OF CALIFORNIA
Legal Status: State
Date Became Current: 19480101
Date Ended Current: Not reported
Owner/Operator Address: 1111 FRANKLIN STREET
Owner/Operator City,State,Zip: OKLAND, CA 94607
Owner/Operator Telephone: 510-987-9200
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: REGENTSOFFICE@UCOP.EDU

Owner/Operator Indicator: Owner
Owner/Operator Name: CHANCELLOR FRANCE A CORDOVA
Legal Status: State
Date Became Current: 20020701
Date Ended Current: Not reported
Owner/Operator Address: EH&S 900 N UNIVERSITY AVE

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Owner/Operator City,State,Zip: RIVERSIDE, CA 92521
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: REGENTS UC
Legal Status: Private
Date Became Current: 19480101
Date Ended Current: Not reported
Owner/Operator Address: 900 UNIVERSITY AVENUE
Owner/Operator City,State,Zip: RIVERSIDE, CA 92521
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: UNIVERSITY OF CALIFORNIA RIVERSIDE
Legal Status: Private
Date Became Current: 19900101
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: REGENTS OF THE UNIVERSITY OF CALIFORNIA
Legal Status: State
Date Became Current: 19480101
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: REGENTS OF THE UNIVERSITY OF CALIFORNIA
Legal Status: State
Date Became Current: 19480101
Date Ended Current: Not reported
Owner/Operator Address: 1111 FRANKLIN STREET
Owner/Operator City,State,Zip: OAKLAND, CA 94607
Owner/Operator Telephone: 510-987-9200
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: REGENTSOFFICE@UCOP.EDU

Owner/Operator Indicator: Operator
Owner/Operator Name: REGENTS OF THE UNIVERSITY OF CALIFORNIA
Legal Status: State

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Date Became Current: 19480101
Date Ended Current: Not reported
Owner/Operator Address: 1111 FRANKLIN STREET
Owner/Operator City,State,Zip: OKLAND, CA 94607
Owner/Operator Telephone: 510-987-9200
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: REGENTSOFFICE@UCOP.EDU

Owner/Operator Indicator: Operator
Owner/Operator Name: REGENTS UC
Legal Status: State
Date Became Current: 19480101
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: REGENTS OF THE UNIVERSITY OF CALIFORNIA
Legal Status: State
Date Became Current: 19480101
Date Ended Current: Not reported
Owner/Operator Address: 1111 FRANKLIN STREET
Owner/Operator City,State,Zip: OAKLAND, CA 94607
Owner/Operator Telephone: 510-987-9200
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: REGENTS OF THE UNIVERSITY OF CALIFORNIA
Legal Status: State
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: PO BOX 112
Owner/Operator City,State,Zip: CITY NOT REPORTED, CA 99999
Owner/Operator Telephone: 714-787-5529
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: REGENTS OF THE UNIVERSITY OF CALIFORNIA
Legal Status: State
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: PO BOX 112
Owner/Operator City,State,Zip: RIVERSIDE, CA 92521
Owner/Operator Telephone: 714-787-5529
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Owner/Operator Indicator: Operator
Owner/Operator Name: REGENTS, UC
Legal Status: State
Date Became Current: 19480101
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: UC REGENTS
Legal Status: State
Date Became Current: 19480101
Date Ended Current: Not reported
Owner/Operator Address: 1111 FRANKLIN ST
Owner/Operator City,State,Zip: OAKLAND, CA 94607
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: REGENTS OF THE UNIVERSITY OF CALIFORNIA
Legal Status: State
Date Became Current: 19480101
Date Ended Current: Not reported
Owner/Operator Address: 1111 FRANKLIN STREET
Owner/Operator City,State,Zip: OAKLAND, CA 94607
Owner/Operator Telephone: 510-987-9200
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: REGENTSOFFICE@UCOP.EDU

Owner/Operator Indicator: Owner
Owner/Operator Name: CHANCELLOR FRANCE A. CORDOVA
Legal Status: State
Date Became Current: 20020701
Date Ended Current: Not reported
Owner/Operator Address: 900 N UNIVERSITY AVE
Owner/Operator City,State,Zip: RIVERSIDE, CA 92521
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: U.C. REGENTS
Legal Status: State
Date Became Current: 19480101
Date Ended Current: Not reported
Owner/Operator Address: 1111 FRANKLIN ST
Owner/Operator City,State,Zip: OAKLAND, CA 94607
Owner/Operator Telephone: 510-987-9200
Owner/Operator Telephone Ext: Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20100301
Handler Name: UNIVERSITY OF CALIFORNIA RIVERSIDE
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: Yes
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20130319
Handler Name: UNIVERISTY OF CALIFORNIA RIVERSIDE
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: Yes
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20160222
Handler Name: UNIVERSITY OF CALIFORNIA, RIVERSIDE
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: Yes
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20180228
Handler Name: UNIVERSITY OF CALIFORNIA, RIVERSIDE
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: Yes
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 20200228

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Handler Name: UNIVERSITY OF CALIFORNIA, RIVERSIDE
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: Yes
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 20220301
Handler Name: UNIVERSITY OF CALIFORNIA, RIVERSIDE
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: Yes
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 19960901
Handler Name: UNIVERSITY OF CALIFORNIA RIVERSIDE
Federal Waste Generator Description: Large Quantity Generator
State District Owner: CA
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19800818
Handler Name: UNIVERSITY OF CALIFORNIA RIVERSIDE
Federal Waste Generator Description: Large Quantity Generator
State District Owner: CA
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19900413
Handler Name: UNIVERSITY OF CALIFORNIA RIVERSIDE
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19920226
Handler Name: UNIVERSITY OF CALIFORNIA RIVER
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19940331
Handler Name: UNIVERSITY OF CALIFORNIA, RIVERSIDE
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19960401
Handler Name: UNIVERSITY OF CALIFORNIA, RIVERSIDE
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19990304
Handler Name: UNIVERSITY OF CALIFORNIA, RIVERSIDE
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Electronic Manifest Broker: Not reported

Receive Date: 20001012
Handler Name: UNIVERSITY OF CALIFORNIA RIVERSIDE
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20020226
Handler Name: UNIVERSITY OF CALIFORNIA RIVERSIDE
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: Yes
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20040324
Handler Name: UNIVERSITY OF CALIFORNIA RIVERSIDE
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: Yes
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20060227
Handler Name: UNIVERSITY OF CALIFORNIA RIVERSIDE
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: Yes
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20080227
Handler Name: UNIVERSITY OF CALIFORNIA RIVERSIDE
Federal Waste Generator Description: Large Quantity Generator

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 111998
NAICS Description: ALL OTHER MISCELLANEOUS CROP FARMING

NAICS Code: 61131
NAICS Description: COLLEGES, UNIVERSITIES, AND PROFESSIONAL SCHOOLS

NAICS Code: 611310
NAICS Description: COLLEGES, UNIVERSITIES, AND PROFESSIONAL SCHOOLS

Facility Has Received Notices of Violation:
Found Violation: Yes
Agency Which Determined Violation: EPA
Violation Short Description: TSD - General
Date Violation was Determined: 19900627
Actual Return to Compliance Date: 19910430
Return to Compliance Qualifier: Observed
Violation Responsible Agency: EPA
Scheduled Compliance Date: Not reported
Enforcement Identifier: 005
Date of Enforcement Action: 19901109
Enforcement Responsible Agency: EPA
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: INITIAL 3008(A) COMPLIANCE
Enforcement Responsible Person: R9EPA
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: 76800
Final Monetary Amount: 76800
Paid Amount: Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Final Count:	1
Final Amount:	76800
Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - Pre-transport
Date Violation was Determined: 20141113
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: State
Scheduled Compliance Date: 20150112
Enforcement Identifier: 601
Date of Enforcement Action: 20141113
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: EPA
Violation Short Description: TSD IS-Contingency Plan and Emergency Procedures
Date Violation was Determined: 20101006
Actual Return to Compliance Date: 20101101
Return to Compliance Qualifier: Documented
Violation Responsible Agency: EPA
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: EPA
Violation Short Description: TSD - Closure/Post-Closure
Date Violation was Determined: 19880915
Actual Return to Compliance Date: 19890520
Return to Compliance Qualifier: Observed
Violation Responsible Agency: EPA
Scheduled Compliance Date: 19890520
Enforcement Identifier: 001
Date of Enforcement Action: 19890414
Enforcement Responsible Agency: EPA
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: R9EPA
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	EPA
Violation Short Description:	TSD - General
Date Violation was Determined:	19880915
Actual Return to Compliance Date:	19890520
Return to Compliance Qualifier:	Observed
Violation Responsible Agency:	EPA
Scheduled Compliance Date:	19890520
Enforcement Identifier:	001
Date of Enforcement Action:	19890414
Enforcement Responsible Agency:	EPA
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: R9EPA
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: EPA
Violation Short Description: Generators - General
Date Violation was Determined: 20020730
Actual Return to Compliance Date: 20020730
Return to Compliance Qualifier: Documented
Violation Responsible Agency: EPA
Scheduled Compliance Date: Not reported
Enforcement Identifier: 007
Date of Enforcement Action: 20020730
Enforcement Responsible Agency: EPA
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: VGARC
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	EPA
Violation Short Description:	TSD - General
Date Violation was Determined:	19890911
Actual Return to Compliance Date:	19910430
Return to Compliance Qualifier:	Observed
Violation Responsible Agency:	State
Scheduled Compliance Date:	19891213
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	EPA
Violation Short Description:	Generators - General
Date Violation was Determined:	20020730
Actual Return to Compliance Date:	20020730
Return to Compliance Qualifier:	Documented
Violation Responsible Agency:	EPA
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001
Date of Enforcement Action:	20040930
Enforcement Responsible Agency:	EPA
Enforcement Docket Number:	RCRA9-2004-0004
Enforcement Attorney:	MOORE
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: FINAL 3008(A) COMPLIANCE ORDER
Enforcement Responsible Person: NRUMR
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: EPA
Violation Short Description: TSD - General
Date Violation was Determined: 19910622
Actual Return to Compliance Date: 19911021
Return to Compliance Qualifier: Observed
Violation Responsible Agency: EPA
Scheduled Compliance Date: Not reported
Enforcement Identifier: 006
Date of Enforcement Action: 19910910
Enforcement Responsible Agency: EPA
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: R9STA
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: EPA
Violation Short Description: TSD - General
Date Violation was Determined: 19890911
Actual Return to Compliance Date: 19910430
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 005
Date of Enforcement Action: 19901109
Enforcement Responsible Agency: EPA
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: INITIAL 3008(A) COMPLIANCE
Enforcement Responsible Person: R9EPA
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: 76800
Final Monetary Amount: 76800
Paid Amount: Not reported
Final Count: 1
Final Amount: 76800

Found Violation: Yes
Agency Which Determined Violation: EPA
Violation Short Description: Generators - Pre-transport
Date Violation was Determined: 20101006
Actual Return to Compliance Date: 20101006
Return to Compliance Qualifier: Observed
Violation Responsible Agency: EPA
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: EPA
Violation Short Description: Generators - General
Date Violation was Determined: 19910622
Actual Return to Compliance Date: 19911021
Return to Compliance Qualifier: Observed
Violation Responsible Agency: EPA
Scheduled Compliance Date: Not reported
Enforcement Identifier: 006
Date of Enforcement Action: 19910910
Enforcement Responsible Agency: EPA
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: R9STA
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	EPA
Violation Short Description:	TSD - General
Date Violation was Determined:	19910622
Actual Return to Compliance Date:	19911021
Return to Compliance Qualifier:	Observed
Violation Responsible Agency:	EPA
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	006
Date of Enforcement Action:	19910910
Enforcement Responsible Agency:	EPA
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: R9STA
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: EPA
Violation Short Description: TSD - General
Date Violation was Determined: 19910622
Actual Return to Compliance Date: 19911021
Return to Compliance Qualifier: Observed
Violation Responsible Agency: EPA
Scheduled Compliance Date: Not reported
Enforcement Identifier: 006
Date of Enforcement Action: 19910910
Enforcement Responsible Agency: EPA
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: R9STA
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	EPA
Violation Short Description:	Generators - General
Date Violation was Determined:	20020730
Actual Return to Compliance Date:	20020730
Return to Compliance Qualifier:	Documented
Violation Responsible Agency:	EPA
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	007
Date of Enforcement Action:	20020730
Enforcement Responsible Agency:	EPA
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	VGARC
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	EPA
Violation Short Description:	TSD IS-General Facility Standards
Date Violation was Determined:	20101006
Actual Return to Compliance Date:	20101101
Return to Compliance Qualifier:	Documented
Violation Responsible Agency:	EPA
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - Pre-transport
Date Violation was Determined: 20141113
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: State
Scheduled Compliance Date: 20150112
Enforcement Identifier: 601
Date of Enforcement Action: 20141113
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - Pre-transport
Date Violation was Determined: 20141113
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: State
Scheduled Compliance Date: 20150112
Enforcement Identifier: 601
Date of Enforcement Action: 20141113
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: EPA
Violation Short Description: Generators - General
Date Violation was Determined: 20020730
Actual Return to Compliance Date: 20020730
Return to Compliance Qualifier: Documented
Violation Responsible Agency: EPA
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20040930
Enforcement Responsible Agency: EPA
Enforcement Docket Number: RCRA9-2004-0004
Enforcement Attorney: MOORE
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: FINAL 3008(A) COMPLIANCE ORDER
Enforcement Responsible Person: NRUMR
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	EPA
Violation Short Description:	TSD - General
Date Violation was Determined:	19900627
Actual Return to Compliance Date:	19910430
Return to Compliance Qualifier:	Observed
Violation Responsible Agency:	EPA
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	004
Date of Enforcement Action:	19900815
Enforcement Responsible Agency:	EPA
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	R9EPA
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: EPA
Violation Short Description: TSD - General
Date Violation was Determined: 19890911
Actual Return to Compliance Date: 19910430
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 19891213
Enforcement Identifier: 003
Date of Enforcement Action: 19891113
Enforcement Responsible Agency: EPA
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: R9EPA
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Evaluation Action Summary:
Evaluation Date: 19900627
Evaluation Responsible Agency: EPA
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: R9EPA
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: 19910430
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 20141119
Evaluation Responsible Agency: State
Found Violation: No
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: Not reported
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: Not reported
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 20040401
Evaluation Responsible Agency: EPA
Found Violation: No
Evaluation Type Description: SIGNIFICANT NON-COMPLIER
Evaluation Responsible Person Identifier: NRUMR
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: Not reported
Scheduled Compliance Date: Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20141113
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	Not reported
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	20150112
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20101006
Evaluation Responsible Agency:	EPA
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	DFERN
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	20101101
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19880915
Evaluation Responsible Agency:	EPA
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	R9EPA
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	19890520
Scheduled Compliance Date:	19890520
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20141120
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	Not reported
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Evaluation Date:	20040401
Evaluation Responsible Agency:	EPA
Found Violation:	No
Evaluation Type Description:	NOT A SIGNIFICANT NON-COMPLIER
Evaluation Responsible Person Identifier:	NRUMR
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19880915
Evaluation Responsible Agency:	EPA
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	R9EPA
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	19890520
Scheduled Compliance Date:	19890520
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20020730
Evaluation Responsible Agency:	EPA
Found Violation:	Yes
Evaluation Type Description:	NON-FINANCIAL RECORD REVIEW
Evaluation Responsible Person Identifier:	VGARC
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	20020730
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19890911
Evaluation Responsible Agency:	EPA
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	R9EPA
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	19910430
Scheduled Compliance Date:	19891213
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20020730
Evaluation Responsible Agency:	EPA
Found Violation:	Yes
Evaluation Type Description:	NON-FINANCIAL RECORD REVIEW
Evaluation Responsible Person Identifier:	VGARC

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	20020730
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19910430
Evaluation Responsible Agency:	EPA Contractor/Grantee
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	R9EPA
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	19911021
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19890911
Evaluation Responsible Agency:	EPA
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	R9EPA
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	19910430
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20101006
Evaluation Responsible Agency:	EPA
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	DFERN
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	20101006
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19910430
Evaluation Responsible Agency:	EPA Contractor/Grantee
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	R9EPA
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	19911021
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 19910430
Evaluation Responsible Agency: EPA
Found Violation: No
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: R9EPA
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: Not reported
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 19910430
Evaluation Responsible Agency: EPA Contractor/Grantee
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: R9EPA
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: 19911021
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 19910430
Evaluation Responsible Agency: EPA Contractor/Grantee
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: R9EPA
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: 19911021
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 20020730
Evaluation Responsible Agency: EPA
Found Violation: Yes
Evaluation Type Description: NON-FINANCIAL RECORD REVIEW
Evaluation Responsible Person Identifier: VGARC
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: 20020730
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 20101006
Evaluation Responsible Agency: EPA

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	DFERN
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	20101101
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20141113
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	Not reported
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	20150112
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20141113
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	Not reported
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	20150112
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20020730
Evaluation Responsible Agency:	EPA
Found Violation:	Yes
Evaluation Type Description:	NON-FINANCIAL RECORD REVIEW
Evaluation Responsible Person Identifier:	VGARC
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	20020730
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20141119
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	Not reported
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19900627
Evaluation Responsible Agency:	EPA
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	R9EPA
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	19910430
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20050405
Evaluation Responsible Agency:	EPA
Found Violation:	No
Evaluation Type Description:	NOT A SIGNIFICANT NON-COMPLIER
Evaluation Responsible Person Identifier:	CMCDO
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19890911
Evaluation Responsible Agency:	EPA
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	R9EPA
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	19910430
Scheduled Compliance Date:	19891213
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20141120
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	Not reported
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Evaluation Date:	20141113
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	Not reported
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

RAATS:

Entry No:	1
Facility ID:	CAD073134777
Type:	Not reported
Docket No:	RCRA 09-91-0001
Region:	09
Issue Date:	05/01/1991
Final Date:	11/09/1990
Status:	Consent Agreement/Final Order
Additional:	Not reported
Action ID:	530
Action:	3008 (A)
Violation No:	Not reported
Viol No Cited:	1 262.11
Total No Cited:	Not reported
Reg Type:	CFR
Prop. Penalty:	6,500.00
Final Penalty:	76,800.00
Total Prop. Penalty:	76,800.00
Comments:	PROPOSED PENALTIES LEVIED PURSUANT TO NEW RCRA PENALTY POLICY OF 29.OCTOBER 1990.

Entry No:	1
Facility ID:	CAD073134777
Type:	Not reported
Docket No:	RCRA 09-91-0001
Region:	09
Issue Date:	05/01/1991
Final Date:	11/09/1990
Status:	Consent Agreement/Final Order
Additional:	Not reported
Action ID:	530
Action:	3008 (A)
Violation No:	Not reported
Viol No Cited:	2 265.174
Total No Cited:	Not reported
Reg Type:	CFR
Prop. Penalty:	4,500.00
Final Penalty:	76,800.00
Total Prop. Penalty:	76,800.00
Comments:	PROPOSED PENALTIES LEVIED PURSUANT TO NEW RCRA PENALTY POLICY OF 29.OCTOBER 1990.

Entry No:	1
Facility ID:	CAD073134777
Type:	Not reported
Docket No:	RCRA 09-91-0001
Region:	09
Issue Date:	05/01/1991
Final Date:	11/09/1990
Status:	Consent Agreement/Final Order
Additional:	Not reported
Action ID:	530
Action:	3008 (A)
Violation No:	Not reported
Viol No Cited:	3 265.16(D)
Total No Cited:	Not reported

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Reg Type: CFR
Prop. Penalty: 19,000.00
Final Penalty: 76,800.00
Total Prop. Penalty: 76,800.00
Comments: PROPOSED PENALTIES LEVIED PURSUANT TO NEW RCRA PENALTY POLICY OF 29.OCTOBER 1990.

Entry No: 1
Facility ID: CAD073134777
Type: Not reported
Docket No: RCRA 09-91-0001
Region: 09
Issue Date: 05/01/1991
Final Date: 11/09/1990
Status: Consent Agreement/Final Order
Additional: Not reported
Action ID: 530
Action: 3008 (A)
Violation No: Not reported
Viol No Cited: 4 265.31
Total No Cited: Not reported
Reg Type: CFR
Prop. Penalty: 9,500.00
Final Penalty: 76,800.00
Total Prop. Penalty: 76,800.00
Comments: PROPOSED PENALTIES LEVIED PURSUANT TO NEW RCRA PENALTY POLICY OF 29.OCTOBER 1990.

Entry No: 1
Facility ID: CAD073134777
Type: Not reported
Docket No: RCRA 09-91-0001
Region: 09
Issue Date: 05/01/1991
Final Date: 11/09/1990
Status: Consent Agreement/Final Order
Additional: Not reported
Action ID: 530
Action: 3008 (A)
Violation No: Not reported
Viol No Cited: 5 265.37(A)(4)
Total No Cited: Not reported
Reg Type: CFR
Prop. Penalty: 19,000.00
Final Penalty: 76,800.00
Total Prop. Penalty: 76,800.00
Comments: PROPOSED PENALTIES LEVIED PURSUANT TO NEW RCRA PENALTY POLICY OF 29.OCTOBER 1990.

Entry No: 1
Facility ID: CAD073134777
Type: Not reported
Docket No: RCRA 09-91-0001
Region: 09
Issue Date: 05/01/1991
Final Date: 11/09/1990
Status: Consent Agreement/Final Order

UNIVERSITY OF CA RIVERSIDE (Continued) **1000431600**

Additional:	Not reported
Action ID:	530
Action:	3008 (A)
Violation No:	Not reported
Viol No Cited:	6 265.52(D)
Total No Cited:	Not reported
Reg Type:	CFR
Prop. Penalty:	18,300.00
Final Penalty:	76,800.00
Total Prop. Penalty:	76,800.00
Comments:	PROPOSED PENALTIES LEVIED PURSUANT TO NEW RCRA PENALTY POLICY OF 29.OCTOBER 1990.

AL187 **UNIVERSITY OF CALIFORNIA, RIVERSIDE** **ENVIROSTOR** **S100221282**
ESE **900 UNIVERSITY AVENUE** **CHMIRS** **N/A**
1/2-1 **RIVERSIDE, CA 92521** **HWP**
0.791 mi. **NPDES**
4177 ft. **Site 2 of 2 in cluster AL** **CIWQS**

Relative: **Higher**

Actual: **1035 ft.**

ENVIROSTOR:

Name:	UNIVERSITY OF CALIFORNIA, RIVERSIDE
Address:	900 UNIVERSITY AVENUE
City,State,Zip:	RIVERSIDE, CA 925210306
Facility ID:	80001663
Status:	Refer: SMBRP
Status Date:	06/03/1998
Site Code:	Not reported
Site Type:	Corrective Action
Site Type Detailed:	Corrective Action
Acres:	0
NPL:	NO
Regulatory Agencies:	SMBRP
Lead Agency:	MBR
Program Manager:	Not reported
Supervisor:	Eileen Mananian
Division Branch:	Cleanup Cypress
Assembly:	61
Senate:	31
Special Program:	Not reported
Restricted Use:	NO
Site Mgmt Req:	NONE SPECIFIED
Funding:	Not reported
Latitude:	33.97888
Longitude:	-117.3281
APN:	NONE SPECIFIED
Past Use:	NONE SPECIFIED
Potential COC:	NONE SPECIFIED
Confirmed COC:	NONE SPECIFIED
Potential Description:	NONE SPECIFIED
Alias Name:	CAD073134777
Alias Type:	EPA Identification Number
Alias Name:	110000609761
Alias Type:	EPA (FRS #)
Alias Name:	80001663
Alias Type:	Envirostor ID Number

Completed Info:

Completed Area Name:	PROJECT WIDE

UNIVERSITY OF CALIFORNIA, RIVERSIDE (Continued) **S100221282**

Completed Sub Area Name: Not reported
Completed Document Type: Interim Measures Questionnaire
Completed Date: 05/23/1994
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Interim Measures Questionnaire
Completed Date: 06/03/1998
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: RCRA Facility Assessment Report
Completed Date: 03/30/1998
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Remedy Selection and Statement of Basis
Completed Date: 05/16/1996
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Consent Agreement
Completed Date: 11/06/1989
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Preliminary Assessment Report
Completed Date: 07/01/1985
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Design/Implementation Workplan
Completed Date: 09/06/1996
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Corrective Measures Study Report
Completed Date: 10/10/1995
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: RFI Report
Completed Date: 10/10/1995
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: RFI Workplan
Completed Date: 03/15/1994

UNIVERSITY OF CALIFORNIA, RIVERSIDE (Continued) **S100221282**

Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Corrective Measures Study Workplan
Completed Date: 10/10/1995
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Corrective Measure Implementation Workplan
Completed Date: 09/06/1996
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Preliminary Assessment Report
Completed Date: 07/20/1990
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Interim Measures Implementation Report
Completed Date: 12/31/1990
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Interim Measures Workplan
Completed Date: 12/01/1990
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Groundwater Migration Controlled
Completed Date: 06/03/1998
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: * Remedy Selected
Completed Date: 05/16/1996
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Human Exposure Controlled
Completed Date: 06/03/1998
Comments: Not reported

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported
Schedule Document Type: Not reported

UNIVERSITY OF CALIFORNIA, RIVERSIDE (Continued) **S100221282**

Schedule Due Date: Not reported
Schedule Revised Date: Not reported

CHMIRS:

Name:	Not reported
Address:	900 UNIVERSITY
City,State,Zip:	RIVERSIDE, CA 92521-0001
OES Incident Number:	099262
OES notification:	Not reported
OES Date:	Not reported
OES Time:	Not reported
Date Completed:	**11-JUN-90**
Property Use:	200
Agency Id Number:	33075
Agency Incident Number:	9007873
Time Notified:	905
Time Completed:	933
Surrounding Area:	400
Estimated Temperature:	70
Property Management:	S
More Than Two Substances Involved?:	N
Resp Agncy Personel # Of Decontaminated:	0
Responding Agency Personel # Of Injuries:	0
Responding Agency Personel # Of Fatalities:	0
Others Number Of Decontaminated:	0
Others Number Of Injuries:	1
Others Number Of Fatalities:	0
Vehicle Make/year:	Not reported
Vehicle License Number:	Not reported
Vehicle State:	Not reported
Vehicle Id Number:	Not reported
CA DOT PUC/ICC Number:	Not reported
Company Name:	Not reported
Reporting Officer Name/ID:	STEVE EARLEY
Report Date:	13-JUN-90
Facility Telephone:	714 782-5331
Waterway Involved:	Not reported
Waterway:	Not reported
Spill Site:	Not reported
Cleanup By:	Not reported
Containment:	Not reported
What Happened:	Not reported
Type:	Not reported
Measure:	Not reported
Other:	Not reported
Date/Time:	Not reported
Year:	88-92
Agency:	Not reported
Incident Date:	11-JUN-90
Admin Agency:	Not reported
Amount:	Not reported
Contained:	Not reported
Site Type:	Not reported
E Date:	20-MAY-91
Substance:	Not reported
Unknown:	Not reported
Substance #2:	Not reported

UNIVERSITY OF CALIFORNIA, RIVERSIDE (Continued) **S100221282**

Substance #3:	Not reported
Evacuations:	Not reported
Number of Injuries:	Not reported
Number of Fatalities:	Not reported
#1 Pipeline:	Not reported
#2 Pipeline:	Not reported
#3 Pipeline:	Not reported
#1 Vessel >= 300 Tons:	Not reported
#2 Vessel >= 300 Tons:	Not reported
#3 Vessel >= 300 Tons:	Not reported
Evacs:	Not reported
Injuries:	Not reported
Fatals:	Not reported
Comments:	N
Description:	Not reported

HWP:

EPA ID:	CAD073134777
Name:	UNIVERSITY OF CALIFORNIA, RIVERSIDE
Address:	900 UNIVERSITY AVE
Cleanup Status:	CLOSED
Latitude:	33.97888
Longitude:	-117.3281
Facility Type:	Historical - Non-Operating
Facility Size:	Not reported
Supervisor:	Not reported
Site Code:	Not reported
Senate District:	31
Assembly District:	61
Public Information Officer:	Not reported
Commercial Offsite Facility Types:	Not reported
Quarterly Update:	This was an ISD facility that closed without getting an operating permit. The units consisted of container storage unit and waste pile (per part A application). The container storage unit clean closed on 2/4/92. Waste pile which seemed to be part of the Pesticides waste pits may have been referred to site mitigation see site Mit Envirostor database for more info. Corrective action events in the database could not be confirmed. Update 11/5/07: Spoke with Greg Holmes, PM of Site Mit, he does not believe Pesticides waste pits were ever RCRA units. Therefore, the waste piles may not be part of this pesticide pit cleanup. The pesticide pits were closed under site Mit and are under long term monitoring. 06/20/2018- Used 11/3/1989 Site Investigation Agreement to refer wastepile unit, which was a part of the pesticide waste pit, to cleanup for closure. Because of the annual groundwater report & Land Use Covenant, the facility can be considered closed. PM, Greg Shaffer, confirmed this information. Used "Remedial Action Certification Form" dated 12/18/2006 to close out the WastePile unit with Waste in Place.
Project Manager Lead:	Not reported
Project Manager:	Not reported
Permit Type:	RCRA
Permit Effective Date:	Not reported
Permit Expiration Date:	Not reported
Calenviroscreen Score:	91-95%
Total Planned Hours:	Not reported
Total Planned Amount:	Not reported
Total Actual Hours:	Not reported

UNIVERSITY OF CALIFORNIA, RIVERSIDE (Continued) **S100221282**

Activities:

EPA ID:	CAD073134777
Facility Type:	Historical - Non-Operating
Facility Name:	UNIVERSITY OF CALIFORNIA, RIVERSIDE
Project Manager:	Not reported
Project Manager Lead:	Not reported
Supervisor:	Not reported
Facility Status:	CLOSED
Activity Type:	New Operating Permit
Permit Being Renewed:	Not reported
Permit Being Modified:	Not reported
Final Date:	1990-12-14 00:00:00
Type:	Not reported
Title Description:	PERMIT1
Due Date:	Not reported
Comments:	Part B submitted.Per file Chron
Unit Names:	CONTAIN1, WASTPILE1
Event Description:	New Operating Permit - APPLICATION PART B RECEIVED
Actual Date:	05/24/1983

EPA ID:	CAD073134777
Facility Type:	Historical - Non-Operating
Facility Name:	UNIVERSITY OF CALIFORNIA, RIVERSIDE
Project Manager:	Not reported
Project Manager Lead:	Not reported
Supervisor:	Not reported
Facility Status:	CLOSED
Activity Type:	New Operating Permit
Permit Being Renewed:	Not reported
Permit Being Modified:	Not reported
Final Date:	1990-12-14 00:00:00
Type:	Not reported
Title Description:	PERMIT1
Due Date:	Not reported
Comments:	Per file Chron
Unit Names:	CONTAIN1, WASTPILE1
Event Description:	New Operating Permit - APPLICATION PART A RECEIVED
Actual Date:	11/17/1980

EPA ID:	CAD073134777
Facility Type:	Historical - Non-Operating
Facility Name:	UNIVERSITY OF CALIFORNIA, RIVERSIDE
Project Manager:	Not reported
Project Manager Lead:	Not reported
Supervisor:	Not reported
Facility Status:	CLOSED
Activity Type:	New Operating Permit
Permit Being Renewed:	Not reported
Permit Being Modified:	Not reported
Final Date:	1990-12-14 00:00:00
Type:	Not reported
Title Description:	PERMIT1
Due Date:	Not reported
Comments:	Part B Call In, Per File Chron.
Unit Names:	CONTAIN1, WASTPILE1
Event Description:	New Operating Permit - CALL-IN LETTER ISSUED
Actual Date:	11/15/1982

UNIVERSITY OF CALIFORNIA, RIVERSIDE (Continued) **S100221282**

EPA ID: CAD073134777
Facility Type: Historical - Non-Operating
Facility Name: UNIVERSITY OF CALIFORNIA, RIVERSIDE
Project Manager: Not reported
Project Manager Lead: Not reported
Supervisor: Not reported
Facility Status: CLOSED
Activity Type: New Operating Permit
Permit Being Renewed: Not reported
Permit Being Modified: Not reported
Final Date: 1990-12-14 00:00:00
Type: Not reported
Title Description: PERMIT1
Due Date: Not reported
Comments: Not reported
Unit Names: CONTAIN1, WASTPILE1
Event Description: New Operating Permit - ADMINISTRATIVE REVIEW APPROVED
Actual Date: 10/02/1981

EPA ID: CAD073134777
Facility Type: Historical - Non-Operating
Facility Name: UNIVERSITY OF CALIFORNIA, RIVERSIDE
Project Manager: Not reported
Project Manager Lead: Not reported
Supervisor: Not reported
Facility Status: CLOSED
Activity Type: New Operating Permit
Permit Being Renewed: Not reported
Permit Being Modified: Not reported
Final Date: 1990-12-14 00:00:00
Type: Not reported
Title Description: PERMIT1
Due Date: Not reported
Comments: INTENDS/CLOSED ALL WASTE HANDLING FACILITY - Letter from UCR to DTSC officially withdrawing facility permit application. - Letter from UCR to DTSC officially withdrawing facility permit application.
Unit Names: CONTAIN1, WASTPILE1
Event Description: New Operating Permit - FINAL PERMIT - WITHDRAWAL REQUEST ACKNOWLEDGED
Actual Date: 12/14/1990

EPA ID: CAD073134777
Facility Type: Historical - Non-Operating
Facility Name: UNIVERSITY OF CALIFORNIA, RIVERSIDE
Project Manager: Not reported
Project Manager Lead: Not reported
Supervisor: Not reported
Facility Status: CLOSED
Activity Type: New Operating Permit
Permit Being Renewed: Not reported
Permit Being Modified: Not reported
Final Date: 1990-12-14 00:00:00
Type: Not reported
Title Description: PERMIT1
Due Date: Not reported
Comments: INTENDS/CLOSED ALL WASTE HANDLING FACILITY - Letter from UCR to DTSC officially withdrawing facility permit application. - Letter from UCR to DTSC officially withdrawing facility permit application.

UNIVERSITY OF CALIFORNIA, RIVERSIDE (Continued) **S100221282**

Unit Names: CONTAIN1, WASTPILE1
Event Description: New Operating Permit - FINAL PERMIT - WITHDRAWAL REQUEST RECEIVED
Actual Date: 02/23/1989

Closure:
EPA ID: CAD073134777
Facility Type: Historical - Non-Operating
Facility Name: UNIVERSITY OF CALIFORNIA, RIVERSIDE
Project Manager: Not reported
Project Manager Lead: Not reported
Supervisor: Not reported
Facility Size: Not reported
Facility Status: CLOSED
Activity Type: Referred for closure to other agency
Final Date: Not reported
Type: RCRA
Title Description: REFERRED TO SITE CLEANUP - CERCLA
Due Date: Not reported
Comments: Not reported
Unit Names: WASTPILE1
Event Description: Referred for closure to other agency - REFERRED FOR CLOSURE TO OTHER AGENCY
Actual Date: 11/03/1989

EPA ID: CAD073134777
Facility Type: Historical - Non-Operating
Facility Name: UNIVERSITY OF CALIFORNIA, RIVERSIDE
Project Manager: Not reported
Project Manager Lead: Not reported
Supervisor: Not reported
Facility Size: Not reported
Facility Status: CLOSED
Activity Type: Closure Final
Final Date: Not reported
Type: RCRA
Title Description: Waste in Place Closure
Due Date: Not reported
Comments: Not reported
Unit Names: WASTPILE1
Event Description: Closure Final - ISSUE CLOSURE VERIFICATION
Actual Date: 12/18/2006

EPA ID: CAD073134777
Facility Type: Historical - Non-Operating
Facility Name: UNIVERSITY OF CALIFORNIA, RIVERSIDE
Project Manager: Not reported
Project Manager Lead: Not reported
Supervisor: Not reported
Facility Size: Not reported
Facility Status: CLOSED
Activity Type: Closure
Final Date: Not reported
Type: Not reported
Title Description: CLOSURE1
Due Date: Not reported
Comments: Not reported
Unit Names: CONTAIN1

UNIVERSITY OF CALIFORNIA, RIVERSIDE (Continued) **S100221282**

Event Description:	Closure - CLOSURE PLAN APPROVED
Actual Date:	12/14/1990
EPA ID:	CAD073134777
Facility Type:	Historical - Non-Operating
Facility Name:	UNIVERSITY OF CALIFORNIA, RIVERSIDE
Project Manager:	Not reported
Project Manager Lead:	Not reported
Supervisor:	Not reported
Facility Size:	Not reported
Facility Status:	CLOSED
Activity Type:	Closure
Final Date:	Not reported
Type:	Not reported
Title Description:	CLOSURE1
Due Date:	Not reported
Comments:	Not reported
Unit Names:	CONTAIN1
Event Description:	Closure - ISSUE CLOSURE VERIFICATION
Actual Date:	02/04/1992
EPA ID:	CAD073134777
Facility Type:	Historical - Non-Operating
Facility Name:	UNIVERSITY OF CALIFORNIA, RIVERSIDE
Project Manager:	Not reported
Project Manager Lead:	Not reported
Supervisor:	Not reported
Facility Size:	Not reported
Facility Status:	CLOSED
Activity Type:	Closure
Final Date:	Not reported
Type:	Not reported
Title Description:	CLOSURE1
Due Date:	Not reported
Comments:	Not reported
Unit Names:	CONTAIN1
Event Description:	Closure - RECEIVE CLOSURE CERTIFICATION
Actual Date:	06/12/1991
EPA ID:	CAD073134777
Facility Type:	Historical - Non-Operating
Facility Name:	UNIVERSITY OF CALIFORNIA, RIVERSIDE
Project Manager:	Not reported
Project Manager Lead:	Not reported
Supervisor:	Not reported
Facility Size:	Not reported
Facility Status:	CLOSED
Activity Type:	Closure
Final Date:	Not reported
Type:	Not reported
Title Description:	CLOSURE1
Due Date:	Not reported
Comments:	Not reported
Unit Names:	CONTAIN1
Event Description:	Closure - 1ST NOTICE OF DEFICIENCY ISSUED
Actual Date:	02/06/1990

UNIVERSITY OF CALIFORNIA, RIVERSIDE (Continued) **S100221282**

EPA ID:	CAD073134777
Facility Type:	Historical - Non-Operating
Facility Name:	UNIVERSITY OF CALIFORNIA, RIVERSIDE
Project Manager:	Not reported
Project Manager Lead:	Not reported
Supervisor:	Not reported
Facility Size:	Not reported
Facility Status:	CLOSED
Activity Type:	Closure
Final Date:	Not reported
Type:	Not reported
Title Description:	CLOSURE1
Due Date:	Not reported
Comments:	Per file Chron
Unit Names:	CONTAIN1
Event Description:	Closure - CLOSURE PLAN RECEIVED
Actual Date:	10/06/1989

Alias:

EPA ID:	CAD073134777
Facility Type:	Historical - Non-Operating
Facility Name:	UNIVERSITY OF CALIFORNIA, RIVERSIDE
Facility Status:	CLOSED
Project Manager:	Not reported
Project Manager Lead:	Not reported
Supervisor:	Not reported
Alias Type:	FRS
Alias:	110000609761

NPDES:

Name:	HIGHLANDER HALL DEMOLITION PROJECT
Address:	900 UNIVERSITY AVENUE
City,State,Zip:	RIVERSIDE, CA
Facility Status:	Not reported
NPDES Number:	Not reported
Region:	Not reported
Agency Number:	Not reported
Regulatory Measure ID:	Not reported
Place ID:	Not reported
Order Number:	Not reported
WDID:	8 33C378946
Regulatory Measure Type:	Construction
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Discharge Address:	Not reported
Discharge Name:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Status:	Terminated
Status Date:	11/08/2019
Operator Name:	University of California Riverside

UNIVERSITY OF CALIFORNIA, RIVERSIDE (Continued) **S100221282**

Operator Address:	900 University Avenue
Operator City:	Riverside
Operator State:	California
Operator Zip:	92507

NPDES as of 03/2018:

NPDES Number:	CAS000002
Status:	Active
Agency Number:	0
Region:	8
Regulatory Measure ID:	482995
Order Number:	2009-0009-DWQ
Regulatory Measure Type:	Enrollee
Place ID:	Not reported
WDID:	8 33C378946
Program Type:	Construction
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	02/14/2017
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Discharge Name:	University of California Riverside
Discharge Address:	900 University Avenue
Discharge City:	Riverside
Discharge State:	California
Discharge Zip:	92507
Received Date:	Not reported
Processed Date:	Not reported
Status:	Not reported
Status Date:	Not reported
Place Size:	Not reported
Place Size Unit:	Not reported
Contact:	Not reported
Contact Title:	Not reported
Contact Phone:	Not reported
Contact Phone Ext:	Not reported
Contact Email:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported
Operator Contact:	Not reported
Operator Contact Title:	Not reported
Operator Contact Phone:	Not reported
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	Not reported
Operator Type:	Not reported
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	Not reported
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported

UNIVERSITY OF CALIFORNIA, RIVERSIDE (Continued) **S100221282**

Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commertial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	Not reported
Receiving Water Name:	Not reported
Certifier:	Not reported
Certifier Title:	Not reported
Certification Date:	Not reported
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported
NPDES Number:	Not reported
Status:	Not reported
Agency Number:	Not reported
Region:	8
Regulatory Measure ID:	482995
Order Number:	Not reported
Regulatory Measure Type:	Construction
Place ID:	Not reported
WDID:	8 33C378946
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Discharge Name:	Not reported
Discharge Address:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Received Date:	01/30/2017
Processed Date:	02/14/2017
Status:	Active
Status Date:	02/14/2017
Place Size:	1.56
Place Size Unit:	Acres
Contact:	Robert Williams
Contact Title:	Director of Quality Assurance and Compliance
Contact Phone:	951-827-1382
Contact Phone Ext:	Not reported
Contact Email:	robert.williams@ucr.edu
Operator Name:	University of California Riverside
Operator Address:	900 University Avenue
Operator City:	Riverside

UNIVERSITY OF CALIFORNIA, RIVERSIDE (Continued) **S100221282**

Operator State:	California
Operator Zip:	92507
Operator Contact:	Robert Williams
Operator Contact Title:	Director of Quality Assurance and Compliance
Operator Contact Phone:	951-827-1382
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	robert.williams@ucr.edu
Operator Type:	Other
Developer:	University of California Riverside
Developer Address:	1223 Univeristy Avenue
Developer City:	Riverside
Developer State:	California
Developer Zip:	92521
Developer Contact:	Robert Williams
Developer Contact Title:	Director of Quality Assurance and Compliance
Constype Linear Utility Ind:	N
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	N
Constype Below Ground Ind:	N
Constype Cable Line Ind:	N
Constype Comm Line Ind:	N
Constype Commertial Ind:	N
Constype Electrical Line Ind:	N
Constype Gas Line Ind:	N
Constype Industrial Ind:	N
Constype Other Description:	institutional
Constype Other Ind:	Y
Constype Recons Ind:	N
Constype Residential Ind:	N
Constype Transport Ind:	N
Constype Utility Description:	Not reported
Constype Utility Ind:	N
Constype Water Sewer Ind:	N
Dir Discharge Uswater Ind:	N
Receiving Water Name:	Sycamore Canyon
Certifier:	Robert Williams
Certifier Title:	Director of Inspection and Quality Assurance
Certification Date:	30-JAN-17
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported

Name:	HIGHLANDER HALL DEMOLITION PROJECT
Address:	900 UNIVERSITY AVENUE
City,State,Zip:	RIVERSIDE, CA CA
Facility Status:	Terminated
NPDES Number:	CAS000002
Region:	8
Agency Number:	0
Regulatory Measure ID:	482995
Place ID:	Not reported
Order Number:	2009-0009-DWQ
WDID:	8 33C378946
Regulatory Measure Type:	Enrollee
Program Type:	Construction

UNIVERSITY OF CALIFORNIA, RIVERSIDE (Continued) **S100221282**

Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	02/14/2017
Termination Date Of Regulatory Measure:	11/01/2019
Expiration Date Of Regulatory Measure:	Not reported
Discharge Address:	900 University Avenue
Discharge Name:	University of California Riverside
Discharge City:	Riverside
Discharge State:	California
Discharge Zip:	92507
Status:	Not reported
Status Date:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported

NPDES as of 03/2018:

NPDES Number:	CAS000002
Status:	Active
Agency Number:	0
Region:	8
Regulatory Measure ID:	482995
Order Number:	2009-0009-DWQ
Regulatory Measure Type:	Enrollee
Place ID:	Not reported
WDID:	8 33C378946
Program Type:	Construction
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	02/14/2017
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Discharge Name:	University of California Riverside
Discharge Address:	900 University Avenue
Discharge City:	Riverside
Discharge State:	California
Discharge Zip:	92507
Received Date:	Not reported
Processed Date:	Not reported
Status:	Not reported
Status Date:	Not reported
Place Size:	Not reported
Place Size Unit:	Not reported
Contact:	Not reported
Contact Title:	Not reported
Contact Phone:	Not reported
Contact Phone Ext:	Not reported
Contact Email:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported
Operator Contact:	Not reported
Operator Contact Title:	Not reported
Operator Contact Phone:	Not reported
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	Not reported

UNIVERSITY OF CALIFORNIA, RIVERSIDE (Continued) **S100221282**

Operator Type:	Not reported
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	Not reported
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commertial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	Not reported
Receiving Water Name:	Not reported
Certifier:	Not reported
Certifier Title:	Not reported
Certification Date:	Not reported
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported
NPDES Number:	Not reported
Status:	Not reported
Agency Number:	Not reported
Region:	8
Regulatory Measure ID:	482995
Order Number:	Not reported
Regulatory Measure Type:	Construction
Place ID:	Not reported
WDID:	8 33C378946
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Discharge Name:	Not reported
Discharge Address:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Received Date:	01/30/2017
Processed Date:	02/14/2017

UNIVERSITY OF CALIFORNIA, RIVERSIDE (Continued) **S100221282**

Status:	Active
Status Date:	02/14/2017
Place Size:	1.56
Place Size Unit:	Acres
Contact:	Robert Williams
Contact Title:	Director of Quality Assurance and Compliance
Contact Phone:	951-827-1382
Contact Phone Ext:	Not reported
Contact Email:	robert.williams@ucr.edu
Operator Name:	University of California Riverside
Operator Address:	900 University Avenue
Operator City:	Riverside
Operator State:	California
Operator Zip:	92507
Operator Contact:	Robert Williams
Operator Contact Title:	Director of Quality Assurance and Compliance
Operator Contact Phone:	951-827-1382
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	robert.williams@ucr.edu
Operator Type:	Other
Developer:	University of California Riverside
Developer Address:	1223 Univeristy Avenue
Developer City:	Riverside
Developer State:	California
Developer Zip:	92521
Developer Contact:	Robert Williams
Developer Contact Title:	Director of Quality Assurance and Compliance
Constype Linear Utility Ind:	N
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	N
Constype Below Ground Ind:	N
Constype Cable Line Ind:	N
Constype Comm Line Ind:	N
Constype Commertial Ind:	N
Constype Electrical Line Ind:	N
Constype Gas Line Ind:	N
Constype Industrial Ind:	N
Constype Other Description:	institutional
Constype Other Ind:	Y
Constype Recons Ind:	N
Constype Residential Ind:	N
Constype Transport Ind:	N
Constype Utility Description:	Not reported
Constype Utility Ind:	N
Constype Water Sewer Ind:	N
Dir Discharge Uswater Ind:	N
Receiving Water Name:	Sycamore Canyon
Certifier:	Robert Williams
Certifier Title:	Director of Inspection and Quality Assurance
Certification Date:	30-JAN-17
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported

Name: EH&S EXPANSION AND LOT 27

UNIVERSITY OF CALIFORNIA, RIVERSIDE (Continued) **S100221282**

Address:	900 UNIVERSITY AVE
City,State,Zip:	RIVERSIDE, CA 92507
Facility Status:	Not reported
NPDES Number:	Not reported
Region:	Not reported
Agency Number:	Not reported
Regulatory Measure ID:	Not reported
Place ID:	Not reported
Order Number:	Not reported
WDID:	8 33C369765
Regulatory Measure Type:	Construction
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Discharge Address:	Not reported
Discharge Name:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Status:	Terminated
Status Date:	11/03/2016
Operator Name:	University of California Riverside
Operator Address:	900 University Avenue
Operator City:	Riverside
Operator State:	California
Operator Zip:	92507

NPDES as of 03/2018:

NPDES Number:	Not reported
Status:	Not reported
Agency Number:	Not reported
Region:	8
Regulatory Measure ID:	442991
Order Number:	Not reported
Regulatory Measure Type:	Construction
Place ID:	Not reported
WDID:	8 33C369765
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	09/07/2016
Discharge Name:	Not reported
Discharge Address:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Received Date:	05/02/2014
Processed Date:	05/15/2014
Status:	Terminated
Status Date:	11/03/2016
Place Size:	3.91
Place Size Unit:	Acres
Contact:	Tricia Thrasher
Contact Title:	Principal Environmental Project Manager
Contact Phone:	951-827-1484

UNIVERSITY OF CALIFORNIA, RIVERSIDE (Continued) **S100221282**

Contact Phone Ext:	Not reported
Contact Email:	tricia.thrasher@ucr.edu
Operator Name:	University of California Riverside
Operator Address:	900 University Avenue
Operator City:	Riverside
Operator State:	California
Operator Zip:	92507
Operator Contact:	Tricia Thrasher
Operator Contact Title:	Principal Environmental Project Manager
Operator Contact Phone:	951-827-1484
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	tricia.thrasher@ucr.edu
Operator Type:	Other
Developer:	University of California Riverside
Developer Address:	900 University Avenue
Developer City:	Riverside
Developer State:	California
Developer Zip:	92507
Developer Contact:	Blythe Wilson
Developer Contact Title:	Project Manager
Constype Linear Utility Ind:	N
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	N
Constype Below Ground Ind:	N
Constype Cable Line Ind:	N
Constype Comm Line Ind:	N
Constype Commertial Ind:	Y
Constype Electrical Line Ind:	N
Constype Gas Line Ind:	N
Constype Industrial Ind:	N
Constype Other Description:	Not reported
Constype Other Ind:	N
Constype Recons Ind:	N
Constype Residential Ind:	N
Constype Transport Ind:	N
Constype Utility Description:	Not reported
Constype Utility Ind:	N
Constype Water Sewer Ind:	N
Dir Discharge Uswater Ind:	N
Receiving Water Name:	Lake Evans, Santa Ana River
Certifier:	George MacMullin
Certifier Title:	Principal Environmental Project Manager
Certification Date:	29-AUG-16
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported
NPDES Number:	CAS000002
Status:	Terminated
Agency Number:	0
Region:	8
Regulatory Measure ID:	442991
Order Number:	2009-0009-DWQ
Regulatory Measure Type:	Enrollee
Place ID:	Not reported
WDID:	8 33C369765

UNIVERSITY OF CALIFORNIA, RIVERSIDE (Continued) **S100221282**

Program Type:	Construction
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	05/15/2014
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	09/07/2016
Discharge Name:	University of California Riverside
Discharge Address:	900 University Avenue
Discharge City:	Riverside
Discharge State:	California
Discharge Zip:	92507
Received Date:	Not reported
Processed Date:	Not reported
Status:	Not reported
Status Date:	Not reported
Place Size:	Not reported
Place Size Unit:	Not reported
Contact:	Not reported
Contact Title:	Not reported
Contact Phone:	Not reported
Contact Phone Ext:	Not reported
Contact Email:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported
Operator Contact:	Not reported
Operator Contact Title:	Not reported
Operator Contact Phone:	Not reported
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	Not reported
Operator Type:	Not reported
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	Not reported
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commertial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported

UNIVERSITY OF CALIFORNIA, RIVERSIDE (Continued) **S100221282**

Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	Not reported
Receiving Water Name:	Not reported
Certifier:	Not reported
Certifier Title:	Not reported
Certification Date:	Not reported
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported

CIWQS:

Name:	EH&S EXPANSION AND LOT 27
Address:	900 UNIVERSITY AVE
City,State,Zip:	RIVERSIDE, CA 92507
Agency:	University of California Riverside
Agency Address:	900 University Avenue, Riverside, CA 92507
Place/Project Type:	Construction - Commercial
SIC/NAICS:	Not reported
Region:	8
Program:	CONSTW
Regulatory Measure Status:	Terminated
Regulatory Measure Type:	Storm water construction
Order Number:	2009-0009-DWQ
WDID:	8 33C369765
NPDES Number:	CAS000002
Adoption Date:	Not reported
Effective Date:	05/15/2014
Termination Date:	09/07/2016
Expiration/Review Date:	Not reported
Design Flow:	Not reported
Major/Minor:	Not reported
Complexity:	Not reported
TTWQ:	Not reported
Enforcement Actions within 5 years:	0
Violations within 5 years:	0
Latitude:	33.979534
Longitude:	-117.32097

Name:	STUDENT RECREATION CENTER EXPANSION
Address:	900 UNIVERSITY AVENUE
City,State,Zip:	RIVERSIDE, CA 92507
Agency:	University of California Riverside
Agency Address:	900 University Avenue, Riverside, CA 92507
Place/Project Type:	Construction - Other: University Recreation Center
SIC/NAICS:	Not reported
Region:	8
Program:	CONSTW
Regulatory Measure Status:	Terminated
Regulatory Measure Type:	Storm water construction
Order Number:	2009-0009-DWQ
WDID:	8 33C365538
NPDES Number:	CAS000002
Adoption Date:	Not reported
Effective Date:	01/30/2013
Termination Date:	06/16/2015
Expiration/Review Date:	Not reported

UNIVERSITY OF CALIFORNIA, RIVERSIDE (Continued) **S100221282**

Design Flow:	Not reported
Major/Minor:	Not reported
Complexity:	Not reported
TTWQ:	Not reported
Enforcement Actions within 5 years:	0
Violations within 5 years:	0
Latitude:	33.978056
Longitude:	-117.328453

AM188 **UNIVERSITY OF CALIFORNIA RIVERSIDE** **RESPONSE** **S104857696**
SSE **1060 MARTIN LUTHER KING BOULEVARD** **ENVIROSTOR** **N/A**
1/2-1 **RIVERSIDE, CA 92521** **LUST**
0.812 mi. **DEED**
4286 ft. **Site 1 of 2 in cluster AM**

Relative: **Higher**

Actual: **997 ft.**

RESPONSE:

Name:	UNIVERSITY OF CALIFORNIA RIVERSIDE
Address:	1060 MARTIN LUTHER KING BOULEVARD
City,State,Zip:	RIVERSIDE, CA 92521
Facility ID:	33890001
Site Type:	State Response
Site Type Detail:	State Response or NPL
Acres:	3.25
National Priorities List:	NO
Cleanup Oversight Agencies:	SMBRP
Lead Agency Description:	DTSC - Site Cleanup Program
Project Manager:	Anthony Rosas
Supervisor:	Maryam Tasnif-Abbasi
Division Branch:	Cleanup Cypress
Site Code:	400161
Site Mgmt. Req.:	REM, DAY, HOS, LUC, MON, EX, GW, OIL, NUSE, NSUB, EXT, FOOD
Assembly:	61
Senate:	31
Special Program Status:	Not reported
Status:	Certified O&M - Land Use Restrictions Only
Status Date:	12/15/2010
Restricted Use:	YES
Funding:	Responsible Party
Latitude:	33.96321
Longitude:	-117.3356
APN:	253-090-008-5
Past Use:	AGRICULTURAL - ORCHARD, LABORATORIES- CHEMICAL, PESTICIDE/INSECTIDE/RODENTICIDE STORAGE
Potential COC :	Benzene Chlordane DDD DDE DDT Endrin Polychlorinated biphenyls (PCBs Polynuclear aromatic hydrocarbons (PAHs Tetrachloroethylene (PCE Toxaphene 1,1,1-Trichloroethane (TCA Trichloroethylene (TCE Acetone Aldrin Baygon Benzoic acid Bis(2-ethylhexyl)phthalate (DEHP) Butyl benzyl phthalate Carbaryl Carbofuran Chloroethane Chloroform Chlorpropham Cumene (isopropylbenzene Dacthal Dalapon Diazinon Dibenzofuran Dicamba 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,2-Dichloroethane (EDC 1,1-Dichloroethylene 2,4-Dichlorophenol 1,2-Dichloropropane Dieldrin Dinoseb Diuron Endosulfan Ethion Ethylbenzene Heptachlor Heptachlor epoxide Hexachlorobenzene Hexachlorobutadiene Isophorone Linuron Methomyl Methoxychlor Methylene chloride Napropamide Parathion Pendimethalin Pentachlorophenol Phorate Acenaphthene Anthracene Benz[a]anthracene Benzo[b]fluoranthene Benzo[k]fluoranthene Benzo[a]pyrene Chrysene Dibenz[ah]anthracene Fluoranthene Fluorene Indeno[1,2,3-cd]pyrene

UNIVERSITY OF CALIFORNIA RIVERSIDE (Continued) **S104857696**

Naphthalene Pyrene Propanil Isopropylbenzene (see Cumene n-Propylbenzene 1,1,1,2-Tetrachloroethane Toluene 1,2,4-Trichlorobenzene 1,1,2-Trichloroethane Trichlorofluoromethane 1,2,3-Trichloropropane 1,3,5-Trimethylbenzene Xylenes

Confirmed COC: Phorate Acenaphthene Anthracene Benz[a]anthracene Benzo[b]fluoranthene Benzo[k]fluoranthene Benzo[a]pyrene Chrysene Dibenz[ah]anthracene Fluoranthene Fluorene Indeno[1,2,3-cd]pyrene Naphthalene Pyrene Propanil Isopropylbenzene (see Cumene n-Propylbenzene 1,1,1,2-Tetrachloroethane Toluene 1,2,4-Trichlorobenzene 1,1,2-Trichloroethane Trichlorofluoromethane 1,2,3-Trichloropropane 1,3,5-Trimethylbenzene Polychlorinated biphenyls (PCBs Polynuclear aromatic hydrocarbons (PAHs Tetrachloroethylene (PCE Toxaphene 1,1,1-Trichloroethane (TCA Trichloroethylene (TCE Acetone Aldrin Baygon Benzoic acid Bis(2-ethylhexyl)phthalate (DEHP) Butyl benzyl phthalate Carbaryl Carbofuran Chloroethane Chloroform Chlorpropham Cumene (isopropylbenzene Dacthal Dalapon Diazinon Dibenzofuran Dicamba 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,2-Dichloroethane (EDC 1,1-Dichloroethylene 2,4-Dichlorophenol 1,2-Dichloropropane Dieldrin Dinoseb Diuron Endosulfan Ethion Ethylbenzene Heptachlor Heptachlor epoxide Hexachlorobenzene Hexachlorobutadiene Isophorone Linuron Methomyl Methoxychlor Methylene chloride Napropamide Parathion Pendimethalin Pentachlorophenol Benzene Chlordane DDD DDE DDT Endrin Xylenes

Potential Description: SOIL
Alias Name: 253-090-008-5
Alias Type: APN
Alias Name: CAD073134777
Alias Type: EPA Identification Number
Alias Name: 110000609761
Alias Type: EPA (FRS #)
Alias Name: 110033620277
Alias Type: EPA (FRS #)
Alias Name: SLT8R0363921
Alias Type: GeoTracker Global ID
Alias Name: P41050
Alias Type: PCode
Alias Name: 400161
Alias Type: Project Code (Site Code)
Alias Name: 33890001
Alias Type: Envirostor ID Number

Completed Info:
Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 05/24/2007
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: 5 Year Review Reports
Completed Date: 01/09/2012
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report

UNIVERSITY OF CALIFORNIA RIVERSIDE (Continued) **S104857696**

Completed Date: 02/07/2011
Comments: Approval letter mailed out

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 07/08/2011
Comments: 36th Semi-Annual GW Monitoring Report for UCR's Pits site was approved on 7/8/2011

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Other Report
Completed Date: 08/21/2017
Comments: UCR Accepted all DTSC's comments in writing

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction Monitoring Report
Completed Date: 08/22/2019
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction - Site Inspection/Visit
Completed Date: 09/17/2007
Comments: Deed restriction inspection.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction - Site Inspection/Visit
Completed Date: 02/18/2010
Comments: Completed and uploaded the copy of the Deed Restrictions Annual Inspection Report on EnviroStor

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Correspondence
Completed Date: 07/16/2010
Comments: Letter was mailed on July 16, 2010

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 09/09/2010
Comments: Annual Cost Estmailes for UCR Pts Site for 2011

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: * Remedial or Removal Design
Completed Date: 09/06/1996
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Remedial Action Plan
Completed Date: 05/16/1996

UNIVERSITY OF CALIFORNIA RIVERSIDE (Continued) **S104857696**

Comments:	DTSC approved the Draft Remedial Action Plan for the site.
Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Remedial Investigation / Feasibility Study
Completed Date:	10/10/1995
Comments:	Site is adjacent to the University of California, Riverside research facility. Contaminants include pesticides, chlori- nated herbicides, PCBs, and solvents.
Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Preliminary Assessment Report
Completed Date:	06/01/1984
Comments:	Preliminary Assessment Done: Agricultural & scientific research operations. Three pits and one landfill. Pits were filled-in. 15,000 cubic feet of materials are buried in the landfill. Currently, wastes are packed with vermiculite in 55-gallon drums, stored in paved/fenced/covered storage area, and hauled under manifest to a Class I disposal area (Hauler: Findly Chemical Disposal Co). No mark fence around landfill. Pits were active from 1959 to 1969. Preliminary Assessment submitted to EPA.
Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	* Remedial or Removal Design
Completed Date:	06/19/2000
Comments:	Remedial Design for pesticides contaminated soil clean-up using low temperature thermal degradation unit (Transporable Treatment Unit ITTU)) at site.
Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Monitoring Report
Completed Date:	02/23/2010
Comments:	Not reported
Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Monitoring Report
Completed Date:	07/12/2010
Comments:	Letter of approval sent to RP
Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Soils Management Plan
Completed Date:	11/05/2015
Comments:	Not reported
Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Land Use Restriction Monitoring Report
Completed Date:	04/07/2016
Comments:	Not reported
Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported

UNIVERSITY OF CALIFORNIA RIVERSIDE (Continued) **S104857696**

Completed Document Type: Monitoring Report
Completed Date: 11/21/2017
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction Monitoring Report
Completed Date: 02/08/2017
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Fact Sheets
Completed Date: 09/16/2020
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction - Site Inspection/Visit
Completed Date: 03/02/2009
Comments: Commpleted Deed Restriction Inspection Report

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Certification
Completed Date: 12/18/2006
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: * Order
Completed Date: 11/30/1989
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction
Completed Date: 07/26/2006
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Project Management
Completed Date: 06/30/2021
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 10/05/2020
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Public Participation Plan / Community Relations Plan
Completed Date: 12/31/1987
Comments: Not reported

UNIVERSITY OF CALIFORNIA RIVERSIDE (Continued) **S104857696**

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Remedial Action Completion Report
Completed Date: 02/06/2006
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Operation and Maintenance Plan
Completed Date: 05/12/2006
Comments: Operation and Maintenance Agreement for Pesticide Pits.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Operation and Maintenance Report
Completed Date: 02/07/2006
Comments: The Groundwater Monitoring Operation and Maintenance Plan was approved.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 06/09/2009
Comments: Combined 31st Semiannual Groundwater Monitoring and 2008 Annual Monitoring Report approved.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 09/01/2009
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Soils Management Plan
Completed Date: 07/01/2005
Comments: Document received by DTSC.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: 5 Year Review Reports
Completed Date: 11/21/2017
Comments: Completed pending tech memo concerning one-time groundwater sampling event

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: * Amended Order/Agreement, Chapter 6.5 transition
Completed Date: 12/21/1998
Comments: Transition to Chapter 6.5 - Amendment to the existing Site Investigation Agreement, Docket No. HSA 89/90-005 signed by the RP.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 10/14/2016
Comments: Not reported

UNIVERSITY OF CALIFORNIA RIVERSIDE (Continued) **S104857696**

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 11/30/2017
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: No Further Action Letter
Completed Date: 07/03/2020
Comments: Sent via email

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction Monitoring Report
Completed Date: 01/30/2015
Comments: None

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Operation and Maintenance Report
Completed Date: 01/31/2013
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction Monitoring Report
Completed Date: 03/03/2020
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Soils Management Plan
Completed Date: 11/17/2020
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction Monitoring Report
Completed Date: 02/01/2021
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 10/01/2012
Comments: None

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 09/20/2013
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction - Site Inspection/Visit

UNIVERSITY OF CALIFORNIA RIVERSIDE (Continued) **S104857696**

Completed Date: 02/18/2014
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Triage Meeting
Completed Date: 07/21/2015
Comments: Conference call held and no action due to statue of limitation

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 11/04/2014
Comments: 2014-15 Cost Estimate and Letter to RP mailed

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 08/21/2015
Comments: 2015-16 Cost Estimate Letter and REW Sheet mailed to RP

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 04/20/2009
Comments: Comments need to be addressed.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 04/20/2009
Comments: Comments need to be addressed.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Deed/LUR Enforcement & Implementation Plan
Completed Date: 01/09/2012
Comments: none

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction Monitoring Report
Completed Date: 03/01/2018
Comments: .

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction - Site Inspection/Visit
Completed Date: 03/21/2011
Comments: Annual Deed Restriction Inspection for year 2011

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 10/18/2011
Comments: 2012 Cost Estimates and Letter to RP was sent out.

UNIVERSITY OF CALIFORNIA RIVERSIDE (Continued) **S104857696**

Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Land Use Restriction - Site Inspection/Visit
Completed Date:	07/08/2013
Comments:	Not reported
Future Area Name:	Not reported
Future Sub Area Name:	Not reported
Future Document Type:	Not reported
Future Due Date:	Not reported
Schedule Area Name:	Not reported
Schedule Sub Area Name:	Not reported
Schedule Document Type:	Not reported
Schedule Due Date:	Not reported
Schedule Revised Date:	Not reported

ENVIROSTOR:

Name:	UNIVERSITY OF CALIFORNIA RIVERSIDE
Address:	1060 MARTIN LUTHER KING BOULEVARD
City,State,Zip:	RIVERSIDE, CA 92521
Facility ID:	33890001
Status:	Certified O&M - Land Use Restrictions Only
Status Date:	12/15/2010
Site Code:	400161
Site Type:	State Response
Site Type Detailed:	State Response or NPL
Acres:	3.25
NPL:	NO
Regulatory Agencies:	SMBRP
Lead Agency:	SMBRP
Program Manager:	Anthony Rosas
Supervisor:	Maryam Tasnif-Abbasi
Division Branch:	Cleanup Cypress
Assembly:	61
Senate:	31
Special Program:	Not reported
Restricted Use:	YES
Site Mgmt Req:	REM, DAY, HOS, LUC, MON, EX, GW, OIL, NUSE, NSUB, EXT, FOOD
Funding:	Responsible Party
Latitude:	33.96321
Longitude:	-117.3356
APN:	253-090-008-5
Past Use:	AGRICULTURAL - ORCHARD, LABORATORIES- CHEMICAL, PESTICIDE/INSECTIDE/RODENTICIDE STORAGE
Potential COC:	Benzene Chlordane DDD DDE DDT Endrin Polychlorinated biphenyls (PCBs Polynuclear aromatic hydrocarbons (PAHs Tetrachloroethylene (PCE Toxaphene 1,1,1-Trichloroethane (TCA Trichloroethylene (TCE Acetone Aldrin Baygon Benzoic acid Bis(2-ethylhexyl)phthalate (DEHP) Butyl benzyl phthalate Carbaryl Carbofuran Chloroethane Chloroform Chlorpropham Cumene (isopropylbenzene Dacthal Dalapon Diazinon Dibenzofuran Dicamba 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,2-Dichloroethane (EDC 1,1-Dichloroethylene 2,4-Dichlorophenol 1,2-Dichloropropane Dieldrin Dinoseb Diuron Endosulfan Ethion Ethylbenzene Heptachlor Heptachlor epoxide Hexachlorobenzene Hexachlorobutadiene Isophorone Linuron Methomyl Methoxychlor Methylene chloride Napropamide Parathion Pendimethalin Pentachlorophenol Phorate Acenaphthene Anthracene Benz[a]anthracene

UNIVERSITY OF CALIFORNIA RIVERSIDE (Continued) **S104857696**

Benzo[b]fluoranthene Benzo[k]fluoranthene Benzo[a]pyrene Chrysene Dibenz[ah]anthracene Fluoranthene Fluorene Indeno[1,2,3-cd]pyrene Naphthalene Pyrene Propanil Isopropylbenzene (see Cumene n-Propylbenzene 1,1,1,2-Tetrachloroethane Toluene 1,2,4-Trichlorobenzene 1,1,2-Trichloroethane Trichlorofluoromethane 1,2,3-Trichloropropane 1,3,5-Trimethylbenzene Xylenes

Confirmed COC: Phorate Acenaphthene Anthracene Benz[a]anthracene Benzo[b]fluoranthene Benzo[k]fluoranthene Benzo[a]pyrene Chrysene Dibenz[ah]anthracene Fluoranthene Fluorene Indeno[1,2,3-cd]pyrene Naphthalene Pyrene Propanil Isopropylbenzene (see Cumene n-Propylbenzene 1,1,1,2-Tetrachloroethane Toluene 1,2,4-Trichlorobenzene 1,1,2-Trichloroethane Trichlorofluoromethane 1,2,3-Trichloropropane 1,3,5-Trimethylbenzene Polychlorinated biphenyls (PCBs Polynuclear aromatic hydrocarbons (PAHs Tetrachloroethylene (PCE Toxaphene 1,1,1-Trichloroethane (TCA Trichloroethylene (TCE Acetone Aldrin Baygon Benzoic acid Bis(2-ethylhexyl)phthalate (DEHP) Butyl benzyl phthalate Carbaryl Carbofuran Chloroethane Chloroform Chlorpropham Cumene (isopropylbenzene Dacthal Dalapon Diazinon Dibenzofuran Dicamba 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,2-Dichloroethane (EDC 1,1-Dichloroethylene 2,4-Dichlorophenol 1,2-Dichloropropane Dieldrin Dinoseb Diuron Endosulfan Ethion Ethylbenzene Heptachlor Heptachlor epoxide Hexachlorobenzene Hexachlorobutadiene Isophorone Linuron Methomyl Methoxychlor Methylene chloride Napropamide Parathion Pendimethalin Pentachlorophenol Benzene Chlordane DDD DDE DDT Endrin Xylenes

Potential Description: SOIL

Alias Name:	253-090-008-5
Alias Type:	APN
Alias Name:	CAD073134777
Alias Type:	EPA Identification Number
Alias Name:	110000609761
Alias Type:	EPA (FRS #)
Alias Name:	110033620277
Alias Type:	EPA (FRS #)
Alias Name:	SLT8R0363921
Alias Type:	GeoTracker Global ID
Alias Name:	P41050
Alias Type:	PCode
Alias Name:	400161
Alias Type:	Project Code (Site Code)
Alias Name:	33890001
Alias Type:	Envirostor ID Number

Completed Info:

Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Monitoring Report
Completed Date:	05/24/2007
Comments:	Not reported
Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	5 Year Review Reports
Completed Date:	01/09/2012
Comments:	Not reported
Completed Area Name:	PROJECT WIDE

UNIVERSITY OF CALIFORNIA RIVERSIDE (Continued) **S104857696**

Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 02/07/2011
Comments: Approval letter mailed out

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 07/08/2011
Comments: 36th Semi-Annual GW Monitoring Report for UCR's Pits site was approved on 7/8/2011

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Other Report
Completed Date: 08/21/2017
Comments: UCR Accepted all DTSC's comments in writing

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction Monitoring Report
Completed Date: 08/22/2019
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction - Site Inspection/Visit
Completed Date: 09/17/2007
Comments: Deed restriction inspection.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction - Site Inspection/Visit
Completed Date: 02/18/2010
Comments: Completed and uploaded the copy of the Deed Restrictions Annual Inspection Report on EnviroStor

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Correspondence
Completed Date: 07/16/2010
Comments: Letter was mailed on July 16, 2010

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 09/09/2010
Comments: Annual Cost Estmailes for UCR Pts Site for 2011

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: * Remedial or Removal Design
Completed Date: 09/06/1996
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported

UNIVERSITY OF CALIFORNIA RIVERSIDE (Continued) **S104857696**

Completed Document Type: Remedial Action Plan
Completed Date: 05/16/1996
Comments: DTSC approved the Draft Remedial Action Plan for the site.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Remedial Investigation / Feasibility Study
Completed Date: 10/10/1995
Comments: Site is adjacent to the University of California, Riverside research facility. Contaminants include pesticides, chlori- nated herbicides, PCBs, and solvents.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Preliminary Assessment Report
Completed Date: 06/01/1984
Comments: Preliminary Assessment Done: Agricultural & scientific research operations. Three pits and one landfill. Pits were filled-in. 15,000 cubic feet of materials are buried in the landfill. Currently, wastes are packed with vermiculite in 55-gallon drums, stored in paved/fenced/covered storage area, and hauled under manifest to a Class I disposal area (Hauler: Findly Chemical Disposal Co). No mark fence around landfill. Pits were active from 1959 to 1969. Preliminary Assessment submitted to EPA.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: * Remedial or Removal Design
Completed Date: 06/19/2000
Comments: Remedial Design for pesticides contaminated soil clean-up using low temperature thermal degradation unit (Transporable Treatment Unit ITTU)) at site.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 02/23/2010
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 07/12/2010
Comments: Letter of approval sent to RP

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Soils Management Plan
Completed Date: 11/05/2015
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction Monitoring Report
Completed Date: 04/07/2016
Comments: Not reported

UNIVERSITY OF CALIFORNIA RIVERSIDE (Continued) **S104857696**

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 11/21/2017
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction Monitoring Report
Completed Date: 02/08/2017
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Fact Sheets
Completed Date: 09/16/2020
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction - Site Inspection/Visit
Completed Date: 03/02/2009
Comments: Commpleted Deed Restriction Inspection Report

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Certification
Completed Date: 12/18/2006
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: * Order
Completed Date: 11/30/1989
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction
Completed Date: 07/26/2006
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Project Management
Completed Date: 06/30/2021
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 10/05/2020
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Public Participation Plan / Community Relations Plan

UNIVERSITY OF CALIFORNIA RIVERSIDE (Continued) **S104857696**

Completed Date: 12/31/1987
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Remedial Action Completion Report
Completed Date: 02/06/2006
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Operation and Maintenance Plan
Completed Date: 05/12/2006
Comments: Operation and Maintenance Agreement for Pesticide Pits.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Operation and Maintenance Report
Completed Date: 02/07/2006
Comments: The Groundwater Monitoring Operation and Maintenance Plan was approved.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 06/09/2009
Comments: Combined 31st Semiannual Groundwater Monitoring and 2008 Annual Monitoring Report approved.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 09/01/2009
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Soils Management Plan
Completed Date: 07/01/2005
Comments: Document received by DTSC.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: 5 Year Review Reports
Completed Date: 11/21/2017
Comments: Completed pending tech memo concerning one-time groundwater sampling event

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: * Amended Order/Agreement, Chapter 6.5 transition
Completed Date: 12/21/1998
Comments: Transition to Chapter 6.5 - Amendment to the existing Site Investigation Agreement, Docket No. HSA 89/90-005 signed by the RP.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported

UNIVERSITY OF CALIFORNIA RIVERSIDE (Continued) **S104857696**

Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 10/14/2016
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 11/30/2017
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: No Further Action Letter
Completed Date: 07/03/2020
Comments: Sent via email

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction Monitoring Report
Completed Date: 01/30/2015
Comments: None

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Operation and Maintenance Report
Completed Date: 01/31/2013
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction Monitoring Report
Completed Date: 03/03/2020
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Soils Management Plan
Completed Date: 11/17/2020
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction Monitoring Report
Completed Date: 02/01/2021
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 10/01/2012
Comments: None

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 09/20/2013
Comments: Not reported

UNIVERSITY OF CALIFORNIA RIVERSIDE (Continued) **S104857696**

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction - Site Inspection/Visit
Completed Date: 02/18/2014
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Triage Meeting
Completed Date: 07/21/2015
Comments: Conference call held and no action due to statue of limitation

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 11/04/2014
Comments: 2014-15 Cost Estimate and Letter to RP mailed

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 08/21/2015
Comments: 2015-16 Cost Estimate Letter and REW Sheet mailed to RP

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 04/20/2009
Comments: Comments need to be addressed.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 04/20/2009
Comments: Comments need to be addressed.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Deed/LUR Enforcement & Implementation Plan
Completed Date: 01/09/2012
Comments: none

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction Monitoring Report
Completed Date: 03/01/2018
Comments: .

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction - Site Inspection/Visit
Completed Date: 03/21/2011
Comments: Annual Deed Restriction Inspection for year 2011

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate

UNIVERSITY OF CALIFORNIA RIVERSIDE (Continued) **S104857696**

Completed Date: 10/18/2011
Comments: 2012 Cost Estimates and Letter to RP was sent out.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction - Site Inspection/Visit
Completed Date: 07/08/2013
Comments: Not reported

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported
Schedule Document Type: Not reported
Schedule Due Date: Not reported
Schedule Revised Date: Not reported

RIVERSIDE CO. LUST:
Name: UCR - AG OPS
Address: 1060 MARTIN LUTHER KING B
City,State,Zip: RIVERSIDE, CA
Region: RIVERSIDE
Facility ID: 9915484
Employee: Boltinghous-LOP
Site Closed: Yes
Case Type: Soil only
Facility Status: closed/action completed
Casetype Decode: Soil only is impacted
Fstatus Decode: Closed/Action completed

DEED:
Name: UNIVERSITY OF CALIFORNIA RIVERSIDE
Address: 1060 MARTIN LUTHER KING BOULEVARD
City,State,Zip: RIVERSIDE, CA 92521
Envirostor ID: 33890001
Area: PROJECT WIDE
Sub Area: Not reported
Site Type: STATE RESPONSE
Status: CERTIFIED O&M - LAND USE RESTRICTIONS ONLY
Agency: Not reported
Covenant Uploaded: Not reported
Deed Date(s): Not reported
File Name: Envirostor Land Use Restrictions

AM189 **UNIVERSITY OF CALIFORNIA - RIVERSIDE** **HIST Cal-Sites** **S100833324**
SSE **1060 PENNSYLVANIA AVENUE** **CA BOND EXP. PLAN** **N/A**
1/2-1 **RIVERSIDE, CA 92521** **HIST CORTESE**
0.812 mi.
4286 ft. **Site 2 of 2 in cluster AM**

Relative: **Higher**
Actual: **997 ft.**

Calsite:
Name: UNIVERSITY OF CALIFORNIA RIVERSIDE
Address: 1060 PENNSYLVANIA AVENUE
City: RIVERSIDE
Region: CYPRESS

UNIVERSITY OF CALIFORNIA - RIVERSIDE (Continued) **S100833324**

Facility ID:	33890001
Facility Type:	RP
Type:	RESPONSIBLE PARTY
Branch:	SB
Branch Name:	SO CAL - CYPRESS
File Name:	Not reported
State Senate District:	01011985
Status:	ANNUAL WORKPLAN (AWP) - ACTIVE SITE
Status Name:	ANNUAL WORKPLAN - ACTIVE SITE
Lead Agency:	DEPT OF TOXIC SUBSTANCES CONTROL
NPL:	Not Listed
SIC Code:	89
SIC Name:	MISCELLANEOUS SERVICES
Access:	Not reported
Cortese:	Not reported
Hazardous Ranking Score:	Not reported
Date Site Hazard Ranked:	Not reported
Groundwater Contamination:	Suspected
Staff Member Responsible for Site:	GHOLMES
Supervisor Responsible for Site:	Not reported
Region Water Control Board:	SA
Region Water Control Board Name:	SANTA ANA
Lat/Long Direction:	Not reported
Lat/Long (dms):	0 0 0 / 0 0 0
Lat/long Method:	Not reported
Lat/Long Description:	Not reported
State Assembly District Code:	64
State Senate District Code:	31
Facility ID:	33890001
Activity:	PPP
Activity Name:	PUBLIC PARTICIPATION PLAN
AWP Code:	Not reported
Proposed Budget:	0
AWP Completion Date:	Not reported
Revised Due Date:	Not reported
Comments Date:	12301987
Est Person-Yrs to complete:	0
Estimated Size:	Not reported
Request to Delete Activity:	Not reported
Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	0
Liquids Treated (Gals):	0
Action Included Capping:	Not reported
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	Not reported
Activity Comments:	Not reported
For Commercial Reuse:	0
For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0
Facility ID:	33890001
Activity:	ORDER
Activity Name:	I/SE, IORSE, FFA, FFSRA, VCA, EA
AWP Code:	Not reported
Proposed Budget:	0

UNIVERSITY OF CALIFORNIA - RIVERSIDE (Continued) **S100833324**

AWP Completion Date:	Not reported
Revised Due Date:	Not reported
Comments Date:	11301989
Est Person-Yrs to complete:	0
Estimated Size:	Not reported
Request to Delete Activity:	Not reported
Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	0
Liquids Treated (Gals):	0
Action Included Capping:	Not reported
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	Not reported
Activity Comments:	Not reported
For Commercial Reuse:	0
For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0
Facility ID:	33890001
Activity:	RIFS
Activity Name:	REMEDIAL INVESTIGATION / FEASIBILITY STUDY
AWP Code:	Not reported
Proposed Budget:	0
AWP Completion Date:	Not reported
Revised Due Date:	Not reported
Comments Date:	10101995
Est Person-Yrs to complete:	0
Estimated Size:	L
Request to Delete Activity:	Not reported
Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	0
Liquids Treated (Gals):	0
Action Included Capping:	Not reported
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	Not reported
Activity Comments:	Not reported
For Commercial Reuse:	0
For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0
Facility ID:	33890001
Activity:	RAP
Activity Name:	REMEDIAL ACTION PLAN / RECORD OF DECISION
AWP Code:	Not reported
Proposed Budget:	0
AWP Completion Date:	Not reported
Revised Due Date:	Not reported
Comments Date:	05161996
Est Person-Yrs to complete:	0.17000
Estimated Size:	L
Request to Delete Activity:	Not reported
Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	0

UNIVERSITY OF CALIFORNIA - RIVERSIDE (Continued) **S100833324**

Liquids Treated (Gals):	0
Action Included Capping:	Not reported
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	Not reported
Activity Comments:	Not reported
For Commercial Reuse:	0
For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0
Facility ID:	33890001
Activity:	DES
Activity Name:	DESIGN
AWP Code:	Not reported
Proposed Budget:	0
AWP Completion Date:	Not reported
Revised Due Date:	Not reported
Comments Date:	09061996
Est Person-Yrs to complete:	0
Estimated Size:	L
Request to Delete Activity:	Not reported
Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	0
Liquids Treated (Gals):	0
Action Included Capping:	Not reported
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	Not reported
Activity Comments:	Not reported
For Commercial Reuse:	0
For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0
Facility ID:	33890001
Activity:	RMDL
Activity Name:	REMEDIAL ACTION (RAP REQUIRED)
AWP Code:	Not reported
Proposed Budget:	0
AWP Completion Date:	09302004
Revised Due Date:	03012005
Comments Date:	Not reported
Est Person-Yrs to complete:	0
Estimated Size:	L
Request to Delete Activity:	Not reported
Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	0
Liquids Treated (Gals):	0
Action Included Capping:	Not reported
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	Not reported
Activity Comments:	Not reported
For Commercial Reuse:	0
For Industrial Reuse:	0
For Residential Reuse:	0

UNIVERSITY OF CALIFORNIA - RIVERSIDE (Continued) **S100833324**

Unknown Type:	0
Facility ID:	33890001
Activity:	CERT
Activity Name:	CERTIFICATION
AWP Code:	Not reported
Proposed Budget:	0
AWP Completion Date:	06302005
Revised Due Date:	Not reported
Comments Date:	Not reported
Est Person-Yrs to complete:	0
Estimated Size:	L
Request to Delete Activity:	Not reported
Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	0
Liquids Treated (Gals):	0
Action Included Capping:	Not reported
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	Not reported
Activity Comments:	Not reported
For Commercial Reuse:	0
For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0
Facility ID:	33890001
Activity:	CHP65
Activity Name:	AMENDED ORDER/AGREEMENT, CHAPTER 6.5 TRANSITION
AWP Code:	ORDER
Proposed Budget:	0
AWP Completion Date:	Not reported
Revised Due Date:	Not reported
Comments Date:	12211998
Est Person-Yrs to complete:	0
Estimated Size:	Not reported
Request to Delete Activity:	Not reported
Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	0
Liquids Treated (Gals):	0
Action Included Capping:	Not reported
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	Not reported
Activity Comments:	Not reported
For Commercial Reuse:	0
For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0
Facility ID:	33890001
Activity:	OM
Activity Name:	OPERATION & MAINTENANCE
AWP Code:	Not reported
Proposed Budget:	0
AWP Completion Date:	06302030
Revised Due Date:	Not reported
Comments Date:	Not reported

UNIVERSITY OF CALIFORNIA - RIVERSIDE (Continued) **S100833324**

Est Person-Yrs to complete:	0
Estimated Size:	Not reported
Request to Delete Activity:	Not reported
Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	0
Liquids Treated (Gals):	0
Action Included Capping:	Not reported
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	Not reported
Activity Comments:	Not reported
For Commercial Reuse:	0
For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0
Facility ID:	33890001
Activity:	DES
Activity Name:	DESIGN
AWP Code:	PEST.
Proposed Budget:	0
AWP Completion Date:	Not reported
Revised Due Date:	Not reported
Comments Date:	06192000
Est Person-Yrs to complete:	0
Estimated Size:	Not reported
Request to Delete Activity:	Not reported
Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	0
Liquids Treated (Gals):	0
Action Included Capping:	Not reported
Well Decommissioned:	Not reported
Action Included Fencing:	Not reported
Removal Action Certification:	Not reported
Activity Comments:	Not reported
For Commercial Reuse:	0
For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0
Facility ID:	33890001
Activity:	DEED
Activity Name:	DEED RESTRICTIONS
AWP Code:	Not reported
Proposed Budget:	0
AWP Completion Date:	12312004
Revised Due Date:	04302005
Comments Date:	Not reported
Est Person-Yrs to complete:	0
Estimated Size:	Not reported
Request to Delete Activity:	Not reported
Activity Status:	AWP
Definition of Status:	ANNUAL WORKPLAN - ACTIVE SITE
Liquids Removed (Gals):	0
Liquids Treated (Gals):	0
Action Included Capping:	Not reported
Well Decommissioned:	Not reported

UNIVERSITY OF CALIFORNIA - RIVERSIDE (Continued) **S100833324**

Action Included Fencing:	Not reported
Removal Action Certification:	Not reported
Activity Comments:	Not reported
For Commercial Reuse:	0
For Industrial Reuse:	0
For Residential Reuse:	0
Unknown Type:	0
Alternate Address:	900 UNIVERSITY AVENUE
Alternate City,St,Zip:	RIVERSIDE, CA
Alternate Address:	1060 PENNSYLVANIA AVENUE
Alternate City,St,Zip:	RIVERSIDE, CA 92521
Background Info:	The site consists of seven pits located in the Agricultural Operations yard of the University of California,Riverside campus. A wide diversity of organic chemicals including organichlorine pesticides, chlorinated herbicides, solvents, hydrocarbons, and polychlorinated biphenyls (PCBs) have been identified in the pits. The pits were used from the mid-1950s, to the late 1960s, for the disposal of agricultural wastes and containers which presumably contained residual waste generated during research into various experimental pesticides. The disposal pits are not lined and there is potential for contamination of groundwater which is used for domestic supply. The pits are covered and there is little potential direct exposure. The first stage of a two stage RI/FS has been completed. The first stage identified the types of soil contamination and location of the pits.
Comments Date:	01141991
Comments:	DHS received EPA FIT SSI Reassessment. EPA is taking no
Comments Date:	01141991
Comments:	further action due to DHS lead (07/20/90).
Comments Date:	02101981
Comments:	DHS ISD Permit issued.
Comments Date:	03261997
Comments:	Field work to start Spring 1997.
Comments Date:	03261997
Comments:	Not reported
Comments Date:	05161996
Comments:	DTSC approved the Draft Remedial Action Plan for the site.
Comments Date:	05161996
Comments:	Not reported
Comments Date:	06011984
Comments:	Preliminary Assessment Done: Agricultural & scientific
Comments Date:	06011984
Comments:	research operations. Three pits and one landfill. Pits were
Comments Date:	06011984
Comments:	filled-in. 15,000 cubic feet of materials are buried in the
Comments Date:	06011984
Comments:	landfill. Currently, wastes are packed with vermiculite in
Comments Date:	06011984
Comments:	55-gallon drums, stored in paved/fenced/covered storage
Comments Date:	06011984
Comments:	area, and hauled under manifest to a Class I disposal area
Comments Date:	06011984
Comments:	(Hauler: Findly Chemical Disposal Co). No mark fence around
Comments Date:	06011984
Comments:	landfill. Pits were active from 1959 to 1969.
Comments Date:	06011984

UNIVERSITY OF CALIFORNIA - RIVERSIDE (Continued) **S100833324**

Comments:	Preliminary Assessment submitted to EPA.
Comments Date:	06061983
Comments:	DHS ISD Inspection: No violations observed.
Comments Date:	06192000
Comments:	Remedial Design for pesticides contaminated soil clean-up using
Comments Date:	07102003
Comments:	DTSC provided comments on site closure report.
Comments Date:	07102003
Comments:	Not reported
Comments Date:	07251991
Comments:	Site is adjacent to the University of California, Riverside
Comments Date:	07251991
Comments:	research facility. Contaminants include pesticides, chlori-
Comments Date:	07251991
Comments:	nated herbicides, PCBs, and solvents.
Comments Date:	09041985
Comments:	DHS received EPA E&E FIT Inspection Report (E&E REP NO C(85)
Comments Date:	09041985
Comments:	C338): Confirm DHS PA information. Underlying aquifer is not
Comments Date:	09041985
Comments:	used for drinking. DHS has the lead.
Comments Date:	09171996
Comments:	On Sep. 6, 1996 DTSC approved the final Remedial Design for
Comments Date:	09171996
Comments:	the Waste Pits area, with certain conditions.
Comments Date:	09171996
Comments:	Not reported
Comments Date:	09301997
Comments:	Field work suspended due to contract dispute.
Comments Date:	09301997
Comments:	Not reported
Comments Date:	10101995
Comments:	DTSC accepted an addendum to address the extensive comments
Comments Date:	10101995
Comments:	received during the review process and has subsequently
Comments Date:	10101995
Comments:	approved the RI/FS report. Additional plots of contaminated
Comments Date:	10101995
Comments:	areas were provided; treatability study results were also
Comments Date:	10101995
Comments:	reviewed and found acceptable.
Comments Date:	12042001
Comments:	Site clean-up activity is ongoing using LTTD Unit at site.
Comments Date:	12211998
Comments:	Transition to Chapter 6.5 - Amendment to the existing Site
Comments Date:	12211998
Comments:	Investigation Agreement, Docket No. HSA 89/90-005 signed by the
Comments Date:	12211998
Comments:	RP.
Comments Date:	06192000
Comments:	low temperature thermal degradation unit (Transporable Treatment
Comments Date:	06192000
Comments:	Unit ITTU)) at site.
ID Name:	CALSTARS CODE
ID Value:	400161
ID Name:	BEP DATABASE PCODE
ID Value:	P41050

UNIVERSITY OF CALIFORNIA - RIVERSIDE (Continued) **S100833324**

ID Name: EPA IDENTIFICATION NUMBER
ID Value: CAD073134777
Alternate Name: UNIVERSITY OF CALIFORNIA RIVERSIDE
Alternate Name: Not reported
Special Programs Code: R3012
Special Programs Name: RCRA 3012

CA BOND EXP. PLAN:
Reponsible Party: RESPONSIBLE PARTY LEAD SITE CLEANUP WORKPLAN
Project Revenue Source Company: Not reported
Project Revenue Source Addr: Not reported
Project Revenue Source City,St,Zip: Not reported
Project Revenue Source Desc: The University of California Riverside Board of Regents and the Department are negotiating an enforceable agreement that will require the Regents to continue to conduct RI/FS activities. DHS has budgeted $50,000 for related direct costs and DHS willrecover 100 percent of those costs plus staff costs and overhead related to the project. The Regents will pay all costs associated with site investigation and remediation.
Site Description: The site is adjacent to the University of California Riverside research facility. Pesticides and other hazardous substances from research activities were disposed of in pits on the site.
Hazardous Waste Desc: Empty chemical containers, pesticides, miscellaneous experimental chemicals and lab stock chemicals were disposed of in unlined pits. The wastes identified in previous investigations include pesticides, chlorinated herbicides, solvents and polychlorinated biphenyls (PCBs).
Threat To Public Health & Env: The variety of substances disposed of may present problems related to incompatibility of wastes and breakdown of constituents to more hazardous materials. The disposal sites are neither lined nor monitored. There is potential for contamination of ground water which is used for domestic supply. The pits are covered and there is little potential for direct exposure.
Site Activity Status: The University of California completed remedial studies to identify soil contamination in April, 1988. Additional studies of soil and ground water are continuing.

HIST CORTESE:
edr_fname: UNIVERSITY OF CALIFORNIA
edr_fadd1: 1060 PENNSYLVANIA
City,State,Zip: RIVERSIDE, CA 92507
Region: CORTESE
Facility County Code: 33
Reg By: CALSI
Reg Id: 33890001

190
West
1/2-1
0.864 mi.
4561 ft.

SINGLETARY, KING
2675 THIRD
RIVERSIDE, CA 90040

Notify 65 **S100179304**
N/A

Relative:
Lower

Actual:
882 ft.

NOTIFY 65:
Name: SINGLETARY, KING
Address: 2675 THIRD
City,State,Zip: RIVERSIDE, CA 90040
Date Reported: Not reported
Staff Initials: Not reported
Board File Number: Not reported
Facility Type: Not reported

SINGLETARY, KING (Continued) **S100179304**

Discharge Date: Not reported
Issue Date: Not reported
Incident Description: Not reported
Global ID: Not reported
Status: Not reported

---

191 **RIVERSIDE FERTILIZER WORKS** **ENVIROSTOR** **S103647597**
West **2622 3RD ST** **N/A**
1/2-1 **RIVERSIDE, CA 92507**
0.866 mi.
4572 ft.

Relative: **Lower**

Actual: **885 ft.**

ENVIROSTOR:
Name: RIVERSIDE FERTILIZER WORKS
Address: 2622 3RD ST
City,State,Zip: RIVERSIDE, CA 92507
Facility ID: 60000208
Status: Inactive - Needs Evaluation
Status Date: 03/06/2006
Site Code: Not reported
Site Type: Evaluation
Site Type Detailed: Evaluation
Acres: 1.36
NPL: NO
Regulatory Agencies: SMBRP, US EPA
Lead Agency: SMBRP
Program Manager: Not reported
Supervisor: * Greg Holmes
Division Branch: Cleanup Cypress
Assembly: 61
Senate: 31
Special Program: EPA - PASI
Restricted Use: NO
Site Mgmt Req: NONE SPECIFIED
Funding: Not Applicable
Latitude: 33.98251
Longitude: -117.3633
APN: 211-021-023
Past Use: RETAIL
Potential COC: Perchlorate
Confirmed COC: 30017-NO
Potential Description: OTH, SOIL
Alias Name: Western Farm Service
Alias Type: Alternate Name
Alias Name: 211-021-023
Alias Type: APN
Alias Name: CAN000908312
Alias Type: EPA Identification Number
Alias Name: 60000208
Alias Type: Envirostor ID Number

Completed Info:
Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Site Screening
Completed Date: 06/13/2006
Comments: Site Screening Assessment Report submitted to EPA.

RIVERSIDE FERTILIZER WORKS (Continued) **S103647597**

Future Area Name:	Not reported
Future Sub Area Name:	Not reported
Future Document Type:	Not reported
Future Due Date:	Not reported
Schedule Area Name:	Not reported
Schedule Sub Area Name:	Not reported
Schedule Document Type:	Not reported
Schedule Due Date:	Not reported
Schedule Revised Date:	Not reported

---

192 West 1/2-1 0.945 mi. 4988 ft.

1X RIVERSIDE SCRAP IRON & METAL
2993 SIXTH STREET
RIVERSIDE, CA 92517

ENVIROSTOR VCP HAZNET HWTS **S113010552 N/A**

Relative: Lower

Actual: 882 ft.

ENVIROSTOR:

Name:	RIVERSIDE SCRAP IRON & METAL CORP.
Address:	2993 SIXTH STREET
City,State,Zip:	RIVERSIDE, CA 92507
Facility ID:	60002350
Status:	Active
Status Date:	04/25/2016
Site Code:	401986
Site Type:	Voluntary Cleanup
Site Type Detailed:	Voluntary Agreement
Acres:	7
NPL:	NO
Regulatory Agencies:	SMBRP
Lead Agency:	SMBRP
Program Manager:	Aslam Shareef
Supervisor:	Shahir Haddad
Division Branch:	Southern California Schools & Brownfields Outreach
Assembly:	, 61
Senate:	, 31
Special Program:	Voluntary Agreement - CLRRA
Restricted Use:	NO
Site Mgmt Req:	NONE SPECIFIED
Funding:	Responsible Party
Latitude:	33.98017
Longitude:	-117.3645
APN:	NONE SPECIFIED
Past Use:	RECYCLING - SCRAP METAL
Potential COC:	Lead Polychlorinated biphenyls (PCBs
Confirmed COC:	30013-NO 30018-NO
Potential Description:	SOIL, SV
Alias Name:	Iron Lofts
Alias Type:	Alternate Name
Alias Name:	401746
Alias Type:	Project Code (Site Code)
Alias Name:	401959
Alias Type:	Project Code (Site Code)
Alias Name:	401986
Alias Type:	Project Code (Site Code)
Alias Name:	60002350
Alias Type:	Envirostor ID Number

Completed Info:

1X RIVERSIDE SCRAP IRON & METAL (Continued) **S113010552**

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Preliminary Endangerment Assessment Report
Completed Date: 04/11/2017
Comments: DTSC approved the PEA with a Further Action determination

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Public Notice
Completed Date: 09/06/2019
Comments: Public Notice (Spanish & English)

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Public Participation Plan / Community Relations Plan
Completed Date: 11/30/2017
Comments: Public Participation Plan (PPP) finalized in November 2017

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Remedial Action Plan
Completed Date: 10/16/2019
Comments: DTSC processed RAP Implementation letter

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Fact Sheets
Completed Date: 09/06/2019
Comments: DTSC completed Community Update (Spanish and English)

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Project Management
Completed Date: 06/30/2021
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 09/06/2019
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 09/04/2020
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: California Land Reuse and Revitalization Agreement
Completed Date: 02/07/2022
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: State/Federal Funded Site Contract

1X RIVERSIDE SCRAP IRON & METAL (Continued) **S113010552**

Completed Date: 06/30/2021
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Correspondence
Completed Date: 11/20/2020
Comments: Received Email response from Responsible Party

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Application
Completed Date: 08/31/2021
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Correspondence
Completed Date: 04/25/2016
Comments: Santa Ana Regional Water Quality Control Board sent letter, dated 04/25/16, transferring the Regulatory Oversight to DTSC for this Site.
Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: CEQA - Initial Study/ Environmental Impact Report
Completed Date: 01/02/2020
Comments: DTSC Completed IS

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 02/27/2018
Comments: Updated FY 17/18 Oversight Cost Estimate letter sent to RP on 2/27/18.
Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 10/10/2018
Comments: FY 18/19 Estimate: $26,713

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Preliminary Endangerment Assessment Workplan
Completed Date: 12/02/2016
Comments: DTSC approved the Preliminary Environmental Assessment Technical Memorandum for implementation.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Voluntary Cleanup Agreement Termination Notification
Completed Date: 08/31/2021
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported

1X RIVERSIDE SCRAP IRON & METAL (Continued) **S113010552**

Completed Document Type:	Other Report
Completed Date:	11/12/2020
Comments:	DTSC Completed Site Visit on 11/12/2020
Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Fieldwork
Completed Date:	09/08/2021
Comments:	Not reported
Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Standard Voluntary Agreement
Completed Date:	07/28/2016
Comments:	Fully executed VCA sent via email and regular mail to RP on 07/28/16.
Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Annual Oversight Cost Estimate
Completed Date:	09/19/2016
Comments:	Annual Cost Estimate letter sent to RP on 9/19/16.
Future Area Name:	Not reported
Future Sub Area Name:	Not reported
Future Document Type:	Not reported
Future Due Date:	Not reported
Schedule Area Name:	PROJECT WIDE
Schedule Sub Area Name:	Not reported
Schedule Document Type:	AB 389 Response Plan
Schedule Due Date:	06/30/2023
Schedule Revised Date:	Not reported
Schedule Area Name:	PROJECT WIDE
Schedule Sub Area Name:	Not reported
Schedule Document Type:	Site Characterization Report
Schedule Due Date:	06/30/2023
Schedule Revised Date:	Not reported
Schedule Area Name:	PROJECT WIDE
Schedule Sub Area Name:	Not reported
Schedule Document Type:	Remedial Action Completion Report
Schedule Due Date:	06/30/2023
Schedule Revised Date:	Not reported

VCP:

Name:	RIVERSIDE SCRAP IRON & METAL CORP.
Address:	2993 SIXTH STREET
City,State,Zip:	RIVERSIDE, CA 92507
Facility ID:	60002350
Site Type:	Voluntary Cleanup
Site Type Detail:	Voluntary Agreement
Site Mgmt. Req.:	NONE SPECIFIED
Acres:	7
National Priorities List:	NO
Cleanup Oversight Agencies:	SMBRP
Lead Agency:	SMBRP
Lead Agency Description:	DTSC - Site Cleanup Program
Project Manager:	Aslam Shareef
Supervisor:	Shahir Haddad

1X RIVERSIDE SCRAP IRON & METAL (Continued) **S113010552**

Division Branch:	Southern California Schools & Brownfields Outreach
Site Code:	401986
Assembly:	, 61
Senate:	, 31
Special Programs Code:	Voluntary Agreement - CLRRA
Status:	Active
Status Date:	04/25/2016
Restricted Use:	NO
Funding:	Responsible Party
Lat/Long:	33.98017 / -117.3645
APN:	NONE SPECIFIED
Past Use:	RECYCLING - SCRAP METAL
Potential COC:	30013, 30018
Confirmed COC:	30013-NO,30018-NO
Potential Description:	SOIL, SV
Alias Name:	Iron Lofts
Alias Type:	Alternate Name
Alias Name:	401746
Alias Type:	Project Code (Site Code)
Alias Name:	401959
Alias Type:	Project Code (Site Code)
Alias Name:	401986
Alias Type:	Project Code (Site Code)
Alias Name:	60002350
Alias Type:	Envirostor ID Number

Completed Info:

Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Preliminary Endangerment Assessment Report
Completed Date:	04/11/2017
Comments:	DTSC approved the PEA with a Further Action determination
Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Public Notice
Completed Date:	09/06/2019
Comments:	Public Notice (Spanish & English)
Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Public Participation Plan / Community Relations Plan
Completed Date:	11/30/2017
Comments:	Public Participation Plan (PPP) finalized in November 2017
Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Remedial Action Plan
Completed Date:	10/16/2019
Comments:	DTSC processed RAP Implementation letter
Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Fact Sheets
Completed Date:	09/06/2019
Comments:	DTSC completed Community Update (Spanish and English)
Completed Area Name:	PROJECT WIDE

1X RIVERSIDE SCRAP IRON & METAL (Continued) **S113010552**

Completed Sub Area Name: Not reported
Completed Document Type: Project Management
Completed Date: 06/30/2021
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 09/06/2019
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 09/04/2020
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: California Land Reuse and Revitalization Agreement
Completed Date: 02/07/2022
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: State/Federal Funded Site Contract
Completed Date: 06/30/2021
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Correspondence
Completed Date: 11/20/2020
Comments: Received Email response from Responsible Party

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Application
Completed Date: 08/31/2021
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Correspondence
Completed Date: 04/25/2016
Comments: Santa Ana Regional Water Quality Control Board sent letter, dated 04/25/16, transferring the Regulatory Oversight to DTSC for this Site. Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: CEQA - Initial Study/ Environmental Impact Report
Completed Date: 01/02/2020
Comments: DTSC Completed IS

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported

1X RIVERSIDE SCRAP IRON & METAL (Continued) **S113010552**

Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 02/27/2018
Comments: Updated FY 17/18 Oversight Cost Estimate letter sent to RP on 2/27/18.
Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 10/10/2018
Comments: FY 18/19 Estimate: $26,713

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Preliminary Endangerment Assessment Workplan
Completed Date: 12/02/2016
Comments: DTSC approved the Preliminary Environmental Assessment Technical Memorandum for implementation.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Voluntary Cleanup Agreement Termination Notification
Completed Date: 08/31/2021
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Other Report
Completed Date: 11/12/2020
Comments: DTSC Completed Site Visit on 11/12/2020

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Fieldwork
Completed Date: 09/08/2021
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Standard Voluntary Agreement
Completed Date: 07/28/2016
Comments: Fully executed VCA sent via email and regular mail to RP on 07/28/16.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 09/19/2016
Comments: Annual Cost Estimate letter sent to RP on 9/19/16.

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Schedule Area Name: PROJECT WIDE
Schedule Sub Area Name: Not reported
Schedule Document Type: AB 389 Response Plan
Schedule Due Date: 06/30/2023
Schedule Revised Date: Not reported

1X RIVERSIDE SCRAP IRON & METAL (Continued) **S113010552**

Schedule Area Name: PROJECT WIDE
Schedule Sub Area Name: Not reported
Schedule Document Type: Site Characterization Report
Schedule Due Date: 06/30/2023
Schedule Revised Date: Not reported
Schedule Area Name: PROJECT WIDE
Schedule Sub Area Name: Not reported
Schedule Document Type: Remedial Action Completion Report
Schedule Due Date: 06/30/2023
Schedule Revised Date: Not reported

HAZNET:
Name: 1X RIVERSIDE SCRAP IRON & METAL
Address: 2993 SIXTH STREET
Address 2: Not reported
City,State,Zip: RIVERSIDE, CA 925170000
Contact: RAJ GANDHI V P
Telephone: 7136862120
Mailing Name: Not reported
Mailing Address: P O BOX 5288

Year: 1993
Gepaid: CAD981694649
TSD EPA ID: CAD000088252
CA Waste Code: 222 - Oil/water separation sludge
Disposal Method: H01 - Transfer Station
Tons: 0.2293

Year: 1989
Gepaid: CAD981694649
TSD EPA ID: CAD008302903
CA Waste Code: 181 - Other inorganic solid waste
Disposal Method: -
Tons: 0

Year: 1987
Gepaid: CAD981694649
TSD EPA ID: CAD020748125
CA Waste Code: 611 - Contaminated soil from site clean-up
Disposal Method: D80 - Disposal, Land Fill
Tons: 0.2107

Additional Info:
Year: 1993
Gen EPA ID: CAD981694649

Shipment Date: 19930429
Creation Date: 9/8/1995 0:00:00
Receipt Date: 19930518
Manifest ID: 92302508
Trans EPA ID: CAL000048587
Trans Name: Not reported
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
TSDF EPA ID: CAD000088252

1X RIVERSIDE SCRAP IRON & METAL (Continued) **S113010552**

Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	222 - Oil/water separation sludge
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.2293
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

HWTS:

Name:	1X RIVERSIDE SCRAP IRON & METAL
Address:	2993 SIXTH STREET
Address 2:	Not reported
City,State,Zip:	RIVERSIDE, CA 92517
EPA ID:	CAD981694649
Inactive Date:	01/01/1991
Create Date:	01/23/1987
Last Act Date:	Not reported
Mailing Name:	Not reported
Mailing Address:	P O BOX 5288
Mailing Address 2:	Not reported
Mailing City,State,Zip:	RIVERSIDE, CA 925170000
Owner Name:	Not reported
Owner Address:	Not reported
Owner Address 2:	Not reported
Owner City,State,Zip:	Not reported
Contact Name:	RAJ GANDHI V P
Contact Address:	Not reported
Contact Address 2:	Not reported
City,State,Zip:	Not reported
Facility Status:	Inactive
Facility Type:	PERMANENT
Category:	STATE
Latitude:	33.97993
Longitude:	-117.364531

193
West
1/2-1
0.959 mi.
5064 ft.

WEILAND & COMPANY **ENVIROSTOR** **S107737593**
3491 COMMERCE **N/A**
RIVERSIDE, CA 92507

Relative:
Lower

Actual:
878 ft.

ENVIROSTOR:

Name:	WEILAND & COMPANY
Address:	3491 COMMERCE
City,State,Zip:	RIVERSIDE, CA 92507
Facility ID:	60000227
Status:	Inactive - Needs Evaluation
Status Date:	03/06/2006
Site Code:	Not reported
Site Type:	Evaluation

WEILAND & COMPANY (Continued) **S107737593**

Site Type Detailed: Evaluation
Acres: 1.1
NPL: NO
Regulatory Agencies: SMBRP, US EPA
Lead Agency: SMBRP
Program Manager: Not reported
Supervisor: * Greg Holmes
Division Branch: Cleanup Cypress
Assembly: 64
Senate: 31
Special Program: EPA - PASI
Restricted Use: NO
Site Mgmt Req: NONE SPECIFIED
Funding: Not Applicable
Latitude: 33.98156
Longitude: -117.3651
APN: NONE SPECIFIED
Past Use: NONE SPECIFIED
Potential COC: NONE SPECIFIED
Confirmed COC: NONE SPECIFIED
Potential Description: NONE SPECIFIED
Alias Name: 60000227
Alias Type: Envirostor ID Number

Completed Info:
Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Site Screening
Completed Date: 06/13/2006
Comments: EPA Concurrence June 13,2006.

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported
Schedule Document Type: Not reported
Schedule Due Date: Not reported
Schedule Revised Date: Not reported

Count: 3 records. ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
RIVERSIDE	S103821018	SMITH PROPERTY	7TH ST	92507	LUST
RIVERSIDE	S108985921	UCR (PESTICIDE PITS)	N/A UNIVERSITY AVENUE		CPS-SLIC
RIVERSIDE	S104970783	UCR - PARKING LOT 6	UNIVERSITY OF CALIF, RIVERSIDE		LUST

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Lists of Federal NPL (Superfund) sites

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 07/26/2022
Date Data Arrived at EDR: 08/02/2022
Date Made Active in Reports: 08/22/2022
Number of Days to Update: 20

Source: EPA
Telephone: N/A
Last EDR Contact: 11/01/2022
Next Scheduled EDR Contact: 01/09/2023
Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 07/26/2022
Date Data Arrived at EDR: 08/02/2022
Date Made Active in Reports: 08/22/2022
Number of Days to Update: 20

Source: EPA
Telephone: N/A
Last EDR Contact: 11/01/2022
Next Scheduled EDR Contact: 01/09/2023
Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991
Date Data Arrived at EDR: 02/02/1994
Date Made Active in Reports: 03/30/1994
Number of Days to Update: 56

Source: EPA
Telephone: 202-564-4267
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

Lists of Federal Delisted NPL sites

Delisted NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 07/26/2022
Date Data Arrived at EDR: 08/02/2022
Date Made Active in Reports: 08/22/2022
Number of Days to Update: 20

Source: EPA
Telephone: N/A
Last EDR Contact: 11/01/2022
Next Scheduled EDR Contact: 01/09/2023
Data Release Frequency: Quarterly

Lists of Federal sites subject to CERCLA removals and CERCLA orders

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 05/25/2021
Date Data Arrived at EDR: 06/24/2021
Date Made Active in Reports: 09/20/2021
Number of Days to Update: 88

Source: Environmental Protection Agency
Telephone: 703-603-8704
Last EDR Contact: 09/06/2022
Next Scheduled EDR Contact: 01/10/2023
Data Release Frequency: Varies

SEMS: Superfund Enterprise Management System

SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly know as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 07/26/2022
Date Data Arrived at EDR: 08/02/2022
Date Made Active in Reports: 08/22/2022
Number of Days to Update: 20

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 11/01/2022
Next Scheduled EDR Contact: 01/23/2023
Data Release Frequency: Quarterly

Lists of Federal CERCLA sites with NFRAP

SEMS-ARCHIVE: Superfund Enterprise Management System Archive

SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that. based upon available information, the location is not judged to be potential NPL site.

Date of Government Version: 07/26/2022
Date Data Arrived at EDR: 08/02/2022
Date Made Active in Reports: 08/22/2022
Number of Days to Update: 20

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 11/01/2022
Next Scheduled EDR Contact: 01/23/2023
Data Release Frequency: Quarterly

Lists of Federal RCRA facilities undergoing Corrective Action

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 06/20/2022
Date Data Arrived at EDR: 06/21/2022
Date Made Active in Reports: 06/28/2022
Number of Days to Update: 7

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 09/19/2022
Next Scheduled EDR Contact: 01/02/2023
Data Release Frequency: Quarterly

Lists of Federal RCRA TSD facilities

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 06/20/2022
Date Data Arrived at EDR: 06/21/2022
Date Made Active in Reports: 06/28/2022
Number of Days to Update: 7

Source: Environmental Protection Agency
Telephone: (415) 495-8895
Last EDR Contact: 09/19/2022
Next Scheduled EDR Contact: 01/02/2023
Data Release Frequency: Quarterly

Lists of Federal RCRA generators

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 06/20/2022
Date Data Arrived at EDR: 06/21/2022
Date Made Active in Reports: 06/28/2022
Number of Days to Update: 7

Source: Environmental Protection Agency
Telephone: (415) 495-8895
Last EDR Contact: 09/19/2022
Next Scheduled EDR Contact: 01/02/2023
Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 06/20/2022
Date Data Arrived at EDR: 06/21/2022
Date Made Active in Reports: 06/28/2022
Number of Days to Update: 7

Source: Environmental Protection Agency
Telephone: (415) 495-8895
Last EDR Contact: 09/19/2022
Next Scheduled EDR Contact: 01/02/2023
Data Release Frequency: Quarterly

RCRA-VSQG: RCRA - Very Small Quantity Generators (Formerly Conditionally Exempt Small Quantity Generators)

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Very small quantity generators (VSQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 06/20/2022
Date Data Arrived at EDR: 06/21/2022
Date Made Active in Reports: 06/28/2022
Number of Days to Update: 7

Source: Environmental Protection Agency
Telephone: (415) 495-8895
Last EDR Contact: 09/19/2022
Next Scheduled EDR Contact: 01/02/2023
Data Release Frequency: Quarterly

Federal institutional controls / engineering controls registries

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 08/16/2022
Date Data Arrived at EDR: 08/22/2022
Date Made Active in Reports: 10/24/2022
Number of Days to Update: 63

Source: Department of the Navy
Telephone: 843-820-7326
Last EDR Contact: 11/01/2022
Next Scheduled EDR Contact: 02/20/2023
Data Release Frequency: Varies

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 08/15/2022
Date Data Arrived at EDR: 08/17/2022
Date Made Active in Reports: 10/24/2022
Number of Days to Update: 68

Source: Environmental Protection Agency
Telephone: 703-603-0695
Last EDR Contact: 08/17/2022
Next Scheduled EDR Contact: 12/05/2022
Data Release Frequency: Varies

US INST CONTROLS: Institutional Controls Sites List

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 08/15/2022
Date Data Arrived at EDR: 08/17/2022
Date Made Active in Reports: 10/24/2022
Number of Days to Update: 68

Source: Environmental Protection Agency
Telephone: 703-603-0695
Last EDR Contact: 08/17/2022
Next Scheduled EDR Contact: 12/05/2022
Data Release Frequency: Varies

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 06/14/2022
Date Data Arrived at EDR: 06/15/2022
Date Made Active in Reports: 06/21/2022
Number of Days to Update: 6

Source: National Response Center, United States Coast Guard
Telephone: 202-267-2180
Last EDR Contact: 09/20/2022
Next Scheduled EDR Contact: 01/02/2023
Data Release Frequency: Quarterly

Lists of state- and tribal (Superfund) equivalent sites

RESPONSE: State Response Sites

Identifies confirmed release sites where DTSC is involved in remediation, either in a lead or oversight capacity. These confirmed release sites are generally high-priority and high potential risk.

Date of Government Version: 07/25/2022
Date Data Arrived at EDR: 07/25/2022
Date Made Active in Reports: 10/05/2022
Number of Days to Update: 72

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 10/24/2022
Next Scheduled EDR Contact: 02/06/2023
Data Release Frequency: Quarterly

Lists of state- and tribal hazardous waste facilities

ENVIROSTOR: EnviroStor Database

The Department of Toxic Substances Control's (DTSC's) Site Mitigation and Brownfields Reuse Program's (SMBRP's) EnviroStor database identifes sites that have known contamination or sites for which there may be reasons to investigate further. The database includes the following site types: Federal Superfund sites (National Priorities List (NPL)); State Response, including Military Facilities and State Superfund; Voluntary Cleanup; and School sites. EnviroStor provides similar information to the information that was available in CalSites, and provides additional site information, including, but not limited to, identification of formerly-contaminated properties that have been released for reuse, properties where environmental deed restrictions have been recorded to prevent inappropriate land uses, and risk characterization information that is used to assess potential impacts to public health and the environment at contaminated sites.

Date of Government Version: 07/25/2022
Date Data Arrived at EDR: 07/25/2022
Date Made Active in Reports: 10/05/2022
Number of Days to Update: 72

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 10/24/2022
Next Scheduled EDR Contact: 02/06/2023
Data Release Frequency: Quarterly

Lists of state and tribal landfills and solid waste disposal facilities

SWF/LF (SWIS): Solid Waste Information System

Active, Closed and Inactive Landfills. SWF/LF records typically contain an inve ntory of solid waste disposal facilities or landfills. These may be active or i nactive facilities or open dumps that failed to meet RCRA Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 08/08/2022
Date Data Arrived at EDR: 08/08/2022
Date Made Active in Reports: 10/20/2022
Number of Days to Update: 73

Source: Department of Resources Recycling and Recovery
Telephone: 916-341-6320
Last EDR Contact: 08/08/2022
Next Scheduled EDR Contact: 11/21/2022
Data Release Frequency: Quarterly

Lists of state and tribal leaking storage tanks

LUST REG 3: Leaking Underground Storage Tank Database
Leaking Underground Storage Tank locations. Monterey, San Benito, San Luis Obispo, Santa Barbara, Santa Cruz counties.

Date of Government Version: 05/19/2003
Date Data Arrived at EDR: 05/19/2003
Date Made Active in Reports: 06/02/2003
Number of Days to Update: 14

Source: California Regional Water Quality Control Board Central Coast Region (3)
Telephone: 805-542-4786
Last EDR Contact: 07/18/2011
Next Scheduled EDR Contact: 10/31/2011
Data Release Frequency: No Update Planned

LUST REG 4: Underground Storage Tank Leak List
Los Angeles, Ventura counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 09/07/2004
Date Data Arrived at EDR: 09/07/2004
Date Made Active in Reports: 10/12/2004
Number of Days to Update: 35

Source: California Regional Water Quality Control Board Los Angeles Region (4)
Telephone: 213-576-6710
Last EDR Contact: 09/06/2011
Next Scheduled EDR Contact: 12/19/2011
Data Release Frequency: No Update Planned

LUST REG 5: Leaking Underground Storage Tank Database
Leaking Underground Storage Tank locations. Alameda, Alpine, Amador, Butte, Colusa, Contra Costa, Calveras, El Dorado, Fresno, Glenn, Kern, Kings, Lake, Lassen, Madera, Mariposa, Merced, Modoc, Napa, Nevada, Placer, Plumas, Sacramento, San Joaquin, Shasta, Solano, Stanislaus, Sutter, Tehama, Tulare, Tuolumne, Yolo, Yuba counties.

Date of Government Version: 07/01/2008
Date Data Arrived at EDR: 07/22/2008
Date Made Active in Reports: 07/31/2008
Number of Days to Update: 9

Source: California Regional Water Quality Control Board Central Valley Region (5)
Telephone: 916-464-4834
Last EDR Contact: 07/01/2011
Next Scheduled EDR Contact: 10/17/2011
Data Release Frequency: No Update Planned

LUST REG 7: Leaking Underground Storage Tank Case Listing
Leaking Underground Storage Tank locations. Imperial, Riverside, San Diego, Santa Barbara counties.

Date of Government Version: 02/26/2004
Date Data Arrived at EDR: 02/26/2004
Date Made Active in Reports: 03/24/2004
Number of Days to Update: 27

Source: California Regional Water Quality Control Board Colorado River Basin Region (7)
Telephone: 760-776-8943
Last EDR Contact: 08/01/2011
Next Scheduled EDR Contact: 11/14/2011
Data Release Frequency: No Update Planned

LUST REG 8: Leaking Underground Storage Tanks
California Regional Water Quality Control Board Santa Ana Region (8). For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 02/14/2005
Date Data Arrived at EDR: 02/15/2005
Date Made Active in Reports: 03/28/2005
Number of Days to Update: 41

Source: California Regional Water Quality Control Board Santa Ana Region (8)
Telephone: 909-782-4496
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

LUST REG 2: Fuel Leak List
Leaking Underground Storage Tank locations. Alameda, Contra Costa, Marin, Napa, San Francisco, San Mateo, Santa Clara, Solano, Sonoma counties.

Date of Government Version: 09/30/2004
Date Data Arrived at EDR: 10/20/2004
Date Made Active in Reports: 11/19/2004
Number of Days to Update: 30

Source: California Regional Water Quality Control Board San Francisco Bay Region (2)
Telephone: 510-622-2433
Last EDR Contact: 09/19/2011
Next Scheduled EDR Contact: 01/02/2012
Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

LUST REG 1: Active Toxic Site Investigation

Del Norte, Humboldt, Lake, Mendocino, Modoc, Siskiyou, Sonoma, Trinity counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 02/01/2001
Date Data Arrived at EDR: 02/28/2001
Date Made Active in Reports: 03/29/2001
Number of Days to Update: 29

Source: California Regional Water Quality Control Board North Coast (1)
Telephone: 707-570-3769
Last EDR Contact: 08/01/2011
Next Scheduled EDR Contact: 11/14/2011
Data Release Frequency: No Update Planned

LUST REG 6V: Leaking Underground Storage Tank Case Listing

Leaking Underground Storage Tank locations. Inyo, Kern, Los Angeles, Mono, San Bernardino counties.

Date of Government Version: 06/07/2005
Date Data Arrived at EDR: 06/07/2005
Date Made Active in Reports: 06/29/2005
Number of Days to Update: 22

Source: California Regional Water Quality Control Board Victorville Branch Office (6)
Telephone: 760-241-7365
Last EDR Contact: 09/12/2011
Next Scheduled EDR Contact: 12/26/2011
Data Release Frequency: No Update Planned

LUST: Leaking Underground Fuel Tank Report (GEOTRACKER)

Leaking Underground Storage Tank (LUST) Sites included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

Date of Government Version: 05/23/2022
Date Data Arrived at EDR: 05/23/2022
Date Made Active in Reports: 05/24/2022
Number of Days to Update: 1

Source: State Water Resources Control Board
Telephone: see region list
Last EDR Contact: 08/31/2022
Next Scheduled EDR Contact: 12/19/2022
Data Release Frequency: Quarterly

LUST REG 6L: Leaking Underground Storage Tank Case Listing

For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 09/09/2003
Date Data Arrived at EDR: 09/10/2003
Date Made Active in Reports: 10/07/2003
Number of Days to Update: 27

Source: California Regional Water Quality Control Board Lahontan Region (6)
Telephone: 530-542-5572
Last EDR Contact: 09/12/2011
Next Scheduled EDR Contact: 12/26/2011
Data Release Frequency: No Update Planned

LUST REG 9: Leaking Underground Storage Tank Report

Orange, Riverside, San Diego counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 03/01/2001
Date Data Arrived at EDR: 04/23/2001
Date Made Active in Reports: 05/21/2001
Number of Days to Update: 28

Source: California Regional Water Quality Control Board San Diego Region (9)
Telephone: 858-637-5595
Last EDR Contact: 09/26/2011
Next Scheduled EDR Contact: 01/09/2012
Data Release Frequency: No Update Planned

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 04/08/2022
Date Data Arrived at EDR: 06/13/2022
Date Made Active in Reports: 08/16/2022
Number of Days to Update: 64

Source: Environmental Protection Agency
Telephone: 415-972-3372
Last EDR Contact: 10/17/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Varies

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land

A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 04/28/2021
Date Data Arrived at EDR: 06/11/2021
Date Made Active in Reports: 09/07/2021
Number of Days to Update: 88
Source: EPA Region 1
Telephone: 617-918-1313
Last EDR Contact: 10/17/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Varies

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 04/14/2022
Date Data Arrived at EDR: 06/13/2022
Date Made Active in Reports: 08/16/2022
Number of Days to Update: 64
Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 10/17/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 04/20/2022
Date Data Arrived at EDR: 06/13/2022
Date Made Active in Reports: 08/16/2022
Number of Days to Update: 64
Source: EPA Region 8
Telephone: 303-312-6271
Last EDR Contact: 10/17/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Varies

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 04/20/2022
Date Data Arrived at EDR: 06/13/2022
Date Made Active in Reports: 08/16/2022
Number of Days to Update: 64
Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 10/17/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Varies

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 04/28/2022
Date Data Arrived at EDR: 06/13/2022
Date Made Active in Reports: 08/16/2022
Number of Days to Update: 64
Source: EPA Region 6
Telephone: 214-665-6597
Last EDR Contact: 10/17/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Varies

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 06/02/2022
Date Data Arrived at EDR: 06/13/2022
Date Made Active in Reports: 08/31/2022
Number of Days to Update: 79
Source: EPA Region 4
Telephone: 404-562-8677
Last EDR Contact: 10/17/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Varies

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land
Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 04/11/2022
Date Data Arrived at EDR: 06/13/2022
Date Made Active in Reports: 08/16/2022
Number of Days to Update: 64
Source: EPA, Region 5
Telephone: 312-886-7439
Last EDR Contact: 10/17/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Varies

CPS-SLIC: Statewide SLIC Cases (GEOTRACKER)

Cleanup Program Sites (CPS; also known as Site Cleanups [SC] and formerly known as Spills, Leaks, Investigations, and Cleanups [SLIC] sites) included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

Date of Government Version: 05/23/2022
Date Data Arrived at EDR: 05/23/2022
Date Made Active in Reports: 05/24/2022
Number of Days to Update: 1

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 08/31/2022
Next Scheduled EDR Contact: 12/19/2022
Data Release Frequency: Varies

SLIC REG 1: Active Toxic Site Investigations

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 04/03/2003
Date Data Arrived at EDR: 04/07/2003
Date Made Active in Reports: 04/25/2003
Number of Days to Update: 18

Source: California Regional Water Quality Control Board, North Coast Region (1)
Telephone: 707-576-2220
Last EDR Contact: 08/01/2011
Next Scheduled EDR Contact: 11/14/2011
Data Release Frequency: No Update Planned

SLIC REG 2: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 09/30/2004
Date Data Arrived at EDR: 10/20/2004
Date Made Active in Reports: 11/19/2004
Number of Days to Update: 30

Source: Regional Water Quality Control Board San Francisco Bay Region (2)
Telephone: 510-286-0457
Last EDR Contact: 09/19/2011
Next Scheduled EDR Contact: 01/02/2012
Data Release Frequency: No Update Planned

SLIC REG 3: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 05/18/2006
Date Data Arrived at EDR: 05/18/2006
Date Made Active in Reports: 06/15/2006
Number of Days to Update: 28

Source: California Regional Water Quality Control Board Central Coast Region (3)
Telephone: 805-549-3147
Last EDR Contact: 07/18/2011
Next Scheduled EDR Contact: 10/31/2011
Data Release Frequency: No Update Planned

SLIC REG 4: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 11/17/2004
Date Data Arrived at EDR: 11/18/2004
Date Made Active in Reports: 01/04/2005
Number of Days to Update: 47

Source: Region Water Quality Control Board Los Angeles Region (4)
Telephone: 213-576-6600
Last EDR Contact: 07/01/2011
Next Scheduled EDR Contact: 10/17/2011
Data Release Frequency: No Update Planned

SLIC REG 5: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 04/01/2005
Date Data Arrived at EDR: 04/05/2005
Date Made Active in Reports: 04/21/2005
Number of Days to Update: 16

Source: Regional Water Quality Control Board Central Valley Region (5)
Telephone: 916-464-3291
Last EDR Contact: 09/12/2011
Next Scheduled EDR Contact: 12/26/2011
Data Release Frequency: No Update Planned

SLIC REG 6V: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 05/24/2005
Date Data Arrived at EDR: 05/25/2005
Date Made Active in Reports: 06/16/2005
Number of Days to Update: 22

Source: Regional Water Quality Control Board, Victorville Branch
Telephone: 619-241-6583
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

SLIC REG 6L: SLIC Sites
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 09/07/2004
Date Data Arrived at EDR: 09/07/2004
Date Made Active in Reports: 10/12/2004
Number of Days to Update: 35

Source: California Regional Water Quality Control Board, Lahontan Region
Telephone: 530-542-5574
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

SLIC REG 7: SLIC List
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 11/24/2004
Date Data Arrived at EDR: 11/29/2004
Date Made Active in Reports: 01/04/2005
Number of Days to Update: 36

Source: California Regional Quality Control Board, Colorado River Basin Region
Telephone: 760-346-7491
Last EDR Contact: 08/01/2011
Next Scheduled EDR Contact: 11/14/2011
Data Release Frequency: No Update Planned

SLIC REG 8: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 04/03/2008
Date Data Arrived at EDR: 04/03/2008
Date Made Active in Reports: 04/14/2008
Number of Days to Update: 11

Source: California Region Water Quality Control Board Santa Ana Region (8)
Telephone: 951-782-3298
Last EDR Contact: 09/12/2011
Next Scheduled EDR Contact: 12/26/2011
Data Release Frequency: No Update Planned

SLIC REG 9: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 09/10/2007
Date Data Arrived at EDR: 09/11/2007
Date Made Active in Reports: 09/28/2007
Number of Days to Update: 17

Source: California Regional Water Quality Control Board San Diego Region (9)
Telephone: 858-467-2980
Last EDR Contact: 08/08/2011
Next Scheduled EDR Contact: 11/21/2011
Data Release Frequency: No Update Planned

Lists of state and tribal registered storage tanks

FEMA UST: Underground Storage Tank Listing
A listing of all FEMA owned underground storage tanks.

Date of Government Version: 10/14/2021
Date Data Arrived at EDR: 11/05/2021
Date Made Active in Reports: 02/01/2022
Number of Days to Update: 88

Source: FEMA
Telephone: 202-646-5797
Last EDR Contact: 09/27/2022
Next Scheduled EDR Contact: 01/16/2023
Data Release Frequency: Varies

UST CLOSURE: Proposed Closure of Underground Storage Tank (UST) Cases

UST cases that are being considered for closure by either the State Water Resources Control Board or the Executive Director have been posted for a 60-day public comment period. UST Case Closures being proposed for consideration by the State Water Resources Control Board. These are primarily UST cases that meet closure criteria under the decisional framework in State Water Board Resolution No. 92-49 and other Board orders. UST Case Closures proposed for consideration by the Executive Director pursuant to State Water Board Resolution No. 2012-0061. These are cases that meet the criteria of the Low-Threat UST Case Closure Policy. UST Case Closure Review Denials and Approved Orders.

Date of Government Version: 06/01/2022
Date Data Arrived at EDR: 06/09/2022
Date Made Active in Reports: 08/26/2022
Number of Days to Update: 78

Source: State Water Resources Control Board
Telephone: 916-327-7844
Last EDR Contact: 08/31/2022
Next Scheduled EDR Contact: 12/19/2022
Data Release Frequency: Varies

UST: Active UST Facilities

Active UST facilities gathered from the local regulatory agencies

Date of Government Version: 06/06/2022
Date Data Arrived at EDR: 06/07/2022
Date Made Active in Reports: 08/24/2022
Number of Days to Update: 78

Source: SWRCB
Telephone: 916-341-5851
Last EDR Contact: 08/31/2022
Next Scheduled EDR Contact: 12/19/2022
Data Release Frequency: Semi-Annually

MILITARY UST SITES: Military UST Sites (GEOTRACKER)

Military ust sites

Date of Government Version: 05/23/2022
Date Data Arrived at EDR: 05/23/2022
Date Made Active in Reports: 06/02/2022
Number of Days to Update: 10

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 08/31/2022
Next Scheduled EDR Contact: 12/19/2022
Data Release Frequency: Varies

AST: Aboveground Petroleum Storage Tank Facilities

A listing of aboveground storage tank petroleum storage tank locations.

Date of Government Version: 07/06/2016
Date Data Arrived at EDR: 07/12/2016
Date Made Active in Reports: 09/19/2016
Number of Days to Update: 69

Source: California Environmental Protection Agency
Telephone: 916-327-5092
Last EDR Contact: 09/07/2022
Next Scheduled EDR Contact: 12/26/2022
Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 06/02/2022
Date Data Arrived at EDR: 06/13/2022
Date Made Active in Reports: 08/31/2022
Number of Days to Update: 79

Source: EPA Region 4
Telephone: 404-562-9424
Last EDR Contact: 10/17/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Varies

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 04/20/2022
Date Data Arrived at EDR: 06/13/2022
Date Made Active in Reports: 08/16/2022
Number of Days to Update: 64

Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 10/17/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Varies

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 04/14/2022
Date Data Arrived at EDR: 06/13/2022
Date Made Active in Reports: 08/16/2022
Number of Days to Update: 64

Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 10/17/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Varies

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 04/20/2022
Date Data Arrived at EDR: 06/13/2022
Date Made Active in Reports: 08/16/2022
Number of Days to Update: 64

Source: EPA Region 8
Telephone: 303-312-6137
Last EDR Contact: 10/17/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Varies

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 04/08/2022
Date Data Arrived at EDR: 06/13/2022
Date Made Active in Reports: 08/16/2022
Number of Days to Update: 64

Source: EPA Region 9
Telephone: 415-972-3368
Last EDR Contact: 10/17/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Varies

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 04/07/2022
Date Data Arrived at EDR: 06/13/2022
Date Made Active in Reports: 08/16/2022
Number of Days to Update: 64

Source: EPA, Region 1
Telephone: 617-918-1313
Last EDR Contact: 10/17/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 04/28/2022
Date Data Arrived at EDR: 06/13/2022
Date Made Active in Reports: 08/16/2022
Number of Days to Update: 64

Source: EPA Region 6
Telephone: 214-665-7591
Last EDR Contact: 10/17/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Varies

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 04/11/2022
Date Data Arrived at EDR: 06/13/2022
Date Made Active in Reports: 08/16/2022
Number of Days to Update: 64

Source: EPA Region 5
Telephone: 312-886-6136
Last EDR Contact: 10/17/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Varies

Lists of state and tribal voluntary cleanup sites

INDIAN VCP R7: Voluntary Cleanup Priority Lisitng
A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008
Date Data Arrived at EDR: 04/22/2008
Date Made Active in Reports: 05/19/2008
Number of Days to Update: 27

Source: EPA, Region 7
Telephone: 913-551-7365
Last EDR Contact: 07/08/2021
Next Scheduled EDR Contact: 07/20/2009
Data Release Frequency: Varies

INDIAN VCP R1: Voluntary Cleanup Priority Listing
A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 07/27/2015
Date Data Arrived at EDR: 09/29/2015
Date Made Active in Reports: 02/18/2016
Number of Days to Update: 142

Source: EPA, Region 1
Telephone: 617-918-1102
Last EDR Contact: 09/13/2022
Next Scheduled EDR Contact: 01/02/2023
Data Release Frequency: Varies

VCP: Voluntary Cleanup Program Properties
Contains low threat level properties with either confirmed or unconfirmed releases and the project proponents have request that DTSC oversee investigation and/or cleanup activities and have agreed to provide coverage for DTSC's costs.

Date of Government Version: 07/25/2022
Date Data Arrived at EDR: 07/25/2022
Date Made Active in Reports: 10/05/2022
Number of Days to Update: 72

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 10/24/2022
Next Scheduled EDR Contact: 02/06/2023
Data Release Frequency: Quarterly

Lists of state and tribal brownfield sites

BROWNFIELDS: Considered Brownfieds Sites Listing
A listing of sites the SWRCB considers to be Brownfields since these are sites have come to them through the MOA Process.

Date of Government Version: 06/21/2022
Date Data Arrived at EDR: 06/21/2022
Date Made Active in Reports: 09/08/2022
Number of Days to Update: 79

Source: State Water Resources Control Board
Telephone: 916-323-7905
Last EDR Contact: 09/19/2022
Next Scheduled EDR Contact: 01/02/2023
Data Release Frequency: Quarterly

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites
Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 02/23/2022
Date Data Arrived at EDR: 03/10/2022
Date Made Active in Reports: 03/10/2022
Number of Days to Update: 0

Source: Environmental Protection Agency
Telephone: 202-566-2777
Last EDR Contact: 09/09/2022
Next Scheduled EDR Contact: 12/26/2022
Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

WMUDS/SWAT: Waste Management Unit Database

Waste Management Unit Database System. WMUDS is used by the State Water Resources Control Board staff and the Regional Water Quality Control Boards for program tracking and inventory of waste management units. WMUDS is composed of the following databases: Facility Information, Scheduled Inspections Information, Waste Management Unit Information, SWAT Program Information, SWAT Report Summary Information, SWAT Report Summary Data, Chapter 15 (formerly Subchapter 15) Information, Chapter 15 Monitoring Parameters, TPCA Program Information, RCRA Program Information, Closure Information, and Interested Parties Information.

Date of Government Version: 04/01/2000
Date Data Arrived at EDR: 04/10/2000
Date Made Active in Reports: 05/10/2000
Number of Days to Update: 30

Source: State Water Resources Control Board
Telephone: 916-227-4448
Last EDR Contact: 10/20/2022
Next Scheduled EDR Contact: 02/06/2023
Data Release Frequency: No Update Planned

SWRCY: Recycler Database

A listing of recycling facilities in California.

Date of Government Version: 06/06/2022
Date Data Arrived at EDR: 06/07/2022
Date Made Active in Reports: 08/23/2022
Number of Days to Update: 77

Source: Department of Conservation
Telephone: 916-323-3836
Last EDR Contact: 08/31/2022
Next Scheduled EDR Contact: 12/19/2022
Data Release Frequency: Quarterly

HAULERS: Registered Waste Tire Haulers Listing

A listing of registered waste tire haulers.

Date of Government Version: 08/12/2022
Date Data Arrived at EDR: 08/16/2022
Date Made Active in Reports: 08/26/2022
Number of Days to Update: 10

Source: Integrated Waste Management Board
Telephone: 916-341-6422
Last EDR Contact: 11/01/2022
Next Scheduled EDR Contact: 02/20/2023
Data Release Frequency: Varies

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998
Date Data Arrived at EDR: 12/03/2007
Date Made Active in Reports: 01/24/2008
Number of Days to Update: 52

Source: Environmental Protection Agency
Telephone: 703-308-8245
Last EDR Contact: 10/20/2022
Next Scheduled EDR Contact: 02/06/2023
Data Release Frequency: Varies

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009
Date Data Arrived at EDR: 05/07/2009
Date Made Active in Reports: 09/21/2009
Number of Days to Update: 137

Source: EPA, Region 9
Telephone: 415-947-4219
Last EDR Contact: 10/11/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: No Update Planned

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985
Date Data Arrived at EDR: 08/09/2004
Date Made Active in Reports: 09/17/2004
Number of Days to Update: 39

Source: Environmental Protection Agency
Telephone: 800-424-9346
Last EDR Contact: 06/09/2004
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

IHS OPEN DUMPS: Open Dumps on Indian Land

A listing of all open dumps located on Indian Land in the United States.

Date of Government Version: 04/01/2014
Date Data Arrived at EDR: 08/06/2014
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 176

Source: Department of Health & Human Serivces, Indian Health Service
Telephone: 301-443-1452
Last EDR Contact: 10/28/2022
Next Scheduled EDR Contact: 02/06/2023
Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations that have been removed from the DEAs National Clandestine Laboratory Register.

Date of Government Version: 07/29/2022
Date Data Arrived at EDR: 08/18/2022
Date Made Active in Reports: 10/24/2022
Number of Days to Update: 67

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 08/18/2022
Next Scheduled EDR Contact: 12/05/2022
Data Release Frequency: No Update Planned

HIST CAL-SITES: Calsites Database

The Calsites database contains potential or confirmed hazardous substance release properties. In 1996, California EPA reevaluated and significantly reduced the number of sites in the Calsites database. No longer updated by the state agency. It has been replaced by ENVIROSTOR.

Date of Government Version: 08/08/2005
Date Data Arrived at EDR: 08/03/2006
Date Made Active in Reports: 08/24/2006
Number of Days to Update: 21

Source: Department of Toxic Substance Control
Telephone: 916-323-3400
Last EDR Contact: 02/23/2009
Next Scheduled EDR Contact: 05/25/2009
Data Release Frequency: No Update Planned

SCH: School Property Evaluation Program

This category contains proposed and existing school sites that are being evaluated by DTSC for possible hazardous materials contamination. In some cases, these properties may be listed in the CalSites category depending on the level of threat to public health and safety or the environment they pose.

Date of Government Version: 07/25/2022
Date Data Arrived at EDR: 07/25/2022
Date Made Active in Reports: 10/05/2022
Number of Days to Update: 72

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 10/24/2022
Next Scheduled EDR Contact: 02/06/2023
Data Release Frequency: Quarterly

CDL: Clandestine Drug Labs

A listing of drug lab locations. Listing of a location in this database does not indicate that any illegal drug lab materials were or were not present there, and does not constitute a determination that the location either requires or does not require additional cleanup work.

Date of Government Version: 12/31/2019
Date Data Arrived at EDR: 01/20/2021
Date Made Active in Reports: 04/08/2021
Number of Days to Update: 78

Source: Department of Toxic Substances Control
Telephone: 916-255-6504
Last EDR Contact: 09/27/2022
Next Scheduled EDR Contact: 01/16/2023
Data Release Frequency: Varies

CERS HAZ WASTE: CERS HAZ WASTE

List of sites in the California Environmental Protection Agency (CalEPA) Regulated Site Portal which fall under the Hazardous Chemical Management, Hazardous Waste Onsite Treatment, Household Hazardous Waste Collection, Hazardous Waste Generator, and RCRA LQ HW Generator programs.

Date of Government Version: 07/18/2022
Date Data Arrived at EDR: 07/18/2022
Date Made Active in Reports: 09/30/2022
Number of Days to Update: 74

Source: CalEPA
Telephone: 916-323-2514
Last EDR Contact: 10/17/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Quarterly

TOXIC PITS: Toxic Pits Cleanup Act Sites

Toxic PITS Cleanup Act Sites. TOXIC PITS identifies sites suspected of containing hazardous substances where cleanup has not yet been completed.

Date of Government Version: 07/01/1995
Date Data Arrived at EDR: 08/30/1995
Date Made Active in Reports: 09/26/1995
Number of Days to Update: 27

Source: State Water Resources Control Board
Telephone: 916-227-4364
Last EDR Contact: 01/26/2009
Next Scheduled EDR Contact: 04/27/2009
Data Release Frequency: No Update Planned

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 07/29/2022
Date Data Arrived at EDR: 08/18/2022
Date Made Active in Reports: 10/24/2022
Number of Days to Update: 67

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 08/18/2022
Next Scheduled EDR Contact: 12/05/2022
Data Release Frequency: Quarterly

AQUEOUS FOAM: Former Fire Training Facility Assessments Listing

Airports shown on this list are those believed to use Aqueous Film Forming Foam (AFFF), and certified by the Federal Aviation Administration (FAA) under Title 14, Code of Federal Regulations (CFR), Part 139 (14 CFR Part 139). This list was created by SWRCB using information available from the FAA. Location points shown are from the latitude and longitude listed on the FAA airport master record.

Date of Government Version: 09/06/2022
Date Data Arrived at EDR: 09/06/2022
Date Made Active in Reports: 10/26/2022
Number of Days to Update: 50

Source: State Water Resources Control Board
Telephone: 916-341-5455
Last EDR Contact: 09/06/2022
Next Scheduled EDR Contact: 12/19/2022
Data Release Frequency: Varies

PFAS: PFAS Contamination Site Location Listing

A listing of PFAS contaminated sites included in the GeoTracker database.

Date of Government Version: 08/31/2022
Date Data Arrived at EDR: 08/31/2022
Date Made Active in Reports: 10/31/2022
Number of Days to Update: 61

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 08/31/2022
Next Scheduled EDR Contact: 12/19/2022
Data Release Frequency: Varies

Local Lists of Registered Storage Tanks

SWEEPS UST: SWEEPS UST Listing

Statewide Environmental Evaluation and Planning System. This underground storage tank listing was updated and maintained by a company contacted by the SWRCB in the early 1990's. The listing is no longer updated or maintained. The local agency is the contact for more information on a site on the SWEEPS list.

Date of Government Version: 06/01/1994
Date Data Arrived at EDR: 07/07/2005
Date Made Active in Reports: 08/11/2005
Number of Days to Update: 35

Source: State Water Resources Control Board
Telephone: N/A
Last EDR Contact: 06/03/2005
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

HIST UST: Hazardous Substance Storage Container Database

The Hazardous Substance Storage Container Database is a historical listing of UST sites. Refer to local/county source for current data.

Date of Government Version: 10/15/1990
Date Data Arrived at EDR: 01/25/1991
Date Made Active in Reports: 02/12/1991
Number of Days to Update: 18

Source: State Water Resources Control Board
Telephone: 916-341-5851
Last EDR Contact: 07/26/2001
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

SAN FRANCISCO AST: Aboveground Storage Tank Site Listing

Aboveground storage tank sites

Date of Government Version: 08/04/2022
Date Data Arrived at EDR: 08/04/2022
Date Made Active in Reports: 10/20/2022
Number of Days to Update: 77

Source: San Francisco County Department of Public Health
Telephone: 415-252-3896
Last EDR Contact: 10/26/2022
Next Scheduled EDR Contact: 02/16/2023
Data Release Frequency: Varies

CERS TANKS: California Environmental Reporting System (CERS) Tanks

List of sites in the California Environmental Protection Agency (CalEPA) Regulated Site Portal which fall under the Aboveground Petroleum Storage and Underground Storage Tank regulatory programs.

Date of Government Version: 07/18/2022
Date Data Arrived at EDR: 07/18/2022
Date Made Active in Reports: 09/30/2022
Number of Days to Update: 74

Source: California Environmental Protection Agency
Telephone: 916-323-2514
Last EDR Contact: 10/17/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Quarterly

CA FID UST: Facility Inventory Database

The Facility Inventory Database (FID) contains a historical listing of active and inactive underground storage tank locations from the State Water Resource Control Board. Refer to local/county source for current data.

Date of Government Version: 10/31/1994
Date Data Arrived at EDR: 09/05/1995
Date Made Active in Reports: 09/29/1995
Number of Days to Update: 24

Source: California Environmental Protection Agency
Telephone: 916-341-5851
Last EDR Contact: 12/28/1998
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

Local Land Records

LIENS: Environmental Liens Listing

A listing of property locations with environmental liens for California where DTSC is a lien holder.

Date of Government Version: 05/25/2022
Date Data Arrived at EDR: 05/26/2022
Date Made Active in Reports: 08/11/2022
Number of Days to Update: 77

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 08/23/2022
Next Scheduled EDR Contact: 12/12/2022
Data Release Frequency: Varies

LIENS 2: CERCLA Lien Information

A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 07/26/2022
Date Data Arrived at EDR: 08/02/2022
Date Made Active in Reports: 08/22/2022
Number of Days to Update: 20

Source: Environmental Protection Agency
Telephone: 202-564-6023
Last EDR Contact: 11/01/2022
Next Scheduled EDR Contact: 01/09/2023
Data Release Frequency: Semi-Annually

DEED: Deed Restriction Listing

Site Mitigation and Brownfields Reuse Program Facility Sites with Deed Restrictions & Hazardous Waste Management Program Facility Sites with Deed / Land Use Restriction. The DTSC Site Mitigation and Brownfields Reuse Program (SMBRP) list includes sites cleaned up under the program's oversight and generally does not include current or former hazardous waste facilities that required a hazardous waste facility permit. The list represents deed restrictions that are active. Some sites have multiple deed restrictions. The DTSC Hazardous Waste Management Program (HWMP) has developed a list of current or former hazardous waste facilities that have a recorded land use restriction at the local county recorder's office. The land use restrictions on this list were required by the DTSC HWMP as a result of the presence of hazardous substances that remain on site after the facility (or part of the facility) has been closed or cleaned up. The types of land use restriction include deed notice, deed restriction, or a land use restriction that binds current and future owners.

Date of Government Version: 05/31/2022
Date Data Arrived at EDR: 05/31/2022
Date Made Active in Reports: 08/18/2022
Number of Days to Update: 79

Source: DTSC and SWRCB
Telephone: 916-323-3400
Last EDR Contact: 08/25/2022
Next Scheduled EDR Contact: 12/12/2022
Data Release Frequency: Semi-Annually

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 09/19/2022
Date Data Arrived at EDR: 09/19/2022
Date Made Active in Reports: 09/30/2022
Number of Days to Update: 11

Source: U.S. Department of Transportation
Telephone: 202-366-4555
Last EDR Contact: 09/19/2022
Next Scheduled EDR Contact: 01/02/2023
Data Release Frequency: Quarterly

CHMIRS: California Hazardous Material Incident Report System

California Hazardous Material Incident Reporting System. CHMIRS contains information on reported hazardous material incidents (accidental releases or spills).

Date of Government Version: 06/30/2022
Date Data Arrived at EDR: 07/18/2022
Date Made Active in Reports: 09/30/2022
Number of Days to Update: 74

Source: Office of Emergency Services
Telephone: 916-845-8400
Last EDR Contact: 10/17/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Semi-Annually

LDS: Land Disposal Sites Listing (GEOTRACKER)

Land Disposal sites (Landfills) included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

Date of Government Version: 05/23/2022
Date Data Arrived at EDR: 05/23/2022
Date Made Active in Reports: 05/24/2022
Number of Days to Update: 1

Source: State Water Qualilty Control Board
Telephone: 866-480-1028
Last EDR Contact: 08/31/2022
Next Scheduled EDR Contact: 12/19/2022
Data Release Frequency: Quarterly

MCS: Military Cleanup Sites Listing (GEOTRACKER)

Military sites (consisting of: Military UST sites; Military Privatized sites; and Military Cleanup sites [formerly known as DoD non UST]) included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

Date of Government Version: 05/23/2022
Date Data Arrived at EDR: 05/23/2022
Date Made Active in Reports: 05/24/2022
Number of Days to Update: 1

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 08/31/2022
Next Scheduled EDR Contact: 12/19/2022
Data Release Frequency: Quarterly

SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 06/06/2012
Date Data Arrived at EDR: 01/03/2013
Date Made Active in Reports: 02/22/2013
Number of Days to Update: 50

Source: FirstSearch
Telephone: N/A
Last EDR Contact: 01/03/2013
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

Other Ascertainable Records

RCRA NonGen / NLR: RCRA - Non Generators / No Longer Regulated

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 06/20/2022
Date Data Arrived at EDR: 06/21/2022
Date Made Active in Reports: 06/28/2022
Number of Days to Update: 7

Source: Environmental Protection Agency
Telephone: (415) 495-8895
Last EDR Contact: 09/19/2022
Next Scheduled EDR Contact: 01/02/2023
Data Release Frequency: Quarterly

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 08/11/2022
Date Data Arrived at EDR: 08/11/2022
Date Made Active in Reports: 09/30/2022
Number of Days to Update: 50

Source: U.S. Army Corps of Engineers
Telephone: 202-528-4285
Last EDR Contact: 08/11/2022
Next Scheduled EDR Contact: 11/28/2022
Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 06/07/2021
Date Data Arrived at EDR: 07/13/2021
Date Made Active in Reports: 03/09/2022
Number of Days to Update: 239

Source: USGS
Telephone: 888-275-8747
Last EDR Contact: 10/13/2022
Next Scheduled EDR Contact: 01/23/2023
Data Release Frequency: Varies

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 04/02/2018
Date Data Arrived at EDR: 04/11/2018
Date Made Active in Reports: 11/06/2019
Number of Days to Update: 574

Source: U.S. Geological Survey
Telephone: 888-275-8747
Last EDR Contact: 10/03/2022
Next Scheduled EDR Contact: 01/16/2023
Data Release Frequency: N/A

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 01/01/2017
Date Data Arrived at EDR: 02/03/2017
Date Made Active in Reports: 04/07/2017
Number of Days to Update: 63

Source: Environmental Protection Agency
Telephone: 615-532-8599
Last EDR Contact: 08/03/2022
Next Scheduled EDR Contact: 11/21/2022
Data Release Frequency: Varies

US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 06/20/2022
Date Data Arrived at EDR: 06/21/2022
Date Made Active in Reports: 08/31/2022
Number of Days to Update: 71

Source: Environmental Protection Agency
Telephone: 202-566-1917
Last EDR Contact: 09/20/2022
Next Scheduled EDR Contact: 01/02/2023
Data Release Frequency: Quarterly

EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 08/30/2013
Date Data Arrived at EDR: 03/21/2014
Date Made Active in Reports: 06/17/2014
Number of Days to Update: 88

Source: Environmental Protection Agency
Telephone: 617-520-3000
Last EDR Contact: 10/28/2022
Next Scheduled EDR Contact: 02/16/2023
Data Release Frequency: Quarterly

2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 09/30/2017
Date Data Arrived at EDR: 05/08/2018
Date Made Active in Reports: 07/20/2018
Number of Days to Update: 73

Source: Environmental Protection Agency
Telephone: 703-308-4044
Last EDR Contact: 10/28/2022
Next Scheduled EDR Contact: 02/16/2023
Data Release Frequency: Varies

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2016
Date Data Arrived at EDR: 06/17/2020
Date Made Active in Reports: 09/10/2020
Number of Days to Update: 85

Source: EPA
Telephone: 202-260-5521
Last EDR Contact: 09/12/2022
Next Scheduled EDR Contact: 12/26/2022
Data Release Frequency: Every 4 Years

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2018
Date Data Arrived at EDR: 08/14/2020
Date Made Active in Reports: 11/04/2020
Number of Days to Update: 82

Source: EPA
Telephone: 202-566-0250
Last EDR Contact: 11/01/2022
Next Scheduled EDR Contact: 11/28/2022
Data Release Frequency: Annually

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 07/18/2022
Date Data Arrived at EDR: 07/18/2022
Date Made Active in Reports: 07/29/2022
Number of Days to Update: 11

Source: EPA
Telephone: 202-564-4203
Last EDR Contact: 10/18/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Annually

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 07/26/2022
Date Data Arrived at EDR: 08/02/2022
Date Made Active in Reports: 08/22/2022
Number of Days to Update: 20

Source: EPA
Telephone: 703-416-0223
Last EDR Contact: 11/01/2022
Next Scheduled EDR Contact: 12/12/2022
Data Release Frequency: Annually

RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 04/27/2022
Date Data Arrived at EDR: 05/04/2022
Date Made Active in Reports: 05/10/2022
Number of Days to Update: 6

Source: Environmental Protection Agency
Telephone: 202-564-8600
Last EDR Contact: 10/27/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Varies

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995
Date Data Arrived at EDR: 07/03/1995
Date Made Active in Reports: 08/07/1995
Number of Days to Update: 35

Source: EPA
Telephone: 202-564-4104
Last EDR Contact: 06/02/2008
Next Scheduled EDR Contact: 09/01/2008
Data Release Frequency: No Update Planned

PRP: Potentially Responsible Parties
A listing of verified Potentially Responsible Parties

Date of Government Version: 07/26/2022
Date Data Arrived at EDR: 08/02/2022
Date Made Active in Reports: 08/31/2022
Number of Days to Update: 29
Source: EPA
Telephone: 202-564-6023
Last EDR Contact: 11/01/2022
Next Scheduled EDR Contact: 02/16/2023
Data Release Frequency: Quarterly

PADS: PCB Activity Database System
PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 01/20/2022
Date Data Arrived at EDR: 01/20/2022
Date Made Active in Reports: 03/25/2022
Number of Days to Update: 64
Source: EPA
Telephone: 202-566-0500
Last EDR Contact: 10/06/2022
Next Scheduled EDR Contact: 01/16/2023
Data Release Frequency: Annually

ICIS: Integrated Compliance Information System
The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 11/18/2016
Date Data Arrived at EDR: 11/23/2016
Date Made Active in Reports: 02/10/2017
Number of Days to Update: 79
Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 09/27/2022
Next Scheduled EDR Contact: 01/16/2023
Data Release Frequency: Quarterly

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25
Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Telephone: 202-566-1667
Last EDR Contact: 08/18/2017
Next Scheduled EDR Contact: 12/04/2017
Data Release Frequency: No Update Planned

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25
Source: EPA
Telephone: 202-566-1667
Last EDR Contact: 08/18/2017
Next Scheduled EDR Contact: 12/04/2017
Data Release Frequency: No Update Planned

MLTS: Material Licensing Tracking System
MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 06/10/2022
Date Data Arrived at EDR: 06/14/2022
Date Made Active in Reports: 08/22/2022
Number of Days to Update: 69
Source: Nuclear Regulatory Commission
Telephone: 301-415-7169
Last EDR Contact: 10/11/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

COAL ASH DOE: Steam-Electric Plant Operation Data
A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2020
Date Data Arrived at EDR: 11/30/2021
Date Made Active in Reports: 02/22/2022
Number of Days to Update: 84
Source: Department of Energy
Telephone: 202-586-8719
Last EDR Contact: 08/25/2022
Next Scheduled EDR Contact: 12/12/2022
Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List
A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 01/12/2017
Date Data Arrived at EDR: 03/05/2019
Date Made Active in Reports: 11/11/2019
Number of Days to Update: 251
Source: Environmental Protection Agency
Telephone: N/A
Last EDR Contact: 08/25/2022
Next Scheduled EDR Contact: 12/12/2022
Data Release Frequency: Varies

PCB TRANSFORMER: PCB Transformer Registration Database
The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 09/13/2019
Date Data Arrived at EDR: 11/06/2019
Date Made Active in Reports: 02/10/2020
Number of Days to Update: 96
Source: Environmental Protection Agency
Telephone: 202-566-0517
Last EDR Contact: 08/04/2022
Next Scheduled EDR Contact: 11/14/2022
Data Release Frequency: Varies

RADINFO: Radiation Information Database
The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 07/01/2019
Date Data Arrived at EDR: 07/01/2019
Date Made Active in Reports: 09/23/2019
Number of Days to Update: 84
Source: Environmental Protection Agency
Telephone: 202-343-9775
Last EDR Contact: 09/21/2022
Next Scheduled EDR Contact: 01/10/2023
Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing
A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40
Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2007
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing
A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2008
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

DOT OPS: Incident and Accident Data

Department of Transporation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 01/02/2020
Date Data Arrived at EDR: 01/28/2020
Date Made Active in Reports: 04/17/2020
Number of Days to Update: 80

Source: Department of Transporation, Office of Pipeline Safety
Telephone: 202-366-4595
Last EDR Contact: 10/24/2022
Next Scheduled EDR Contact: 02/06/2023
Data Release Frequency: Quarterly

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 06/30/2022
Date Data Arrived at EDR: 07/21/2022
Date Made Active in Reports: 09/30/2022
Number of Days to Update: 71

Source: Department of Justice, Consent Decree Library
Telephone: Varies
Last EDR Contact: 09/27/2022
Next Scheduled EDR Contact: 01/16/2023
Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2019
Date Data Arrived at EDR: 03/02/2022
Date Made Active in Reports: 03/25/2022
Number of Days to Update: 23

Source: EPA/NTIS
Telephone: 800-424-9346
Last EDR Contact: 09/19/2022
Next Scheduled EDR Contact: 01/02/2023
Data Release Frequency: Biennially

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 07/14/2015
Date Made Active in Reports: 01/10/2017
Number of Days to Update: 546

Source: USGS
Telephone: 202-208-3710
Last EDR Contact: 10/06/2022
Next Scheduled EDR Contact: 01/16/2023
Data Release Frequency: Semi-Annually

FUSRAP: Formerly Utilized Sites Remedial Action Program

DOE established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations.

Date of Government Version: 07/26/2021
Date Data Arrived at EDR: 07/27/2021
Date Made Active in Reports: 10/22/2021
Number of Days to Update: 87

Source: Department of Energy
Telephone: 202-586-3559
Last EDR Contact: 10/27/2022
Next Scheduled EDR Contact: 02/16/2023
Data Release Frequency: Varies

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 08/30/2019
Date Data Arrived at EDR: 11/15/2019
Date Made Active in Reports: 01/28/2020
Number of Days to Update: 74

Source: Department of Energy
Telephone: 505-845-0011
Last EDR Contact: 08/24/2022
Next Scheduled EDR Contact: 11/28/2022
Data Release Frequency: Varies

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 07/26/2022
Date Data Arrived at EDR: 08/02/2022
Date Made Active in Reports: 08/22/2022
Number of Days to Update: 20

Source: Environmental Protection Agency
Telephone: 703-603-8787
Last EDR Contact: 11/01/2022
Next Scheduled EDR Contact: 01/09/2023
Data Release Frequency: Varies

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001
Date Data Arrived at EDR: 10/27/2010
Date Made Active in Reports: 12/02/2010
Number of Days to Update: 36

Source: American Journal of Public Health
Telephone: 703-305-6451
Last EDR Contact: 12/02/2009
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

US AIRS MINOR: Air Facility System Data

A listing of minor source facilities.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

MINES VIOLATIONS: MSHA Violation Assessment Data

Mines violation and assessment information. Department of Labor, Mine Safety & Health Administration.

Date of Government Version: 08/01/2022
Date Data Arrived at EDR: 08/02/2022
Date Made Active in Reports: 09/30/2022
Number of Days to Update: 59

Source: DOL, Mine Safety & Health Admi
Telephone: 202-693-9424
Last EDR Contact: 10/04/2022
Next Scheduled EDR Contact: 12/12/2022
Data Release Frequency: Quarterly

US MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 08/03/2022
Date Data Arrived at EDR: 08/17/2022
Date Made Active in Reports: 08/31/2022
Number of Days to Update: 14

Source: Department of Labor, Mine Safety and Health Administration
Telephone: 303-231-5959
Last EDR Contact: 08/17/2022
Next Scheduled EDR Contact: 12/05/2022
Data Release Frequency: Semi-Annually

US MINES 2: Ferrous and Nonferrous Metal Mines Database Listing

This map layer includes ferrous (ferrous metal mines are facilities that extract ferrous metals, such as iron ore or molybdenum) and nonferrous (Nonferrous metal mines are facilities that extract nonferrous metals, such as gold, silver, copper, zinc, and lead) metal mines in the United States.

Date of Government Version: 05/06/2020
Date Data Arrived at EDR: 05/27/2020
Date Made Active in Reports: 08/13/2020
Number of Days to Update: 78

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 08/17/2022
Next Scheduled EDR Contact: 12/05/2022
Data Release Frequency: Varies

US MINES 3: Active Mines & Mineral Plants Database Listing

Active Mines and Mineral Processing Plant operations for commodities monitored by the Minerals Information Team of the USGS.

Date of Government Version: 04/14/2011
Date Data Arrived at EDR: 06/08/2011
Date Made Active in Reports: 09/13/2011
Number of Days to Update: 97

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 08/17/2022
Next Scheduled EDR Contact: 12/05/2022
Data Release Frequency: Varies

ABANDONED MINES: Abandoned Mines

An inventory of land and water impacted by past mining (primarily coal mining) is maintained by OSMRE to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). The inventory contains information on the location, type, and extent of AML impacts, as well as, information on the cost associated with the reclamation of those problems. The inventory is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed.

Date of Government Version: 06/14/2022
Date Data Arrived at EDR: 06/15/2022
Date Made Active in Reports: 08/22/2022
Number of Days to Update: 68

Source: Department of Interior
Telephone: 202-208-2609
Last EDR Contact: 09/13/2022
Next Scheduled EDR Contact: 12/19/2022
Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 08/03/2022
Date Data Arrived at EDR: 08/25/2022
Date Made Active in Reports: 10/24/2022
Number of Days to Update: 60

Source: EPA
Telephone: (415) 947-8000
Last EDR Contact: 08/25/2022
Next Scheduled EDR Contact: 12/12/2022
Data Release Frequency: Quarterly

UXO: Unexploded Ordnance Sites

A listing of unexploded ordnance site locations

Date of Government Version: 12/31/2020
Date Data Arrived at EDR: 01/11/2022
Date Made Active in Reports: 02/14/2022
Number of Days to Update: 34

Source: Department of Defense
Telephone: 703-704-1564
Last EDR Contact: 10/05/2022
Next Scheduled EDR Contact: 01/23/2023
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

ECHO: Enforcement & Compliance History Information

ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

Date of Government Version: 06/25/2022
Date Data Arrived at EDR: 07/01/2022
Date Made Active in Reports: 09/30/2022
Number of Days to Update: 91

Source: Environmental Protection Agency
Telephone: 202-564-2280
Last EDR Contact: 09/30/2022
Next Scheduled EDR Contact: 01/16/2023
Data Release Frequency: Quarterly

DOCKET HWC: Hazardous Waste Compliance Docket Listing

A complete list of the Federal Agency Hazardous Waste Compliance Docket Facilities.

Date of Government Version: 05/06/2021
Date Data Arrived at EDR: 05/21/2021
Date Made Active in Reports: 08/11/2021
Number of Days to Update: 82

Source: Environmental Protection Agency
Telephone: 202-564-0527
Last EDR Contact: 08/22/2022
Next Scheduled EDR Contact: 12/05/2022
Data Release Frequency: Varies

FUELS PROGRAM: EPA Fuels Program Registered Listing

This listing includes facilities that are registered under the Part 80 (Code of Federal Regulations) EPA Fuels Programs. All companies now are required to submit new and updated registrations.

Date of Government Version: 08/11/2022
Date Data Arrived at EDR: 08/11/2022
Date Made Active in Reports: 09/30/2022
Number of Days to Update: 50

Source: EPA
Telephone: 800-385-6164
Last EDR Contact: 08/11/2022
Next Scheduled EDR Contact: 11/28/2022
Data Release Frequency: Quarterly

CA BOND EXP. PLAN: Bond Expenditure Plan

Department of Health Services developed a site-specific expenditure plan as the basis for an appropriation of Hazardous Substance Cleanup Bond Act funds. It is not updated.

Date of Government Version: 01/01/1989
Date Data Arrived at EDR: 07/27/1994
Date Made Active in Reports: 08/02/1994
Number of Days to Update: 6

Source: Department of Health Services
Telephone: 916-255-2118
Last EDR Contact: 05/31/1994
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

CORTESE: "Cortese" Hazardous Waste & Substances Sites List

The sites for the list are designated by the State Water Resource Control Board (LUST), the Integrated Waste Board (SWF/LS), and the Department of Toxic Substances Control (Cal-Sites).

Date of Government Version: 06/21/2022
Date Data Arrived at EDR: 06/21/2022
Date Made Active in Reports: 09/08/2022
Number of Days to Update: 79

Source: CAL EPA/Office of Emergency Information
Telephone: 916-323-3400
Last EDR Contact: 09/19/2022
Next Scheduled EDR Contact: 01/02/2023
Data Release Frequency: Quarterly

CUPA LIVERMORE-PLEASANTON: CUPA Facility Listing

list of facilities associated with the various CUPA programs in Livermore-Pleasanton

Date of Government Version: 12/07/2021
Date Data Arrived at EDR: 05/09/2022
Date Made Active in Reports: 05/17/2022
Number of Days to Update: 8

Source: Livermore-Pleasanton Fire Department
Telephone: 925-454-2361
Last EDR Contact: 08/11/2022
Next Scheduled EDR Contact: 11/21/2022
Data Release Frequency: Varies

DRYCLEAN SOUTH COAST: South Coast Air Quality Management District Drycleaner Listing

A listing of dry cleaners in the South Coast Air Quality Management District

Date of Government Version: 05/20/2022
Date Data Arrived at EDR: 05/20/2022
Date Made Active in Reports: 08/09/2022
Number of Days to Update: 81

Source: South Coast Air Quality Management District
Telephone: 909-396-3211
Last EDR Contact: 08/16/2022
Next Scheduled EDR Contact: 12/05/2022
Data Release Frequency: Varies

DRYCLEANERS: Cleaner Facilities

A list of drycleaner related facilities that have EPA ID numbers. These are facilities with certain SIC codes: power laundries, family and commercial; garment pressing and cleaner's agents; linen supply; coin-operated laundries and cleaning; drycleaning plants, except rugs; carpet and upholster cleaning; industrial launderers; laundry and garment services.

Date of Government Version: 08/27/2021
Date Data Arrived at EDR: 09/01/2021
Date Made Active in Reports: 11/19/2021
Number of Days to Update: 79

Source: Department of Toxic Substance Control
Telephone: 916-327-4498
Last EDR Contact: 09/07/2022
Next Scheduled EDR Contact: 12/12/2022
Data Release Frequency: Annually

DRYCLEAN AVAQMD: Antelope Valley Air Quality Management District Drycleaner Listing

A listing of dry cleaners in the Antelope Valley Air Quality Management District.

Date of Government Version: 05/25/2022
Date Data Arrived at EDR: 05/26/2022
Date Made Active in Reports: 08/11/2022
Number of Days to Update: 77

Source: Antelope Valley Air Quality Management District
Telephone: 661-723-8070
Last EDR Contact: 08/23/2022
Next Scheduled EDR Contact: 12/12/2022
Data Release Frequency: Varies

EMI: Emissions Inventory Data

Toxics and criteria pollutant emissions data collected by the ARB and local air pollution agencies.

Date of Government Version: 12/31/2020
Date Data Arrived at EDR: 06/13/2022
Date Made Active in Reports: 08/30/2022
Number of Days to Update: 78

Source: California Air Resources Board
Telephone: 916-322-2990
Last EDR Contact: 09/16/2022
Next Scheduled EDR Contact: 12/26/2022
Data Release Frequency: Varies

ENF: Enforcement Action Listing

A listing of Water Board Enforcement Actions. Formal is everything except Oral/Verbal Communication, Notice of Violation, Expedited Payment Letter, and Staff Enforcement Letter.

Date of Government Version: 07/12/2022
Date Data Arrived at EDR: 07/18/2022
Date Made Active in Reports: 09/29/2022
Number of Days to Update: 73

Source: State Water Resoruces Control Board
Telephone: 916-445-9379
Last EDR Contact: 10/19/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Varies

Financial Assurance 1: Financial Assurance Information Listing

Financial Assurance information

Date of Government Version: 07/06/2022
Date Data Arrived at EDR: 07/21/2022
Date Made Active in Reports: 10/03/2022
Number of Days to Update: 74

Source: Department of Toxic Substances Control
Telephone: 916-255-3628
Last EDR Contact: 10/11/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Varies

Financial Assurance 2: Financial Assurance Information Listing

A listing of financial assurance information for solid waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 08/09/2022
Date Data Arrived at EDR: 08/10/2022
Date Made Active in Reports: 08/30/2022
Number of Days to Update: 20

Source: California Integrated Waste Management Board
Telephone: 916-341-6066
Last EDR Contact: 11/01/2022
Next Scheduled EDR Contact: 02/20/2023
Data Release Frequency: Varies

ICE: ICE

Contains data pertaining to the Permitted Facilities with Inspections / Enforcements sites tracked in Envirostor.

Date of Government Version: 08/11/2022
Date Data Arrived at EDR: 08/11/2022
Date Made Active in Reports: 10/28/2022
Number of Days to Update: 78

Source: Department of Toxic Subsances Control
Telephone: 877-786-9427
Last EDR Contact: 08/11/2022
Next Scheduled EDR Contact: 11/28/2022
Data Release Frequency: Quarterly

HIST CORTESE: Hazardous Waste & Substance Site List

The sites for the list are designated by the State Water Resource Control Board [LUST], the Integrated Waste Board [SWF/LS], and the Department of Toxic Substances Control [CALSITES]. This listing is no longer updated by the state agency.

Date of Government Version: 04/01/2001
Date Data Arrived at EDR: 01/22/2009
Date Made Active in Reports: 04/08/2009
Number of Days to Update: 76

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 01/22/2009
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

HWP: EnviroStor Permitted Facilities Listing

Detailed information on permitted hazardous waste facilities and corrective action ("cleanups") tracked in EnviroStor.

Date of Government Version: 08/11/2022
Date Data Arrived at EDR: 08/11/2022
Date Made Active in Reports: 10/28/2022
Number of Days to Update: 78

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 08/11/2022
Next Scheduled EDR Contact: 11/28/2022
Data Release Frequency: Quarterly

HWT: Registered Hazardous Waste Transporter Database

A listing of hazardous waste transporters. In California, unless specifically exempted, it is unlawful for any person to transport hazardous wastes unless the person holds a valid registration issued by DTSC. A hazardous waste transporter registration is valid for one year and is assigned a unique registration number.

Date of Government Version: 07/05/2022
Date Data Arrived at EDR: 07/05/2022
Date Made Active in Reports: 09/19/2022
Number of Days to Update: 76

Source: Department of Toxic Substances Control
Telephone: 916-440-7145
Last EDR Contact: 10/03/2022
Next Scheduled EDR Contact: 01/16/2023
Data Release Frequency: Quarterly

HAZNET: Facility and Manifest Data

Facility and Manifest Data. The data is extracted from the copies of hazardous waste manifests received each year by the DTSC. The annual volume of manifests is typically 700,000 - 1,000,000 annually, representing approximately 350,000 - 500,000 shipments. Data are from the manifests submitted without correction, and therefore many contain some invalid values for data elements such as generator ID, TSD ID, waste category, and disposal method. This database begins with calendar year 1993.

Date of Government Version: 12/31/2021
Date Data Arrived at EDR: 07/05/2022
Date Made Active in Reports: 09/19/2022
Number of Days to Update: 76

Source: California Environmental Protection Agency
Telephone: 916-255-1136
Last EDR Contact: 09/27/2022
Next Scheduled EDR Contact: 01/16/2023
Data Release Frequency: Annually

MINES: Mines Site Location Listing
A listing of mine site locations from the Office of Mine Reclamation.

Date of Government Version: 06/06/2022
Date Data Arrived at EDR: 06/07/2022
Date Made Active in Reports: 08/23/2022
Number of Days to Update: 77
Source: Department of Conservation
Telephone: 916-322-1080
Last EDR Contact: 08/31/2022
Next Scheduled EDR Contact: 12/19/2022
Data Release Frequency: Quarterly

MWMP: Medical Waste Management Program Listing
The Medical Waste Management Program (MWMP) ensures the proper handling and disposal of medical waste by permitting and inspecting medical waste Offsite Treatment Facilities (PDF) and Transfer Stations (PDF) throughout the state. MWMP also oversees all Medical Waste Transporters.

Date of Government Version: 05/06/2022
Date Data Arrived at EDR: 05/31/2022
Date Made Active in Reports: 08/18/2022
Number of Days to Update: 79
Source: Department of Public Health
Telephone: 916-558-1784
Last EDR Contact: 08/25/2022
Next Scheduled EDR Contact: 12/12/2022
Data Release Frequency: Varies

NPDES: NPDES Permits Listing
A listing of NPDES permits, including stormwater.

Date of Government Version: 08/08/2022
Date Data Arrived at EDR: 08/08/2022
Date Made Active in Reports: 10/20/2022
Number of Days to Update: 73
Source: State Water Resources Control Board
Telephone: 916-445-9379
Last EDR Contact: 08/08/2022
Next Scheduled EDR Contact: 11/21/2022
Data Release Frequency: Quarterly

PEST LIC: Pesticide Regulation Licenses Listing
A listing of licenses and certificates issued by the Department of Pesticide Regulation. The DPR issues licenses and/or certificates to: Persons and businesses that apply or sell pesticides; Pest control dealers and brokers; Persons who advise on agricultural pesticide applications.

Date of Government Version: 05/31/2022
Date Data Arrived at EDR: 05/31/2022
Date Made Active in Reports: 08/18/2022
Number of Days to Update: 79
Source: Department of Pesticide Regulation
Telephone: 916-445-4038
Last EDR Contact: 08/25/2022
Next Scheduled EDR Contact: 12/12/2022
Data Release Frequency: Quarterly

PROC: Certified Processors Database
A listing of certified processors.

Date of Government Version: 06/06/2022
Date Data Arrived at EDR: 06/07/2022
Date Made Active in Reports: 08/23/2022
Number of Days to Update: 77
Source: Department of Conservation
Telephone: 916-323-3836
Last EDR Contact: 08/31/2022
Next Scheduled EDR Contact: 12/19/2022
Data Release Frequency: Quarterly

NOTIFY 65: Proposition 65 Records
Listings of all Proposition 65 incidents reported to counties by the State Water Resources Control Board and the Regional Water Quality Control Board. This database is no longer updated by the reporting agency.

Date of Government Version: 06/10/2022
Date Data Arrived at EDR: 06/10/2022
Date Made Active in Reports: 08/26/2022
Number of Days to Update: 77
Source: State Water Resources Control Board
Telephone: 916-445-3846
Last EDR Contact: 09/07/2022
Next Scheduled EDR Contact: 12/26/2022
Data Release Frequency: No Update Planned

UIC: UIC Listing
A listing of wells identified as underground injection wells, in the California Oil and Gas Wells database.

Date of Government Version: 06/06/2022
Date Data Arrived at EDR: 06/07/2022
Date Made Active in Reports: 08/23/2022
Number of Days to Update: 77
Source: Deaprtment of Conservation
Telephone: 916-445-2408
Last EDR Contact: 08/31/2022
Next Scheduled EDR Contact: 12/19/2022
Data Release Frequency: Varies

UIC GEO: Underground Injection Control Sites (GEOTRACKER)
Underground control injection sites

Date of Government Version: 05/23/2022
Date Data Arrived at EDR: 05/23/2022
Date Made Active in Reports: 06/02/2022
Number of Days to Update: 10
Source: State Water Resource Control Board
Telephone: 866-480-1028
Last EDR Contact: 08/31/2022
Next Scheduled EDR Contact: 12/19/2022
Data Release Frequency: Varies

WASTEWATER PITS: Oil Wastewater Pits Listing
Water officials discovered that oil producers have been dumping chemical-laden wastewater into hundreds of unlined pits that are operating without proper permits. Inspections completed by the Central Valley Regional Water Quality Control Board revealed the existence of previously unidentified waste sites. The water boards review found that more than one-third of the region's active disposal pits are operating without permission.

Date of Government Version: 02/11/2021
Date Data Arrived at EDR: 07/01/2021
Date Made Active in Reports: 09/29/2021
Number of Days to Update: 90
Source: RWQCB, Central Valley Region
Telephone: 559-445-5577
Last EDR Contact: 10/06/2022
Next Scheduled EDR Contact: 01/16/2023
Data Release Frequency: Varies

WDS: Waste Discharge System
Sites which have been issued waste discharge requirements.

Date of Government Version: 06/19/2007
Date Data Arrived at EDR: 06/20/2007
Date Made Active in Reports: 06/29/2007
Number of Days to Update: 9
Source: State Water Resources Control Board
Telephone: 916-341-5227
Last EDR Contact: 08/09/2022
Next Scheduled EDR Contact: 11/28/2022
Data Release Frequency: No Update Planned

WIP: Well Investigation Program Case List
Well Investigation Program case in the San Gabriel and San Fernando Valley area.

Date of Government Version: 07/03/2009
Date Data Arrived at EDR: 07/21/2009
Date Made Active in Reports: 08/03/2009
Number of Days to Update: 13
Source: Los Angeles Water Quality Control Board
Telephone: 213-576-6726
Last EDR Contact: 09/13/2022
Next Scheduled EDR Contact: 01/02/2023
Data Release Frequency: No Update Planned

MILITARY PRIV SITES: Military Privatized Sites (GEOTRACKER)
Military privatized sites

Date of Government Version: 05/23/2022
Date Data Arrived at EDR: 05/23/2022
Date Made Active in Reports: 06/02/2022
Number of Days to Update: 10
Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 08/31/2022
Next Scheduled EDR Contact: 12/19/2022
Data Release Frequency: Varies

PROJECT: Project Sites (GEOTRACKER)
Projects sites

Date of Government Version: 05/23/2022
Date Data Arrived at EDR: 05/23/2022
Date Made Active in Reports: 06/02/2022
Number of Days to Update: 10

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 08/31/2022
Next Scheduled EDR Contact: 12/19/2022
Data Release Frequency: Varies

WDR: Waste Discharge Requirements Listing

In general, the Waste Discharge Requirements (WDRs) Program (sometimes also referred to as the "Non Chapter 15 (Non 15) Program") regulates point discharges that are exempt pursuant to Subsection 20090 of Title 27 and not subject to the Federal Water Pollution Control Act. Exemptions from Title 27 may be granted for nine categories of discharges (e.g., sewage, wastewater, etc.) that meet, and continue to meet, the preconditions listed for each specific exemption. The scope of the WDRs Program also includes the discharge of wastes classified as inert, pursuant to section 20230 of Title 27.

Date of Government Version: 06/06/2022
Date Data Arrived at EDR: 06/07/2022
Date Made Active in Reports: 08/24/2022
Number of Days to Update: 78

Source: State Water Resources Control Board
Telephone: 916-341-5810
Last EDR Contact: 08/31/2022
Next Scheduled EDR Contact: 12/19/2022
Data Release Frequency: Quarterly

CIWQS: California Integrated Water Quality System

The California Integrated Water Quality System (CIWQS) is a computer system used by the State and Regional Water Quality Control Boards to track information about places of environmental interest, manage permits and other orders, track inspections, and manage violations and enforcement activities.

Date of Government Version: 08/16/2022
Date Data Arrived at EDR: 08/17/2022
Date Made Active in Reports: 08/18/2022
Number of Days to Update: 1

Source: State Water Resources Control Board
Telephone: 866-794-4977
Last EDR Contact: 08/17/2022
Next Scheduled EDR Contact: 12/12/2022
Data Release Frequency: Varies

CERS: CalEPA Regulated Site Portal Data

The CalEPA Regulated Site Portal database combines data about environmentally regulated sites and facilities in California into a single database. It combines data from a variety of state and federal databases, and provides an overview of regulated activities across the spectrum of environmental programs for any given location in California. These activities include hazardous materials and waste, state and federal cleanups, impacted ground and surface waters, and toxic materials

Date of Government Version: 07/18/2022
Date Data Arrived at EDR: 07/18/2022
Date Made Active in Reports: 09/30/2022
Number of Days to Update: 74

Source: California Environmental Protection Agency
Telephone: 916-323-2514
Last EDR Contact: 10/17/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Varies

NON-CASE INFO: Non-Case Information Sites (GEOTRACKER)

Non-Case Information sites

Date of Government Version: 05/23/2022
Date Data Arrived at EDR: 05/23/2022
Date Made Active in Reports: 06/02/2022
Number of Days to Update: 10

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 08/31/2022
Next Scheduled EDR Contact: 12/19/2022
Data Release Frequency: Varies

OTHER OIL GAS: Other Oil & Gas Projects Sites (GEOTRACKER)

Other Oil & Gas Projects sites

Date of Government Version: 05/23/2022
Date Data Arrived at EDR: 05/23/2022
Date Made Active in Reports: 06/02/2022
Number of Days to Update: 10

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 08/31/2022
Next Scheduled EDR Contact: 12/19/2022
Data Release Frequency: Varies

PROD WATER PONDS: Produced Water Ponds Sites (GEOTRACKER)
Produced water ponds sites

Date of Government Version: 05/23/2022
Date Data Arrived at EDR: 05/23/2022
Date Made Active in Reports: 06/02/2022
Number of Days to Update: 10

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 08/31/2022
Next Scheduled EDR Contact: 12/19/2022
Data Release Frequency: Varies

SAMPLING POINT: Sampling Point ? Public Sites (GEOTRACKER)
Sampling point - public sites

Date of Government Version: 05/23/2022
Date Data Arrived at EDR: 05/23/2022
Date Made Active in Reports: 06/02/2022
Number of Days to Update: 10

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 08/31/2022
Next Scheduled EDR Contact: 12/19/2022
Data Release Frequency: Varies

WELL STIM PROJ: Well Stimulation Project (GEOTRACKER)
Includes areas of groundwater monitoring plans, a depiction of the monitoring network, and the facilities, boundaries, and subsurface characteristics of the oilfield and the features (oil and gas wells, produced water ponds, UIC wells, water supply wells, etc?) being monitored

Date of Government Version: 05/23/2022
Date Data Arrived at EDR: 05/23/2022
Date Made Active in Reports: 06/02/2022
Number of Days to Update: 10

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 08/31/2022
Next Scheduled EDR Contact: 12/19/2022
Data Release Frequency: Varies

HWTS: Hazardous Waste Tracking System
DTSC maintains the Hazardous Waste Tracking System that stores ID number information since the early 1980s and manifest data since 1993. The system collects both manifest copies from the generator and destination facility.

Date of Government Version: 04/05/2022
Date Data Arrived at EDR: 04/05/2022
Date Made Active in Reports: 04/26/2022
Number of Days to Update: 21

Source: Department of Toxic Substances Control
Telephone: 916-324-2444
Last EDR Contact: 10/03/2022
Next Scheduled EDR Contact: 01/16/2023
Data Release Frequency: Varies

PCS ENF: Enforcement data
No description is available for this data

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 02/05/2015
Date Made Active in Reports: 03/06/2015
Number of Days to Update: 29

Source: EPA
Telephone: 202-564-2497
Last EDR Contact: 09/28/2022
Next Scheduled EDR Contact: 01/16/2023
Data Release Frequency: Varies

PCS: Permit Compliance System
PCS is a computerized management information system that contains data on National Pollutant Discharge Elimination System (NPDES) permit holding facilities. PCS tracks the permit, compliance, and enforcement status of NPDES facilities.

Date of Government Version: 07/14/2011
Date Data Arrived at EDR: 08/05/2011
Date Made Active in Reports: 09/29/2011
Number of Days to Update: 55

Source: EPA, Office of Water
Telephone: 202-564-2496
Last EDR Contact: 09/28/2022
Next Scheduled EDR Contact: 01/16/2023
Data Release Frequency: Semi-Annually

PCS INACTIVE: Listing of Inactive PCS Permits
An inactive permit is a facility that has shut down or is no longer discharging.

Date of Government Version: 11/05/2014
Date Data Arrived at EDR: 01/06/2015
Date Made Active in Reports: 05/06/2015
Number of Days to Update: 120
Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/28/2022
Next Scheduled EDR Contact: 01/16/2023
Data Release Frequency: Semi-Annually

MINES MRDS: Mineral Resources Data System
Mineral Resources Data System

Date of Government Version: 04/06/2018
Date Data Arrived at EDR: 10/21/2019
Date Made Active in Reports: 10/24/2019
Number of Days to Update: 3
Source: USGS
Telephone: 703-648-6533
Last EDR Contact: 08/17/2022
Next Scheduled EDR Contact: 12/05/2022
Data Release Frequency: Varies

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: EDR Proprietary Manufactured Gas Plants
The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A
Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

EDR Hist Auto: EDR Exclusive Historical Auto Stations
EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A
Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR Hist Cleaner: EDR Exclusive Historical Cleaners
EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Resources Recycling and Recovery in California.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 01/13/2014
Number of Days to Update: 196

Source: Department of Resources Recycling and Recovery
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

RGA LUST: Recovered Government Archive Leaking Underground Storage Tank

The EDR Recovered Government Archive Leaking Underground Storage Tank database provides a list of LUST incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the State Water Resources Control Board in California.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 12/30/2013
Number of Days to Update: 182

Source: State Water Resources Control Board
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

COUNTY RECORDS

ALAMEDA COUNTY:

CS ALAMEDA: Contaminated Sites

A listing of contaminated sites overseen by the Toxic Release Program (oil and groundwater contamination from chemical releases and spills) and the Leaking Underground Storage Tank Program (soil and ground water contamination from leaking petroleum USTs).

Date of Government Version: 01/09/2019
Date Data Arrived at EDR: 01/11/2019
Date Made Active in Reports: 03/05/2019
Number of Days to Update: 53

Source: Alameda County Environmental Health Services
Telephone: 510-567-6700
Last EDR Contact: 09/27/2022
Next Scheduled EDR Contact: 01/16/2023
Data Release Frequency: Semi-Annually

UST ALAMEDA: Underground Tanks

Underground storage tank sites located in Alameda county.

Date of Government Version: 06/29/2022
Date Data Arrived at EDR: 06/29/2022
Date Made Active in Reports: 07/21/2022
Number of Days to Update: 22

Source: Alameda County Environmental Health Services
Telephone: 510-567-6700
Last EDR Contact: 09/27/2022
Next Scheduled EDR Contact: 01/16/2023
Data Release Frequency: Semi-Annually

AMADOR COUNTY:

CUPA AMADOR: CUPA Facility List
Cupa Facility List

Date of Government Version: 07/22/2022
Date Data Arrived at EDR: 07/27/2022
Date Made Active in Reports: 08/01/2022
Number of Days to Update: 5

Source: Amador County Environmental Health
Telephone: 209-223-6439
Last EDR Contact: 10/26/2022
Next Scheduled EDR Contact: 02/13/2023
Data Release Frequency: Varies

BUTTE COUNTY:

CUPA BUTTE: CUPA Facility Listing
Cupa facility list.

Date of Government Version: 04/21/2017
Date Data Arrived at EDR: 04/25/2017
Date Made Active in Reports: 08/09/2017
Number of Days to Update: 106

Source: Public Health Department
Telephone: 530-538-7149
Last EDR Contact: 09/27/2022
Next Scheduled EDR Contact: 01/16/2023
Data Release Frequency: No Update Planned

CALVERAS COUNTY:

CUPA CALVERAS: CUPA Facility Listing
Cupa Facility Listing

Date of Government Version: 06/14/2022
Date Data Arrived at EDR: 06/15/2022
Date Made Active in Reports: 09/02/2022
Number of Days to Update: 79

Source: Calveras County Environmental Health
Telephone: 209-754-6399
Last EDR Contact: 09/27/2022
Next Scheduled EDR Contact: 01/02/2023
Data Release Frequency: Quarterly

COLUSA COUNTY:

CUPA COLUSA: CUPA Facility List
Cupa facility list.

Date of Government Version: 04/06/2020
Date Data Arrived at EDR: 04/23/2020
Date Made Active in Reports: 07/10/2020
Number of Days to Update: 78

Source: Health & Human Services
Telephone: 530-458-0396
Last EDR Contact: 10/26/2022
Next Scheduled EDR Contact: 02/16/2023
Data Release Frequency: Semi-Annually

CONTRA COSTA COUNTY:

SL CONTRA COSTA: Site List
List includes sites from the underground tank, hazardous waste generator and business plan/2185 programs.

Date of Government Version: 07/20/2022
Date Data Arrived at EDR: 07/20/2022
Date Made Active in Reports: 10/03/2022
Number of Days to Update: 75

Source: Contra Costa Health Services Department
Telephone: 925-646-2286
Last EDR Contact: 10/20/2022
Next Scheduled EDR Contact: 02/06/2023
Data Release Frequency: Semi-Annually

DEL NORTE COUNTY:

CUPA DEL NORTE: CUPA Facility List
Cupa Facility list

Date of Government Version: 05/04/2022
Date Data Arrived at EDR: 05/06/2022
Date Made Active in Reports: 07/28/2022
Number of Days to Update: 83

Source: Del Norte County Environmental Health Division
Telephone: 707-465-0426
Last EDR Contact: 10/20/2022
Next Scheduled EDR Contact: 02/06/2023
Data Release Frequency: Varies

EL DORADO COUNTY:

CUPA EL DORADO: CUPA Facility List
CUPA facility list.

Date of Government Version: 08/08/2022
Date Data Arrived at EDR: 08/09/2022
Date Made Active in Reports: 09/01/2022
Number of Days to Update: 23

Source: El Dorado County Environmental Management Department
Telephone: 530-621-6623
Last EDR Contact: 10/20/2022
Next Scheduled EDR Contact: 02/06/2023
Data Release Frequency: Varies

FRESNO COUNTY:

CUPA FRESNO: CUPA Resources List
Certified Unified Program Agency. CUPA's are responsible for implementing a unified hazardous materials and hazardous waste management regulatory program. The agency provides oversight of businesses that deal with hazardous materials, operate underground storage tanks or aboveground storage tanks.

Date of Government Version: 06/28/2021
Date Data Arrived at EDR: 12/21/2021
Date Made Active in Reports: 03/03/2022
Number of Days to Update: 72

Source: Dept. of Community Health
Telephone: 559-445-3271
Last EDR Contact: 09/30/2022
Next Scheduled EDR Contact: 01/09/2023
Data Release Frequency: Semi-Annually

GLENN COUNTY:

CUPA GLENN: CUPA Facility List
Cupa facility list

Date of Government Version: 01/22/2018
Date Data Arrived at EDR: 01/24/2018
Date Made Active in Reports: 03/14/2018
Number of Days to Update: 49

Source: Glenn County Air Pollution Control District
Telephone: 830-934-6500
Last EDR Contact: 10/11/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: No Update Planned

HUMBOLDT COUNTY:

CUPA HUMBOLDT: CUPA Facility List
CUPA facility list.

Date of Government Version: 08/12/2021
Date Data Arrived at EDR: 08/12/2021
Date Made Active in Reports: 11/08/2021
Number of Days to Update: 88

Source: Humboldt County Environmental Health
Telephone: N/A
Last EDR Contact: 08/09/2022
Next Scheduled EDR Contact: 11/28/2022
Data Release Frequency: Semi-Annually

IMPERIAL COUNTY:

CUPA IMPERIAL: CUPA Facility List
Cupa facility list.

Date of Government Version: 07/13/2022
Date Data Arrived at EDR: 07/14/2022
Date Made Active in Reports: 09/29/2022
Number of Days to Update: 77

Source: San Diego Border Field Office
Telephone: 760-339-2777
Last EDR Contact: 10/11/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Varies

INYO COUNTY:

CUPA INYO: CUPA Facility List
Cupa facility list.

Date of Government Version: 04/02/2018
Date Data Arrived at EDR: 04/03/2018
Date Made Active in Reports: 06/14/2018
Number of Days to Update: 72

Source: Inyo County Environmental Health Services
Telephone: 760-878-0238
Last EDR Contact: 08/09/2022
Next Scheduled EDR Contact: 11/28/2022
Data Release Frequency: Varies

KERN COUNTY:

CUPA KERN: CUPA Facility List
A listing of sites included in the Kern County Hazardous Material Business Plan.

Date of Government Version: 05/06/2022
Date Data Arrived at EDR: 05/12/2022
Date Made Active in Reports: 08/01/2022
Number of Days to Update: 81

Source: Kern County Public Health
Telephone: 661-321-3000
Last EDR Contact: 10/05/2022
Next Scheduled EDR Contact: 02/16/2023
Data Release Frequency: Varies

UST KERN: Underground Storage Tank Sites & Tank Listing
Kern County Sites and Tanks Listing.

Date of Government Version: 05/06/2022
Date Data Arrived at EDR: 05/12/2022
Date Made Active in Reports: 08/01/2022
Number of Days to Update: 81

Source: Kern County Environment Health Services Department
Telephone: 661-862-8700
Last EDR Contact: 10/05/2022
Next Scheduled EDR Contact: 02/16/2023
Data Release Frequency: Quarterly

KINGS COUNTY:

CUPA KINGS: CUPA Facility List
A listing of sites included in the county's Certified Unified Program Agency database. California's Secretary for Environmental Protection established the unified hazardous materials and hazardous waste regulatory program as required by chapter 6.11 of the California Health and Safety Code. The Unified Program consolidates the administration, permits, inspections, and enforcement activities.

Date of Government Version: 12/03/2020
Date Data Arrived at EDR: 01/26/2021
Date Made Active in Reports: 04/14/2021
Number of Days to Update: 78

Source: Kings County Department of Public Health
Telephone: 559-584-1411
Last EDR Contact: 08/09/2022
Next Scheduled EDR Contact: 11/28/2022
Data Release Frequency: Varies

LAKE COUNTY:

CUPA LAKE: CUPA Facility List
Cupa facility list

Date of Government Version: 07/22/2022
Date Data Arrived at EDR: 07/25/2022
Date Made Active in Reports: 10/05/2022
Number of Days to Update: 72

Source: Lake County Environmental Health
Telephone: 707-263-1164
Last EDR Contact: 10/04/2022
Next Scheduled EDR Contact: 01/23/2023
Data Release Frequency: Varies

LASSEN COUNTY:

CUPA LASSEN: CUPA Facility List
Cupa facility list

Date of Government Version: 07/31/2020
Date Data Arrived at EDR: 08/21/2020
Date Made Active in Reports: 11/09/2020
Number of Days to Update: 80

Source: Lassen County Environmental Health
Telephone: 530-251-8528
Last EDR Contact: 10/11/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Varies

LOS ANGELES COUNTY:

AOCONCERN: Key Areas of Concerns in Los Angeles County
San Gabriel Valley areas where VOC contamination is at or above the MCL as designated by region 9 EPA office. Date of Government Version: 3/30/2009 Exide Site area is a cleanup plan of lead-impacted soil surrounding the former Exide Facility as designated by the DTSC. Date of Government Version: 7/17/2017

Date of Government Version: 03/30/2009
Date Data Arrived at EDR: 03/31/2009
Date Made Active in Reports: 10/23/2009
Number of Days to Update: 206

Source: N/A
Telephone: N/A
Last EDR Contact: 09/07/2022
Next Scheduled EDR Contact: 12/26/2022
Data Release Frequency: No Update Planned

HMS LOS ANGELES: HMS: Street Number List
Industrial Waste and Underground Storage Tank Sites.

Date of Government Version: 07/06/2022
Date Data Arrived at EDR: 07/07/2022
Date Made Active in Reports: 09/21/2022
Number of Days to Update: 76

Source: Department of Public Works
Telephone: 626-458-3517
Last EDR Contact: 09/27/2022
Next Scheduled EDR Contact: 01/16/2023
Data Release Frequency: Semi-Annually

LF LOS ANGELES: List of Solid Waste Facilities
Solid Waste Facilities in Los Angeles County.

Date of Government Version: 07/11/2022
Date Data Arrived at EDR: 07/11/2022
Date Made Active in Reports: 09/23/2022
Number of Days to Update: 74

Source: La County Department of Public Works
Telephone: 818-458-5185
Last EDR Contact: 10/07/2022
Next Scheduled EDR Contact: 01/23/2023
Data Release Frequency: Varies

LF LOS ANGELES CITY: City of Los Angeles Landfills
Landfills owned and maintained by the City of Los Angeles.

Date of Government Version: 01/01/2022
Date Data Arrived at EDR: 01/21/2022
Date Made Active in Reports: 04/11/2022
Number of Days to Update: 80

Source: Engineering & Construction Division
Telephone: 213-473-7869
Last EDR Contact: 10/04/2022
Next Scheduled EDR Contact: 01/23/2023
Data Release Frequency: Varies

LOS ANGELES AST: Active & Inactive AST Inventory

A listing of active & inactive above ground petroleum storage tank site locations, located in the City of Los Angeles.

Date of Government Version: 06/01/2019
Date Data Arrived at EDR: 06/25/2019
Date Made Active in Reports: 08/22/2019
Number of Days to Update: 58

Source: Los Angeles Fire Department
Telephone: 213-978-3800
Last EDR Contact: 09/19/2022
Next Scheduled EDR Contact: 01/02/2023
Data Release Frequency: Varies

LOS ANGELES CO LF METHANE: Methane Producing Landfills

This data was created on April 30, 2012 to represent known disposal sites in Los Angeles County that may produce and emanate methane gas. The shapefile contains disposal sites within Los Angeles County that once accepted degradable refuse material. Information used to create this data was extracted from a landfill survey performed by County Engineers (Major Waste System Map, 1973) as well as historical records from CalRecycle, Regional Water Quality Control Board, and Los Angeles County Department of Public Health

Date of Government Version: 01/10/2022
Date Data Arrived at EDR: 01/12/2022
Date Made Active in Reports: 04/04/2022
Number of Days to Update: 82

Source: Los Angeles County Department of Public Works
Telephone: 626-458-6973
Last EDR Contact: 10/04/2022
Next Scheduled EDR Contact: 01/23/2023
Data Release Frequency: No Update Planned

LOS ANGELES HM: Active & Inactive Hazardous Materials Inventory

A listing of active & inactive hazardous materials facility locations, located in the City of Los Angeles.

Date of Government Version: 01/13/2022
Date Data Arrived at EDR: 03/21/2022
Date Made Active in Reports: 06/15/2022
Number of Days to Update: 86

Source: Los Angeles Fire Department
Telephone: 213-978-3800
Last EDR Contact: 09/20/2022
Next Scheduled EDR Contact: 01/02/2023
Data Release Frequency: Varies

LOS ANGELES UST: Active & Inactive UST Inventory

A listing of active & inactive underground storage tank site locations and underground storage tank historical sites, located in the City of Los Angeles.

Date of Government Version: 03/22/2022
Date Data Arrived at EDR: 06/24/2022
Date Made Active in Reports: 09/08/2022
Number of Days to Update: 76

Source: Los Angeles Fire Department
Telephone: 213-978-3800
Last EDR Contact: 09/20/2022
Next Scheduled EDR Contact: 01/02/2023
Data Release Frequency: Varies

SITE MIT LOS ANGELES: Site Mitigation List

Industrial sites that have had some sort of spill or complaint.

Date of Government Version: 05/26/2021
Date Data Arrived at EDR: 07/09/2021
Date Made Active in Reports: 09/29/2021
Number of Days to Update: 82

Source: Community Health Services
Telephone: 323-890-7806
Last EDR Contact: 10/20/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Annually

UST EL SEGUNDO: City of El Segundo Underground Storage Tank

Underground storage tank sites located in El Segundo city.

Date of Government Version: 01/21/2017
Date Data Arrived at EDR: 04/19/2017
Date Made Active in Reports: 05/10/2017
Number of Days to Update: 21

Source: City of El Segundo Fire Department
Telephone: 310-524-2236
Last EDR Contact: 10/04/2022
Next Scheduled EDR Contact: 01/23/2023
Data Release Frequency: No Update Planned

UST LONG BEACH: City of Long Beach Underground Storage Tank
Underground storage tank sites located in the city of Long Beach.

Date of Government Version: 04/22/2019
Date Data Arrived at EDR: 04/23/2019
Date Made Active in Reports: 06/27/2019
Number of Days to Update: 65

Source: City of Long Beach Fire Department
Telephone: 562-570-2563
Last EDR Contact: 10/11/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Varies

UST TORRANCE: City of Torrance Underground Storage Tank
Underground storage tank sites located in the city of Torrance.

Date of Government Version: 04/22/2022
Date Data Arrived at EDR: 07/19/2022
Date Made Active in Reports: 09/30/2022
Number of Days to Update: 73

Source: City of Torrance Fire Department
Telephone: 310-618-2973
Last EDR Contact: 10/11/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Semi-Annually

MADERA COUNTY:

CUPA MADERA: CUPA Facility List
A listing of sites included in the county's Certified Unified Program Agency database. California's Secretary for Environmental Protection established the unified hazardous materials and hazardous waste regulatory program as required by chapter 6.11 of the California Health and Safety Code. The Unified Program consolidates the administration, permits, inspections, and enforcement activities.

Date of Government Version: 08/10/2020
Date Data Arrived at EDR: 08/12/2020
Date Made Active in Reports: 10/23/2020
Number of Days to Update: 72

Source: Madera County Environmental Health
Telephone: 559-675-7823
Last EDR Contact: 08/09/2022
Next Scheduled EDR Contact: 11/28/2022
Data Release Frequency: Varies

MARIN COUNTY:

UST MARIN: Underground Storage Tank Sites
Currently permitted USTs in Marin County.

Date of Government Version: 09/26/2018
Date Data Arrived at EDR: 10/04/2018
Date Made Active in Reports: 11/02/2018
Number of Days to Update: 29

Source: Public Works Department Waste Management
Telephone: 415-473-6647
Last EDR Contact: 09/21/2022
Next Scheduled EDR Contact: 01/10/2023
Data Release Frequency: Semi-Annually

MENDOCINO COUNTY:

UST MENDOCINO: Mendocino County UST Database
A listing of underground storage tank locations in Mendocino County.

Date of Government Version: 09/22/2021
Date Data Arrived at EDR: 11/18/2021
Date Made Active in Reports: 11/22/2021
Number of Days to Update: 4

Source: Department of Public Health
Telephone: 707-463-4466
Last EDR Contact: 08/16/2022
Next Scheduled EDR Contact: 12/05/2022
Data Release Frequency: Annually

MERCED COUNTY:

CUPA MERCED: CUPA Facility List
CUPA facility list.

Date of Government Version: 02/15/2022
Date Data Arrived at EDR: 02/17/2022
Date Made Active in Reports: 05/11/2022
Number of Days to Update: 83

Source: Merced County Environmental Health
Telephone: 209-381-1094
Last EDR Contact: 08/09/2022
Next Scheduled EDR Contact: 11/28/2022
Data Release Frequency: Varies

MONO COUNTY:

CUPA MONO: CUPA Facility List
CUPA Facility List

Date of Government Version: 02/22/2021
Date Data Arrived at EDR: 03/02/2021
Date Made Active in Reports: 05/19/2021
Number of Days to Update: 78

Source: Mono County Health Department
Telephone: 760-932-5580
Last EDR Contact: 08/15/2022
Next Scheduled EDR Contact: 12/05/2022
Data Release Frequency: Varies

MONTEREY COUNTY:

CUPA MONTEREY: CUPA Facility Listing
CUPA Program listing from the Environmental Health Division.

Date of Government Version: 10/04/2021
Date Data Arrived at EDR: 10/06/2021
Date Made Active in Reports: 12/29/2021
Number of Days to Update: 84

Source: Monterey County Health Department
Telephone: 831-796-1297
Last EDR Contact: 11/01/2022
Next Scheduled EDR Contact: 01/09/2023
Data Release Frequency: Varies

NAPA COUNTY:

LUST NAPA: Sites With Reported Contamination
A listing of leaking underground storage tank sites located in Napa county.

Date of Government Version: 01/09/2017
Date Data Arrived at EDR: 01/11/2017
Date Made Active in Reports: 03/02/2017
Number of Days to Update: 50

Source: Napa County Department of Environmental Management
Telephone: 707-253-4269
Last EDR Contact: 08/15/2022
Next Scheduled EDR Contact: 12/05/2022
Data Release Frequency: No Update Planned

UST NAPA: Closed and Operating Underground Storage Tank Sites
Underground storage tank sites located in Napa county.

Date of Government Version: 09/05/2019
Date Data Arrived at EDR: 09/09/2019
Date Made Active in Reports: 10/31/2019
Number of Days to Update: 52

Source: Napa County Department of Environmental Management
Telephone: 707-253-4269
Last EDR Contact: 08/15/2022
Next Scheduled EDR Contact: 12/05/2022
Data Release Frequency: No Update Planned

NEVADA COUNTY:

CUPA NEVADA: CUPA Facility List
CUPA facility list.

Date of Government Version: 07/21/2022
Date Data Arrived at EDR: 07/25/2022
Date Made Active in Reports: 07/28/2022
Number of Days to Update: 3

Source: Community Development Agency
Telephone: 530-265-1467
Last EDR Contact: 10/20/2022
Next Scheduled EDR Contact: 02/06/2023
Data Release Frequency: Varies

ORANGE COUNTY:

IND_SITE ORANGE: List of Industrial Site Cleanups
Petroleum and non-petroleum spills.

Date of Government Version: 05/24/2022
Date Data Arrived at EDR: 08/09/2022
Date Made Active in Reports: 10/28/2022
Number of Days to Update: 80

Source: Health Care Agency
Telephone: 714-834-3446
Last EDR Contact: 07/29/2022
Next Scheduled EDR Contact: 11/14/2022
Data Release Frequency: Annually

LUST ORANGE: List of Underground Storage Tank Cleanups
Orange County Underground Storage Tank Cleanups (LUST).

Date of Government Version: 04/08/2022
Date Data Arrived at EDR: 05/18/2022
Date Made Active in Reports: 08/03/2022
Number of Days to Update: 77

Source: Health Care Agency
Telephone: 714-834-3446
Last EDR Contact: 07/29/2022
Next Scheduled EDR Contact: 11/14/2022
Data Release Frequency: Quarterly

UST ORANGE: List of Underground Storage Tank Facilities
Orange County Underground Storage Tank Facilities (UST).

Date of Government Version: 05/24/2022
Date Data Arrived at EDR: 08/01/2022
Date Made Active in Reports: 10/20/2022
Number of Days to Update: 80

Source: Health Care Agency
Telephone: 714-834-3446
Last EDR Contact: 08/01/2022
Next Scheduled EDR Contact: 11/14/2022
Data Release Frequency: Quarterly

PLACER COUNTY:

MS PLACER: Master List of Facilities
List includes aboveground tanks, underground tanks and cleanup sites.

Date of Government Version: 05/25/2022
Date Data Arrived at EDR: 05/26/2022
Date Made Active in Reports: 06/01/2022
Number of Days to Update: 6

Source: Placer County Health and Human Services
Telephone: 530-745-2363
Last EDR Contact: 08/23/2022
Next Scheduled EDR Contact: 12/12/2022
Data Release Frequency: Semi-Annually

PLUMAS COUNTY:

CUPA PLUMAS: CUPA Facility List
Plumas County CUPA Program facilities.

Date of Government Version: 03/31/2019
Date Data Arrived at EDR: 04/23/2019
Date Made Active in Reports: 06/26/2019
Number of Days to Update: 64

Source: Plumas County Environmental Health
Telephone: 530-283-6355
Last EDR Contact: 10/11/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Varies

RIVERSIDE COUNTY:

LUST RIVERSIDE: Listing of Underground Tank Cleanup Sites
Riverside County Underground Storage Tank Cleanup Sites (LUST).

Date of Government Version: 07/07/2022
Date Data Arrived at EDR: 07/08/2022
Date Made Active in Reports: 09/21/2022
Number of Days to Update: 75

Source: Department of Environmental Health
Telephone: 951-358-5055
Last EDR Contact: 09/07/2022
Next Scheduled EDR Contact: 12/26/2022
Data Release Frequency: Quarterly

UST RIVERSIDE: Underground Storage Tank Tank List
Underground storage tank sites located in Riverside county.

Date of Government Version: 07/07/2022
Date Data Arrived at EDR: 07/08/2022
Date Made Active in Reports: 09/21/2022
Number of Days to Update: 75

Source: Department of Environmental Health
Telephone: 951-358-5055
Last EDR Contact: 09/07/2022
Next Scheduled EDR Contact: 12/26/2022
Data Release Frequency: Quarterly

SACRAMENTO COUNTY:

CS SACRAMENTO: Toxic Site Clean-Up List
List of sites where unauthorized releases of potentially hazardous materials have occurred.

Date of Government Version: 06/18/2021
Date Data Arrived at EDR: 09/28/2021
Date Made Active in Reports: 12/14/2021
Number of Days to Update: 77

Source: Sacramento County Environmental Management
Telephone: 916-875-8406
Last EDR Contact: 09/30/2022
Next Scheduled EDR Contact: 01/09/2023
Data Release Frequency: Quarterly

ML SACRAMENTO: Master Hazardous Materials Facility List
Any business that has hazardous materials on site - hazardous material storage sites, underground storage tanks, waste generators.

Date of Government Version: 05/04/2022
Date Data Arrived at EDR: 06/30/2022
Date Made Active in Reports: 07/05/2022
Number of Days to Update: 5

Source: Sacramento County Environmental Management
Telephone: 916-875-8406
Last EDR Contact: 09/26/2022
Next Scheduled EDR Contact: 01/10/2023
Data Release Frequency: Quarterly

SAN BENITO COUNTY:

CUPA SAN BENITO: CUPA Facility List
Cupa facility list

Date of Government Version: 07/27/2022
Date Data Arrived at EDR: 07/27/2022
Date Made Active in Reports: 10/11/2022
Number of Days to Update: 76

Source: San Benito County Environmental Health
Telephone: N/A
Last EDR Contact: 10/26/2022
Next Scheduled EDR Contact: 02/16/2023
Data Release Frequency: Varies

SAN BERNARDINO COUNTY:

PERMITS SAN BERNARDINO: Hazardous Material Permits
This listing includes underground storage tanks, medical waste handlers/generators, hazardous materials handlers, hazardous waste generators, and waste oil generators/handlers.

Date of Government Version: 05/12/2022
Date Data Arrived at EDR: 05/12/2022
Date Made Active in Reports: 05/18/2022
Number of Days to Update: 6

Source: San Bernardino County Fire Department Hazardous Materials Division
Telephone: 909-387-3041
Last EDR Contact: 10/28/2022
Next Scheduled EDR Contact: 02/16/2023
Data Release Frequency: Quarterly

SAN DIEGO COUNTY:

HMMD SAN DIEGO: Hazardous Materials Management Division Database

The database includes: HE58 - This report contains the business name, site address, business phone number, establishment 'H' permit number, type of permit, and the business status. HE17 - In addition to providing the same information provided in the HE58 listing, HE17 provides inspection dates, violations received by the establishment, hazardous waste generated, the quantity, method of storage, treatment/disposal of waste and the hauler, and information on underground storage tanks. Unauthorized Release List - Includes a summary of environmental contamination cases in San Diego County (underground tank cases, non-tank cases, groundwater contamination, and soil contamination are included.)

Date of Government Version: 05/31/2022
Date Data Arrived at EDR: 05/31/2022
Date Made Active in Reports: 08/18/2022
Number of Days to Update: 79

Source: Hazardous Materials Management Division
Telephone: 619-338-2268
Last EDR Contact: 08/25/2022
Next Scheduled EDR Contact: 12/12/2022
Data Release Frequency: Quarterly

LF SAN DIEGO: Solid Waste Facilities

San Diego County Solid Waste Facilities.

Date of Government Version: 10/27/2021
Date Data Arrived at EDR: 03/04/2022
Date Made Active in Reports: 05/31/2022
Number of Days to Update: 88

Source: Department of Health Services
Telephone: 619-338-2209
Last EDR Contact: 10/11/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Varies

SAN DIEGO CO LOP: Local Oversight Program Listing

A listing of all LOP release sites that are or were under the County of San Diego's jurisdiction. Included are closed or transferred cases, open cases, and cases that did not have a case type indicated. The cases without a case type are mostly complaints; however, some of them could be LOP cases.

Date of Government Version: 07/22/2021
Date Data Arrived at EDR: 10/19/2021
Date Made Active in Reports: 01/13/2022
Number of Days to Update: 86

Source: Department of Environmental Health
Telephone: 858-505-6874
Last EDR Contact: 10/11/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Varies

SAN DIEGO CO SAM: Environmental Case Listing

The listing contains all underground tank release cases and projects pertaining to properties contaminated with hazardous substances that are actively under review by the Site Assessment and Mitigation Program.

Date of Government Version: 03/23/2010
Date Data Arrived at EDR: 06/15/2010
Date Made Active in Reports: 07/09/2010
Number of Days to Update: 24

Source: San Diego County Department of Environmental Health
Telephone: 619-338-2371
Last EDR Contact: 08/23/2022
Next Scheduled EDR Contact: 12/12/2022
Data Release Frequency: No Update Planned

SAN FRANCISCO COUNTY:

CUPA SAN FRANCISCO CO: CUPA Facility Listing

Cupa facilities

Date of Government Version: 08/04/2022
Date Data Arrived at EDR: 08/04/2022
Date Made Active in Reports: 10/20/2022
Number of Days to Update: 77

Source: San Francisco County Department of Environmental Health
Telephone: 415-252-3896
Last EDR Contact: 10/26/2022
Next Scheduled EDR Contact: 02/16/2023
Data Release Frequency: Varies

LUST SAN FRANCISCO: Local Oversite Facilities
A listing of leaking underground storage tank sites located in San Francisco county.

Date of Government Version: 09/19/2008
Date Data Arrived at EDR: 09/19/2008
Date Made Active in Reports: 09/29/2008
Number of Days to Update: 10

Source: Department Of Public Health San Francisco County
Telephone: 415-252-3920
Last EDR Contact: 10/26/2022
Next Scheduled EDR Contact: 02/16/2023
Data Release Frequency: No Update Planned

UST SAN FRANCISCO: Underground Storage Tank Information
Underground storage tank sites located in San Francisco county.

Date of Government Version: 08/04/2022
Date Data Arrived at EDR: 08/04/2022
Date Made Active in Reports: 10/20/2022
Number of Days to Update: 77

Source: Department of Public Health
Telephone: 415-252-3920
Last EDR Contact: 10/26/2022
Next Scheduled EDR Contact: 02/16/2023
Data Release Frequency: Quarterly

SAN FRANCISO COUNTY:

SAN FRANCISCO MAHER: Maher Ordinance Property Listing
a listing of properties that fall within a Maher Ordinance, for all of San Francisco

Date of Government Version: 01/18/2022
Date Data Arrived at EDR: 01/20/2022
Date Made Active in Reports: 04/27/2022
Number of Days to Update: 97

Source: San Francisco Planning
Telephone: 628-652-7483
Last EDR Contact: 10/07/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Varies

SAN JOAQUIN COUNTY:

UST SAN JOAQUIN: San Joaquin Co. UST
A listing of underground storage tank locations in San Joaquin county.

Date of Government Version: 06/22/2018
Date Data Arrived at EDR: 06/26/2018
Date Made Active in Reports: 07/11/2018
Number of Days to Update: 15

Source: Environmental Health Department
Telephone: N/A
Last EDR Contact: 09/07/2022
Next Scheduled EDR Contact: 12/26/2022
Data Release Frequency: Semi-Annually

SAN LUIS OBISPO COUNTY:

CUPA SAN LUIS OBISPO: CUPA Facility List
Cupa Facility List.

Date of Government Version: 08/10/2022
Date Data Arrived at EDR: 08/11/2022
Date Made Active in Reports: 10/28/2022
Number of Days to Update: 78

Source: San Luis Obispo County Public Health Department
Telephone: 805-781-5596
Last EDR Contact: 08/09/2022
Next Scheduled EDR Contact: 11/28/2022
Data Release Frequency: Varies

SAN MATEO COUNTY:

BI SAN MATEO: Business Inventory
List includes Hazardous Materials Business Plan, hazardous waste generators, and underground storage tanks.

Date of Government Version: 02/20/2020
Date Data Arrived at EDR: 02/20/2020
Date Made Active in Reports: 04/24/2020
Number of Days to Update: 64
Source: San Mateo County Environmental Health Services Division
Telephone: 650-363-1921
Last EDR Contact: 09/09/2022
Next Scheduled EDR Contact: 12/19/2022
Data Release Frequency: Annually

LUST SAN MATEO: Fuel Leak List
A listing of leaking underground storage tank sites located in San Mateo county.

Date of Government Version: 03/29/2019
Date Data Arrived at EDR: 03/29/2019
Date Made Active in Reports: 05/29/2019
Number of Days to Update: 61
Source: San Mateo County Environmental Health Services Division
Telephone: 650-363-1921
Last EDR Contact: 08/29/2022
Next Scheduled EDR Contact: 12/19/2022
Data Release Frequency: Semi-Annually

SANTA BARBARA COUNTY:

CUPA SANTA BARBARA: CUPA Facility Listing
CUPA Program Listing from the Environmental Health Services division.

Date of Government Version: 09/08/2011
Date Data Arrived at EDR: 09/09/2011
Date Made Active in Reports: 10/07/2011
Number of Days to Update: 28
Source: Santa Barbara County Public Health Department
Telephone: 805-686-8167
Last EDR Contact: 08/09/2022
Next Scheduled EDR Contact: 11/28/2022
Data Release Frequency: No Update Planned

SANTA CLARA COUNTY:

CUPA SANTA CLARA: Cupa Facility List
Cupa facility list

Date of Government Version: 05/16/2022
Date Data Arrived at EDR: 05/18/2022
Date Made Active in Reports: 08/04/2022
Number of Days to Update: 78
Source: Department of Environmental Health
Telephone: 408-918-1973
Last EDR Contact: 08/09/2022
Next Scheduled EDR Contact: 11/28/2022
Data Release Frequency: Varies

HIST LUST SANTA CLARA: HIST LUST - Fuel Leak Site Activity Report
A listing of open and closed leaking underground storage tanks. This listing is no longer updated by the county. Leaking underground storage tanks are now handled by the Department of Environmental Health.

Date of Government Version: 03/29/2005
Date Data Arrived at EDR: 03/30/2005
Date Made Active in Reports: 04/21/2005
Number of Days to Update: 22
Source: Santa Clara Valley Water District
Telephone: 408-265-2600
Last EDR Contact: 03/23/2009
Next Scheduled EDR Contact: 06/22/2009
Data Release Frequency: No Update Planned

LUST SANTA CLARA: LOP Listing
A listing of leaking underground storage tanks located in Santa Clara county.

Date of Government Version: 03/03/2014
Date Data Arrived at EDR: 03/05/2014
Date Made Active in Reports: 03/18/2014
Number of Days to Update: 13
Source: Department of Environmental Health
Telephone: 408-918-3417
Last EDR Contact: 08/15/2022
Next Scheduled EDR Contact: 12/05/2022
Data Release Frequency: No Update Planned

SAN JOSE HAZMAT: Hazardous Material Facilities
Hazardous material facilities, including underground storage tank sites.

Date of Government Version: 11/03/2020
Date Data Arrived at EDR: 11/05/2020
Date Made Active in Reports: 01/26/2021
Number of Days to Update: 82

Source: City of San Jose Fire Department
Telephone: 408-535-7694
Last EDR Contact: 10/26/2022
Next Scheduled EDR Contact: 02/16/2023
Data Release Frequency: Annually

SANTA CRUZ COUNTY:

CUPA SANTA CRUZ: CUPA Facility List
CUPA facility listing.

Date of Government Version: 01/21/2017
Date Data Arrived at EDR: 02/22/2017
Date Made Active in Reports: 05/23/2017
Number of Days to Update: 90

Source: Santa Cruz County Environmental Health
Telephone: 831-464-2761
Last EDR Contact: 08/09/2022
Next Scheduled EDR Contact: 11/28/2022
Data Release Frequency: Varies

SHASTA COUNTY:

CUPA SHASTA: CUPA Facility List
Cupa Facility List.

Date of Government Version: 06/15/2017
Date Data Arrived at EDR: 06/19/2017
Date Made Active in Reports: 08/09/2017
Number of Days to Update: 51

Source: Shasta County Department of Resource Management
Telephone: 530-225-5789
Last EDR Contact: 08/09/2022
Next Scheduled EDR Contact: 11/28/2022
Data Release Frequency: Varies

SOLANO COUNTY:

LUST SOLANO: Leaking Underground Storage Tanks
A listing of leaking underground storage tank sites located in Solano county.

Date of Government Version: 06/04/2019
Date Data Arrived at EDR: 06/06/2019
Date Made Active in Reports: 08/13/2019
Number of Days to Update: 68

Source: Solano County Department of Environmental Management
Telephone: 707-784-6770
Last EDR Contact: 08/23/2022
Next Scheduled EDR Contact: 12/12/2022
Data Release Frequency: Quarterly

UST SOLANO: Underground Storage Tanks
Underground storage tank sites located in Solano county.

Date of Government Version: 09/15/2021
Date Data Arrived at EDR: 09/16/2021
Date Made Active in Reports: 12/09/2021
Number of Days to Update: 84

Source: Solano County Department of Environmental Management
Telephone: 707-784-6770
Last EDR Contact: 08/23/2022
Next Scheduled EDR Contact: 12/12/2022
Data Release Frequency: Quarterly

SONOMA COUNTY:

CUPA SONOMA: Cupa Facility List
Cupa Facility list

Date of Government Version: 07/02/2021
Date Data Arrived at EDR: 07/06/2021
Date Made Active in Reports: 07/14/2021
Number of Days to Update: 8

Source: County of Sonoma Fire & Emergency Services Department
Telephone: 707-565-1174
Last EDR Contact: 09/13/2022
Next Scheduled EDR Contact: 01/02/2023
Data Release Frequency: Varies

LUST SONOMA: Leaking Underground Storage Tank Sites
A listing of leaking underground storage tank sites located in Sonoma county.

Date of Government Version: 06/30/2021
Date Data Arrived at EDR: 06/30/2021
Date Made Active in Reports: 09/24/2021
Number of Days to Update: 86

Source: Department of Health Services
Telephone: 707-565-6565
Last EDR Contact: 09/13/2022
Next Scheduled EDR Contact: 01/02/2023
Data Release Frequency: Quarterly

STANISLAUS COUNTY:

CUPA STANISLAUS: CUPA Facility List
Cupa facility list

Date of Government Version: 02/08/2022
Date Data Arrived at EDR: 02/10/2022
Date Made Active in Reports: 05/04/2022
Number of Days to Update: 83

Source: Stanislaus County Department of Ennvironmental Protection
Telephone: 209-525-6751
Last EDR Contact: 10/04/2022
Next Scheduled EDR Contact: 01/23/2023
Data Release Frequency: Varies

SUTTER COUNTY:

UST SUTTER: Underground Storage Tanks
Underground storage tank sites located in Sutter county.

Date of Government Version: 05/03/2022
Date Data Arrived at EDR: 05/27/2022
Date Made Active in Reports: 08/11/2022
Number of Days to Update: 76

Source: Sutter County Environmental Health Services
Telephone: 530-822-7500
Last EDR Contact: 08/23/2022
Next Scheduled EDR Contact: 12/12/2022
Data Release Frequency: Semi-Annually

TEHAMA COUNTY:

CUPA TEHAMA: CUPA Facility List
Cupa facilities

Date of Government Version: 07/27/2022
Date Data Arrived at EDR: 07/27/2022
Date Made Active in Reports: 10/11/2022
Number of Days to Update: 76

Source: Tehama County Department of Environmental Health
Telephone: 530-527-8020
Last EDR Contact: 10/26/2022
Next Scheduled EDR Contact: 02/16/2023
Data Release Frequency: Varies

TRINITY COUNTY:

CUPA TRINITY: CUPA Facility List
Cupa facility list

Date of Government Version: 07/13/2022
Date Data Arrived at EDR: 07/14/2022
Date Made Active in Reports: 09/29/2022
Number of Days to Update: 77

Source: Department of Toxic Substances Control
Telephone: 760-352-0381
Last EDR Contact: 10/11/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Varies

TULARE COUNTY:

CUPA TULARE: CUPA Facility List
Cupa program facilities

Date of Government Version: 04/26/2021
Date Data Arrived at EDR: 04/28/2021
Date Made Active in Reports: 07/13/2021
Number of Days to Update: 76

Source: Tulare County Environmental Health Services Division
Telephone: 559-624-7400
Last EDR Contact: 10/05/2022
Next Scheduled EDR Contact: 02/16/2023
Data Release Frequency: Varies

TUOLUMNE COUNTY:

CUPA TUOLUMNE: CUPA Facility List
Cupa facility list

Date of Government Version: 04/23/2018
Date Data Arrived at EDR: 04/25/2018
Date Made Active in Reports: 06/25/2018
Number of Days to Update: 61

Source: Divison of Environmental Health
Telephone: 209-533-5633
Last EDR Contact: 10/11/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Varies

VENTURA COUNTY:

BWT VENTURA: Business Plan, Hazardous Waste Producers, and Operating Underground Tanks
The BWT list indicates by site address whether the Environmental Health Division has Business Plan (B), Waste Producer (W), and/or Underground Tank (T) information.

Date of Government Version: 05/26/2022
Date Data Arrived at EDR: 07/21/2022
Date Made Active in Reports: 09/30/2022
Number of Days to Update: 71

Source: Ventura County Environmental Health Division
Telephone: 805-654-2813
Last EDR Contact: 10/17/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Quarterly

LF VENTURA: Inventory of Illegal Abandoned and Inactive Sites
Ventura County Inventory of Closed, Illegal Abandoned, and Inactive Sites.

Date of Government Version: 12/01/2011
Date Data Arrived at EDR: 12/01/2011
Date Made Active in Reports: 01/19/2012
Number of Days to Update: 49

Source: Environmental Health Division
Telephone: 805-654-2813
Last EDR Contact: 09/21/2022
Next Scheduled EDR Contact: 01/10/2023
Data Release Frequency: No Update Planned

LUST VENTURA: Listing of Underground Tank Cleanup Sites
Ventura County Underground Storage Tank Cleanup Sites (LUST).

Date of Government Version: 05/29/2008
Date Data Arrived at EDR: 06/24/2008
Date Made Active in Reports: 07/31/2008
Number of Days to Update: 37

Source: Environmental Health Division
Telephone: 805-654-2813
Last EDR Contact: 11/01/2022
Next Scheduled EDR Contact: 02/20/2023
Data Release Frequency: No Update Planned

MED WASTE VENTURA: Medical Waste Program List
To protect public health and safety and the environment from potential exposure to disease causing agents, the Environmental Health Division Medical Waste Program regulates the generation, handling, storage, treatment and disposal of medical waste throughout the County.

Date of Government Version: 05/26/2022
Date Data Arrived at EDR: 07/25/2022
Date Made Active in Reports: 10/05/2022
Number of Days to Update: 72

Source: Ventura County Resource Management Agency
Telephone: 805-654-2813
Last EDR Contact: 10/17/2022
Next Scheduled EDR Contact: 01/30/2023
Data Release Frequency: Quarterly

UST VENTURA: Underground Tank Closed Sites List
Ventura County Operating Underground Storage Tank Sites (UST)/Underground Tank Closed Sites List.

Date of Government Version: 05/26/2022
Date Data Arrived at EDR: 06/07/2022
Date Made Active in Reports: 08/24/2022
Number of Days to Update: 78
Source: Environmental Health Division
Telephone: 805-654-2813
Last EDR Contact: 08/31/2022
Next Scheduled EDR Contact: 12/19/2022
Data Release Frequency: Quarterly

YOLO COUNTY:

UST YOLO: Underground Storage Tank Comprehensive Facility Report
Underground storage tank sites located in Yolo county.

Date of Government Version: 06/22/2022
Date Data Arrived at EDR: 06/30/2022
Date Made Active in Reports: 09/14/2022
Number of Days to Update: 76
Source: Yolo County Department of Health
Telephone: 530-666-8646
Last EDR Contact: 09/21/2022
Next Scheduled EDR Contact: 01/10/2023
Data Release Frequency: Annually

YUBA COUNTY:

CUPA YUBA: CUPA Facility List
CUPA facility listing for Yuba County.

Date of Government Version: 10/25/2022
Date Data Arrived at EDR: 10/26/2022
Date Made Active in Reports: 10/31/2022
Number of Days to Update: 5
Source: Yuba County Environmental Health Department
Telephone: 530-749-7523
Last EDR Contact: 10/20/2022
Next Scheduled EDR Contact: 02/06/2023
Data Release Frequency: Varies

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data
Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 08/08/2022
Date Data Arrived at EDR: 08/08/2022
Date Made Active in Reports: 10/21/2022
Number of Days to Update: 74
Source: Department of Energy & Environmental Protection
Telephone: 860-424-3375
Last EDR Contact: 08/08/2022
Next Scheduled EDR Contact: 11/21/2022
Data Release Frequency: No Update Planned

NJ MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 12/31/2018
Date Data Arrived at EDR: 04/10/2019
Date Made Active in Reports: 05/16/2019
Number of Days to Update: 36
Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 10/03/2022
Next Scheduled EDR Contact: 01/16/2023
Data Release Frequency: Annually

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 01/01/2019
Date Data Arrived at EDR: 10/29/2021
Date Made Active in Reports: 01/19/2022
Number of Days to Update: 82

Source: Department of Environmental Conservation
Telephone: 518-402-8651
Last EDR Contact: 10/28/2022
Next Scheduled EDR Contact: 02/06/2023
Data Release Frequency: Quarterly

PA MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 06/30/2018
Date Data Arrived at EDR: 07/19/2019
Date Made Active in Reports: 09/10/2019
Number of Days to Update: 53

Source: Department of Environmental Protection
Telephone: 717-783-8990
Last EDR Contact: 10/05/2022
Next Scheduled EDR Contact: 01/23/2023
Data Release Frequency: Annually

RI MANIFEST: Manifest information

Hazardous waste manifest information

Date of Government Version: 12/31/2020
Date Data Arrived at EDR: 11/30/2021
Date Made Active in Reports: 02/18/2022
Number of Days to Update: 80

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 08/10/2022
Next Scheduled EDR Contact: 11/28/2022
Data Release Frequency: Annually

WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 05/31/2018
Date Data Arrived at EDR: 06/19/2019
Date Made Active in Reports: 09/03/2019
Number of Days to Update: 76

Source: Department of Natural Resources
Telephone: N/A
Last EDR Contact: 08/29/2022
Next Scheduled EDR Contact: 12/19/2022
Data Release Frequency: Annually

Oil/Gas Pipelines

Source: Endeavor Business Media

Petroleum Bundle (Crude Oil, Refined Products, Petrochemicals, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)) N = Natural Gas Bundle (Natural Gas, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)). This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

Electric Power Transmission Line Data

Source: Endeavor Business Media

This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.
Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services
Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes
Source: National Institutes of Health
Telephone: 301-594-6248
Information on Medicare and Medicaid certified nursing homes in the United States.
Public Schools
Source: National Center for Education Statistics
Telephone: 202-502-7300
The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.
Private Schools
Source: National Center for Education Statistics
Telephone: 202-502-7300
The National Center for Education Statistics' primary database on private school locations in the United States.
Daycare Centers: Licensed Facilities
Source: Department of Social Services
Telephone: 916-657-4041

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.
Source: FEMA
Telephone: 877-336-2627
Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005, 2010 and 2015 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Inventory
Source: Department of Fish and Wildlife
Telephone: 916-445-0411

Current USGS 7.5 Minute Topographic Map
Source: U.S. Geological Survey

STREET AND ADDRESS INFORMATION

Â© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK ®- PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

JW NORTH HIGH SCHOOL NEW CONSTRUCTION
1550 3RD STREET
RIVERSIDE, CA 92507

TARGET PROPERTY COORDINATES

Latitude (North):	33.981841 - 33ˆ 58’ 54.63’’
Longitude (West):	117.345193 - 117ˆ 20’ 42.69’’
Universal Tranverse Mercator:	Zone 11
UTM X (Meters):	468114.6
UTM Y (Meters):	3760001.8
Elevation:	964 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	12014858 RIVERSIDE EAST, CA
Version Date:	2018

EDR’s GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION


Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General WNW

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES





0 1/2 1 Miles

Target Property Elevation: 964 ft.

Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

Flood Plain Panel at Target Property	FEMA Source Type
06065C0726G	FEMA FIRM Flood data

Additional Panels in search area:	FEMA Source Type
06065C0727G	FEMA FIRM Flood data
06065C0728G	FEMA FIRM Flood data
06065C0729G	FEMA FIRM Flood data

NATIONAL WETLAND INVENTORY

NWI Quad at Target Property	NWI Electronic Data Coverage
NOT AVAILABLE	YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:

Search Radius:	1.25 miles
Status:	Not found

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

MAP ID	LOCATION FROM TP	GENERAL DIRECTION GROUNDWATER FLOW
1	0 - 1/8 Mile NE	NW
A4	1/4 - 1/2 Mile ENE	Not Reported
A5	1/4 - 1/2 Mile ENE	Not Reported
A6	1/4 - 1/2 Mile ENE	Not Reported
A13	1/4 - 1/2 Mile East	W
A14	1/4 - 1/2 Mile East	W

* ©1996 Site−specific hydrogeological data gathered by CERCLIS Alerts, Inc., Bainbridge Island, WA. All rights reserved. All of the information and opinions presented are those of the cited EPA report(s), which were completed under a Comprehensive Environmental Response Compensation and Liability Information System (CERCLIS) investigation.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

MAP ID	LOCATION FROM TP	GENERAL DIRECTION GROUNDWATER FLOW
27	1/2 - 1 Mile NNW	SW
P60	1/2 - 1 Mile WSW	NW
P61	1/2 - 1 Mile WSW	NW
1G	1/2 - 1 Mile NNW	SW
2G	1/4 - 1/2 Mile East	W
3G	1/4 - 1/2 Mile East	W
4G	1/4 - 1/2 Mile ENE	Not Reported
5G	1/4 - 1/2 Mile ENE	Not Reported
6G	1/4 - 1/2 Mile ENE	Not Reported
7G	0 - 1/8 Mile NE	NW
8G	1/2 - 1 Mile WSW	NW
9G	1/2 - 1 Mile WSW	NW

For additional site information, refer to Physical Setting Source Map Findings.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT


Era:	Mesozoic
System:	Cretaceous
Series:	Cretaceous granitic rocks
Code:	Kg *(decoded above as Era, System & Series)*

GEOLOGIC AGE IDENTIFICATION

Category: Plutonic and Intrusive Rocks

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

SSURGO SOIL MAP - 7168721.2s



Target Property
SSURGO Soil
Water

0 1/16 1/8 1/4 Miles

N

SITE NAME:	JW North High School New Construction	CLIENT:	PlaceWorks
ADDRESS:	1550 3rd Street Riverside CA 92507	CONTACT:	Mike Watson
LAT/LONG:	33.981841 / 117.345193	INQUIRY #:	7168721.2s
		DATE:	November 03, 2022 4:15 pm

Copyright © 2022 EDR, Inc. © 2015 TomTom Rel. 2015.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. The following information is based on Soil Conservation Service SSURGO data.

Soil Map ID: 1

Soil Component Name: HANFORD

Soil Surface Texture: coarse sandy loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Somewhat excessively drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information

	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	7 inches	coarse sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 141 Min: 42	Max: 7.8 Min: 5.6
2	7 inches	40 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 141 Min: 42	Max: 7.8 Min: 5.6
3	40 inches	59 inches	stratified loamy sand to coarse sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 141 Min: 42	Max: 7.8 Min: 5.6

Soil Map ID: 2

Soil Component Name: HANFORD

Soil Surface Texture: coarse sandy loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	7 inches	coarse sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 141 Min: 42	Max: 7.8 Min: 5.6
2	7 inches	40 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 141 Min: 42	Max: 7.8 Min: 5.6
3	40 inches	59 inches	stratified loamy sand to coarse sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 141 Min: 42	Max: 7.8 Min: 5.6

Soil Map ID: 3

Soil Component Name: ARLINGTON

Soil Surface Texture: fine sandy loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	11 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 141 Min: 42	Max: 7.3 Min: 6.6
2	11 inches	50 inches	sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 141 Min: 42	Max: 7.3 Min: 6.6
3	50 inches	59 inches	cemented	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 141 Min: 42	Max: 7.3 Min: 6.6
4	59 inches	70 inches	coarse sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 141 Min: 42	Max: 7.3 Min: 6.6

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

DATABASE	SEARCH DISTANCE (miles)
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
N54	USGS40000139606	1/2 - 1 Mile NW

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
No PWS System Found		

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION


MAP ID	WELL ID	LOCATION FROM TP
2	CADWR0000005081	1/8 - 1/4 Mile North
3	CADWR0000015165	1/4 - 1/2 Mile South
B7	CAEDF0000064068	1/4 - 1/2 Mile SSW
B8	CAEDF0000110560	1/4 - 1/2 Mile SSW
B9	CAEDF0000093420	1/4 - 1/2 Mile SSW
B10	CAEDF0000093928	1/4 - 1/2 Mile SSW
B11	CAEDF0000021976	1/4 - 1/2 Mile SSW
B12	CAEDF0000133189	1/4 - 1/2 Mile SSW
C15	CAEDF0000015684	1/2 - 1 Mile WNW
C16	CAEDF0000142036	1/2 - 1 Mile WNW
D17	CAEDF0000076590	1/2 - 1 Mile WNW
C18	CAEDF0000021380	1/2 - 1 Mile WNW
C19	CAEDF0000062051	1/2 - 1 Mile WNW
C20	CAEDF0000089320	1/2 - 1 Mile WNW
C21	CAEDF0000126087	1/2 - 1 Mile WNW
C22	CAEDF0000053994	1/2 - 1 Mile WNW
E23	CAEDF0000066821	1/2 - 1 Mile SE
C24	CAEDF0000103131	1/2 - 1 Mile WNW
E25	CAEDF0000097649	1/2 - 1 Mile SE
D26	CAEDF0000125676	1/2 - 1 Mile WNW
E28	CAEDF0000081968	1/2 - 1 Mile SE
D29	CAEDF0000134255	1/2 - 1 Mile WNW
D30	CAEDF0000023632	1/2 - 1 Mile WNW
32	CAEDF0000060250	1/2 - 1 Mile WNW
F33	CAEDF0000038948	1/2 - 1 Mile SE
F34	CAEDF0000046801	1/2 - 1 Mile SE
F35	CAEDF0000053351	1/2 - 1 Mile SE
G36	CAEDF0000132306	1/2 - 1 Mile WNW
H37	CAEDF0000094401	1/2 - 1 Mile NW
H38	CADWR0000003463	1/2 - 1 Mile NW
G39	CAEDF0000127551	1/2 - 1 Mile NW
I40	CAEDF0000076809	1/2 - 1 Mile WNW
J41	CADWR0000029597	1/2 - 1 Mile East
J42	CADWR0000034309	1/2 - 1 Mile East
43	CADWR0000037377	1/2 - 1 Mile NNW
I44	CAEDF0000038422	1/2 - 1 Mile WNW

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
K45	CAEDF0000002949	1/2 - 1 Mile NW
46	CADWR0000022672	1/2 - 1 Mile ESE
K47	CAEDF0000111837	1/2 - 1 Mile NW
L48	CADWR0000003906	1/2 - 1 Mile NW
L49	CADWR0000037766	1/2 - 1 Mile NW
50	CADWR0000034041	1/2 - 1 Mile ENE
L51	CADDW0000020452	1/2 - 1 Mile NW
52	CADWR0000030249	1/2 - 1 Mile WNW
M53	2484	1/2 - 1 Mile ESE
O55	3078	1/2 - 1 Mile NNE
N56	2513	1/2 - 1 Mile NW
O57	2514	1/2 - 1 Mile NNE
O58	CADDW0000011437	1/2 - 1 Mile NNE
M59	CADDW0000019051	1/2 - 1 Mile ESE

PHYSICAL SETTING SOURCE MAP - 7168721.2s



- County Boundary
- Major Roads
- Contour Lines
- Earthquake Fault Lines
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons
- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Closest Hydrogeological Data
- Oil, gas or related wells

SITE NAME:	JW North High School New Construction	CLIENT:	PlaceWorks
ADDRESS:	1550 3rd Street Riverside CA 92507	CONTACT:	Mike Watson
		INQUIRY #:	7168721.2s
LAT/LONG:	33.981841 / 117.345193	DATE:	November 03, 2022 4:14 pm

Copyright © 2022 EDR, Inc. © 2015 TomTom Rel. 2015.

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

			Database	EDR ID Number
1 **NE** **0 - 1/8 Mile** **Lower**	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	083301200T NW Not Reported Not Reported 150’ 10/30/1998	**AQUIFLOW**	**34251**

2
North
1/8 - 1/4 Mile
Lower

CA WELLS **CADWR0000005081**

Well ID: 02S04W19E001S
Well Type: UNK
Source: Department of Water Resources
Other Name: 02S04W19E001S
GAMA PFAS Testing: Not Reported
Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=02S04W19E001S&store_num=
GeoTracker Data: Not Reported

3
South
1/4 - 1/2 Mile
Higher

CA WELLS **CADWR0000015165**

Well ID: 02S04W19N001S
Well Type: UNK
Source: Department of Water Resources
Other Name: 02S04W19N001S
GAMA PFAS Testing: Not Reported
Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=02S04W19N001S&store_num=
GeoTracker Data: Not Reported

			Database	EDR ID Number
A4 **ENE** **1/4 - 1/2 Mile** **Higher**	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	083303149T Not Reported Not Reported Not Reported 100 05/29/1998	**AQUIFLOW**	**54882**

			Database	EDR ID Number
A5 **ENE** **1/4 - 1/2 Mile** **Higher**	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	083303149T Not Reported Not Reported Not Reported 100 05/29/1998	**AQUIFLOW**	**54881**

			Database	EDR ID Number
A6 **ENE** **1/4 - 1/2 Mile** **Higher**	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	083303149T Not Reported Not Reported Not Reported 100 05/29/1998	**AQUIFLOW**	**54880**

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

B7
SSW
1/4 - 1/2 Mile
Lower

CA WELLS **CAEDF0000064068**

Well ID:	T0606586370-MW6	Well Type:	MONITORING
Source:	EDF	Other Name:	MW6
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0606586370&assigned_name=MW6&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0606586370&assigned_name=MW6		

B8
SSW
1/4 - 1/2 Mile
Lower

CA WELLS **CAEDF0000110560**

Well ID:	T0606586370-MW4	Well Type:	MONITORING
Source:	EDF	Other Name:	MW4
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0606586370&assigned_name=MW4&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0606586370&assigned_name=MW4		

B9
SSW
1/4 - 1/2 Mile
Lower

CA WELLS **CAEDF0000093420**

Well ID:	T0606586370-MW2	Well Type:	MONITORING
Source:	EDF	Other Name:	MW2
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0606586370&assigned_name=MW2&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0606586370&assigned_name=MW2		

B10
SSW
1/4 - 1/2 Mile
Lower

CA WELLS **CAEDF0000093928**

Well ID:	T0606586370-MW1	Well Type:	MONITORING
Source:	EDF	Other Name:	MW1
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0606586370&assigned_name=MW1&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0606586370&assigned_name=MW1		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

	Database	EDR ID Number
B11 **SSW** **1/4 - 1/2 Mile** **Lower**	**CA WELLS**	**CAEDF0000021976**

Well ID:	T0606586370-MW5	Well Type:	MONITORING
Source:	EDF	Other Name:	MW5
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0606586370&assigned_name=MW5&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0606586370&assigned_name=MW5		

		Database	EDR ID Number
B12 **SSW** **1/4 - 1/2 Mile** **Lower**		**CA WELLS**	**CAEDF0000133189**

Well ID:	T0606586370-MW3	Well Type:	MONITORING
Source:	EDF	Other Name:	MW3
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0606586370&assigned_name=MW3&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0606586370&assigned_name=MW3		

			Database	EDR ID Number
A13 **East** **1/4 - 1/2 Mile** **Higher**	Site ID:	083300601T	**AQUIFLOW**	**39020**
	Groundwater Flow:	W		
	Shallow Water Depth:	Not Reported		
	Deep Water Depth:	Not Reported		
	Average Water Depth:	160		
	Date:	10/29/1987		

			Database	EDR ID Number
A14 **East** **1/4 - 1/2 Mile** **Higher**	Site ID:	083300601T	**AQUIFLOW**	**66355**
	Groundwater Flow:	W		
	Shallow Water Depth:	Not Reported		
	Deep Water Depth:	Not Reported		
	Average Water Depth:	160’		
	Date:	10/29/1987		

	Database	EDR ID Number
C15 **WNW** **1/2 - 1 Mile** **Lower**	**CA WELLS**	**CAEDF0000015684**

Well ID:	SL0606583253-MW8	Well Type:	MONITORING
Source:	EDF	Other Name:	MW8
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=SL0606583253&assigned_name=MW8&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=SL0606583253&assigned_name=MW8		

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

C16
WNW
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000142036**

Well ID:	SL0606583253-MW10	Well Type:	MONITORING
Source:	EDF	Other Name:	MW10
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=SL0606583253&assigned_name=MW10&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=SL0606583253&assigned_name=MW10		

D17
WNW
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000076590**

Well ID:	SL0606583253-MW11	Well Type:	MONITORING
Source:	EDF	Other Name:	MW11
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=SL0606583253&assigned_name=MW11&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=SL0606583253&assigned_name=MW11		

C18
WNW
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000021380**

Well ID:	SL0606583253-MW2	Well Type:	MONITORING
Source:	EDF	Other Name:	MW2
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=SL0606583253&assigned_name=MW2&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=SL0606583253&assigned_name=MW2		

C19
WNW
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000062051**

Well ID:	SL0606583253-MW3	Well Type:	MONITORING
Source:	EDF	Other Name:	MW3
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=SL0606583253&assigned_name=MW3&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=SL0606583253&assigned_name=MW3		

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

C20
WNW
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000089320**

Well ID:	SL0606583253-MW4	Well Type:	MONITORING
Source:	EDF	Other Name:	MW4
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=SL0606583253&assigned_name=MW4&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=SL0606583253&assigned_name=MW4		

C21
WNW
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000126087**

Well ID:	SL0606583253-MW1	Well Type:	MONITORING
Source:	EDF	Other Name:	MW1
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=SL0606583253&assigned_name=MW1&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=SL0606583253&assigned_name=MW1		

C22
WNW
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000053994**

Well ID:	SL0606583253-MW9	Well Type:	MONITORING
Source:	EDF	Other Name:	MW9
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=SL0606583253&assigned_name=MW9&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=SL0606583253&assigned_name=MW9		

E23
SE
1/2 - 1 Mile
Higher

CA WELLS **CAEDF0000066821**

Well ID:	T0606500545-TOC-17	Well Type:	MONITORING
Source:	EDF	Other Name:	TOC-17
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0606500545&assigned_name=TOC-17&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0606500545&assigned_name=TOC-17		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

	Database	EDR ID Number
C24 **WNW** **1/2 - 1 Mile** **Lower**	**CA WELLS**	**CAEDF0000103131**

Well ID:	SL0606583253-MW12	Well Type:	MONITORING
Source:	EDF	Other Name:	MW12
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=SL0606583253&assigned_name=MW12&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=SL0606583253&assigned_name=MW12		

	Database	EDR ID Number
E25 **SE** **1/2 - 1 Mile** **Higher**	**CA WELLS**	**CAEDF0000097649**

Well ID:	T0606500545-TOC-19	Well Type:	MONITORING
Source:	EDF	Other Name:	TOC-19
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0606500545&assigned_name=TOC-19&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0606500545&assigned_name=TOC-19		

	Database	EDR ID Number
D26 **WNW** **1/2 - 1 Mile** **Lower**	**CA WELLS**	**CAEDF0000125676**

Well ID:	SL0606583253-MW7	Well Type:	MONITORING
Source:	EDF	Other Name:	MW7
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=SL0606583253&assigned_name=MW7&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=SL0606583253&assigned_name=MW7		

			Database	EDR ID Number
27 **NNW** **1/2 - 1 Mile** **Lower**	Site ID:	083300500T	**AQUIFLOW**	**67250**
	Groundwater Flow:	SW		
	Shallow Water Depth:	Not Reported		
	Deep Water Depth:	Not Reported		
	Average Water Depth:	125		
	Date:	07/22/1986		

	Database	EDR ID Number
E28 **SE** **1/2 - 1 Mile** **Higher**	**CA WELLS**	**CAEDF0000081968**

Well ID:	T0606500545-TOC-18	Well Type:	MONITORING
Source:	EDF	Other Name:	TOC-18

GAMA PFAS Testing: Not Reported
Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0606500545&assigned_name=TOC-18&store_num=
GeoTracker Data: https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0606500545&assigned_name=TOC-18

D29
WNW
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000134255**

Well ID: SL0606583253-MW5 Well Type: MONITORING
Source: EDF Other Name: MW5
GAMA PFAS Testing: Not Reported
Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=SL0606583253&assigned_name=MW5&store_num=
GeoTracker Data: https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=SL0606583253&assigned_name=MW5

D30
WNW
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000023632**

Well ID: SL0606583253-MW13 Well Type: MONITORING
Source: EDF Other Name: MW13
GAMA PFAS Testing: Not Reported
Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=SL0606583253&assigned_name=MW13&store_num=
GeoTracker Data: https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=SL0606583253&assigned_name=MW13

F31
SE
1/2 - 1 Mile
Higher

AQUIFLOW **50809**

Site ID: 083302877T
Groundwater Flow: Not Reported
Shallow Water Depth: 100
Deep Water Depth: 110
Average Water Depth: Not Reported
Date: 06/03/1997

32
WNW
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000060250**

Well ID: SL0606583253-MW6 Well Type: MONITORING
Source: EDF Other Name: MW6
GAMA PFAS Testing: Not Reported
Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=SL0606583253&assigned_name=MW6&store_num=
GeoTracker Data: https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=SL0606583253&assigned_name=MW6

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

F33
SE
1/2 - 1 Mile
Higher

CA WELLS **CAEDF0000038948**

Well ID:	T0606500586-MW01	Well Type:	MONITORING
Source:	EDF	Other Name:	MW01
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0606500586&assigned_name=MW01&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0606500586&assigned_name=MW01		

F34
SE
1/2 - 1 Mile
Higher

CA WELLS **CAEDF0000046801**

Well ID:	T0606500586-MW02	Well Type:	MONITORING
Source:	EDF	Other Name:	MW02
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0606500586&assigned_name=MW02&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0606500586&assigned_name=MW02		

F35
SE
1/2 - 1 Mile
Higher

CA WELLS **CAEDF0000053351**

Well ID:	T0606500586-MW04	Well Type:	MONITORING
Source:	EDF	Other Name:	MW04
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0606500586&assigned_name=MW04&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0606500586&assigned_name=MW04		

G36
WNW
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000132306**

Well ID:	T10000005944-MW-2	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-2
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T10000005944&assigned_name=MW-2&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T10000005944&assigned_name=MW-2		

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

H37
NW
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000094401**

Well ID:	T10000005944-MW-1	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-1
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T10000005944&assigned_name=MW-1&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T10000005944&assigned_name=MW-1		

H38
NW
1/2 - 1 Mile
Lower

CA WELLS **CADWR0000003463**

Well ID:	02S05W24B001S	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	02S05W24B001S	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=02S05W24B001S&store_num=		
GeoTracker Data:	Not Reported		

G39
NW
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000127551**

Well ID:	T10000005944-MW-5	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-5
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T10000005944&assigned_name=MW-5&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T10000005944&assigned_name=MW-5		

I40
WNW
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000076809**

Well ID:	T10000005944-MW-3	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-3
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T10000005944&assigned_name=MW-3&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T10000005944&assigned_name=MW-3		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

J41
East
1/2 - 1 Mile
Higher

CA WELLS **CADWR0000029597**

Well ID:	02S04W19J001S	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	02S04W19J001S	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=02S04W19J001S&store_num=		
GeoTracker Data:	Not Reported		

J42
East
1/2 - 1 Mile
Higher

CA WELLS **CADWR0000034309**

Well ID:	02S04W19J002S	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	02S04W19J002S	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=02S04W19J002S&store_num=		
GeoTracker Data:	Not Reported		

43
NNW
1/2 - 1 Mile
Lower

CA WELLS **CADWR0000037377**

Well ID:	02S05W13R001S	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	02S05W13R001S	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=02S05W13R001S&store_num=		
GeoTracker Data:	Not Reported		

I44
WNW
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000038422**

Well ID:	T10000005944-MW-4	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-4
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T10000005944&assigned_name=MW-4&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T10000005944&assigned_name=MW-4		

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

K45
NW
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000002949**

Well ID:	T10000005944-MW-7	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-7
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T10000005944&assigned_name=MW-7&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T10000005944&assigned_name=MW-7		

46
ESE
1/2 - 1 Mile
Higher

CA WELLS **CADWR0000022672**

Well ID:	02S04W19R001S	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	02S04W19R001S	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=02S04W19R001S&store_num=		
GeoTracker Data:	Not Reported		

K47
NW
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000111837**

Well ID:	T10000005944-MW-6	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-6
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T10000005944&assigned_name=MW-6&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T10000005944&assigned_name=MW-6		

L48
NW
1/2 - 1 Mile
Lower

CA WELLS **CADWR0000003906**

Well ID:	02S05W13Q002S	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	02S05W13Q002S	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=02S05W13Q002S&store_num=		
GeoTracker Data:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

L49
NW
1/2 - 1 Mile
Lower

CA WELLS **CADWR0000037766**

Well ID:	02S05W13Q001S	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	02S05W13Q001S	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=02S05W13Q001S&store_num=		
GeoTracker Data:	Not Reported		

50
ENE
1/2 - 1 Mile
Higher

CA WELLS **CADWR0000034041**

Well ID:	02S04W19A001S	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	02S04W19A001S	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=02S04W19A001S&store_num=		
GeoTracker Data:	Not Reported		

L51
NW
1/2 - 1 Mile
Lower

CA WELLS **CADDW0000020452**

Well ID:	3310031-009	Well Type:	MUNICIPAL
Source:	Department of Health Services		
Other Name:	CUNNINGHAM - AGRICULTURAL	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_date=&global_id=&assigned_name=3310031-009&store_num=		
GeoTracker Data:	Not Reported		

52
WNW
1/2 - 1 Mile
Lower

CA WELLS **CADWR0000030249**

Well ID:	02S05W24C001S	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	02S05W24C001S	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=02S05W24C001S&store_num=		
GeoTracker Data:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

M53
ESE
1/2 - 1 Mile
Higher

CA WELLS **2484**

Seq:	2484	Prim sta c:	02S/05W-01G02 S
Frds no:	3310031094	County:	33
District:	14	User id:	WAT
System no:	3310031	Water type:	G
Source nam:	UCR MAIN - STANDBY	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	335831.9	Longitude:	1171949.2
Precision:	1	Status:	SU
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		

System no:	3310031	System nam:	Riverside, City Of
Hqname:	Not Reported	Address:	3900 MAIN STREET
City:	RIVERSIDE	State:	CA
Zip:	92522	Zip ext:	Not Reported
Pop serv:	245000	Connection:	58586
Area serve:	RIVERSIDE		

N54
NW
1/2 - 1 Mile
Lower

FED USGS **USGS40000139606**

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	002S005W13Q002S	Type:	Well
Description:	Not Reported	HUC:	18070203
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	401
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

O55
NNE
1/2 - 1 Mile
Lower

CA WELLS **3078**

Seq:	3078	Prim sta c:	033/031-009
Frds no:	3310031054	County:	33
District:	14	User id:	WAT
System no:	3310031	Water type:	G
Source nam:	INDUSTRIAL BSTR - DISTRIBUTION	Station ty:	WELL/AMBNT/MUN/INTAKE
Latitude:	335940.2	Longitude:	1172018.8
Precision:	1	Status:	DR
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

System no:	3310031	System nam:	Riverside, City Of
Hqname:	Not Reported	Address:	3900 MAIN STREET
City:	RIVERSIDE	State:	CA
Zip:	92522	Zip ext:	Not Reported
Pop serv:	245000	Connection:	58586
Area serve:	RIVERSIDE		

Sample date:	27-JAN-15	Finding:	2.2
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L
Dlr:	0.		

Sample date:	27-JAN-15	Finding:	23.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		

Sample date:	04-NOV-14	Finding:	5.8e-002
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dlr:	0.1		

Sample date:	04-NOV-14	Finding:	1.3
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L
Dlr:	0.		

Sample date:	04-NOV-14	Finding:	12.
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		

Sample date:	04-NOV-14	Finding:	5100.
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		

Sample date:	04-NOV-14	Finding:	3.
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		

Sample date:	04-NOV-14	Finding:	600.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		

Sample date:	04-NOV-14	Finding:	7.8
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		

Sample date:	04-NOV-14	Finding:	160.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		

Sample date:	04-NOV-14	Finding:	200.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		

Sample date:	04-NOV-14	Finding:	180.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		

Sample date:	04-NOV-14	Finding:	58.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		

Sample date:	04-NOV-14	Finding:	9.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		

Sample date:	04-NOV-14	Finding:	47.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	04-NOV-14	Finding:	3.4
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	04-NOV-14	Finding:	30.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	04-NOV-14	Finding:	74.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	04-NOV-14	Finding:	0.55
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L
Dlr:	0.1		
Sample date:	04-NOV-14	Finding:	3.4
Chemical:	ARSENIC	Report units:	UG/L
Dlr:	2.		
Sample date:	04-NOV-14	Finding:	180.
Chemical:	BORON	Report units:	UG/L
Dlr:	100.		
Sample date:	04-NOV-14	Finding:	1.8
Chemical:	CHROMIUM, HEXAVALENT	Report units:	UG/L
Dlr:	1.		
Sample date:	04-NOV-14	Finding:	7.4
Chemical:	VANADIUM	Report units:	UG/L
Dlr:	3.		
Sample date:	04-NOV-14	Finding:	3.4
Chemical:	GROSS ALPHA	Report units:	PCI/L
Dlr:	3.		
Sample date:	04-NOV-14	Finding:	3.
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		
Sample date:	04-NOV-14	Finding:	23.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	04-NOV-14	Finding:	3.8
Chemical:	URANIUM (PCI/L)	Report units:	PCI/L
Dlr:	1.		
Sample date:	04-NOV-14	Finding:	390.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		
Sample date:	04-NOV-14	Finding:	0.81
Chemical:	LANGELIER INDEX @ 60 C	Report units:	Not Reported
Dlr:	0.		
Sample date:	12-MAR-13	Finding:	610.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US

Dlr:	0.		
Sample date:	12-MAR-13	Finding:	8.1
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		
Sample date:	12-MAR-13	Finding:	140.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	12-MAR-13	Finding:	170.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	12-MAR-13	Finding:	210.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	12-MAR-13	Finding:	67.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	12-MAR-13	Finding:	9.6
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	12-MAR-13	Finding:	47.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	12-MAR-13	Finding:	3.4
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	12-MAR-13	Finding:	37.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	12-MAR-13	Finding:	72.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	12-MAR-13	Finding:	0.51
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L
Dlr:	0.1		
Sample date:	12-MAR-13	Finding:	2.2
Chemical:	ARSENIC	Report units:	UG/L
Dlr:	2.		
Sample date:	12-MAR-13	Finding:	160.
Chemical:	BORON	Report units:	UG/L
Dlr:	100.		
Sample date:	12-MAR-13	Finding:	1.7
Chemical:	CHROMIUM, HEXAVALENT	Report units:	UG/L
Dlr:	1.		
Sample date:	12-MAR-13	Finding:	6.3
Chemical:	VANADIUM	Report units:	UG/L
Dlr:	3.		

Sample date:	12-MAR-13	Finding:	2.7
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		
Sample date:	12-MAR-13	Finding:	4.6
Chemical:	URANIUM (PCI/L)	Report units:	PCI/L
Dlr:	1.		
Sample date:	12-MAR-13	Finding:	2.2
Chemical:	BROMOFORM (THM)	Report units:	UG/L
Dlr:	1.		
Sample date:	12-MAR-13	Finding:	2.4
Chemical:	DIBROMOCHLOROMETHANE (THM)	Report units:	UG/L
Dlr:	1.		
Sample date:	12-MAR-13	Finding:	400.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		
Sample date:	12-MAR-13	Finding:	1.2
Chemical:	LANGELIER INDEX @ 60 C	Report units:	Not Reported
Dlr:	0.		
Sample date:	12-MAR-13	Finding:	23.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	12-MAR-13	Finding:	0.13
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dlr:	0.1		
Sample date:	12-MAR-13	Finding:	5.6
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L
Dlr:	0.		
Sample date:	12-MAR-13	Finding:	13.
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		
Sample date:	12-MAR-13	Finding:	5300.
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	12-MAR-13	Finding:	3.
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		
Sample date:	09-OCT-12	Finding:	22.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	11-SEP-12	Finding:	21.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	14-AUG-12	Finding:	560.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	14-AUG-12	Finding:	7.7
Chemical:	PH, LABORATORY	Report units:	Not Reported

Dlr:	0.		
Sample date:	14-AUG-12	Finding:	130.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	14-AUG-12	Finding:	160.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	14-AUG-12	Finding:	180.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	14-AUG-12	Finding:	60.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	14-AUG-12	Finding:	8.4
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	14-AUG-12	Finding:	45.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	14-AUG-12	Finding:	3.6
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	14-AUG-12	Finding:	26.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	14-AUG-12	Finding:	77.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	14-AUG-12	Finding:	0.57
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L
Dlr:	0.1		
Sample date:	14-AUG-12	Finding:	3.6
Chemical:	ARSENIC	Report units:	UG/L
Dlr:	2.		
Sample date:	14-AUG-12	Finding:	170.
Chemical:	BORON	Report units:	UG/L
Dlr:	100.		
Sample date:	14-AUG-12	Finding:	2.3
Chemical:	CHROMIUM, HEXAVALENT	Report units:	UG/L
Dlr:	1.		
Sample date:	14-AUG-12	Finding:	64.
Chemical:	MANGANESE	Report units:	UG/L
Dlr:	20.		
Sample date:	14-AUG-12	Finding:	7.9
Chemical:	VANADIUM	Report units:	UG/L
Dlr:	3.		

Sample date:	14-AUG-12	Finding:	2.4
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		
Sample date:	14-AUG-12	Finding:	3.6
Chemical:	URANIUM (PCI/L)	Report units:	PCI/L
Dlr:	1.		
Sample date:	14-AUG-12	Finding:	16.
Chemical:	BROMODICHLOROMETHANE (THM)	Report units:	UG/L
Dlr:	1.		
Sample date:	14-AUG-12	Finding:	6.9
Chemical:	DIBROMOCHLOROMETHANE (THM)	Report units:	UG/L
Dlr:	1.		
Sample date:	14-AUG-12	Finding:	12.
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dlr:	1.		
Sample date:	14-AUG-12	Finding:	370.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		
Sample date:	14-AUG-12	Finding:	0.68
Chemical:	LANGELIER INDEX @ 60 C	Report units:	Not Reported
Dlr:	0.		
Sample date:	14-AUG-12	Finding:	22.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	14-AUG-12	Finding:	6.7e-002
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dlr:	0.1		
Sample date:	14-AUG-12	Finding:	36.
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L
Dlr:	0.		
Sample date:	14-AUG-12	Finding:	12.
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		
Sample date:	14-AUG-12	Finding:	4900.
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	14-AUG-12	Finding:	3.
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		
Sample date:	14-AUG-12	Finding:	3.
Chemical:	COLOR	Report units:	UNITS
Dlr:	0.		
Sample date:	24-JUL-12	Finding:	0.7
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L
Dlr:	0.		
Sample date:	24-JUL-12	Finding:	22.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L

Dlr:	2.		
Sample date:	12-JUN-12	Finding:	21.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	22-MAY-12	Finding:	9.6e-002
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dlr:	0.1		
Sample date:	22-MAY-12	Finding:	20.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	22-MAY-12	Finding:	0.94
Chemical:	LANGELIER INDEX @ 60 C	Report units:	Not Reported
Dlr:	0.		
Sample date:	22-MAY-12	Finding:	330.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		
Sample date:	22-MAY-12	Finding:	3.1
Chemical:	URANIUM (PCI/L)	Report units:	PCI/L
Dlr:	1.		
Sample date:	22-MAY-12	Finding:	2.7
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		
Sample date:	22-MAY-12	Finding:	6.4
Chemical:	VANADIUM	Report units:	UG/L
Dlr:	3.		
Sample date:	22-MAY-12	Finding:	2.4
Chemical:	CHROMIUM, HEXAVALENT	Report units:	UG/L
Dlr:	1.		
Sample date:	22-MAY-12	Finding:	170.
Chemical:	BORON	Report units:	UG/L
Dlr:	100.		
Sample date:	22-MAY-12	Finding:	0.57
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L
Dlr:	0.1		
Sample date:	22-MAY-12	Finding:	73.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	22-MAY-12	Finding:	25.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	22-MAY-12	Finding:	3.5
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	22-MAY-12	Finding:	46.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		

Sample date:	22-MAY-12	Finding:	8.3
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	22-MAY-12	Finding:	61.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	22-MAY-12	Finding:	190.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	22-MAY-12	Finding:	160.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	22-MAY-12	Finding:	130.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	22-MAY-12	Finding:	7.9
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		
Sample date:	22-MAY-12	Finding:	540.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	22-MAY-12	Finding:	12.
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		
Sample date:	22-MAY-12	Finding:	4600.
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	22-MAY-12	Finding:	3.
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		
Sample date:	22-MAY-12	Finding:	3.5
Chemical:	ARSENIC	Report units:	UG/L
Dlr:	2.		
Sample date:	27-MAR-12	Finding:	21.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	23-FEB-12	Finding:	4.1
Chemical:	PERCHLORATE	Report units:	UG/L
Dlr:	4.		
Sample date:	23-FEB-12	Finding:	3.
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		
Sample date:	23-FEB-12	Finding:	12.
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		
Sample date:	23-FEB-12	Finding:	0.5
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L

Dlr:	0.		
Sample date:	23-FEB-12	Finding:	7.8e-002
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dlr:	0.1		
Sample date:	23-FEB-12	Finding:	23.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	23-FEB-12	Finding:	0.77
Chemical:	LANGELIER INDEX @ 60 C	Report units:	Not Reported
Dlr:	0.		
Sample date:	23-FEB-12	Finding:	350.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		
Sample date:	23-FEB-12	Finding:	3.8
Chemical:	URANIUM (PCI/L)	Report units:	PCI/L
Dlr:	1.		
Sample date:	23-FEB-12	Finding:	2.6
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		
Sample date:	23-FEB-12	Finding:	4.2
Chemical:	GROSS ALPHA	Report units:	PCI/L
Dlr:	3.		
Sample date:	23-FEB-12	Finding:	6.3
Chemical:	VANADIUM	Report units:	UG/L
Dlr:	3.		
Sample date:	23-FEB-12	Finding:	2.5
Chemical:	CHROMIUM, HEXAVALENT	Report units:	UG/L
Dlr:	1.		
Sample date:	23-FEB-12	Finding:	180.
Chemical:	BORON	Report units:	UG/L
Dlr:	100.		
Sample date:	23-FEB-12	Finding:	3.4
Chemical:	ARSENIC	Report units:	UG/L
Dlr:	2.		
Sample date:	23-FEB-12	Finding:	0.58
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L
Dlr:	0.1		
Sample date:	23-FEB-12	Finding:	76.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	23-FEB-12	Finding:	26.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	23-FEB-12	Finding:	3.8
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		

Sample date:	23-FEB-12	Finding:	42.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	23-FEB-12	Finding:	9.1
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	23-FEB-12	Finding:	64.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	23-FEB-12	Finding:	200.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	23-FEB-12	Finding:	150.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	23-FEB-12	Finding:	120.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	23-FEB-12	Finding:	7.8
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		
Sample date:	23-FEB-12	Finding:	540.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	23-FEB-12	Finding:	5300.
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	14-FEB-12	Finding:	25.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		

N56
NW
1/2 - 1 Mile
Lower

CA WELLS 2513

Seq:	2513	Prim sta c:	02S/05W-13Q02 S
Frds no:	3310031009	County:	33
District:	14	User id:	WAT
System no:	3310031	Water type:	G
Source nam:	CUNNINGHAM - AGRICULTURAL	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	335931.5	Longitude:	1172119.3
Precision:	1	Status:	AG
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		
System no:	3310031	System nam:	Riverside, City Of
Hqname:	Not Reported	Address:	3900 MAIN STREET
City:	RIVERSIDE	State:	CA
Zip:	92522	Zip ext:	Not Reported

Pop serv:	245000	Connection:	58586
Area serve:	RIVERSIDE		

O57
NNE **CA WELLS** **2514**
1/2 - 1 Mile
Lower

Seq:	2514	Prim sta c:	02S/05W-14E01 S
Frds no:	3310031018	County:	33
District:	14	User id:	WAT
System no:	3310031	Water type:	G
Source nam:	FAIRMOUNT WELL 02 - AGRICULTURAL	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	335941.9	Longitude:	1172019.5
Precision:	1	Status:	AG
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		

System no:	3310031	System nam:	Riverside, City Of
Hqname:	Not Reported	Address:	3900 MAIN STREET
City:	RIVERSIDE	State:	CA
Zip:	92522	Zip ext:	Not Reported
Pop serv:	245000	Connection:	58586
Area serve:	RIVERSIDE		

O58
NNE **CA WELLS** **CADDW0000011437**
1/2 - 1 Mile
Lower

Well ID:	3310031-018	Well Type:	MUNICIPAL
Source:	Department of Health Services		
Other Name:	FAIRMOUNT WELL 02 - AGRICULTURAL		
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_date=&global_id=&assigned_name=3310031-018&store_num=		
GeoTracker Data:	Not Reported		

M59
ESE **CA WELLS** **CADDW0000019051**
1/2 - 1 Mile
Higher

Well ID:	3310031-094	Well Type:	MUNICIPAL
Source:	Department of Health Services		
Other Name:	UCR MAIN - INACTIVE	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_date=&global_id=&assigned_name=3310031-094&store_num=		
GeoTracker Data:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation			Database	EDR ID Number
P60 **WSW** **1/2 - 1 Mile** **Lower**	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	083301742T NW Not Reported Not Reported 135 06/30/1995	**AQUIFLOW**	**37820**
P61 **WSW** **1/2 - 1 Mile** **Lower**	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	083301742T NW Not Reported Not Reported 135 06/30/1995	**AQUIFLOW**	**37821**
1G **NNW** **1/2 - 1 Mile** **Lower**	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	083300500T SW Not Reported Not Reported 125 07/22/1986	**AQUIFLOW**	**67250**
2G **East** **1/4 - 1/2 Mile** **Lower**	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	083300601T W Not Reported Not Reported 160 10/29/1987	**AQUIFLOW**	**39020**
3G **East** **1/4 - 1/2 Mile** **Lower**	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	083300601T W Not Reported Not Reported 160’ 10/29/1987	**AQUIFLOW**	**66355**
4G **ENE** **1/4 - 1/2 Mile** **Lower**	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	083303149T Not Reported Not Reported Not Reported 100 05/29/1998	**AQUIFLOW**	**54882**
5G **ENE** **1/4 - 1/2 Mile** **Lower**	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	083303149T Not Reported Not Reported Not Reported 100 05/29/1998	**AQUIFLOW**	**54881**

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation			Database	EDR ID Number
6G **ENE** **1/4 - 1/2 Mile** **Lower**	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	083303149T Not Reported Not Reported Not Reported 100 05/29/1998	**AQUIFLOW**	**54880**
7G **NE** **0 - 1/8 Mile** **Lower**	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	083301200T NW Not Reported Not Reported 150’ 10/30/1998	**AQUIFLOW**	**34251**
8G **WSW** **1/2 - 1 Mile** **Lower**	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	083301742T NW Not Reported Not Reported 135 06/30/1995	**AQUIFLOW**	**37820**
9G **WSW** **1/2 - 1 Mile** **Lower**	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	083301742T NW Not Reported Not Reported 135 06/30/1995	**AQUIFLOW**	**37821**
10G **SE** **1/2 - 1 Mile** **Lower**	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	083302877T Not Reported 100 110 Not Reported 06/03/1997	**AQUIFLOW**	**50809**

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS
RADON

AREA RADON INFORMATION

State Database: CA Radon

Radon Test Results

Zipcode	Num Tests	> 4 pCi/L
92507	43	0

Federal EPA Radon Zone for RIVERSIDE County: 2

Note: Zone 1 indoor average level > 4 pCi/L.
: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
: Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for RIVERSIDE COUNTY, CA

Number of sites tested: 12

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	0.117 pCi/L	100%	0%	0%
Living Area - 2nd Floor	0.450 pCi/L	100%	0%	0%
Basement	1.700 pCi/L	100%	0%	0%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)
Source: United States Geologic Survey
EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Current USGS 7.5 Minute Topographic Map
Source: U.S. Geological Survey

HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.
Source: FEMA
Telephone: 877-336-2627
Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005, 2010 and 2015 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Inventory
Source: Department of Fish and Wildlife
Telephone: 916-445-0411

HYDROGEOLOGIC INFORMATION

AQUIFLOW^{R} Information System
Source: EDR proprietary database of groundwater flow information
EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit
Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)
The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)
Telephone: 800-672-5559
SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)
This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

OTHER STATE DATABASE INFORMATION

Groundwater Ambient Monitoring & Assessment Program
State Water Resources Control Board
Telephone: 916-341-5577
The GAMA Program is Californias comprehensive groundwater quality monitoring program. GAMA collects data by testing the untreated, raw water in different types of wells for naturally-occurring and man-made chemicals. The GAMA data includes Domestic, Monitoring and Municipal well types from the following sources, Department of Water Resources, Department of Heath Services, EDF, Agricultural Lands, Lawrence Livermore National Laboratory, Department of Pesticide Regulation, United States Geological Survey, Groundwater Ambient Monitoring and Assessment Program and Local Groundwater Projects.

Water Well Database
Source: Department of Water Resources
Telephone: 916-651-9648

California Drinking Water Quality Database
Source: Department of Public Health
Telephone: 916-324-2319
The database includes all drinking water compliance and special studies monitoring for the state of California since 1984. It consists of over 3,200,000 individual analyses along with well and water system information.

California Oil and Gas Well Locations
Source: Dept of Conservation, Geologic Energy Management Division
Telephone: 916-323-1779
Oil and Gas well locations in the state.

California Earthquake Fault Lines
Source: California Division of Mines and Geology
The fault lines displayed on EDR's Topographic map are digitized quaternary fault lines prepared in 1975 by the United State Geological Survey. Additional information (also from 1975) regarding activity at specific fault lines comes from California's Preliminary Fault Activity Map prepared by the California Division of Mines and Geology.

RADON

State Database: CA Radon
Source: Department of Public Health
Telephone: 916-210-8558
Radon Database for California

PHYSICAL SETTING SOURCE RECORDS SEARCHED

Area Radon Information
Source: USGS
Telephone: 703-356-4020
The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones
Source: EPA
Telephone: 703-356-4020
Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities
Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater
Source: Department of Commerce, National Oceanic and Atmospheric Administration

California Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary fault lines, prepared in 1975 by the United State Geological Survey. Additional information (also from 1975) regarding activity at specific fault lines comes from California's Preliminary Fault Activity Map prepared by the California Division of Mines and Geology.

STREET AND ADDRESS INFORMATION

Â© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

Appendix D. Laboratory Reports

Appendix

This page intentionally left blank.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CASE NARRATIVE

Authorized Signature Name / Title (print)	Ken Zheng, President
Signature / Date	Ken Zheng, President 04/12/2023 12:01:16
Laboratory Job No. (Certificate of Analysis No.)	2303-00228
Project Name / No.	JOHN W. NORTH HS, RIVERSIDE, CA RIV-37.0
Dates Sampled (from/to)	03/24/23 To 03/24/23
Dates Received (from/to)	03/24/23 To 03/24/23
Dates Reported (from/to)	04/04/23 To 4/12/2023
Chains of Custody Received	Yes

Comments:

Subcontracting

Organic Analyses

No analyses sub-contracted

Inorganic Analyses

No analyses sub-contracted

Sample Condition(s)

All samples intact

Positive Results (Organic Compounds)

Sample	Analyte	Result	Qual	Units	RL	Sample	Analyte	Result	Qual	Units	RL
B-8@0.5'	4,4'-DDE	**0.010**		mg/Kg	0.0050	B-8DUP@0.5'	4,4'-DDE	**0.0094**		mg/Kg	0.0050
B-7@2.5'	4,4'-DDE	**0.12**		mg/Kg	0.0050	B-7@2.5'	4,4'-DDT	**0.011**		mg/Kg	0.0050

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2303-00228

PLACEWORKS
MIKE WATSON
2850 INLAND EMPIRE BLVD.
SUITE B
ONTARIO, CA 91764

Project: JOHN W. NORTH HS, RIVERSIDE, CA

Date Reported	04/04/23
Date Received	03/24/23
Invoice No.	97736
Cust #	P135
Permit Number	
Customer P.O.	RIV-37.0

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 001 **B-5@0.5'**					Date & Time Sampled:		03/24/23 @	8:10
Sample Matrix: **Soil**								
[Metals]								
Metals Acid Digestion	Complete			EPA 3050B	1.0		03/29/23	TLB
Arsenic	**3.32**		mg/Kg	EPA 6010B	1.0	1.0	03/29/23	TLB
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		03/24/23	IG
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
4,4'-DDE	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	03/24/23	IG
Toxaphene	<0.050		mg/Kg	EPA 8081A	1.0	0.050	03/24/23	IG
[Surrogates]								
Tetrachloro-m-xylene	120		%REC	EPA 8081A/8082		50-150	03/24/23	IG
Decachlorobiphenyl	100		%REC	EPA 8081A/8082		50-150	03/24/23	IG
Sample: 002 **B-8@0.5'**					Date & Time Sampled:		03/24/23 @	8:46
Sample Matrix: **Soil**								

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2303-00228

PLACEWORKS
MIKE WATSON
2850 INLAND EMPIRE BLVD.
SUITE B
ONTARIO, CA 91764

Project: JOHN W. NORTH HS, RIVERSIDE, CA

Date Reported	04/04/23
Date Received	03/24/23
Invoice No.	97736
Cust #	P135
Permit Number	
Customer P.O.	RIV-37.0

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 002 **B-8@0.5'**					Date & Time Sampled:		03/24/23 @	8:46
Sample Matrix: **Soil**								
[Metals]								
Metals Acid Digestion	Complete			EPA 3050B	1.0		03/29/23	TLB
Arsenic	**2.99**		mg/Kg	EPA 6010B	1.0	1.0	03/29/23	TLB
Lead	**6.40**		mg/Kg	EPA 6010B	1.0	0.50	03/29/23	TLB
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		03/24/23	IG
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
4,4'-DDE	**0.010**		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	03/24/23	IG
Toxaphene	<0.050		mg/Kg	EPA 8081A	1.0	0.050	03/24/23	IG
[Surrogates]								
Tetrachloro-m-xylene	140		%REC	EPA 8081A/8082		50-150	03/24/23	IG
Decachlorobiphenyl	120		%REC	EPA 8081A/8082		50-150	03/24/23	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2303-00228

PLACEWORKS
MIKE WATSON
2850 INLAND EMPIRE BLVD.
SUITE B
ONTARIO, CA 91764

Project: JOHN W. NORTH HS, RIVERSIDE, CA

Date Reported	04/04/23
Date Received	03/24/23
Invoice No.	97736
Cust #	P135
Permit Number	
Customer P.O.	RIV-37.0

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 003 **B-8DUP@0.5'**					Date & Time Sampled:		03/24/23 @	8:47
Sample Matrix: **Soil**								
[Metals]								
Metals Acid Digestion	Complete			EPA 3050B	1.0		03/29/23	TLB
Arsenic	**2.88**		mg/Kg	EPA 6010B	1.0	1.0	03/29/23	TLB
Lead	**5.81**		mg/Kg	EPA 6010B	1.0	0.50	03/29/23	TLB
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		03/24/23	IG
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
4,4'-DDE	**0.0094**		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	03/24/23	IG
Toxaphene	<0.050		mg/Kg	EPA 8081A	1.0	0.050	03/24/23	IG
[Surrogates]								
Tetrachloro-m-xylene	120		%REC	EPA 8081A/8082		50-150	03/24/23	IG
Decachlorobiphenyl	120		%REC	EPA 8081A/8082		50-150	03/24/23	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2303-00228

PLACEWORKS
MIKE WATSON
2850 INLAND EMPIRE BLVD.
SUITE B
ONTARIO, CA 91764

Project: JOHN W. NORTH HS, RIVERSIDE, CA

Date Reported	04/04/23
Date Received	03/24/23
Invoice No.	97736
Cust #	P135
Permit Number	
Customer P.O.	RIV-37.0

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 004 **B-8@2.5'**					Date & Time Sampled:		03/24/23 @	8:52
Sample Matrix: **Soil**								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		03/24/23	IG
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
4,4'-DDE	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	03/24/23	IG
Toxaphene	<0.050		mg/Kg	EPA 8081A	1.0	0.050	03/24/23	IG
[Surrogates]								
Tetrachloro-m-xylene	120		%REC	EPA 8081A/8082		50-150	03/24/23	IG
Decachlorobiphenyl	120		%REC	EPA 8081A/8082		50-150	03/24/23	IG
Sample: 005 **B-6@0.5'**					Date & Time Sampled:		03/24/23 @	9:01
Sample Matrix: **Soil**								
[Metals]								
Metals Acid Digestion	Complete			EPA 3050B	1.0		03/29/23	TLB
Arsenic	**4.25**		mg/Kg	EPA 6010B	1.0	1.0	03/29/23	TLB

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing **Food Sanitation Consulting** **Chemical and Microbiological Analyses and Research**

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2303-00228

PLACEWORKS
MIKE WATSON
2850 INLAND EMPIRE BLVD.
SUITE B
ONTARIO, CA 91764

Project: JOHN W. NORTH HS, RIVERSIDE, CA

Date Reported	04/04/23
Date Received	03/24/23
Invoice No.	97736
Cust #	P135
Permit Number	
Customer P.O.	RIV-37.0

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 005 **B-6@0.5'**					Date & Time Sampled:		03/24/23 @	9:01
Sample Matrix: **Soil**								
.....continued								
Lead	**13.9**		mg/Kg	EPA 6010B	1.0	0.50	03/29/23	TLB
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		03/24/23	IG
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
4,4'-DDE	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	03/24/23	IG
Toxaphene	<0.050		mg/Kg	EPA 8081A	1.0	0.050	03/24/23	IG
[Surrogates]								
Tetrachloro-m-xylene	120		%REC	EPA 8081A/8082		50-150	03/24/23	IG
Decachlorobiphenyl	120		%REC	EPA 8081A/8082		50-150	03/24/23	IG
Sample: 006 **B-6@2.5'**					Date & Time Sampled:		03/24/23 @	9:06
Sample Matrix: **Soil**								
[Pesticides]								

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2303-00228

PLACEWORKS
MIKE WATSON
2850 INLAND EMPIRE BLVD.
SUITE B
ONTARIO, CA 91764

Project: JOHN W. NORTH HS, RIVERSIDE, CA

Date Reported	04/04/23
Date Received	03/24/23
Invoice No.	97736
Cust #	P135
Permit Number	
Customer P.O.	RIV-37.0

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 006 **B-6@2.5'**					Date & Time Sampled:		03/24/23 @	9:06
Sample Matrix: **Soil**								
.....continued								
Ultrasonic Extraction	Complete			EPA 3550	1.0		03/24/23	IG
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
4,4'-DDE	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	03/24/23	IG
Toxaphene	<0.050		mg/Kg	EPA 8081A	1.0	0.050	03/24/23	IG
[Surrogates]								
Tetrachloro-m-xylene	120		%REC	EPA 8081A/8082		50-150	03/24/23	IG
Decachlorobiphenyl	120		%REC	EPA 8081A/8082		50-150	03/24/23	IG
Sample: 007 **B-7@0.5'**					Date & Time Sampled:		03/24/23 @	9:12
Sample Matrix: **Soil**								
[Metals]								
Metals Acid Digestion	Complete			EPA 3050B	1.0		03/29/23	TLB
Arsenic	**2.32**		mg/Kg	EPA 6010B	1.0	1.0	03/29/23	TLB

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2303-00228

PLACEWORKS
MIKE WATSON
2850 INLAND EMPIRE BLVD.
SUITE B
ONTARIO, CA 91764

Project: JOHN W. NORTH HS, RIVERSIDE, CA

Date Reported	04/04/23
Date Received	03/24/23
Invoice No.	97736
Cust #	P135
Permit Number	
Customer P.O.	RIV-37.0

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 007 **B-7@0.5'**					Date & Time Sampled:		03/24/23 @	9:12
Sample Matrix: **Soil**								
.....continued								
Lead	**5.00**		mg/Kg	EPA 6010B	1.0	0.50	03/29/23	TLB
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		03/24/23	IG
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
4,4'-DDE	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	03/24/23	IG
Toxaphene	<0.050		mg/Kg	EPA 8081A	1.0	0.050	03/24/23	IG
[Surrogates]								
Tetrachloro-m-xylene	120		%REC	EPA 8081A/8082		50-150	03/24/23	IG
Decachlorobiphenyl	120		%REC	EPA 8081A/8082		50-150	03/24/23	IG
Sample: 008 **B-7@2.5'**					Date & Time Sampled:		03/24/23 @	9:19
Sample Matrix: **Soil**								
[Pesticides]								

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2303-00228

PLACEWORKS
MIKE WATSON
2850 INLAND EMPIRE BLVD.
SUITE B
ONTARIO, CA 91764

Project: JOHN W. NORTH HS, RIVERSIDE, CA

Date Reported	04/04/23
Date Received	03/24/23
Invoice No.	97736
Cust #	P135
Permit Number	
Customer P.O.	RIV-37.0

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 008 **B-7@2.5'**					Date & Time Sampled:		03/24/23 @	9:19
Sample Matrix: **Soil**								
.....continued								
Ultrasonic Extraction	Complete			EPA 3550	1.0		03/24/23	IG
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
4,4'-DDE	**0.12**		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
4,4'-DDT	**0.011**		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	03/24/23	IG
Toxaphene	<0.050		mg/Kg	EPA 8081A	1.0	0.050	03/24/23	IG
[Surrogates]								
Tetrachloro-m-xylene	120		%REC	EPA 8081A/8082		50-150	03/24/23	IG
Decachlorobiphenyl	120		%REC	EPA 8081A/8082		50-150	03/24/23	IG
Sample: 009 **B-4@0.5'**					Date & Time Sampled:		03/24/23 @	9:28
Sample Matrix: **Soil**								
[Metals]								
Metals Acid Digestion	Complete			EPA 3050B	1.0		03/29/23	TLB
Arsenic	**2.60**		mg/Kg	EPA 6010B	1.0	1.0	03/29/23	TLB

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2303-00228

PLACEWORKS
MIKE WATSON
2850 INLAND EMPIRE BLVD.
SUITE B
ONTARIO, CA 91764

Project: JOHN W. NORTH HS, RIVERSIDE, CA

Date Reported	04/04/23
Date Received	03/24/23
Invoice No.	97736
Cust #	P135
Permit Number	
Customer P.O.	RIV-37.0

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 009 **B-4@0.5'**					Date & Time Sampled:		03/24/23 @	9:28
Sample Matrix: **Soil**								
.....continued								
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		03/24/23	IG
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
4,4'-DDE	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	03/24/23	IG
Toxaphene	<0.050		mg/Kg	EPA 8081A	1.0	0.050	03/24/23	IG
[Surrogates]								
Tetrachloro-m-xylene	120		%REC	EPA 8081A/8082		50-150	03/24/23	IG
Decachlorobiphenyl	110		%REC	EPA 8081A/8082		50-150	03/24/23	IG
Sample: 010 **B-3@0.5'**					Date & Time Sampled:		03/24/23 @	9:56
Sample Matrix: **Soil**								
[Metals]								
Metals Acid Digestion	Complete			EPA 3050B	1.0		03/29/23	TLB

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2303-00228

PLACEWORKS
MIKE WATSON
2850 INLAND EMPIRE BLVD.
SUITE B
ONTARIO, CA 91764

Project: JOHN W. NORTH HS, RIVERSIDE, CA

Date Reported	04/04/23
Date Received	03/24/23
Invoice No.	97736
Cust #	P135
Permit Number	
Customer P.O.	RIV-37.0

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 010 **B-3@0.5'**					Date & Time Sampled:		03/24/23 @	9:56
Sample Matrix: **Soil**								
.....continued								
Arsenic	**2.08**		mg/Kg	EPA 6010B	1.0	1.0	03/29/23	TLB
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		03/24/23	IG
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
4,4'-DDE	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	03/24/23	IG
Toxaphene	<0.050		mg/Kg	EPA 8081A	1.0	0.050	03/24/23	IG
[Surrogates]								
Tetrachloro-m-xylene	130		%REC	EPA 8081A/8082		50-150	03/24/23	IG
Decachlorobiphenyl	120		%REC	EPA 8081A/8082		50-150	03/24/23	IG
Sample: 011 **B-2@0.5'**					Date & Time Sampled:		03/24/23 @	10:10
Sample Matrix: **Soil**								
[Metals]								

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing **Food Sanitation Consulting** **Chemical and Microbiological Analyses and Research**

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2303-00228

PLACEWORKS
MIKE WATSON
2850 INLAND EMPIRE BLVD.
SUITE B
ONTARIO, CA 91764

Project: JOHN W. NORTH HS, RIVERSIDE, CA

Date Reported	04/04/23
Date Received	03/24/23
Invoice No.	97736
Cust #	P135
Permit Number	
Customer P.O.	RIV-37.0

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 011 **B-2@0.5'**					Date & Time Sampled:		03/24/23 @	10:10
Sample Matrix: **Soil**								
.....continued								
Metals Acid Digestion	Complete			EPA 3050B	1.0		03/29/23	TLB
Arsenic	**2.42**		mg/Kg	EPA 6010B	1.0	1.0	03/29/23	TLB
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		03/24/23	IG
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
4,4'-DDE	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	03/24/23	IG
Toxaphene	<0.050		mg/Kg	EPA 8081A	1.0	0.050	03/24/23	IG
[Surrogates]								
Tetrachloro-m-xylene	120		%REC	EPA 8081A/8082		50-150	03/24/23	IG
Decachlorobiphenyl	110		%REC	EPA 8081A/8082		50-150	03/24/23	IG
Sample: 012 **B-1@0.5'**					Date & Time Sampled:		03/24/23 @	10:24
Sample Matrix: **Soil**								

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing **Food Sanitation Consulting** **Chemical and Microbiological Analyses and Research**

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2303-00228

PLACEWORKS
MIKE WATSON
2850 INLAND EMPIRE BLVD.
SUITE B
ONTARIO, CA 91764

Project: JOHN W. NORTH HS, RIVERSIDE, CA

Date Reported	04/04/23
Date Received	03/24/23
Invoice No.	97736
Cust #	P135
Permit Number	
Customer P.O.	RIV-37.0

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 012 **B-1@0.5'**					Date & Time Sampled:		03/24/23 @ 10:24	
Sample Matrix: **Soil**								
[Metals]								
Metals Acid Digestion	Complete			EPA 3050B	1.0		03/29/23	TLB
Arsenic	**2.88**		mg/Kg	EPA 6010B	1.0	1.0	03/29/23	TLB
[Pesticides]								
Ultrasonic Extraction	Complete			EPA 3550	1.0		03/24/23	IG
Aldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
alpha-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
beta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
delta-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
gamma-BHC	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
alpha-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
gamma-Chlordane	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
4,4'-DDD	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
4,4'-DDE	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
4,4'-DDT	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Dieldrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endosulfan I	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endosulfan II	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endosulfan Sulfate	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endrin	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endrin Aldehyde	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Endrin ketone	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Heptachlor	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Heptachlor Epoxide	<0.0050		mg/Kg	EPA 8081A	1.0	0.0050	03/24/23	IG
Methoxychlor	<0.010		mg/Kg	EPA 8081A	1.0	0.010	03/24/23	IG
Toxaphene	<0.050		mg/Kg	EPA 8081A	1.0	0.050	03/24/23	IG
[Surrogates]								
Tetrachloro-m-xylene	120		%REC	EPA 8081A/8082		50-150	03/24/23	IG
Decachlorobiphenyl	110		%REC	EPA 8081A/8082		50-150	03/24/23	IG
Sample: 013 **EB032423**					Date & Time Sampled:		03/24/23 @ 10:30	
Sample Matrix: **Aqueous**								

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2303-00228

PLACEWORKS
MIKE WATSON
2850 INLAND EMPIRE BLVD.
SUITE B
ONTARIO, CA 91764

Project: JOHN W. NORTH HS, RIVERSIDE, CA

Date Reported	04/04/23
Date Received	03/24/23
Invoice No.	97736
Cust #	P135
Permit Number	
Customer P.O.	RIV-37.0

Analysis	Result	Qual	Units	Method	DF	RL	Date	Tech
Sample: 013 **EB032423**					Date & Time Sampled:		03/24/23 @	10:30
Sample Matrix: **Aqueous**								
[Metals]								
Metals Acid Digestion	Complete			EPA 3010A	1.0		03/29/23	TLB
Arsenic	<0.0200		mg/L	EPA 200.7 (1994 REV.4.4	1.0	0.0200	03/29/23	TLB
Lead	<0.0100		mg/L	EPA 200.7 (1994 REV.4.4	1.0	0.0100	03/29/23	TLB
[Pesticides]								
Sep Funnel LLE	Complete			EPA 3510C	1.0		03/29/23	IG
Aldrin	<0.050		µg/L	EPA 8081A	1.0	0.050	03/29/23	IG
alpha-BHC	<0.050		µg/L	EPA 8081A	1.0	0.050	03/29/23	IG
beta-BHC	<0.050		µg/L	EPA 8081A	1.0	0.050	03/29/23	IG
delta-BHC	<0.050		µg/L	EPA 8081A	1.0	0.050	03/29/23	IG
gamma-BHC	<0.050		µg/L	EPA 8081A	1.0	0.050	03/29/23	IG
alpha-Chlordane	<0.050		µg/L	EPA 8081A	1.0	0.050	03/29/23	IG
gamma-Chlordane	<0.050		µg/L	EPA 8081A	1.0	0.050	03/29/23	IG
4,4'-DDD	<0.050		µg/L	EPA 8081A	1.0	0.050	03/29/23	IG
4,4'-DDE	<0.050		µg/L	EPA 8081A	1.0	0.050	03/29/23	IG
4,4'-DDT	<0.050		µg/L	EPA 8081A	1.0	0.050	03/29/23	IG
Dieldrin	<0.050		µg/L	EPA 8081A	1.0	0.050	03/29/23	IG
Endosulfan I	<0.050		µg/L	EPA 8081A	1.0	0.050	03/29/23	IG
Endosulfan II	<0.050		µg/L	EPA 8081A	1.0	0.050	03/29/23	IG
Endosulfan Sulfate	<0.10		µg/L	EPA 8081A	1.0	0.10	03/29/23	IG
Endrin	<0.050		µg/L	EPA 8081A	1.0	0.050	03/29/23	IG
Endrin Aldehyde	<0.10		µg/L	EPA 8081A	1.0	0.10	03/29/23	IG
Endrin Ketone	<0.50		µg/L	EPA 8081A	1.0	0.50	03/29/23	IG
Heptachlor	<0.050		µg/L	EPA 8081A	1.0	0.050	03/29/23	IG
Heptachlor Epoxide	<0.050		µg/L	EPA 8081A	1.0	0.050	03/29/23	IG
Methoxychlor	<0.50		µg/L	EPA 8081A	1.0	0.50	03/29/23	IG
Toxaphene	<0.50		µg/L	EPA 8081A	1.0	0.50	03/29/23	IG
[Surrogates]								
Tetrachloro-m-xylene	110		%REC	EPA 8081A/8082		50-150	03/29/23	IG
Decachlorobiphenyl	120		%REC	EPA 8081A/8082		50-150	03/29/23	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

Respectfully Submitted: Ken Zheng

Ken Zheng - Lab Director

QUALIFIERS

B = Detected in the associated Method Blank at a concentration above the routine RL.
B1 = BOD dilution water is over specifications . The reported result may be biased high.
D = Surrogate recoveries are not calculated due to sample dilution.
E = Estimated value; Value exceeds calibration level of instrument.
H = Analyte was prepared and/or analyzed outside of the analytical method holding time
I = Matrix Interference.
J = Analyte concentration detected between RL and MDL.
Q = One or more quality control criteria did not meet specifications. See Comments for further explanation.
S = Customer provided specification limit exceeded.

ABBREVIATIONS

DF = Dilution Factor
RL = Reporting Limit, Adjusted by DF
MDL = Method Detection Limit, Adjusted by DF
Qual = Qualifier
Tech = Technician

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

QUALITY CONTROL DATA REPORT

PLACEWORKS
ONTARIO, CA 91764

2303-00228

Date Reported	**04/04/2023**
Date Received	**03/24/2023**
Date Sampled	**03/24/2023**
Invoice No.	**97736**
Customer #	**P135**
Customer P.O.	**RIV-37.0**

Project: JOHN W. NORTH HS, RIVERSIDE, CA

Method # EPA 200.7 (1994 REV.4.4)

QC Reference # 108558 **Date Analyzed:** 3/29/2023 **Technician:** TLB

Samples 013

Results

	LCS %REC	LCS %DUP	LCS %RPD	SPIKE %REC	SPIKE %DUP	SPIKE %RPD
Aluminum	95	92	2.8	99	101	2.7
Arsenic	106	105	0.6			
Chromium	109	106	3.0	109	112	2.2
Copper	98	101	2.6	98	100	2.1
Iron	101	100	1.5	110	113	2.4
Lead	105	105	0.5			
Zinc	96	98	2.3	105	106	1.4

Control Ranges

LCS %REC	LCS %RPD	SPIKE %RPD
85 - 115	0 - 15	0 - 15
85 - 115	0 - 15	
85 - 115	0 - 15	0 - 15
85 - 115	0 - 15	0 - 15
85 - 115	0 - 15	0 - 15
85 - 115	0 - 15	
85 - 115	0 - 15	0 - 15

Method # EPA 6010B

QC Reference # 108557 **Date Analyzed:** 3/29/2023 **Technician:** TLB

Samples 001 002 003 005 007 009 010 011 012

Results

	LCS %REC	LCS %DUP	LCS %RPD	SPIKE %REC	SPIKE %DUP	SPIKE %RPD
Arsenic	97	97	0.5	84	88	3.9
Chromium	103	101	1.5	81	82	0.9
Lead	101	100	1.1	76	77	0.9
Zinc	104	104	0.4	119	121	0.7

Control Ranges

LCS %REC	LCS %RPD	SPIKE %RPD
75 - 125	0 - 20	0 - 20
75 - 125	0 - 20	0 - 20
75 - 125	0 - 20	0 - 20
75 - 125	0 - 20	0 - 20

Method # EPA 8081A

QC Reference # 108639 **Date Analyzed:** 3/29/2023 **Technician:** IG

Samples 013

Results

	LCS %REC	LCS %DUP	LCS %RPD
4,4'-DDT	100	100	0
Aldrin	110	120	10
Dieldrin	110	120	10
Endrin	110	110	0
gamma-BHC	110	120	10
Heptachlor	100	110	10

Control Ranges

LCS %REC	LCS %RPD
50 - 130	0 - 30
50 - 140	0 - 30
70 - 130	0 - 30
70 - 150	0 - 30
50 - 150	0 - 30
50 - 150	0 - 30

QC Reference # 108641 **Date Analyzed:** 3/24/2023 **Technician:** IG

Samples 001 002 003 004 005 006 007 008 009 010 011 012

Results

	LCS %REC	SPIKE %REC	SPIKE %DUP	SPIKE %RPD
4,4'-DDT	76	96	95	1
Aldrin	97	110	110	0
Dieldrin	90	110	110	0
Endrin	79	110	130	17
gamma-BHC	91	110	110	0
Heptachlor	79	110	110	0

Control Ranges

LCS %REC	SPIKE %RPD
30 - 130	0 - 30
50 - 140	0 - 30
70 - 130	0 - 30
70 - 150	0 - 30
50 - 150	0 - 30
50 - 150	0 - 30

Method # EPA 8081A/8082

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

QUALITY CONTROL DATA REPORT

PLACEWORKS

2303-00228

Date Reported 04/04/2023
Date Received 03/24/2023
Date Sampled 03/24/2023

Project: JOHN W. NORTH HS, RIVERSIDE, CA

Method # EPA 8081A/8082

QC Reference # 108639 **Date Analyzed:** 3/29/2023 **Technician:** IG

Samples 013

Results	BLKSRR%REC	Control Ranges BLKSRR%REC
Decachlorobiphenyl	83	50 - 150
Tetrachloro-m-xylene	83	50 - 150

QC Reference # 108641 **Date Analyzed:** 3/24/2023 **Technician:** IG

Samples 001 002 003 004 005 006 007 008 009 010 011 012

Results	BLKSRR%REC	Control Ranges BLKSRR%REC
Decachlorobiphenyl	73	50 - 150
Tetrachloro-m-xylene	81	50 - 150

No method blank results were above reporting limit

Respectfully Submitted: Ken Zheng

Ken Zheng - President

ARL

A & R Laboratories
1650 S. Grove Ave., Ste C, Ontario, CA 91761
Tel: 951-779-0310 / 909-781-6335 Fax: 951-779-0344
E-mail: office@arlaboratories.com

CHAIN OF CUSTODY

A & R Work Order #: 2303-228

Client Name: PLACEWORKS
E-mail: MWATSON@PLACEWORKS.COM
Address: 2850 INLAND EMPIRE BL #B ONTARIO CA 91764
Report Attention: Mike | Phone #: 9099894419 | Fax: # | Sampled By: M. Watson
Project No./ Name: RIV-37.0 | Project Site: JOHN W. NORTH HS RIVERSIDE, CA

☒ Chilled ☒ Intact ☐ Seal

Turn Around Time Requested: ☐ Rush 8 12 24 48 Hours ☒ Normal

Lab # (Lab use)	Client Sample ID	Sample Collection Date	Sample Collection Time	Matrix Type	Sample Preserve	No., type* & size of container	EPA8260B (VOCs & Oxygenates)	EPA8260B(BTEX & Oxygenates)	8260B / 8015 (Gasoline)	8015 (Diesel)	EPA8081A (Organochlorine Pesticides)	EPA 8082 (PCBs)	EPA 8015M (Carbon Chain C4-C40)	EPA 6010B/7000 (CAM 17 Metals)	Micro: Plate Cnt., Coliform, E-Coli	6010B Arsenic	6010B Lead				Title 22 Metals	Remarks
1	B-5@0.5'	3/24/23	0810	Soil	ice	1 glass jar					X					X						
	B-5@2.5'		0817																		X	
2	B-8@0.5'		0846								X					X	X					
3	B-8DUP@0.5'		0847								X					X	X					
4	B-8@2.5'		0852								X											
	B-8DUP@2.5'		0853																		X	
5	B-6@0.5'		0901								X					X	X					
6	B-6@2.5'		0906								X											
7	B-7@0.5'		0912								X					X	X					
8	B-7@2.5'		0919								X											
9	B-4@0.5'		0928								X					X						
	B-4@2.5'		0933																		X	
10	B-3@0.5'		0956								X					X						
	B-3@2.5'		1002																		X	
11	B-2@0.5'	↓	1010	↓	↓	↓					X					X						

Relinquished By	Company	Date	Time	Received By	Company	Date	Time
[signature]	PLACEWORKS	3/24/23	1122	[signature]	A&R	3.24.23	1122
Relinquished By	Company	Date	Time	Received By	Company	Date	Time

Note: Samples are discarded 30 days after results are reported unless other arrangements are made.

Matrix Code: DW=Drinking Water; GW=Ground Water; WW=Waste Water; SD=Solid Waste; SL=Sludge; SS=Soil/Sediment; AR=Air; PP=Pure Product

Preservative Code: IC=Ice; HC=HCl; HN=HNO_3; SH=NaOH; ST=$Na_2S_2O_3$; HS=H_2SO_4

* Sample Container Types: T=Tedlar Air Bag; G=Glass Container; ST= Steel Tube; B= Brass Tube; P=Plastic Bottle; V=VOA Vial; E= EnCore

ARL

A & R Laboratories
1650 S. Grove Ave., Ste C, Ontario, CA 91761
Tel: 951-779-0310 / 909-781-6335 Fax: 951-779-0344
E-mail: office@arlaboratories.com

CHAIN OF CUSTODY

A & R Work Order #: 2303-228

Client Name: PLACEWORKS
E-mail: MWATSON@PLACEWORKS.COM
Address: 2850 INLAND EMPIRE BL #B ONTARIO CA 91764
Report Attention: Mike | Phone #: 9099899449 | Fax: # | Sampled By: M. Watson
Project No./ Name: RIV-37.0 | Project Site: JOHN W. NORTH HS RIVERSIDE, CA

☒ Chilled ☒ Intact ☐ Seal

Turn Around Time Requested: ☐ Rush 8 12 24 48 Hours ☒ Normal

Lab # (Lab use)	Client Sample ID	Sample Collection Date	Sample Collection Time	Matrix Type	Sample Preserve	No., type* & size of container	EPA8260B (VOCs & Oxygenates)	EPA8260B(BTEX & Oxygenates)	8260B / 8015 (Gasoline)	8015 (Diesel)	EPA8081A (Organochlorine Pesticides)	EPA 8082 (PCBs)	EPA 8015M (Carbon Chain C4-C40)	EPA 6010B/7000 (CAM 17 Metals)	Micro: Plate Cnt., Coliform, E-Coli	6010B Arsenic	6010B Lead				HOLD	Remarks
	B-2@2.5'	3/24/23	1016	Soil	ice	1 glass jar															X	
12	B-1@0.5'	3/24/23	1024								X					X						
	B-1@2.5'		1030																		X	
13	EB032423			aqueous	ice/HNO3	1 amber 1 plastic					X					X	X					

Relinquished By	Company	Date	Time	Received By	Company	Date	Time
[signature]	PLACEWORKS	3/24/23	1122	[signature]	A+R	3-24-23	1122
Relinquished By	Company	Date	Time	Received By	Company	Date	Time

Note: Samples are discarded 30 days after results are reported unless other arrangements are made.

Matrix Code: DW=Drinking Water; GW=Ground Water; WW=Waste Water; SD=Solid Waste; SL=Sludge; SS=Soil/Sediment; AR=Air; PP=Pure Product

Preservative Code: IC=Ice; HC=HCl; HN=HNO3; SH=NaOH; ST=Na2S2O3; HS=H2SO4

* Sample Container Types: T=Tedlar Air Bag; G=Glass Container; ST= Steel Tube; B= Brass Tube; P=Plastic Bottle; V=VOA Vial; E= EnCore

ARL

Sample Acceptance Checklist

CLIENT: Placeworks WORK ORDER NUMBER: 2303-228

Temperature:(Criteria:0.0°C-6.0°C)

Sample Temp.(w/CF) °C(w/CF) 7.3 'c ID# 22-0080

☐ Sample(s) outside temprature criteria: PM contacted by :

☐ Sample(s) outside temprature criteria, but received on ice/chilled on same day of sampling.

☐ Sample(s) received at ambient temprature; placed on ice for transport by courier.

Ambient Temprature | Air | ☐ | Filter

CUSTODY SEAL:

Cooler	☐	Present and Intact	☐	Present and Not Intact	☒	Not Present
Sample(s)	☐	Present and Intact	☐	Present and Not Intact	☒	Not Present

Sample Condition:	Yes	No	N/A
Was a COC received	✓		
Were sample IDs present?	✓		
Were sampling dates & times present?	✓		
Was a relingquished signature present?	✓		
Were the tests required clearly indicated?	✓		
Were all samples sealed in plastic bags?			✓
Did all bottle labels agree with COC? (ID, dates and times)	✓		
Were correct containers used for the tests required?	✓		
Was a sufficient amount of samples sent for tests indicated?	✓		
Was there headspace in VOA vials?			✓
Were the containers labeled with correct preservatives?			✓

Explanations/Comments:

Notification:

For discrepancies, how was the Project Manager notified? Verbal

Verbal: PM Initials: _____ Data/Time: _____

Email: Send to: _____ Data/Time: _____

Project Manager's response:

Completed By: _____ Date: 3/24/22

A R Laboratories
1650 S. Grove Ave., Suite C, Ontario, CA 91761
PH: 951-779-0310 Fax: 951-779-0344
Email: office@arlaboratories.com

Appendix E. Background Arsenic Data Set

Appendix

This page intentionally left blank.

DRAFT

PRELIMINARY ENVIRONMENTAL ASSESSMENT REPORT PROPOSED BASEBALL AND SOFTBALL FIELDS FOR RIVERSIDE POLYTECHNIC HIGH SCHOOL, NORTHWEST CORNER OF VICTORIA AVENUE AND CENTRAL AVENUE, RIVERSIDE, CALIFORNIA, APN 223-092-028-0

Prepared For:

FIRST CARBON SOLUTIONS
650 E. Hospitality Lane, Suite 125
San Bernardino, California, 92408

On Behalf Of:

Riverside Unified School District
Planning and Development
3070 Washington Street
Riverside, California, 92504

Project No. 11936.001

July 31, 2018

Leighton Consulting, Inc.
A LEIGHTON GROUP COMPANY

Table 4
Summary of As and Pb in Soil
RUSD Polytechnic High School
Northwest Corner of Victoria Avenue and Central Avenue
Riverside, California

Sample ID (Depth in Feet)	Sample Date	Arsenic (mg/kg)	Lead (mg/kg)
AG1-0.5	6/20/2018	Hold	-
AG1-2.5	6/20/2018	Hold	-
AG2-0.5	6/20/2018	Hold	-
AG2-2.5	6/20/2018	Hold	-
AG3-0.5	6/20/2018	**2.94**	-
AG3-2.5	6/20/2018	Hold	-
AG4-0.5	6/20/2018	Hold	-
AG5-0.5	6/20/2018	Hold	-
AG6-0.5	6/20/2018	**3.67**	-
AG6-2.5	6/20/2018	Hold	-
AG7-0.5	6/19/2018	Hold	-
AG7-2.5	6/19/2018	Hold	-
AG8-0.5	6/19/2018	Hold	-
AG8-2.5	6/19/2018	Hold	-
AG9-0.5	6/20/2018	**4.80**	-
AG9-2.5	6/20/2018	Hold	-
AG10-0.5	6/20/2018	Hold	-
AG11-0.5	6/19/2018	Hold	-
AG11-2.5	6/19/2018	Hold	-
AG12-0.5	6/19/2018	Hold	-
AG12-2.5	6/19/2018	Hold	-
AG13-0.5	6/20/2018	Hold	-
AG13-2.5	6/20/2018	Hold	-
AG14-0.5	6/20/2018	Hold	-
AG14-2.5	6/20/2018	Hold	-
AG15-0.5	6/19/2018	Hold	-
AG15-2.5	6/19/2018	Hold	-
AG16-0.5	6/19/2018	**4.44**	-
AG16-2.5	6/19/2018	Hold	-
AG17-0.5	6/19/2018	**2.64**	-
AG17-2.5	6/19/2018	Hold	-
AG18-0.5	6/19/2018	Hold	-
AG18-2.5	6/19/2018	Hold	-
AG19-0.5	6/19/2018	Hold	-
AG19-2.5	6/19/2018	Hold	-
AG20-0.5	6/19/2018	Hold	-
AG20-2.5	6/19/2018	Hold	-
BG-1-0.5	6/19/2018	-	**30.4**
BG-1-2.5	6/19/2018	-	Hold
BG-2-0.5	6/20/2018	-	**-**
AG-109-0.5	6/20/2018	**4.62**	-
AG-109-2.5	6/20/2018	Hold	-
AG-110-0.5	6/20/2018	**-**	-
AG111-0.5	6/19/2018	**-**	-
AG111-2.5	6/19/2018	**-**	-
AG-112-0.5	6/19/2018	**-**	-
AG-112-2.5	6/19/2018	**-**	-
BG-101-0.5	6/19/2018	**-**	**36.9**
BG-101-2.5	6/19/2018	**-**	Hold
100-1a	6/19/2018	<0.01	<0.01
100-1b	6/20/2018	<0.01	<0.01

Table 4
Summary of As and Pb in Soil
RUSD Polytechnic High School
Northwest Corner of Victoria Avenue and Central Avenue
Riverside, California

Frequency of Site Samples above Detection	**0**	**0**
Maximum Site Sample Concentration	**4.8**	**36.9**
Minimum Site Sample Concentration	**2.64**	**30.4**
Arithmetic Mean Site Sample Concentration	**3.85**	**33.7**
Range of Site Concentrations	**2.64 - 4.8**	**30.4 - 36.9**
EPA Region 9 Residential RSL	**0.68**	**0.68**
DTSC Hero Note 3**	**0.4**	**80**
Southern California Background As Concentration***	**12.0**	**N/A**
Is this a Chemical of Potential Concern	**No**	**No**

Notes:
RSL = United States Environmental Protection Agency Region IX, 2018, Regional Screening Levels (TR-1E-06, THQ=1.0) May 2018
** = Department of Toxic Substance Control Office of Human and Ecological Risk (HERO) Note 3 (DTSC, 2018)
*** = Determination of a Southern California Regional Background Arsenic Concentration in Soil (DTSC, 2008)
mg/kg = milligrams per kilogram
<0.001 = Concentraiton below detection limit
N/A = Not Applicable
-- - Not Analyzed

	A	B	C	D	E	F	G	H	I	J	K	L
1					Outlier Tests for Selected Uncensored Variables							
2				User Selected Options								
3				Date/Time of Computation	ProUCL 5.2 4/26/2023 12:23:43 PM							
4				From File	PEA Tables_c.xls							
5				Full Precision	OFF							
6												
7												
8				Dixon's Outlier Test for arsenic								
9												
10	Number of Observations = 9											
11	10% critical value: 0.441											
12	5% critical value: 0.512											
13	1% critical value: 0.635											
14												
15	1. Observation Value 4.25 is a Potential Outlier (Upper T											
16												
17	Test Statistic: 0.482											
18												
19	For 10% significance level, 4.25 is an outlier.											
20	For 5% significance level, 4.25 is not an outlier.											
21	For 1% significance level, 4.25 is not an outlier.											
22												
23	2. Observation Value 2.08 is a Potential Outlier (Lower T:											
24												
25	Test Statistic: 0.194											
26												
27	For 10% significance level, 2.08 is not an outlier.											
28	For 5% significance level, 2.08 is not an outlier.											
29	For 1% significance level, 2.08 is not an outlier.											
30												

UCL Statistics for Uncensored Full Data Sets

User Selected Options	
Date/Time of Computation	ProUCL 5.2 4/26/2023 12:24:13 PM
From File	PEA Tables_c.xls
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	2000

arsenic

General Statistics

Total Number of Observations	9	Number of Distinct Observations	8
		Number of Missing Observations	0
Minimum	2.08	Mean	2.86
Maximum	4.25	Median	2.88
SD	0.644	Std. Error of Mean	0.215
Coefficient of Variation	0.225	Skewness	1.231

Note: Sample size is small (e.g., <10), if data are collected using incremental sampling methodology (ISM) approach,
refer also to ITRC Tech Reg Guide on ISM (ITRC 2020 and ITRC 2012) for additional guidance,
but note that ITRC may recommend the t-UCL or the Chebyshev UCL for small sample sizes (n < 7).
The Chebyshev UCL often results in gross overestimates of the mean.
Refer to the ProUCL 5.2 Technical Guide for a discussion of the Chebyshev UCL.

Normal GOF Test

Shapiro Wilk Test Statistic	0.913	**Shapiro Wilk GOF Test**
1% Shapiro Wilk Critical Value	0.764	Data appear Normal at 1% Significance Level
Lilliefors Test Statistic	0.198	**Lilliefors GOF Test**
1% Lilliefors Critical Value	0.316	Data appear Normal at 1% Significance Level

Data appear Normal at 1% Significance Level

Note GOF tests may be unreliable for small sample sizes

Assuming Normal Distribution

95% Normal UCL		**95% UCLs (Adjusted for Skewness)**	
95% Student's-t UCL	3.259	95% Adjusted-CLT UCL (Chen-1995)	3.308
		95% Modified-t UCL (Johnson-1978)	3.274

Gamma GOF Test

A-D Test Statistic	0.262	**Anderson-Darling Gamma GOF Test**
5% A-D Critical Value	0.721	Detected data appear Gamma Distributed at 5% Significance Level
K-S Test Statistic	0.164	**Kolmogorov-Smirnov Gamma GOF Test**
5% K-S Critical Value	0.279	Detected data appear Gamma Distributed at 5% Significance Level

Detected data appear Gamma Distributed at 5% Significance Level

Note GOF tests may be unreliable for small sample sizes

Gamma Statistics

k hat (MLE)	24.3	k star (bias corrected MLE)	16.28
Theta hat (MLE)	0.118	Theta star (bias corrected MLE)	0.176
nu hat (MLE)	437.4	nu star (bias corrected)	293
MLE Mean (bias corrected)	2.86	MLE Sd (bias corrected)	0.709

53											Approximate Chi Square Value (0.05)	254.3
54					Adjusted Level of Significance	0.0231					Adjusted Chi Square Value	246.7
55												
56						Assuming Gamma Distribution						
57					95% Approximate Gamma UCL	3.295					95% Adjusted Gamma UCL	3.396
58												
59						Lognormal GOF Test						
60					Shapiro Wilk Test Statistic	0.963			Shapiro Wilk Lognormal GOF Test			
61					10% Shapiro Wilk Critical Value	0.859			Data appear Lognormal at 10% Significance Level			
62					Lilliefors Test Statistic	0.157			Lilliefors Lognormal GOF Test			
63					10% Lilliefors Critical Value	0.252			Data appear Lognormal at 10% Significance Level			
64						Data appear Lognormal at 10% Significance Level						
65						Note GOF tests may be unreliable for small sample sizes						
66												
67						Lognormal Statistics						
68					Minimum of Logged Data	0.732					Mean of logged Data	1.03
69					Maximum of Logged Data	1.447					SD of logged Data	0.212
70												
71						Assuming Lognormal Distribution						
72					95% H-UCL	3.308					90% Chebyshev (MVUE) UCL	3.465
73					95% Chebyshev (MVUE) UCL	3.741					97.5% Chebyshev (MVUE) UCL	4.123
74					99% Chebyshev (MVUE) UCL	4.873						
75												
76						Nonparametric Distribution Free UCL Statistics						
77						Data appear to follow a Discernible Distribution						
78												
79						Nonparametric Distribution Free UCLs						
80					95% CLT UCL	3.213					95% BCA Bootstrap UCL	3.283
81					95% Standard Bootstrap UCL	3.191					95% Bootstrap-t UCL	3.444
82					95% Hall's Bootstrap UCL	5.176					95% Percentile Bootstrap UCL	3.218
83					90% Chebyshev(Mean, Sd) UCL	3.504					95% Chebyshev(Mean, Sd) UCL	3.796
84					97.5% Chebyshev(Mean, Sd) UCL	4.202					99% Chebyshev(Mean, Sd) UCL	4.997
85												
86						Suggested UCL to Use						
87					95% Student's-t UCL	3.259						
88												
89	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
90	Recommendations are based upon data size, data distribution, and skewness using results from simulation studies.											
91	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
92												

	A	B	C	D	E	F	G	H	I	J	K	L
1					Outlier Tests for Selected Uncensored Variables							
2				User Selected Options								
3				Date/Time of Computation	ProUCL 5.2 4/26/2023 12:27:12 PM							
4				From File	PEA Tables_d.xls							
5				Full Precision	OFF							
6												
7												
8			Dixon's Outlier Test for BGarsenic									
9												
10	Number of Observations = 6											
11	10% critical value: 0.482											
12	5% critical value: 0.56											
13	1% critical value: 0.698											
14												
15	1. Observation Value 4.8 is a Potential Outlier (Upper Ta											
16												
17	Test Statistic: 0.083											
18												
19	For 10% significance level, 4.8 is not an outlier.											
20	For 5% significance level, 4.8 is not an outlier.											
21	For 1% significance level, 4.8 is not an outlier.											
22												
23	2. Observation Value 2.64 is a Potential Outlier (Lower Ta											
24												
25	Test Statistic: 0.139											
26												
27	For 10% significance level, 2.64 is not an outlier.											
28	For 5% significance level, 2.64 is not an outlier.											
29	For 1% significance level, 2.64 is not an outlier.											
30												

UCL Statistics for Uncensored Full Data Sets

User Selected Options	
Date/Time of Computation	ProUCL 5.2 4/26/2023 12:27:33 PM
From File	PEA Tables_d.xls
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	2000

BGarsenic

General Statistics

Total Number of Observations	6	Number of Distinct Observations	6
		Number of Missing Observations	0
Minimum	2.64	Mean	3.852
Maximum	4.8	Median	4.055
SD	0.913	Std. Error of Mean	0.373
Coefficient of Variation	0.237	Skewness	-0.407

Note: Sample size is small (e.g., <10), if data are collected using incremental sampling methodology (ISM) approach,
refer also to ITRC Tech Reg Guide on ISM (ITRC 2020 and ITRC 2012) for additional guidance,
but note that ITRC may recommend the t-UCL or the Chebyshev UCL for small sample sizes (n < 7).
The Chebyshev UCL often results in gross overestimates of the mean.
Refer to the ProUCL 5.2 Technical Guide for a discussion of the Chebyshev UCL.

Normal GOF Test

Shapiro Wilk Test Statistic	0.892	**Shapiro Wilk GOF Test**
1% Shapiro Wilk Critical Value	0.713	Data appear Normal at 1% Significance Level
Lilliefors Test Statistic	0.24	**Lilliefors GOF Test**
1% Lilliefors Critical Value	0.373	Data appear Normal at 1% Significance Level

Data appear Normal at 1% Significance Level
Note GOF tests may be unreliable for small sample sizes

Assuming Normal Distribution

95% Normal UCL		95% UCLs (Adjusted for Skewness)	
95% Student's-t UCL	4.603	95% Adjusted-CLT UCL (Chen-1995)	4.399
		95% Modified-t UCL (Johnson-1978)	4.592

Gamma GOF Test


A-D Test Statistic	0.423	**Anderson-Darling Gamma GOF Test**
5% A-D Critical Value	0.697	Detected data appear Gamma Distributed at 5% Significance Level
K-S Test Statistic	0.265	**Kolmogorov-Smirnov Gamma GOF Test**
5% K-S Critical Value	0.332	Detected data appear Gamma Distributed at 5% Significance Level

Detected data appear Gamma Distributed at 5% Significance Level
Note GOF tests may be unreliable for small sample sizes

Gamma Statistics

k hat (MLE)	19.9	k star (bias corrected MLE)	10.06
Theta hat (MLE)	0.194	Theta star (bias corrected MLE)	0.383
nu hat (MLE)	238.8	nu star (bias corrected)	120.8
MLE Mean (bias corrected)	3.852	MLE Sd (bias corrected)	1.214

	Approximate Chi Square Value (0.05)	96.38
Adjusted Level of Significance	0.0122	Adjusted Chi Square Value	88.52
Assuming Gamma Distribution			
95% Approximate Gamma UCL	4.826	95% Adjusted Gamma UCL	5.254
Lognormal GOF Test			
Shapiro Wilk Test Statistic	0.883	**Shapiro Wilk Lognormal GOF Test**	
10% Shapiro Wilk Critical Value	0.826	Data appear Lognormal at 10% Significance Level	
Lilliefors Test Statistic	0.247	**Lilliefors Lognormal GOF Test**	
10% Lilliefors Critical Value	0.298	Data appear Lognormal at 10% Significance Level	
Data appear Lognormal at 10% Significance Level			
Note GOF tests may be unreliable for small sample sizes			
Lognormal Statistics			
Minimum of Logged Data	0.971	Mean of logged Data	1.323
Maximum of Logged Data	1.569	SD of logged Data	0.251
Assuming Lognormal Distribution			
95% H-UCL	4.933	90% Chebyshev (MVUE) UCL	5.042
95% Chebyshev (MVUE) UCL	5.579	97.5% Chebyshev (MVUE) UCL	6.325
99% Chebyshev (MVUE) UCL	7.791		
Nonparametric Distribution Free UCL Statistics			
Data appear to follow a Discernible Distribution			
Nonparametric Distribution Free UCLs			
95% CLT UCL	4.465	95% BCA Bootstrap UCL	4.4
95% Standard Bootstrap UCL	4.414	95% Bootstrap-t UCL	4.513
95% Hall's Bootstrap UCL	4.271	95% Percentile Bootstrap UCL	4.393
90% Chebyshev(Mean, Sd) UCL	4.97	95% Chebyshev(Mean, Sd) UCL	5.476
97.5% Chebyshev(Mean, Sd) UCL	6.179	99% Chebyshev(Mean, Sd) UCL	7.56
Suggested UCL to Use			
95% Student's-t UCL	4.603		
Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.			
Recommendations are based upon data size, data distribution, and skewness using results from simulation studies.			
However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.			
Note: For highly negatively-skewed data, confidence limits (e.g., Chen, Johnson, Lognormal, and Gamma) may not be			
reliable. Chen's and Johnson's methods provide adjustments for positvely skewed data sets.			


RIVERSIDE
*SITE
*BACKGROUND
Qvofa
Qofa
Qaf
Qvaa
Krg
PzC
Pzq
Kvt
Tequesquite Arroyo
Victoria Golf Course
Our Lady of Guadalupe Academy
University Heights Jr High Sch
Longfellow Sch
Emerson Sch
Patterson Park
Bordwell Park
Lincoln Park
North High Sch
Fire Sta
Reservoir
PENNSYLVANIA AVENUE
UNIVERSITY AVENUE
RANCHO DR
ELSINORE
GAGE AQUEDUCT

Appendix F. Quality Assurance Project Plan

Appendix

This page intentionally left blank.

February 2023 | Quality Assurance Project Plan

J. W. NORTH HIGH SCHOOL

for Riverside Unified School District

Prepared for:

Riverside Unified School District
Contact: Ana Gonzalez, Director, Planning and Development
3070 Washington Street
Riverside, California 92504

Project Number:
RIV-19.0

Prepared by:

PlaceWorks
Contact: Michael Watson, PG, Senior Geologist
2850 Inland Empire Boulevard, Suite B
Ontario, California 91764
909.989.4449
info@placeworks.com
www.placeworks.com

PLACEWORKS

Table of Contents

Section **Page**

1. Introduction 1
   - 1.1 PROJECT HISTORY AND OBJECTIVES 1
2. Project Description 3
   - 2.1 ANALYTICAL SCOPE 3
   - 2.2 DATA USE 3
3. Project Organization 5
   - 3.1 RIVERSIDE UNIFIED SCHOOL DISTRICT 5
   - 3.2 PLACEWORKS 5
   - 3.3 LABORATORY 5
4. Data Quality Objectives 7
   - 4.1 DATA QUALITY OBJECTIVES 7
   - 4.2 PRECISION, ACCURACY, REPRESENTATIVENESS, COMPARABILITY AND COMPLETENESS 8
5. Quality Control Elements 11
   - 5.1 QUALITY CONTROL ELEMENTS 11
   - 5.2 QUALITY ASSURANCE AND QUALITY CONTROL (QA/QC) SAMPLES 12
6. Sampling Procedures 15
   - 6.1 SAMPLING PROCEDURES 15
7. Analytical Procedures 17
   - 7.1 INTERNAL STANDARDS 17
   - 7.2 RETENTION TIME WINDOWS 17
   - 7.3 METHOD DETECTION LIMITS 17
   - 7.4 INSTRUMENT CALIBRATION 18
8. Data Reporting 19
   - 8.1 FIELD DATA 19
   - 8.2 LABORATORY DATA 19
   - 8.3 PROCEDURES FOR DATA VALIDATION 20
9. Performance and System Audits 23
   - 9.1 FIELD AUDITS 23
   - 9.2 LABORATORY AUDITS 23
   - 9.3 DATA AUDITS 23
   - 9.4 REPORTS TO MANAGEMENT AND RESPONSIBILITIES 23
   - 9.5 CORRECTIVE ACTION 24
10. References 25

Table of Contents

LIST OF TABLES

Table

Table 1 Sample Containers, Preservatives, and Holding Times
Table 2 List of Method Compounds and Reporting Limits – Soil and Blank Sample Analysis
Table 3 Laboratory Quality Control Limits

1. Introduction

This Quality Assurance Project Plan (QAPP) has been prepared by PlaceWorks on behalf of Riverside Unified School District (District) to address quality assurance (QA) and quality control (QC) policies associated with the collection of environmental data at the J. W. North High School (site), in Riverside, California. This QAPP presents the plan for sampling and analysis as part of the investigation. U.S. Environmental Protection Agency (USEPA) policy requires a QAPP for all environmental data collection projects mandated or supported by the USEPA through regulations or other formalized means (USEPA 1998a). The purpose of this QAPP is to identify the methods to be employed to establish technical accuracy, precision, and validity of data that is generated at the site.

This QAPP contains general and specific details regarding field sampling, laboratory, and analytical procedures that apply to investigation activities. It provides field and laboratory personnel with instructions regarding activities to be performed before, during, and after field investigations. These instructions will insure data collected for use in project decisions will be of the type and quality required to meet the data quality objectives (DQOs) for the project.

Guidelines followed in the preparation of this QAPP are described in EPA Requirements for Quality Assurance Plans for Environmental Data Operations, External Review Draft Final, EPA QA/R-5 (USEPA 1998a) and EPA Guidance for Quality Assurance Project Plans, EPA QA/G-5 (USEPA 1998b). Other documents that have been referenced in this plan include, Guidance for the Data Quality Objectives Process, EPA QA/G-4 (USEPA 1994a) and Test Methods for Evaluating Solid Waste, Physical/Chemical Methods (USEPA SW-846, Third Edition, 1996).

1.1 PROJECT HISTORY AND OBJECTIVES

The project site is located on portions of Assessor's Parcel Numbers (APNs) 2501-400-06 and 2501-4000-07. The project site is in the City of Riverside, Riverside County at approximately 33.98088º north latitude and 117.34505º west longitude, in a portion of Section 19 of Township 2 South, Range 4 West of the San Bernardino Base Line and Meridian. The project site currently consists of two areas on the J. W. North High School campus. The northern area of the site is the proposed classroom building, which currently consists of approximately 0.4 acres of landscaped vacant land on the northeast portion of the campus. Portable classrooms are located adjacent to the east of the northern area, and a classroom building is located adjacent to the south of the northern area. The southern area of the site is the proposed gymnasium building, which currently consists of approximately 0.6 acres of basketball courts and landscaped areas. The existing gymnasium is adjacent to the northwest of the southern area, and the cafeteria is located to the north, and a classroom building is located to the east.

Past usage of the site was assessed through a review of aerial photographs and topographic maps. The project site was historically occupied by an orchard from at least 1931 to about 1953 and then became part of

1. Introduction

the J. W. North High School Campus. The part of the project site that is proposed for the new classroom building has been landscaped since 1966. The part of the project site that is proposed for the new gymnasium has been partially hardscaped and landscaped since 1966, with an expansion of the hardscaped area in about 2016.

2. Project Description

This section presents information concerning the proposed sampling activities, selected analytical parameters, data quality objectives, and the resulting project decisions.

2.1 ANALYTICAL SCOPE

The planned sampling effort includes the sampling and analysis of shallow soils for a list of potential hazardous substances. Soil samples will be collected on the project area in accordance with the protocols detailed in the DTSC's PEA Guidance Manual (DTSC 1999).

The appropriate analyses selected for this field program, and the rationale for selection of these parameters, will be further provided in the Workplan. A&R Laboratories, Inc. (ARL), located in Ontario, California, will perform testing of soil samples.

2.2 DATA USE

Decisions to be made based upon the planned sampling and analysis effort will be determined by the data compiled from the sampling and analysis program. It is intended that data collected through implementation of this QAPP will satisfy federal, state, and local data quality requirements. These data may be used to characterize the nature and extent of contamination, support risk assessment, support the evaluation of corrective/remedial action, and/or assist in determination of additional actions.

The presence of environmental contaminants will be determined by the extent of valid detectable concentrations of the constituents discussed above. If the data associated with any detections of chemicals of potential concern (COPCs) are confirmed, the data will be used to assess risk using accepted methods for determining potential carcinogenic and non-carcinogenic exposures. If results from the risk screening evaluations indicate no risks of exposure with respect to the use of the property, then the District will use the data to support No Further Action consent from DTSC, and the proposed development may continue without modification. If the evaluation indicates unacceptable risks of exposure, then the data can be used by District for further consideration of action.

2. Site Description

This page intentionally left blank.

3. Project Organization

This section provides a description of the organizational structure and responsibilities of the individual positions for this project. This description defines the lines of communication and identifies key personnel assigned to various activities for the project.

3.1 RIVERSIDE UNIFIED SCHOOL DISTRICT

Ms. Ana Gonzalez is the designated contact person for the District. Ms. Gonzalez will be responsible for the directional decisions, as well as budget control, and for work conducted at the school site. Ms. Gonzalez, or designee, may perform document review of related work plans, reports, and drawings for activities associated with this project.

3.2 PLACEWORKS

The investigation contractor has responsibility for assigned phases of investigation and reporting. Together the management team (Project Manager and Field Manager) will be responsible for the technical planning and implementation of the work. The QA staff has responsibility for effective planning, verification and management of QA activities associated with the assigned project.

Mr. Michael Watson of PlaceWorks is a Professional Geologist in the State of California. Mr. Watson's responsibilities include strategy development, budget control, document control, project management, risk assessment, document review, field activities and preparation of required reports and data validation including quality assurance/quality control.

3.3 LABORATORY

The primary offsite laboratory is anticipated to be ARL in Ontario, California. ARL will perform analytical testing for soil samples collected for this investigation. The laboratory's project manager will report to the PlaceWorks Field Manager on all aspects of the sample analysis. In addition, the PlaceWorks QA Manager will be advised of any matters related to data quality during the investigation.

3. Project Organization

This page intentionally left blank.

4. Data Quality Objectives

DQOs have been specified for each data collection activity. The project work will be conducted and documented so that the data collected are of sufficient quality for their intended use (USEPA 1998). DQOs specify the data type, quality, quantity, and uses needed to make decisions, and are the basis for designing data collection activities. The DQOs have been used to design the data collection activities that will be presented in the Workplan. The DQOs for the project are discussed in the following sections.

4.1 DATA QUALITY OBJECTIVES

The project DQOs developed specifically for the planned sampling and analysis program have been determined based on USEPA's seven-step DQO process (USEPA 1994a). The Project Manager will evaluate the DQOs to determine if the quantitative and qualitative needs of the sampling and analysis program have been met. The project definition associated with each step of the DQO process can be summarized as follows:

State the problem: The purpose of the sampling program is to determine if the proposed site is acceptable for the development of a new educational facility. Although the proposed development of the site will result in asphalt or concrete surfacing over the majority of the site, exposed soils will exist in landscaped areas where students could come into contact. Previous investigations have not performed a complete evaluation of potential contamination based on historical use of the property.

Identify the Decision: The data obtained from the sampling and testing activities will be used to evaluate if releases of hazardous substances from historical uses have occurred at the site. The investigative results will be further evaluated to determine to what extent any contamination identified will result in risk of exposure. The results will be compiled and used to assess the relative threat associated with any contamination identified, through a baseline risk assessment. Based on the calculation of human health and ecological risks for the site, the suitability of the property for its intended development will be determined.

Identify Inputs to the Decision: Inputs to the decision will include results of analytical testing of soil gas samples, and shallow soils from selected locations on the site. Each of these matrices will be tested for the specified analytes discussed in Section II.

Define the Study Boundaries: The boundaries of the field sampling and analysis program will be the perimeter of the site as discussed above and detailed in the Workplan.

Develop a Decision Rule: Decisions will be based upon laboratory results for the target constituents presented in Tables 1 through 3 for each respective matrix tested. If no valid detectable concentrations of target compounds are reported for the given samples, then a decision will be made that the site is fully characterized with respect to the compounds tested and no further sampling will be required as part of this

investigation. If target constituents are detected in the samples tested, then the data will be compiled for use in calculating the human health and ecological risk of exposure. The results of the risk evaluation will be used by the District to support No Further Action consent from DTSC, if the data indicate risk is acceptable.

Specify Limits on Decision Error: The results of all analytical testing will be subjected to data validation specified in Section 7.3. Data are determined to be valid if the specified DQOs for precision, accuracy, representativeness, comparability and completeness are achieved. The results of any detected target constituents will be considered in evaluating the need for additional sampling of soil gas and/or site soil and assessing the necessity for reducing any risks posed by the potential contamination.

Optimize the Design: The field sampling program has been designed to provide the type and quantity of data needed to satisfy each of the aforementioned objectives. A separate Workplan provides the specifications for the data collection activities, including the numbers of samples, respective locations, and sampling techniques. The quality of the data will be assessed through the procedures further described in this QAPP.

4.2 PRECISION, ACCURACY, REPRESENTATIVENESS, COMPARABILITY AND COMPLETENESS

The basis for assessing the elements of data quality is discussed in the following subsections. In the absence of laboratory specific precision and accuracy limits, the QC limits listed in this section must be met.

4.2.1 Precision

Precision measures the reproducibility of repetitive measurements. It is strictly defined as the degree of mutual agreement among independent measurements as the result of repeated application of the sample process under similar conditions.

Analytical precision is a measurement of the variability associated with duplicate or replicate analyses of the same sample in the laboratory. Precision is assessed by analysis of the results between laboratory quality control sample pairs. These include laboratory control sample (LCS) and LCS duplicates, matrix spike (MS) and MS duplicates (MSD), or sample duplicates. If the recoveries of analytes in the specified control samples pairs are comparable within established control limits, then precision criteria are satisfied.

Total precision is a measurement of the variability associated with the entire sampling and analytical process. It is determined by analysis of duplicate (two) or replicate (more than two) field samples, and measures variability introduced by both the laboratory and field operations. Field duplicate samples are analyzed to assess combined field and analytical precision.

Duplicate results are assessed using the relative percent difference (RPD) between duplicate measurements. If the RPD for laboratory quality control samples exceeds 30 percent, data will be qualified as described in the applicable validation procedure. If the RPD between primary and duplicate field samples exceeds 100 percent for soil or soil gas, data will be qualified as described in the applicable validation procedure.

The RPD is calculated as the difference between the two sample results (absolute value) divided by the average of the two sample results. The equation can be expressed as follows:

$$\%RPD = 200 \times ((x2-x1) / (x2+x1))$$

4.2.2 Accuracy

Accuracy is a statistical measurement of correctness of a measured value and includes components of random error (variability due to imprecision) and systematic error. It reflects the total error associated with a measurement. A measurement is accurate when the value reported does not differ from the true value of a known concentration, spike, or standard.

Accuracy of laboratory analyses will be assessed by LCS recoveries, surrogate standard recoveries, MS spike recoveries, and initial and continuing calibrations of instruments. Laboratory accuracy is expressed as the percent recovery (%R). Accuracy limits are statistically generated by the laboratory or required by specified USEPA methods. If the percent recovery is determined to be outside of acceptance criteria, data will be qualified as described in the applicable validation procedure. The calculation of percent recovery is provided below:

$$\% R = 100 \times (Xs-X)/T$$

where Xs is the measured value of the spiked sample, X is the measured value of the unspiked sample, and T is the true value of the spike solution added.

Accuracy is also assessed by the analysis of laboratory and field blanks. Assessment of blank results provides information regarding potential bias imparted to analytical results from measurement systems and/or field conditions. Field accuracy will be assessed through the analysis of field equipment blanks. Analysis of field blanks documents bias associated with the sampling process, field contamination, sample preservation, and sample handling. The DQO for field equipment and trip blanks is that all values are less than the reporting limit for each target constituent. If contamination is reported in the field equipment or trip blanks, data will be qualified as described in the applicable validation procedure.

4.2.3 Representativeness

Representativeness is the degree to which data accurately and precisely represent selected characteristics of the media sampled. Representativeness of data collection is addressed by careful preparation of sampling and analysis programs. This QAPP addresses representativeness by specifying sufficient and proper numbers and locations of samples; incorporating appropriate sampling methodologies; specifying proper sample collection techniques and decontamination procedures; selecting appropriate laboratory methods to prepare and analyze soil and soil gas; and establishing proper field and laboratory QA/QC procedures.

4.2.4 Completeness

Completeness is the measure of valid data obtained compared to the amount that was expected under ideal conditions. The number of valid results divided by the number of possible results, expressed as a percentage,

4. Data Quality Objectives

determines the completeness of the data set. The objective for completeness is to obtain at least 90 percent of the planned data to support evaluation and assessment efforts. Specifically, for background samples, a completeness requirement of 100 percent is mandated. The formula for calculation of completeness is presented, as follows:

$$\% \text{ Completeness} = 100 \times \frac{\text{number of valid results}}{\text{number of expected results}}$$

4.2.5 Comparability

Comparability is an expression of confidence with which one data set can be compared to another. The objective of comparability is to ensure that data developed during the investigation are comparable with data previously collected (i.e., methods of analysis are comparable), and that the methods used adequately address applicable criteria or standards established by the USEPA and California Department of Health Services (CADHS). This QAPP addresses comparability by specifying laboratory methods that are consistent with the current standards of practice as approved by the USEPA and CADHS. Field methods will be discussed in the Workplan.

5. Quality Control Elements

This section presents QC requirements relevant to analysis of environmental samples that will be followed during all project analytical activities. The purpose of the QC program is to produce data of known quality that satisfy the project objectives and that meet or exceed the requirements of the standard methods of analysis. This program provides a mechanism for ongoing control and evaluation of data quality measurements through the use of QC materials.

5.1 QUALITY CONTROL ELEMENTS

The chemical data to be collected for this effort will be used to determine that the extent of contamination is properly evaluated. As such, it is critical that the chemical data is documented to be of the highest confidence and quality. Consequently, strict QA/QC procedures will be adhered to. These procedures include:

- Adherence to protocols for field sampling and decontamination procedures;
- Collection and laboratory analysis of appropriate field and equipment blanks to monitor for contamination of samples in the field or the laboratory;
- Collection and laboratory analysis of site-specific matrix spike, matrix spike duplicate, and blind duplicate samples to evaluate precision and accuracy; and
- Attainment of completeness goals.

5.1.1 Equipment Decontamination

Non-dedicated equipment will be decontaminated before and after each sample is collected. The equipment will be washed in a non-phosphate detergent and potable water, rinsed in potable water, and then double rinsed in distilled water. A description of the specific methodologies to be followed to maximize proper decontamination of non-dedicated sampling equipment is provided in the Workplan.

5.1.2 Standards

Standards used for calibration or to prepare samples will be certified by National Institute of Standards and Technology (NIST), USEPA, or other equivalent source. The standards will be current. The expiration date will be established by the manufacturer, or based on chemical stability, the possibility of contamination, and environmental and storage conditions. Standards will be labeled with expiration dates and will reference primary standard sources if applicable. Expired standards will be discarded.

5.1.3 Supplies

All supplies will be inspected prior to their use in the field or laboratory. The descriptions for sample collection and analysis contained in the methods will be used as a guideline for establishing the acceptance criteria for supplies. A current inventory and appropriate storage system for these materials will assure their integrity prior to use.

5.1.4 Holding Time Compliance

Sample preparation and analysis will be completed within the required method holding times (Table 1). Holding time begins at the time of sample collection. If holding times are exceeded, and the analyses are performed, the associated results will be qualified as described in the applicable validation procedure. The following definitions of extraction and analysis compliance are used to assess holding times:

- Preparation or extraction completion - completion of the sample preparation process as described in the applicable method, prior to any necessary extract cleanup.
- Analysis completion - completion of all analytical runs, including dilutions, second-column confirmations, and any required re-analyses.

5.1.5 Preventative Maintenance

The Field Manager for PlaceWorks is responsible for documenting the maintenance of all field equipment prescribed in the manufacturer's specifications. Scheduled maintenance will be performed by trained personnel. Procedures specific to the calibration, use and maintenance of field equipment are presented in the Workplan. The analytical laboratory is responsible for all analytical equipment calibration and maintenance as described in their laboratory QA Plan. Subcontractors are responsible for maintenance of all equipment needed to carry out subcontracted duties

5.2 QUALITY ASSURANCE AND QUALITY CONTROL (QA/QC) SAMPLES

The purpose of this QA/QC program is to produce data of known quality that satisfy the project objectives and that meet or exceed the requirements of the standard methods of analysis. This program provides a mechanism for ongoing control and evaluation of data quality measurements through the use of QC materials. Quality assurance and quality control samples will be collected as part of the overall QA/QC program.

5.2.1 Laboratory Reagent Blanks

A laboratory reagent blank is de-ionized, distilled water that is extracted by the laboratory and analyzed as a sample. Analysis of the reagent blank indicates potential sources of contamination from laboratory procedures (e.g., contaminated reagents, improperly cleaned laboratory equipment, or persistent contamination due to presence of certain compounds in the ambient laboratory air). A reagent blank will be analyzed at least once each day for each method utilized by the laboratory for that day.

5.2.2 Field Equipment Blanks

A field equipment blank is a sample that is prepared in the field by pouring de-ionized, distilled water into cleaned sampling equipment. The water is then collected and analyzed as a sample. Field equipment blanks are typically blind (given a fictitious name so that the laboratory will not recognize it as a blank). The field equipment blank gives an indication of contamination from field procedures (e.g., improperly cleaned sampling equipment, cross-contamination). Field equipment blanks will be collected at a minimum frequency of at least one per day when non-dedicated equipment is utilized. The field equipment blanks should be analyzed using the same analyses requested for the associated primary samples collected.

5.2.3 Trip Blanks

The primary purpose of trip blanks is to detect potential additional sources of contamination that could potentially influence contaminant values reported in field samples, both quantitatively and qualitatively. Trip blanks serve as a mechanism of control for sample bottle preparation, blank water quality and sample handling. They are generally submitted to the laboratory for analysis of VOCs. If VOCs are detected with the PID at or above 1 part per million, trip blanks will be included as part of the sampling program.

5.2.4 Matrix Spike Samples

Matrix spikes are performed by the analytical laboratory to evaluate the efficiency of the sample extraction and analysis procedures and are necessary because matrix interference (interferences from non-target compound in the sample matrix, water or soil) may have a widely varying impact on the accuracy and precision of the extraction analysis. The matrix spike is prepared by the addition of known quantities of target compounds to a sample. The sample is extracted and analyzed. The results of the analysis are compared with the known additions and a matrix spike recovery is calculated giving an evaluation of the accuracy of the extraction and analysis procedures. Matrix spike recoveries are reviewed to check that they are within acceptable range. However, the acceptable ranges vary widely with both sample matrix and analytical method. Matrix spikes and matrix spike duplicates will be analyzed by the laboratory at a frequency of at least one per twenty, or 5 percent of the primary field samples. Typically, matrix spikes are performed in duplicate in order to evaluate the precision of the procedures as well as the accuracy. Precision objectives (represented by agreement between matrix spike and matrix spike duplicate recoveries) and accuracy objectives (represented by matrix spike recovery results) are based on statistically generated limits established annually by the analytical laboratory. It is important to note that these objectives are to be viewed as goals, not as criteria. If matrix bias is suspected, the associated data will be qualified, and the direction of the bias indicated in the data validation report.

5.2.5 Field Duplicate Samples

Field duplicate samples will be collected and analyzed to evaluate sampling and analytical precision. Field duplicates are collected and analyzed in the same manner as the primary samples. Agreement between duplicate sample results will indicate good sampling and analytical precision. Specific locations will be designated for collection of field duplicates prior to the start of field activities. Field duplicates will be collected at a frequency of 10 percent of the primary samples collected. The duplicate sample will be

5. Quality Control Elements

analyzed for all laboratory analyses requested for the primary sample collected. The precision goal for field duplicates analyses will be plus or minus 50 percent relative percent difference for aqueous samples and plus or minus 100 percent relative percent difference for soil, or air samples. Results for samples exceeding these goals will be qualified as estimated. Professional judgement will be used to determine if all samples in the associated batch will be qualified as well.

5.2.6 Performance Evaluation Samples

Double blind performance evaluation (PE) samples may be submitted to the analytical laboratory during any site investigation. These samples may be of water or soil matrix and are used to assess the accuracy of analytical procedures employed for a given sample set. PE samples will be used if questionable data quality is suspected as determined during laboratory audits or data validation.

If used, double blind PE samples will be prepared by Environmental Resources Standards, or similar supplier, in similar sample containers as the project field samples and shipped from the field to the laboratory for analysis.

Double blind PE samples will be prepared using NIST and/or A2LA certified standards. The project-specific PE samples will contain known concentrations of the analytes of interest. Laboratory results will be evaluated against the original Certificates of Analyses for precision and accuracy. PE samples may be submitted for analysis as part of the laboratory pre-qualification process, or as part of a given sampling event. Results will be reported to the laboratory and presented with associated field sample results

6. Sampling Procedures

The defensibility of data is dependent on the use of well defined, accepted sampling procedures. This section describes the sampling and handling procedures that will be followed for each sampling event.

6.1 SAMPLING PROCEDURES

Collection of high integrity environmental samples is important to the quality of chemical data to be generated. To this end, detailed field procedures have been developed to guide sample collections during each phase of the field investigation. These procedures are contained in the Workplan.

6.1.1 Sample Containers, Preservation and Holding Times

Table 1 lists the required sample containers, preservatives, and recommended maximum holding times for samples. Sample containers provided by the laboratory will be new, and purchased commercially from I-Chem, Eagle Pitcher, or other equivalent validated sources.

6.1.2 Sample Handling and Storage

In the field, each sample container will be marked with the sampling location number, and date and time of sample collection. All sample containers will be wiped with paper towels and securely packed, in a cooler on ice, in preparation for delivery to the laboratory.

Upon receipt of the samples, the laboratory will immediately notify the Field Manager if conditions or problems are identified which require immediate resolution. Such conditions include container breakage, missing or improper chain-of-custody, exceeded holding times, improper preservation, missing or illegible sample labeling, or temperature excursions.

6.1.3 Sample Custody

For each sample that is submitted to the laboratory for analysis, an entry will be made on a chain-of-custody form supplied by the laboratory. The information to be recorded includes the sampling date and time, sample identification number, matrix type, requested analyses and methods, preservatives, and the sampler's name. Sampling team members will maintain custody of the samples until they are relinquished to laboratory personnel or a professional courier service. The chain-of-custody form will accompany the samples from the time of collection until received by the laboratory. Each party in possession of the samples (except the professional courier service) will sign the chain-of-custody form signifying receipt.

The chain-of-custody form will be placed in a plastic bag and shipped with samples inside the cooler. After the samples, ice, and chain-of-custody forms are packed in the coolers, the cooler will be appropriately sealed before it is relinquished to the courier. A copy of the original completed form will be provided by the

6. Sampling Procedures

laboratory along with the report of results. Upon receipt, the laboratory will inspect the condition of the sample containers and report the information on chain-of-custody or similar form.

7. Analytical Procedures

The analytical methods used for this project are primarily USEPA approved methods and are listed in Tables 1 through 3. Specific analytical method procedures are detailed in the laboratory QA Plan and standard operating procedures (SOPs) of the selected laboratory. These documents may be reviewed by PlaceWorks quality assurance staff during laboratory audits to ensure that project specifications are met. Laboratory audits are discussed in Section 9.2.

7.1 INTERNAL STANDARDS

Internal standards are measured amounts of method-specified compounds added after preparation, or extraction, of a sample. Internal standards are added to samples, controls, and blanks in accordance with method requirements to identify column injection losses, purging losses, or viscosity effects.

Acceptance limits for internal standard recoveries are set forth in the applicable method. If the internal standard recovery falls outside of acceptance criteria, the instrument will be checked for malfunction and reanalysis of the sample will be performed after any problems are resolved.

7.2 RETENTION TIME WINDOWS

Retention time windows will be established as described in SW-846 Method 8000A for applicable analyses of organic compounds. Retention time windows are used for qualitative identification of analytes and are calculated based on multiple, replicated analyses of a respective standard.

Retention times will be checked on a daily basis. Acceptance criteria for retention time windows are established in the referenced method. If the retention time falls outside the respective window, actions will be taken to correct the problem. The instrument must be re-calibrated after any retention time window failure and the affected samples must be reanalyzed.

7.3 METHOD DETECTION LIMITS

The method detection limit (MDL) is the minimum concentration of an analyte, or compound, that can be measured and reported with 99 percent confidence that the concentration is greater than zero. MDLs are established for each method, matrix and analyte, and for each instrument used to analyze project samples. MDLs are derived using the procedures described in 40CFR 136 Appendix B (USEPA 1990a). USEPA requires that MDLs be established on an annual basis. MDLs must be less than applicable reporting limits for each target analyte presented in Tables 2 and 3.

7.4 INSTRUMENT CALIBRATION

Analytical instruments will be calibrated in accordance with the procedures specified in the applicable method. All analytes that are reported shall be present in the initial and continuing calibrations, and these calibrations must meet the acceptance criteria specified in the reference method. Records of standard preparation and instrument calibration will be maintained. Records shall unambiguously trace the preparation of standards and their use in calibration and quantitation of sample results. Calibration records will be traceable to standard materials as described in Section 5.2.

At the onset of analysis, instrument calibrations will be checked using all of the analytes of interest. This applies equally to multi-response analytes. At a minimum, calibration criteria will satisfy method requirements. Analyte concentrations can be determined with either calibration curves or response factors, as defined in the method. Guidance provided in SW-846 should be considered to determine appropriate evaluation procedures.

8. Data Reporting

This section presents reporting requirements relevant to the data produced during all project analytical activities.

8.1 FIELD DATA

Data measured by field instruments will be recorded in field notebooks, laptops, and/or on required field forms. Units of measure for field analyses are identified on the field forms. The field data will be reviewed by the Project or Field Manager to evaluate completeness of the field records and appropriateness of the field methods employed. All field records will be retained in the project files.

8.2 LABORATORY DATA

Analytical data will contain the necessary sample results and quality control data to evaluate the data quality objectives defined for the project. Documentation requirements for laboratory data are defined in USEPA Region IX Laboratory Documentation Requirements for Data Validation (USEPA 1990b). The laboratory reports will be consistent with USEPA Level III documentation and include the following data and summary forms:

- Narrative, cross-reference, chain-of-custody, and method references;
- Analytical results;
- Surrogate recoveries (as applicable);
- Calibration summary;
- Blank results;
- Laboratory control sample recoveries;
- Duplicate sample results or duplicate spike recoveries;
- Sample spike recoveries;
- Instrument tuning summary;
- Associated raw data; and
- Magnetic tape or equivalent upon request.

8. Data Reporting

Data validation criteria are derived from the USEPA Contract Laboratory Program National Functional Guidelines for Organic and Inorganic Data Review (USEPA 1994b and 1994c). The Functional Guidelines provide specific data validation criteria that can be applied to data generated for this investigation.

The laboratory data will be reviewed for compliance with the applicable method and the quality of the data reported. The following summarizes the areas of data validation.

- Holding Times;
- Calibrations;
- Blanks;
- Laboratory Control Samples;
- Matrix Spike/Matrix Spike Duplicates;
- Surrogates/Internal Standards (as applicable);
- Field Quality Control Samples; and
- Compound Identification and Quantification.

The application of data validation criteria is a function of project-specific DQOs. The QA/QC Manager will determine if the data quality objectives for the analytical data have been met. Results of the data validation review will be documented and summarized in the investigation.

8.3 PROCEDURES FOR DATA VALIDATION

Procedures for performing data validation for the types of analyses to be performed for this investigation are documented in the National Functional Guidelines. Data validation will be documented in a manner consistent with the functional guidelines. The results of the data validation will be included in a Data Validation Memorandum. This documentation will be maintained by PlaceWorks in the project files.

8.3.1 Data Qualifiers

The data validation procedures were designed to review each data set and identify biases inherent to the data and determine its usefulness. Data validation flags are applied to those sample results that fall outside of specified tolerance limits, and, therefore, did not meet the program's quality assurance objectives described in Section 3.2. Data validation flags to be used for this project are defined in the National Functional Guidelines. Data validation flags will indicate if results are considered quantitative, estimated, or rejected. Only rejected data are considered unusable for decision-making purposes; however, other qualified data may require further verification.

8.3.2 Project Data Management

Data management is the process of organizing, maintaining, and applying a variety of data to provide a useful and coherent view of the site conditions. Data collected for this investigation include sample collection data, field measurement data, onsite laboratory analytical data, and offsite laboratory analytical data. The data management resources include staff to review and maintain project data, a computerized data management system, and a documentation filing system. The project database management system has the capability to maintain the relationship between sampling locations, samples collected, and filed and laboratory analytical results.

8. Data Reporting

This page intentionally left blank.

9. Performance and System Audits

Audit programs are established and directed by PlaceWorks quality assurance staff to ensure that field and laboratory activities are performed in compliance with project controlling documents. This section describes responsibilities, requirements and methods for scheduling, conducting and documenting audits of field and laboratory activities.

9.1 FIELD AUDITS

Field audits focus on appropriateness of personnel assignments and expertise, availability of field equipment, adherence to project controlling documents for sample collection and identification, sample handling and transport, use of QA samples, chain of custody procedures, equipment decontamination and documentation. Field audits are not required, but may be performed in the event significant discrepancies are identified that warrant evaluation of field practices.

9.2 LABORATORY AUDITS

Laboratory audits include reviews of sample handling procedures, internal sample tracking, SOPs, analytical data documentation, QA/QC protocols, and data reporting. Any selected mobile or offsite laboratory will be licensed by the State of California as a certified testing laboratory. If no previous audit has been conducted by PlaceWorks, a scheduled audit will be conducted by the quality assurance staff during the course of this project to ensure the integrity of sample handling and processing by the laboratory.

9.3 DATA AUDITS

Data audits will be performed on analytical results received from the laboratories. These audits will be accomplished through the process of data validation as described in Section 8.3, or may involve a more detailed review of laboratory analytical results. Data audits require the laboratory to submit complete raw data files to PlaceWorks for validation. PlaceWorks chemists will perform a review of the data consistent with the level of effort described in the National Functional Guidelines (USEPA 1994 b and c). This level of validation consists of a detailed review of sample data, including verification of data calculations for calibration and quality control samples to assess if these data are consistent with method requirements. Upon request, the laboratory will make available all supporting documentation in a timely fashion.

9.4 REPORTS TO MANAGEMENT AND RESPONSIBILITIES

Upon completion of any audit, the auditor will submit to the Project Manager and Field Manager a report or memorandum describing any problems or deficiencies identified during the audit. It is the responsibility of the Project Manager to determine if the deviations will result in any adverse effect on the project conclusions. If it is determined that corrective action is necessary, procedures outlined in Section 9.5 will be followed.

9.5 CORRECTIVE ACTION

Corrective actions will be initiated whenever data quality indicators suggest that DQOs have not been met. Corrective actions will begin with identifying the source of the problem. Potential problem sources include failure to adhere to method procedures, improper data reduction, equipment malfunctions, or systemic contamination. The first level of responsibility for identifying the problems and initiating corrective action lies with the analyst/field personnel. The second level of responsibility lies with any person reviewing the data. Corrective actions may include more intensive staff training, equipment repair followed by a more intensive preventive maintenance program, or removal of the source of systemic contamination. Once resolved, the corrective action procedure will be fully documented, and if DQOs were not met, the samples in question must be recollected and/or reanalyzed utilizing a properly functioning system (USEPA 1998).

10. References

1. USEPA, 1990a. Code of Federal Regulations, Title 40 – Protection of Environment. Office of the Federal Register. U.S. National Archives and Records Administration, Washington, D.C.
2. USEPA, 1990b. Region 9 Laboratory Documentation Requirements for Data Validation. Document Control No. 9QA-07-90. U.S. Environmental Protection Agency, Region 9. San Francisco, California.
3. USEPA, 1994a. Guidance for the Data Quality Objectives Process. EPA QA/G-4. Office of Research and Development U.S. Environmental Protection Agency. Washington, D.C.
4. USEPA, 1994b. Contract Laboratory Program National Functional Guidelines for Inorganic Data Review. EPA540/R-94/013. Office of Emergency and Remedial Response. Washington, D.C.
5. USEPA, 1994c. Contract Laboratory Program National Functional Guidelines for Organic Data Review. EPA540/R-94/012. Office of Emergency and Remedial Response. Washington, D.C.
6. USEPA, 1996. Test Methods for Evaluating Solid Waste, Physical/Chemical Methods. SW-846, Third Edition, Office of Solid Waste and Emergency Response U.S. Environmental Protection Agency. Washington, D.C.
7. USEPA, 1998a. EPA Guidance for Quality Assurance Project Plans. EPA QA/G-5. Office of Research and Development U.S. Environmental Protection Agency. Washington, D.C.
8. USEPA, 1998b. EPA Requirements for Quality Assurance Project Plans for Environmental Data Operations, External Review Draft Final. EPA QA/R-5. Washington, D.C.
9. United States Geological Survey (USGS), 2012. 7.5' Topographic Series, San Bernardino South, California Quadrangle Map, scale 1:24,000.

10. References

This page intentionally left blank.

Appendix G. Health and Safety Plan

Appendix

This page intentionally left blank.

March 2023 | Health and Safety Plan

J. W. NORTH HIGH SCHOOL

for Riverside Unified School District

Prepared for:

Riverside Unified School District
Contact: Ana Gonzalez
Director, Planning and Development
Riverside Unified School District
3070 Washington Street
Riverside, CA 92504-4697
Project Number:
RIV-37.0

Prepared by:

PlaceWorks
Contact: Michael Watson, PG, Senior Geologist
2850 Inland Empire Boulevard, Suite B
Ontario, California 91764
909.989.4449
info@placeworks.com
www.placeworks.com

PLACEWORKS

Table of Contents

Section **Page**

1. Applicable Standards and Goals 1
   - 1.1 GENERAL 1
   - 1.2 SCOPE AND APPLICABILITY OF THE HEALTH AND SAFETY PLAN 1
2. Site Description 5
   - 2.1 SITE IDENTIFICATION 5
   - 2.2 SITE LOCATION 5
   - 2.3 CURRENT AND HISTORICAL LAND USES 5
3. Roles and Responsibilities 7
   - 3.1 PROJECT DIRECTOR 7
   - 3.2 PROJECT MANAGER 7
   - 3.3 PLACEWORKS HEALTH AND SAFETY MANAGER 7
   - 3.4 SITE MANAGER 8
   - 3.5 SITE SAFETY OFFICER 8
   - 3.6 FIELD TECHNICIANS 8
   - 3.7 FIELD TEAM SIZE 9
4. Training and Medical Monitoring Requirements 11
5. Description of Field Work 13
   - 5.1 SOIL SAMPLING ACTIVITIES 13
6. Chemical Hazards 17
   - 6.1 HAZARD ASSESSMENT 17
7. Physical Hazards 19
   - 7.1 HEAVY EQUIPMENT 19
   - 7.2 ELECTROCUTION 19
   - 7.3 SLIPPERY TERRAIN, SLIPS, TRIPS, AND FALLS 19
   - 7.4 NOISE 19
   - 7.5 HEAT STRESS 20
8. Personal Protective Equipment (PPE) 21
9. Illumination 23
10. Standard Operating Procedures 25
    - 10.1 DAILY SAFETY MEETINGS 25
    - 10.2 DAILY DEBRIEFING MEETINGS 25
    - 10.3 ADMINISTRATIVE ACTION 25
11. Confined Spaces 27
12. Noise Monitoring 29
13. Description of Site Work Zones 31
14. Decontamination 33
15. Emergency Supplies 35
    - 15.1 FIRE EXTINGUISHERS 35
    - 15.2 SPILL CONTROL EQUIPMENT 35
16. Emergency Contact Information 37

Table of Contents

17. Directions to the Hospital 39
18. Authorized Changes to the Health and Safety Plan 41
19. Certification 43

APPENDICES

Appendix A Safety Rules and Personal Hygiene
Appendix B Field Standard Operating Procedures for Use and Decontamination of Personal Protective Equipment
Appendix C Heat Stress and Heat Stress Monitoring
Appendix D Medical Monitoring Program
Appendix E Properties of Materials and Toxicological Profiles
Appendix F Site Safety Officer Responsibilities
Appendix G Authorized Changes to HASP

Table of Contents

LIST OF FIGURES

Figure **Page**

Figure 1 Hospital Route Map 3

LIST OF TABLES

Table

Table 1 Occupational Health Guidelines and Toxicological Information

Table of Contents

This page intentionally left blank.

1. Applicable Standards and Goals

1.1 GENERAL

This Health and Safety Plan (HASP) was prepared by PlaceWorks for Riverside Unified School District (the District). This HASP provides an overview of current conditions at the site and describes the safety procedures to be employed and the rationale for their selection. The HASP has been prepared to ensure proper precautions are taken to protect human health and safety while work is being performed at the site. During the development of this HASP, consideration was given to current safety standards as defined by the U.S. Environmental Protection Agency (EPA), the Occupational Health and Safety Administration (OSHA), and the National Institute of Occupational Safety and Health (NIOSH). This HASP was prepared in accordance with guidelines set forth in Title 8 of the California Code of Regulations, Section 5192 (8 CCR 5192). In addition, this HASP also describes the health effects and standards for known contaminants and the procedures designed to account for the potential for exposure to unknown substances.

1.2 SCOPE AND APPLICABILITY OF THE HEALTH AND SAFETY PLAN

The purpose of this HASP is to define the requirements and designate protocols to be followed by the onsite personnel during the field activities. Site conditions identified sources and previous work elements implemented at the site are described in the Workplan. This HASP is applicable to all employees, government employees, contractors, subcontractors, and visitors to the site. This HASP will be used to ensure that adequate site safety practices are used during sample collection activities.

All personnel working at the site must review the HASP and sign an agreement to comply with its requirements and to signify their familiarity with all aspects of the HASP before entering an exclusion zone or a contamination reduction zone. A copy of the HASP Certification is provided in Section 19. All personnel working at the site will be briefed daily by the Site Safety Officer (SSO) and will be required to become familiar with the following sections of this plan:

- Directions to Hospital - Section 17 and Page 3 (map);
- Safety Rules and Personal Hygiene - Appendix A;
- Field Standard Operating Procedures for Use and Decontamination of Personal Protective Equipment (PPE) - Appendix B;
- Heat Stress and Heat Stress Monitoring - Appendix C.

1. Applicable Standards and Goals


This page intentionally left blank.

FIGURE 1
HOSPITAL ROUTE MAP

Starting from: J. W. North High School, Riverside, CA

Arriving at: Riverside Community Hospital
4445 Magnolia Avenue, Riverside CA

Distance: 3.5 miles **Approximate Travel Time: 7 minutes**



Directions	Mile
1. Head east on 3rd Street toward	0.1
2. Turn left onto onramp for I-215 North/CA-60 West	0.2
3. Merge onto I-215 North/CA-60 West	0.3
4. Take exit 34B to CA-91 West	1.9
5. Take exit 63 toward 14th Street	0.4
6. I-215 South turns slightly left and becomes CA-91 W	1.7
7. Take exit 63 towards 14th Street	0.4
8. Merge onto Mulberry Street	<0.1

1. Applicable Standards and Goals

This page intentionally left blank.

2. Site Description

2.1 SITE IDENTIFICATION

The site has been identified by the District as J. W. North High School. A discussion of the Chemicals of Potential Concern (COPCs) is provided in Section 6.

2.2 SITE LOCATION

The proposed school site is located at 1550 3rd Street in the City of Riverside, Riverside County, California.

2.3 CURRENT AND HISTORICAL LAND USES

2.3.1 Property Ownership

The site is owned by Riverside Unified School District.

2.3.2 Business/Manufacturing Activities

The site has been utilized for agricultural purposes from at least 1931 to about 1953. No structures are associated with the property.

2.3.3 Site Climatological Setting

The site area is classified as being semi-arid with hot, dry summers and mild winters. The Western Regional Climate Center collected data from Riverside from 1893 to 2016. The mean temperature in the area ranges from a low of 48.6° Fahrenheit (°F) in the winter to a high of 79.5°F in the summer. The average annual precipitation is 10.21 inches per year.

2. Site Description

This page intentionally left blank.

3. Roles and Responsibilities

A number of roles are required for the safe and efficient operation of a field team. These roles include Project Director, Project Manager, PlaceWorks Health and Safety Manager, Site Manager, SSO and field personnel. A team member may take on more than one role, but the roles must be clearly assigned and must cover all positions required. The personnel assigned to the various roles and their phone numbers are listed below:

Assignment	Name	Phone Number
Project Director	Mike Watson	(909) 989-4449
Project Manager	Mike Watson	(909) 989-4449
Health & Safety Manager	Mike Watson	(909) 989-4449
Site Manager	Mike Watson	(909) 989-4449
Site Safety Officer	Mike Watson	(909) 989-4449
Field Personnel	Mike Watson	(909) 989-4449

The following guidelines outline assignment of responsibilities of the field team members.

3.1 PROJECT DIRECTOR

The Project Director is responsible for the overall operation of the project, including safety during field activities. Specific responsibilities include organization of all project work assignments, assigning personnel to specific duties, ensuring that the field team follows health and safety procedures approved by the PlaceWorks Health and Safety Manager, and overall quality assurance/quality control of the project.

3.2 PROJECT MANAGER

The Project Manager will be responsible for the day-to-day progress of the project and will hold review and planning meetings as necessary with all technical staff, during which the current progress, problems encountered, and future direction will be discussed.

3.3 PLACEWORKS HEALTH AND SAFETY MANAGER

The PlaceWorks Health and Safety Manager are responsible for the design and, with assistance from the Project Manager on personnel issues, implementation of the health and safety program for this project. This includes developing a site HASP, ensuring that all onsite workers have met the necessary health and safety training requirements and are knowledgeable about the work they will perform, assigning a qualified SSO to the field team, verifying compliance with all applicable safety and health requirements, and updating equipment and procedures based on new information gathered during the course of work.

3.4 SITE MANAGER

The Site Manager is responsible for the operation of the field team. Responsibilities include organization of field activities, compliance with the provisions of the site Workplan, field documentation and record keeping, quality control of field activities, and communication with the site's correspondent. The Site Manager, along with the SSO, must also ensure that subcontractors and outside observers comply with the HASP.

3.5 SITE SAFETY OFFICER

The SSO works closely with the Site Manager to enforce the provisions of the HASP during field activities. The SSO is responsible for implementing the procedures stipulated in the HASP:

- Evaluating and amending the HASP daily to remedy deficiencies and post entry briefings;
- Determining the levels of personal protection based on observations or changing field conditions;
- Controlling site entry and exit;
- Briefing the field team on the health and safety decontamination procedures required for various field activities;
- Monitoring the field team for signs of stress or exposure;
- Initiating emergency procedures, if necessary;
- Verifying that field team members have met the health and safety requirements for field activities;
- Being available to document and respond to any concerns or complaints made by personnel onsite;
- Documenting unsafe work practices or conditions;
- Documenting any accidents or incidents that result in illness or injury to personnel; and
- Issuing stop work notices if site conditions become unsafe, with conference with the Project Director and/or the PlaceWorks Health and Safety Manager.

3.6 FIELD TECHNICIANS

The field technicians are responsible for complying with the HASP, notifying the SSO of hazardous or potentially hazardous conditions, and carrying out specialized tasks during field operations. These tasks include inspecting, calibrating, maintaining, and using field equipment; performing site characterization activities; maintaining decontamination stations; preparing and decontaminating sampling equipment; collecting and preserving samples; and packaging and shipping samples according to proper chain-of-custody procedures.

3.7 FIELD TEAM SIZE

The size of the field team is determined by the nature of the field activities, the characteristics of the site, the safety hazards involved, and the prescribed levels of safety protection. The field team must be large enough to ensure onsite activities are conducted safely, but not so large as to sacrifice efficiency. PlaceWorks personnel shall be present during all phases of the field activities. Whenever possible, the use of the buddy system is preferred, and should be required when volatile chemicals or physical hazards such as uneven ground or wildlife/livestock are likely to be encountered. Each person should have a mobile phone on them at all times and a compressed air horn should be kept onsite in order to alert others of an emergency.

3. Roles and Responsibilities

This page intentionally left blank.

4. Training and Medical Monitoring Requirements

Staff and subcontractors participating in the fieldwork must have completed a 40-hour health and safety training course (8 CCR 5192(e), 29 CFR 1910.120(e)(2)) and three day of actual field experience under the direct supervision of a trained, experienced supervisor as appropriate for their particular tasks and have annual refresher training. The SSO and site manager should have an additional eight hours of Supervisor Manager HAZWOPER training in addition to the requirements stated above. Before personnel arrive onsite, each employer will be responsible for certifying that its employees meet the OSHA training requirements.

Each employee will be familiar with the requirements of the site safety and health plan and will participate in site activity and safety briefings. Medical surveillance is conducted as a routine program, which meets the requirements of 8 CCR 5192 (f); the medical surveillance program is detailed in Appendix D. There will not be any special medical tests or examinations required for staff involved in this project.

All personnel will be trained to operate their respective equipment, including respiratory protection if site conditions exist where respirators are needed. Under no circumstance will untrained or unqualified personnel operate equipment.

4. Training and Medical Monitoring Requirements

This page intentionally left blank.

5. Description of Field Work

The following subsections describe tasks to be performed during the field activities and the hazards associated with each task. Some of the protective measures to be implemented during completion of those operations are also identified.

5.1 PRE-FIELD ACTIVITIES

5.1.1 Utility Location and Marking

The sidewalk surrounding the project site will be marked in advance of Underground Service Alert notification. The areas will be surveyed for utility markings prior to the start of any drilling.

5.2 SOIL SAMPLING ACTIVITIES

5.2.1 Soil Sampling

Soil samples will be collected following protocols described in the Workplan and the following guidance: DTSC's *Interim Guidance for Sampling Agricultural Properties (Third Revision)* (DTSC 2008). Soil will be collected in glass jars.

5.2.2 Sampling Methods and Procedures

Soil sampling will be conducted using a hand auger. The hand auger will be advanced to the desired depths and the barrel will be retrieved. Observations pertaining to the soil type will be recorded by a field geologist. The soil will be decanted into a pre-cleaned glass jar. Each sample will be labeled with the sample number, sample depth, and the date and time sampled. Samples will be immediately placed in an ice-filled cooler and listed on a chain-of-custody form. Any observation pertaining to potential soil contamination or soil source will be recorded. The sampling equipment will be decontaminated between each sample location as described in the Workplan.

Hazards associated with this task include dermal contact with and accidental ingestion of contaminated soil and inhalation of dusts and vapors (i.e. VOCs), noise and lifting. Some of the protective measures to be implemented during soil sampling include the use of chemical-resistant gloves to reduce the hazards associated with soil sampling. Level D PPE will be used when sampling is initiated, but will be upgraded as necessary. The use of a PID for air monitoring will be used (as necessary) primarily for the detection of VOCs and not organochlorine pesticides or metals, which are not detectable with a PID.

Previous surveys indicate that heavy equipment such as drilling or excavation equipment may produce continuous and impact noise at or above the action level of 85 dBA. All site personnel within 25 feet of operating equipment, or near an operation that creates noise levels high enough to impair conversation, shall

5. Description of Field Work

wear hearing protective devices (either muffs or plugs). All PlaceWorks personnel are in the PlaceWorks Hearing Conservation Program and have had baseline and, where appropriate, annual audiograms. Personnel will wash their hands with soap and water prior to inserting earplugs to avoid initiating ear infections.

In the process of collecting environmental samples during the field-sampling program, different types of potentially contaminated investigation-derived wastes (IDW) will be generated that include the following:

- Used personal protective equipment (PPE);
- Disposable sampling equipment;
- Soil cuttings; and
- Decontamination fluids.

The EPA's National Contingency Plan requires that management of IDW comply with all applicable or relevant and appropriate requirements to the extent practicable. The sampling plan followed the Office of Emergency and Remedial Response Directive 9345.3-02 dated May 1991, which provides the guidance for the management of IDW. In addition, other legal and practical considerations that may affect the handling of IDW will be considered.

Listed below are the procedures that will be followed for handling the IDW:

- Used PPE and disposable equipment will be double bagged and placed in a municipal refuse dumpster. These wastes are not considered hazardous and can be sent to a municipal landfill.
- Soil cuttings will be returned to their original borehole.
- Decontamination water will either be poured onto the ground or be evaporated off-site in a 5-gallon bucket.

The following guidelines will be followed whenever lifting equipment such as portable generators, coolers filled with samples, any other objects that are of odd size or shape, or that weigh over 40 pounds.

- Get help when lifting heavy loads. Portable generators will only be lifted using a two-person lift.
- When moving heavy objects such as drums or containers, use a dolly or other means of assistance.
- Plan the lift. If lifting a heavy object, plan the route and where to place the object. In addition, plan communication signals to be used (i.e., "1, 2, 3, lift," etc.).
- Wear sturdy shoes in good condition that supply traction when performing lifts.

5. Description of Field Work

- Keep your back straight and head aligned during the lift and use your legs to lift the load – do not twist or bend from the waist. Keep the load in front of you – do not lift or carry objects from the side.

- Keeping the heavy part of the load close to your body will help maintain your balance.

5. Description of Field Work

This page intentionally left blank.

6. Chemical Hazards

The presence of chemical hazards at the site has not been confirmed; however, the primary suspected potential constituents of concern associated with the site are metals and organochlorine pesticides. The list of chemicals of concern for the site will be reassessed, as more data becomes available. Brief toxicological profiles of typical constituents of concern are included in Appendix E. Chemical and physical characteristics of these compounds are presented in Table 1.

Potential exposures to these chemicals during field activities include the following:

- Dermal contact with and accidental ingestion of potentially contaminated rinsate and residue during decontamination and sampling; and
- Splash hazards during decontamination.

To protect workers from eye and skin contact, skin absorption, and accidental ingestion of airborne dust, PPE will be used as outlined in Section 8.0.

6.1 HAZARD ASSESSMENT

A literature review was conducted to find ionization potentials (IPs), exposure limits, and concentrations immediately dangerous to life and health (IDLH) for the constituents of concern in environmental media at the site. Exposure limit data are expressed as 8-hour time-weighted averages (TWAs). TWAs promulgated in OSHA regulations are referred to as permissible exposure limits (PELs). The American Conference of Governmental and Industrial Hygienists adopts values for exposure limits that are referred to as threshold limit values.

Exposure limits and the IDLH for the constituents of concern are depicted in Table 1. These data are also used to establish action levels to determine when personnel should upgrade from Level D PPE (i.e., no respiratory protection) to Level C PPE (i.e., full-face air-purifying respirator) and to select the appropriate types of outer garments, gloves, and respirator cartridges. Action levels triggering an upgrade in respiratory protection from Level D to Level C are established by examining exposure limit data and selecting compounds with the lowest PEL.

Site work will be initiated in Level D protection. If unusual odors or symptoms are noted in the field, and engineering controls cannot reduce potential hazards in the breathing zone, the level of protection will be upgraded to Level C. If an upgrade to Level B is required, field activities will stop and the site will be evacuated. If Level B is required, the project will be stopped and the current operating procedures will be assessed by the SSO, the Health and Safety Officer, and the Health and Safety Committee. If it is determined that Level B PPE is required, a subcontractor will be retained to conduct this supervised work.

6. Chemical Hazards

The potential for injuries inherent in operating heavy equipment presents additional hazards, especially because the operator may be wearing restrictive clothing. The use of heavy equipment creates the potential for contact with active utility lines. These utility lines will be located before intrusive activities are conducted and avoided.

7. Physical Hazards

Potential physical hazards associated with this project include, but are not limited to, working around heavy equipment, electrocution, slippery terrain, noise, weather conditions, and heat stress.

7.1 HEAVY EQUIPMENT

It is important that personnel be aware of all operations that are occurring at a work location as well as physical hazards, such as excavations, trenches, or open pits. Personnel will be aware of the position and movement of equipment by identified operational areas. Special precautions, with regard to layout of equipment traffic patterns associated with other vehicles and buildings, will be carefully considered before beginning field activities. Traffic barriers and/or caution barrier tape will be used to delineate the layout and assist in directing traffic flow to reduce risk of vehicle injury. Employees will be notified during daily meetings as to the established traffic patterns of heavy equipment. Whenever heavy equipment operations are conducted in a congested site area, a traffic coordinator designated by the SSO will direct movement of heavy equipment and pedestrians. For non-essential persons, pedestrian traffic will be prohibited where heavy excavation equipment is in operation. Operators will be tasked to watch for employees that might stray into the restricted entry area; site personnel will be required to wear orange safety vests in the vicinity of heavy equipment operation.

7.2 ELECTROCUTION

Electrical power lines above (overhead) and below ground will be identified at the site before to the start of any activities to prevent electrocution. Minimum safe distance will be established by the SSO in areas of overhead and underground power lines. Subcontracted utility locating services will be used as necessary to locate or confirm the presence of suspected underground utilities at drilling or boring locations.

7.3 SLIPPERY TERRAIN, SLIPS, TRIPS, AND FALLS

Slippery and uneven terrain is common and may increase the risk of injuries. Personnel shall wear the appropriate foot protection while onsite. The SSO will monitor site work surfaces for potential trip and fall hazards. Overhead hazards consist of potential contact with falling objects, rigging equipment, or other items in use at the site. Hard hats are required at all times when at the site.

7.4 NOISE

Noise levels around the equipment may exceed a comfortable range; therefore earplugs or equivalent hearing protection devices are required when equipment is operating.

7.5 HEAT STRESS

The potential for heat stress is high given the warm southern California climate and use of protective garments. Heat stress and heat stress monitoring are discussed in Appendix C.

8. Personal Protective Equipment (PPE)

It is anticipated that Level D PPE will be used, with Level C PPE available on stand-by. Level D PPE will consist of the following equipment:

- Long pants and long-sleeved or short-sleeved shirts;
- Steel-toed work boots;
- Nitrile gloves;
- Hard hats, required when heavy equipment is being used and an overhead hazard exists;
- Safety glasses; and
- Hearing protection during heavy equipment operation.

Damaged PPE will be replaced immediately. Backup equipment will be kept onsite for replacement as necessary.

At a minimum, the following PPE will be discarded and replaced daily:

- Nitrile gloves; and
- Disposable type ear plugs.

New gloves will be used to collect each sample. Procedures for using PPE are given in Appendix B.

The level of protection provided by PPE selection may be upgraded or downgraded by the SSO, in conference with the PlaceWorks Health and Safety Manager and/or the Project Director, based on changes in site conditions. When a significant change occurs, the hazards will be reassessed. Some indicators of the need for reassessment are as follows:

- A change in weather conditions;
- Encountering contaminants other than those previously identified;
- A change in ambient levels of contaminants; and
- A change in work scope that affects the degree of contact with contaminants.

Level C PPE will consist of the following equipment:

8. Personal Protective Equipment (PPE)

- Dual-canister full-face air-purifying respirator (NIOSH approved);
- Organic vapor/P100 combination cartridges;
- Tyvek or Saranex-coated coveralls;
- Steel-toed work boots;
- Double layer nitrile;
- Hard hats, required when heavy equipment is being used; and
- Safety glasses.

Particulate respirator cartridges should be changed out when the wearer has difficulty breathing through the cartridges. Chemical gas or vapor respirator cartridges will be changed out at least daily.

- Proper inspection of PPE includes several levels of inspection depending on specific articles of PPE and its frequency of use. The different levels of inspection are as follows:
- Inspection of equipment received from the factory or distributor;
- Inspection of equipment as it is issued to workers;
- Inspection after use or training;
- Periodic inspection of stored equipment; and
- Periodic inspection when a question arises concerning the appropriateness of the selected equipment or when problems with similar equipment arise.

The primary inspection of PPE in use for activities at the site will occur before use and will be conducted by the user. This ensures that the device or article has been inspected by the user and the user is familiar with its use. The SSO will periodically review field technicians' knowledge and execution of inspection guidelines for the various types of PPE in use at the site.

9. Illumination

Nighttime work activities are not anticipated; however, if nighttime work becomes necessary, illumination at the site will be supplemented in order to ensure safe working conditions. Supplemental lighting will be provided by mobile generator powered units.

9. Illumination

This page intentionally left blank.

10. Standard Operating Procedures

The standards regarding Safety Rules and Personal Hygiene and Use and Decontamination of PPE are detailed in Appendices A and B, respectively.

Standard operating procedures (SOPs) for equipment will be presented in the Addendum.

10.1 DAILY SAFETY MEETINGS

The SSO will conduct a daily safety meeting to discuss any changes in safety status, safety violations and administrative actions, work assignments, or modifications of procedures with all onsite field personnel. This safety meeting will be scheduled as the first activity of each day. An alternate person may be designated to conduct the briefing at the discretion of the SSO. All personnel present will sign the Daily Attendance sheet.

10.2 DAILY DEBRIEFING MEETINGS

At the end of each workday at the site, the SSO will discuss with the Site Manager or the Project Director, daily progress, technical problems, administrative resolution of disciplinary actions, and monitoring and analytical findings.

If an emergency occurs or other accident that requires immediate attention, and additional safety meeting may be conducted. Non-routine meetings will address any site changes that have safety implications, which must be immediately addressed before work can continue.

10.3 ADMINISTRATIVE ACTION

Observed violations of safety procedures can result in immediate removal of the violator from the site. The Project Director will take administrative action on each violation. In the event of a violation, the nature of the violation, the past record of the violator, and any extenuating circumstances will be reviewed. The SSO and Health and Safety Officer will provide a recommendation to the Project Director regarding administrative actions such as retraining and reassignment, change in clearance status, or permanent dismissal from the site.

10. Standard Operating Procedures

This page intentionally left blank.

11. Confined Spaces

No confined space entry is anticipated at the site. A confined space protocol will be developed for Agency review and approval should conditions at the site change.

11. Confined Spaces

This page intentionally left blank.

12. Noise Monitoring

Noise may be monitored using a sound level meter (General Radio model 1565B) in areas where heavy equipment is being utilized. Hearing protection devices (HPDs) will be available onsite at all times. Use of HPDs will be required whenever the noise level equals or exceeds 85 dBA; in general, they will be used whenever equipment is operated. Field technicians will be informed on the proper use, maintenance and storage of HPDs. Engineering controls will be utilized as necessary to ensure that noise levels generated by work do not impact residences adjacent to the site.

12. Noise Monitoring

This page intentionally left blank.

13. Description of Site Work Zones

The various work zones may be established at the site before commencing any field activities.

Exclusion Zone

All workers who enter the contaminated work area will wear the correct level of protection. The number of workers in this zone will be kept at a minimum.

Contamination Reduction Zone (CRZ)

Decontamination areas for field personnel and heavy equipment will be designated in the CRZ adjacent to the exclusion zone.

Support Zones

The administrative and break areas shall be located in the support zone outside the CRZ and the overall work zone. The support zone will be located upwind from the overall work zone as permitted by site meteorological conditions.

The work areas and site shall be cleared and secured at the end of each workday.

13. Description of Site Work Zones

This page intentionally left blank.

14. Decontamination

Decontamination of PPE will take place in the decontamination area identified onsite. Before starting field activities, a decontamination station will be set with one bucket or tub containing clean water and soap mixture and another bucket or tub containing clean water. All workers and PPE will be decontaminated to prevent the spread of potentially hazardous substances. All workers will wash their hands, arms, and face after removing PPE and before leaving the site. The volume and concentration of the decontamination fluid will be sufficiently low to allow disposal at the site. The water (and water with detergent) will be poured onto the ground or into a storm drain. Disposable items will be placed in trash bags for disposal along with other wastes removed from the property. Support vehicles are to be left, to the extent practical, outside the exclusion area so that decontamination will not be necessary. Decontamination procedures are outlined in Appendix B.

14. Decontamination

This page intentionally left blank.

15. Emergency Supplies

15.1 FIRE EXTINGUISHERS

A fire extinguisher will be available onsite during field activities. Field technicians will be informed on the proper use of fire extinguishers.

15.2 SPILL CONTROL EQUIPMENT

Accidental spills will be contained with sandbags or commercially available absorbent materials especially designed for spill containment or cleanup.

15. Emergency Supplies

This page intentionally left blank.

16. Emergency Contact Information

Emergency response shall be addressed according to the requirements of T8 CCR 5192. If it is determined that the emergency could threaten human health or the environment, the incident will be reported to the proper agencies:

Police/Fire	**911**
Department of Toxic Substances Control	(714) 484-5300
5796 Corporate Avenue	
Cypress, California 90630	
Fax: (714) 484-5302	
Department of Health Services	(916) 445-4171
714/744 P Street	
Sacramento, California 95814	
The closest hospital is:	(951) 788-3000
Riverside Community Hospital	
4445 Magnolia Avenue	
Riverside, California 92507	

16. Emergency Contact Information

This page intentionally left blank.

17. Directions to the Hospital

Directions (See Figure 1) Head east on 3rd Street, turn left onto I-215 North/CA-60 West onramp, take exit for CA-91 West, take exit for CA-91 W (signs for Riverside/Beach Cities), take exit 63 toward 14th Street, use the right lane to merge onto Mulberry Street, turn right onto 14th Street, turn left onto Magnolia Avenue, turn right, and your destination will be on the right.

17. Directions to the Hospital

This page intentionally left blank.

18. Authorized Changes to the Health and Safety Plan

Changes to the HASP are to be documented by completing a Modification of Site Health and Safety Plan form. This completed form must be signed by the Site Safety Officer, the Health and Safety Manager, and the Project Director. A copy of each completed form is to be included with each copy of the HASP and made a part of the project files.

18. Authorized Changes to the Health and Safety Plan

This page intentionally left blank.

19. Certification

This HASP has been reviewed and approved by the PlaceWorks Health and Safety Manager. The plan satisfies the requirements of the Occupational Safety and Health Act 1910.120 as implemented by the Health and Safety Committee for hazardous waste site activities.

All PlaceWorks site personnel have read the HASP and are familiar with its provisions.

NAME SIGNATURE DATE

19. Certification

This page intentionally left blank.

TABLE 1
OCCUPATIONAL HEALTH GUIDELINES AND TOXICOLOGICAL INFORMATION
J. W. North High School
3rd Street
Riverside, California

Contaminant	OSHA PEL (ppm)	STEL (ppm)	NIOSH REL (ppm)	IDLH (ppm)	Ionization Potential (eV)	Routes of Exposure	Known or Suspected Carcinogen	Symptoms	1997 NIOSH Page Reference
Arsenic	0.010 mg/m^3	n/a	2 mg/m^3 (15-minute period)	5 mg/m^3	n/a	Inh, Ing, Absorption, Contact	Yes	Ulceration of nasal septum, dermatitis, GI disturbances, peripheral neuropathy, respiratory irritation, hyperpigmentation of skin	20
Lead	0.050 mg/m^3	n/a	0.100 mg/m^3	100 mg/m^3	n/a	Inh, Ing, Contact	No	Weak, lassitude, insomnia, facial pallor, pal eye, anorexia, weight loss, malnutrition, constipation, abdominal pain, colic, anemia, gingival lead line, tremor, ankle or wrist paralysis, encephalopathy, kidney disease, irritated eyes, hypotension	184
Dichlorodiphenyltrichloroethane (DDT)	1 mg/m^3 (skin)	n/a	0.5 mg/m^3	500 mg/m^3	n/a	Inh, Ing, Absorption, Contact	Yes	Irritation to eyes and skin, paresthesia of the tongue, lips, and face, tremor, apprehension, dizziness, confusion, malaise, headache, fatigue, convulsions, paresis of hands, vomiting, potentional occupational carcinogen	88
Aldrin	0.25 mg/m^3 (skin)	n/a	0.25 mg/m^3 (skin)	25 mg/m^3	n/a	Inh, Ing, Absorption, Contact	Yes	Headache, dizziness, nausea, vomiting, malaise, myoclonic jerks of limbs, clonic, tonic convulsions, coma, hematuria, azotemia, potentional occupational carcinogen	8
Toxaphene	0.5 mg/m^3 (skin)	n/a	n/a	200 mg/m^3	n/a	Inh, Ing, Absorption, Contact	Yes	Nausea, confusion, agitation, tremor, convulsions, unconsciousness; dry, red skin; potentional occupational carcinogen	58
Dieldrin	0.25 mg/m^3 (skin)	n/a	0.25 mg/m^3 (skin)	50 mg/m^3	n/a	Inh, Ing, Absorption, Contact	Yes	Headache, dizziness, nausea, vomiting, malaise, sweat, myoclonic limb jerks, clonic, tonic convulsions; coma, potentional occupational carcinogen, in animals: liver, kidney damage	104

ppm - parts per million
mg/m^3 - milligrams per cubic meter
n/a - not applicable

Appendices

Appendix

This page intentionally left blank.

Appendix A

Safety Rules and Personal Hygiene

1. Remove all facial hair that interferes with a satisfactory fit of respiratory protective equipment.
2. Do not wear contact lenses while wearing full-face respirators.
3. Do not take prescribed drugs unless specifically approved by a physician. Notify the SSO that prescription medication is being taken.
4. In the work zone, do not eat, drink, smoke, chew gum or tobacco, or engage in any other practice that increases the probability of hand-to-mouth transfer or ingestion of material.
5. Wash hands and face thoroughly after leaving the work area and before eating, drinking, or any other activities.
6. Thoroughly wash entire body as soon as possible after removing Level C protective garments.
7. Whenever possible, avoid contact with contaminated or suspected contaminated surfaces.

Appendix B

Field Standard Operating Procedures for Use and Decontamination of Personal Protective Equipment

1. Park vehicles outside the site boundaries.

2. During the pre-work safety meeting, the SSO will provide the following information:
   A. a description of the site and known problem areas
   B. the level of protection required
   C. emergency medical information
   D. the locations of the first aid kit and fire extinguisher

3. Use the nearest lavatory.

4. Lay out and check safety gear.

5. Check and don Level D PPE.

6. For work in Level C PPE, put on safety gear in the following order:
   A. Coveralls
   B. Steel-toed work boots
   C. Connect suit and boots with tape
   D. Outer booties, if used
   E. Air purifying respirators (APRs), if required

7. For work in Level C PPE, put on APRs as follows:
   A. Inspect.
      (1) Inspect before each use to ensure that they have been cleaned adequately.
      (2) Check material conditions for signs of pliability, deterioration, or distortion.
      (3) Examine cartridges and ensure that they are the correct type for the intended use, that the expiration date has not passed, and that they have not been opened or used previously.
      (4) Check face shields for cracks or fogginess.
   B. Loosen all harness strap adjustments.
   C. Place chin in chin cup and draw back evenly on strap adjustments - the two bottom straps first, then the two top straps, and the center top strap last.
   D. Check that the respirator is centered evenly on the face and that the straps are not uncomfortably tight.

E. Check for leaks or proper facial seals.
   (1) To conduct a negative-pressure test, close the inlet part with the palm of the hand so it does not pass air, and gently inhale for about 10 seconds. Any inward rush of air indicates a poor fit. Note that a leaking facepiece may be drawn tightly to the face to form a good seal, giving a false indication of adequate fit.
   (2) To conduct a positive-pressure test, gently exhale while covering the exhalation valve to ensure that a positive pressure can be built up. Failure to build a positive pressure indicates a poor fit.

8. Put on the rest of the gear in the following order:
   A. Raise hood
   B. Hard hat, if necessary
   C. Surgical gloves
   D. Outer gloves
   E. Connect gloves and suit with tape

9. Select a buddy to act as a safety backup.

10. Check your buddy's equipment and have your buddy check yours for rips, tears, or malfunctions. Pay special attention to respirators, making sure that seals are good and that cartridges are securely in place.

11. If any equipment or gear gets damaged or if your suit tears badly, GO BACK.

12. If you experience physical discomfort, breathing difficulties, light-headedness, dizziness, or other abnormalities, GO BACK.

13. When you return, have your buddy check for external accumulation of contamination and remove it. Also check gear for damage.

14. Decontamination will be performed in steps as follows (as appropriate for the PPE being utilized):

    Step 1 - Segregated Equipment Drop: Deposit equipment used onsite (tools, sampling devices and containers, monitoring instruments, clipboards, etc.) in different containers with plastic liners. Each may be contaminated to a different degree. Segregation at the drop reduces the probability of cross-contamination. This equipment may be reused if properly decontaminated.

    Equipment: various sizes of containers
    plastic drop cloths

Step 2 - Boot Cover and Outer Glove Wash and Rinse: (Optional - will be used at the Site Safety Officer's discretion.)

Equipment:
- spray bottle/container with nozzle
- two wash basins or tubs
- scrub brush
- water
- Liqui-nox nonphosphate soap solution (1%)

Step 3 - Tape Removal: Remove tape around boots and gloves, and deposit in container with plastic liner. Remove boot covers, then outer gloves, and place them in the container.

Equipment:
- container (30-50 gallons)
- plastic liners
- folding chairs

Step 4 - Safety Boot Wash and Rinse: (Optional - will be used at discretion of field team members.)

Equipment:
- two wash basins or tubs
- scrub brush
- water
- Liqui-nox solution (1%)

Step 5 - Protective Coverall Removal: With the assistance of a helper, remove protective coverall. Deposit in container with plastic liner.

Equipment:
- container (30-50 gallons)
- folding chairs
- plastic liners

Step 6 - Respirator Removal: Remove facepiece. Avoid touching face with gloves. If work is completed for the day, discard cartridges in lined container, and wash and rinse respirator.

Equipment:
- container (30-50 gallons)
- plastic liners

Step 7 - Inner Glove Removal: Remove inner gloves and deposit in container with plastic liner.

Equipment:
- container (20-30 gallons)
- plastic liners

15. Respirators will be cleaned daily by hand washing with MSA cleaner-sanitizer solution followed by a thorough rinse and air drying. NEVER ALLOW A RESPIRATOR TO DRY WITH THE STRAPS PLACED FORWARD ACROSS THE FACESHIELD BECAUSE THIS MAY CAUSE CHANGES IN THE FACE-TO-RESPIRATOR SEAL SURFACE. The specific procedures to be employed are as follows:

A. Remove all cartridges (canisters) and filters plus gaskets and seals not

permanently affixed to their seats.

B. Loosen harness adjustment straps.
C. Remove exhalation valve cover.
D. Remove inhalation and exhalation valves.
E. Remove protective faceshield cover.
F. Wash facepiece in MSA cleaner/sanitizer powder mixed with warm water, preferably at a temperature of 120□ F. Wash components separately from facepiece. Heavy soil may be removed from the facepiece surface using a medium-soft handbrush.
G. Remove all parts from the wash solution, and rinse twice in clean, warm water.
H. Air dry all parts in a designated clean area.
I. Pat facepieces, valves, and seats to remove any remaining soap residue, water, or other foreign material with a clean, damp, lint-free cloth.
J. Reassemble respirator.
K. Place respirator in a plastic bag and the respirator box or otherwise store the respirator to prevent exposure to dust, moisture, sunlight, damaging chemicals, extreme temperatures, and impact.

16. Investigation-derived waste material will be handled as follows:
    A. Used PPE and disposable equipment will be double bagged and placed in a municipal refuse dumpster on site. These wastes are not considered hazardous and can be sent to a municipal landfill. Any PPE and disposable equipment that is to be disposed of which can still be reused will be rendered inoperable before disposal in the refuse dumpster.
    B. Wash and rinse waters from personal and equipment decontamination will be poured onto the ground or into a storm drain.
    C. Soil cuttings generated during the subsurface sampling will be placed back into the soil borings from which the samples were obtained. Any remaining soil cuttings will be spread around the sampling location.

Appendix C

Heat Stress and Heat Stress Monitoring

Heat is one of the most common (and potentially serious) illnesses at hazardous waste sites where PPE is worn; therefore, regular monitoring and other preventive precautions are vital. Shelter from the sun will be provided during rest periods. Below is a list of the signs and symptoms of heat stress. Initial work schedules will be approximately 90 minutes of work followed by 15 minutes of rest. Work intervals will be adjusted to shorter periods based on the assessment of the SSO. Monitoring for heat stress will be conducted by visual observation by the individual team members.

Signs and Symptoms of Heat Stress

- **Heat rash** may result from continuous exposure to heat or humid air.

- **Heat cramps** are caused by heavy sweating with inadequate electrolyte replacement. Signs and symptoms include:
  - muscle spasms
  - pain in the hands, feet, and abdomen

- **Heat exhaustion** occurs from increased stress on various body organs, including inadequate blood circulation caused by cardiovascular insufficiency or dehydration. Signs and symptoms include:
  - pale, cool, moist skin
  - heavy sweating
  - dizziness
  - nausea
  - fainting

- **Heat stroke** is the most serious form of heat stress. Temperature regulation fails, and the body temperature rises to critical levels. Immediate action must be taken to cool the body before serious injury and death occur. Competent medical help must be obtained. Signs and symptoms include:
  - red, hot, usually dry skin
  - lack of or reduced perspiration
  - nausea
  - dizziness and confusion
  - strong, rapid pulse
  - coma

First-aid remedies for heat stress and heat stroke includes removing the worker to a cool place, providing cool water or a commercial sport drink, loosen tight clothing, and call for an ambulance if victim vomits or starts to loose consciousness.

Appendix D

Medical Monitoring Program

The workers most likely to be exposed to contaminated materials at the site are sampling and inspection personnel. These personnel are included in this Medical Monitoring Program.

The purposes of the Medical Monitoring Program are to identify any illness or problem that would put an employee at an unusual risk from exposures; to ensure that each employee can use negative-pressure respirators safely and withstand heat or cold stress; and to establish and maintain a medical data base for employees to monitor any abnormalities that may be related to work exposure and that could increase injury risk for the employee or others in the performance of job functions. The Medical Monitoring Program includes:

- A baseline physical examination;
- A medical determination of fitness of duty, including work restrictions after any job-related injury or illness or non job-related absence lasting more than three working days;
- The review of each site-specific Health and Safety Plan and potential exposure list to determine the need for specific biological and medical monitoring; and
- Annual and exit physical examinations with attention given to specific exposures or symptoms.

Baseline Physical Examination

A Baseline Physical Examination will be performed on each employee engaged in hazardous waste activities. The purposes of this examination are to identify any illness or problem that would put an employee at unusual risk from certain exposures; to certify the safe use of negative-pressure respirators (OSHA Safety and Health Standard 29 CFR 1910.134); and to develop a database for the assessment of exposure-related events detected through periodic medical monitoring. Variable data, such as age, sex, race, smoking, prior employment, and exposure history, that may have a bearing on the occurrence of subsequent events after employment begins will be gathered.

The content of the Baseline Physical Examination will include:

- Medical, occupational, and fertility histories;
- A physical examination, stressing neurological, cardiopulmonary, musculoskeletal, and skin systems;
- An electrocardiogram;
- PA and lateral chest x-rays;
- A pulmonary function test (FEV1, FVC, FEV 25-75);
- An audiogram;

- A multi-chemistry blood panel, including kidney and liver function tests, CBC with
- differential, and urinalysis;
- Tests deemed necessary by symptoms or exposure history;
- A red blood cell cholinesterase; and
- Physical parameters, including blood pressure and visual acuity testing.

Annual Physical Examination
An examination and updated occupational history will be performed on an annual basis during the anniversary month of the baseline physical examination. The Annual Physical Examination serves to identify and prevent illness caused by cumulative exposure to toxic substances.

The Annual Physical Examination will include:
- A personal work history (based on specific project histories);
- A physical examination, stressing neurological, cardiopulmonary, musculoskeletal, and skin systems;
- Pulmonary function test (FEV1, FVC, FEV 25-75);
- A multi-chemistry blood panel, including kidney and liver function test;
- An audiogram;
- Tests deemed necessary by symptoms or exposure history; and
- An optional wellness profile.

Return to Work Examination
Any job-related illness or injury will be followed by a medical examination to determine fitness for duty or possible job restrictions based on the physical findings of the medical examiner. A similar examination will be performed following three missed workdays caused by a non job-related illness or injury requiring medical intervention.

Exit Physical Examination
The content of the Exit Physical Examination will include:
- a personal work history (based on specific project histories);
- medical, exposure, and fertility histories;
- a physical examination, stressing neurological, cardiopulmonary, musculoskeletal, and skin systems;
- a pulmonary function test (FEV1, FVC, FEV 25-75);
- an electrocardiogram;
- PA and lateral chest x-rays;
- an audiogram;
- a multi-chemistry blood panel, including kidney and liver function tests, CBC with differential, and urinalysis;
- tests deemed necessary by symptoms or exposure history;
- a red blood cell cholinesterase; and
- physical parameters, including blood pressure and visual acuity testing.

Appendix E

Properties of Materials and Toxicological Profiles

Chromium (Cr III and Cr VI)

The permissible exposure limit (PEL) for chrome is 0.5 mg/m^3, which is also the recommended exposure limit (REL) established by the National Institute for Occupational Safety and Health (NIOSH). The Immediately Dangerous to Life or Health (IDLH) concentration for this substance is 25 mg/m^3.

The appearance and odor of this substance varies depending on the type of chrome compound. Symptoms of exposure to chrome may include irritation of the skin and eyes. If splashed in the eyes, irrigate immediately. For dermal exposure, wash with soap and water immediately. If swallowed, immediately seek medical attention. If victim stops breathing after exposure to vapors, begin artificial respiration.

Arsenic

The PEL for arsenic is 0.010 mg/$m^{3.}$ NIOSH has established an REL, based on a 15-minute exposure period, of 2 mg/m^3. The IDLH concentration for this substance is 5 mg/m^3.

The appearance and odor of arsenic varies depending upon the specific organic arsenic compound. Routes of exposure include inhalation, ingestion, and contact. The skin, respiratory system, kidneys, central nervous system (CNS), liver, GI tract, and reproductive system are all target organs or chronic exposure.

Lead

The PEL for lead is 0.050 mg/m^3. NIOSH has established an REL of 0.100 mg/m3. The IDLH concentration for this substance is 100 mg/m^3.

A heavy, ductile, soft, gray solid, lead is also known as lead metal and plumbum. A person can be exposed to lead contamination by inhalation, ingestion, or contact. The target organs for lead include eyes, GI tract, CNS, blood, and gingival tissue.

Symptoms of lead exposure include weakness, lassitude, insomnia; facial pallor; pal eye, anorexia, weight loss, malnutrition; constipation, abdominal pain, colic; anemia; gingival lead line; tremor; ankle or wrist paralysis, encephalopathy; kidney disease; irritated eyes; and hypotension. If eye contact occurs, the eyes should be washed immediately with large amounts of water. For dermal contact, remove any penetrated clothing and immediately flush the contaminated skin with soap and water. If this chemical is inhaled in large quantities, move to fresh air at once. Perform mouth-to-mouth resuscitation if breathing has stopped. Keep the person warm and resting. For any of the above or if the chemical has been swallowed, seek medical attention promptly.

Dichlorodiphenyltrichloroethane (DDT)

The PEL for DDT is 1 mg/m^3. NIOSH has established an REL of 0.5 mg/m^3. The IDLH concentration for this substance is 500 mg/m^3.

Routes of exposure include inhalation, ingestion, absorption, and contact. Symptoms of exposure to DDT include irritation to eyes and skin, paresthesia of the tongue, lips, and face, tremor, apprehension, dizziness, confusion, malaise, headache, fatigue, convulsions, and vomiting. If eye contact occurs, the eyes should be washed immediately with large amounts of water. For dermal contact, remove any penetrated clothing and immediately flush the contaminated skin with soap and water. If this chemical is inhaled in large quantities, move to fresh air at once. Perform mouth-to-mouth resuscitation if breathing has stopped. Keep the person warm and resting. For any of the above or if the chemical has been swallowed, seek medical attention promptly.

Aldrin

The PEL for aldrin is 0.25 mg/m^3. NIOSH has established an REL of 0.25 mg/m^3. The IDLH concentration for this substance is 25 mg/m^3.

Routes of exposure include inhalation, ingestion, absorption, and contact. Symptoms of exposure to aldrin include headache, dizziness, nausea, vomiting, malaise, and coma. If eye contact occurs, the eyes should be washed immediately with large amounts of water. For dermal contact, remove any penetrated clothing and immediately flush the contaminated skin with soap and water. If this chemical is inhaled in large quantities, move to fresh air at once. Perform mouth-to-mouth resuscitation if breathing has stopped. Keep the person warm and resting. For any of the above or if the chemical has been swallowed, seek medical attention promptly.

Toxaphene

The PEL for toxaphene is 0.5 mg/m^3. The IDLH concentration for this substance is 200 mg/m^3.

Routes of exposure include inhalation, ingestion, absorption, and contact. Symptoms of exposure to toxaphene include nausea, confusion, agitation, temor, convulsions, dry, red skin, and unconsciousness. If eye contact occurs, the eyes should be washed immediately with large amounts of water. For dermal contact, remove any penetrated clothing and immediately flush the contaminated skin with soap and water. If this chemical is inhaled in large quantities, move to fresh air at once. Perform mouth-to-mouth resuscitation if breathing has stopped. Keep the person warm and resting. For any of the above or if the chemical has been swallowed, seek medical attention promptly.

Dieldrin

The PEL for dieldrin is 0.25 mg/m^3. NIOSH has established an REL of 0.25 mg/m3. The IDLH concentration for this substance is 50 mg/m^3.

Routes of exposure include inhalation, ingestion, absorption, and contact. Symptoms of exposure to dieldrin include headache, dizziness, nausea, vomiting, sweat, and coma. If eye contact occurs, the eyes should be washed immediately with large amounts of water. For dermal contact, remove any penetrated clothing and immediately flush the contaminated skin with soap and water. If this chemical is inhaled in large quantities, move to fresh air at once. Perform mouth-to-mouth resuscitation if breathing has stopped. Keep the person warm and resting. For any of the above or if the chemical has been swallowed, seek medical attention promptly.

Appendix F

Site Safety Officer Responsibilities

An SSO will be designated. The responsibilities of the SSO will include the following:

- briefing personnel on the hazards at the site, the standard operating procedures to be employed, and emergency procedures;
- conducting onsite health monitoring;
- coordinating access control and site security, including responsibility for protection of third parties, such as visitors or the surrounding community;
- monitoring work practices and decontamination to ensure that required procedures are being followed;
- being available to document and respond to any concerns or complaints made by onsite personnel;
- documenting unsafe work practices or conditions;
- documenting any accidents or incidents that result in illness or injury to personnel; and
- evaluating and amending the HASP daily to remedy deficiencies and post entry briefings.

Appendix G

Authorized Changes to HASP

Insert the following changes and replace affected pages

_____
_____
_____
_____
_____
_____
_____
_____
_____
_____
_____
_____
_____
_____

_____ _____
Site Safety Officer Date

_____ _____
Project Director Date

References

U.S. Department of Health and Human Services, 1997. NIOSH Pocket Guide to Chemical Hazards. Washington, DC.