

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
 Telephone: 856-858-4800 Fax:cs@emsl.com  
 EMSL-CIN-01

**EMSL Order ID:** 012521226  
**LIMS Reference ID:** AD21226  
**EMSL Customer ID:** ATNJ23

**Attention:** Steve Leon  
 ATI [ATNJ23]  
 58 Route 46 Suite 229  
 Budd Lake, NJ 07828  
 (973) 349-6911  
 steve@trainwithati.com

**Project Name:** Manalapan  
**Customer PO:**  
**EMSL Sales Rep:** David Prince  
**Received:** 05/19/2025 09:00  
**Reported:** 06/04/2025 19:33

**Analytical Results**

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: 1/Girls Locker Lims Reference ID: AD21226-01 Matrix: Drinking Water Sampled: 03/30/25 13:02:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	06/02/25 12:46	06/03/25 19:40	PL	EPA 200.8 (DA)/EPA 200.8
Sample: 2/C Wing Men's Bath Sink Lims Reference ID: AD21226-02 Matrix: Drinking Water Sampled: 03/30/25 13:04:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	06/02/25 12:46	06/03/25 19:46	PL	EPA 200.8 (DA)/EPA 200.8
Sample: 3/A225 2nd Floor Water Fountain Lims Reference ID: AD21226-03 Matrix: Drinking Water Sampled: 03/30/25 13:06:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	06/02/25 12:46	06/03/25 19:48	PL	EPA 200.8 (DA)/EPA 200.8
Sample: 4/A131 Water Fountain Lims Reference ID: AD21226-04 Matrix: Drinking Water Sampled: 03/30/25 13:08:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	06/02/25 12:46	06/03/25 19:50	PL	EPA 200.8 (DA)/EPA 200.8
Sample: 5/C Wing Women's Bath Sink Lims Reference ID: AD21226-05 Matrix: Drinking Water Sampled: 03/30/25 13:10:00									
<b>Metals</b>									
Lead	1.70		1	1.00	µg/L	06/02/25 09:20	06/03/25 16:58	JW1	EPA 200.8 (Dig)/EPA 200.8
Sample: 6/A 227 Boys Sink Lims Reference ID: AD21226-06 Matrix: Drinking Water Sampled: 03/30/25 13:12:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	06/02/25 12:46	06/03/25 19:52	PL	EPA 200.8 (DA)/EPA 200.8
Sample: 7/Men's Faculty Bathroom Lims Reference ID: AD21226-07 Matrix: Drinking Water Sampled: 03/30/25 13:14:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	06/02/25 12:46	06/03/25 19:57	PL	EPA 200.8 (DA)/EPA 200.8
Sample: 8/Custodial Room Sink Lims Reference ID: AD21226-08 Matrix: Drinking Water Sampled: 03/30/25 13:16:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	06/02/25 12:46	06/03/25 19:59	PL	EPA 200.8 (DA)/EPA 200.8
Sample: 9/Main Kitchen Rear Lims Reference ID: AD21226-09 Matrix: Drinking Water Sampled: 03/30/25 13:18:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	06/02/25 12:46	06/03/25 20:01	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
 Telephone: 856-858-4800 Fax:cs@emsl.com  
 EMSL-CIN-01

**EMSL Order ID:** 012521226  
**LIMS Reference ID:** AD21226  
**EMSL Customer ID:** ATNJ23

**Attention:** Steve Leon  
 ATI [ATNJ23]  
 58 Route 46 Suite 229  
 Budd Lake, NJ 07828  
 (973) 349-6911  
 steve@trainwithati.com

**Project Name:** Manalapan  
**Customer PO:**  
**EMSL Sales Rep:** David Prince  
**Received:** 05/19/2025 09:00  
**Reported:** 06/04/2025 19:33

**Analytical Results**  
 (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
<b>Sample: 10/Main Office Faculty Womens Bath Sink</b> <b>Lims Reference ID: AD21226-10</b> <b>Matrix: Drinking Water</b> <b>Sampled: 03/30/25 13:20:00</b>									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	06/02/25 12:46	06/03/25 20:03	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: 11/B106 Water Fountain</b> <b>Lims Reference ID: AD21226-11</b> <b>Matrix: Drinking Water</b> <b>Sampled: 03/30/25 13:21:00</b>									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	06/02/25 12:46	06/03/25 20:05	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: 12/SECA Water Fountain</b> <b>Lims Reference ID: AD21226-12</b> <b>Matrix: Drinking Water</b> <b>Sampled: 03/30/25 13:24:00</b>									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	06/02/25 12:46	06/03/25 20:07	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: 13/Blue Gym Water Fountain</b> <b>Lims Reference ID: AD21226-13</b> <b>Matrix: Drinking Water</b> <b>Sampled: 03/30/25 13:26:00</b>									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	06/02/25 12:46	06/03/25 20:13	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: 14/Boys Locker Sink</b> <b>Lims Reference ID: AD21226-14</b> <b>Matrix: Drinking Water</b> <b>Sampled: 03/30/25 13:28:00</b>									
<b>Metals</b>									
Lead	1.42		1	1.00	µg/L	06/02/25 12:46	06/03/25 20:15	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: 15/A115 Water Fountain</b> <b>Lims Reference ID: AD21226-15</b> <b>Matrix: Drinking Water</b> <b>Sampled: 03/30/25 13:30:00</b>									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	06/02/25 12:46	06/03/25 20:20	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: 16/2nd Floor G Wing Water Fountain</b> <b>Lims Reference ID: AD21226-16</b> <b>Matrix: Drinking Water</b> <b>Sampled: 03/30/25 13:32:00</b>									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	06/02/25 12:46	06/03/25 20:22	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: 17/B105 Kitchen 6</b> <b>Lims Reference ID: AD21226-17</b> <b>Matrix: Drinking Water</b> <b>Sampled: 03/30/25 13:34:00</b>									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	06/02/25 12:46	06/03/25 20:24	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: 18/B106 Men's Bath Sink</b> <b>Lims Reference ID: AD21226-18</b> <b>Matrix: Drinking Water</b> <b>Sampled: 03/30/25 13:36:00</b>									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	06/02/25 12:46	06/03/25 20:26	PL	EPA 200.8 (DA)/EPA 200.8



**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
 Telephone: 856-858-4800 Fax:cs@emsl.com  
 EMSL-CIN-01

**EMSL Order ID:** 012521226  
**LIMS Reference ID:** AD21226  
**EMSL Customer ID:** ATNJ23

**Attention:** Steve Leon  
 ATI [ATNJ23]  
 58 Route 46 Suite 229  
 Budd Lake, NJ 07828  
 (973) 349-6911  
 steve@trainwithati.com

**Project Name:** Manalapan  
**Customer PO:**  
**EMSL Sales Rep:** David Prince  
**Received:** 05/19/2025 09:00  
**Reported:** 06/04/2025 19:33

**Analytical Results**  
 (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: 28/Boys Team Room Sink Bath      Lims Reference ID: AD21226-28 Matrix: Drinking Water      Sampled: 03/30/25 14:06:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	06/03/25 09:16	06/03/25 21:01	PL	EPA 200.8 (DA)/EPA 200.8
Sample: 29/B101 Water Fountain      Lims Reference ID: AD21226-29 Matrix: Drinking Water      Sampled: 03/30/25 14:08:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	06/03/25 09:16	06/03/25 21:03	PL	EPA 200.8 (DA)/EPA 200.8
Sample: 30/Guidance Kitchen Sink      Lims Reference ID: AD21226-30 Matrix: Drinking Water      Sampled: 03/30/25 14:09:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	06/03/25 09:16	06/03/25 21:04	PL	EPA 200.8 (DA)/EPA 200.8
Sample: 31/Main Office Bath Sink      Lims Reference ID: AD21226-31 Matrix: Drinking Water      Sampled: 03/30/25 14:12:00									
<b>Metals</b>									
Lead	1.87		1	1.00	µg/L	06/03/25 09:16	06/03/25 21:06	PL	EPA 200.8 (DA)/EPA 200.8
Sample: 32/Trainers Room Ice Maker      Lims Reference ID: AD21226-32 Matrix: Drinking Water      Sampled: 03/30/25 14:14:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	06/02/25 09:20	06/03/25 17:03	JW1	EPA 200.8 (Dig)/EPA 200.8
Sample: 33/Girls Team Room Sink Bath      Lims Reference ID: AD21226-33 Matrix: Drinking Water      Sampled: 03/30/25 14:16:00									
<b>Metals</b>									
Lead	1.23		1	1.00	µg/L	06/03/25 09:16	06/03/25 21:08	PL	EPA 200.8 (DA)/EPA 200.8
Sample: 34/Art Wing Water Room      Lims Reference ID: AD21226-34 Matrix: Drinking Water      Sampled: 03/30/25 14:18:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	06/03/25 09:16	06/03/25 21:10	PL	EPA 200.8 (DA)/EPA 200.8
Sample: 35/Main Kitchen Sink Rear Left      Lims Reference ID: AD21226-35 Matrix: Drinking Water      Sampled: 03/30/25 14:20:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	06/03/25 09:16	06/03/25 21:16	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
 Telephone: 856-858-4800 Fax:cs@emsl.com  
 EMSL-CIN-01

**EMSL Order ID:** 012521226  
**LIMS Reference ID:** AD21226  
**EMSL Customer ID:** ATNJ23

**Attention:** Steve Leon  
 ATI [ATNJ23]  
 58 Route 46 Suite 229  
 Budd Lake, NJ 07828  
 (973) 349-6911  
 steve@trainwithati.com

**Project Name:** Manalapan  
  
**Customer PO:**  
**EMSL Sales Rep:** David Prince  
**Received:** 05/19/2025 09:00  
**Reported:** 06/04/2025 19:33

**Certified Analyses included in this Report**

Analyte	Certifications
<b>EPA 200.8 in Drinking Water</b>	
Lead	NJDEP

**List of Certifications**

Code	Description	Number	Expires
PADEP	Pennsylvania Department of Environmental Protection	2845.25	11/30/2025
NYSDOH	New York State Department of Health ELAP	10872	04/01/2025
NJDEP	New Jersey Department of Environmental Protection	03036	06/30/2025
MADEP	Massachusetts Department of Environmental Protection	M-NJ337	06/30/2025
CTDPH	Connecticut Department of Public Health	PH-0270	06/23/2026
California ELAP	California Water Boards	1877	06/30/2025
AIHA LAP	American Industrial Hygiene Association (AIHA LAP, LLC)	100194	05/01/2025
A2LA	A2LA Environmental Certificate	2845.01	07/31/2026

Please see the specific Field of Testing (FOT) on [www.emsl.com](http://www.emsl.com) <<http://www.emsl.com>> for a complete listing of parameters for which EMSL is certified.



**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
Telephone: 856-858-4800 Fax:cs@emsl.com  
EMSL-CIN-01

**EMSL Order ID:** 012521226  
**LIMS Reference ID:** AD21226  
**EMSL Customer ID:** ATNJ23

**Attention:** Steve Leon  
ATI [ATNJ23]  
58 Route 46 Suite 229  
Budd Lake, NJ 07828  
(973) 349-6911  
steve@trainwithati.com

**Project Name:** Manalapan  
  
**Customer PO:**  
**EMSL Sales Rep:** David Prince  
**Received:** 05/19/2025 09:00  
**Reported:** 06/04/2025 19:33

**Notes and Definitions**

<b>Item</b>	<b>Definition</b>
P2	Sample was preserved at the lab prior to analysis.
(Dig)	For metals analysis, sample was digested.
[2C]	Reported from the second channel in dual column analysis.
DA	Direct Analysis
DF	Dilution Factor
MDL	Method Detection Limit.
ND	Analyte was NOT DETECTED at or above the detection limit.
NR	Spike/Surrogate showed no recovery.
Q	Qualifier
RCS	Respirable Crystalline Silica
RL	Reporting Limit
Wet	Sample is not dry weight corrected.

Measurement of uncertainty and any applicable definitions of method modifications are available upon request. Per EPA NLLAP policy, sample results are not blank corrected.

Owen McKenna Laboratory Manager or other approved signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted.

# Lead Chain of Custody

EMSL Order Number / Lab Use Only

EMSL Analytical, Inc.  
200 Route 130 North  
Cinnaminson, NJ 08077

EMSL ANALYTICAL, INC.  
TESTING LABS • PRODUCTS • TRAINING

AD 21226

PHONE: (800) 220-3675

EMAIL: CinnaminsonLeadLab@emsl.com

<b>Customer Information</b>	Customer ID: <b>ATI (ATNJ23)</b>		Billing ID:	
	Company Name: <b>ATI (Alfa Training International)</b>		Company Name: <b>Same as customer info</b>	
	Contact Name: <b>Steve Leon</b>		Billing Contact:	
	Street Address: <b>58 Route 46 Suite 229</b>		Street Address:	
	City, State, Zip: <b>Budd Lake, NJ 07828</b>	Country:	City, State, Zip:	Country:
Phone: <b>9733496911</b>		Phone:		
Email(s) for Report: <b>steve@trainwithati.com</b>		Email(s) for Invoice:		

<b>Project Information</b>		
Project Name/No: <b>Manalapan</b>		Purchase Order:
EMSL LIMS Project ID: <small>(If applicable, EMSL will provide)</small>	US State where samples collected:	State of Connecticut (CT) must select project location: <input type="checkbox"/> Commercial (Taxable) <input type="checkbox"/> Residential (Non-Taxable)
Sampled By Name: <b>Steve Leon</b>	Sampled By Signature:	No. of Samples in Shipment:

**Turn-Around-Time (TAT)**

3 Hour  
  6 Hour  
  24 Hour  
  32 Hour  
  48 Hour  
  72 Hour  
  96 Hour  
  1 Week  
  2 Week

Please call ahead for large projects and/or turnaround times 6 Hours or Less. \*32 Hour TAT available for select tests only; samples must be submitted by 11:30am.

MATRIX	METHOD	INSTRUMENT	REPORTING LIMIT	SELECTION
<b>CHIPS</b> <input type="checkbox"/> % by wt. <input type="checkbox"/> ppm (mg/kg) <input type="checkbox"/> mg/cm <sup>2</sup> <small>*Reporting Limit based on a minimum 0.25g sample weight.                      **Not appropriate for Ceramic Tiles - XRF is recommended</small>	SW 846-7000B	Flame Atomic Absorption	0.008% (80ppm)	<input type="checkbox"/>
	SW 846-6010D*	ICP-OES	0.0004% (4ppm)	<input type="checkbox"/>
<b>AIR</b>	NIOSH 7082	Flame Atomic Absorption	4µg/filter	<input type="checkbox"/>
	NIOSH 7300M / NIOSH 7303M	ICP-OES	0.5µg/filter	<input type="checkbox"/>
	NIOSH 7300M / NIOSH 7303M	ICP-MS	0.05µg/filter	<input type="checkbox"/>
<b>WIPE</b> <input type="checkbox"/> ASTM <input type="checkbox"/> NON-ASTM <small>*If no box is checked, non-ASTM Wipe is assumed</small>	SW 846-7000B	Flame Atomic Absorption	10µg/wipe	<input type="checkbox"/>
	SW 846-6010D*	ICP-OES	1.0µg/wipe	<input type="checkbox"/>
<b>TCLP</b>	SW 846-1311 / 7000B / SM 3111B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
	SW 846-1311 / SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	<input type="checkbox"/>
<b>SPLP</b>	SW 846-1312 / 7000B / SM 3111B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
	SW 846-1312 / SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	<input type="checkbox"/>
<b>TTLIC</b>	22 CCR App. II, 7000B	Flame Atomic Absorption	40mg/kg (ppm)	<input type="checkbox"/>
	22 CCR App. II, SW 846-6010D*	ICP-OES	2mg/kg (ppm)	<input type="checkbox"/>
<b>STLC</b>	22 CCR App. II, 7000B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
	22 CCR App. II, SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	<input type="checkbox"/>
<b>Soil</b>	SW 846-7000B	Flame Atomic Absorption	40mg/kg (ppm)	<input type="checkbox"/>
	SW 846-6010D*	ICP-OES	2mg/kg (ppm)	<input type="checkbox"/>
<b>Wastewater</b> Unpreserved <input type="checkbox"/> Preserved with HNO <sub>3</sub> <input type="checkbox"/> PH<2	SM 3111B / SW 846-7000B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
	EPA 200.7	ICP-OES	0.020 mg/L (ppm)	<input type="checkbox"/>
<b>Drinking Water</b> Unpreserved <input checked="" type="checkbox"/> Preserved with HNO <sub>3</sub> <input type="checkbox"/> PH<2	EPA 200.5	ICP-OES	0.003 mg/L (ppm)	<input type="checkbox"/>
	EPA 200.8	ICP-MS	0.001 mg/L (ppm)	<input checked="" type="checkbox"/>
<b>TSP/SPM Filter</b>	40 CFR Part 50	ICP-OES	12 µg/filter	<input type="checkbox"/>
<b>Other:</b>				<input type="checkbox"/>

Sample Number	Sample Location	Volume / Area	Date / Time Sampled
1	Girls Locker	250 mL	3/30/25 1:02
2	Wing Men's Bath Sink	250 mL	3/30/25 1:04
3	#225 and #103 Water Fountain	250 mL	3/30/25 1:06
4	#131 Water Fountain	250 mL	3/30/25 1:08
5	Wing Women's Bath Sink	250 mL	3/30/25 1:10

Method of Shipment:		Sample Condition Upon Receipt: <b>HNO<sub>3</sub> added @ 8<sup>th</sup> on 5/17/25 AD</b>	
Relinquished by: <b>Steve Leon</b>	Date/Time:	Received by: <b>RC - WI</b>	Date/Time: <b>5/16/25 12:50 pm</b>
Relinquished by:	Date/Time:	Received by: <b>Abonnelly (CR)</b>	Date/Time: <b>5/19/25 0900</b>



# Lead Chain of Custody

EMSL Order Number / Lab Use Only

EMSL Analytical, Inc.  
200 Route 130 North  
Cinnaminson, NJ 08077

EMSL ANALYTICAL, INC.  
TESTING LABS • PRODUCTS • TRAINING

A10 21226

PHONE: (800) 220-3675

EMAIL: CinnaminsonLeadLab@emsl.com

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Special Instructions and/or Regulatory Requirements (Sample Specifications, Processing Methods, Limits of Detection, etc.)

Sample Number	Sample Location	Volume / Area	Date / Time Sampled
6	A227 Boys Sink	250 ML	3/30/25 1:12
7	Mens Faculty Bathroom	250 ML	3/30/25 1:14
8	Cathedral Room Sink	250 ML	3/30/25 1:16
9	Main Kitchen Rear	250 ML	3/30/25 1:18
10	Main Office Faculty Womens Bath Sink	250 ML	3/30/25 1:20
11	B106 Water Fountain	250 ML	3/30/25 1:21
12	SECA Water Fountain	250 ML	3/30/25 1:24
13	Boys Gym Water Fountain	250 ML	3/30/25 1:26
14	Boys Locker Sink	250 ML	3/30/25 1:28
15	A115 Water Fountain	250 ML	3/30/25 1:30
16	2nd Floor Gwing Water Fountain	250 ML	3/30/25 1:32
17	Boys Kitchen 6	250 ML	3/30/25 1:34
18	B106 Mens Bath Sink	250 ML	3/30/25 1:36
19	B103 Kitchen 4	250 ML	3/30/25 1:38
20	Nurse Sink	250 ML	3/30/25 1:40
21	Main Office Well Room Sink	250 ML	3/30/25 1:43
22	A227 Girls Sink	250 ML	3/30/25 1:45
23	Gwing Water Fountain	250 ML	3/30/25 1:47
24	B105 Kitchen 2	250 ML	3/30/25 1:49
25	E217 Faculty Break Room Sink	250 ML	3/30/25 2:01
26	Nurse Bath Sink	250 ML	3/30/25 2:02
27	B100 Womens Bath Sink	250 ML	3/30/25 2:04
28	Boys Team Room Sink Bath	250 ML	3/30/25 2:04
29	B101 Water Fountain	250 ML	3/30/25 2:08
30	Guidance Kitchen Sink	250 ML	3/30/25 2:09

Method of Shipment:		Sample Condition Upon Receipt:	
Relinquished by:	Date/Time:	Received by: <i>KE - WI</i>	Date/Time: <i>5/16/25 12:50pm</i>
Relinquished by:	Date/Time:	Received by: <i>Monnelly</i>	Date/Time: <i>5/19/25 0900</i>

Controlled Document - COC-25 Lead R17 05/09/2022

AGREE TO ELECTRONIC SIGNATURE (By checking, I consent to signing this Chain of Custody document by electronic signature.)

EMSL Analytical, Inc.'s Laboratory Terms and Conditions are incorporated into this Chain of Custody by reference in their entirety. Submission of samples to EMSL Analytical, Inc. constitutes acceptance and acknowledgment of all terms and conditions by Customer.

