

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
 Telephone: 856-858-4800 Fax:cs@emsl.com
 EMSL-CIN-01

EMSL Order ID: 012521264
LIMS Reference ID: AD21264
EMSL Customer ID: ATNJ23

Attention: Steve Leon
 ATI [ATNJ23]
 58 Route 46 Suite 229
 Budd Lake, NJ 07828
 (973) 349-6911
 steve@trainwithati.com

Project Name: Transportation - FRHSD
Customer PO:
EMSL Sales Rep: David Prince
Received: 05/19/2025 09:00
Reported: 06/04/2025 19:34

Analytical Results

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: 1/Trans Office - Men's Bathroom									
			Lims Reference ID:		AD21264-01	Matrix: Drinking Water		Sampled: 03/25/25 08:48:00	
Metals									
Lead	ND		1	1.00	µg/L	05/29/25 13:04	05/29/25 22:09	PL	EPA 200.8 (DA)/EPA 200.8
Sample: 2/Trans Kitchen Sink									
			Lims Reference ID:		AD21264-02	Matrix: Drinking Water		Sampled: 03/25/25 08:56:00	
Metals									
Lead	ND		1	1.00	µg/L	05/29/25 13:04	05/29/25 22:10	PL	EPA 200.8 (DA)/EPA 200.8
Sample: 3/Trans Women's Sink									
			Lims Reference ID:		AD21264-03	Matrix: Drinking Water		Sampled: 03/25/25 08:57:00	
Metals									
Lead	ND		1	1.00	µg/L	05/29/25 13:04	05/29/25 22:12	PL	EPA 200.8 (DA)/EPA 200.8
Sample: 4/Trans Men's Sink									
			Lims Reference ID:		AD21264-04	Matrix: Drinking Water		Sampled: 03/25/25 08:58:00	
Metals									
Lead	ND		1	1.00	µg/L	05/29/25 13:04	05/29/25 22:18	PL	EPA 200.8 (DA)/EPA 200.8
Sample: 5/Trans Main Office Women's Sink									
			Lims Reference ID:		AD21264-05	Matrix: Drinking Water		Sampled: 03/25/25 08:59:00	
Metals									
Lead	ND		1	1.00	µg/L	05/29/25 13:04	05/29/25 22:20	PL	EPA 200.8 (DA)/EPA 200.8
Sample: 6/Trans Break Room Sink									
			Lims Reference ID:		AD21264-06	Matrix: Drinking Water		Sampled: 03/25/25 09:01:00	
Metals									
Lead	ND		1	1.00	µg/L	05/29/25 13:04	05/29/25 22:22	PL	EPA 200.8 (DA)/EPA 200.8



EMSL Analytical, Inc.

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012521264
LIMS Reference ID: AD21264
EMSL Customer ID: ATNJ23

Attention: Steve Leon
ATI [ATNJ23]
58 Route 46 Suite 229
Budd Lake, NJ 07828
(973) 349-6911
steve@trainwithati.com

Project Name: Transportation - FRHSD
Customer PO:
EMSL Sales Rep: David Prince
Received: 05/19/2025 09:00
Reported: 06/04/2025 19:34

Certified Analyses included in this Report

Analyte	Certifications
<i>EPA 200.8 in Drinking Water</i>	
Lead	NJDEP

List of Certifications

Code	Description	Number	Expires
PADEP	Pennsylvania Department of Environmental Protection	2845.25	11/30/2025
NYSDOH	New York State Department of Health ELAP	10872	04/01/2025
NJDEP	New Jersey Department of Environmental Protection	03036	06/30/2025
MADEP	Massachusetts Department of Environmental Protection	M-NJ337	06/30/2025
CTDPH	Connecticut Department of Public Health	PH-0270	06/23/2026
California ELAP	California Water Boards	1877	06/30/2025
AIHA LAP	American Industrial Hygiene Association (AIHA LAP, LLC)	100194	05/01/2025
A2LA	A2LA Environmental Certificate	2845.01	07/31/2026

Please see the specific Field of Testing (FOT) on www.emsl.com <<http://www.emsl.com>> for a complete listing of parameters for which EMSL is certified.



EMSL Analytical, Inc.

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012521264
LIMS Reference ID: AD21264
EMSL Customer ID: ATNJ23

Attention: Steve Leon
ATI [ATNJ23]
58 Route 46 Suite 229
Budd Lake, NJ 07828
(973) 349-6911
steve@trainwithati.com

Project Name: Transportation - FRHSD

Customer PO:
EMSL Sales Rep: David Prince
Received: 05/19/2025 09:00
Reported: 06/04/2025 19:34

Notes and Definitions

Item	Definition
P2	Sample was preserved at the lab prior to analysis.
(Dig)	For metals analysis, sample was digested.
[2C]	Reported from the second channel in dual column analysis.
DA	Direct Analysis
DF	Dilution Factor
MDL	Method Detection Limit.
ND	Analyte was NOT DETECTED at or above the detection limit.
NR	Spike/Surrogate showed no recovery.
Q	Qualifier
RCS	Respirable Crystalline Silica
RL	Reporting Limit
Wet	Sample is not dry weight corrected.

Measurement of uncertainty and any applicable definitions of method modifications are available upon request. Per EPA NLLAP policy, sample results are not blank corrected.

Owen McKenna Laboratory Manager or other approved signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted.



Lead Chain of Custody

EMSL Order Number / Lab Use Only

EMSL Analytical, Inc.
200 Route 130 North
Cinnaminson, NJ 08077

EMSL ANALYTICAL, INC.
TESTING LABS • PRODUCTS • TRAINING

AD 21264

PHONE: (800) 220-3675

EMAIL: CinnaminsonLeadLab@emsl.com

Customer Information	Customer ID: AT1 (ATNJ23)	Billing Information	Billing ID:
	Company Name: AT1 (Alfa Training International)		Company Name: SAME AS CUSTOMER INFO
	Contact Name: Steve Leon		Billing Contact:
	Street Address: 58 Route 46, Suite 229		Street Address:
	City, State, Zip: Budd Lake, NJ 07828 Country:		City, State, Zip: Country:
	Phone: 9733496911		Phone:
Email(s) for Report: steve@trainwithati.com		Email(s) for Invoice:	

Project Information

Project Name/No: Transportation - FRHSD Purchase Order:

EMSL LIMS Project ID: (if applicable, EMSL will provide) US State where samples collected: State of Connecticut (CT) must select project location:
 Commercial (Taxable) Residential (Non-Taxable)

Sampled By Name: Steve Leon Sampled By Signature: [Signature] No. of Samples in Shipment:

Turn-Around-Time (TAT)

3 Hour 6 Hour 24 Hour 32 Hour 48 Hour 72 Hour 96 Hour 1 Week 2 Week

Please call ahead for large projects and/or turnaround times 6 Hours or Less. *32 Hour TAT available for select tests only, samples must be submitted by 11:30am.

MATRIX	METHOD	INSTRUMENT	REPORTING LIMIT	SELECTION
CHIPS <input type="checkbox"/> % by wt. <input type="checkbox"/> ppm (mg/kg) <input type="checkbox"/> mg/cm ² <small>*Reporting Limit based on a minimum 0.25g sample weight. **Not appropriate for Ceramic Tiles - XRF is recommended</small>	SW 846-7000B	Flame Atomic Absorption	0.008% (80ppm)	<input type="checkbox"/>
	SW 846-6010D*	ICP-OES	0.0004% (4ppm)	<input type="checkbox"/>
	NIOSH 7082	Flame Atomic Absorption	4µg/filter	<input type="checkbox"/>
AIR	NIOSH 7300M / NIOSH 7303M	ICP-OES	0.5µg/filter	<input type="checkbox"/>
	NIOSH 7300M / NIOSH 7303M	ICP-MS	0.05µg/filter	<input type="checkbox"/>
WIPE <input type="checkbox"/> ASTM <input type="checkbox"/> NON-ASTM <small>*If no box is checked, non-ASTM Wipe is assumed</small>	SW 846-7000B	Flame Atomic Absorption	10µg/wipe	<input type="checkbox"/>
	SW 846-6010D*	ICP-OES	1.0µg/wipe	<input type="checkbox"/>
TCLP	SW 846-1311 / 7000B / SM 3111B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
	SW 846-1311 / SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	<input type="checkbox"/>
SPLP	SW 846-1312 / 7000B / SM 3111B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
	SW 846-1312 / SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	<input type="checkbox"/>
TTLC	22 CCR App. II, 7000B	Flame Atomic Absorption	40mg/kg (ppm)	<input type="checkbox"/>
	22 CCR App. II, SW 846-6010D*	ICP-OES	2mg/kg (ppm)	<input type="checkbox"/>
STLC	22 CCR App. II, 7000B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
	22 CCR App. II, SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	<input type="checkbox"/>
Soil	SW 846-7000B	Flame Atomic Absorption	40mg/kg (ppm)	<input type="checkbox"/>
	SW 846-6010D*	ICP-OES	2mg/kg (ppm)	<input type="checkbox"/>
	SM 3111B / SW 846-7000B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
Wastewater Unpreserved <input type="checkbox"/> Preserved with HNO ₃ <input type="checkbox"/> PH<2	EPA 200.7	ICP-OES	0.020 mg/L (ppm)	<input type="checkbox"/>
	EPA 200.5	ICP-OES	0.003 mg/L (ppm)	<input type="checkbox"/>
Drinking Water Unpreserved <input checked="" type="checkbox"/> Preserved with HNO ₃ <input type="checkbox"/> PH<2	EPA 200.8	ICP-MS	0.001 mg/L (ppm)	<input checked="" type="checkbox"/>
TSP/SPM Filter	40 CFR Part 50	ICP-OES	12 µg/filter	<input type="checkbox"/>
Other:				<input type="checkbox"/>

Sample Number	Sample Location	Volume / Area	Date / Time Sampled
1	Trans Office Mens Bathroom	250 mL	3/25/25 8:48
2	Trans Kitchen Sink	250 uL	3/25/25 8:56
3	Trans Women's Sink	250 uL	3/25/25 8:57
4	Trans Mens Sink	250 uL	3/25/25 8:58
5	Trans Main Office Women's Sink	250 uL	3/25/25 8:59

Method of Shipment:

Relinquished by: Steve Leon Date/Time: 3/25/25 9:01

Sample Condition Upon Receipt: HNO₃ added @ 8:15 on 5/17/25

Received by: [Signature] Date/Time: 5/16/25 12:50pm

Relinquished by: [Signature] Date/Time: 5/19/25 0900

Controlled Document - COC-25 Lead R17 05/09/2022

*6010C Available Upon Request

AGREE TO ELECTRONIC SIGNATURE (By checking, I consent to signing this Chain of Custody document by electronic signature.)

EMSL Analytical, Inc.'s Laboratory Terms and Conditions are incorporated into this Chain of Custody by reference in their entirety. Submission of samples to EMSL Analytical, Inc. constitutes acceptance and acknowledgment of all terms and conditions by Customer.

