



Main Site: 301 Fulling Mill Road | Middletown, PA 17057 | Phone: 717-944-5541 | www.alsglobal.com
Associated Site: 20 Riverside Drive | Spring City, PA 19475 | Phone: 610-948-4903 |

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343, NJ PA101

Analytical Results Report For

Estell Manor School District

Project 2025 School Lead Testing
Workorder 3419742
Report ID 428655 on 6/16/2025

Certificate of Analysis

Enclosed are the analytical results for samples received by the laboratory on Jun 09, 2025.

The ALS Environmental laboratory in Middletown, Pennsylvania is a National Environmental Laboratory Accreditation Program (NELAP) accredited laboratory and as such, certifies that all applicable test results meet the requirements of NELAP.

If you have any questions regarding this certificate of analysis, please contact Kelli Wolfgang (Project Coordinator) at (717) 944-5541.

Analyses were performed according to our laboratory's NELAP-approved quality assurance program and any applicable state requirements. The test results meet requirements of the current NELAP standards or state requirements, where applicable. For a specific list of accredited analytes, refer to the certifications section of the ALS website at www.alsglobal.com/en/Our-Services/Life-Sciences/Environmental/Downloads.

This laboratory report may not be reproduced, except in full, without the written approval of ALS Global.
ALS Middletown: 301 Fulling Mill Road, Middletown, PA 17057 : 717-944-5541.

Recipient(s):

Priscilla Meyer - Estell Manor School District

Kelli Wolfgang

Kelli Wolfgang

Project Coordinator

(ALS Digital Signature)

This page is included as part of the Analytical Report and must be retained as a permanent record thereof.



Sample Summary

Lab ID	Sample ID	Matrix	Date Collected	Date Received	Collector	Collection Company
3419742001	Kind Class Sink	Drinking Water	06/05/2025 07:14	06/09/2025 11:59	CBC	Collected By Client
3419742002	Room 1 Sink	Drinking Water	06/05/2025 07:18	06/09/2025 11:59	CBC	Collected By Client
3419742003	Child Study Team Sink	Drinking Water	06/05/2025 07:21	06/09/2025 11:59	CBC	Collected By Client
3419742004	Speech Sink	Drinking Water	06/05/2025 07:23	06/09/2025 11:59	CBC	Collected By Client
3419742005	Lower Hall Fountain	Drinking Water	06/05/2025 07:25	06/09/2025 11:59	CBC	Collected By Client
3419742006	Room 3 Sink	Drinking Water	06/05/2025 07:27	06/09/2025 11:59	CBC	Collected By Client
3419742007	Room 4 Sink	Drinking Water	06/05/2025 07:29	06/09/2025 11:59	CBC	Collected By Client
3419742008	Room 5 Sink	Drinking Water	06/05/2025 07:31	06/09/2025 11:59	CBC	Collected By Client
3419742009	Media Center Sink	Drinking Water	06/05/2025 07:32	06/09/2025 11:59	CBC	Collected By Client
3419742010	Room 6 Sink	Drinking Water	06/05/2025 07:34	06/09/2025 11:59	CBC	Collected By Client
3419742011	Admin Bath Sink	Drinking Water	06/05/2025 07:52	06/09/2025 11:59	CBC	Collected By Client
3419742012	Room 109a Sink	Drinking Water	06/05/2025 07:56	06/09/2025 11:59	CBC	Collected By Client
3419742013	Room 109b Sink	Drinking Water	06/05/2025 07:57	06/09/2025 11:59	CBC	Collected By Client
3419742014	Hall Inter Bottle Filler	Drinking Water	06/05/2025 07:59	06/09/2025 11:59	CBC	Collected By Client
3419742015	Hall Inter Middle Fountain	Drinking Water	06/05/2025 07:59	06/09/2025 11:59	CBC	Collected By Client
3419742016	Hall Inter Left Fountain	Drinking Water	06/05/2025 08:00	06/09/2025 11:59	CBC	Collected By Client
3419742017	Room 110 Sink	Drinking Water	06/05/2025 08:03	06/09/2025 11:59	CBC	Collected By Client
3419742018	Room 111 Sink	Drinking Water	06/05/2025 08:04	06/09/2025 11:59	CBC	Collected By Client
3419742019	Room 112 Sink	Drinking Water	06/05/2025 08:07	06/09/2025 11:59	CBC	Collected By Client
3419742020	Room 113 Sink	Drinking Water	06/05/2025 08:09	06/09/2025 11:59	CBC	Collected By Client
3419742021	Room 7 Sink	Drinking Water	06/05/2025 07:36	06/09/2025 11:59	CBC	Collected By Client
3419742022	Room 10 Right Sink	Drinking Water	06/05/2025 07:38	06/09/2025 11:59	CBC	Collected By Client
3419742023	Room 10 Left Sink	Drinking Water	06/05/2025 07:38	06/09/2025 11:59	CBC	Collected By Client
3419742024	Cafe Sink	Drinking Water	06/05/2025 07:40	06/09/2025 11:59	CBC	Collected By Client
3419742025	Room 11 Right Sink	Drinking Water	06/05/2025 07:44	06/09/2025 11:59	CBC	Collected By Client
3419742026	Room 11 Left Sink	Drinking Water	06/05/2025 07:45	06/09/2025 11:59	CBC	Collected By Client
3419742027	Kitchen Storage Sink	Drinking Water	06/05/2025 07:46	06/09/2025 11:59	CBC	Collected By Client
3419742028	Nurse Sink	Drinking Water	06/05/2025 07:47	06/09/2025 11:59	CBC	Collected By Client
3419742029	Nurse Bathroom Sink	Drinking Water	06/05/2025 07:48	06/09/2025 11:59	CBC	Collected By Client
3419742030	Admin Sink	Drinking Water	06/05/2025 07:50	06/09/2025 11:59	CBC	Collected By Client
3419742031	Room 114 Sink	Drinking Water	06/05/2025 08:11	06/09/2025 11:59	CBC	Collected By Client
3419742032	Room 11 Lab Sink	Drinking Water	06/05/2025 08:12	06/09/2025 11:59	CBC	Collected By Client
3419742033	Room 115 Sink	Drinking Water	06/05/2025 08:13	06/09/2025 11:59	CBC	Collected By Client
3419742034	Gym Hall Right Fountain	Drinking Water	06/05/2025 08:16	06/09/2025 11:59	CBC	Collected By Client
3419742035	Gym Hall Left Fountain	Drinking Water	06/05/2025 08:17	06/09/2025 11:59	CBC	Collected By Client
3419742036	Room 133 Right Sink	Drinking Water	06/05/2025 08:20	06/09/2025 11:59	CBC	Collected By Client
3419742037	Room 133 Left Sink	Drinking Water	06/05/2025 08:20	06/09/2025 11:59	CBC	Collected By Client
3419742038	Room 132 Left Sink	Drinking Water	06/05/2025 08:24	06/09/2025 11:59	CBC	Collected By Client
3419742039	Room 132 Middle Sink	Drinking Water	06/05/2025 08:25	06/09/2025 11:59	CBC	Collected By Client
3419742040	Room 132 Right Sink	Drinking Water	06/05/2025 08:25	06/09/2025 11:59	CBC	Collected By Client
3419742041	Gym Right Water Fountain	Drinking Water	06/05/2025 08:39	06/09/2025 11:59	CBC	Collected By Client
3419742042	Gym Left Water Fountain	Drinking Water	06/05/2025 08:40	06/09/2025 11:59	CBC	Collected By Client
3419742043	PE Bathroom Sink	Drinking Water	06/05/2025 08:40	06/09/2025 11:59	CBC	Collected By Client



Reference

Notes

- Samples collected by ALS personnel are done so in accordance with the procedures set forth in the ALS Field Sampling Plan (20 - Field Services Sampling Plan).
- Except as qualified, Clean Water Act sample analyses are consistent with methodology requirements in 40 CFR Part 136, including but not limited to the following EPA Method reference revisions:
EPA 300.1 Rev. 1.0-1997
EPA 300.0 Rev. 2.1-1993
EPA 353.2 Rev. 2.0-1993
EPA 410.4 Rev. 1.0-1993
EPA 420.4 Rev. 1.0-1993
EPA 365.1 Rev. 2.0-1993
EPA 200.7 Rev. 4.4-1994
EPA 200.8 Rev. 5.4-1994
EPA 245.1 Rev. 3.0-1994
- Except as qualified, Safe Drinking Water Act sample analyses are consistent with methodology requirements in 40 CFR Part 141.
- The Chain of Custody document is included as part of this report.
- All Library Search analytes should be regarded as tentative identifications based on the presumptive evidence of the mass spectra. Concentrations reported are estimated values.
- Parameters identified as "analyze immediately" require analysis within 15 minutes of collection. Any "analyze immediately" parameters not listed under the header "Field Parameters" are preformed in the laboratory and are therefore analyzed out of hold time.
- Method references listed on this report beginning with the prefix "S" followed by a method number (such as S2310B-97) refer to methods from "Standard Methods for the Examination of Water and Wastewater".
- For microbiological analyses, the "Prepared" value is the date/time into the incubator and the "Analyzed" value is the date/time out the incubator.
- An Analysis-Prep Method Cross Reference Table is included after Analytical Results & Qualifiers section in this report.
- Unless otherwise noted, all quantitative results for soils are reported on a dry weight basis.

Standard Acronyms/Flags

J	Indicates an estimated value between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL) for the analyte
U	Indicates that the analyte was Not Detected (ND) above the MDL
N	Indicates presumptive evidence of the presence of a compound
MDL	Method Detection Limit
PQL	Practical Quantitation Limit
RDL	Practical Quantitation Limit for this Project
ND	Not Detected - indicates that the analyte was Not Detected
Cntr	Analysis was performed using this container
RegLmt	Regulatory Limit
LCS	Laboratory Control Sample
MS	Matrix Spike
MSD	Matrix Spike Duplicate
DUP	Sample Duplicate
%Rec	Percent Recovery
RPD	Relative Percent Difference
LOD	DoD Limit of Detection
LOQ	DoD Limit of Quantitation
DL	DoD Detection Limit
I	Indicates reported value is greater than or equal to the Method Detection Limit (MDL) but less than the Report Detection Limit (RDL)
(S)	Surrogate Compound
NC	Not Calculated
*	Result outside of QC limits
#	Please reference the result in the Results Section for analyte-level flags.



Project Notations	

Sample Notations	
Lab ID	Sample ID

Result Notations	
Notation Ref.	



Detected Results Summary

Not applicable for this WO.



Results

Client Sample ID	Kind Class Sink	Collected	06/05/2025 07:14
Lab Sample ID	3419742001	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 16:24	JMS	A



Results

Client Sample ID	Room 1 Sink	Collected	06/05/2025 07:18
Lab Sample ID	3419742002	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 16:14	JMS	A



Results

Client Sample ID	Child Study Team Sink	Collected	06/05/2025 07:21
Lab Sample ID	3419742003	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 16:15	JMS	A



Results

Client Sample ID	Speech Sink	Collected	06/05/2025 07:23
Lab Sample ID	3419742004	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 16:21	JMS	A



Results

Client Sample ID	Lower Hall Fountain	Collected	06/05/2025 07:25
Lab Sample ID	3419742005	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 16:11	JMS	A



Results

Client Sample ID	Room 3 Sink	Collected	06/05/2025 07:27
Lab Sample ID	3419742006	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 16:12	JMS	A



Results

Client Sample ID	Room 4 Sink	Collected	06/05/2025 07:29
Lab Sample ID	3419742007	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 16:13	JMS	A



Results

Client Sample ID	Room 5 Sink	Collected	06/05/2025 07:31
Lab Sample ID	3419742008	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 16:08	JMS	A



Results

Client Sample ID	Media Center Sink	Collected	06/05/2025 07:32
Lab Sample ID	3419742009	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 16:09	JMS	A



Results

Client Sample ID	Room 6 Sink	Collected	06/05/2025 07:34
Lab Sample ID	3419742010	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 16:10	JMS	A



Results

Client Sample ID	Admin Bath Sink	Collected	06/05/2025 07:52
Lab Sample ID	3419742011	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 16:07	JMS	A



Results

Client Sample ID	Room 109a Sink	Collected	06/05/2025 07:56
Lab Sample ID	3419742012	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 16:00	JMS	A



Results

Client Sample ID	Room 109b Sink	Collected	06/05/2025 07:57
Lab Sample ID	3419742013	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 15:59	JMS	A



Results

Client Sample ID	Hall Inter Bottle Filler	Collected	06/05/2025 07:59
Lab Sample ID	3419742014	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 16:47	JMS	A



Results

Client Sample ID	Hall Inter Middle Fountain	Collected	06/05/2025 07:59
Lab Sample ID	3419742015	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 16:49	JMS	A



Results

Client Sample ID	Hall Inter Left Fountain	Collected	06/05/2025 08:00
Lab Sample ID	3419742016	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 16:50	JMS	A



Results

Client Sample ID	Room 110 Sink	Collected	06/05/2025 08:03
Lab Sample ID	3419742017	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 16:44	JMS	A



Results

Client Sample ID	Room 111 Sink	Collected	06/05/2025 08:04
Lab Sample ID	3419742018	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 16:45	JMS	A



Results

Client Sample ID	Room 112 Sink	Collected	06/05/2025 08:07
Lab Sample ID	3419742019	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 16:46	JMS	A



Results

Client Sample ID	Room 113 Sink	Collected	06/05/2025 08:09
Lab Sample ID	3419742020	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 16:39	JMS	A



Results

Client Sample ID	Room 7 Sink	Collected	06/05/2025 07:36
Lab Sample ID	3419742021	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 16:40	JMS	A



Results

Client Sample ID	Room 10 Right Sink	Collected	06/05/2025 07:38
Lab Sample ID	3419742022	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 16:41	JMS	A



Results

Client Sample ID	Room 10 Left Sink	Collected	06/05/2025 07:38
Lab Sample ID	3419742023	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 16:33	JMS	A



Results

Client Sample ID	Cafe Sink	Collected	06/05/2025 07:40
Lab Sample ID	3419742024	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 16:35	JMS	A



Results

Client Sample ID	Room 11 Right Sink	Collected	06/05/2025 07:44
Lab Sample ID	3419742025	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 16:36	JMS	A



Results

Client Sample ID	Room 11 Left Sink	Collected	06/05/2025 07:45
Lab Sample ID	3419742026	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 16:28	JMS	A



Results

Client Sample ID	Kitchen Storage Sink	Collected	06/05/2025 07:46
Lab Sample ID	3419742027	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 16:31	JMS	A



Results

Client Sample ID	Nurse Sink	Collected	06/05/2025 07:47
Lab Sample ID	3419742028	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 16:32	JMS	A



Results

Client Sample ID	Nurse Bathroom Sink	Collected	06/05/2025 07:48
Lab Sample ID	3419742029	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 16:25	JMS	A



Results

Client Sample ID	Admin Sink	Collected	06/05/2025 07:50
Lab Sample ID	3419742030	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 16:26	JMS	A



Results

Client Sample ID	Room 114 Sink	Collected	06/05/2025 08:11
Lab Sample ID	3419742031	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 16:27	JMS	A



Results

Client Sample ID	Room 11 Lab Sink	Collected	06/05/2025 08:12
Lab Sample ID	3419742032	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 17:07	JMS	A



Results

Client Sample ID	Room 115 Sink	Collected	06/05/2025 08:13
Lab Sample ID	3419742033	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 17:10	JMS	A



Results

Client Sample ID	Gym Hall Right Fountain	Collected	06/05/2025 08:16
Lab Sample ID	3419742034	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 17:13	JMS	A



Results

Client Sample ID	Gym Hall Left Fountain	Collected	06/05/2025 08:17
Lab Sample ID	3419742035	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 17:03	JMS	A



Results

Client Sample ID	Room 133 Right Sink	Collected	06/05/2025 08:20
Lab Sample ID	3419742036	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 17:05	JMS	A



Results

Client Sample ID	Room 133 Left Sink	Collected	06/05/2025 08:20
Lab Sample ID	3419742037	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 17:06	JMS	A



Results

Client Sample ID	Room 132 Left Sink	Collected	06/05/2025 08:24
Lab Sample ID	3419742038	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 17:00	JMS	A



Results

Client Sample ID	Room 132 Middle Sink	Collected	06/05/2025 08:25
Lab Sample ID	3419742039	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 17:01	JMS	A



Results

Client Sample ID	Room 132 Right Sink	Collected	06/05/2025 08:25
Lab Sample ID	3419742040	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 17:02	JMS	A



Results

Client Sample ID	Gym Right Water Fountain	Collected	06/05/2025 08:39
Lab Sample ID	3419742041	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 16:53	JMS	A



Results

Client Sample ID	Gym Left Water Fountain	Collected	06/05/2025 08:40
Lab Sample ID	3419742042	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 16:58	JMS	A



Results

Client Sample ID	PE Bathroom Sink	Collected	06/05/2025 08:40
Lab Sample ID	3419742043	Lab Receipt	06/09/2025 11:59

METALS

Compound	Result	Flag	Units	RDL	Method	Dilution	Analysis Date/Time	By	Cntr
Lead, Total	ND	ND	mg/L	0.0020	EPA 200.8	1	06/12/2025 16:59	JMS	A



Sample - Method Cross Reference Table

Lab ID	Sample ID	Analysis Method	Preparation Method	Leachate Method
3419742001	Kind Class Sink	EPA 200.8	EPA ACIDT	
3419742002	Room 1 Sink	EPA 200.8	EPA ACIDT	
3419742003	Child Study Team Sink	EPA 200.8	EPA ACIDT	
3419742004	Speech Sink	EPA 200.8	EPA ACIDT	
3419742005	Lower Hall Fountain	EPA 200.8	EPA ACIDT	
3419742006	Room 3 Sink	EPA 200.8	EPA ACIDT	
3419742007	Room 4 Sink	EPA 200.8	EPA ACIDT	
3419742008	Room 5 Sink	EPA 200.8	EPA ACIDT	
3419742009	Media Center Sink	EPA 200.8	EPA ACIDT	
3419742010	Room 6 Sink	EPA 200.8	EPA ACIDT	
3419742011	Admin Bath Sink	EPA 200.8	EPA ACIDT	
3419742012	Room 109a Sink	EPA 200.8	EPA ACIDT	
3419742013	Room 109b Sink	EPA 200.8	EPA ACIDT	
3419742014	Hall Inter Bottle Filler	EPA 200.8	EPA ACIDT	
3419742015	Hall Inter Middle Fountain	EPA 200.8	EPA ACIDT	
3419742016	Hall Inter Left Fountain	EPA 200.8	EPA ACIDT	
3419742017	Room 110 Sink	EPA 200.8	EPA ACIDT	
3419742018	Room 111 Sink	EPA 200.8	EPA ACIDT	
3419742019	Room 112 Sink	EPA 200.8	EPA ACIDT	
3419742020	Room 113 Sink	EPA 200.8	EPA ACIDT	
3419742021	Room 7 Sink	EPA 200.8	EPA ACIDT	
3419742022	Room 10 Right Sink	EPA 200.8	EPA ACIDT	
3419742023	Room 10 Left Sink	EPA 200.8	EPA ACIDT	
3419742024	Cafe Sink	EPA 200.8	EPA ACIDT	
3419742025	Room 11 Right Sink	EPA 200.8	EPA ACIDT	
3419742026	Room 11 Left Sink	EPA 200.8	EPA ACIDT	
3419742027	Kitchen Storage Sink	EPA 200.8	EPA ACIDT	
3419742028	Nurse Sink	EPA 200.8	EPA ACIDT	
3419742029	Nurse Bathroom Sink	EPA 200.8	EPA ACIDT	
3419742030	Admin Sink	EPA 200.8	EPA ACIDT	
3419742031	Room 114 Sink	EPA 200.8	EPA ACIDT	
3419742032	Room 11 Lab Sink	EPA 200.8	EPA ACIDT	
3419742033	Room 115 Sink	EPA 200.8	EPA ACIDT	
3419742034	Gym Hall Right Fountain	EPA 200.8	EPA ACIDT	
3419742035	Gym Hall Left Fountain	EPA 200.8	EPA ACIDT	
3419742036	Room 133 Right Sink	EPA 200.8	EPA ACIDT	
3419742037	Room 133 Left Sink	EPA 200.8	EPA ACIDT	
3419742038	Room 132 Left Sink	EPA 200.8	EPA ACIDT	
3419742039	Room 132 Middle Sink	EPA 200.8	EPA ACIDT	
3419742040	Room 132 Right Sink	EPA 200.8	EPA ACIDT	
3419742041	Gym Right Water Fountain	EPA 200.8	EPA ACIDT	
3419742042	Gym Left Water Fountain	EPA 200.8	EPA ACIDT	
3419742043	PE Bathroom Sink	EPA 200.8	EPA ACIDT	



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Lab ID	Sample ID	Preparation Method	Prep Batch	Prep Date/Time	By	Analysis Method	Anly Batch
3419742001	Kind Class Sink	EPA ACIDT	1443671	06/12/2025 11:14	JMS	EPA 200.8	1443672
3419742002	Room 1 Sink	EPA ACIDT	1443667	06/12/2025 11:11	JMS	EPA 200.8	1443669
3419742003	Child Study Team Sink	EPA ACIDT	1443667	06/12/2025 11:11	JMS	EPA 200.8	1443669
3419742004	Speech Sink	EPA ACIDT	1443671	06/12/2025 11:14	JMS	EPA 200.8	1443672
3419742005	Lower Hall Fountain	EPA ACIDT	1443667	06/12/2025 11:11	JMS	EPA 200.8	1443669
3419742006	Room 3 Sink	EPA ACIDT	1443667	06/12/2025 11:11	JMS	EPA 200.8	1443669
3419742007	Room 4 Sink	EPA ACIDT	1443667	06/12/2025 11:11	JMS	EPA 200.8	1443669
3419742008	Room 5 Sink	EPA ACIDT	1443667	06/12/2025 11:11	JMS	EPA 200.8	1443669
3419742009	Media Center Sink	EPA ACIDT	1443667	06/12/2025 11:11	JMS	EPA 200.8	1443669
3419742010	Room 6 Sink	EPA ACIDT	1443667	06/12/2025 11:11	JMS	EPA 200.8	1443669
3419742011	Admin Bath Sink	EPA ACIDT	1443667	06/12/2025 11:11	JMS	EPA 200.8	1443669
3419742012	Room 109a Sink	EPA ACIDT	1443667	06/12/2025 11:11	JMS	EPA 200.8	1443669
3419742013	Room 109b Sink	EPA ACIDT	1443667	06/12/2025 11:11	JMS	EPA 200.8	1443669
3419742014	Hall Inter Bottle Filler	EPA ACIDT	1443671	06/12/2025 11:14	JMS	EPA 200.8	1443672
3419742015	Hall Inter Middle Fountain	EPA ACIDT	1443671	06/12/2025 11:14	JMS	EPA 200.8	1443672
3419742016	Hall Inter Left Fountain	EPA ACIDT	1443671	06/12/2025 11:14	JMS	EPA 200.8	1443672
3419742017	Room 110 Sink	EPA ACIDT	1443671	06/12/2025 11:14	JMS	EPA 200.8	1443672
3419742018	Room 111 Sink	EPA ACIDT	1443671	06/12/2025 11:14	JMS	EPA 200.8	1443672
3419742019	Room 112 Sink	EPA ACIDT	1443671	06/12/2025 11:14	JMS	EPA 200.8	1443672
3419742020	Room 113 Sink	EPA ACIDT	1443671	06/12/2025 11:14	JMS	EPA 200.8	1443672
3419742021	Room 7 Sink	EPA ACIDT	1443671	06/12/2025 11:14	JMS	EPA 200.8	1443672
3419742022	Room 10 Right Sink	EPA ACIDT	1443671	06/12/2025 11:14	JMS	EPA 200.8	1443672
3419742023	Room 10 Left Sink	EPA ACIDT	1443671	06/12/2025 11:14	JMS	EPA 200.8	1443672
3419742024	Cafe Sink	EPA ACIDT	1443671	06/12/2025 11:14	JMS	EPA 200.8	1443672
3419742025	Room 11 Right Sink	EPA ACIDT	1443671	06/12/2025 11:14	JMS	EPA 200.8	1443672
3419742026	Room 11 Left Sink	EPA ACIDT	1443671	06/12/2025 11:14	JMS	EPA 200.8	1443672
3419742027	Kitchen Storage Sink	EPA ACIDT	1443671	06/12/2025 11:14	JMS	EPA 200.8	1443672
3419742028	Nurse Sink	EPA ACIDT	1443671	06/12/2025 11:14	JMS	EPA 200.8	1443672
3419742029	Nurse Bathroom Sink	EPA ACIDT	1443671	06/12/2025 11:14	JMS	EPA 200.8	1443672
3419742030	Admin Sink	EPA ACIDT	1443671	06/12/2025 11:14	JMS	EPA 200.8	1443672
3419742031	Room 114 Sink	EPA ACIDT	1443671	06/12/2025 11:14	JMS	EPA 200.8	1443672
3419742032	Room 11 Lab Sink	EPA ACIDT	1443675	06/12/2025 11:17	JMS	EPA 200.8	1443676
3419742033	Room 115 Sink	EPA ACIDT	1443675	06/12/2025 11:17	JMS	EPA 200.8	1443676
3419742034	Gym Hall Right Fountain	EPA ACIDT	1443675	06/12/2025 11:17	JMS	EPA 200.8	1443676
3419742035	Gym Hall Left Fountain	EPA ACIDT	1443675	06/12/2025 11:17	JMS	EPA 200.8	1443676
3419742036	Room 133 Right Sink	EPA ACIDT	1443675	06/12/2025 11:17	JMS	EPA 200.8	1443676
3419742037	Room 133 Left Sink	EPA ACIDT	1443675	06/12/2025 11:17	JMS	EPA 200.8	1443676
3419742038	Room 132 Left Sink	EPA ACIDT	1443675	06/12/2025 11:17	JMS	EPA 200.8	1443676
3419742039	Room 132 Middle Sink	EPA ACIDT	1443675	06/12/2025 11:17	JMS	EPA 200.8	1443676
3419742040	Room 132 Right Sink	EPA ACIDT	1443675	06/12/2025 11:17	JMS	EPA 200.8	1443676
3419742041	Gym Right Water Fountain	EPA ACIDT	1443675	06/12/2025 11:17	JMS	EPA 200.8	1443676
3419742042	Gym Left Water Fountain	EPA ACIDT	1443675	06/12/2025 11:17	JMS	EPA 200.8	1443676



Lab ID	Sample ID	Preparation Method	Prep Batch	Prep Date/Time	By	Analysis Method	Anly Batch
3419742043	PE Bathroom Sink	EPA ACIDT	1443675	06/12/2025 11:17	JMS	EPA 200.8	1443676



301 Fulling Mill Rd, Suite A
Middletown, PA 17057
P. 717-944-5541

CHAIN OF CUSTODY/

REQUEST FOR ANALYSIS

ALL SHADED AREAS MUST BE COMPLETED BY THE CLIENT /
SAMPLER. INSTRUCTIONS ON THE BACK.

COC #: **930604**
ALS Quote #: **930604**

Client Name: Estell Manor School District		Container Type	PL	PL	PL	PL	PL	PL	PL	PL	PL	PL	PL	PL	Temp°C	Therm ID	On Ice
Address: 128 Cape May ave		Container Size	250ml														Y ☒
Estell Manor NJ, 08319		Preservative															Y ☒
		Orthophosphate Filtered?	None	None	None	None	None	None	None	None	None	None	None	None			Y ☒
		Hexavalent Chromium Filtered?	Yes	No	No	No	No	No	No	No	No	No	No	No			Y ☒
ANALYSIS / METHOD REQUESTED																	
Contact: Priscilla Meyer																	
Phone#: 609-476-2267 Ex 7																	
Project Name#: 2025 School Lead Testing																	
Bill To: Estell Manor School District																	
Purchase Order #: P202500425																	
TAT ☐ Normal-Standard TAT is 10-12 business days. ☐ Rush-Subject to ALS approval and surcharges.																	
Date Required:																	
Email? ☒ Pmeyer@estellmanorschool.com																	
Sample Description/Location (as it will appear on the lab report)		Date Collected mm/dd/yy	Time hh:mm														
21 Admin Bath Sink		6/5/25	7:50am														
22 Room 109a Sink		6/5/25	7:54am														
23 Room 109b sink		6/5/25	7:57am														
24 Hall Inter Bottle Filler		6/5/25	7:59am														
25 Hall Inter Middle fountain		6/5/25	7:59am														
26 Hall Inter Left fountain		6/5/25	8:00am														
27 Room 110 Sink		6/5/25	8:03am														
28 Room 111 Sink		6/5/25	8:04am														
29 Room 112 Sink		6/5/25	8:07am														
30 Room 113 Sink		6/5/25	8:09am														
Circle Sample Collector: ALS Tech / Client																	
Name: ID:																	
Relinquished By / Company Name																	
Date: 6/9/25 11:59																	
1																	
3																	
5																	
7																	
9																	
10																	
Comments:																	
Data Deliverables																	
Standard Lvl 1																	
Standard Lvl 2																	
Standard Lvl 3																	
Standard Lvl 4																	
Excel Summary																	
Equis																	
Custom																	
EDDS:																	
Formal Type																	
CLP-like																	
DOD																	
NJ RED																	
NJ Full																	
HSCA																	
Landfill																	
NJ GW																	
Sample Disposal																	
Lab																	
Special																	
State Samples Collected In																	
NY																	
NJ																	
PA																	
WV																	
FL																	
other																	
SDWA Sample Type Key:																	
D=Distribution E=Entry Point R=Raw P=Plant																	
C=Check S=Special A=Annual Startup																	
Comments																	
New Source Contact:																	
PWSID#																	
PWS Contact																	
PWS Phone#																	
New Source? Y ☒ N ☐																	
SDWA State of Origin NJ																	
Reportable SDWA Sample(s)? Y ☒ N ☐																	
Sample(s) for Radiation testing? Y ☒ N ☐																	
Temp°C																	
Therm ID																	
On Ice																	

* G=Grab; C=Composite **Matrix - A=Air; D=Drinking Water; GW=Groundwater; O=Oil; LW=Liquid Waste; S=Solid/Soil/Sediment; SW=Surface Water; WP=Wipe; WW=Wastewater

Signature denotes acceptance of ALS Group USA, Corp. Terms and Conditions - Visit link for detailed Terms & Conditions: <https://www.alsglobal.com/ALSGroupUSACorpTC>

6/16/2025 10:16 AM

53 of 59

Rev 11/25/2024



**CHAIN OF CUSTODY/
REQUEST FOR ANALYSIS**

COC #:		1 of 1
ALS Quote #:	930604	1

ALL SHADED AREAS MUST BE COMPLETED BY THE CLIENT /
SAMPLER. INSTRUCTIONS ON THE BACK

[illegible]

* G=Grab, C=Composite

6/16/2025 10:16 AM

54 of 59

Rev 11/25/2024



CHAIN OF CUSTODY/

REQUEST FOR ANALYSIS

ALL SHADED AREAS MUST BE COMPLETED BY THE CLIENT /
SAMPLER. INSTRUCTIONS ON THE BACK.

COC #:	1
--------	---

ALS Quote #:	930604
--------------	--------

Client Name: Estell Manor School District										Temp °C										Therm ID										On Ice																			
Address: 128 Cape May ave										Sample(s) for Radiation testing?										Y ☒ N ☐										Sample(s) for Radiation testing?										Y ☒ N ☐									
Estell Manor NJ, 08319										Reportable SDWA Sample(s)?										Y ☒ N ☐										Reportable SDWA Sample(s)?										Y ☒ N ☐									
Contact: Priscilla Meyer										SDWA State of Origin										NJ										SDWA State of Origin										NJ									
Phone#: 609-476-2267 Ex 7										PWSID#																				PWSID#																			
Project Name#: 2025 School Lead Testing										PWS Contact																				PWS Contact																			
Bill To: Estell Manor School District										PWS Phone#																				PWS Phone#																			
Purchase Order #: P202500425										New Source?										Y ☒ N ☐										New Source?										Y ☒ N ☐									
TAT ☐ Normal-Standard TAT is 10-12 business days. ☐ Rush-Subject to ALS approval and surcharges.										New Source Contact:																				New Source Contact:																			
Date Required: ☒ pmevler@estellmanorschool.com										SDWA Sample Type Key:																				SDWA Sample Type Key:																			
Email? ☒ pmevler@estellmanorschool.com										D=Distribution E=Entry Point R=Raw P=Plant																				D=Distribution E=Entry Point R=Raw P=Plant																			
Sample Description/Location (as it will appear on the lab report)										Date Collected mm/dd/yy										Time hh:mm										C=Check S=Special A=Annual Startup																			
31 Room 114 Sink										6/5/25										8:11am																													
32 Room 111 Lab Sink										6/5/25										8:12am																													
33 Room 115 Sink										6/5/25										8:13am																													
34 Gym Hall Right Fountain										6/5/25										8:16am																													
35 Gym Hall Left Fountain										6/5/25										8:17am																													
36 Room 133 Right Sink										6/5/25										8:20am																													
37 Room 133 Left Sink										6/5/25										8:20am																													
38 Room 132 Left Sink										6/5/25										8:24am																													
39 Room 132 Middle Sink										6/5/25										8:25am																													
40 Room 132 Right Sink										6/5/25										8:35am																													
Circle Sample Collector: ALS Tech / Client										Comments:																																							
Name: ID:										Relinquished By / Company Name										Received By / Company Name										State Samples Collected In																			
Date: Time										1										2										NY ☐																			
6/9/25 1159										3										4										NJ ☐																			
										5										6										PA ☐																			
										7										8										WV ☐																			
										9										10										FL ☐																			
																														other ☐																			

* G=Grab; C=Composite

6/16/2025 10:16 AM

Signature denotes acceptance of A I S Group USA Corp Terms and Conditions - Visit link for detailed Terms & Conditions: <https://www.aishglobal.com/AISGroupUSACorpTC>



301 Fulling Mill Rd, Suite A
Middletown, PA 17057
P. 717-944-5541

CHAIN OF CUSTODY/
REQUEST FOR ANALYSIS

COC #:

ALS Quote #:

930604

1

of

[illegible]

ALSI BOTTLE REQUEST FORM

Page 1 of 1

Order ID:	250528046	Date Due:	05/29/25	Completed:	
		Time Due:	17:00		

Date Ordered:	05/28/25	Company Name:	Estell Manor School District
Time Ordered:	23:08	Requested By:	Priscilla Meyer
Order Taken By:	Kelli Wolfgang	Project Name/No.:	QU930604/School Lead Testing

Method of Delivery:	Fed Ex Ground	Additional Supplies	Labels Chain of Custodies - 5 Coolers pre-paid shipping label - 4
Address:	Estell Manor School District		
	128 Cape May Avenue		
	Estell Manor, NJ 08319		
Attn:	Priscilla Meyer		
Phone:	(609) 476-2267		

# of Bot.	# in Set	Size	Type	Preservation	Analyses
60	1	250 mL	P - Plastic	None	EPA 200.8 Lead

Special Notes	Bottle Prep: please ship 05/29/25 in 4 coolers (can adjust depending on number needed to fit all containers). Please include pre-paid shipping labels with each cooler.	Sample Point ID's	
---------------	---	-------------------	--

ID	Tracking Number	ID	Tracking Number	ID	Tracking Number
----	-----------------	----	-----------------	----	-----------------

57 of 59

6/16/2025 10:16 AM

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide and applicable tariff. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations, including limitations on our liability, can be found in the current FedEx Service Guide and applicable tariff apply; in no event shall FedEx Ground be liable for any special incidental or consequential damages, including without limitation, loss of profit, loss to the intrinsic value of the package, loss of sale, interest income or attorney's fees. Recovery cannot exceed actual documented loss. Items of extraordinary value are subject to separate limitations of liability set forth in the Service Guide and tariff. Written claims must be filed within strict time limits. see current FedEx Service Guide.

After printing this label:
1. Use the "Print" button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.
Warning: IMPORTANT: TRANSMIT YOUR SHIPPING DATA AND PRINT A MANIFEST.
At the end of each shipping day, you should perform the FedEx Ground End of Day Close procedure to transmit your shipping data to FedEx. To do so, click on the Ground End of Day Close Button. If required, print the pickup manifest that appears. A printed manifest is required to be tendered along with your packages if they are being picked up by FedEx Ground. If you are dropping your packages off at a FedEx drop off location, the manifest is not required.

FROM: (609) 476-2267
PRISCILLA MEYER
ESTELL MANOR SCHOOL DISTRICT
128 CAPE MAY AVENUE
ESTELL MANOR NJ 08319
US
CAD: 0286287/CAFE3907

TO BARBARA HAUPT
ALS GLOBAL - MIDDLETOWN
301 FULLING MILL ROAD
SUITE A
MIDDLETOWN PA 17057
(717) 951-9700
INV. REF:
PO: DEPT:
(US)
58C04/EA36/FE2D



TRK# 7467 3854 8631

RETURN

17057





Middletown Sample Condition Form

Client Edell Manor Workorder 3419742
Temp °C 23 Therm ID 649 Ice? Y N N/A Initials & Date W6925
Fedex UPS Client ALS Other Tracking # 746738548631

	Yes	No ¹	N/A	Comments
Cooler Custody Seals present & intact			☒	
Sample Custody Seals present & intact			☒	
Chain-of-Custody present	☒			
Sample collector name present <i>If not present, must contact PM/client to request name.</i>		☒		PM
COC/bottle labels complete & in agreement		☒		UC
•Sample location	☒			
•Date and time of sample collection	☒			
•Type(s) of preservation	☒			
•Number of containers		☒		UC
•Composite or grab		☒		
•Matrix		☒		UC
Proper containers, preservation, and volume per method	☒			
Received within hold time	☒			
Containers intact	☒			
Trip blanks present (EPA 504, EPA 524)			☒	
Field blanks present (Hg 1631, PFAS)			☒	
NJ ≤ 4 Days			☒	
CR6 Samples Filtered			☒	
OP Samples Filtered			☒	
WV Containers 0-6°C			☒	
SDWA compliance reporting			☒	

¹ If No, provide comment

Rad Screen (uCi) _____

PM - PM to contact client
N/A - Not Applicable
UC - Updated coc with missing information

Review Comments:

