

The Camden County Educational Services Commission



RFP #FY25-02 Information Technology Solutions On An As Needed Basis

B3.15 Security CCTV

Manufacturer SKU	Product Description	SC Contract P
AGS-RL-1-L-4TB	SPECIAL ORDER I-PRO LOW RESOURCE AG SERVER 1x XEON 6C/12T CPU, 32GB RAM, Windows Server 2022 STD OS INSTALLED ON 1 x M.2 SSD - STORAGE: 1 x 4TB ENTERPRISE HDD (NO RAID), SINGLE PSU, 2 x 1GBPS LOM, KEYBOARD & MOUSE, RAILS, XCC STD. NO OPTICAL DRIVE, TESTED IN HOUSE, 3 YEAR PRO-LIMITED HARDWARE WARRANTY WITH ON-SIGHT SERVICE.	\$ 4,907.69
BEZEL-SRL2-3	Locking Front Bezel SR650	\$ 65.42
BY-HCA10A	Housings and Mounting Brackets	\$ 184.65
CANISTER/4000	4TB HDD Canister for WJ-ND400, WJ-HD716, WJ-HD616, WJ-HDE400	\$ 578.22
CANISTER-NX3/18TB	18TB HDD CANISTER FOR WJ-NX310	\$ 1,644.54
CANISTER-NX3/8TB	8TB HDD CANISTER FOR WJ-NX310, WJ-NX300, WJ-HXE400	\$ 904.20
CANISTER-NX300/T4	4TB HDD CANISTER FOR WJ-NX300	\$ 316.77
CANISTER-NX4/18TB	18TB HDD CANISTER FOR WJ-NX410, WJ-NX510, WJ-HXE410, WJ-NX400	\$ 1,678.72
CANISTER-NX4/8TB	8TB HDD CANISTER FOR WJ-NX410, WJ-NX510, WJ-HXE410, WJ-NX400	\$ 938.40
ED-IPSV-AD-TRAN-UL	FOR EDU RELATED PROJECT ONLY. MOBILE NVR ACTIVATION LICENSE FOR VI DEPOT SERVER. THIS LICENSE ENABLES EACH MOBILE NVR TO TRANSFER VIDEO / DATA OFF OF MOBILE NVR TO VI DEPOT SERVER EITHER THROUGH WI-FI OR CELLULAR NETWORK. 1 LICENSE IS NEEDED PER MOBILE NVR.	\$ 177.57
HM-BASE-OP	ON-PREMISES HEALTH MONITORPLUS BASE LICENSE. INSTALLED ON HEALTH MONITOR MANAGEMENT SERVER.	\$ 1,750.00
HM-MSRV-OP-1Y	ON-PREMISES HEALTH MONITORPLUS INDIVIDUAL IP-SERVER LICENSE INCLUDING 1YR SOFTWARE UPGRADE PROGRAM. NEEDED PER INDIVIDUAL VI IP-SERVER BEING MONITORED.	\$ 175.00
HM-MSRV-OP-5Y	ON-PREMISES VI HEALTH MONITORPLUS INDIVIDUAL IP-SERVER LICENSE INCLUDES 5YR SOFTWARE UPGRADE PROGRAM. NEEDED PER INDIVIDUAL VI IP-SERVER BEING MONITORED.	\$ 700.00
HM-MSRV-OP-SUP	1YR SOFTWARE UPGRADE PROGRAM FOR HEALTH MINOTORPLUS. NEEDED FOR INDIVIDUAL VI IP-SERVER BEING MONITORED. TO RENEW SUPPORT FOR HEALTH MONITORPLUS.	\$ 223.08
IDRAC-EXP-ENT	IDRAC Enterprise License Upgrade (Service Tag Req'd)	\$ 432.77
IP-A15C15-VI		\$ 737.22
IPMC-API	MC API INTEGRATION INTO 3RD PARTY - 1X FEE	\$ 2,230.77
IPMC-CUP-UL	COMPETITIVE UPGRADE IPMC MONITOR CAST SOFTWARE FOR (1) DOOR PER SERVER INCLUDING UNLIMITED SUP. ONLY OFFERED TO UPGRADE ENTERPRISE COMPETITIVE VMS, SERVER FEE MAY APPLY	\$ 71.35
IPMC-DBI	MC DATABASE INTEGRATION FEE - 1X FEE	\$ 758.46
IPMC-IF	MC INTEGRATION FEE FROM 3RD PARTY - 1X FEE	\$ 2,230.77
IPMC-UL	MONITOR CAST LICENSE PER DOOR FEE FOR VI/MONITOR CAST VMS SOFTWARE: INCLUDES UNLIMITED SUP (SOFTWARE UPGRADE PROGRAM) FOR ALL UPDATES AND MAJOR SOFTWARE RELEASES.	\$ 355.14
IPS-BWC-VI-3Y	VI BODY WORN CAMERA ACTIVATION. USE ONLY WITH VIDEO INSIGHT VERSION 7. THIS IS A PER-CAMERA ACTIVATION, FOR USE TO ACTIVATE SUPPORTED BODY WORN CAMERAS FOR VIDEO INSIGHT. THIS ACTIVATION IS VALID FOR THREE (3) YEARS FROM DATE OF ACTIVATION. THIS ACTIVATION MUST BE TIED TO A NEW OR EXISTING VI ENTERPRISED SERVER LICENSE IPSVSE-UL IF ADDING TO AN EXISTING VI SERVER, PLEASE INCLUDE VI SERVER ACTIVATION SERIAL WITH ORDER.	\$ 215.38
IPS-BWC-VI-5Y	VI BODY WORN CAMERA ACTIVATION. USE ONLY WITH VIDEO INSIGHT VERSION 7. THIS IS A PER-CAMERA ACTIVATION, FOR USE TO ACTIVATE SUPPORTED BODY WORN CAMERAS FOR VIDEO INSIGHT. THIS ACTIVATION IS VALID FOR FIVE (5) YEARS FROM DATE OF ACTIVATION. THIS ACTIVATION MUST BE TIED TO A NEW OR EXISTING VI ENTERPRISED SERVER LICENSE IPSVSE-UL IF ADDING TO AN EXISTING VI SERVER, PLEASE INCLUDE VI SERVER ACTIVATION SERIAL WITH ORDER.	\$ 323.08
IPSV-BRF-CAM	VI, BRIEFCAM INTEGRATION ACTIVATION LICENSE. ONE NEEDED PER IP SERVER IN ECOSYSTEM. UNLIMITED WORKSTATION PLUG-INS INCLUDED FOR VI MONITORPLUS.	\$ 423.85
IPSV-CUP-3Y	VMS COMPETITIVE UPGRADE CAMERA ACTIVATION. USE ONLY WHEN TAKING OVER A LIKE PLATFORM SIMILAR TO VI IN SCOPE OR SCALE. THIS IS A PER-CAMERA/IP DEVICE ACTIVATION: FOR USE WITH VI SUPPORTED 3RD PARTY CAMERAS/IP DEVICES. THIS ACTIVATION MUST BE TIED TO A NEW OR EXISTING VI SERVER LICENSE IPSVSE-UL-HM, IPSVSX-UL, IPSVSE-UL IF ADDING TO AN EXISTING VI SERVER, PLEASE INCLUDE VI SERVER ACTIVATION SERIAL WITH ORDER. THIS ACTIVATION DOES NOT INCLUDE 3rd PARTY HARDWARE SUPPORT. THE ACTIVATION INCLUDES WITH 3-YEAR OF SOFTWARE UPDATES & SUPPORT FROM THE TIME OF PURCHASE. AT THE END OF 3-YEAR, ACTIVATION REQUIRES RENEWAL.	\$ 71.37
IPSV-CUP-UL	VI COMPETITIVE CAMERA ACTIVATION. USE ONLY WHEN TAKING OVER A LIKE PLATFORM SIMILAR TO VI IN SCOPE OR SCALE. THIS IS A PER-CAMERA ACTIVATION, FOR USE TO ACTIVATE 3RD PARTY CAMERAS FOR VIDEO INSIGHT. THIS IS A PER-CAMERA/IP DEVICE ACTIVATION: FOR USE WITH VI SUPPORTED 3RD PARTY CAMERAS/IP DEVICES. THIS ACTIVATION MUST BE TIED TO A NEW OR EXISTING VI SERVER LICENSE IPSVSE-UL-HM, IPSVSX-UL, IPSVSE-UL IF ADDING TO AN EXISTING VI SERVER, PLEASE INCLUDE VI SERVER ACTIVATION SERIAL WITH ORDER. THIS ACTIVATION DOES NOT INCLUDE 3rd PARTY HARDWARE SUPPORT.	\$ 71.34
IPSV-UL	THIS IS A PER-CAMERA/IP DEVICE ACTIVATION: FOR USE WITH VI SUPPORTED 3RD PARTY CAMERAS/IP DEVICES. THIS ACTIVATION MUST BE TIED TO A NEW OR EXISTING VI SERVER LICENSE IPSVSE-UL-HM, IPSVSX-UL, IPSVSE-UL IF ADDING TO AN EXISTING VI SERVER, PLEASE INCLUDE VI SERVER ACTIVATION SERIAL WITH ORDER. THIS ACTIVATION DOES NOT INCLUDE 3rd PARTY HARDWARE SUPPORT.	\$ 177.57
IPSVS-AD-JCS	I-PRO JOYSTICK SUPPORT ACTIVATION FOR VIDEO INSIGHT: THIS IS A PER JOYSTICK ACTIVATION. USE VI 7.4 OR LATER. THIS ACTIVATION INCLUDES UNLIMITED UPDATES RELATED TO THE VI I-PRO JOYSTICK INTEGRATION FOR THE ENTIRETY OF TIME WHICH INTEGRATION IS SUPPORTED BY I-PRO.	\$ 177.57

IPSVS-AD-NVR	VI & I-PRO RECORDER INTEGRATION ACTIVATION: FOR USE WITH I-PRO SERIES SPECIFIC EMBEDDED RECORDERS (WJ-ND400 SERIES, NV300 SERIES NV200 SERIES AND NX SERIES). INTEGRATION ENABLES CENTRAL MANAGEMENT OVER LEGACY I-PRO EMBEDDED RECORDERS THROUGH VIDEO INSIGHT VMS. INCLUDES UNLIMITED SOFTWARE UPDATES FOR THE LENGTH OF I-PRO'S SUPPORT FOR THIS INTEGRATION.) 1 X ACTIVATION INSTANCE PER 1 X EMBEDDED RECORDER REQUIRED. NOTE: SOME FUNCTIONALITY IN NATIVE VI DEPLOYMENT IS NOT AVAILABLE IN VIA THIS INTEGRATION.	\$ 624.62
IPSVS-AD-TRANS-UL	VI TRANSIT ACTIVATION FOR DATA OFFLOADING of Highlighted Events / CLIPS VIA WI-FI NETWORK & Enabling GPS DATA on Video PLAYBACK, 1 x ACTIVATION PER 1 X VI TRANSIT RECORDER REQUIRED. INCLUDES UNLIMITED SOFTWARE UPDATES FOR THE ENTIRETY OF TIME WHICH INTEGRATION IS SUPPORTED BY I-PRO.	\$ 1,338.46
IPSVS-AD-VW	VI VIDEO WALLPLUS CLIENT ACTIVATION FOR QUALIFIED VIDEO WALL PC MEETING THE REQUIRED SPECS FOR DEPLOYMENT. (QUALIFICATION THROUGH I-PRO SE-MEMBER IS HIGHLY RECOMMENDED.) INCLUDES UNLIMITED SOFTWARE UPDATES FOR THE LENGTH OF I-PRO'S SUPPORT FOR THIS INTEGRATION.	\$ 1,784.62
IPSVSE-CUP-3Y	VI VMS COMPETITIVE UPGRADE ENTERPRISE SERVER ACTIVATION FOR USE WITH VI-SUPPORTED PHYSICAL SERVERS. USE ONLY WHEN TAKING OVER A LIKE PLATFORM SIMILAR TO VI IN SCOPE OR SCALE. VI VMS ENTERPRISE SERVER ACTIVATION FOR USE WITH VI-SUPPORTED PHYSICAL SERVERS. THIS IS A PER-PHYSICAL SERVER ACTIVATION, FOR USE TO ACTIVATE 3RD PARTY SERVERS MEETING THE SPEC REQUIRED FOR VIDEO-INSIGHT IP SERVER DEPLOYMENT. THE ACTIVATION INCLUDES UNLIMITED BASE VIEWING CLIENTS & USER SEATS. THE ACTIVATION INCLUDES WITH 3-YEAR OF SOFTWARE UPDATES & SUPPORT FROM THE TIME OF PURCHASE. AT THE END OF 3-YEAR, ACTIVATION REQUIRES RENEWAL. SOFTWARE SUPPORT INCLUDED; 3rd PARTY HARDWARE TROUBLE SHOOTING NOT INCLUDED. ACTIVATION CAN BE TRANSFERRED 1 TIME FROM ONE SERVER TO THE ANOTHER. (THIS ACTIVATION DOES NOT INCLUDE HM+)	\$ 445.26
IPSVSE-CUP-UL	VI VMS COMPETITIVE UPGRADE ENTERPRISE SERVER ACTIVATION FOR USE WITH VI-SUPPORTED PHYSICAL SERVERS. USE ONLY WHEN TAKING OVER A LIKE PLATFORM SIMILAR TO VI IN SCOPE OR SCALE. VI VMS ENTERPRISE SERVER ACTIVATION FOR USE WITH VI-SUPPORTED PHYSICAL SERVERS. THIS IS A PER-PHYSICAL SERVER ACTIVATION, FOR USE TO ACTIVATE 3RD PARTY SERVERS MEETING THE SPEC REQUIRED FOR VIDEO-INSIGHT IP SERVER DEPLOYMENT. THE ACTIVATION INCLUDES UNLIMITED BASE VIEWING CLIENTS & USER SEATS, WITH INCLUDED SOFTWARE UPDATES RELATING THE VIDEO INSIGHT EDITION DEPLOYED. SOFTWARE SUPPORT INCLUDED 3rd PARTY HARDWARE TROUBLE SHOOTING NOT INCLUDED. ACTIVATION CAN BE TRANSFERRED 1 TIME FROM ONE SERVER TO THE ANOTHER. (THIS ACTIVATION DOES NOT INCLUDE HM+)	\$ 535.34
IPSVSE-HM	VI VMS ENTERPRISE SERVER & HEALTH MONITOR+ ACTIVATION. THIS SKU INCLUDES 1 X VI ENTERPRISE ACTIVATION KEY, 1 X HM+ BASE SERVER ACTIVATION, and a 1-YEAR HEALTH MONITOR ENROLLMENT GOOD FOR 1 SERVER. THE VI ENTERPRISE ACTIVATION KEY, THE HEALTHMONITOR KEY, & ENROLLMENT ACTIVATION WILL ALL USE THE SAME SERIAL NUMBER, UNLESS OTHERWISE REQUESTED UPON ORDER. THE VI SERVER & HM+ SERVER SHOULD BE TWO DIFFERENT PHYSICAL MACHINES. BOTH ACTIVATIONS ARE A PER-PHYSICAL SERVER ACTIVATION, FOR USE WITH 3RD PARTY SERVERS MEETING THE SPEC REQUIRED FOR VIDEO-INSIGHT IP SERVER & HM+ SERVER DEPLOYMENTS. THE ACTIVATION INCLUDES UNLIMITED CLIENT & USER SEATS, WITH INCLUDED SOFTWARE UPDATES RELATING THE VIDEO INSIGHT EDITION DEPLOYED. SOFTWARE SUPPORT INCLUDED 3rd PARTY HARDWARE TROUBLE SHOOTING NOT INCLUDED. ACTIVATION CAN BE TRANSFERRED 1 TIME FROM ONE SERVER TO THE ANOTHER.	\$ 3,123.08
IPSVSE-UL	VI VMS ENTERPRISE SERVER ACTIVATION FOR USE WITH VI-SUPPORTED PHYSICAL SERVERS. THIS IS A PER-PHYSICAL SERVER ACTIVATION, FOR USE TO ACTIVATE 3RD PARTY SERVERS MEETING THE SPEC REQUIRED FOR VIDEO-INSIGHT IP SERVER DEPLOYMENT. THE ACTIVATION INCLUDES UNLIMITED BASE VIEWING CLIENTS & USER SEATS, WITH INCLUDED SOFTWARE UPDATES RELATING THE VIDEO INSIGHT EDITION DEPLOYED. SOFTWARE SUPPORT INCLUDED 3rd PARTY HARDWARE TROUBLE SHOOTING NOT INCLUDED. ACTIVATION CAN BE TRANSFERRED 1 TIME FROM ONE SERVER TO THE ANOTHER.	\$ 1,338.46
IPSVS-THERMAL-UL	ADVANCED VI THERMAL PLUG-IN FOR VI MONITORPLUS AND MOBOTIX M16 S16 CAMERAS. PLUG-IN ENABLES, EASY NAVIGATION, QUICK REGION BASED TEMP DETECTION, ON SCREEN TEXT OVERLAYS, IN-APP SETTING CONFIGURATION, HISTORY PANEL LOGS WITH THUMBNAILS, AND MORE.	\$ 266.80
IPSVSX-UL	VI VMS EXPRESS SERVER ACTIVATION FOR USE WITH VI-SUPPORTED PHYSICAL SERVERS. THIS IS A PER-PHYSICAL SERVER ACTIVATION, FOR USE TO ACTIVATE 3RD PARTY SERVERS MEETING THE SPEC REQUIRED FOR VIDEO-INSIGHT IP SERVER DEPLOYMENT FOR USE WITH A SYSTEM WITH 32 TOTAL CAMERAS OR LESS. VI EXPRESS DOES NOT SUPPORT THE USE OF PLUG-INS SUCH AS ACTIVE GUARD OR LPR. THE ACTIVATION INCLUDES UNLIMITED BASE VIEWING CLIENTS & USER SEATS, WITH INCLUDED SOFTWARE UPDATES RELATING THE VIDEO INSIGHT EDITION DEPLOYED. SOFTWARE SUPPORT INCLUDED; 3rd PARTY HARDWARE TROUBLE SHOOTING NOT INCLUDED. ACTIVATION CAN BE TRANSFERRED 1 TIME FROM ONE SERVER TO THE ANOTHER.	\$ 0.02
IPSV-THERMAL-UL-PN	ADVANCED VI THERMAL PLUG-IN FOR VI MONITORPLUS AND MOBOTIX M16 S16 CAMERAS. PLUG-IN ENABLES, EASY NAVIGATION, QUICK REGION BASED TEMP DETECTION, ON SCREEN TEXT OVERLAYS, IN-APP SETTING CONFIGURATION, HISTORY PANEL LOGS WITH THUMBNAILS, AND MORE. (PER-WORKSTATION LICENSE)	\$ 266.80
IPSV-VI-TV-PLS	PER SERVER ACTIVATION KEY FOR UNLIMITED VI TV+ CLIENTS ON SAID VI SERVER. (MULTI SERVER DEPLOYMENTS REQUIRE MULTIPLE LICENSES)	\$ 223.08
M16-R079-VI	MOBOTIX M16 CAMERA WITH 45 DEGREE FOV THERMAL LENS AND VIDEO INSIGHT CAMERA LICENSE. THIS BUNDLE DOES NOT INCLUDE A 2ND LENS, THIS BUNDLE DOES NOT INCLUDE VI THERMAL SCREENING PLUG-IN LICENSE.	\$ 7,444.80
M16-R090-VI	MOBOTIX M16 CAMERA WITH 35 DEGREE FOV THERMAL LENS AND VIDEO INSIGHT CAMERA LICENSE. THIS BUNDLE DOES NOT INCLUDE A 2ND LENS, THIS BUNDLE DOES NOT INCLUDE VI THERMAL SCREENING PLUG-IN LICENSE.	\$ 7,444.80
M16-R119-VI	MOBOTIX M16 CAMERA WITH 25 DEGREE FOV THERMAL LENS AND VIDEO INSIGHT CAMERA LICENSE. THIS BUNDLE DOES NOT INCLUDE A 2ND LENS, THIS BUNDLE DOES NOT INCLUDE VI THERMAL SCREENING PLUG-IN LICENSE.	\$ 7,444.80
M16-R237-VI	MOBOTIX M16 CAMERA WITH 17 DEGREE FOV THERMAL LENS AND VIDEO INSIGHT CAMERA LICENSE. THIS BUNDLE DOES NOT INCLUDE A 2ND LENS, THIS BUNDLE DOES NOT INCLUDE VI THERMAL SCREENING PLUG-IN LICENSE.	\$ 7,444.80
M-200-P	2MP PTZ H.265/H.264/, AC24V/DC24V/POE, MICRO SD CARD SLOT, ALARM IN/OUT 2/1, AUDIO, 33X OPTICAL ZOOM (4.5-148.5 MM), IP66 IK10, 4 YEAR WARRANTY NO CAMERA LICENSE REQUIRED WITH VIDEO INSIGHT 7.8.3 OR HIGHER VMS SOFTWARE	\$ 1,271.54
M-44-V-V3	Advitia 4MP (2688x1520) Turret camera. H.265/H.264/MJPEG, 2.8-12mm 4.3x zoom lens, IR LED, built-in microphone, IP67, IK10, 4-year warranty. No camera license required with VI v7.10.2 or higher.	\$ 303.38

M-45-FW-V2	4MP Low Profile Dome Indoor Camera Built in Mic 2.8mm Lens with IR 120dB WDR H.265/H.264 4 year Warranty No camera license required with Video Insight 7.9.3 or higher VMS software	\$ 267.69
M-46-F-V2	4MP Mini Dome Indoor/Outdoor Fixed 4mm Lens with IR 120dB WDR IP67 Rated H.265/H.264 4 year Warranty No camera license required with Video Insight 7.9.3 or higher VMS software	\$ 267.69
M-46-FW-V2	4MP Mini Dome Indoor/Outdoor Fixed 2.8mm Lens with IR 120dB WDR IP67 Rated H.265/H.264 4-year Warranty No camera license required with Video Insight 7.9.3 or higher VMS software	\$ 267.69
M-46-V-V2	Advitia 4MP (2688x1520) Dome camera. H.265/H.264/MJPEG, 2.8-12mm 4.3x zoom lens, IR LED, Audio I/O, built-in microphone, Alarm I/O, IP67, IK10, 4-year warranty. No camera license required with VI v7.10.2 or higher.	\$ 298.92
M-49-V-V2	Advitia 4MP (2688x1520) Bullet camera. H.265/H.264/MJPEG, 2.8-12mm 4.3x zoom lens, IR LED, Audio I/O, built-in microphone, Alarm I/O, IP67, 4-year warranty. No camera license required with VI v7.10.2 or higher.	\$ 298.92
M-5360	5mp Fish Eye 1.4mm Lens Built in Mic IP66 H.265/H.264 4 year Warranty No camera license required with Video Insight 7.9.3 or higher VMS software	\$ 513.08
M-87-V	4K DOME INDOOR/OUTDOOR MOTORIZED VARIFOCAL 2.8MM-12MM LENS WITH IR 120DB WDR IP67 H.265/H.264 4 YEAR WARRANTY NO CAMERA LICENSE REQUIRED WITH VIDEO INSIGHT 7.8.2 OR HIGHER VMS SOFTWARE	\$ 486.31
M-89-F-L	8MP BULLET (3840 2160) H.265/H.264/MJPEG, 120DB WDR 4MM FIXED LENS, IR RANGE: UP TO 30M, 4 YEAR WARRANTY NO CAMERA LICENSE REQUIRED WITH VIDEO INSIGHT 7.8.3 OR HIGHER VMS SOFTWARE	\$ 379.23
MC-104D8PE2M1T12K	PowerSupply: FPV104-D8PE2M1/T12X 12DR 10A/24V, 8 AUX OUTPUTS	\$ 857.14
MC-1326-LGSMV	Credintial: PROXCARD II, PROG, F-GLOSS, B-HID LOGO, MATCH #, VERT SLOT Ordered in Packs of 100 (Vender Model# 1326LGSMV)	\$ 4.02
MC-1346-LNSMN	Credintial: PROXKEY III, PROG., F-BLACK, B-HID LOGO, SEQ.MATCHING #, NO SLOT Ordered in Packs of 100 (Vender Model# 1346LNSMN)	\$ 7.98
MC-1351LBSNN		\$ 45.78
MC-1386-LGGMN	Credintial: ISOPROX II, PROG, F-GLOSS, B-GLOSS, MATCH #, NO SLOT Ordered in Packs of 100 (Vender Model# 1386LGGMN)	\$ 7.38
MC-150/250-2C-1	FPO150/250-2C83D8PE8M1/T16-A; 1 x FPO150, 1 x FPO250 400W Total Output, 120 VAC Input, AC Fault and System Fault form C contacts may be triggered by low/no battery, short to earth ground, power supply failure, or blown fuse; 2 x C8 (16 Relay Lock Outputs) 3A fused outputs, programmable for failsafe/failsecure, FAI, NC/NO input, voltage or dry output per zone. Dual buss voltage selection by zone, OutSmart dual color LEDs; 3 x D8P (24 Auxiliary Outputs) 2.5A Class 2 Power Limited Outputs, dual buss voltage selection by zone, OutSmart dual color LEDs; Enclosure E8 E8 enclosure size 36H x 30W x 6.5D; Backplate E8M1 Backplate and door mounting for LP1502, LP4502, LP2500, MR52, MR16IN/OUT; ProWire E8M1/W16-A; Routing Kit Tie-Wrap, E8M1	\$ 3,969.14
MC-150/250-2C-2		\$ 1,233.40
MC-150/250-2C83D	"PowerSupply: FPO150/250-2C83D8PE8M1/P16-A(PSC) 16DR E / SYSTEM DETAILS: FPO150/250 Dual Voltage Power 400W Total Output, 120 VAC Input, AC Fault and System Fault form C contacts may be triggered by low/no battery, short to earth ground, power supply failure, or blown fuse 2 C8 16 Relay Lock Outputs 3A fused outputs, programmable for failsafe/failsecure, FAI, NC/NO input, voltage or dry output per zone. Dual buss voltage selection by zone, OutSmart dual color LEDs 3 D8P 24 Auxiliary Outputs 2.5A Class 2 Power Limited Outputs, dual buss voltage selection by zone, OutSmart dual color LEDs E8M1/T16-A Enclosure Size: 36.0H x 30.0W x 6.5D in (91.44 x 76.2 x 16.51 cm) Enclosure 16 Doors, TieWrap, Prewired for one LP1502 and seven MR52 boards System Weight 71.45 lbs (32.41kg)"	\$ 4,321.98
MC-150/250-2C83D-1	"PowerSupply: FPO150/250-2C83D8PE6M1/P16-A(PSC) 16DR E / SYSTEM DETAILS FPO150/250 Dual Voltage Power 400W Total Output, 120 VAC Input, AC Fault and System Fault form C contacts may be triggered by low/no battery, short to earth ground, power supply failure, or blown fuse 2 C8 16 Relay Lock Outputs 3A fused outputs, programmable for failsafe/failsecure, FAI, NC/NO input, voltage or dry output per zone. Dual buss voltage selection by zone, OutSmart dual color LEDs 3 D8P 24 Auxiliary Outputs 2.5A Class 2 Power Limited Outputs, dual buss voltage selection by zone, OutSmart dual color LEDs Enclosure 16 Doors, Panduit, Prewired for one LP1502 and seven MR52 boards System Weight 50.90 lbs (23.09kg)"	\$ 3,818.51
MC-150/250-2C83D-2	PowerSupply: FPO150/250-2C83D8PE8M2/P16-A 150W POWER SUPPLY, 12A/12V OR 6A/24V 250W POWER SUPPLY, 20A/12V OR 10A/24V 16 RELAY LOCK CONTROL OUTPUTS FUSED AT 3A PER OUTPUT, EACH OUTPUT SELECTABLE FOR FAI, FAILSAFE, FAILSECURE 24 DC AUXILIARY OUTPUTS CLASS 2 POWER LIMITED AT 2.5A PER OUTPUT, EACH OUTPUT SELECTABLE FOR BUS1 OR BUS2 E8 WITH 16 DR MERCURY BACK PLATE, PANDUIT, 16 DOORS, MERCURY MR52 / EP1502 BOARD(S)	\$ 3,967.12
MC-150/250-2C83D-4	PowerSupply: FPO150/250-2C83D8PE8M2 150W power supply, 12A/12V or 6A/24V 250W power supply, 20A/12V or 10A/24V 16 relay lock control outputs	\$ 2,357.63
MC-150/250-3D8P2	"PowerSupply: FPO150/250-3D8P2M8NL4E8M1/P16-A(PSC) 16D SYSTEM DETAILS FPO150/250 Dual Voltage Power 400W Total Output, 120 VAC Input, AC Fault and System Fault form C contacts may be triggered by low/no battery, short to earth ground, power supply failure, or blown fuse 3 D8P 24 Auxiliary Outputs 2.5A Class 2 Power Limited Outputs, dual buss voltage selection by zone, OutSmart dual color LEDs 2 M8 16 Managed Outputs 3A fused outputs, programmable for failsafe/failsecure, remote power cycle, monitor voltage and current on each output, programmable limits, dual buss voltage selection by zone, cycle count by zone, bi-color output LEDs verify voltage setting NL4 NetLink Module Provides remote monitoring of power supply and battery set, remote battery testing, temperature monitoring, tamper switch monitoring, email/SNMP alerts on faults, compatible with MSM Enterprise E8M1/P16-A Enclosure Size: 36.0H x 30.0W x 6.5D in (91.44 x 76.2 x 16.51 cm) Enclosure 16 Doors, Panduit, Prewired for one LP1502 and seven MR52 boards System Weight 71.75 lbs (32.55kg)"	\$ 4,970.02

MC-150/250-3D8P2-1	*PowerSupply: FPO150/250-3D8P2M8NL4E6M1/P16-A(PSC) 16D SYSTEM DETAILS FPO150/250 Dual Voltage Power 400W Total Output, 120 VAC Input, AC Fault and System Fault form C contacts may be triggered by low/no battery, short to earth ground, power supply failure, or blown fuse 3 D8P 24 Auxiliary Outputs 2.5A Class 2 Power Limited Outputs, dual buss voltage selection by zone, OutSmart dual color LEDs 2 M8 16 Managed Outputs 3A fused outputs, programmable for failsafe/failsecure, remote power cycle, monitor voltage and current on each output, programmable limits, dual buss voltage selection by zone, cycle count by zone, bi-color output LEDs verify voltage setting NL4 NetLink Module Provides remote monitoring of power supply and battery set, remote battery testing, temperature monitoring, tamper switch monitoring, email/SNMP alerts on faults, compatible with MSM Enterprise E6M1/P16-A Enclosure Size: 30.0H x 23.0W x 6.5D in (76.2 x 58.42 x 16.51 cm) Enclosure 16 Doors, Panduit, Prewired for one LP1502 and seven MR52 boards System Weight 51.20 lbs (23.22kg)"	\$ 4,465.54
MC-150/250-3D8P2-2	*PowerSupply: FPO150/250-3D8P2M8NL4E8M2/P16-A(PSC) 16D SYSTEM DETAILS FPO150/250 Dual Voltage Power 400W Total Output, 120 VAC Input, AC Fault and System Fault form C contacts may be triggered by low/no battery, short to earth ground, power supply failure, or blown fuse 3 D8P 24 Auxiliary Outputs 2.5A Class 2 Power Limited Outputs, dual buss voltage selection by zone, OutSmart dual color LEDs 2 M8 16 Managed Outputs 3A fused outputs, programmable for failsafe/failsecure, remote power cycle, monitor voltage and current on each output, programmable limits, dual buss voltage selection by zone, cycle count by zone, bi-color output LEDs verify voltage setting NL4 NetLink Module Provides remote monitoring of power supply and battery set, remote battery testing, temperature monitoring, tamper switch monitoring, email/SNMP alerts on faults, compatible with MSM Enterprise E8M2/P16-A Enclosure Size: 36.0H x 30.0W x 6.5D in (91.44 x 76.2 x 16.51 cm) Enclosure 16 Doors, Panduit, Prewired for one LP1502 and seven MR52 boards System Weight 64.45 lbs (29.23kg)"	\$ 4,616.17
MC-1502502D8P28M1	PowerSupply: FPO150/250-2D8P2M8NL4E4M1 Mercury Unified Power DV Managed, 12A/12V and 10A/24V, 16 Managed, 16 AUX, E4M1 Enclosure	\$ 2,152.40
MC-150-B1002-2	FPO150-B1002D8PM8NL4E6M/T8-A ; Mercury ProWire ; Dual Voltage ; Wall Mount ; 8-Door ; Level2 ; Size: 30.0H x 23.0W x 6.5D in	\$ 2,703.38
MC-150-B1002D8PM-2	*PowerSupply: FPO150-B1002D8PM8NL4E4M/T8-A(PSC) 8DR E4 SYSTEM DETAILS FPO150 Dual Voltage Power 150W Total Output, 120 VAC Input, AC Fault and System Fault form C contacts may be triggered by low/no battery, short to earth ground, power supply failure, or blown fuse 2 D8P 16 Auxiliary Outputs 2.5A Class 2 Power Limited Outputs, dual buss voltage selection by zone, OutSmart dual color LEDs M8 8 Managed Outputs 3A fused outputs, programmable for failsafe/failsecure, remote power cycle, monitor voltage and current on each output, programmable limits, dual buss voltage selection by zone, cycle count by zone, bi-color output LEDs verify voltage setting NL4 NetLink Module Provides remote monitoring of power supply and battery set, remote battery testing, temperature monitoring, tamper switch monitoring, email/SNMP alerts on faults, compatible with MSM Enterprise E4M1/T8-A Enclosure Size: 24.0H x 20.0W x 6.5D in (60.96 x 50.8 x 16.51 cm) Enclosure 8 Doors, TieWrap, Prewired for one LP1502 and three MR52 boards System Weight 34.50 lbs (15.65kg)"	\$ 2,199.91
MC-150-B1002D8PM-2	*PowerSupply: FPO150-B1002D8PM8NL4E6M/P8-A(PSC) 8DR E6 SYSTEM DETAILS FPO150 Dual Voltage Power 150W Total Output, 120 VAC Input, AC Fault and System Fault form C contacts may be triggered by low/no battery, short to earth ground, power supply failure, or blown fuse 2 D8P 16 Auxiliary Outputs 2.5A Class 2 Power Limited Outputs, dual buss voltage selection by zone, OutSmart dual color LEDs M8 8 Managed Outputs 3A fused outputs, programmable for failsafe/failsecure, remote power cycle, monitor voltage and current on each output, programmable limits, dual buss voltage selection by zone, cycle count by zone, bi-color output LEDs verify voltage setting NL4 NetLink Module Provides remote monitoring of power supply and battery set, remote battery testing, temperature monitoring, tamper switch monitoring, email/SNMP alerts on faults, compatible with MSM Enterprise E6M/P8-A Enclosure Size: 30.0H x 23.0W x 6.5D in (76.2 x 58.42 x 16.51 cm) Enclosure 8 Doors, Panduit, Prewired for one LP1502 and three MR52 boards System Weight 45.05 lbs (20.43kg)"	\$ 2,919.74
MC-150-B100C-2	FPO150-B100C82D8PE6M/T8-A ; 1 x FPO150 150W Total Output, 120 VAC Input, AC Fault and System Fault form C contacts may be triggered by low/no battery, short to earth ground, power supply failure, or blown fuse; 1 x B100 Terminal block output is Class 2 power limited and jumper selectable for either a fixed 12VDC or an adjustable range between 5-18VDC at 4 amps maximum current; 1 x C8 (8 Relay Lock Outputs) 3A fused outputs, programmable for failsafe/failsecure, FAI, NC/NO input, voltage or dry output per zone. Dual buss voltage selection by zone, OutSmart dual color LEDs; 2 x D8P (16 Auxiliary Outputs) 2.5A Class 2 Power Limited Outputs, dual buss voltage selection by zone, OutSmart dual color LEDs; Enclosure E6; Backplate E6M; ProWire E6M/W8-A; Routing Kit Tie-Wrap, E6M	\$ 2,189.80
MC-150-B100C82D8-1	*PowerSupply: FPO150-B100C82D8PE4M/T8-A(PSC) 8DR E4M 1 SYSTEM DETAILS FPO150 Dual Voltage Power 150W Total Output, 120 VAC Input, AC Fault and System Fault form C contacts may be triggered by low/no battery, short to earth ground, power supply failure, or blown fuse C8 8 Relay Lock Outputs 3A fused outputs, programmable for failsafe/failsecure, FAI, NC/NO input, voltage or dry output per zone. Dual buss voltage selection by zone, OutSmart dual color LEDs 2 D8P 16 Auxiliary Outputs 2.5A Class 2 Power Limited Outputs, dual buss voltage selection by zone, OutSmart dual color LEDs E4M1/T8-A Enclosure Size: 24.0H x 20.0W x 6.5D in (60.96 x 50.8 x 16.51 cm) Enclosure 8 Doors, TieWrap, Prewired for one LP1502 and three MR52 boards System Weight 34.20 lbs (15.51kg)"	\$ 1,673.18

MC-150-B100C82D8-2	PowerSupply: FPO150-B100C82D8PE6M/P8-A 150W POWER SUPPLY, 12A/12V OR 6A/24V 12V SECONDARY VOLTAGE POWER MODULE. ADJUSTABLE 5-18V OUTPUT @ 4A MAX, CLASS 2 POWER LIMITED 8 RELAY LOCK CONTROL OUTPUTS FUSED AT 3A PER OUTPUT, EACH OUTPUT SELECTABLE FOR FAI, FAILSAFE, FAILSECURE 16 DC AUXILIARY OUTPUTS CLASS 2 POWER LIMITED AT 2.5A PER OUTPUT, EACH OUTPUT SELECTABLE FOR BUS1 OR BUS2 E6 ENCLOSURE SIZE 30H X 23W X 6.5D WITH MERCURY BACK PLATE, PANDUIT, 8 DOORS, MERCURY MR52 / EP1502 BOARD(S)	\$ 2,409.18
MC-150-B100C8D8-1	PowerSupply: FPO150-B100C8D8PE6M 150W power supply, 12A/12V or 6A/24V 12V secondary voltage power module. Adjustable 5-18V output @ 4A max, class 2 power limited 8 relay lock control	\$ 1,453.80
MC-150-B100D8PM8	"PowerSupply: FPO150-B100D8PM8NL4E4M STANDARD 8DR NET E4M ENCLOSURE SYSTEM DETAILS FPO150 Dual Voltage Power 150W Total Output, 120 VAC Input, AC Fault and System Fault form C contacts may be triggered by low/no battery, short to earth ground, power supply failure, or blown fuse D8P 8 Auxiliary Outputs 2.5A Class 2 Power Limited Outputs, dual buss voltage selection by zone, OutSmart dual color LEDs M8 8 Managed Outputs 3A fused outputs, programmable for failsafe/failsecure, remote power cycle, monitor voltage and current on each output, programmable limits, dual buss voltage selection by zone, cycle count by zone, bi-color output LEDs verify voltage setting NL4 NetLink Module Provides remote monitoring of power supply and battery set, remote battery testing, temperature monitoring, tamper switch monitoring, email/SNMP alerts on faults, compatible with MSM Enterprise E4M Enclosure Size: 24.0H x 20.0W x 6.5D in (60.96 x 50.8 x 16.51 cm) Enclosure Backplate mounting for LP1502, LP4502, LP2500, MR52, MR16IN/OUT System Weight 33.80 lbs (15.33kg)"	\$ 1,454.82
MC-150-B100D8PM8-1	PowerSupply: FPO150-B100D8PM8NL4E6M - 150W POWER SUPPLY, 12A/12V OR 6A/24V 12V SECONDARY VOLTAGE POWER MODULE. ADJUSTABLE 5-18V OUTPUT @ 4A MAX, CLASS 2 POWER LIMITED 8 DC AUXILIARY OUTPUTS CLASS 2 POWER LIMITED AT 2.5A PER OUTPUT, EACH OUTPUT SELECTABLE FOR BUS1 OR BUS2 8 OUT MANAGED DISTRIBUTION MODULE, FUSED AT 3A PER OUTPUT FOUR PORT NETWORK MONITORING MODULE E6 ENCLOSURE SIZE 30H X 23W X 6.5D WITH MERCURY BACK PLATE	\$ 1,956.26
MC-150-B1502-1	FPO150-B1502D8PM8NLXE4M/T4-A; Prowire; Dual Voltage; Wall Mount; 4-Door; Level2; Size: 24.0H x 20.0W x 6.5D in	\$ 2,079.60
MC-16D-BDL-A	Predefined MonitorCast 16 door access control solution - Description : The MC-16D-Bundle is an i-PRO bundle that includes 1 MC-MP1502 two door controller and 7 MC-MR52-53B two door sub-controller, with 16 door licenses. It also includes 16 of the HID 40NKS Signo Reader. These readers are contactless smartcard readers – multi technology, mobile ready wall switch mounted. This i-PRO bundle is housed in a 16 door Altronix Trove2M2MC, which provides power for the Mercury Panels, as well as the locks. It will also include the LINQ2 for network monitoring within the MC software. * Bundles DO NOT include credentials, contacts, or sensors and DO NOT come pre assembled. *	\$ 15,392.65
MC-16D-BDL-EXP-A	Predefined MonitorCast 16 door access control expansion solution - Description : The MC-16D-Bundle-Exp is an i-PRO bundle that includes 8 MC-MR52-53B two door sub-controller, with 16 door licenses. It also includes 16 of the HID 40NKS Signo Reader. These readers are contactless smartcard readers – multi technology, mobile ready wall switch mounted. This i-PRO expansion bundle is housed in a 16 door Altronix Trove2M2MC, which provides power for the Mercury Panels, as well as the locks. The maximum RS485 communication range is 2,000 feet. * Bundles DO NOT include contacts or sensors and DO NOT come pre assembled. *	\$ 14,419.98
MC-2000-PGGMN	Credintial: ICLASS 2K/2, PRGMD, F-GLOSS, B-GLOSS, MATCH #, NO SLOT Ordered in Packs of 100 (Vender Model# 2000PGGMN)	\$ 6.35
MC-2050HNNMN		\$ 8.25
MC-2050PNNMN		\$ 8.25
MC-20HNKS		\$ 435.06
MC-20KHNS		\$ 695.43
MC-20KNKS	Reader: HID SIGNO 20K, BLK/SLVR, PIG, CRD PFL STD, MA RDY, FMT:ASP10022, WIEG, 32-B MSB, EACH, 4-B MSG, NOPAR, LEN:13, FC:0, EM:32-B, LED:RED, FLSH:GRN, BZR, KBD:RED, BZR, VIS:ON, SRF:ON, IPM:OFF, VEL:OFF, TAP (Vender Model# 20KNKS-00-000000)	\$ 633.95
MC-20NKS	Reader: HID MULTI CLASS SIGNO READER W/BLUETOOTH AND RED LED (MULLION SIZE) HID (Vender Model# 20NKS-00-000000)	\$ 373.58
MC-2420BMGGANA		\$ 10.40
MC-250/250-3C85D-1	PowerSupply: FPO250/250-3C85D8PE12M/T24-A 250W POWER SUPPLY, 20A/12V OR 10A/24V 24 RELAY LOCK CONTROL OUTPUTS FUSED AT 3A PER OUTPUT, EACH OUTPUT SELECTABLE FOR FAI, FAILSAFE, FAILSECURE 40 DC AUXILIARY OUTPUTS CLASS 2 POWER LIMITED AT 2.5A PER OUTPUT, EACH OUTPUT SELECTABLE FOR BUS1 OR BUS2 E12 ENCLOSURE SIZE 48H X 36W X 8D WITH MERCURY BACKPLATE, 24 DOOR, TIE WRAP, A WIRED: LP1502/MR52	\$ 7,938.29
MC-250-3D8P5-1	FPO250/250-3D8P5M8PNLXE12M/T24-A; Dual Voltage; Wall Mount; 24-Door; Level2; Size: 48.0H x 36.0W x 8.5D in	\$ 9,749.98
MC-2623BNPGGBNAB		\$ 20.60
MC-2C82D8PE8M2	Power Supply LSP Model # FPO150/250-2C82D8PE8M2(PSC) : Dual C8 lock control modules provide sixteen access control inputs capable of voltage or dry contact activation, and sixteen outputs programmable for failsafe / failsecure operation at either 12 or 24 VDC and controlled by the integrated fire alarm interface circuit on the FPO. Dual D8 modules provides sixteen auxiliary class II outputs and each output is configurable for 12 or 24VDC operation.	\$ 2,322.25
MC-40HNKS		\$ 446.37
MC-40KHNS		\$ 695.43
MC-40KNKS	Reader: HID MULTI CLASS SIGNO READER W/BLUETOOTH AND RED LED (SINGLE GANG SIZE) 40KNKS WITH KEYPAD (Vender Model# 40KNKS-00-000000)	\$ 633.95
MC-40KTKS	40KTKS-00-000000; SIGNO40K, BLK/SLVR, TERM, CRD PFL STD, MA RDY, FMT:ASP10022, WIEG, 32-B MSB, EACH, 4-B MSG, NOPAR, LEN:13, FC:0, EM:32-B, LED:RED, FLSH:GRN, BZR, KBD:RED, BZR, VIS:ON, SRF:ON, IPM:OFF, VEL:OFF, TAP	\$ 633.95
MC-40NKS	Reader: HID MULTI CLASS SIGNO READER W/BLUETOOTH AND RED LED (SINGLE GANG SIZE) (Vender Model# 40NKS-00-000000)	\$ 384.91
MC-40TKS	Reader: HID SIGNO 40TKS, BLK/SLVR, TERM, CRD PFL STD, MA RDY, FMT:ASP10022, WIEG, 32-B MSB, EM:32-B, LED:RED, FLSH:GRN, BZR, SRF:ON, IPM:OFF, VEL:OFF, TAP (Vender Model# 40TKS-00-000000)	\$ 384.91

MC-4D-BDL-A	Predesigned MonitorCast 4 door access control solution - Description : The MC-4D-Bundle is an i-PRO bundle that includes 1 MC-MP1502 two door controller and 1 MC-MR52-53B two door sub-controller, with 4 door licenses. It also includes 4 of the HID 40NKS Signo Reader. These readers are contactless smartcard readers – multi technology, mobile ready wall switch mounted. This i-PRO bundle is housed in a 4 door Altronix Trove1M1MC, which provides power for the Mercury Panels, as well as the locks. It will also include the LINQ2 for network monitoring within the MC software. * Bundles DO NOT include credentials, contacts, or sensors and DO NOT come pre assembled. *	\$ 5,285.48
MC-4D-BDL-EXP-A	Predesigned MonitorCast 4 door access control expansion solution -Description : The MC-4D-Bundle-Exp is an i-PRO bundle that includes 2 MC-MR52-53B two door sub-controller, with 4 door licenses. It also includes 4 of the HID 40NKS Signo Reader. These readers are contactless smartcard readers – multi technology, mobile ready wall switch mounted. This i-PRO expansion bundle is housed in a 4 door Altronix Trove1M1MC, which provides power for the Mercury Panels, as well as the locks. The maximum RS485 communication range is 2,000 feet. * Bundles DO NOT include credentials, contacts, or sensors and DO NOT come pre assembled. *	\$ 4,312.82
MC-5005-PGGMN	Credential: 5005PGGMN COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 16 KB MEMORY, PROG., F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, LAM Ordered in Packs of 100(Vender Model# 5005PGGMN)	\$ 12.20
MC-5006PGGAN	(HID MODEL# 5006PGGAN) COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8K, PROG, F-GLOSS, B-GLOSS, MATCHING SEOS LASER #, NO SLOT	\$ 6.00
MC-5006-PGGMN	Credential: COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8 KB MEMORY, PROG., F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, LAM Ordered in Packs of 100(Vender Model# 5006PGGMN)	\$ 6.00
MC-5355-AGK	Reader: CHARCOAL GRAY PROXPRO HID 5355 125KHZ PROX/4 BIT KEYPAD READER (Vender Model# 5355AGK00)	\$ 620.14
MC-5355-AGK00		\$ 651.14
MC-5355-AGN	Reader: CHARCOAL GRAY PROXPRO HID 5355 125KHZ PROX READER (Vender Model# 5355AGN00)	\$ 391.38
MC-5355-AGN00		\$ 441.40
MC-5365-EGP	Reader: CHARCOAL GRAY MINIPROX HID 5365 MULLION 125KHZ PROX READER (Vender Model# 5365EGP00)	\$ 340.57
MC-5365-EGP00		\$ 357.60
MC-5365-EKP	Reader: BLACK WALL SWITCH HID THINLINE 5395 125KHZ WALL SWITCH PROX READER (Vender Model# 5395CK100)	\$ 340.57
MC-5365-EKP00		\$ 357.60
MC-5395-CK100	Reader: BLACK WALL SWITCH HID THINLINE 5395 125KHZ WALL SWITCH PROX READER (Vender Model# 5395CK100)	\$ 364.26
MC-6005-BGB	Reader: CHARCOAL GRAY MINI MULLION 125KHZ PROXPOINT PLUS READER (Vender Model# 6005BK800)	\$ 175.43
MC-6005-BGB00		\$ 184.20
MC-6005-BKB	Reader: BLACK MINI MULLION HID 125KHZ PROXPOINT PLUS READER (Vender Model# 6005BK800)	\$ 175.43
MC-6005-BKB00		\$ 184.20
MC-7410	Credential: 7410 PROXIMITY CARD CLAMSHELL	\$ 3.31
MC-7510	Credential: 7510 PROXIMITY CARD ISO GLOSSY WHITE	\$ 5.54
MC-75-B100C-1		\$ 1,040.31
MC-75-B100C4D8PE	*PowerSupply: FPO75-B100C4D8PE2M/T4-A(PSC) 4DR E2M 75W SYSTEM DETAILS FPO75 Dual Voltage Power 75W Total Output, 120 VAC Input, AC Fault and System Fault form C contacts may be triggered by low/no battery, short to earth ground, power supply failure, or blown fuse C4 4 Relay Lock Outputs 3A fused outputs, programmable for failsafe/failsecure, FAI, NC/NO input, voltage or dry output per zone. Dual buss voltage selection by zone, OutSmart dual color LEDs D8P 8 Auxiliary Outputs 2.5A Class 2 Power Limited Outputs, dual buss voltage selection by zone, OutSmart dual color LEDs E2M/T4-A Enclosure Size: 20.0H x 16.0W x 4.5D in (50.8 x 40.64 x 11.43 cm) Enclosure 4 Doors, TieWrap, Prewired for one LP1502 and one MR52 board System Weight 17.45 lbs (7.92kg)*	\$ 1,040.31
MC-75-B100C4D8PE-3	PowerSupply: FPO75-B100C4D8PE4M/T4-A 75W POWER SUPPLY, 6A/12V OR 3A/24V 12V SECONDARY VOLTAGE POWER MODULE. ADJUSTABLE 5-18V OUTPUT @ 4A MAX, CLASS 2 POWER LIMITED 4 RELAY LOCK CONTROL OUTPUTS FUSED AT 3A PER OUTPUT, EACH OUTPUT SELECTABLE FOR FAI, FAILSAFE, FAILSECURE 8 DC AUXILIARY OUTPUTS CLASS 2 POWER LIMITED AT 2.5A PER OUTPUT, EACH OUTPUT SELECTABLE FOR BUS1 OR BUS2 E4 ENCLOSURE SIZE 24H X 20W X 4.5D WITH MERCURY BACK PLATE, TIEWRAP, 4 DOORS, MERCURY MR52 / EP1502 BOARD(S)	\$ 1,146.46
MC-75-B100C4D8PE-4	PowerSupply: FPO75-B100C4D8PE4M 75W power supply, 6A/12V or 3A/24V 12V secondary voltage power module. Adjustable 5-18V output @ 4A max, class 2 power limited 4 relay lock control	\$ 811.83
MC-75-B100D-1	*FPO75-B100D8PE2M; 1 x FPO75 75W Total Output, 120 VAC Input, AC Fault and System Fault form C contacts may be triggered by low/no battery, short to earth ground, power supply failure, or blown fuse 1 x B100 Terminal block output is Class 2 power limited and jumper selectable for either a fixed 12VDC or an adjustable range between 5-18VDC at 4 amps maximum current 1 x D8P (8 Auxiliary Outputs) 2.5A Class 2 Power Limited Outputs, dual buss voltage selection by zone, OutSmart dual color LEDs E2M Enclosure Size: 20.0H x 16.0W x 4.5D in (20.0 x 16.0 x 4.5 cm); Enclosure E2; Backplate E2M*	\$ 608.62
MC-75-B100M-2	FPO75-B100M8NL4E4M; 1 x FPO75 75W Total Output, 120 VAC Input, AC Fault and System Fault form C contacts may be triggered by low/no battery, short to earth ground, power supply failure, or blown fuse; 1 x B100 Terminal block output is Class 2 power limited and jumper selectable for either a fixed 12VDC or an adjustable range between 5-18VDC at 4 amps maximum current; 1 x MB (8 Managed Lock Outputs) 3A fused outputs, programmable for failsafe/failsecure, remote power cycle, monitor voltage and current on each output, programmable limits, dual buss voltage selection by zone, cycle count by zone, bi-color output LEDs verify voltage setting; 1 x NL4 NetLink Module Provides remote monitoring of power supply and battery set, remote battery testing, temperature monitoring, tamper switch monitoring, email/SNMP alerts on faults, compatible with MSM Enterprise.	\$ 1,265.75
MC-75-B100M-3		\$ 1,167.69
MC-75-D8PE2M-1	FPO75-D8PE2M; 1 x FPO75 75W Total Output, 120 VAC Input, AC Fault and System Fault form C contacts may be triggered by low/no battery, short to earth ground, power supply failure, or blown fuse; 1 x D8P (8 Auxiliary Outputs) 2.5A Class 2 Power Limited Outputs, dual buss voltage selection by zone, OutSmart dual color LEDs; E2M Enclosure Size: 20.0H x 16.0W x 4.5D in (20.0 x 16.0 x 4.5 cm); Enclosure E2; Backplate E2M; System Weight 16.90 lbs (7.67kg)	\$ 549.98

MC-75-D8PE4M-1	FPO75-D8PE4M ; 1 x FPO75 75W Total Output, 120 VAC Input, AC Fault and System Fault form C contacts may be triggered by low/no battery, short to earth ground, power supply failure, or blown fuse ; 1 x D8P (8 Auxiliary Outputs) 2.5A Class 2 Power Limited Outputs, dual buss voltage selection by zone, OutSmart dual color LEDs	\$ 676.35
MC-7610	Credential: 7610 PROXIMITY KEYFOB (MINIMUM ORDER IS 50)	\$ 5.77
MC-8543	DESFire EV3 Cards - 4K - ISO - ISO glossy white, MIFARE DESFire EV3, 4K byte/32k bit (Vendor Model # 8543)	\$ 11.45
MC-8D-BDL-A	Predesigned MonitorCast 8 door access control solution -Description : The MC-8D-Bundle is an i-PRO bundle that includes 1 MC-MP1502 two door controller and 3 MC-MR52-S3B two door sub-controller, with 8 door licenses. It also includes 8 of the HID 40NKS Signo Reader. These readers are contactless smartcard readers – multi technology, mobile ready wall switch mounted. This i-PRO bundle is housed in a 8 door Altronix Trove2M2MC, which provides power for the Mercury Panels, as well as the locks. It will also include the LINQ2 for network monitoring within the MC software. * Bundles DO NOT include credentials, contacts, or sensors and DO NOT come pre assembled. *	\$ 8,742.14
MC-8D-BDL-EXP-A	Predesigned MonitorCast 8 door access control expansion solution -Description : The MC-8D-Bundle-Exp is an i-PRO bundle that includes 4 MC-MR52-S3B two door sub-controllers, with 8 door licenses. It also includes 8 of the HID 40NKS Signo Reader. These readers are contactless smartcard readers – multi technology, mobile ready wall switch mounted. This i-PRO expansion bundle is housed in a 8 door Altronix Trove2M2MC, which provides power for the Mercury Panels, as well as the locks. The maximum RS485 communication range is 2,000 feet. * Bundles DO NOT include credentials, contacts, or sensors and DO NOT come pre assembled. *	\$ 7,769.48
MC-920PHRNEK00004		\$ 437.34
MC-921NTNTEK	921NTNTEK00000; RDR, RK40, ICLASS, SE REV E, KPD, NO PROX, STD, WIEGAND, TERM, BLK, STD 1 SECURITY, LED RED, FLASH GRN, BZR ON, IPM OFF, KPF-4-BIT, 32 BIT	\$ 678.40
MC-921-PMNN	Reader: BLACK WALL SWITCH HID MULTICLASS SE RPK40 PROX/4 BIT KEYPAD and MOBILE READY (Vender Model# 921PMNNEKA002)	\$ 834.11
MC-921-PTNN	Reader: BLACK WALL SWITCH HID MULTICLASS RPK40 PROX/4 BIT KEYPAD (Vender Model# 921PTNNEK00000)	\$ 729.89
MC-921PTNNEK00000		\$ 740.85
MC-923NPRNEK00000		\$ 933.48
MC-9420	Credential: 9420 SCHLAGE MIFARE CLASSIC SMART CARD 2.5K BIT CLAMSHELL	\$ 4.46
MC-9520	Credential: 9520 SCHLAGE MIFARE CLASSIC SMART CARD 2.5K BIT ISO GLOSSY WHITE	\$ 5.62
MC-9651	Credential: 9651 SCHLAGE MIFARE CLASSIC SMART 1K BYTE/8K BIT KEYFOB (MINIMUM ORDER IS 50)	\$ 7.77
MC-9691T	Credential: 9691T PROXIMITY AND SCHLAGE SMART COMBO 1K BYTE/8K BIT THIN KEYFOB (MINIMUM ORDER IS 50)	\$ 10.46
MC-9951	Credential: 9951 PROXIMITY AND SCHLAGE SMART CARD COMBO 1K BYTE/8K BIT ISO GLOSSY WHITE	\$ 9.38
MC-B100C8D8PE4M		\$ 963.48
MC-BL3	Altronix BL3 Battery Leads, 18 inch, 18AWG, Pair, Red And Black	\$ 3.88
MC-BT126	"Altronix BT126 is a rechargeable battery that supplies 12VDC/7AH for security, access, surveillance and fire applications. Product Weight: 4.15 Lbs. (1.88 kg). Shipping Weight: 4.65 Lbs. (2.109 kg)."	\$ 39.86
MC-COM400L-626		\$ 429.23
MC-COM400P-626		\$ 429.23
MC-EFLOW3NB	"Power Supply : Altronix Model # eFlow3NB : UL Recognized power supply/charger converts a 120VAC, 60Hz input into a single 12VDC or 24VDC Class 2 Rated power-limited output. It also offers a suite of features that includes fire alarm disconnect, overvoltage protection, and low power disconnect which prevents deep discharge of stand-by batteries. ; Input 120VAC 60Hz, 3.5A. ; Class 2 Rated power-limited output.12VDC or 24VDC selectable output.2A continuous supply current. Aux. Class 2 Rated power-limited output rated @ 1A (unswitched).Overvoltage protection.Filtered and electronically regulated outputs.Supervised Fire Alarm disconnect (latching or non-latching) 10K EOL resistor. Operates on a normally open (NO) or normally closed (NC) trigger."	\$ 235.17
MC-FPV4-E2M/4TX	PowerSupply: FPV4-E2M/4TX 4DR 6A/12V OR 3A/24V	\$ 637.94
MC-GWE	(Allegion model# GWE) Gateway, supports up to 10 NDE, LE, Control Devices	\$ 531.54
M-CM	PTZ DOME INDOOR PENDANT CEILING MOUNT FOR M-200-P	\$ 13.62
MC-MP1502	The Intelligent controller MC-MP1502 is a feature rich and effective solution for controlling two openings and managing up to 64 openings. MC-MP1502 can supports 2 card readers for controlling two connected doors, which can expand to up to 64 doors/openings. The MC-MP1502 has 8 onboard inputs and 4 onboard outputs. (Includes 2 MonitorCast door licenses)	\$ 1,887.78
MC-MP2500	The Intelligent controller MC-MP2500 is a powerful intelligent controller with native network support and is scalable to 64 doors/openings. Built on the Mercury platform, the intelligent controller uses an on-board Ethernet port to connect to cloud or server based access control hosts. The intelligent controller performs access control, alarm management and scheduled operations — all in a single package.(Includes 0 MonitorCast door licenses) (No onboard IO connections) [SPECIAL ORDER]	\$ 1,919.95
MC-MP4502	MonitorCast Intelligent controller : MC-MP4502 is a intelligent controller that has direct hardware support for two openings and can scale to 64 access points. Built on proven Mercury hardware, this high-performance intelligent controller embeds extended applications. (Includes 2 MonitorCast door licenses) [SPECIAL ORDER]	\$ 2,442.91
MC-MR16IN-S3	Controller: The multi-device MC-MR16IN-S3 interface panel for support of 16 general-purpose input circuits. The circuits can be individually set for normally open or normally closed operations and can be declared supervised and non-supervised. Two dedicated programmable relay outputs can be configured for fail-safe or fail-secure operation. REQUIRES (RS485) CONNECTION FOR COMMUNICATION (Vender Model# MR16in-S3)	\$ 881.40
MC-MR16OUT-S3	Controller: The multi-device MC-MR16OUT-S3 interface panel provides 16 general-purpose outputs as Form C relay contacts. The MC-MR16OUT-S3, provides individually configurable parameters that can be set for timing and for fail-safe versus fail-secure modes. REQUIRES (RS485) CONNECTION FOR COMMUNICATION (Vender Model# MR16out-S3)	\$ 881.40
MC-MR50-S3	Controller: The high-performance MC-MR50 is an ideal choice for a compact and economical single-card reader interface panel. It is RS-485 connected and can be clustered or distributed depending on the installation requirements. The board is easy to install and supports Wiegand, clock and data, magnetic stripe, F2F, Supervised F2F, OSDP, keypad and biometrics reader technologies. (1 Rdr, 2 Inputs, 2 Outputs) (Includes 1 MonitorCast door licenses) (Vender Model# MR50-S3)	\$ 399.75

MC-MR52-53B	Controller: The MC-MR52-53B is a dual-card reader interface panel with on-board flexibility to connect to a wide range of security devices. This economical, high-performance device is easy to install and provides all the necessary I/O for controlling 2 doors with auxiliary point control and monitoring. Each unit can connect 2 card readers, 8 general-purpose input monitor points, and 6 control relays to any Mercury EP series intelligent controller. Two Door 2 Reader Weigand and OSDP, Inputs – 8 General purpose and 2 dedicated: Tamper and Power Monitor, Outputs – 6 Form-C Relays: Normally open contact (NO): 5a @ 30v resistive and Normally closed contact (NC): 3a @ 30v resistive, Primary power – 12 to 24v @ 500mA maximum, Reader Power – Pass-through or 12v regulated, 300mA each reader, Maximum Reader Distance is 500ft, Maximum RS485 Distance is 2,000 ft. (Includes 2 MonitorCast door licenses) (Vender Model# MR52-53B)	\$ 863.94
MC-MR62E	Controller: The MC-MR62e is an IP-enabled interface module with on-board flexibility to connect a wide range of security devices. The MC-MR62e is easy to install and provides the required I/O for interfacing four card readers using OSDP protocol, 6 general-purpose input monitor points, and 4 control relays to any Authentic Mercury series intelligent controller. Two Door 4 Reader OSDP Only, 6 – Inputs, Outputs – Two Relays: Form-C contacts: 2a @30v resistive, Power Input – PoE+ (12.95w) or Power Input – 12v +/- 10%, 1.7A max, Power Output – PoE+ or 12v: Lock 12v @ 1A max, AES 128/256 bit data encryption, Maximum Reader Distance is 500ft. (Includes 2 MonitorCast door licenses) (Vender Model# MR62e)	\$ 873.12
MC-MRDT	Controller: The MC-MRDT Display Terminal provides robust keypad/reader functionality in a single package. When combined with Mercury's EP series of intelligent access platforms, the unit provides an interactive link and truly integrated functionality to the terminal for end-user feedback and convenience. Even in challenging settings, the back-lit LCD yields clear information displays, thus providing access and alarm status feedback or other freeform messaging and instructions that the system generates. Deployed with the Mercury family of access platforms, the MRDT can create custom tasks with any of the 4 function keys, which can mimic system command console functionality at the doorway. (Vender Model# MRDT)	\$ 502.74
MC-MT11	Reader: MT11 MULTI-TECHNOLOGY READER MULLION MOUNT, DIMENSIONS: 5.91" X 1.72" X 0.81". POWER REQUIRED: 5-16 VDC (Vender Model# MT11)	\$ 303.85
MC-MT15	Reader: MT15 MULTI-TECHNOLOGY READER WALL MOUNT, DIMENSIONS: 5.1" X 3.25" X 0.76". POWER REQUIRED: 5-16 VDC (Vender Model# MT15)	\$ 303.85
MC-MTB15	MTB15: Single gang mount mobile enabled multi-technology reader	\$ 310.77
MC-MTK15	Reader: MTK15 MULTI-TECHNOLOGY READER WALL MOUNT WITH KEYPAD, DIMENSIONS: 5.1" X 3.25" X 0.76". POWER REQUIRED: 5-16 VDC, FOR RS-485 CAPABILITY ADD -485 TO PART NUMBER. (Vender Model# MTK15)	\$ 486.92
MC-MTKB15	MTKB15: Single gang mount mobile enabled multi-technology with keypad reader	\$ 501.54
MC-MUX8	Controller: The MC-MUX8 is an 8-port multi-device interface panel that provides flexible RS-485 wiring management of diverse system installations. It is ideal for supporting wiring schemes such as star, home run or distances exceeding 4,000 feet. RS-232/485 TO 8 CHANNEL MUX (Vender Model# MUX8)	\$ 726.98
MC-PIM400-1501-LC	PIM400-1501-LC PANEL INTERFACE MODULE COMES W/ENCLOSURE TO SUPPORT A SINGLE MERCURY LP1501 AND WILL SUPPORT UP TO 16 AD-SERIES DEVICES/ACCESSORIES	\$ 1,803.08
MC-PIM400-485	PIM400-485 PANEL INTERFACE MODULE, RS485 TO PANEL. SUPPORTS 10 AD-SERIES DEVICES/ACCESSORIES	\$ 1,501.54
MC-PIM400-485-RSI		\$ 1,501.54
MC-SUS-A-CABLE		\$ 214.62
MC-T1MK1F4SQMC	Power Supply: Trove1M1, eFlow4NB, ACM4, VR6, PDS8, LINQ2, Cam-Lock & Mounting Hardware (Vender Model# T1MK1F4SQMC)	\$ 1,245.72
MC-T2MK77F16MC	Altronix T2MK77F16 kit consists of Trove2 enclosure, TM2 Mercury/Altronix backplane and TMV2 door backplane with two 24VDC @ 10A power supply/chargers, 12VDC voltage regulator, eight (8) fuse protected output dual voltage power distribution module and two eight (8) fuse protected output access control modules. This kit also accommodates various combinations of Mercury boards for up to sixteen (16) doors in a single enclosure. Trove simplifies board layout and wire management, reduces installation time and labor costs.	\$ 1,957.55
MC-T2MK77F16QMC	Power Supply: Trove2M2, 2x eFlow104NB, 2x ACM8, VR6, PDS8, LINQ2, Cam-Lock, Mounting hardware (Vender Model# T2MK77F16QMC)	\$ 2,010.94
MC-T2MK7F8MC		\$ 1,379.18
MC-T2MK7F8QMC	Power Supply: Trove2M2, eFlow104NB, ACM8, VR6, PDS8, LINQ2, Cam-Lock & Mounting Hardware (Vender Model# T2MK7F8QMC)	\$ 1,592.74
MC-T3MB755K1D		\$ 7,205.75
MC-T3MB777K1D		\$ 7,234.82
MC-T3MK77F16SMC		\$ 3,291.37
MC-T3MK77F16SQMC	Power Supply: Trove3M3, 2x eFlow104NB, 2x ACM8, VR6, PDS8, LINQ2, Cam-Lock, Mounting hardware (Vender Model# T3MK77F16SQMC)	\$ 3,114.29
MC-TM250	Power Supply: Altronix Model # TM250 Enclosure accommodates a combination up to two (2) EP1501 or MR51e.; Accommodates one (1) Altronix Power Supply/Charger or one (1) Tango power supply/charger.; 16 AWG powder coated steel enclosure with a single 2" center knockout on the top of the enclosure plus (12) double knockouts (accommodate 0.75" and 1" conduit).; Accommodates one (1) 12VDC/4AH battery	\$ 178.45
MC-TM400		\$ 261.38
MC-TM400K1DMC	TM400K1DMC; (PTC protected output version); Power Supply (eFlow4NB); Access Power Controller (ACM4)	\$ 646.22
MC-TM400K1MC	TM400K1MC; (Fuse protected output version); Power Supply (eFlow4NB); Access Power Controller (ACM4)	\$ 646.22
MC-TM400K2DMC	TM400K2DMC; (PTC protected output version); Power Supply (eFlow4NB); Access Power Controller (ACM4); Voltage Regulator (VR6); Power Distribution Module (PD4UL)	\$ 750.94
MC-TM400K2MC	TM400K2MC; (Fuse protected output version); Power Supply (eFlow4NB); Access Power Controller (ACM4); Voltage Regulator (VR6); Power Distribution Module (PD4UL)	\$ 750.94
MC-UPG-A-900	Reader: R10/RP10 ICLASS/MULTICLASS BLUETOOTH OSDP UPGRADE KIT/MODULE (Vender Model# BLEOSDP-UPG-A-900)	\$ 126.20
MC-UPG-A-910	Reader: R10/RP10 ICLASS/MULTICLASS BLUETOOTH OSDP UPGRADE KIT/MODULE (Vender Model# BLEOSDP-UPG-A-910)	\$ 126.20
MC-UPG-A-920	Reader: R10/RP10 ICLASS/MULTICLASS BLUETOOTH OSDP UPGRADE KIT/MODULE (Vender Model# BLEOSDP-UPG-A-920)	\$ 126.20
MC-UPG-A-921	Reader: R10/RP10 ICLASS/MULTICLASS BLUETOOTH OSDP UPGRADE KIT/MODULE (Vender Model# BLEOSDP-UPG-A-921)	\$ 126.20
M-FM	FLUSH MOUNT FOR M-87-V	\$ 32.12

MIC-LR-1	LOUROS LE-770 MICROPHONE 20' OF 3.5 STEREO CABLE INCLUDED	\$ 317.69
MID-SUB-T100	1-YEAR USER LICENSE, HID ORIGO MOBILE IDENTITIES. USER LICENSES WILL BE VALID FOR ONE YEAR. RENEWAL IS REQUIRED TO STAY ACTIVE. FOR USE WITH ANDROID AND IOS DEVICES. ORDERED IN LOTS OF 20	\$ 5.22
M-JB	ROUND JUNCTION BOX FOR M-87-V	\$ 21.42
M-JB-MINI	ROUND JUNCTION BOX FOR M-46-F, M-46-FW AND M-45-FW	\$ 16.95
M-JB-MINI-B	ROUND JUNCTION BOX FOR M-49-V, M-89-F-L	\$ 24.32
M-JB-T	ROUND JUNCTION BOX FOR M-44-V-T	\$ 16.95
MOBOTIX-S16-BUNDLE	KIT: MX-S16B, MX-FLEX-OPT-CBL-3+ VI CAMERA LICENSE	\$ 1,353.85
MOBOTIX-THERM-CM	MOBOTIX I-PRO VI BUNDLE #1 INCLUDES MOBOTIX M16 6MP THERMAL CAMERA, ADDITIONAL 6MP DAY/COLOR SENSOR, VI VMS CAMERA LICENSE, AND VI THERMAL SCREENING PLUG-IN LICENSE. SKUS FOR THIS BUNDLE INCLUDE: MX-M16TB-R119, MX-O-SMA-S-6D119, IPSVC-UL, IPSVS-THERMAL-UL	\$ 7,846.15
MOBOTIX-THERM-CM	MOBOTIX I-PRO VI BUNDLE #2 INCLUDES MOBOTIX M16, 6MP THERMAL CAMERA, ADDITIONAL 6MP DAY/COLOR SENSOR, BLACK BODY THERMAL RADIATOR, VI VMS CAMERA LICENSE, AND VI THERMAL SCREENING PLUG-IN LICENSE. SKUS FOR THIS BUNDLE INCLUDE: MX-M16TB-R119, MX-O-SMA-S-6D119, IPSVC-UL, IPSVS-THERMAL-UL	\$ 10,215.38
M-PARAPET	PTZ PARAPET MOUNT FOR M-200-P	\$ 139.20
M-PENDANT	NPT 3/4 PENDANT NEEDS ROUND JUNCTION BOX M-JB, M-JB-MINI, M-JB-T LENGTH 7.75 INCHES	\$ 15.17
M-PENDANT-EX	PENDANT EXTENSION 7.75 INCH NEED M-PENDANT AND ROUND JUNCTION BOX FOR THE ASSOCIATED CAMERA M-JB, M-JB-MINI, M-JB-T	\$ 10.94
M-PM	POLE MOUNT / NEED WALL MOUNT FOR ASSOCIATED M-SERIES CAMERA (COMPATIBLE WITH M-WM-JB, M-WM-JB-MINI M-WM-T)	\$ 21.42
M-PM-B	POLE MOUNT / NEED M-JB-MINI-B FOR M-49-V, M-89-F-L	\$ 20.08
M-PTZ-CNR	PTZ DOME CORNER MOUNT FOR M-200-P	\$ 26.55
M-PTZ-JB	12-INCH JUNCTION BOX FOR M-200-P	\$ 154.37
M-PTZ-PENDANT	PENDANT MOUNT FOR M-200-P LENGTH 7.75 INCHES	\$ 31.23
M-PTZ-PENDANT-EX-L	PTZ DOME PENDANT MOUNT EXTENSION 19.5 INCH FOR M-200-P	\$ 31.23
M-PTZ-PM	POLE MOUNT ADAPTER FOR M-200-P	\$ 29.00
M-PTZ-WM	PTZ DOME WALL MOUNT FOR M-200-P	\$ 29.00
MR-4C-13-1TB-V5	4 x IP CHANNEL, 4 x P.O.E CAPABLE MOBILE NVR 1 x i3 4C/4T CPU, 8GB RAM, WINDOWS 10 IOT OS (EMBEDDED), TOTAL STORAGE (1 x 1TB SSD), INCLUDES ENTERPRISE VI SERVER LICENSE, 802.11AX WI-FI MODULE, AND 2T2R DUAL ANTENNA) 3YEAR STANDARD I-PRO WARRANTY (UNIT DOES NOT INCLUDE AC ADAPTER, KEYBOARD OR MOUSE.)	\$ 3,970.77
MR-4C-13-2TB-V5	4 x IP CHANNEL, 4 x P.O.E CAPABLE MOBILE NVR 1 x i3 4C/4T CPU, 8GB RAM, WINDOWS 10 IOT OS (EMBEDDED), TOTAL STORAGE (1 x 2TB SSD), INCLUDES ENTERPRISE VI SERVER LICENSE, 802.11AX WI-FI MODULE, AND 2T2R DUAL ANTENNA) 3YEAR STANDARD I-PRO WARRANTY (UNIT DOES NOT INCLUDE AC ADAPTER, KEYBOARD OR MOUSE.)	\$ 4,238.46
MR-4C-13-4TB-V5	4 x IP CHANNEL, 4 x P.O.E CAPABLE MOBILE NVR 1 x i3 4C/4T CPU, 8GB RAM, WINDOWS 10 IOT OS (EMBEDDED), TOTAL STORAGE (1 x 4TB SSD), INCLUDES ENTERPRISE VI SERVER LICENSE, 802.11AX WI-FI MODULE, AND 2T2R DUAL ANTENNA) 3YEAR STANDARD I-PRO WARRANTY (UNIT DOES NOT INCLUDE AC ADAPTER, KEYBOARD OR MOUSE.)	\$ 4,684.62
MR-8C-13-1TB-V5	8 X IP CHANNEL, 8X P.O.E CAPABLE MOBILE NVR 1 x i3 4C/4T CPU, 8GB RAM, WINDOWS 10 IOT OS (EMBEDDED), TOTAL STORAGE (1 x 1TB SSD), INCLUDES ENTERPRISE VI SERVER LICENSE, 802.11A/B/G/N/AC WI-FI MODULE, AND ANTENNA) 3YEAR STANDARD I-PRO WARRANTY (UNIT DOES NOT INCLUDE AC ADAPTER, KEYBOARD OR MOUSE.)	\$ 5,518.92
MR-8C-13-2TB-V5	8 X IP CHANNEL, 8X P.O.E CAPABLE MOBILE NVR 1 x i3 4C/4T CPU, 8GB RAM, WINDOWS 10 IOT OS (EMBEDDED), TOTAL STORAGE (1 x 2TB SSD), INCLUDES ENTERPRISE VI SERVER LICENSE, 802.11A/B/G/N/AC WI-FI MODULE, AND ANTENNA) 3YEAR STANDARD I-PRO WARRANTY (UNIT DOES NOT INCLUDE AC ADAPTER, KEYBOARD OR MOUSE.)	\$ 6,023.08
MR-8C-13-4TB-V5	8 X IP CHANNEL, 8X P.O.E CAPABLE MOBILE NVR 1 x i3 4C/4T CPU, 8GB RAM, WINDOWS 10 IOT OS (EMBEDDED), TOTAL STORAGE (1 x 4TB SSD), INCLUDES ENTERPRISE VI SERVER LICENSE, 802.11A/B/G/N/AC WI-FI MODULE, AND ANTENNA) 3YEAR STANDARD I-PRO WARRANTY (UNIT DOES NOT INCLUDE AC ADAPTER, KEYBOARD OR MOUSE.)	\$ 7,062.62
MR-BAT-8C	BATTERY BACK-UP UNIT FOR MOBILE RECORDER: MR-8C UNIT + MOUNTING KIT	\$ 1,606.15
MR-MRAANTIVIB	3-axis anti-Vibration/Shock kit	\$ 208.80
MR-MRAANTIVIBWMP	3-axis anti-Vibration/Shock kit with mounting plate	\$ 356.92
M-WM-JB	WALL MOUNT WITH JUNCTION BOX FOR M-87-V	\$ 50.86
M-WM-JB-MINI	WALL MOUNT WITH JUNCTION BOX FOR M-46-F, M-46-FW AND M-45-FW	\$ 47.29
M-WM-T	WALL MOUNT WITH JUNCTION BOX FOR M-44-V-T	\$ 50.86
NVR-DTL-1-16TB-V5	I-PRO STL-2, 1x XEON 4C/8T CPU, 32GB RAM, WINDOWS 11 PRO OS INSTALLED ON M.2 SSD - STORAGE: 4 x 4TB HDD (16TB TOTAL, 12TB USABLE AFTER RAIDS), DUAL 1GB RJ-45. UNIT INCLUDES KEYBOARD, MOUSE, XCC ENTERPRISE. NO RAILS, NO OPTICAL DRIVE, NO LICENSING 3 YEAR HARDWARE WARRANTY +I-PRO SUPPORT. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED IN HOUSE, INCLUDES 1 YEAR OF VI HM+.	\$ 5,041.54
NVR-DTL-1-36TB-V5	I-PRO STL-2, 1x XEON 4C/8T CPU, 32GB RAM, WINDOWS 11 PRO OS INSTALLED ON M.2 SSD - STORAGE: 3 x 12TB HDD (36TB TOTAL, 24TB USABLE AFTER RAIDS), DUAL 1GB RJ-45. UNIT INCLUDES KEYBOARD, MOUSE, XCLARITY ENTERPRISE. NO RAILS, NO OPTICAL DRIVE, NO LICENSING 3 YEAR HARDWARE WARRANTY +I-PRO SUPPORT. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED IN HOUSE, INCLUDES 1 YEAR OF VI HM+.	\$ 6,023.08
NVR-DTL-1-48TB-V5	I-PRO STL-2, 1x XEON 4C/8T CPU, 32GB RAM, WINDOWS 11 PRO OS INSTALLED ON M.2 SSD - STORAGE: 4 x 12TB HDD (48TB TOTAL, 36TB USABLE AFTER RAIDS), DUAL 1GB RJ-45. KEYBOARD & MOUSE, XCLARITY ENTERPRISE. NO RAILS, NO OPTICAL DRIVE, NO LICENSING 3 YEAR HARDWARE WARRANTY +I-PRO SUPPORT. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED IN HOUSE, INCLUDES 1 YEAR OF VI HM+.	\$ 6,513.85
NVR-DTL-1-64TB-V5	I-PRO STL-2, 1x XEON 4C/8T CPU, 32GB RAM, WINDOWS 11 PRO OS INSTALLED ON M.2 SSD - STORAGE: 4 x 16TB HDD (64TB TOTAL, 48TB USABLE AFTER RAIDS), DUAL 1GB RJ-45. UNIT INCLUDES KEYBOARD, MOUSE, XCLARITY ENTERPRISE. NO RAILS, NO OPTICAL DRIVE, NO LICENSING 3 YEAR HARDWARE WARRANTY +I-PRO SUPPORT. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED IN HOUSE, INCLUDES 1 YEAR OF VI HM+.	\$ 7,093.85

NVR-DTL-1-80TB-V5	I-PRO STL-2, 1x XEON 4C/8T CPU, 32GB RAM, WINDOWS 11 PRO OS INSTALLED ON M.2 SSD - STORAGE: 4 x 20TB HDD (80TB TOTAL, 60TB USABLE AFTER RAID5), DUAL 1GB RJ-45. UNIT INCLUDES KEYBOARD, MOUSE, XCLARITY ENTERPRISE. NO RAILS, NO OPTICAL DRIVE, NO LICENSING 3 YEAR HARDWARE WARRANTY +I-PRO SUPPORT. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED IN HOUSE, INCLUDES 1 YEAR OF VI HM+.	\$ 8,276.15
NVR-R-1-36TB-V5	I-PRO SR1XL, 1x XEON 6C/12T CPU, 32GB RAM, WINDOWS SERVER 2022 STD ON 1x 480GB M.2 SSD - STORAGE: 3x 12TB ENTERPRISE HDD (36TB TOTAL, 24TB USABLE AFTER RAID 5), 2x PSU, 2x 1GB RJ-45. UNIT INCLUDES KEYBOARD, MOUSE, RAILS. NO OPTICAL DRIVE. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED IN HOUSE, 1-YEAR VI HEALTHMONITOR PLUS ACTIVATION, 5 YEAR PRO-LIMITED HARDWARE WARRANTY WITH ON-SIGHT SERVICE RECOMMENDED USE CASE UP TO 300MBs OF TOTAL NETWORK BANDWIDTH on 1Gbps DEDICATED NETWORK.	\$ 15,349.51
NVR-R-1-48TB-V5	I-PRO SR1XL, 1x XEON 6C/12T CPU, 32GB RAM, WINDOWS SERVER 2022 STD ON 1x 480GB M.2 SSD - STORAGE: 3x 16TB ENTERPRISE HDD (48TB TOTAL, 32TB USABLE AFTER RAID 5), 2x PSU, 2x 1GB RJ-45. UNIT INCLUDES KEYBOARD, MOUSE, RAILS. NO OPTICAL DRIVE. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED IN HOUSE, 1-YEAR VI HEALTHMONITOR PLUS ACTIVATION, 5 YEAR PRO-LIMITED HARDWARE WARRANTY WITH ON-SIGHT SERVICE RECOMMENDED USE CASE UP TO 300MBs OF TOTAL NETWORK BANDWIDTH on 1Gbps DEDICATED NETWORK.	\$ 16,274.14
NVR-R-1-60TB-V5	I-PRO SR1XL, 1x XEON 6C/12T CPU, 32GB RAM, WINDOWS SERVER 2022 STD ON 1x 480GB M.2 SSD - STORAGE: 3x 20TB ENTERPRISE HDD (60TB TOTAL, 40TB USABLE AFTER RAID 5), 2x PSU, 2x 1GB RJ-45. UNIT INCLUDES KEYBOARD, MOUSE, RAILS. NO OPTICAL DRIVE. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED IN HOUSE, 1-YEAR VI HEALTHMONITOR PLUS ACTIVATION, 5 YEAR PRO-LIMITED HARDWARE WARRANTY WITH ON-SIGHT SERVICE RECOMMENDED USE CASE UP TO 300MBs OF TOTAL NETWORK BANDWIDTH on 1Gbps DEDICATED NETWORK.	\$ 17,198.77
NVR-R-2-112TB-V5	I-PRO SR3E, 2x XEON SILVER 12C/24T CPU, 64GB RAM, WINDOWS SERVER 2022 STD ON 2x 480GB M.2 SSD (RAID 1) - STORAGE: 7x 16TB ENTERPRISE HDD (112TB TOTAL, 96TB USABLE AFTER RAID 5), 2x PSU, 2x 1GB RJ-45, 2 x 10GB SPF+. UNIT INCLUDES KEYBOARD, MOUSE, RAILS. NO OPTICAL DRIVE. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED IN HOUSE, 1-YEAR VI HEALTHMONITOR PLUS ACTIVATION, 5 YEAR PRO-LIMITED HARDWARE WARRANTY WITH ON-SIGHT SERVICE. RECOMMENDED USE CASE UP TO 600MBs OF TOTAL NETWORK BANDWIDTH ON 1Gbps DEDICATED NETWORK Or 1200Mbps OF TOTAL NETWORK BANDWIDTH on a DEDICATED 10Gbps NETWORK	\$ 31,676.92
NVR-R-2-160TB-V5	I-PRO SR3E, 2x XEON SILVER 12C/24T CPU, 64GB RAM, WINDOWS SERVER 2022 STD ON 2x 480GB M.2 SSD (RAID 1) - STORAGE: 8x 20TB ENTERPRISE HDD (160TB TOTAL, 140TB USABLE AFTER RAID 5), 2x PSU, 2x 1GB RJ-45, 2x 10GB SPF+. UNIT INCLUDES KEYBOARD, MOUSE, RAILS. NO OPTICAL DRIVE. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED IN HOUSE, 1-YEAR VI HEALTHMONITOR PLUS ACTIVATION, 5 YEAR PRO-LIMITED HARDWARE WARRANTY WITH ON-SIGHT SERVICE. RECOMMENDED USE CASE UP TO 600MBs OF TOTAL NETWORK BANDWIDTH ON 1Gbps DEDICATED NETWORK Or 1200Mbps OF TOTAL NETWORK BANDWIDTH on a DEDICATED 10Gbps NETWORK	\$ 33,461.54
NVR-R-2-180TB-V5	I-PRO SR3E, 2x XEON SILVER 12C/24T CPU, 64GB RAM, WINDOWS SERVER 2022 STD ON 2x 480GB M.2 SSD (RAID 1) - STORAGE: 9x 20TB ENTERPRISE HDD (180TB TOTAL, 160 USABLE AFTER RAID5), 2x 1GB RJ-45, 2x 10GB SPF+. UNIT INCLUDES, KEYBOARD, MOUSE, RAILS, IDRAC ENTERPRISE. NO OPTICAL DRIVE. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED IN HOUSE, 1-YEAR VI HEALTHMONITOR PLUS ACTIVATION, 5-YEAR LIMITED HARDWARE WARRANTY WITH ON-SIGHT SERVICE. RECOMMENDED USE CASE UP TO 600MBs OF TOTAL NETWORK BANDWIDTH ON 1Gbps DEDICATED NETWORK Or 1200Mbps OF TOTAL NETWORK BANDWIDTH on a DEDICATED 10Gbps NETWORK	\$ 35,469.23
NVR-R-2-200TB-V5	I-PRO SR3E, 2x XEON SILVER 12C/24T CPU, 64GB RAM, WINDOWS SERVER 2022 STD ON 2x 480GB M.2 SSD (RAID 1) - STORAGE: 11x 20TB ENTERPRISE HDD (220TB TOTAL, 200TB USABLE AFTER RAID 5), 2x PSU, 2x 1GB RJ-45, 2x 10GB SPF+. UNIT INCLUDES KEYBOARD, MOUSE, RAILS. NO OPTICAL DRIVE. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED IN HOUSE, 1-YEAR VI HEALTHMONITOR PLUS ACTIVATION, 5 YEAR PRO-LIMITED HARDWARE WARRANTY WITH ON-SIGHT SERVICE. RECOMMENDED USE CASE UP TO 600MBs OF TOTAL NETWORK BANDWIDTH ON 1Gbps DEDICATED NETWORK Or 1200Mbps OF TOTAL NETWORK BANDWIDTH on a DEDICATED 10Gbps NETWORK	\$ 36,584.62
NVR-R-2-240TB-V5	I-PRO SR3E, 2x XEON SILVER 12C/24T CPU, 64GB RAM, WINDOWS SERVER 2022 STD ON 2x 480GB M.2 SSD (RAID 1) - STORAGE: 12x 20TB ENTERPRISE HDD (240TB TOTAL, 220TB USABLE AFTER RAID 5), 2x PSU, 2x 1GB RJ-45, 2x 10GB SPF+. UNIT INCLUDES KEYBOARD, MOUSE, IDRAC ENTERPRISE, RAILS. NO OPTICAL DRIVE. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED IN HOUSE, 1-YEAR VI HEALTHMONITOR PLUS ACTIVATION, 5 YEAR PRO-LIMITED HARDWARE WARRANTY WITH ON-SIGHT SERVICE. RECOMMENDED USE CASE UP TO 600MBs OF TOTAL NETWORK BANDWIDTH ON 1Gbps DEDICATED NETWORK Or 1200Mbps OF TOTAL NETWORK BANDWIDTH on a DEDICATED 10Gbps NETWORK	\$ 39,261.54
NVR-R-2-300TB-V5	I-PRO SR3E-XL, 2x XEON GOLD 16C/32T CPU, 64GB RAM, WINDOWS SERVER 2022 STD ON 2x 480GB M.2 SSD (RAID 1) - STORAGE: 18x 20TB ENTERPRISE HDD (360TB TOTAL, 320TB USABLE AFTER RAID 6), 2x PSU, 2x 1GB RJ-45, 2x 10GB SPF+. UNIT INCLUDES KEYBOARD, MOUSE, IDRAC ENTERPRISE, RAILS. NO OPTICAL DRIVE. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED IN HOUSE, 1-YEAR VI HEALTHMONITOR PLUS ACTIVATION, 5 YEAR PRO-LIMITED HARDWARE WARRANTY WITH ON-SIGHT SERVICE. RECOMMENDED USE CASE UP TO 600MBs OF TOTAL NETWORK BANDWIDTH ON 1Gbps DEDICATED NETWORK Or 1200Mbps OF TOTAL NETWORK BANDWIDTH on a DEDICATED 10Gbps NETWORK	\$ 45,293.54
NVR-R-2-360TB-V5		\$ 51,753.85
NVR-R-2-420TB-V5	I-PRO SR3E-XL, 2x XEON GOLD 16C/32T CPU, 64GB RAM, WINDOWS SERVER 2022 STD ON 2x 480GB M.2 SSD (RAID 1) - STORAGE: 21x 20TB ENTERPRISE HDD (420TB TOTAL, 380TB USABLE AFTER RAID 6), 2x PSU, 2x 1GB RJ-45, 2x 10GB SPF+. UNIT INCLUDES KEYBOARD, MOUSE, IDRAC ENTERPRISE, RAILS. NO OPTICAL DRIVE. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED IN HOUSE, 1-YEAR VI HEALTHMONITOR PLUS ACTIVATION, 5 YEAR PRO-LIMITED HARDWARE WARRANTY WITH ON-SIGHT SERVICE. RECOMMENDED USE CASE UP TO 600MBs OF TOTAL NETWORK BANDWIDTH ON 1Gbps DEDICATED NETWORK Or 1200Mbps OF TOTAL NETWORK BANDWIDTH on a DEDICATED 10Gbps NETWORK	\$ 56,438.46
NVR-R-2-500TB-V5	I-PRO SR3E-XL, 2x XEON GOLD 16C/32T CPU, 64GB RAM, WINDOWS SERVER 2022 STD ON 2x 480GB M.2 SSD (RAID 1) - STORAGE: 25 x 20TB ENTERPRISE HDD (500TB TOTAL, 460TB USABLE AFTER RAID 6), 2 x PSU, 2 x 1GB RJ-45, 2 x 10GB SPF+. UNIT INCLUDES KEYBOARD, MOUSE, IDRAC ENTERPRISE, RAILS. NO OPTICAL DRIVE. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED IN HOUSE, 1-YEAR VI HEALTHMONITOR PLUS ACTIVATION, 5 YEAR PRO-LIMITED HARDWARE WARRANTY WITH ON-SIGHT SERVICE. RECOMMENDED USE CASE UP TO 600MBs OF TOTAL NETWORK BANDWIDTH ON 1Gbps DEDICATED NETWORK Or 1200Mbps OF TOTAL NETWORK BANDWIDTH on a DEDICATED 10Gbps NETWORK	\$ 63,889.23

NVR-R-2-84TB-V5	I-PRO SR3E, 2x XEON SILVER 12C/24T CPU, 64GB RAM, WINDOWS SERVER 2022 STD ON 2x 480GB M.2 SSD (RAID 1) - STORAGE: 7x 12TB ENTERPRISE HDD (84TB TOTAL, 72TB USABLE AFTER RAID 5), 2x PSU, 2x 1GB RJ-45, 2x 10GB SFP+. UNIT INCLUDES KEYBOARD, MOUSE, RAILS. NO OPTICAL DRIVE. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED IN HOUSE, 1-YEAR VI HEALTH-MONITOR PLUS ACTIVATION, 5 YEAR PRO-LIMITED HARDWARE WARRANTY WITH ON-SIGHT SERVICE. RECOMMENDED USE CASE UP TO 600Mbps OF TOTAL NETWORK BANDWIDTH ON 1Gbps DEDICATED NETWORK Or 1200Mbps OF TOTAL NETWORK BANDWIDTH on a DEDICATED 10Gbps NETWORK	\$ 29,446.15
NVR-RL-1-12TB-V5	I-PRO SRL1, 1x XEON 6C/12T CPU, 32GB RAM, WINDOWS 11 PRO OS INSTALLED ON 1x M.2 SSD - STORAGE: 1 x 12TB ENTERPRISE HDD (NO RAID), DUAL 1GB RJ-45. UNIT INCLUDES KEYBOARD, MOUSE, RACK RAILS, XCC STD. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED + 1-YEAR VI HEALTH-MONITOR + ACTIVATION. 3-YEAR LIMITED HARDWARE WARRANTY WITH ON-SIGHT SERVICE AFTER A TROUBLESHOOTING SESSION WITH I-PRO SUPPORT. NO OPTICAL DRIVE, NO MONITOR, NO RAIL ALTERNATIVES RECOMMENDED USE CASE UP TO 250MBS OF TOTAL NETWORK BANDWIDTH on 1Gbps DEDICATED NETWORK.	\$ 5,264.62
NVR-RL-1-16TB-V5	I-PRO SRL1, 1x XEON 6C/12T CPU, 32GB RAM, WINDOWS 11 PRO OS INSTALLED ON 1x M.2 SSD - STORAGE: 1 x 16TB ENTERPRISE HDD (NO RAID), DUAL 1GB RJ-45. UNIT INCLUDES KEYBOARD, MOUSE, RACK RAILS, XCC STD. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED + 1-YEAR VI HEALTH-MONITOR + ACTIVATION. 3-YEAR LIMITED HARDWARE WARRANTY WITH ON-SIGHT SERVICE AFTER A TROUBLESHOOTING SESSION WITH I-PRO SUPPORT. NO OPTICAL DRIVE, NO MONITOR, NO RAIL ALTERNATIVES RECOMMENDED USE CASE UP TO 250MBS OF TOTAL NETWORK BANDWIDTH on 1Gbps DEDICATED NETWORK.	\$ 5,443.08
NVR-RL-1-20TB-V5	I-PRO SRL1, 1x XEON 6C/12T CPU, 32GB RAM, WINDOWS 11 PRO OS INSTALLED ON 1x M.2 SSD - STORAGE: 1 x 20TB ENTERPRISE HDD (NO RAID), DUAL 1GB RJ-45. UNIT INCLUDES KEYBOARD, MOUSE, RACK RAILS, XCC STD. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED + 1-YEAR VI HEALTH-MONITOR + ACTIVATION. 3-YEAR LIMITED HARDWARE WARRANTY WITH ON-SIGHT SERVICE AFTER A TROUBLESHOOTING SESSION WITH I-PRO SUPPORT. NO OPTICAL DRIVE, NO MONITOR, NO RAIL ALTERNATIVES RECOMMENDED USE CASE UP TO 250MBS OF TOTAL NETWORK BANDWIDTH on 1Gbps DEDICATED NETWORK.	\$ 5,933.85
NVR-RL-1-36TB-V5	I-PRO SRL1XL, 1x XEON 6C/12T CPU, 32GB RAM, WINDOWS 11 PRO OS INSTALLED ON 1x M.2 SSD - STORAGE: 3 x 12TB ENTERPRISE HDD (36TB TOTAL, 24TB USABLE AFTER RAIDS), DUAL 1GB RJ-45. UNIT INCLUDES KEYBOARD, MOUSE, RACK RAILS, XCC STD. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED + 1-YEAR VI HEALTH-MONITOR + ACTIVATION. 3-YEAR LIMITED HARDWARE WARRANTY WITH ON-SIGHT SERVICE AFTER A TROUBLESHOOTING SESSION WITH I-PRO SUPPORT. NO OPTICAL DRIVE, NO MONITOR, NO RAIL ALTERNATIVES RECOMMENDED USE CASE UP TO 300MBS OF TOTAL NETWORK BANDWIDTH on 1Gbps DEDICATED NETWORK.	\$ 7,406.15
NVR-RL-1-48TB-V5	I-PRO SRL1XL, 1x XEON 6C/12T CPU, 32GB RAM, WINDOWS 11 PRO OS INSTALLED ON 1x M.2 SSD - STORAGE: 3 x 16TB ENTERPRISE HDD (48TB TOTAL, 32TB USABLE AFTER RAIDS), 2 x 1GB RJ-45. UNIT INCLUDES KEYBOARD, MOUSE, RACK RAILS, XCC STD. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED + 1-YEAR VI HEALTH-MONITOR + ACTIVATION. 3-YEAR LIMITED HARDWARE WARRANTY WITH ON-SIGHT SERVICE AFTER A TROUBLESHOOTING SESSION WITH I-PRO SUPPORT. NO OPTICAL DRIVE, NO MONITOR, NO RAIL ALTERNATIVES RECOMMENDED USE CASE UP TO 300MBS OF TOTAL NETWORK BANDWIDTH on 1Gbps DEDICATED NETWORK.	\$ 7,941.54
NVR-RL-1-64TB-V5	I-PRO SRL1XL, 1x XEON 6C/12T CPU, 32GB RAM, WINDOWS 11 PRO OS INSTALLED ON 1x M.2 SSD - STORAGE: 4 x 16TB ENTERPRISE HDD (64TB TOTAL, 48TB USABLE AFTER RAIDS), 2 x 1GB RJ-45. UNIT INCLUDES KEYBOARD, MOUSE, RACK RAILS, XCC STD. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED + 1-YEAR VI HEALTH-MONITOR + ACTIVATION. 3-YEAR LIMITED HARDWARE WARRANTY WITH ON-SIGHT SERVICE AFTER A TROUBLESHOOTING SESSION WITH I-PRO SUPPORT. NO OPTICAL DRIVE, NO MONITOR, NO RAIL ALTERNATIVES RECOMMENDED USE CASE UP TO 300MBS OF TOTAL NETWORK BANDWIDTH on 1Gbps DEDICATED NETWORK.	\$ 9,810.92
NVR-RL-1-80TB-V5	I-PRO SRL1XL, 1x XEON 6C/12T CPU, 32GB RAM, WINDOWS 11 PRO OS INSTALLED ON 1x M.2 SSD - STORAGE: 4 x 20TB ENTERPRISE HDD (80TB TOTAL, 60TB USABLE AFTER RAIDS), 2 x 1GB RJ-45. UNIT INCLUDES KEYBOARD, MOUSE, RACK RAILS, XCC STD. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED + 1-YEAR VI HEALTH-MONITOR + ACTIVATION. 3-YEAR LIMITED HARDWARE WARRANTY WITH ON-SIGHT SERVICE AFTER A TROUBLESHOOTING SESSION WITH I-PRO SUPPORT. NO OPTICAL DRIVE, NO MONITOR, NO RAIL ALTERNATIVES RECOMMENDED USE CASE UP TO 300MBS OF TOTAL NETWORK BANDWIDTH on 1Gbps DEDICATED NETWORK.	\$ 10,886.15
NVR-RL-1-8TB-V5	I-PRO SRL1, 1x XEON 6C/12T CPU, 32GB RAM, WINDOWS 11 PRO OS INSTALLED ON 1x M.2 SSD - STORAGE: 1 x 8TB ENTERPRISE HDD (NO RAID), DUAL 1GB RJ-45. UNIT INCLUDES KEYBOARD, MOUSE, RACK RAILS, XCC STD. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED + 1-YEAR VI HEALTH-MONITOR + ACTIVATION. 3-YEAR LIMITED HARDWARE WARRANTY WITH ON-SIGHT SERVICE AFTER A TROUBLESHOOTING SESSION WITH I-PRO SUPPORT. NO OPTICAL DRIVE, NO MONITOR, NO RAIL ALTERNATIVES RECOMMENDED USE CASE UP TO 250MBS OF TOTAL NETWORK BANDWIDTH on 1Gbps DEDICATED NETWORK.	\$ 4,818.46
NVR-RL-2-128TB-V5	I-PRO SRL2E, 2x XEON SILVER 8C/16T CPU, 64GB RAM, Windows Server 2022 STD OS INSTALLED ON 2x M.2 SSD (RAID1) - STORAGE: 8 x 16TB ENTERPRISE HDD (128TB TOTAL, 112TB USABLE AFTER RAID 5), 2 x 1GB RJ-45 & 2 x 10GB NIC- SFP+. UNIT INCLUDES KEYBOARD, MOUSE, RACK RAILS, XCC ENTERPRISE. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED + 1-YEAR VI HEALTH-MONITOR + ACTIVATION. 3-YEAR LIMITED HARDWARE WARRANTY WITH ON-SIGHT SERVICE AFTER A TROUBLESHOOTING SESSION WITH I-PRO SUPPORT. NO OPTICAL DRIVE, NO MONITOR, NO RAIL ALTERNATIVES RECOMMENDED USE CASE UP TO 600Mbps OF TOTAL NETWORK BANDWIDTH ON 1Gbps Or 1200Mbps OF TOTAL NETWORK BANDWIDTH	\$ 22,263.08
NVR-RL-2-160TB-V5	I-PRO SRL2E, 2x XEON SILVER 8C/16T CPU, 64GB RAM, Windows Server 2022 STD OS INSTALLED ON 2x M.2 SSD (RAID1) - STORAGE: 8 x 20TB ENTERPRISE HDD (160TB TOTAL, 140TB USABLE AFTER RAID 5), 2 x 1GB RJ-45 & 2 x 10GB NIC- SFP+. UNIT INCLUDES KEYBOARD, MOUSE, RACK RAILS, XCC ENTERPRISE. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED + 1-YEAR VI HEALTH-MONITOR + ACTIVATION. 3-YEAR LIMITED HARDWARE WARRANTY WITH ON-SIGHT SERVICE AFTER A TROUBLESHOOTING SESSION WITH I-PRO SUPPORT. NO OPTICAL DRIVE, NO MONITOR, NO RAIL ALTERNATIVES RECOMMENDED USE CASE UP TO 600Mbps OF TOTAL NETWORK BANDWIDTH ON 1Gbps Or 1200Mbps OF TOTAL NETWORK BANDWIDTH	\$ 24,498.31
NVR-RL-2-176TB-V5	I-PRO SRL3E, 2x XEON SILVER 8C/16T CPU, 64GB RAM, Windows Server 2022 STD OS INSTALLED ON 2x M.2 SSD (RAID1) - STORAGE: 11 x 16TB ENTERPRISE HDD (176TB TOTAL, 160TB USABLE AFTER RAID 5), 2 x 1GB RJ-45 & 2 x 10GB NIC- SFP+. UNIT INCLUDES KEYBOARD, MOUSE, RACK RAILS, XCC ENTERPRISE. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED + 1-YEAR VI HEALTH-MONITOR + ACTIVATION. 3-YEAR LIMITED HARDWARE WARRANTY WITH ON-SIGHT SERVICE AFTER A TROUBLESHOOTING SESSION WITH I-PRO SUPPORT. NO OPTICAL DRIVE, NO MONITOR, NO RAIL ALTERNATIVES RECOMMENDED USE CASE UP TO 600Mbps OF TOTAL NETWORK BANDWIDTH ON 1Gbps Or 1200Mbps OF TOTAL NETWORK BANDWIDTH	\$ 28,955.38

NVR-RL-2-192TB-V5	I-PRO SRL3E, 2x XEON SILVER 8C/16T CPU, 64GB RAM, Windows Server 2022 STD OS INSTALLED ON 2x M.2 SSD (RAID1) - STORAGE: 12 x 16TB ENTERPRISE HDD (192TB TOTAL, 176TB USABLE AFTER RAID 5), 2 x 1GB RJ-45 & 2 x 10GB NIC- SFP+. UNIT INCLUDES KEYBOARD, MOUSE, RACK RAILS, XCC ENTERPRISE. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED + 1-YEAR VI HEALTH-MONITOR + ACTIVATION. 3-YEAR LIMITED HARDWARE WARRANTY WITH ON-SIGHT SERVICE AFTER A TROUBLESHOOTING SESSION WITH I-PRO SUPPORT. NO OPTICAL DRIVE, NO MONITOR, NO RAIL ALTERNATIVES RECOMMENDED USE CASE UP TO 600Mbps OF TOTAL NETWORK BANDWIDTH ON 1Gbps Or 1200Mbps OF TOTAL NETWORK BANDWIDTH	\$ 30,628.46
NVR-RL-2-220TB-V5	I-PRO SRL3E, 2x XEON SILVER 8C/16T CPU, 64GB RAM, Windows Server 2022 STD OS INSTALLED ON 2x M.2 SSD (RAID1) - STORAGE: 11 x 20TB ENTERPRISE HDD (220TB TOTAL, 200TB USABLE AFTER RAID 5), 2 x 1GB RJ-45 & 2 x 10GB NIC- SFP+. UNIT INCLUDES KEYBOARD, MOUSE, RACK RAILS, XCC ENTERPRISE. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED + 1-YEAR VI HEALTH-MONITOR + ACTIVATION. 3-YEAR LIMITED HARDWARE WARRANTY WITH ON-SIGHT SERVICE AFTER A TROUBLESHOOTING SESSION WITH I-PRO SUPPORT. NO OPTICAL DRIVE, NO MONITOR, NO RAIL ALTERNATIVES RECOMMENDED USE CASE UP TO 600Mbps OF TOTAL NETWORK BANDWIDTH ON 1Gbps Or 1200Mbps OF TOTAL NETWORK BANDWIDTH	\$ 33,546.31
NVR-RL-2-240TB-V5	I-PRO SRL3E, 2x XEON SILVER 8C/16T CPU, 64GB RAM, Windows Server 2022 STD OS INSTALLED ON 2x M.2 SSD (RAID1) - STORAGE: 12 x 20TB ENTERPRISE HDD (240 TB TOTAL, 220TB USABLE AFTER RAID 5), 2 x 1GB RJ-45 & 2 x 10GB NIC- SFP+. UNIT INCLUDES KEYBOARD, MOUSE, RACK RAILS, XCC ENTERPRISE. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED + 1-YEAR VI HEALTH-MONITOR + ACTIVATION. 3-YEAR LIMITED HARDWARE WARRANTY WITH ON-SIGHT SERVICE AFTER A TROUBLESHOOTING SESSION WITH I-PRO SUPPORT. NO OPTICAL DRIVE, NO MONITOR, NO RAIL ALTERNATIVES RECOMMENDED USE CASE UP TO 600Mbps OF TOTAL NETWORK BANDWIDTH ON 1Gbps Or 1200Mbps OF TOTAL NETWORK BANDWIDTH	\$ 34,706.31
NVR-RL-2-320TB-V5	I-PRO SRL3EXDL, 2x XEON SILVER 12C/24T CPU, 128GB RAM, Windows Server 2022 STD OS INSTALLED ON 2x M.2 SSD (RAID1) - STORAGE: 20 x 16TB ENTERPRISE HDD (320TB TOTAL, 288TB USABLE AFTER RAID 6), 2 x 1GB RJ-45 & 2 x 10GB NIC- SFP+. UNIT INCLUDES KEYBOARD, MOUSE, RACK RAILS, XCC ENTERPRISE. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED + 1-YEAR VI HEALTH-MONITOR + ACTIVATION. 5-YEAR LIMITED HARDWARE WARRANTY WITH ON-SIGHT SERVICE AFTER A TROUBLESHOOTING SESSION WITH I-PRO SUPPORT. NO OPTICAL DRIVE, NO MONITOR, NO RAIL ALTERNATIVES RECOMMENDED USE CASE UP TO 600Mbps OF TOTAL NETWORK BANDWIDTH ON 1Gbps Dedicated Network Or 1500Mbps OF TOTAL NETWORK BANDWIDTH on a Dedicated 10Gbps Network.	\$ 43,718.62
NVR-RL-2-400TB-V5	I-PRO SRL3EXDL, 2x XEON SILVER 12C/24T CPU, 128GB RAM, Windows Server 2022 STD OS INSTALLED ON 2x M.2 SSD (RAID1) - STORAGE: 20 x 20TB ENTERPRISE HDD (400TB TOTAL, 360TB USABLE AFTER RAID 6), 2 x 1GB RJ-45 & 2 x 10GB NIC- SFP+. UNIT INCLUDES KEYBOARD, MOUSE, RACK RAILS, XCC ENTERPRISE. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED + 1-YEAR VI HEALTH-MONITOR + ACTIVATION. 5-YEAR LIMITED HARDWARE WARRANTY WITH ON-SIGHT SERVICE AFTER A TROUBLESHOOTING SESSION WITH I-PRO SUPPORT. NO OPTICAL DRIVE, NO MONITOR, NO RAIL ALTERNATIVES RECOMMENDED USE CASE UP TO 600Mbps OF TOTAL NETWORK BANDWIDTH ON 1Gbps Dedicated Network Or 1200Mbps OF TOTAL NETWORK BANDWIDTH on a Dedicated 10Gbps Network.	\$ 52,641.69
NVR-RL-2-48TB-V5	I-PRO SRL2E, 2x XEON SILVER 8C/16T CPU, 64GB RAM, Windows Server 2022 STD OS INSTALLED ON 2x M.2 SSD (RAID1) - STORAGE: 6 x 8TB ENTERPRISE HDD (48TB TOTAL, 40TB USABLE AFTER RAID 5), 2 x 1GB RJ-45 & 2 x 10GB NIC- SFP+. UNIT INCLUDES KEYBOARD, MOUSE, RACK RAILS, XCC ENTERPRISE. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED + 1-YEAR VI HEALTH-MONITOR + ACTIVATION. 3-YEAR LIMITED HARDWARE WARRANTY WITH ON-SIGHT SERVICE AFTER A TROUBLESHOOTING SESSION WITH I-PRO SUPPORT. NO OPTICAL DRIVE, NO MONITOR, NO RAIL ALTERNATIVES RECOMMENDED USE CASE UP TO 600Mbps OF TOTAL NETWORK BANDWIDTH ON 1Gbps Or 1200Mbps OF TOTAL NETWORK BANDWIDTH	\$ 14,678.46
NVR-RL-2-60TB-V5	I-PRO SRL2E, 2x XEON SILVER 8C/16T CPU, 64GB RAM, Windows Server 2022 STD OS INSTALLED ON 2x M.2 SSD (RAID1) - STORAGE: 5 x 12TB ENTERPRISE HDD (60TB TOTAL, 48TB USABLE AFTER RAID 5), 2 x 1GB RJ-45 & 2 x 10GB NIC- SFP+. UNIT INCLUDES KEYBOARD, MOUSE, RACK RAILS, XCC ENTERPRISE. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED + 1-YEAR VI HEALTH-MONITOR + ACTIVATION. 3-YEAR LIMITED HARDWARE WARRANTY WITH ON-SIGHT SERVICE AFTER A TROUBLESHOOTING SESSION WITH I-PRO SUPPORT. NO OPTICAL DRIVE, NO MONITOR, NO RAIL ALTERNATIVES RECOMMENDED USE CASE UP TO 600Mbps OF TOTAL NETWORK BANDWIDTH ON 1Gbps Or 1200Mbps OF TOTAL NETWORK BANDWIDTH	\$ 15,615.38
NVR-RL-2-72TB-V5	I-PRO SRL2E, 2x XEON SILVER 8C/16T CPU, 64GB RAM, Windows Server 2022 STD OS INSTALLED ON 2x M.2 SSD (RAID1) - STORAGE: 6 x 12TB ENTERPRISE HDD (72TB TOTAL, 60TB USABLE AFTER RAID 5), 2 x 1GB RJ-45 & 2 x 10GB NIC- SFP+. UNIT INCLUDES KEYBOARD, MOUSE, RACK RAILS, XCC ENTERPRISE. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED + 1-YEAR VI HEALTH-MONITOR + ACTIVATION. 3-YEAR LIMITED HARDWARE WARRANTY WITH ON-SIGHT SERVICE AFTER A TROUBLESHOOTING SESSION WITH I-PRO SUPPORT. NO OPTICAL DRIVE, NO MONITOR, NO RAIL ALTERNATIVES RECOMMENDED USE CASE UP TO 600Mbps OF TOTAL NETWORK BANDWIDTH ON 1Gbps Or 1200Mbps OF TOTAL NETWORK BANDWIDTH	\$ 16,909.23
NVR-RL-2-84TB-V5	I-PRO SRL2E, 2x XEON SILVER 8C/16T CPU, 64GB RAM, Windows Server 2022 STD OS INSTALLED ON 2x M.2 SSD (RAID1) - STORAGE: 7 x 12TB ENTERPRISE HDD (84TB TOTAL, 72TB USABLE AFTER RAID 5), 2 x 1GB RJ-45 & 2 x 10GB NIC- SFP+. UNIT INCLUDES KEYBOARD, MOUSE, RACK RAILS, XCC ENTERPRISE. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED + 1-YEAR VI HEALTH-MONITOR + ACTIVATION. 3-YEAR LIMITED HARDWARE WARRANTY WITH ON-SIGHT SERVICE AFTER A TROUBLESHOOTING SESSION WITH I-PRO SUPPORT. NO OPTICAL DRIVE, NO MONITOR, NO RAIL ALTERNATIVES RECOMMENDED USE CASE UP TO 600Mbps OF TOTAL NETWORK BANDWIDTH ON 1Gbps Or 1200Mbps OF TOTAL NETWORK BANDWIDTH	\$ 17,355.38
NVR-RL-2-96TB-V5	I-PRO SRL2E, 2x XEON SILVER 8C/16T CPU, 64GB RAM, Windows Server 2022 STD OS INSTALLED ON 2x M.2 SSD (RAID1) - STORAGE: 8 x 12TB ENTERPRISE HDD (96TB TOTAL, 84TB USABLE AFTER RAID 5), 2 x 1GB RJ-45 & 2 x 10GB NIC- SFP+. UNIT INCLUDES KEYBOARD, MOUSE, RACK RAILS, XCC ENTERPRISE. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED + 1-YEAR VI HEALTH-MONITOR + ACTIVATION. 3-YEAR LIMITED HARDWARE WARRANTY WITH ON-SIGHT SERVICE AFTER A TROUBLESHOOTING SESSION WITH I-PRO SUPPORT. NO OPTICAL DRIVE, NO MONITOR, NO RAIL ALTERNATIVES RECOMMENDED USE CASE UP TO 600Mbps OF TOTAL NETWORK BANDWIDTH ON 1Gbps Or 1200Mbps OF TOTAL NETWORK BANDWIDTH	\$ 19,184.62
NVR-SFL-1-16TB-V5	I-PRO SFL-1, 1x XEON 6C/12T CPU, 16GB RAM, WINDOWS 11 PRO OS INSTALLED ON M.2 SSD - STORAGE: 1 x 16TB HDD, 1 x 1Gbps RJ-45. UNIT INCLUDES KEYBOARD, MOUSE, XCC STD. NO DEDICATED GPU. NO RAILS, NO OPTICAL DRIVE, NO MONITOR, 3 YEAR HARDWARE WARRANTY +I-PRO SUPPORT. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED IN HOUSE, INCLUDES 1 YEAR OF VI HM+.	\$ 2,940.15
NVR-SFL-1-20TB-V5	I-PRO SFL-1, 1x XEON 6C/12T CPU, 16GB RAM, WINDOWS 11 PRO OS INSTALLED ON M.2 SSD - STORAGE: 1 x 20TB HDD, 1 x 1Gbps RJ-45. UNIT INCLUDES KEYBOARD, MOUSE, XCC STD. NO DEDICATED GPU. NO RAILS, NO OPTICAL DRIVE, NO MONITOR, 3 YEAR HARDWARE WARRANTY +I-PRO SUPPORT. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED IN HOUSE, INCLUDES 1 YEAR OF VI HM+.	\$ 3,256.92

NVR-SFL-1-4TB-V5	I-PRO SFL-1, 1x XEON 6C/12T CPU, 16GB RAM, WINDOWS 11 PRO OS INSTALLED ON M.2 SSD - STORAGE: 1 x 4TB HDD, 1 x 1Gbps RJ-45. UNIT INCLUDES KEYBOARD, MOUSE, XCC STD. NO DEDICATED GPU. NO RAILS, NO OPTICAL DRIVE, NO MONITOR, 3 YEAR HARDWARE WARRANTY +I-PRO SUPPORT. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED IN HOUSE, INCLUDES 1 YEAR OF VI HM+.	\$ 2,315.54
NVR-SFL-1-8TB-V5	I-PRO SFL-1, 1x XEON 6C/12T CPU, 16GB RAM, WINDOWS 11 PRO OS INSTALLED ON M.2 SSD - STORAGE: 1 x 8TB HDD, 1 x 1Gbps RJ-45. UNIT INCLUDES KEYBOARD, MOUSE, XCC STD. NO DEDICATED GPU. NO RAILS, NO OPTICAL DRIVE, NO MONITOR, 3 YEAR HARDWARE WARRANTY +I-PRO SUPPORT. VI ENTERPRISE SERVER ACTIVATION PRE-CONFIGURED IN HOUSE, INCLUDES 1 YEAR OF VI HM+.	\$ 2,494.00
ONSITETRAINING-D	Onsite Training Services - 1 Day (\$2000/day)	\$ 3,076.92
PACA4W	CORNER MOUNT ADAPTOR WHITE	\$ 92.45
PAPM4GR	Pole Mount Adaptor f/PWM20, PWM40, WV-Q122A-Pantone Gray	\$ 98.15
PAPM4W	POLE MOUNT ADAPTOR WHITE	\$ 68.71
PCM485S	Corner Mount, Wall Mount, and Shroud kit f/Outdoor Vandal Cameras	\$ 250.74
PLAMP0850A	1/2.7 8-50mm 3MP lens	\$ 384.12
PLAMP2808A	1/2.7 2.8-8mm 3MP lens	\$ 246.94
PLZ5/10A	5.0 - 50.0MM 10.0X VARI-FOCAL LENGTH, AUTO IRIS LENS, DAY/NIGHT, COMPATIBLE WITH ANALOG BOX CAMERA CP63X AND CP31X SERIES	\$ 177.29
PPRM35AW	PARAPET MOUNT. 1-1/2" NPT ANSI MALE THREAD. COMPATIBLE WITH WV-QSR5XXF1 and WV-QAT501. WHITE	\$ 419.65
PRCMB	RECESSED CEILING MOUNT FOR MULTI-SENSOR CAMERA, WV-X85XX, WV-S85XX	\$ 229.37
PS781	Shroud for WV-SFV781L, Beige	\$ 73.17
PS781W	SHROUD BRACKET, WHITE COLOR COMPATIBLE PRODUCTS: WV-X8571/X8570/S8531/S8530/SFV781L, PWM40X, PWM20X, PWM25X	\$ 73.17
PUM9	PENDANT / WALL MOUNT FOR INDOOR BOX CAMERAS. COMPATIBLE PRODUCTS : WV-S11XX, WV-U11XX. SUCCESSOR MODEL OF PUM8	\$ 18.25
PWD40PURZ	4TB HARD DRIVE	\$ 368.08
PWM20GB	Goose neck wall mount bracket, beige	\$ 145.97
PWM25AGS	WALL MOUNT. 1-1/2" NPT ANSI MALE THREAD. COMPATIBLE WITH WV-QAT501-S. SILVER	\$ 66.20
PWM40AW	WALL MOUNT FOR LIGHT WEIGHT OUTDOOR DOME CAMERA. 1-1/2" NPT ANSI MALE THREAD. COMPATIBLE WITH PS485AW, WV-QSR501F1, QSR503F1, and QSR507F1. WHITE	\$ 45.60
PWM485S	Wall Mount and Shroud for Outdoor Vandal Dome Cameras- Silver	\$ 105.29
PWM71W	Wall mount for I-PRO mini WV-S71300, White	\$ 96.12
PWM850	WALL MOUNT AND SHROUD PACKAGE FOR X8570/S8530/SFV781	\$ 156.15
PWM850W	WALL MOUNT AND SHROUD PACKAGE (PS781W+PWM40W), WHITE COLOR COMPATIBLE PRODUCTS: WV-X8571/X8570/S8531/S8530/SFV781L, PAPM4X, PACA4X	\$ 156.15
SR-OTSF-IP	One-Time Software gateway activation license, needed Per VI server.: This License will activate software needed to connect the VI server to the Cloud Storage Pool. This software is not meant for use with Virtual machines. To process this SKU, I-PRO requires the following information: Name of the Distributor if applicable, Name System Integrator, Zip code & Name of End-User, along with the 5-digit VI Server Activation Serial associated with the VI Server . Please allow 24 to 48hours for order fulfillment. Must be used with the SR-01TB-IP-1Y Cloud Storage SKU.	\$ 472.92
ST-DEPIC5IN200	Security Camera Installation Service - Install plenum Cat5e drop for camera 121 to 200 feet Drop Ceiling or open ceiling only no more than 12 feet high.	\$ 356.86
ST-SECCLABOR	Partner Specific - C&J Security Services, Inc. - Labor rate to be applied to all types of diagnostic, repair, installation and maintenance services, to include the identification, installation and testing of cabling, the installation and configuration of surveillance cameras, NVRs and VMS setup, termination of cabling, and adjusting Field of View (FOV) of cameras. This rate will also be applied to normal business hour response to service calls.	\$ 150.77
SUP-UL	VMS UNLIMITED SUP - SOFTWARE UPGRADE PROGRAM FOR ALL UPDATES AND MAJOR SOFTWARE RELEASES	\$ 53.49
T3MK77F16SMC	TROVE3M3, 2X EFLOW104NB, 2X ACM8, VR6, PD58, CAM-LOCK, MOUNTING HARDWARE, PANASONIC IPRO LOGO	\$ 3,192.62
TA-201-WM	WALL MOUNT FOR TOA IP HORN SPEAKER IP-A15C15	\$ 54.38
TA-60B-PB	POLE BAND FOR TOA IP HORN SPEAKER IP-A15C15	\$ 44.31
TA-SP-A15C15-VI	TOA IP HORN SPEAKER with VI camera license	\$ 737.22
TRN-CRT-IPRO-1Y	Certification Training for I-PRO Cameras, Embedded Recorder and ASM, VMS, and Access Control. 1 Year Access to Learning Portal, Certification valid for 2 years	\$ 887.85
TRN-ILT-CRT	In-Person Certification Training (4 days) for I-PRO Cameras, Embedded Recorder and ASM, VMS, and Access Control. 1 Year Access to Learning Portal, Certification valid for 2 years	\$ 981.54
TRTN-CAGE	Protective Cage	\$ 115.38
TRTN-CL1	Gain 1 year of secure access to Triton Cloud, the online platform and dashboard for managing and monitoring data from Triton Ultra sensors.	\$ 115.38
TRTN-CL10	Unlock 10 years of secure access to Triton Cloud, the online platform and dashboard for managing and monitoring data from Triton Ultra sensors.	\$ 846.15
TRTN-CL3	Secure 3 years of access to Triton Cloud, the online platform and dashboard for managing and monitoring data from Triton Ultra sensors.	\$ 292.31
TRTN-CL5	Ensure 5 years of secure access to Triton Cloud, the online platform and dashboard for managing and monitoring data from Triton Ultra sensors.	\$ 461.54
TRTN-POLE	Mounting Pole	\$ 115.38
TRTN-UA-IPS	Triton ULTRA Sensor Bundle (Includes 1 TRITON ULTRA Sensor and 1 IPSVCUL)	\$ 1,641.54
VAXALPR-IAG	VAXTOR EDGE LPR + MMC ACTIVATION LICENSE FOR COMPATIBLE I-PRO AI-ENABLED IP CAMERA. (WITHOUT VIDEO INSIGHT LPR PLUG-IN.)	\$ 716.15
VAX-IPRO-LPR-EDG	EDGE LPR ACTIVATION + MMC FOR COMPATIBLE I-PRO AI-ENABLED IP CAMERA FOR USE WITH VIDEO INSIGHT LPR PLUG-IN SKU INCLUDES 1X ACTIVATION LICENSE FOR VIDEO INSIGHT LPR PLUG-IN (LPR-US-CA-AD) 1X VAX LPR ACTIVATION LICENSE FOR EDGE ACTIVATION. (DO NOT EXCEED 20 LPR CAMERAS PER VI SERVER INSTALL ON SHARED SERVER ENVIRONMENT.) (PLEASE DO NOT USE OR INSTALL OTHER ANALYTICS PACKAGES ON EDGE CAMERA DESIGNATED FOR LPR) (CONSULT WITH VI SE TEAM MEMBER BEFORE DEPLOYMENT.)	\$ 994.92

VITRAN-BAS-INSTL	For School Bus, Car, Or single cabin truck Install Only, Mass Transit excluded: Install for 1x Rugged LTE router + 2 x Interior IP cameras + VI Transit NVR. Note the following: 1) When quoting Transit installs services make sure you add \$X.XX x Per Mile Round trip from the nearest deployment area to your project. Deployment Areas include (ATL, SAC, Dallas) 2) Make sure you consult and I-PRO SE team member before finalizing quote. 3) Quote only if the total installation fee before travel expenses is \$1500.00 or greater.	\$ 1,538.34
VITRAN-EXTCAM-INST	For School Bus, Car, Or single cabin truck Install Only, Mass Transit excluded: Install for 1x Exterior IP camera Note the following: 1) When quoting Transit installs services make sure you add \$X.XX x Per Mile Round trip from the nearest deployment area to your project. Deployment Areas include (ATL, SAC, Dallas) 2) Make sure you consult and I-PRO SE team member before finalizing quote. 3) Quote only if the total installation fee before travel expenses is \$1500.00 or greater.	\$ 575.54
VITRAN-INTCAM-INST	For School Bus, Car, Or single cabin truck Install Only, Mass Transit excluded: Install for 1x Interior IP camera Note the following: 1) When quoting Transit installs services make sure you add \$X.XX x Per Mile Round trip from the nearest deployment area to your project. Deployment Areas include (ATL, SAC, Dallas) 2) Make sure you consult and I-PRO SE team member before finalizing quote. 3) Quote only if the total installation fee before travel expenses is \$1500.00 or greater.	\$ 383.69
VITRAN-OSSPRT-INST	per mile travel fee 1x Exterior IP network Interior camera. Select closest Deployment Area: Deployment Points are ATL, SAC, or Dallas. Note the following: 1) When quoting Transit installs services make sure you add \$X.XX x Per Mile Round trip from the nearest deployment area to your project. Deployment Areas include (ATL, SAC, Dallas) 2) Make sure you consult and I-PRO SE team member before finalizing quote. 3) Quote only if the total installation fee before travel expenses is \$1500.00 or greater.	\$ 1.54
WARRANTY-R-1EXT	1 Year Expired Warranty Extension (Service Tag Req'd, Do Not Sell Standalone)	\$ 3,850.31
WARRANTY-R-2EXT	2 Year Expired Warranty Extension (Service Tag Req'd, Do Not Sell Standalone)	\$ 8,142.31
WARRANTY-R-2UP	7 Year Warranty Upgrade Extended Warranty (Service Tag Req'd, Do Not Sell Standalone)	\$ 3,256.92
WARRANTY-SFL1		\$ 259.35
WARRANTY-SRL1-XL	Premier Foundation - 5Yr NBD Resp SR250	\$ 1,296.58
WARRANTY-SRL2-3	Premier Foundation - 5Yr NBD Resp SR650	\$ 1,951.43
WARRANTY-STL2-CR	STL2 - 51 Months Premier Support Upgrade from 3Y Onsite	\$ 285.54
WJ-HXE400/36000T4	H.265 Network Video Recorder, 36TB (4TBx9)	\$ 7,666.80
WJ-HXE400/4000T4	H.265 Network Video Recorder, 4TB (4TBx1)	\$ 4,463.55
WJ-HXE400/54000T6	H.265 Network Video Recorder, 54TB (6TBx9)	\$ 9,813.12
WJ-HXE400/6000T6	H.265 Network Video Recorder, 6TB (6TBx1)	\$ 4,702.25
WJ-HXE400P	9-Drive Expansion unit w/ no HDD	\$ 4,103.08
WJ-HXE410	9-DRIVE EXTENTION UNIT W/ NO HDD	\$ 2,940.00
WJ-HXE410/162T18	9-DRIVE EXTENTION UNIT, 162TB	\$ 14,271.97
WJ-HXE410/18000T18	9-DRIVE EXTENTION UNIT, 18TB (18TBx1)	\$ 4,177.74
WJ-HXE410/72000T8	9-DRIVE EXTENTION UNIT, 72TB (8TBx9)	\$ 9,616.63
WJ-HXE410/8000T8	9-DRIVE EXTENTION UNIT, 8TB (8TBx1)	\$ 3,660.48
WJ-NU101/18000T18	4CH/4POE+ NVR H.265/H.264, 18TB (18TBx1)	\$ 2,405.03
WJ-NU101/8000T8	4CH/4POE+ NVR H.265/H.264, 8TB (8TBx1)	\$ 1,887.77
WJ-NU101K	4CH/4POE+ NVR H.265/H.264 W/ NO HDD	\$ 1,196.34
WJ-NU201/18000T18	8CH/8POE+ NVR H.265/H.264, 18TB (18TBx1)	\$ 2,504.25
WJ-NU201/8000T8	8CH/8POE+ NVR H.265/H.264, 8TB (8TBx1)	\$ 1,986.98
WJ-NU201K	8CH/8POE+ NVR H.265/H.264 W/ NO HDD	\$ 1,300.15
WJ-NU300/18000T18	16CH/8POE+ NVR H.265/H.264, 18TB (18TBx1)	\$ 2,652.97
WJ-NU300/8000T8	16CH/8POE+ NVR H.265/H.264, 8TB (8TBx1)	\$ 2,135.71
WJ-NU300K	16CH/8POE+ NVR H.265/H.264 W/ NO HDD	\$ 1,455.78
WJ-NU301/16000T8	16CH/16POE+ NVR H.265/H.264, 16TB(8TBx2)	\$ 3,130.60
WJ-NU301/18000T18	16CH/16POE+ NVR H.265/H.264, 18TB(8TBx1)	\$ 2,903.34
WJ-NU301/36000T18	16CH/16POE+ NVR H.265/H.264, 36TB(18TBx2)	\$ 3,875.11
WJ-NU301/8000T8	16CH/16POE+ NVR H.265/H.264, 8TB(8TBx1)	\$ 2,386.08
WJ-NU301K	16CH/16POE+ NVR H.265/H.264 W/ NO HDD	\$ 1,717.78
WJ-NX310/18000T18	16-32CH NVR H.265/H.264, 18TB (18TBx1)	\$ 4,276.46
WJ-NX310/32000T8	16-32CH NVR H.265/H.264, 32TB (8TBx4)	\$ 5,992.77
WJ-NX310/72000T18	16-32CH NVR H.265/H.264, 72TB (18TBx4)	\$ 8,061.80
WJ-NX310/8000T8	16-32CH NVR H.265/H.264, 8TB (8TBx1)	\$ 3,759.20
WJ-NX310K	16-32CH NVR H.265/H.264 W/ NO HDD HDD 4slot, HDD capacity 20TB	\$ 3,042.54
WJ-NX400/36000T4	H.265 Network Video Recorder, 36TB (4TBx9)	\$ 11,985.22
WJ-NX400/4000T4	H.265 Network Video Recorder, 4TB (4TBx1)	\$ 8,779.11
WJ-NX400/54000T6	H.265 Network Video Recorder, 54TB (6TBx9)	\$ 14,131.54
WJ-NX410/162T18	32-64CH NVR H.265/H.264, 162TB	\$ 15,413.98
WJ-NX410/18000T18	32-64CH NVR H.265/H.264, 18TB (18TBx1)	\$ 5,319.74
WJ-NX410/72000T8	32-64CH NVR H.265/H.264, 72TB (8TBx9)	\$ 10,758.65
WJ-NX410/8000T8	32-64CH NVR H.265/H.264, 8TB (8TBx1)	\$ 4,802.49
WJ-NX410K	32-64CH NVR H.26564/H.264 W/ NO HDD HDD 9slot, HDD capacity 20TB	\$ 4,095.20
WJ-NX510/162T18	64-128 CH NVR H.265/H.264, 162TB	\$ 19,820.74
WJ-NX510/18000T18	64-128 CH NVR H.265/H.264, 18TB (18TBx1)	\$ 9,726.51
WJ-NX510/72000T8	64-128 CH NVR H.265/H.264, 72TB (8TBx9)	\$ 15,165.40
WJ-NX510/8000T8	64-128 CH NVR H.265/H.264, 8TB (8TBx1)	\$ 9,209.25
WJ-NX510K	64-128 CH NVR H.265/H.264 W/ NO HDD HDD 9slot, HDD capacity 20TB	\$ 8,464.72

WJ-NXE20W	EXTENSION LICENSE FOR NX200, 9CH TO 16CH	\$ 491.66
WJ-NXE30W	EXTENSION LICENSE FOR NX300, 8CH LICENSE	\$ 491.66
WJ-NXE32W	EXTENSION LICENSE FOR WJ-NX310P, 8CH LICENSE	\$ 491.78
WJ-NXE33W	EXTENSION LICENSE FOR WJ-NX310KP, 16CH LICENSE	\$ 737.69
WJ-NXE40W	32 Channel Extension License for WJ-NX400	\$ 3,350.62
WJ-NXE42W	EXTENSION LICENSE FOR WJ-NX410KP, 32CH LIENCE	\$ 2,090.12
WJ-NXE52W	EXTENSION LICENSE FOR WJ-NX510KP, 32CH LIENCE	\$ 2,090.12
WJ-NXE53W	EXTENSION LICENSE FOR WJ-NX510KP, 64CH LIENCE	\$ 3,073.71
WJ-NXR30W	EXTENSION LICENSE FOR NX300, ENABLE RAID	\$ 491.66
WJ-NXS01W	Secure Communications 1 channel license	\$ 192.74
WJ-NXS04W	Secure Communications 4 channel license	\$ 410.46
WJ-NXS16W	Secure Communications 16 channel license	\$ 1,134.12
WJ-NXS32W	Secure Communications 32 channel license	\$ 1,833.69
WJ-PC200	Coaxial-LAN Converter, Camera side, 1ch	\$ 211.72
WJ-PR201	Coaxial-LAN Converter, Receiver side, 1ch	\$ 238.31
WJ-PR204	Coaxial-LAN Converter, Receiver side, 4ch	\$ 619.40
WJ-PU201	60W POE INJECTOR, IEEE802.3bt/at/af, INPUT VOLTAGE 100 to 240 V AC	\$ 230.26
WS-SFL-1-ITG-V5	i-PRO SFL-1, 1x XEON 6C/12T CPU, 16GB RAM, WINDOWS 11 PRO OS INSTALLED ON M.2 SSD - STORAGE: 1 x 1TB HDD, 1 x 1Gbps RJ-45. UNIT INCLUDES KEYBOARD, MOUSE, XCC STD. NO DEDICATED GPU, APU with (1x HDMI 2 x DP). NO RAILS, NO OPTICAL DRIVE, NO MONITOR. 3 YEAR HARDWARE WARRANTY +i-PRO SUPPORT.	\$ 1,780.15
WS-TL-1-MWS-V5	i-PRO STL-1, 1x XEON 6C/12T CPU, 32GB RAM, WINDOWS 11 PRO OS INSTALLED ON M.2 SSD - STORAGE: 1 x 1TB HDD, 1 x 1Gbps RJ-45. UNIT INCLUDES KEYBOARD, MOUSE, RTX 4060 GPU (1xHDMI 3 X DP), XCC STD. NO RAILS, NO OPTICAL DRIVE, NO MONITOR. 3 YEAR HARDWARE WARRANTY +i-PRO SUPPORT.	\$ 2,917.85
WS-TL-1-VW-V5	i-PRO STL-1, 1x XEON 6C/12T CPU, 32GB RAM, WINDOWS 11 PRO OS INSTALLED ON M.2 SSD - STORAGE: 1 x 1TB HDD, 1 x 1Gbps RJ-45. UNIT INCLUDES KEYBOARD, MOUSE, RTX4060 GPU (1xHDMI 3 X DP), XCC STD. NO RAILS, NO OPTICAL DRIVE, NO MONITOR. 3 YEAR HARDWARE WARRANTY +i-PRO SUPPORT. INCLUDE VI VIDEO WALL+ ACTIVATION. VIDEO WALL SOFTWARE MUST BE INSTALLED ON-SITE.	\$ 3,190.00
WV-ASE202W	Security Camera Software Key	\$ 715.63
WV-ASE203W	Security Camera Software Key	\$ 715.63
WV-ASE205W	Visibility Enhancement Extension: Fog, Snow, Sand, Rain, Noise Reduction	\$ 9,926.03
WV-ASM300W	i-Pro Video Management Software	\$ 1,366.12
WV-CF55A	Smoke dome for SFN/SF33X/SF53X	\$ 19.12
WV-CR15	Smoke dome for SFR series	\$ 68.06
WV-CU980	ETHERNET SYSTEM CONTROLLER FOR ASM300/VIDEO INSIGHT	\$ 3,579.34
WVCW65A	Smoke Dome for WV-SW155/WV-SW152	\$ 18.77
WV-CW7CN	CLEAR DOME WITH CLEARSIGHT COATING FOR OUTDOOR VANDAL DOME CAMERA	\$ 112.91
WV-CW7S	Smoke dome cover for CW504/SFV Series	\$ 68.06
WV-CW75N	Smoked dome with ClearSight coating for Outdoor Vandal Dome Camera	\$ 129.65
WV-PM500	COMPACT MICROPHONE UNIT FOR SURVEILLANCE CAMERA	\$ 147.55
WV-Q105A	Direct ceiling mount for CS584 dome camera	\$ 86.28
WV-Q121B	Ceiling Mount Bracket for ULTRA360 and PTZ Cameras	\$ 259.66
WV-Q122A	Wall Mount Bracket for SW599	\$ 86.06
WV-Q159C	EMBEDDED CEILING MOUNT FOR S6130, CLEAR	\$ 215.94
WV-Q159S	EMBEDDED CEILING MOUNT FOR S6130, SMOKED	\$ 215.94
WV-Q160S	INDOOR DOME COVER FOR S6130, SMOKED	\$ 126.71
WV-Q169A	Embedded ceiling mount bracket, compatible with SFV Series	\$ 281.08
WV-QAT100	INNER DOME COVER FOR S61301-Z2	\$ 67.32
WV-QAT501-W	OUTDOOR SHROUD BRACKET, ANSI MALE THREAD TYPE	\$ 74.09
WV-QAT502-G	SHROUD BRACKET (SAME SHAPE AS WV-Q124) WHITE, SALT RESISTANCE	\$ 60.75
WV-QAT502-W	SHROUD BRACKET (ANSI MALE THREAD), COMPATIBLE WITH WV-S857X/S856X/S854X, AND WV-QCL101-W, WHITE	\$ 60.75
WV-QCA500A	SHROUD BRACKET (4 HOLES), COMPATIBLE WITH WV-S857X/S856X/S854X, AND WV-QWL501-W, WV-QCL101-W, WHITE	\$ 43.38
WV-QCA500APK	OUTDOOR BASE MOUNT BRACKET FOR S65340 SERIES, ANSI MALE THREAD TYPE WITH WV-QCL101-W	\$ 347.22
WV-QCA501A	OUTDOOR BASE MOUNT BRACKET FOR S65340-Z4K AND S65340-Z2K, SALT RESISTANCE, 4-SCREW TYPE WITH WV-QWL501S-W	\$ 60.77
WV-QCA501APK	SHROUD BRACKET FOR X66XXX OR S66XXX, ANSI MALE THREAD(WHITE)	\$ 486.12
WV-QCA502	SHROUD BRACKET FOR X66XXX OR S66XXX, SALT RESISTANCE, 4-SCREW TYPE(WHITE)	\$ 99.55
WV-QCD100C-W	SHROUD BRACKET FOR DUAL-SENSOR CAMERA, ISO FEMALE THREAD(WHITE)	\$ 170.69
WV-QCD100G-W	SHROUD BRACKET FOR DUAL-SENSOR CAMERA, ANSI MALE THREAD(BLACK)	\$ 170.69
WV-QCL100-B	SHROUD BRACKET FOR DUAL-SENSOR CAMERA, ISO MALE THREAD(WHITE)	\$ 98.29
WV-QCL100-W	SHROUD BRACKET FOR DUAL-SENSOR CAMERA, 4-SCREW TYPE(WHITE)	\$ 98.29
WV-QCL101-B	SHROUD BRACKET FOR MULTI-DIRECTIONAL+PTZ, ISO FEMALE THREAD(WHITE)	\$ 131.12
WV-QCL101-W	SHROUD BRACKET FOR MULTI-DIRECTIONAL+PTZ, ANSI MALE THREAD(BLACK)	\$ 96.06
WV-QCL102-B	SHROUD BRACKET FOR MULTI-DIRECTIONAL+PTZ, ISO MALE THREAD(WHITE)	\$ 89.97
WV-QCL102-W	SHROUD BRACKET FOR MULTI-DIRECTIONAL+PTZ, 4-SCREW TYPE(WHITE)	\$ 89.97
WV-QCL500-S	1080P OUTDOOR VANDAL RESISTANT BOX CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 9-21MM 2.3X MOTORIZED ZOOM LENS, IR LED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 184.25
WV-QCL500-W	1080P INDOOR DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.9-9.0MM 3.1X MOTORIZED ZOOM LENS, IR LED, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 134.95
WV-QCL501-B	CEILING MOUNT BRACKET (SAME SHAPE AS WV-Q121B), BLACK	\$ 266.54

WV-QCL501S-W	OUTDOOR CEILING MOUNT BRACKET, SALT RESISTANCE, 4-SCREW TYPE	\$ 570.00
WV-QCL501-W	CEILING MOUNT BRACKET (SAME SHAPE AS WV-Q121B) WHITE	\$ 264.58
WV-QCN500-B	CORNER MOUNT BARCKET, BLACK	\$ 113.43
WV-QCN500S-G	CORNER MOUNT BRACKET, SALT RESISTANT, GREY	\$ 168.98
WV-QCN500S-W	CORNER MOUNT BRACKET, SALT RESISTANT, WHITE	\$ 168.98
WV-QCN500-W	CORNER MOUNT BARCKET	\$ 113.03
WV-QDC100C-W	CLEAR DOME COVER FOR S61302-Z4	\$ 145.74
WV-QDC100G-W	SMOKE DOME COVER FOR S61302-Z4	\$ 145.74
WV-QDC101C	CLEAR DOME COVER FOR U21XX/ U25XX/S613XX	\$ 26.03
WV-QDC102C	CLEAR DOME COVER FOR S613D	\$ 43.38
WV-QDC200C	CLEAR DOME COVER FOR S22XX/ X22XX	\$ 65.11
WV-QDC500C	Dome Cover for U21x0 (indoor dome) / U25x0 (outdoor vandal dome) (clear)	\$ 52.08
WV-QDC500S	SMOKE DOME COVER, COMPATIBLE WITH U SERIES FIXED DOME CAMERA U21X0L, U25X0L	\$ 52.08
WV-QDC501C	Dome Cover for S85xx (outdoor vandal multi-sensor) (clear)	\$ 117.18
WV-QDC501G	SMOKE DOME COVER, COMPATIBLE WITH WV-S857X/S856X/S854X	\$ 118.06
WV-QDC502C	Dome Cover for S6530x / B6530x (outdoor vandal PTZ) (clear)	\$ 104.17
WV-QDC502G	SMOKE DOME COVER FOR U65302-Z2 AND U65302-Z2G	\$ 104.17
WV-QDC503C	CLEAR DOME COVER FOR X65XX / S65XX/ X85XX	\$ 169.28
WV-QDC503CN	CLEAR SIGHT DOME COVER FOR X65XX / S65XX / X85XX	\$ 303.83
WV-QDC503G	SMOKE DOME COVER FOR S65340-Z4N, S65340-Z4G, S65340-Z2N AND S65340-Z2G	\$ 171.95
WV-QDC504C	CLEAR DOME COVER FOR S25XX/ X25XX	\$ 65.11
WV-QDC505C	CLEAR DOME COVER FOR S31XX / S35XX/SFV130	\$ 21.69
WV-QDC506C	CLEAR DOME COVER FOR SBV131M	\$ 86.82
WV-QDC507C	CLEAR DOME COVER FOR S45XX	\$ 86.82
WV-QDC508C	CLEAR DOME COVER FOR S66XXX / X66XXX	\$ 238.72
WV-QDC508CN	CLEAR SIGHT DOME COVER FOR S66XX / X66XX	\$ 216.72
WV-QDC508G	SMOKE DOME COVER FOR S66XXX / X66XXX	\$ 248.34
WV-QDC509CN	CLEAR SIGHT DOME COVER FOR X25580	\$ 135.45
WV-QED100C-W	EMBEDDED CEILING MOUNT FOR WV-S61301-Z2, U61301-Z2 AND U61301-Z1, CLEAR	\$ 241.85
WV-QED100G-W	EMBEDDED CEILING MOUNT FOR WV-S61301-Z2, U61301-Z2 AND U61301-Z1, SMOKED	\$ 241.85
WV-QEM100-B	EMBEDDED CEILING MOUNT BRACKET (SAME SHAPE AS WV-Q174B) BLACK, MADE-TO-ORDER MODEL	\$ 91.08
WV-QEM100-W	EMBEDDED CEILING MOUNT BRACKET (SAME SHAPE AS WV-Q174B) WHITE	\$ 66.71
WV-QEM101-W	INDOOR EMBEDDED CEILING MOUNT BRACKET FOR THE WV-S61302-Z4	\$ 138.82
WV-QEM500-W	EMBEDDED CEILING MOUNT BRACKET (SAME SHAPE AS WV-Q169A) WHITE	\$ 226.28
WV-QEM501-W	INDOOR EMBEDDED CEILING MOUNT BRACKET FOR WV-U61300-ZY, WV-U61300-ZYG	\$ 66.71
WV-QEM502-W	INDOOR EMBEDDED CEILING MOUNT BRACKET FOR WV-U61300-ZY, WV-U61300-ZYG	\$ 91.08
WV-QEM503-W	INDOOR EMBEDDED CEILING MOUNT BRACKET FOR WV-U65301-Z1, WV-U65301-Z1G	\$ 108.37
WV-QEM504-W	INDOOR EMBEDDED CEILING MOUNT BRACKET FOR WV-U65302-Z2, WV-U65302-Z2G	\$ 108.37
WV-QEM505-W	EMBEDDED CEILING MOUNT BRACKET FOR X66XXX OR S66XXX (WHITE)	\$ 126.43
WV-QEM506-B	EMBEDDED CEILING MOUNT BRACKET FOR MULTI-DIRECTIONAL+PTZ(BLACK)	\$ 328.75
WV-QEM506-W	EMBEDDED CEILING MOUNT BRACKET FOR MULTI-DIRECTIONAL+PTZ(WHITE)	\$ 328.75
WV-QJB500-B	BACKBOX BRACKET FOR OUTDOOR BOX CAMERA (BLACK)	\$ 62.17
WV-QJB500-G	BACKBOX BRACKET FOR OUTDOOR BOX CAMERA (GRAY)	\$ 84.85
WV-QJB500-W	BACKBOX BRACKET FOR OUTDOOR BOX CAMERA (WHITE)	\$ 62.17
WV-QJB501-B	BASE MOUNT BRACKET FOR OUTDOOR DOME CAMERA (BLACK)	\$ 67.22
WV-QJB501-W	BASE MOUNT BRACKET FOR OUTDOOR DOME CAMERA (WHITE)	\$ 67.22
WV-QJB502A-B	CEILING SURFACE MOUNT BRACKET. BACKBOX FOR ANSI NPSM (PARALLEL PIPE THREADS) 3/4" CONDUIT, COMPATIBLE WITH WV-S35XX, WV-U2XX0, WV-X35XX, WV-S35XXX, WV-U35XXX. BLACK.	\$ 65.03
WV-QJB502A-W	CEILING SURFACE MOUNT BRACKET. BACKBOX FOR ANSI NPSM (PARALLEL PIPE THREADS) 3/4" CONDUIT, COMPATIBLE WITH WV-S35XX, WV-U2XX0, WV-X35XX, WV-S35XXX, WV-U35XXX. WHITE.	\$ 65.03
WV-QJB502-G	CEILING SURFACE MOUNT BRACKET. BACKBOX FOR ANSI NPSM (PARALLEL PIPE THREADS) 3/4" CONDUIT, COMPATIBLE WITH WV-S35XX, WV-U2XX0. GRAY.	\$ 40.58
WV-QJB502-W	CEILING SURFACE MOUNT BRACKET. BACKBOX FOR ANSI NPSM (PARALLEL PIPE THREADS) 3/4" CONDUIT, COMPATIBLE WITH WV-S35XX, WV-U2XX0. WHITE.	\$ 57.98
WV-QJB503-W	CEILING SURFACE MOUNT BRACKET. BACKBOX FOR ANSI NPSM (PARALLEL PIPE THREADS) 3/4" CONDUIT, COMPATIBLE WITH WV-S857X/S856X/S854X, WHITE.	\$ 53.75
WV-QJB504-W	OUTDOOR BASE MOUNT BRACKET FOR OUTDOOR DOME CAMERA	\$ 91.75
WV-QJB505-W	BASE MOUNT BRACKET FOR X66XXX OR S66XXX (WHITE)	\$ 93.31
WV-QJB506-B	BASE MOUNT BRACKET FOR X25580 (BLACK)	\$ 146.95
WV-QLR100-B	LIGHT RAIL MOUNTING BRACKET FOR A CAMERA WITH TRIPOD SCREW HOLE, BLACK COLOR	\$ 122.82
WV-QLR100-W	LIGHT RAIL MOUNTING BRACKET FOR A CAMERA WITH TRIPOD SCREW HOLE	\$ 122.82
WV-QPL500-B	POLE MOUNT BRACKET, BLACK	\$ 247.40
WV-QPL500S-W	POLE MOUNT BRACKET, SALT RESISTANT, WHITE	\$ 168.98
WV-QPL500-W	POLE MOUNT BARCKET	\$ 101.25
WV-QRM001	BRACKET OF VERTICAL INSTALLATION FOR NU RECORDER	\$ 65.03
WV-QRM101	BRACKET OF RACK-MOUNT FOR NU RECORDER	\$ 65.03
WV-QRM201	BRACKET OF WALL MOUNTING/RACK-MOUNT FOR NU RECORDER	\$ 36.11
WV-QSR100-B	SUNSHADE FOR INDOOR DOME CAMERA, BLACK COLOR	\$ 46.98
WV-QSR100-W	SUNSHADE FOR INDOOR DOME CAMERA	\$ 46.98

WV-QSR500-W	SUN SHADE BRACKET (SAME SHAPE AS WV-Q7118) WHITE	\$ 95.45
WV-QSR501-B	SHROUD BRACKET (SAME SHAPE AS WV-Q124) BLACK, MADE-TO-ORDER MODEL	\$ 131.29
WV-QSR501F1-W	OUTDOOR SHROUD BRACKET, ANSI FEMALE THREAD TYPE	\$ 84.68
WV-QSR501F-W	OUTDOOR SHROUD BRACKET, ISO FEMALE THREAD TYPE	\$ 115.60
WV-QSR501M1-W	OUTDOOR SHROUD BRACKET, ANSI MALE THREAD TYPE	\$ 115.60
WV-QSR501M-W	SHROUD BRACKET (SAME SHAPE AS WV-Q124) WHITE, SALT RESISTANCE	\$ 115.60
WV-QSR501S-W	SHROUD BRACKET (ANSI MALE THREAD), COMPATIBLE WITH WV-S857X/S856X/S854X, AND WV-QCL101-W, WHITE	\$ 144.51
WV-QSR501-W	SHROUD BRACKET (4 HOLES), COMPATIBLE WITH WV-S857X/S856X/S854X, AND WV-QWL501-W, WV-QCL501-W, WHITE	\$ 121.85
WV-QSR502A-W	OUTDOOR BASE MOUNT BRACKET FOR S65340 SERIES, ANSI MALE THREAD TYPE WITH WV-QCL101-W	\$ 57.80
WV-QSR503F1-W	OUTDOOR BASE MOUNT BRACKET FOR S65340-Z4K AND S65340-Z2K, SALT RESISTANCE, 4-SCREW TYPE WITH WV-QWL501S-W	\$ 52.92
WV-QSR503F-W	SHROUD BRACKET FOR X66XXX OR S66XXX, ANSI MALE THREAD(WHITE)	\$ 72.26
WV-QSR503M1-W	SHROUD BRACKET FOR X66XXX OR S66XXX, SALT RESISTANCE, 4-SCREW TYPE(WHITE)	\$ 72.26
WV-QSR503-W	SHROUD BRACKET FOR DUAL-SENSOR CAMERA, ISO FEMALE THREAD(WHITE)	\$ 51.37
WV-QSR504-B	SHROUD BRACKET FOR DUAL-SENSOR CAMERA, ANSI MALE THREAD(BLACK)	\$ 72.26
WV-QSR504F1-W	SHROUD BRACKET FOR DUAL-SENSOR CAMERA, ISO MALE THREAD(WHITE)	\$ 52.92
WV-QSR504F-W	SHROUD BRACKET FOR DUAL-SENSOR CAMERA, 4-SCREW TYPE(WHITE)	\$ 72.26
WV-QSR504M1-W	SHROUD BRACKET FOR MULTI-DIRECTIONAL+PTZ, ISO FEMALE THREAD(WHITE)	\$ 72.26
WV-QSR504M-W	SHROUD BRACKET FOR MULTI-DIRECTIONAL+PTZ, ANSI MALE THREAD(BLACK)	\$ 72.26
WV-QSR504S-W	SHROUD BRACKET FOR MULTI-DIRECTIONAL+PTZ, ISO MALE THREAD(WHITE)	\$ 126.43
WV-QSR504-W	SHROUD BRACKET FOR MULTI-DIRECTIONAL+PTZ, 4-SCREW TYPE(WHITE)	\$ 52.94
WV-QSR505-B	1080P OUTDOOR VANDAL RESISTANT BOX CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 9-21MM 2.3X MOTORIZED ZOOM LENS, IR LED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 50.58
WV-QSR505-W	1080P INDOOR DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.9-9.0MM 3.1X MOTORIZED ZOOM LENS, IR LED, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 50.58
WV-QSR506F1-W	SHROUD BRACKET FOR X66XXX OR S66XXX, ANSI FEMALE THREAD(WHITE)	\$ 72.26
WV-QSR506F-W	SHROUD BRACKET FOR X66XXX OR S66XXX, ISO FEMALE THREAD(WHITE)	\$ 72.26
WV-QSR506M1-W	SHROUD BRACKET FOR X66XXX OR S66XXX, ANSI MALE THREAD(WHITE)	\$ 72.26
WV-QSR506M-W	SHROUD BRACKET FOR X66XXX OR S66XXX, SALT RESISTANCE, 4-SCREW TYPE(WHITE)	\$ 72.26
WV-QSR506S-W	SHROUD BRACKET FOR DUAL-SENSOR CAMERA, ISO FEMALE THREAD(WHITE)	\$ 126.43
WV-QSR506-W	SHROUD BRACKET FOR DUAL-SENSOR CAMERA, ANSI MALE THREAD(BLACK)	\$ 72.26
WV-QSR507-B	SHROUD BRACKET FOR DUAL-SENSOR CAMERA, ISO MALE THREAD(WHITE)	\$ 108.37
WV-QSR507F1-B	SHROUD BRACKET FOR DUAL-SENSOR CAMERA, 4-SCREW TYPE(WHITE)	\$ 108.37
WV-QSR507F1-W	SHROUD BRACKET FOR MULTI-DIRECTIONAL+PTZ, ISO FEMALE THREAD(WHITE)	\$ 108.37
WV-QSR507F-B	SHROUD BRACKET FOR MULTI-DIRECTIONAL+PTZ, ANSI MALE THREAD(BLACK)	\$ 108.37
WV-QSR507F-W	SHROUD BRACKET FOR MULTI-DIRECTIONAL+PTZ, ISO MALE THREAD(WHITE)	\$ 108.37
WV-QSR507M1-B	SHROUD BRACKET FOR MULTI-DIRECTIONAL+PTZ, 4-SCREW TYPE(WHITE)	\$ 108.37
WV-QSR507M1-W	1080P OUTDOOR VANDAL RESISTANT BOX CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 9-21MM 2.3X MOTORIZED ZOOM LENS, IR LED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 108.37
WV-QSR507M-B	1080P INDOOR DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.9-9.0MM 3.1X MOTORIZED ZOOM LENS, IR LED, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 108.37
WV-QSR507M-W	SHROUD BRACKET FOR DUAL-SENSOR CAMERA, ISO MALE THREAD(WHITE)	\$ 108.37
WV-QSR507-W	SHROUD BRACKET FOR DUAL-SENSOR CAMERA, 4-SCREW TYPE(WHITE)	\$ 108.37
WV-QSR508-B	SHROUD BRACKET FOR MULTI-DIRECTIONAL+PTZ, ISO FEMALE THREAD(WHITE)	\$ 108.37
WV-QSR508F1-B	SHROUD BRACKET FOR MULTI-DIRECTIONAL+PTZ, ANSI MALE THREAD(BLACK)	\$ 108.37
WV-QSR508F1-W	SHROUD BRACKET FOR MULTI-DIRECTIONAL+PTZ, ISO MALE THREAD(WHITE)	\$ 108.37
WV-QSR508F-B	SHROUD BRACKET FOR MULTI-DIRECTIONAL+PTZ, 4-SCREW TYPE(WHITE)	\$ 108.37
WV-QSR508F-W	1080P OUTDOOR VANDAL RESISTANT BOX CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 9-21MM 2.3X MOTORIZED ZOOM LENS, IR LED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 108.37
WV-QSR508M1-B	1080P INDOOR DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.9-9.0MM 3.1X MOTORIZED ZOOM LENS, IR LED, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 108.37
WV-QSR508M1-W	SHROUD BRACKET FOR MULTI-DIRECTIONAL+PTZ, ANSI MALE THREAD(WHITE)	\$ 108.37
WV-QSR508M-B	SHROUD BRACKET FOR MULTI-DIRECTIONAL+PTZ, ISO MALE THREAD(BLACK)	\$ 108.37
WV-QSR508M-W	SHROUD BRACKET FOR MULTI-DIRECTIONAL+PTZ, ISO MALE THREAD(WHITE)	\$ 108.37
WV-QSR508-W	SHROUD BRACKET FOR MULTI-DIRECTIONAL+PTZ, 4-SCREW TYPE(WHITE)	\$ 108.37
WV-QWD100C-W	1080P OUTDOOR VANDAL RESISTANT BOX CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 9-21MM 2.3X MOTORIZED ZOOM LENS, IR LED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 276.40
WV-QWD100G-W	1080P INDOOR DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.9-9.0MM 3.1X MOTORIZED ZOOM LENS, IR LED, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 276.40
WV-QWL100-W	INDOOR WALL MOUNT BRACKET FOR WV-S61302-Z4	\$ 152.45
WV-QWL500-B	INTEGRATED WALL MOUNT BRACKET (BLACK), COMPATIBLE WITH WV-U2XXX, S3XXX, S2XXX, X2XXX, X4XXX, S4XXX SEREIS, MADE-TO-ORDER MODEL	\$ 96.65
WV-QWL500-G	INTEGRATED WALL MOUNT BRACKET (Gray), compatible with WV-U2xxx, S3xxx, S2xxx, X2xxx, X4xxx, S4xxx sereis	\$ 73.17
WV-QWL500-W	INTEGRATED WALL MOUNT BRACKET (White), compatible with WV-U2xxx, S3xxx, S2xxx, X2xxx, X4xxx, S4xxx sereis	\$ 62.48
WV-QWL501-B	WALL MOUNT BRACKET (SAME SHAPE AS WV-Q122A) BLACK, MADE-TO-ORDER MODEL	\$ 384.68
WV-QWL501S-W	OUTDOOR WALL MOUNT BRACKET, SALT RESISTANCE, 4-SCREW TYPE	\$ 679.26
WV-QWL501-W	WALL MOUNT BRACKET (SAME SHAPE AS WV-Q122A) WHITE	\$ 68.31
WV-QWL502-W	WALL OR POLE MOUNT BRACKET FOR X66XXX OR S66XXX	\$ 169.78

WV-QWL503-B	WALL MOUNT BRACKET, BLACK, FOR AERO PTZ	\$ 455.52
WV-QWL503-G	WALL MOUNT BRACKET, GREY, FOR AERO PTZ	\$ 455.52
WV-QWL503S-B	WALL MOUNT BRACKET, SALT RESISTANT, BLACK, FOR AERO PTZ	\$ 683.29
WV-QWL503S-G	WALL MOUNT BRACKET, SALT RESISTANT, GREY, FOR AERO PTZ	\$ 683.29
WV-QWL504-B	WALL MOUNT BRACKET, BLACK, FOR S65340	\$ 385.74
WV-QWL504S-W	WALL MOUNT BRACKET, SALT RESISTANT, WHITE, FOR S65340	\$ 580.43
WV-QWL504-W	WALL MOUNT BRACKET, WHITE, FOR S65340	\$ 385.74
WV-S1136A	1080P INDOOR BOX CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, LENS NOT INCLUDED, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 679.15
WV-S15301-Z1L	2MP AI OUTDOOR IR BULLET CAMERA (10X ZOOM), 4.7 TO 47MM, F1.6 MOTORIZED, 10X, IR, H.265/H.264/JPEG, 3 AI SLOTS, IK10, IP66/IP67/NEMA 4X, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE(I-PRO)	\$ 1,201.08
WV-S1536LA	1080P OUTDOOR VANDAL RESISTANT BOX CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.9-9MM 3.1X MOTORIZED ZOOM LENS, IR LED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 870.20
WV-S1536LA-B	1080P OUTDOOR VANDAL RESISTANT BOX CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.9-9MM 3.1X MOTORIZED ZOOM LENS, IR LED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, BLACK COLOR, MADE-TO-ORDER MODEL	\$ 870.20
WV-S1536LTA	1080P OUTDOOR VANDAL RESISTANT BOX CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 9-21MM 2.3X MOTORIZED ZOOM LENS, IR LED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 960.14
WV-S15500-F3L	5MP OUTDOOR VANDAL RESISTANT BULLET CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 3.2MM FIXED LENS, IR LED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, CLEARSIGHT COATING	\$ 759.58
WV-S15500-F6L	5MP OUTDOOR VANDAL RESISTANT BULLET CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 6.0MM FIXED LENS, IR LED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, CLEARSIGHT COATING	\$ 759.58
WV-S15500-V3LK	5MP OUTDOOR VANDAL RESISTANT BULLET CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.9-9MM 3.1X MOTORIZED ZOOM LENS, IR LED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, CLEARSIGHT COATING, SALT RESISTANCE	\$ 2,068.05
WV-S15500-V3LN	5MP OUTDOOR VANDAL RESISTANT BULLET CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.9-9MM 3.1X MOTORIZED ZOOM LENS, IR LED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, CLEARSIGHT DOME	\$ 1,034.14
WV-S15500-V3LN1	5MP OUTDOOR VANDAL RESISTANT BULLET CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.9-9MM 3.1X MOTORIZED ZOOM LENS, IR LED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, CLEARSIGHT COATING, BLACK COLOR	\$ 1,034.11
WV-S15501-Z1L	5MP AI OUTDOOR IR BULLET CAMERA (10X ZOOM), 4.7 TO 47MM, F1.6 MOTORIZED, 10X, IR, H.265/H.264/JPEG, 3 AI SLOTS, IK10, IP66/IP67/NEMA 4X, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE(I-PRO)	\$ 1,366.05
WV-S15501-Z3L	5MP AI OUTDOOR IR BULLET CAMERA (30X ZOOM), 4.5 TO 135MM, F1.8 MOTORIZED, 30X, IR, H.265/H.264/JPEG, 3 AI SLOTS, IK10, IP66/IP67/NEMA 4X, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE(I-PRO)	\$ 1,851.35
WV-S15600-V2LN	6MP OUTDOOR VANDAL RESISTANT BULLET CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 4.3-8.6MM 2.0X MOTORIZED ZOOM LENS, IR LED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, CLEARSIGHT COATING	\$ 1,206.48
WV-S15700-V2LK	4K OUTDOOR VANDAL RESISTANT BULLET CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 4.3-8.6MM 2.0X MOTORIZED ZOOM LENS, IR LED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, CLEARSIGHT COATING, SALT RESISTANCE	\$ 2,412.74
WV-S15700-V2LN	4K OUTDOOR VANDAL RESISTANT BULLET CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 4.3-8.6MM 2.0X MOTORIZED ZOOM LENS, IR LED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, CLEARSIGHT DOME	\$ 1,378.85
WV-S15701-Z3L	4K AI OUTDOOR IR BULLET CAMERA (30X ZOOM), 4.5 TO 135MM, F1.8 MOTORIZED, 30X, IR, H.265/H.264/JPEG, 3 AI SLOTS, IK10, IP66/IP67/NEMA 4X, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE(I-PRO)	\$ 2,037.65
WV-S2136LA	1080P INDOOR DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.9-9.0MM 3.1X MOTORIZED ZOOM LENS, IR LED, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 627.08
WV-S2136LA-B	1080P INDOOR DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.9-9.0MM 3.1X MOTORIZED ZOOM LENS, IR LED, FIPS 140-2 LEVEL 3 COMPLIANT, BLACK COLOR, MADE-TO-ORDER MODEL	\$ 627.08
WV-S2136LGA	1080P INDOOR DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.9-9.0MM 3.1X MOTORIZED ZOOM LENS, IR LED, SMOKE DOME, FIPS 140-2 LEVEL 3 COMPLIANT, MADE TO ORDER MODEL	\$ 627.08
WV-S2136LGA-B	1080P INDOOR DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.9-9.0MM 3.1X MOTORIZED ZOOM LENS, IR LED, FIPS 140-2 LEVEL 3 COMPLIANT, BLACK COLOR, SMOKE DOME, MADE-TO-ORDER MODEL	\$ 627.08
WV-S2236LA	1080P INDOOR VANDAL DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.9-9.0MM 3.1X MOTORIZED ZOOM LENS, IR LED, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 655.65
WV-S2236LA-B	1080P INDOOR VANDAL DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.9-9.0MM 3.1X MOTORIZED ZOOM LENS, IR LED, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, BLACK COLOR, MADE-TO-ORDER MODEL	\$ 655.65
WV-S2236LGA	1080P INDOOR VANDAL DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.9-9.0MM 3.1X MOTORIZED ZOOM LENS, IR LED, IK10, SMOKE DOME, FIPS 140-2 LEVEL 3 COMPLIANT, MADE TO ORDER MODEL	\$ 655.65
WV-S2236LGA-B	1080P INDOOR VANDAL DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.9-9.0MM 3.1X MOTORIZED ZOOM LENS, IR LED, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, BLACK COLOR, SMOKE DOME, MADE-TO-ORDER MODEL	\$ 655.65
WV-S22500-F3L	5MP INDOOR VANDAL RESISTANT DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 3.2MM FIXED LENS, IR LED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 626.49
WV-S22500-F6L	5MP INDOOR VANDAL RESISTANT DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 6.0MM FIXED LENS, IR LED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 626.49
WV-S22500-V3L	5MP INDOOR VANDAL RESISTANT DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.9-9MM 3.1X MOTORIZED ZOOM LENS, IR LED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 827.29
WV-S22500-V3L1	5MP INDOOR VANDAL RESISTANT DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.9-9MM 3.1X MOTORIZED ZOOM LENS, IR LED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 827.28
WV-S22500-V3LG	5MP INDOOR VANDAL RESISTANT DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.9-9MM 3.1X MOTORIZED ZOOM LENS, IR LED, IP66, IK10, SMOKE DOME, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 827.28
WV-S22600-V2L	6MP INDOOR VANDAL RESISTANT DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 4.3-8.6MM 2.0X MOTORIZED ZOOM LENS, IR LED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 999.63
WV-S22600-V2LG	6MP INDOOR VANDAL RESISTANT DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 4.3-8.6MM 2.0X MOTORIZED ZOOM LENS, IR LED, IP66, IK10, SMOKE DOME, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 999.63
WV-S22700-V2L	4K INDOOR VANDAL RESISTANT DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 4.3-8.6MM 2.0X MOTORIZED ZOOM LENS, IR LED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 1,172.02
WV-S22700-V2L1	4K INDOOR VANDAL RESISTANT DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 4.3-8.6MM 2.0X MOTORIZED ZOOM LENS, IR LED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, BLACK COLOR	\$ 1,172.02

WV-S22700-V2LG	4K INDOOR VANDAL RESISTANT DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 4.3-8.6MM 2.0X MOTORIZED ZOOM LENS, IR LED, IP66, IK10, SMOKE DOME, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 1,172.02
WV-S2536LNA	1080P OUTDOOR VANDAL RESISTANT DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.9-9MM 3.1X MOTORIZED ZOOM LENS, IR LED, IP66, IK10, SMOKE DOME, CLEARSIGHT DOME, FIPS 140-2 LEVEL 3 COMPLIANT, MADE TO ORDER MODEL	\$ 791.12
WV-S2536LNA	1080P OUTDOOR VANDAL RESISTANT DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.9-9MM 3.1X MOTORIZED ZOOM LENS, IR LED, IP66, IK10, CLEARSIGHT DOME, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 791.12
WV-S2536LTNA	1080P OUTDOOR VANDAL RESISTANT DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 9-21MM 2.3X MOTORIZED ZOOM LENS, IR LED, IP66, IK10, CLEARSIGHT DOME, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 964.49
WV-S25500-F3L	5MP OUTDOOR VANDAL RESISTANT DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 3.2MM FIXED LENS, IR LED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 654.92
WV-S25500-F6L	5MP OUTDOOR VANDAL RESISTANT DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 6.0MM FIXED LENS, IR LED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 654.92
WV-S25500-V3LG	5MP OUTDOOR VANDAL RESISTANT DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.9-9MM 3.1X MOTORIZED ZOOM LENS, IR LED, IP66, IK10, SMOKE DOME, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 965.17
WV-S25500-V3LN	5MP OUTDOOR VANDAL RESISTANT DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.9-9MM 3.1X MOTORIZED ZOOM LENS, IR LED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, CLEARSIGHT DOME	\$ 965.18
WV-S25500-V3LN1	5MP OUTDOOR VANDAL RESISTANT DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.9-9MM 3.1X MOTORIZED ZOOM LENS, IR LED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, CLEARSIGHT COATING	\$ 965.17
WV-S25600-V2LG	6MP OUTDOOR VANDAL RESISTANT DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 4.3-8.6MM 2.0X ZOOM LENS, IR LED, IP66, IK10, SMOKE DOME, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 1,137.49
WV-S25600-V2LN	6MP OUTDOOR VANDAL RESISTANT DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 4.3-8.6MM 2.0X ZOOM LENS, IR LED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, CLEARSIGHT COATING	\$ 1,137.49
WV-S25700-V2LG	4K OUTDOOR VANDAL RESISTANT DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 4.3-8.6MM 2.0X MOTORIZED ZOOM LENS, IR LED, IP66, IK10, SMOKE DOME, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 1,309.86
WV-S25700-V2LN	4K OUTDOOR VANDAL RESISTANT DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 4.3-8.6MM 2.0X MOTORIZED ZOOM LENS, IR LED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, CLEARSIGHT DOME	\$ 1,309.91
WV-S25700-V2LN1	4K OUTDOOR VANDAL RESISTANT DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 4.3-8.6MM 2.0X MOTORIZED ZOOM LENS, IR LED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, CLEARSIGHT COATING, BLACK COLOR	\$ 1,309.86
WV-S32302-F2L	2MP INDOOR VANDAL DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.4MM FIXED LENS, IR LED, BUILT-IN MICROPHONE, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 431.62
WV-S32302-F2L1	2MP INDOOR VANDAL DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.4MM FIXED LENS, IR LED, BUILT-IN MICROPHONE, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, BLACK COLOR	\$ 431.62
WV-S32302-F2LG	2MP INDOOR VANDAL DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.4MM FIXED LENS, IR LED, BUILT-IN MICROPHONE, IP66, IK10, SMOKE DOME, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 431.62
WV-S32402-F2L	4MP INDOOR VANDAL DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.4MM FIXED LENS, IR LED, BUILT-IN MICROPHONE, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 512.09
WV-S32402-F2L1	4MP INDOOR VANDAL DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.4MM FIXED LENS, IR LED, BUILT-IN MICROPHONE, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, BLACK COLOR	\$ 512.09
WV-S32402-F2LG	4MP INDOOR VANDAL DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.4MM FIXED LENS, IR LED, BUILT-IN MICROPHONE, IP66, IK10, SMOKE DOME, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 512.09
WV-S3511L	720P H.265 OUTDOOR VANDAL DOME IR	\$ 248.54
WV-S35302-F2L	2MP OUTDOOR VANDAL DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.4MM FIXED LENS, IR LED, BUILT-IN MICROPHONE, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, BLACK COLOR	\$ 499.45
WV-S35302-F2L1	2MP OUTDOOR VANDAL DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.4MM FIXED LENS, IR LED, BUILT-IN MICROPHONE, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, BLACK COLOR	\$ 499.45
WV-S35302-F2LG	2MP OUTDOOR VANDAL DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.4MM FIXED LENS, IR LED, BUILT-IN MICROPHONE, IP66, IK10, SMOKE DOME, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 499.45
WV-S35402-F2L	4MP OUTDOOR VANDAL DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.4MM FIXED LENS, IR LED, BUILT-IN MICROPHONE, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 579.95
WV-S35402-F2L1	4MP OUTDOOR VANDAL DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.4MM FIXED LENS, IR LED, BUILT-IN MICROPHONE, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, BLACK COLOR	\$ 579.95
WV-S35402-F2LG	4MP OUTDOOR VANDAL DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.4MM FIXED LENS, IR LED, BUILT-IN MICROPHONE, IP66, IK10, SMOKE DOME, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 579.95
WV-S4156A	5MP SENSOR INDOOR 360 DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 0.84MM FISHEYE LENS, 2192X2192PIXEL UP TO 30FPS, AUDIO IN/OUT, BUILT-IN MIC, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 594.92
WV-S4176A	12MP SENSOR INDOOR 360 DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 1.4MM FISHEYE LENS, 2992X2992PIXEL UP TO 30FPS, AUDIO IN/OUT, BUILT-IN MIC, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 846.88
WV-S4551L		\$ 929.86
WV-S4556LA	5MP SENSOR OUTDOOR VANDAL RESISTANT 360 DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 0.84MM FISHEYE LENS, 2192X2192PIXEL UP TO 30FPS, IR LED, IP66, IK10, AUDIO IN/OUT, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 818.65
WV-S4556LMA	5MP SENSOR OUTDOOR VANDAL RESISTANT 360 DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 0.84MM FISHEYE LENS, 2192X2192PIXEL UP TO 30FPS, IR LED, IP66, IK10, AUDIO IN/OUT, M12 CONNECTOR, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 1,108.92
WV-S4576LA	12MP SENSOR OUTDOOR VANDAL RESISTANT 360 DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 1.4MM FISHEYE LENS, 2992X2992PIXEL UP TO 30FPS, IR LED, IP66, IK10, AUDIO IN/OUT, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 938.35
WV-S4576LMA	12MP SENSOR OUTDOOR VANDAL RESISTANT 360 DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 1.4MM FISHEYE LENS, 2992X2992PIXEL UP TO 30FPS, IR LED, IP66, IK10, AUDIO IN/OUT, M12 CONNECTOR, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 1,867.95
WV-S6111	720P H.265 Indoor PTZ Style Camera	\$ 2,710.83
WV-S61300-ZY	2MP(1080p) INDOOR PTZ WITH AI ENGINE. 2.9-9MM 3.1X OPTICAL ZOOM LENS. H.265/H.264/MJPEG. 60FPS. AUTO TRACKING. FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 927.45
WV-S61300-ZYG	2MP(1080p) INDOOR PTZ WITH AI ENGINE. 2.9-9MM 3.1X OPTICAL ZOOM LENS. H.265/H.264/MJPEG. 60FPS. AUTO TRACKING. SMOKE DOME, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 927.45
WV-S61301-Z1	2MP(1080p) INDOOR PTZ WITH AI ENGINE. 4.7-47MM 10X OPTICAL ZOOM LENS. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. SMOKE DOME, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 1,187.29

WV-S61301-Z2	2MP(1080p) INDOOR PTZ WITH AI ENGINE. 4.0-84.6MM 21X OPTICAL ZOOM LENS. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 1,516.95
WV-S61302-Z4	2MP(1080p) INDOOR PTZ WITH AI ENGINE. 4.25-170MM 40X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 2,249.78
WV-S6131	1080P H.265 Indoor PTZ Style Camera	\$ 3,147.88
WV-S61501-Z1	5MP INDOOR PTZ WITH AI ENGINE. 4.7-47MM 10X OPTICAL ZOOM LENS. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. SMOKE DOME, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 1,530.14
WV-S61602-Z3	*6MP INDOOR PTZ WITH AI ENGINE. 4.5-135MM 30X OPTICAL ZOOM LENS. H.265/H.264/MJPEG. 30FPS. STABILIZER. AUTO TRACKING. FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR*	\$ 2,683.80
WV-S61702-Z3	*4K INDOOR PTZ WITH AI ENGINE. 4.5-135MM 30X OPTICAL ZOOM LENS. H.265/H.264/MJPEG. 30FPS. STABILIZER. AUTO TRACKING. FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR*	\$ 2,856.40
WV-S65300-ZY	2MP(1080p) OUTDOOR VANDAL RESISTANCE PTZ WITH AI ENGINE. 2.9-9MM 3.1X OPTICAL ZOOM LENS. H.265/H.264/MJPEG. 60FPS. AUTO TRACKING. IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 1,100.68
WV-S65300-ZYG	2MP(1080p) OUTDOOR VANDAL RESISTANCE PTZ WITH AI ENGINE. 2.9-9MM 3.1X OPTICAL ZOOM LENS. H.265/H.264/MJPEG. 60FPS. AUTO TRACKING. IP66, IP67, IK10, SMOKE DOME, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 1,100.68
WV-S65301-Z1	2MP(1080p) OUTDOOR VANDAL RESISTANCE PTZ WITH AI ENGINE. 4.7-47MM 10X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 1,360.51
WV-S65301-Z1-1	2MP(1080p) OUTDOOR VANDAL RESISTANCE PTZ WITH AI ENGINE. 4.7-47MM 10X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, BLACK COLOR	\$ 1,360.51
WV-S65301-Z1G	2MP(1080p) OUTDOOR VANDAL RESISTANCE PTZ WITH AI ENGINE. 4.7-47MM 10X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IP66, IP67, IK10, SMOKE DOME, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 1,360.51
WV-S65301-Z1S	2MP(1080p) OUTDOOR VANDAL RESISTANCE PTZ WITH AI ENGINE. 4.7-47MM 10X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IP66, IP67, IK10, SALT RESISTANCE, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 2,394.45
WV-S65302-Z2	2MP(1080p) OUTDOOR VANDAL RESISTANCE PTZ WITH AI ENGINE. 4.0-84.6MM 21X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 1,616.72
WV-S65302-Z2-1	2MP(1080p) OUTDOOR VANDAL RESISTANCE PTZ WITH AI ENGINE. 4.0-84.6MM 21X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, BLACK COLOR	\$ 1,616.72
WV-S65302-Z2G	2MP(1080p) OUTDOOR VANDAL RESISTANCE PTZ WITH AI ENGINE. 4.0-84.6MM 21X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IP66, IP67, IK10, SMOKE DOME, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 1,616.72
WV-S6532LN	FULLHD OUTDOOR VANDAL PTZ NETWORK CAMERA, H.265, WITH 22X LENS, CLEARSIGHT COATING DOME	\$ 2,730.65
WV-S65340-Z2G	2MP(1080p) OUTDOOR VANDAL RESISTANCE PTZ WITH AI ENGINE. 4.0-84.6MM 21X OPTICAL ZOOM LENS. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IP66, IP67, IK10, SMOKE DOME, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 2,340.52
WV-S65340-Z2K	2MP(1080p) OUTDOOR VANDAL RESISTANCE PTZ WITH AI ENGINE. 4.0-84.6MM 21X OPTICAL ZOOM LENS. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IP66, IP67, IK10, CLEARSIGHT, SALT RESISTANCE, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 3,267.77
WV-S65340-Z2N	2MP(1080p) OUTDOOR VANDAL RESISTANCE PTZ WITH AI ENGINE. 4.0-84.6MM 21X OPTICAL ZOOM LENS. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IP66, IP67, IK10, CLEARSIGHT, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 2,340.52
WV-S65340-Z2N1	2MP(1080p) OUTDOOR VANDAL RESISTANCE PTZ WITH AI ENGINE. 4.0-84.6MM 21X OPTICAL ZOOM LENS. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IP66, IP67, IK10, CLEARSIGHT, FIPS 140-2 LEVEL 3 COMPLIANT, BLACK COLOR	\$ 2,340.52
WV-S65340-Z4G	2MP(1080p) OUTDOOR VANDAL RESISTANCE PTZ WITH AI ENGINE. 4.25-170MM 40X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IP66, IP67, IK10, SMOKE DOME, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 2,701.54
WV-S65340-Z4K	2MP(1080p) OUTDOOR VANDAL RESISTANCE PTZ WITH AI ENGINE. 4.25-170MM 40X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IP66, IP67, IK10, CLEARSIGHT, SALT RESISTANCE, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 3,612.42
WV-S65340-Z4N	2MP(1080p) OUTDOOR VANDAL RESISTANCE PTZ WITH AI ENGINE. 4.25-170MM 40X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IP66, IP67, IK10, CLEARSIGHT, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 2,701.62
WV-S65340-Z4N1	2MP(1080p) OUTDOOR VANDAL RESISTANCE PTZ WITH AI ENGINE. 4.25-170MM 40X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IP66, IP67, IK10, CLEARSIGHT, FIPS 140-2 LEVEL 3 COMPLIANT, BLACK COLOR	\$ 2,701.54
WV-S65501-Z1	5MP OUTDOOR VANDAL RESISTANCE PTZ WITH AI ENGINE. 4.7-47MM 10X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 1,883.78
WV-S65501-Z1G	5MP OUTDOOR VANDAL RESISTANCE PTZ WITH AI ENGINE. 4.7-47MM 10X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IP66, IP67, IK10, SMOKE DOME, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 1,883.78
WV-S66300-Z3	2MP OUTDOOR PTZ WITH AI ENGINE. 4.25-136MM 32X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 2,233.85
WV-S66300-Z3L	2MP OUTDOOR PTZ WITH AI ENGINE. 4.25-136MM 32X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IRLED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 2,405.26
WV-S66300-Z3LN	2MP OUTDOOR PTZ WITH AI ENGINE. 4.25-136MM 32X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IRLED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, CLEARSIGHT DOME	\$ 2,554.05
WV-S66300-Z3N	2MP OUTDOOR PTZ WITH AI ENGINE. 4.25-136MM 32X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, CLEARSIGHT DOME	\$ 2,380.51

WV-S66300-Z4	2MP OUTDOOR PTZ WITH AI ENGINE. 4.25-170MM 40X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 2,405.26
WV-S66300-Z4L	2MP OUTDOOR PTZ WITH AI ENGINE. 4.25-170MM 40X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IRLED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 2,577.77
WV-S66300-Z4LN	2MP OUTDOOR PTZ WITH AI ENGINE. 4.25-170MM 40X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IRLED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, CLEARSIGHT DOME	\$ 2,727.40
WV-S66300-Z4N	2MP OUTDOOR PTZ WITH AI ENGINE. 4.25-170MM 40X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, CLEARSIGHT DOME	\$ 2,554.05
WV-S66600-Z3	6MP OUTDOOR PTZ WITH AI ENGINE. 4.5-135MM 30X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 2,923.12
WV-S66600-Z3L	6MP OUTDOOR PTZ WITH AI ENGINE. 4.5-135MM 30X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IRLED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 3,094.55
WV-S66600-Z3LN	6MP OUTDOOR PTZ WITH AI ENGINE. 4.5-135MM 30X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IRLED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, CLEARSIGHT DOME	\$ 3,205.31
WV-S66600-Z3N	6MP OUTDOOR PTZ WITH AI ENGINE. 4.5-135MM 30X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, CLEARSIGHT DOME	\$ 3,074.49
WV-S66700-Z3	8MP OUTDOOR PTZ WITH AI ENGINE. 4.5-135MM 30X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 3,181.15
WV-S66700-Z3L	8MP OUTDOOR PTZ WITH AI ENGINE. 4.5-135MM 30X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IRLED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 3,354.38
WV-S66700-Z3LN	8MP OUTDOOR PTZ WITH AI ENGINE. 4.5-135MM 30X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IRLED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, CLEARSIGHT DOME	\$ 3,463.45
WV-S66700-Z3N	8MP OUTDOOR PTZ WITH AI ENGINE. 4.5-135MM 30X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, CLEARSIGHT DOME	\$ 3,333.42
WV-S71300A-F3	1080P I-PRO MINI, INDOOR MINI BOX CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 3.2MM FIXED LENS, BUILT-IN MICROPHONE, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 820.48
WV-S85402-V2L	2X4MP(8MP) MULTI-SENSOR OUTDOOR VANDAL RESISTANCE CAMERA WITH AI ENGINE. H.265/H.264/MJPEG. 2.9-7.3MM 2.5X MOTORIZED ZOOM LENS. 2699X1520PIXEL UP TO 30FPS. IR LED, IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 1,312.75
WV-S85402-V2L1	2X4MP(8MP) MULTI-SENSOR OUTDOOR VANDAL RESISTANCE CAMERA WITH AI ENGINE. H.265/H.264/MJPEG. 2.9-7.3MM 2.5X MOTORIZED ZOOM LENS. 2699X1520PIXEL UP TO 30FPS. IR LED, IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, BLACK COLOR	\$ 1,312.75
WV-S8543	3X4MP(12MP) MULTI-SENSOR OUTDOOR VANDAL RESISTANCE CAMERA WITH AI ENGINE. H.265/H.264/MJPEG. 2.9-7.3MM 2.5X MOTORIZED ZOOM LENS. 2699X1520PIXEL UP TO 30FPS. IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 1,851.32
WV-S8543G	3X4MP(12MP) MULTI-SENSOR OUTDOOR VANDAL RESISTANCE CAMERA WITH AI ENGINE. H.265/H.264/MJPEG. 2.9-7.3MM 2.5X MOTORIZED ZOOM LENS. 2699X1520PIXEL UP TO 30FPS. IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR, SMOKE DOME, MADE-TO-ORDER MODEL	\$ 1,851.32
WV-S8543L	3X4MP(12MP) MULTI-SENSOR OUTDOOR VANDAL RESISTANCE CAMERA WITH AI ENGINE. H.265/H.264/MJPEG. 2.9-7.3MM 2.5X MOTORIZED ZOOM LENS. 2699X1520PIXEL UP TO 30FPS. IR LED, IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 2,170.60
WV-S8543LG	3X4MP(12MP) MULTI-SENSOR OUTDOOR VANDAL RESISTANCE CAMERA WITH AI ENGINE. H.265/H.264/MJPEG. 2.9-7.3MM 2.5X MOTORIZED ZOOM LENS. 2699X1520PIXEL UP TO 30FPS. IR LED, IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR, SMOKE DOME, MADE-TO-ORDER MODEL	\$ 2,170.60
WV-S8544	4X4MP(16MP) MULTI-SENSOR OUTDOOR VANDAL RESISTANCE CAMERA WITH AI ENGINE. H.265/H.264/MJPEG. 2.9-7.3MM 2.5X MOTORIZED ZOOM LENS. 2699X1520PIXEL UP TO 30FPS. IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 2,170.60
WV-S8544G	4X4MP(16MP) MULTI-SENSOR OUTDOOR VANDAL RESISTANCE CAMERA WITH AI ENGINE. H.265/H.264/MJPEG. 2.9-7.3MM 2.5X MOTORIZED ZOOM LENS. 2699X1520PIXEL UP TO 30FPS. IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR, SMOKE DOME, MADE-TO-ORDER MODEL	\$ 2,170.60
WV-S8544L	4X4MP(16MP) MULTI-SENSOR OUTDOOR VANDAL RESISTANCE CAMERA WITH AI ENGINE. H.265/H.264/MJPEG. 2.9-7.3MM 2.5X MOTORIZED ZOOM LENS. 2699X1520PIXEL UP TO 30FPS. IR LED, IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 2,489.88
WV-S8544LG	4X4MP(16MP) MULTI-SENSOR OUTDOOR VANDAL RESISTANCE CAMERA WITH AI ENGINE. H.265/H.264/MJPEG. 2.9-7.3MM 2.5X MOTORIZED ZOOM LENS. 2699X1520PIXEL UP TO 30FPS. IR LED, IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR, SMOKE DOME, MADE-TO-ORDER MODEL	\$ 2,489.88
WV-S8563L	3X6MP(19MP) MULTI-SENSOR OUTDOOR VANDAL RESISTANCE CAMERA WITH AI ENGINE. H.265/H.264/MJPEG. 3.1MM FIXED LENS. 3328X1872PIXEL UP TO 15FPS. IR LED, IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 2,489.88
WV-S8563LG	3X6MP(19MP) MULTI-SENSOR OUTDOOR VANDAL RESISTANCE CAMERA WITH AI ENGINE. H.265/H.264/MJPEG. 3.1MM FIXED LENS. 3328X1872PIXEL UP TO 15FPS. IR LED, IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR, SMOKE DOME, MADE-TO-ORDER MODEL	\$ 2,489.88
WV-S8564L	4X6MP(25MP) MULTI-SENSOR OUTDOOR VANDAL RESISTANCE CAMERA WITH AI ENGINE. H.265/H.264/MJPEG. 3.1MM FIXED LENS. 3328X1872PIXEL UP TO 15FPS. IR LED, IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 2,809.23
WV-S8564LG	4X6MP(25MP) MULTI-SENSOR OUTDOOR VANDAL RESISTANCE CAMERA WITH AI ENGINE. H.265/H.264/MJPEG. 3.1MM FIXED LENS. 3328X1872PIXEL UP TO 15FPS. IR LED, IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR, SMOKE DOME, MADE-TO-ORDER MODEL	\$ 2,809.23
WV-S85702-F3L	2X4K(16MP) MULTI-SENSOR OUTDOOR VANDAL RESISTANCE CAMERA WITH AI ENGINE. H.265/H.264/MJPEG. 3.1MM FIXED LENS. 3840X2160PIXEL UP TO 15FPS. IR LED, IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 1,971.12
WV-S85702-F3L1	2X4K(16MP) MULTI-SENSOR OUTDOOR VANDAL RESISTANCE CAMERA WITH AI ENGINE. H.265/H.264/MJPEG. 3.1MM FIXED LENS. 3840X2160PIXEL UP TO 15FPS. IR LED, IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, BLACK COLOR	\$ 1,971.12
WV-S8573L	3X4K(25MP) MULTI-SENSOR OUTDOOR VANDAL RESISTANCE CAMERA WITH AI ENGINE. H.265/H.264/MJPEG. 3.1MM FIXED LENS. 3840X2160PIXEL UP TO 15FPS. IR LED, IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 2,809.23

WV-S8573LG	3X4K(25MP) MULTI-SENSOR OUTDOOR VANDAL RESISTANCE CAMERA WITH AI ENGINE. H.265/H.264/MJPEG. 3.1MM FIXED LENS. 3840X2160PIXEL UP TO 15FPS. IR LED, IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR, SMOKE DOME, MADE-TO-ORDER MODEL	\$ 2,809.23
WV-S8574L	4X4K(33MP) MULTI-SENSOR OUTDOOR VANDAL RESISTANCE CAMERA WITH AI ENGINE. H.265/H.264/MJPEG. 3.1MM FIXED LENS. 3840X2160PIXEL UP TO 15FPS. IR LED, IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 3,128.54
WV-S8574LG	4X4K(33MP) MULTI-SENSOR OUTDOOR VANDAL RESISTANCE CAMERA WITH AI ENGINE. H.265/H.264/MJPEG. 3.1MM FIXED LENS. 3840X2160PIXEL UP TO 15FPS. IR LED, IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR, SMOKE DOME, MADE-TO-ORDER MODEL	\$ 3,128.54
WV-SBV131M	1080p Rugged Mobile Network Camera	\$ 873.62
WV-SDA064G	SDXC MEMORY CARD FOR I-PRO DEVICES (64GB) MAKE-TO-ORDER PRODUCT, STANDARD DELIVERY DATE 3 MONTHS	\$ 155.60
WV-SDA128G	SDXC MEMORY CARD FOR I-PRO DEVICES (128GB) MAKE-TO-ORDER PRODUCT, STANDARD DELIVERY DATE 3 MONTHS	\$ 260.68
WV-SDA256G	SDXC MEMORY CARD FOR I-PRO DEVICES (256GB) MAKE-TO-ORDER PRODUCT, STANDARD DELIVERY DATE 3 MONTHS	\$ 474.69
WV-SDA512G	SDXC MEMORY CARD FOR I-PRO DEVICES (512GB) MAKE-TO-ORDER PRODUCT, STANDARD DELIVERY DATE 3 MONTHS	\$ 868.68
WV-SDB032G	MICROSDHC MEMORY CARD FOR I-PRO DEVICES (32GB) MAKE-TO-ORDER PRODUCT, STANDARD DELIVERY DATE 3 MONTHS	\$ 94.38
WV-SDB064G	MICROSDXC MEMORY CARD FOR I-PRO DEVICES (64GB) MAKE-TO-ORDER PRODUCT, STANDARD DELIVERY DATE 3 MONTHS	\$ 144.83
WV-SDB128G	MICROSDXC MEMORY CARD FOR I-PRO DEVICES (128GB) MAKE-TO-ORDER PRODUCT, STANDARD DELIVERY DATE 3 MONTHS	\$ 249.83
WV-SDB256G	MICROSDXC MEMORY CARD FOR I-PRO DEVICES (256GB) MAKE-TO-ORDER PRODUCT, STANDARD DELIVERY DATE 3 MONTHS	\$ 462.23
WV-SFV110M	720p Outdoor Vandal Dome NW Cam M-cable	\$ 423.92
WV-SFV110M/10-R211	WV-SFV110M X 10UNITS PACKAGE FOR THE NYCT (R211) PROJECT	\$ 3,416.54
WV-SUD638	30x Full HD Aero PTZ Network Camera	\$ 8,932.82
WV-SUD6FRL1	Optional IR LED unit for WV-SUD638	\$ 1,339.54
WV-U11300-V2	1080P INDOOR BOX CAMERA, H.265/H.264/MJPEG, 2.9-7.3MM 2.5X MOTORIZED ZOOM LENS, BUILT-IN MICROPHONE	\$ 466.06
WV-U1130A	1080P INDOOR BOX CAMERA, H.265/H.264/MJPEG, 3.2MM FIXED LENS	\$ 259.69
WV-U1132A	1080P INDOOR BOX CAMERA, H.265/H.264/MJPEG, 2.9-7.3MM 2.5X MOTORIZED ZOOM LENS	\$ 432.82
WV-U1142A	4MP INDOOR BOX CAMERA, H.265/H.264/MJPEG, 2.9-7.3MM 2.5X MOTORIZED ZOOM LENS	\$ 519.38
WV-U1532LA	1080P OUTDOOR VANDAL RESISTANT BULLET CAMERA, H.265/H.264/MJPEG, 2.9-7.3MM 2.5X MOTORIZED ZOOM LENS, IR LED, IP66, IK10	\$ 519.38
WV-U1542LA	4MP OUTDOOR VANDAL RESISTANT BULLET CAMERA, H.265/H.264/MJPEG, 2.9-7.3MM 2.5X MOTORIZED ZOOM LENS, IR LED, IP66, IK10	\$ 605.94
WV-U21300-V2L	1080P INDOOR DOME CAMERA, H.265/H.264/MJPEG, 2.9-7.3MM 2.5X MOTORIZED ZOOM LENS, IR LED, BUILT-IN MICROPHONE	\$ 466.06
WV-U2130LA	1080P INDOOR DOME CAMERA, H.265/H.264/MJPEG, 3.2MM FIXED LENS, IR LED	\$ 259.69
WV-U2132LA	1080P INDOOR DOME CAMERA, H.265/H.264/MJPEG, 2.9-7.3MM 2.5X MOTORIZED ZOOM LENS, IR LED	\$ 432.82
WV-U2140LA	4MP INDOOR DOME CAMERA, H.265/H.264/MJPEG, 3.2MM FIXED LENS, IR LED	\$ 346.26
WV-U2142LA	4MP INDOOR DOME CAMERA, H.265/H.264/MJPEG, 2.9-7.3MM 2.5X MOTORIZED ZOOM LENS, IR LED	\$ 519.38
WV-U2530LA	1080P OUTDOOR VANDAL RESISTANT DOME CAMERA, H.265/H.264/MJPEG, 3.2MM FIXED LENS, IR LED, IP66, IK10	\$ 346.26
WV-U2532LA	1080P OUTDOOR VANDAL RESISTANT DOME CAMERA, H.265/H.264/MJPEG, 2.9-7.3MM 2.5X MOTORIZED ZOOM LENS, IR LED, IP66, IK10	\$ 519.38
WV-U2540LA	4MP OUTDOOR VANDAL RESISTANT DOME CAMERA, H.265/H.264/MJPEG, 3.2MM FIXED LENS, IR LED, IP66, IK10	\$ 432.82
WV-U2542LA	4MP OUTDOOR VANDAL RESISTANT DOME CAMERA, H.265/H.264/MJPEG, 2.9-7.3MM 2.5X MOTORIZED ZOOM LENS, IR LED, IP66, IK10	\$ 605.94
WV-U31301-F2L	2MP INDOOR DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.4MM FIXED LENS, IR LED, BUILT-IN MICROPHONE, WHITE COLOR	\$ 367.17
WV-U31301-F2LG	2MP INDOOR DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.4MM FIXED LENS, IR LED, BUILT-IN MICROPHONE, SMOKE DOME, WHITE COLOR	\$ 367.17
WV-U31401-F2L	4MP INDOOR DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.4MM FIXED LENS, IR LED, BUILT-IN MICROPHONE, WHITE COLOR	\$ 398.52
WV-U31401-F2LG	4MP INDOOR DOME CAMERA WITH AI ENGINE, H.265/H.264/MJPEG, 2.4MM FIXED LENS, IR LED, BUILT-IN MICROPHONE, SMOKE DOME, WHITE COLOR	\$ 398.52
WV-U35301-F2L	2MP OUTDOOR VANDAL DOME CAMERA, H.265/H.264/MJPEG, 2.4MM FIXED LENS, IR LED, BUILT-IN MICROPHONE, IP66, IK10, WHITE COLOR	\$ 405.12
WV-U35301-F2LG	4MP OUTDOOR VANDAL DOME CAMERA, H.265/H.264/MJPEG, 2.4MM FIXED LENS, IR LED, BUILT-IN MICROPHONE, IP66, IK10, SMOKE DOME, WHITE COLOR	\$ 405.12
WV-U35401-F2L	4MP OUTDOOR VANDAL DOME CAMERA, H.265/H.264/MJPEG, 2.4MM FIXED LENS, IR LED, BUILT-IN MICROPHONE, IP66, IK10, WHITE COLOR	\$ 485.94
WV-U35401-F2LG	4MP OUTDOOR VANDAL DOME CAMERA, H.265/H.264/MJPEG, 2.4MM FIXED LENS, IR LED, BUILT-IN MICROPHONE, IP66, IK10, SMOKE DOME, WHITE COLOR	\$ 485.94
WV-U61300-ZY	2MP(1080p) INDOOR PTZ. 2.9-9MM 3.1X OPTICAL ZOOM LENS. H.265/H.264/MJPEG. 60FPS. FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 760.55
WV-U61300-ZYG	2MP(1080p) INDOOR PTZ. 2.9-9MM 3.1X OPTICAL ZOOM LENS. H.265/H.264/MJPEG. 60FPS. SMOKE DOME, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 793.98
WV-U61301-Z1	2MP(1080p) INDOOR PTZ. 4.7-47MM 10X OPTICAL ZOOM LENS. H.265/H.264/MJPEG. 60FPS. STABILIZER. SMOKE DOME, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 1,016.45
WV-U61301-Z2	2MP(1080p) INDOOR PTZ. 4.0-84.6MM 21X OPTICAL ZOOM LENS. H.265/H.264/MJPEG. 60FPS. STABILIZER. IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, 5 YEAR WARRANTY. VIDEO INSIGHT 7.9.3 OR HIGHER, WHITE COLOR	\$ 1,270.51

WV-U65300-ZY	2MP(1080p) OUTDOOR VANDAL RESISTANCE PTZ. 2.9-9MM 3.1X OPTICAL ZOOM LENS. H.265/H.264/MJPEG. 60FPS. IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 928.77
WV-U65300-ZYG	2MP(1080p) OUTDOOR VANDAL RESISTANCE PTZ. 2.9-9MM 3.1X OPTICAL ZOOM LENS. H.265/H.264/MJPEG. 60FPS. IP66, IP67, IK10, SMOKE DOME, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 969.58
WV-U65301-Z1	2MP(1080p) OUTDOOR VANDAL RESISTANCE PTZ. 4.7-47MM 10X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 1,206.95
WV-U65301-Z1G	2MP(1080p) OUTDOOR VANDAL RESISTANCE PTZ. 4.7-47MM 10X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. IP66, IP67, IK10, SMOKE DOME, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 1,198.46
WV-U65302-Z2	2MP(1080p) OUTDOOR VANDAL RESISTANCE PTZ. 4.0-84.6MM 21X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 1,433.82
WV-U65302-Z2G	2MP(1080p) OUTDOOR VANDAL RESISTANCE PTZ. 4.0-84.6MM 21X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. IP66, IP67, IK10, SMOKE DOME, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 1,433.82
WV-U85402-V2L	2X4MP(8MP) MULTI-SENSOR OUTDOOR VANDAL RESISTANCE CAMERA. H.265/H.264/MJPEG. 2.9-7.3MM 2.5X MOTORIZED ZOOM LENS. 2699X1520PIXEL UP TO 30FPS. IR LED, IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 1,149.00
WV-U85402-V2L1	2X4MP(8MP) MULTI-SENSOR OUTDOOR VANDAL RESISTANCE CAMERA. H.265/H.264/MJPEG. 2.9-7.3MM 2.5X MOTORIZED ZOOM LENS. 2699X1520PIXEL UP TO 30FPS. IR LED, IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, BLACK COLOR	\$ 1,149.00
WV-X15300-V3L	2MP OUTDOOR VANDAL RESISTANT BULLET CAMERA WITH AI ENGINE (UP TO 9 APPS), H.265/H.264/MJPEG, 2.9-9MM 3.1X MOTORIZED ZOOM LENS, IR LED, IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 1,193.09
WV-X15301-Z1L	2MP AI OUTDOOR IR BULLET CAMERA (10X ZOOM), 4.7 TO 47MM, F1.6 MOTORIZED, 10X, IR, H.265/H.264/MJPEG, 9 AI SLOTS, IK10, IP66/IP67/NEMA 4X, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE(I-PRO)	\$ 1,526.34
WV-X15302-Z1L	2MP AI OUTDOOR IR BULLET LPR CAMERA (10X ZOOM), 4.7 TO 47MM, F1.6 MOTORIZED, 10X, IR, H.265/H.264/MJPEG, 9 AI SLOTS, IK10, IP66/IP67/NEMA 4X, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE(I-PRO)	\$ 1,607.00
WV-X15500-V3L	5MP OUTDOOR VANDAL RESISTANT BULLET CAMERA WITH AI ENGINE (UP TO 9 APPS), H.265/H.264/MJPEG, 2.9-9MM 3.1X MOTORIZED ZOOM LENS, IR LED, IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, CLEARSIGHT DOME	\$ 1,356.89
WV-X15501-Z1L	5MP AI OUTDOOR IR BULLET CAMERA (10X ZOOM), 4.7 TO 47MM, F1.6 MOTORIZED, 10X, IR, H.265/H.264/MJPEG, 9 AI SLOTS, IK10, IP66/IP67/NEMA 4X, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE(I-PRO)	\$ 1,689.49
WV-X15501-Z3L	5MP AI OUTDOOR IR BULLET CAMERA (30X ZOOM), 4.5 TO 135MM, F1.8 MOTORIZED, 30X, IR, H.265/H.264/MJPEG, 9 AI SLOTS, IK10, IP66/IP67/NEMA 4X, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE(I-PRO)	\$ 2,095.08
WV-X15502-Z1L	5MP AI OUTDOOR IR BULLET LPR CAMERA (10X ZOOM), 4.7 TO 47MM, F1.6 MOTORIZED, 10X, IR, H.265/H.264/MJPEG, 9 AI SLOTS, IK10, IP66/IP67/NEMA 4X, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE(I-PRO)	\$ 1,851.35
WV-X15600-V2L	6MP OUTDOOR VANDAL RESISTANT BULLET CAMERA WITH AI ENGINE (UP TO 9 APPS), H.265/H.264/MJPEG, 4.3-8.6MM 2.0X MOTORIZED ZOOM LENS, IR LED, IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 1,528.34
WV-X15700-V2L	4K OUTDOOR VANDAL RESISTANT BULLET CAMERA WITH AI ENGINE (UP TO 9 APPS), H.265/H.264/MJPEG, 4.3-8.6MM 2.0X MOTORIZED ZOOM LENS, IR LED, IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 1,701.57
WV-X15701-Z3L	4K AI OUTDOOR IR BULLET CAMERA (30X ZOOM), 4.5 TO 135MM, F1.8 MOTORIZED, 30X, IR, H.265/H.264/MJPEG, 9 AI SLOTS, IK10, IP66/IP67/NEMA 4X, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE(I-PRO)	\$ 2,361.46
WV-X22300-V3L	2MP INDOOR VANDAL DOME CAMERA WITH AI ENGINE (UP TO 9 APPS), H.265/H.264/MJPEG, 2.9-9.0MM 3.1X MOTORIZED ZOOM LENS, IR LED, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 977.98
WV-X22500-V3L	5MP INDOOR VANDAL RESISTANT DOME CAMERA WITH AI ENGINE (UP TO 9 APPS), H.265/H.264/MJPEG, 2.9-9MM 3.1X MOTORIZED ZOOM LENS, IR LED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 1,149.40
WV-X22600-V2L	6MP INDOOR VANDAL RESISTANT DOME CAMERA WITH AI ENGINE (UP TO 9 APPS), H.265/H.264/MJPEG, 4.3-8.6MM 2.0X MOTORIZED ZOOM LENS, IR LED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 1,322.63
WV-X22700-V2L	4K INDOOR VANDAL RESISTANT DOME CAMERA WITH AI ENGINE (UP TO 9 APPS), H.265/H.264/MJPEG, 4.3-8.6MM 2.0X MOTORIZED ZOOM LENS, IR LED, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 1,494.05
WV-X25300-V3LN	1080P OUTDOOR VANDAL RESISTANT DOME CAMERA WITH AI ENGINE (UP TO 9 APPS), H.265/H.264/MJPEG, 2.9-9MM 3.1X MOTORIZED ZOOM LENS, IR LED, IP66, IP67, IK10, CLEARSIGHT DOME, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 1,113.32
WV-X25500-V3LN	5MP OUTDOOR VANDAL RESISTANT DOME CAMERA WITH AI ENGINE (UP TO 9 APPS), H.265/H.264/MJPEG, 2.9-9MM 3.1X MOTORIZED ZOOM LENS, IR LED, IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, CLEARSIGHT DOME	\$ 1,286.54
WV-X25580-F2LN2	5MP VANDAL RESISTANT CORNER CAMERA WITH AI ENGINE (UP TO 3 APPS), H.265/H.264/MJPEG, 2.3MM FIXED LENS, IR LED, IP66, IP67, IP69, IK11+ (70J), ANTI-LIGATURE, BUILT-IN MICROPHONE, FIPS 140-2 LEVEL 3 COMPLIANT, CLEARSIGHT DOME	\$ 1,378.03
WV-X25600-V2LN	5MP OUTDOOR VANDAL RESISTANT DOME CAMERA WITH AI ENGINE (UP TO 9 APPS), H.265/H.264/MJPEG, 2.9-9MM 3.1X MOTORIZED ZOOM LENS, IR LED, IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, CLEARSIGHT DOME	\$ 1,459.77
WV-X25700-V2LN	4K OUTDOOR VANDAL RESISTANT DOME CAMERA WITH AI ENGINE (UP TO 9 APPS), H.265/H.264/MJPEG, 4.3-8.6MM 2.0X MOTORIZED ZOOM LENS, IR LED, IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, CLEARSIGHT DOME	\$ 1,631.18
WV-X35302-F2L	2MP OUTDOOR VANDAL DOME CAMERA WITH AI ENGINE FOR TRANSIT, H.265/H.264/MJPEG, 2.4MM FIXED LENS, IR LED, BUILT-IN MICROPHONE, IP66, IK10, RJ45 CONNECTOR, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 748.85
WV-X35302-F2LM	2MP OUTDOOR VANDAL DOME CAMERA WITH AI ENGINE FOR TRANSIT, H.265/H.264/MJPEG, 2.4MM FIXED LENS, IR LED, BUILT-IN MICROPHONE, IP66, IK10, M12 CONNECTOR, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 748.85
WV-X35402-F2L	4MP OUTDOOR VANDAL DOME CAMERA WITH AI ENGINE FOR TRANSIT, H.265/H.264/MJPEG, 2.4MM FIXED LENS, IR LED, BUILT-IN MICROPHONE, IP66, IK10, RJ45 CONNECTOR, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 869.72
WV-X35402-F2LM	4MP OUTDOOR VANDAL DOME CAMERA WITH AI ENGINE FOR TRANSIT, H.265/H.264/MJPEG, 2.4MM FIXED LENS, IR LED, BUILT-IN MICROPHONE, IP66, IK10, M12 CONNECTOR, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 869.72
WV-X6533LNS	2MP OUTDOOR VANDAL PTZ NETWORK CAMERA, H.265, WITH 40X LENS, CLEARSIGHT COATING DOME, IRLED, SALT RESISTANCE	\$ 7,587.98
WV-X66300-Z3K	2MP OUTDOOR PTZ WITH AI ENGINE. 4.25-136MM 32X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. SALT RESISTANCE, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, CLEARSIGHT DOME	\$ 3,956.51
WV-X66300-Z3LK	2MP OUTDOOR PTZ WITH AI ENGINE. 4.25-136MM 32X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IRLED, SALT RESISTANCE, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, CLEARSIGHT DOME	\$ 4,247.80

WV-X66300-Z3LS	2MP OUTDOOR PTZ WITH AI ENGINE. 4.25-136MM 32X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IRLED, SALT RESISTANCE, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 4,089.14
WV-X66300-Z3S	2MP OUTDOOR PTZ WITH AI ENGINE. 4.25-136MM 32X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. SALT RESISTANCE, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 3,797.51
WV-X66300-Z4K	2MP OUTDOOR PTZ WITH AI ENGINE. 4.25-170MM 40X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. SALT RESISTANCE, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, CLEARSIGHT DOME	\$ 4,247.80
WV-X66300-Z4LK	2MP OUTDOOR PTZ WITH AI ENGINE. 4.25-170MM 40X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IRLED, SALT RESISTANCE, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, CLEARSIGHT DOME	\$ 4,544.66
WV-X66300-Z4LS	2MP OUTDOOR PTZ WITH AI ENGINE. 4.25-170MM 40X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IRLED, SALT RESISTANCE, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 4,382.15
WV-X66300-Z4S	2MP OUTDOOR PTZ WITH AI ENGINE. 4.25-170MM 40X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. SALT RESISTANCE, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 4,089.14
WV-X66600-Z3K	6MP OUTDOOR PTZ WITH AI ENGINE. 4.5-135MM 30X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. SALT RESISTANCE, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, CLEARSIGHT DOME	\$ 5,135.80
WV-X66600-Z3LK	6MP OUTDOOR PTZ WITH AI ENGINE. 4.5-135MM 30X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IRLED, SALT RESISTANCE, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, CLEARSIGHT DOME	\$ 5,429.86
WV-X66600-Z3LS	6MP OUTDOOR PTZ WITH AI ENGINE. 4.5-135MM 30X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IRLED, SALT RESISTANCE, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 5,260.89
WV-X66600-Z3S	6MP OUTDOOR PTZ WITH AI ENGINE. 4.5-135MM 30X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. SALT RESISTANCE, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 4,969.31
WV-X66700-Z3K	8MP OUTDOOR PTZ WITH AI ENGINE. 4.5-135MM 30X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. SALT RESISTANCE, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, CLEARSIGHT DOME	\$ 5,576.98
WV-X66700-Z3LK	8MP OUTDOOR PTZ WITH AI ENGINE. 4.5-135MM 30X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IRLED, SALT RESISTANCE, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, CLEARSIGHT DOME	\$ 5,873.85
WV-X66700-Z3LS	8MP OUTDOOR PTZ WITH AI ENGINE. 4.5-135MM 30X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. IRLED, SALT RESISTANCE, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 5,702.60
WV-X66700-Z3S	8MP OUTDOOR PTZ WITH AI ENGINE. 4.5-135MM 30X OPTICAL ZOOM LENS, ENDLESS PAN. H.265/H.264/MJPEG. 60FPS. STABILIZER. AUTO TRACKING. SALT RESISTANCE, IP66, IK10, FIPS 140-2 LEVEL 3 COMPLIANT	\$ 5,408.15
WV-X67310-Z4-1	2MP AERO PTZ WITH AI ENGINE, H.265/H.264/MJPEG, 4.25-170MM 40X MOTORIZED ZOOM LENS, IP68/IP66, IK10, ANTI SALT RESISTANT, FIPS 140-2 LEVEL 3 COMPLIANT, BLACK	\$ 7,864.94
WV-X67310-Z4-3	2MP AERO PTZ WITH AI ENGINE, H.265/H.264/MJPEG, 4.25-170MM 40X MOTORIZED ZOOM LENS, IP68/IP66, IK10, ANTI SALT RESISTANT, FIPS 140-2 LEVEL 3 COMPLIANT, GREY	\$ 7,864.94
WV-X67310-Z4L1	2MP AERO PTZ WITH AI ENGINE, IR LED, H.265/H.264/MJPEG, 4.25-170MM 40X MOTORIZED ZOOM LENS, IP68/IP66, IK10, ANTI SALT RESISTANT, FIPS 140-2 LEVEL 3 COMPLIANT, BLACK	\$ 9,252.88
WV-X67310-Z4L3	2MP AERO PTZ WITH AI ENGINE, IR LED, H.265/H.264/MJPEG, 4.25-170MM 40X MOTORIZED ZOOM LENS, IP68/IP66, IK10, ANTI SALT RESISTANT, FIPS 140-2 LEVEL 3 COMPLIANT, GREY	\$ 9,252.88
WV-X67311-Z4L3	2MP AERO PTZ WITH AI ENGINE, WHITE LED, H.265/H.264/MJPEG, 4.25-170MM 40X MOTORIZED ZOOM LENS, IP68/IP66, IK10, ANTI SALT RESISTANT, FIPS 140-2 LEVEL 3 COMPLIANT, GREY	\$ 9,252.88
WV-X67710-Z3-1	4K AERO PTZ WITH AI ENGINE, H.265/H.264/MJPEG, 4.5-135MM 30X MOTORIZED ZOOM LENS, IP68/IP66, IK10, ANTI SALT RESISTANT, FIPS 140-2 LEVEL 3 COMPLIANT, BLACK	\$ 9,831.18
WV-X67710-Z3-3	4K AERO PTZ WITH AI ENGINE, H.265/H.264/MJPEG, 4.5-135MM 30X MOTORIZED ZOOM LENS, IP68/IP66, IK10, ANTI SALT RESISTANT, FIPS 140-2 LEVEL 3 COMPLIANT, GREY	\$ 9,831.18
WV-X67710-Z3L1	4K AERO PTZ WITH AI ENGINE, IR LED, H.265/H.264/MJPEG, 4.5-135MM 30X MOTORIZED ZOOM LENS, IP68/IP66, IK10, ANTI SALT RESISTANT, FIPS 140-2 LEVEL 3 COMPLIANT, BLACK	\$ 11,219.11
WV-X67710-Z3L3	4K AERO PTZ WITH AI ENGINE, IR LED, H.265/H.264/MJPEG, 4.5-135MM 30X MOTORIZED ZOOM LENS, IP68/IP66, IK10, ANTI SALT RESISTANT, FIPS 140-2 LEVEL 3 COMPLIANT, GREY	\$ 11,219.11
WV-X67711-Z3L3	4K AERO PTZ WITH AI ENGINE, WHITE LED, H.265/H.264/MJPEG, 4.5-135MM 30X MOTORIZED ZOOM LENS, IP68/IP66, IK10, ANTI SALT RESISTANT, FIPS 140-2 LEVEL 3 COMPLIANT, GREY	\$ 11,219.11
WV-X86530-Z2	3X 5MP MULTI-SENSOR + 2MP(1080p) OUTDOOR PTZ WITH AI ENGINE. MULTISENSOR PART : H.265/H.264/MJPEG. 3.1MM FIXED LENS. 3072 X 2304 AND 3072 X 1728 PIXEL UP TO 15FPS, TILT ADJUSTABLE. PTZ PART: H.265/H.264/MJPEG. 4.0-84.6MM 21X OPTICAL ZOOM LENS, ENDLESS PAN. 60FPS. STABILIZER. AUTO TRACKING. IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 4,050.14
WV-X86530-Z2-1	3X 5MP MULTI-SENSOR + 2MP(1080p) OUTDOOR PTZ WITH AI ENGINE. MULTISENSOR PART : H.265/H.264/MJPEG. 3.1MM FIXED LENS. 3072 X 2304 AND 3072 X 1728 PIXEL UP TO 15FPS, TILT ADJUSTABLE. PTZ PART: H.265/H.264/MJPEG. 4.0-84.6MM 21X OPTICAL ZOOM LENS, ENDLESS PAN. 60FPS. STABILIZER. AUTO TRACKING. IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, BLACK COLOR	\$ 4,078.55
WV-X86531-Z2	4X 5MP MULTI-SENSOR + 2MP(1080p) OUTDOOR PTZ WITH AI ENGINE. MULTISENSOR PART : H.265/H.264/MJPEG. 3.1MM FIXED LENS. 3072 X 2304 AND 3072 X 1728 PIXEL UP TO 15FPS, TILT ADJUSTABLE. PTZ PART: H.265/H.264/MJPEG. 4.0-84.6MM 21X OPTICAL ZOOM LENS, ENDLESS PAN. 60FPS. STABILIZER. AUTO TRACKING. IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, WHITE COLOR	\$ 4,308.55
WV-X86531-Z2-1	4X 5MP MULTI-SENSOR + 2MP(1080p) OUTDOOR PTZ WITH AI ENGINE. MULTISENSOR PART : H.265/H.264/MJPEG. 3.1MM FIXED LENS. 3072 X 2304 AND 3072 X 1728 PIXEL UP TO 15FPS, TILT ADJUSTABLE. PTZ PART: H.265/H.264/MJPEG. 4.0-84.6MM 21X OPTICAL ZOOM LENS, ENDLESS PAN. 60FPS. STABILIZER. AUTO TRACKING. IP66, IP67, IK10, FIPS 140-2 LEVEL 3 COMPLIANT, BLACK COLOR	\$ 4,308.55
XCC-ADV-ENT	ThinkSystem XClarity Controller Advanced to Enterprise Upgrade (for Servers that have XCC Advanced)	\$ 71.38
XCC-STD-ADV	ThinkSystem XClarity Controller Standard to Advanced Upgrade (for Servers that have XCC Standard)	\$ 71.38