

CAPITAL FACILITIES ADVISORY COMMITTEE

Meeting #4
2024-26 Work Session

Monday, June 23, 2025
6:00 – 8:00 p.m.



Our Agenda

Time	Topic
6:00 p.m.	Welcome
6:05 p.m.	Promise, Committee Norms & Feedback
6:10 p.m.	Updates
6:20 p.m.	2024-26 Work Plan - <i>Reminders</i>
6:25 p.m.	Site Analysis Presentation <ul style="list-style-type: none">• Bassetti Architects
6:20 p.m.	Takeaways, Questions & Feedback



Our Promise

Every student in Highline Public Schools is known by **name, strength and need**, and graduates prepared for the **future they choose.**



Our Committee Norms



1. Be present
2. Respect different opinions
3. Be easy on people, hard on ideas



4. Be as concise as possible
5. Enable all opinions to be heard
6. Assume best intentions



7. Seek to understand and then to be understood
8. Ask for clarification
9. Start on time, end on time



February ThoughtExchange Feedback

Not Enough Time to Review Sample Schools

- I felt we didn't have enough time to go through all the example schools in the time we had.
- I needed more time to review the sample schools and think about the issues.



Updates



Evergreen Progress | Opening: September 2025



Tyee Progress | Opening: September 2025



Pacific – Groundbreaking

Opening: September 2027



Pacific – Preconstruction

Opening: September 2027



Other Capital Projects Updates

- Transportation Building
- Valley View 3-Classroom Modular Building
- Southern Heights Replacement Building



2024-26 CFAC Work Plan



CFAC Road Map 2024-26

Goal:
by **February 2026**

Reach consensus
on **bond package**
recommendation

Reach consensus
on **dollar amount**
recommendation



Next CFAC Meetings



September 8, 2025
Monday, 6:00 – 8:00 p.m.



January 12, 2026
Monday, 6:00 – 8:00 p.m.



October 6, 2025
Monday, 6:00 – 8:00 p.m.



February 2, 2026
Monday, 6:00 – 8:00 p.m.



November 17, 2025
Monday, 6:00 – 8:00 p.m.



March 9, 2026
Monday, 6:00 – 8:00 p.m.



Site Analysis

Bassetti Architects



HIGHLINE PUBLIC SCHOOLS / BOND PLANNING

PLANNING PROCESS

FACILITY AGE & COMMON IMPROVEMENTS

MIDDLE SCHOOL SITES

- + SYLVESTER
- + CHINOOK
- + CASCADE


ELEMENTARY SCHOOL SITES

- + HILLTOP

OTHER SCHOOL SITES

- + MANHATTAN
- + WOODSIDE
- + VALLEY VIEW EARLY LEARNING







CONSTRUCTION PERIOD
1900-1940'S

COMMON IMPROVEMENTS

- + ACCESSIBILITY UPGRADES
- + HAZARDOUS MATERIAL REMOVAL
- + UNREINFORCED MASONRY & SEISMIC STRUCTURAL IMPROVEMENTS
- + WINDOW UPGRADES
- + ADDITIONAL SPACE FOR NEW MECHANICAL EQUIPMENT
- + ELECTRICAL SERVICE UPGRADE
- + ELECTRICAL SYSTEM UPGRADES
- + INSTALLATION OF FIRE SPRINKLERS
- + REPLACE/UPGRADE FIRE ALARM SYSTEMS
- + IT & SECURITY INFRASTRUCTURE UPGRADES
- + LIGHTING SYSTEM UPGRADES

RENOVATION COST

\$\$\$\$



CONSTRUCTION PERIOD
1940'S-1970'S

COMMON IMPROVEMENTS

- + ACCESSIBILITY UPGRADES
- + HAZARDOUS MATERIAL REMOVAL
- + UNREINFORCED MASONRY & SEISMIC STRUCTURAL IMPROVEMENTS
- + WINDOW UPGRADES
- + WATER MANAGEMENT & ROOF DRAINAGE
- + ADDITIONAL SPACE FOR NEW MECHANICAL EQUIPMENT
- + ELECTRICAL SERVICE UPGRADES
- + ELECTRICAL SYSTEM UPGRADES
- + ADD FIRE SPRINKLERS
- + REPLACE/UPGRADE FIRE ALARM SYSTEMS
- + IT & SECURITY INFRASTRUCTURE UPGRADES
- + LIGHTING SYSTEM UPGRADES

RENOVATION COST

\$\$\$



CONSTRUCTION PERIOD
1970'S-1990'S

COMMON IMPROVEMENTS

- + ACCESSIBILITY UPGRADES
- + HAZARDOUS MATERIAL REMOVAL
- + SEISMIC STRUCTURAL IMPROVEMENTS
- + WINDOW UPGRADES
- + WATER MANAGEMENT & ROOF DRAINAGE
- + ELECTRICAL SERVICE UPGRADES
- + ELECTRICAL SYSTEM UPGRADES
- + ADD FIRE SPRINKLERS
- + UPGRADE FIRE ALARM SYSTEMS
- + LIGHTING SYSTEM UPGRADES

RENOVATION COST

\$\$\$



CONSTRUCTION PERIOD
1998-NOW

COMMON IMPROVEMENTS

- + STRUCTURAL SEISMIC IMPROVEMENTS
- + ELECTRICAL SERVICE UPGRADE
- + ELECTRICAL SYSTEM UPGRADE
- + UPGRADE FIRE ALARM SYSTEMS
- + LIGHTING SYSTEM UPGRADES

RENOVATION COST

\$

SYLVESTER MIDDLE SCHOOL /

SYLVESTER MIDDLE SCHOOL / AERIAL PLAN & SITE CONTEXT




BLDG 300 - GYM



BLDG 100 - MAIN ENTRY




BLDG 700 - LIBRARY



FACILITY CONSTRUCTION RANGE

- 1900-1940
- 1940-1970
- 1970-1990
- 1998-RECENT CONSTRUCTION




BLDG 300 - COMMONS



BLDG 200 - CLASSROOM BLDG



BLDG 500 - DRAMA



SITE INFORMATION

ADDRESS
16222 SYLVESTER RD SW
BURIEN, WA 98166

SITE AREA
13.08 ACRES

RISKS / CONSIDERATIONS

- + STREAM IN CULVERT RUNS UNDER THE SITE.
- + 100'-0" STREAM BUFFER
- + SITE IN SEISMIC HAZARD ZONE
- + POTENTIAL LIGHTED PEDESTRIAN CROSSING
- + LOTS OF STAIR ACCESS - ADA ACCESS AROUND SITE IS LIMITED
- + VERY LIMITED STAFF PARKING
- + GEOLOGICAL LIQUEFACTION ZONE

ZONING DATA

JURISDICTION: BURIEN

ZONE: SINGLE FAMILY 7,200

USE: SCHOOL ALLOWED

REVIEW PROCESS: TYPE 2 DECISION

SETBACKS

FRONT: 30'

INTERIOR: 30'


MAX. IMPERVIOUS SITE COVERAGE: 70% > 47%

MAX. BUILDING COVERAGE: 35% > 19%

MAX. HEIGHT: 35'

PARKING: DETERMINED BY TRAFFIC STUDY & DIRECTOR DECISION

CONSTRUCTION MILESTONES



BLDG 300




BLDG 400




BLDG 700



BLDG 600




BLDG 500



BLDG 100

MAIN LEVEL

STATISTICS



BUILDING DATA

BUILDING

- + 1-STORY, WOOD FRAMING & CONCRETE WALLS AT GYM - 100,200,300,400
- + 1-STORY, CONCRETE WALLS & HEAVYTIMBER BEAMS - 500,600,700
- + BLDG 100 PARTIALLY SPRINKLERED

MEP OVERVIEW

- + 100,200,300,400 - TWO-PIPE STEAM HEATING WITH AHU AT GYM
- + 500,600,700- AHU FORCED AIR HEATING/ VENTILATION FED BY STEAM LOOP

DEFICIENCIES

- + 2015 ICOS SCORE - 63% - FAIR
- + PEDESTRIAN ADA SITE ARRIVAL / BUS DROP CHALLENGES
- + BLDG 300 HAS SEVERAL FIRE WALLS TO INCREASE ALLOWABLE AREA
- + OUTDATED FIRE ALARM SYSTEM
- + STRUCTURAL SEISMIC CAPACITY
- + SINGLE PANE GLAZING

CHINOOK MIDDLE SCHOOL /

CHINOOK MIDDLE SCHOOL / AERIAL PLAN & SITE CONTEXT



BLDG 100 - LIBRARY



BLDG 100 - COURTYARD



BLDG 100 - MAIN ENTRY



FACILITY CONSTRUCTION RANGE

- 1900-1940
- 1940-1970
- 1970-1990
- 1998-RECENT CONSTRUCTION





PORTABLES



COVERED WALKWAY



BLDG 400 - CAFETERIA



SITE INFORMATION

ADDRESS
18650 42ND AVE S
SEATAC, WA 98188

SITE AREA
9.3 ACRES (18.7 ACRES TOTAL SITE)

RISKS / CONSIDERATIONS

+ OCCUPIED SITE REPLACEMENT
OPPORTUNITY IS LIMITED

ZONING DATA

JURISDICTION: SEATAC

ZONE: UL-7200

USE: SCHOOL ALLOWED W/ CONDITIONAL USE
PERMIT

REVIEW PROCESS: MINOR CONDITIONAL USE
PERMIT W/ DIRECTOR REVIEW

SETBACKS - FRONT: 20' **INTERIOR:** 5'



MAX. IMPERVIOUS SITE COVERAGE: N/A

MAX. BUILDING COVERAGE: 35%


MAX. HEIGHT: 30', TBD BY CUP APPROVAL

PARKING: 1 PER 50 STUDENTS, 1 PER FACULTY
MEMBER


CONSTRUCTION MILESTONES




100 BLDG (NORTH)
200 BLDG (SOUTH)



PORTABLES



300 BLDG (NORTH)
400 BLDG (SOUTH)





UNIT E

LEGEND

■	LEARNING / SPED
■	LEARNING SUPPORT
■	FL FLEX LEARNING
■	CTE
■	ATHLETICS
■	COMMONS
■	ARTS + MUSIC
■	RESOURCES / LIBRARY
■	ADMIN, TEACHER PREP
■	BUILDING SUPPORT (MEP, STORAGE, TOILETS)

STATISTICS



BUILDING DATA

BUILDING

- + 1-STORY, MASONRY WALLS, GLULAM BEAMS & COLUMNS, UNINSULATED ROOF

MEP OVERVIEW

- + GAS FURNACE, CLASSROOM UNIT VENTILATORS, CENTRAL BOILERS

DEFICIENCIES

- + 2015 ICOS SCORE: 59% - POOR
- + BLDG 300 NORTH - NON-SPRINKLERED
- + OUTDATED FIRE ALARM SYSTEM
- + ACCESSIBILITY ACCESS AT GYM
- + SEISMIC STRUCTURAL CAPACITY
- + INEFFICIENT LIGHTING
- + SINGLE PANE GLAZING

CASCADE MIDDLE SCHOOL /

CASCADE MIDDLE SCHOOL / AERIAL PLAN & SITE CONTEXT




BLDG 200 - MURAL



BLDG 200 - CORRIDOR



BLDG 500 - COMMONS



FACILITY CONSTRUCTION RANGE

- 1900-1940
- 1940-1970
- 1970-1990
- 1998-RECENT CONSTRUCTION




BLDG 700 - COVERED WALK



BLDG 500 - BAND



BLDG 500 - GYM



SITE INFORMATION

ADDRESS
11212 10TH AVE SW
SEATTLE, WA 98146

SITE AREA
19.3 ACRES

RISKS / CONSIDERATIONS

- + EXISTING SEWER CROSSING SITE
- + 100'-0" WETLAND BUFFER
- + LIMITED IMPERVIOUS SITE AREA

ZONING DATA

JURISDICTION: KING COUNTY

ZONE: R-6

USE: SCHOOL USE ALLOWED

SETBACKS

FRONT: 30'



INTERIOR: 30'

MAX. IMPERVIOUS SITE COVERAGE: 70% > 67%


MAX. HEIGHT: 35' - (75'-0" WITH ADD'L SETBACK)

PARKING: 42 CL + 700 STUDENTS / 10 = 112


CONSTRUCTION MILESTONES




BLDG 100




BLDG 300




BLDG 700




BLDG 200



BLDG 400



BLDG 600






BLDG 500

LEGEND

- LEARNING / SPED
- LEARNING SUPPORT
- FL FLEX LEARNING
- CTE
- ATHLETICS
- COMMONS
- ARTS + MUSIC
- RESOURCES / LIBRARY
- ADMIN, TEACHER PREP
- BUILDING SUPPORT (MEP, STORAGE, TOILETS)

MAIN LEVEL

STATISTICS



BUILDING DATA

BUILDING

- + SINGLE STORY
- + STEEL COLUMNS & GLULAM BEAMS, BRICK SHEAR WALLS
- + SPRINKLERS - BLDG 700

MEP OVERVIEW

- + FORCED AIR GAS FURNACE, CAMPUS HOT WATER LOOP

DEFICIENCIES

- + 2015 ICOS SCORE - 65%- FAIR
- + SEISMIC STRUCTURAL CAPACITY
- + LIMITED SPRINKLERS
- + OUTDATED FIRE ALARM SYSTEM
- + INEFFICIENT LIGHTING
- + SINGLE PANE GLAZING

HILLTOP ELEMENTARY SCHOOL /

HILLTOP ELEMENTARY SCHOOL / AERIAL PLAN & SITE CONTEXT



BLDG C - LIBRARY



BLDG C - MAIN ENTRY



BLDG B - COURTYARD



FACILITY CONSTRUCTION RANGE

- 1900-1940
- 1940-1970
- 1970-1990
- 1998-RECENT CONSTRUCTION




BLDG B - CLASSROOM



BLDG D - GYM



PORTABLES



SITE INFORMATION

ADDRESS
12250 24TH AVE S
BURIEN, WA 98168

SITE AREA
8.28 ACRES

RISKS / CONSIDERATIONS

+ UNCLASSIFIED STREAM IN MAN-MADE CONVEYANCE RUNS UNDER THE SITE

ZONING DATA

JURISDICTION: BURIEN

ZONE: SINGLE FAMILY 7,200

USE: SCHOOL ALLOWED

REVIEW PROCESS: TYPE 2 DECISION

SETBACKS

FRONT: 30'

INTERIOR: 30'



MAX. IMPERVIOUS SITE COVERAGE: 70%>40%

MAX. BUILDING COVERAGE: 35%>18%


MAX. HEIGHT: 35'

PARKING: DETERMINED BY TRAFFIC STUDY & DIRECTOR DECISION


CONSTRUCTION MILESTONES




BLDG A




NORTH
MODULAR




SOUTH
PORTABLES



BLDG C



BLDG B





BLDG D

LEGEND

- LEARNING / SPED
- LEARNING SUPPORT
- FL FLEX LEARNING
- CTE
- ATHLETICS
- COMMONS
- ARTS + MUSIC
- RESOURCES / LIBRARY
- ADMIN, TEACHER PREP
- BUILDING SUPPORT (MEP, STORAGE, TOILETS)

STATISTICS



BUILDING DATA

BUILDING

- + SINGLE STORY, BLDG D - TWO STORY
- + WOOD FRAMED, CMU AT GYM

MEP OVERVIEW

- + UNIT VENTILATORS, HEATING LOOP,
- + BLDG A & B - GAS FURNACES
- + BLDG D - ZONED AHU & GAS BOILERS

DEFICIENCIES

- + 2015 ICOS SCORE - 77% - FAIR
- + BLDG A,B,C ARE NOT SPRINKLERED & HAVE LIMITED ALLOWABLE AREA FOR ADDITIONS
- + SEISMIC STRUCTURAL CAPACITY
- + ROOF DRAINAGE CONCERNS
- + SINGLE PANE GLAZING

MAIN LEVEL

WOODSIDE & MANHATTAN SITES /

BIG PICTURE HIGH SCHOOL & CHOICE ACADEMY / OVERALL SITE PLAN - PROGRAM DISTRIBUTION



MANHATTAN SITE /

BIG PICTURE HIGH SCHOOL / AERIAL PLAN & SITE CONTEXT




PLAY FIELD



BLDG C - CLASSROOM / LIBRARY



COVERED WALK BLDG C



FACILITY CONSTRUCTION RANGE

- 1900-1940
- 1940-1970
- 1970-1990
- 1998-RECENT CONSTRUCTION





TYPICAL CLASSROOM



COMMONS



COVERED WALK BLDG A



SITE INFORMATION

ADDRESS
BIG PICTURE HS - 440 S 186TH ST
BURIEN, WA 98148

SITE AREA
774,576 SF (17.8 ACRES)

RISKS / CONSIDERATIONS

+ AQUIFER RECHARGE ZONE - BURIEN CRITICAL AREA REVIEW REQUIRED.

ZONING DATA

JURISDICTION: BURIEN

ZONE: RS-7200

USE: SCHOOL ALLOWED

REVIEW PROCESS: TYPE 2 DECISION

SETBACKS: FRONT - 30' INTERIOR - 30'

MAX. IMPERVIOUS SITE COVERAGE: 70% > 15%




MAX. BUILDING COVERAGE: 35% > 12%

MAX. HEIGHT: 35'


PARKING: DETERMINED BY TRAFFIC STUDY & DIRECTOR DECISION.

BIG PICTURE HS - 52 EXISTING STALLS

CONSTRUCTION MILESTONES



STATISTICS



BUILDING DATA

BUILDING

- + SINGLE STORY
- + MASONRY BEARING WALLS, STEEL COLUMNS & GLULAM BEAMS
- + NON-SPRINKLERED

MEP OVERVIEW

- + UNIT VENTILATORS & GAS BOILER

DEFICIENCIES

- + 2015 ICOS SCORE - 44% -POOR
- + HAZARDOUS MATERIALS
- + URM BLOCK CONSTRUCTION
- + SEISMIC STRUCTURAL CAPACITY
- + ADA ACCESS, RAMPS MISSING & HARDWARE
- + INEFFICIENT LIGHTING
- + LIMITED FIRE ALARM SYSTEM
- + SINGLE PANE GLAZING

WOODSIDE SITE /

CHOICE ACADEMY / AERIAL PLAN & SITE CONTEXT




COURTYARD



BLDG 2 - CLASSROOM



BLDG 2 - SCIENCE CLASSROOM



FACILITY CONSTRUCTION RANGE

- 1900-1940
- 1940-1970
- 1970-1990
- 1998-RECENT CONSTRUCTION




BLDG -1 GYM / TECHNOLOGY STORAGE



BLDG 1 - CORRIDOR



BLDG 3 - EXTERIOR



SITE INFORMATION

ADDRESS
CHOICE ACADEMY - 18367 8TH AVE S
BURIEN, WA 98148

SITE AREA
774,576 SF (17.8 ACRES)



RISKS / CONSIDERATIONS

+ AQUIFER RECHARGE ZONE - BURIEN CRITICAL AREA REVIEW REQUIRED.


ZONING DATA

JURISDICTION: BURIEN
ZONE: RS-7200
USE: SCHOOL ALLOWED
REVIEW PROCESS: TYPE 2 DECISION
SETBACKS: FRONT - 30' INTERIOR - 30'
MAX. IMPERVIOUS SITE COVERAGE: 70% > 15%
MAX. BUILDING COVERAGE: 35% > 12%
MAX. HEIGHT: 35'
PARKING: DETERMINED BY TRAFFIC STUDY & DIRECTOR DECISION.
CHOICE ACADEMY / HSD / RTP / CBS - 92 (E) STALLS


CONSTRUCTION MILESTONES




MAIN LEVEL




2005 PORTABLES



2003 PORTABLES



STATISTICS




BUILDING DATA

- BUILDING**
- + NON-SPRINKLERED
 - + SINGLE STORY
 - + MASONRY BEARING WALLS, STEEL COLUMNS & STEEL BEAMS
- MEP OVERVIEW**
- + UNIT VENTILATORS & GAS BOILER
- DEFICIENCIES**
- + 2015 ICOS SCORE - POOR
 - + BLDG 1&3 - 46%, BLDG 2 - 31%
 - + HAZARDOUS MATERIALS
 - + URM BLOCK CONSTRUCTION
 - + ADA ACCESS, RAMPS & HARDWARE
 - + INEFFICIENT LIGHTING
 - + SINGLE PANE GLAZING
 - + OBSOLETE BUILDING SYSTEMS

VALLEY VIEW EARLY LEARNING /

VALLEY VIEW EARLY LEARNING CENTER / AERIAL PLAN & SITE CONTEXT



GYM



MAIN ENTRY



CLASSROOM



FACILITY CONSTRUCTION RANGE

- 1900-1940
- 1940-1970
- 1970-1990
- 1998-RECENT CONSTRUCTION



CENTER GATHERING SPACE



COVERED PLAY & PLAYGROUND



MEZZANINE CLASSROOM



SITE INFORMATION

ADDRESS
17622 46TH AVE S
SEATAC, WA 98188

SITE AREA
5.60 ACRES

RISKS / CONSIDERATIONS

+ ACCESSIBILITY - SITE, LACK OF RAMPS, MEZZANINE, NO ELEVATOR

ZONING DATA

JURISDICTION: SEATAC

ZONE: UL-7200

USE: DAYCARE 2 (12+ CHILDREN) ALLOWED W/ CUP

REVIEW PROCESS: MINOR CONDITIONAL USE

PERMIT W/ DIRECTOR REVIEW

SETBACKS - FRONT: 20' **SIDE:** 5' **REAR:** 15'



MAX. IMPERVIOUS SITE COVERAGE: N/A

MAX. BUILDING COVERAGE: 35%

MAX. HEIGHT: 30', TBD BY CUP APPROVAL

PARKING: 2 PER FACILITY MIN., PLUS 1 PER EMPLOYEE, AND 1 LOAD/UNLOAD SPACE PER EVERY 10 CHILDREN, 71 EXISTING STALLS


CONSTRUCTION MILESTONES



LEGEND

- LEARNING / SPED
- LEARNING SUPPORT
- FL FLEX LEARNING
- CTE
- ATHLETICS
- COMMONS
- ARTS + MUSIC
- RESOURCES / LIBRARY
- ADMIN, TEACHER PREP
- BUILDING SUPPORT (MEP, STORAGE, TOILETS)
- FIRE WALL / BUILDING SEPARATION

STATISTICS



BUILDING DATA

BUILDING

- + SINGLE STORY W/ MEZZANINE
- + MASONRY & WOOD BEARING WALLS
- + GLULAM BEAMS
- + SPRINKLERED

MEP OVERVIEW

- + UNIT VENTILATORS & GAS BOILER W/ OIL BACKUP - BOILER RECENTLY REPLACED

DEFICIENCIES

- + 2015 ICOS SCORE - 56% -POOR
- + HAZARDOUS MATERIALS
- + URM BLOCK CONSTRUCTION
- + ADA ACCESS, RAMPS & HARDWARE
- + INEFFICIENT LIGHTING
- + NO COOLING AVAILABLE
- + EMERGENCY LIGHTING DURATION
- + SINGLE PANE GLAZING

Takeaways, Questions & Feedback

Share & Star

What did you learn?
What do you want to
know more about?

Scan QR



URL: tejoin.com

CODE: 121-390-806

