

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012519610
LIMS Reference ID: AD19610
EMSL Customer ID: TTIE54

Attention: Tim Popp
TTI Environmental Inc. [TTIE54]
1253 North Church Street
Moorestown, NJ 08057
(856) 840-8800
timp@ttienv.com

Project Name: 25-190 Piscataway Regional Day School

Customer PO: 041272
EMSL Sales Rep: Sheryl Steinmetz
Received: 05/05/2025 09:00
Reported: 05/21/2025 18:10

Analytical Results

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: 1 OT/PT/Main Hall Lims Reference ID: AD19610-01 Matrix: Drinking Water Sampled: 05/03/25 06:34:00									
Metals									
Lead	ND		1	1.00	µg/L	05/19/25 16:07	05/20/25 18:22	PL	EPA 200.8 (DA)/EPA 200.8
Sample: 2 Main Hall/Staff Lounge Lims Reference ID: AD19610-02 Matrix: Drinking Water Sampled: 05/03/25 06:08:00									
Metals									
Lead	ND		1	1.00	µg/L	05/19/25 16:07	05/20/25 18:24	PL	EPA 200.8 (DA)/EPA 200.8
Sample: 3 Behind Faculty Rm/Kitchen Lims Reference ID: AD19610-03 Matrix: Drinking Water Sampled: 05/03/25 06:05:00									
Metals									
Lead	97.4	D	2	2.00	µg/L	05/19/25 16:58	05/20/25 16:51	JW1	EPA 200.8 (Dig)/EPA 200.8
Sample: 4 Behind Faculty Rm/Kitchen Lims Reference ID: AD19610-04 Matrix: Drinking Water Sampled: 05/03/25 06:04:00									
Metals									
Lead	16.2		1	1.00	µg/L	05/19/25 16:07	05/20/25 18:30	PL	EPA 200.8 (DA)/EPA 200.8
Sample: 5 Main Hall/Nurse's Office Lims Reference ID: AD19610-05 Matrix: Drinking Water Sampled: 05/03/25 06:06:00									
Metals									
Lead	ND		1	1.00	µg/L	05/19/25 16:07	05/20/25 18:32	PL	EPA 200.8 (DA)/EPA 200.8
Sample: 6 Center/A Pod Lims Reference ID: AD19610-06 Matrix: Drinking Water Sampled: 05/03/25 06:10:00									
Metals									
Lead	ND		1	1.00	µg/L	05/19/25 16:07	05/20/25 18:34	PL	EPA 200.8 (DA)/EPA 200.8
Sample: 7 A1/C1/Rm Lims Reference ID: AD19610-07 Matrix: Drinking Water Sampled: 05/03/25 06:12:00									
Metals									
Lead	ND		1	1.00	µg/L	05/19/25 16:07	05/20/25 18:36	PL	EPA 200.8 (DA)/EPA 200.8
Sample: 8 A2/C1/Rm Lims Reference ID: AD19610-08 Matrix: Drinking Water Sampled: 05/03/25 06:13:00									
Metals									
Lead	1.36		1	1.00	µg/L	05/19/25 16:07	05/20/25 18:38	PL	EPA 200.8 (DA)/EPA 200.8
Sample: 9 A3/C1/Rm Lims Reference ID: AD19610-09 Matrix: Drinking Water Sampled: 05/03/25 06:14:00									
Metals									
Lead	ND		1	1.00	µg/L	05/19/25 16:07	05/20/25 18:40	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012519610
LIMS Reference ID: AD19610
EMSL Customer ID: TTIE54

Attention: Tim Popp
TTI Environmental Inc. [TTIE54]
1253 North Church Street
Moorestown, NJ 08057
(856) 840-8800
timp@ttienv.com

Project Name: 25-190 Piscataway Regional Day School

Customer PO: 041272
EMSL Sales Rep: Sheryl Steinmetz
Received: 05/05/2025 09:00
Reported: 05/21/2025 18:10

Analytical Results
(Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: 10 A4/C1/Rm Lims Reference ID: AD19610-10 Matrix: Drinking Water Sampled: 05/03/25 06:15:00									
Metals									
Lead	1.36		1	1.00	µg/L	05/19/25 16:07	05/20/25 18:42	PL	EPA 200.8 (DA)/EPA 200.8
Sample: 11 Sink/Frank's Cafe Lims Reference ID: AD19610-11 Matrix: Drinking Water Sampled: 05/03/25 06:17:00									
Metals									
Lead	ND		1	1.00	µg/L	05/19/25 16:09	05/19/25 23:58	JW1	EPA 200.8 (DA)/EPA 200.8
Sample: 12 Center/B Pod Lims Reference ID: AD19610-12 Matrix: Drinking Water Sampled: 05/03/25 06:19:00									
Metals									
Lead	ND		1	1.00	µg/L	05/19/25 16:09	05/20/25 00:05	JW1	EPA 200.8 (DA)/EPA 200.8
Sample: 13 Bathrm/B1 Class Rm Lims Reference ID: AD19610-13 Matrix: Drinking Water Sampled: 05/03/25 06:20:00									
Metals									
Lead	ND		1	1.00	µg/L	05/19/25 16:09	05/20/25 00:07	JW1	EPA 200.8 (DA)/EPA 200.8
Sample: 14 Bathrm/B2 Class Rm Lims Reference ID: AD19610-14 Matrix: Drinking Water Sampled: 05/03/25 06:21:00									
Metals									
Lead	1.08		1	1.00	µg/L	05/19/25 16:09	05/20/25 00:09	JW1	EPA 200.8 (DA)/EPA 200.8
Sample: 15 Bathrm/B3 Class Rm Lims Reference ID: AD19610-15 Matrix: Drinking Water Sampled: 05/03/25 06:22:00									
Metals									
Lead	ND		1	1.00	µg/L	05/19/25 16:09	05/20/25 00:12	JW1	EPA 200.8 (DA)/EPA 200.8
Sample: 16 Bathrm/B4 Class Rm Lims Reference ID: AD19610-16 Matrix: Drinking Water Sampled: 05/03/25 06:23:00									
Metals									
Lead	ND		1	1.00	µg/L	05/19/25 16:09	05/20/25 00:18	JW1	EPA 200.8 (DA)/EPA 200.8
Sample: 17 Main Hall/Qt/PT Lims Reference ID: AD19610-17 Matrix: Drinking Water Sampled: 05/03/25 06:24:00									
Metals									
Lead	141	D	5	5.00	µg/L	05/19/25 16:09	05/20/25 12:50	JW1	EPA 200.8 (DA)/EPA 200.8
Sample: 18 Center/D Pod Lims Reference ID: AD19610-18 Matrix: Drinking Water Sampled: 05/03/25 06:26:00									
Metals									
Lead	1.45		1	1.00	µg/L	05/19/25 16:09	05/20/25 00:23	JW1	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012519610
LIMS Reference ID: AD19610
EMSL Customer ID: TTIE54

Attention: Tim Popp
TTI Environmental Inc. [TTIE54]
1253 North Church Street
Moorestown, NJ 08057
(856) 840-8800
timp@ttienv.com

Project Name: 25-190 Piscataway Regional Day School

Customer PO: 041272
EMSL Sales Rep: Sheryl Steinmetz
Received: 05/05/2025 09:00
Reported: 05/21/2025 18:10

Analytical Results
(Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: 19 Center/D Pod Bathrm Lims Reference ID: AD19610-19 Matrix: Drinking Water Sampled: 05/03/25 06:27:00									
Metals									
Lead	ND		1	1.00	µg/L	05/19/25 16:09	05/20/25 00:25	JW1	EPA 200.8 (DA)/EPA 200.8
Sample: 20 Center/C Pod Lims Reference ID: AD19610-20 Matrix: Drinking Water Sampled: 05/03/25 06:30:00									
Metals									
Lead	ND		1	1.00	µg/L	05/19/25 16:09	05/20/25 00:28	JW1	EPA 200.8 (DA)/EPA 200.8
Sample: 21 Bathrm/C1 Lims Reference ID: AD19610-21 Matrix: Drinking Water Sampled: 05/03/25 06:31:00									
Metals									
Lead	1.08		1	1.00	µg/L	05/19/25 16:09	05/20/25 00:30	JW1	EPA 200.8 (DA)/EPA 200.8
Sample: 22 Bathrm/C2 Lims Reference ID: AD19610-22 Matrix: Drinking Water Sampled: 05/03/25 06:32:00									
Metals									
Lead	ND		1	1.00	µg/L	05/19/25 16:09	05/20/25 00:37	JW1	EPA 200.8 (DA)/EPA 200.8
Sample: 23 Blank/Blank Lims Reference ID: AD19610-23 Matrix: Drinking Water Sampled: 05/03/25 06:40:00									
Metals									
Lead	ND		1	1.00	µg/L	05/19/25 16:09	05/20/25 00:39	JW1	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012519610
LIMS Reference ID: AD19610
EMSL Customer ID: TTIE54

Attention: Tim Popp
TTI Environmental Inc. [TTIE54]
1253 North Church Street
Moorestown, NJ 08057
(856) 840-8800
timp@ttienv.com

Project Name: 25-190 Piscataway Regional Day School

Customer PO: 041272
EMSL Sales Rep: Sheryl Steinmetz
Received: 05/05/2025 09:00
Reported: 05/21/2025 18:10

Certified Analyses included in this Report

Analyte	Certifications
<i>EPA 200.8 in Drinking Water</i>	
Lead	NJDEP

List of Certifications

Code	Description	Number	Expires
PADEP	Pennsylvania Department of Environmental Protection	2845.25	11/30/2025
NYSDOH	New York State Department of Health ELAP	10872	04/01/2025
NJDEP	New Jersey Department of Environmental Protection	03036	06/30/2025
MADEP	Massachusetts Department of Environmental Protection	M-NJ337	06/30/2025
CTDPH	Connecticut Department of Public Health	PH-0270	06/23/2026
California ELAP	California Water Boards	1877	06/30/2025
AIHA LAP	American Industrial Hygiene Association (AIHA LAP, LLC)	100194	05/01/2025
A2LA	A2LA Environmental Certificate	2845.01	07/31/2026

Please see the specific Field of Testing (FOT) on www.emsl.com <<http://www.emsl.com>> for a complete listing of parameters for which EMSL is certified.

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012519610
LIMS Reference ID: AD19610
EMSL Customer ID: TTIE54

Attention: Tim Popp
TTI Environmental Inc. [TTIE54]
1253 North Church Street
Moorestown, NJ 08057
(856) 840-8800
timp@ttienv.com

Project Name: 25-190 Piscataway Regional Day School

Customer PO: 041272
EMSL Sales Rep: Sheryl Steinmetz
Received: 05/05/2025 09:00
Reported: 05/21/2025 18:10

Notes and Definitions

Item	Definition
D	Analyte was reported from a dilution run.
(Dig)	For metals analysis, sample was digested.
[2C]	Reported from the second channel in dual column analysis.
DA	Direct Analysis
DF	Dilution Factor
MDL	Method Detection Limit.
ND	Analyte was NOT DETECTED at or above the detection limit.
NR	Spike/Surrogate showed no recovery.
Q	Qualifier
RCS	Respirable Crystalline Silica
RL	Reporting Limit
Wet	Sample is not dry weight corrected.

Measurement of uncertainty and any applicable definitions of method modifications are available upon request. Per EPA NLLAP policy, sample results are not blank corrected.

Owen McKenna Laboratory Manager or other approved signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted.



Environmental Chemistry Chain of Custody

EMSL Order Number / Lab Use Only

EMSL Analytical, Inc.
200 Rt. 130 N
Cinnaminson, NJ 08077

EMSL ANALYTICAL, INC.

PHONE: (800) 220-3675

EMAIL: EnvChemistry2@EMSL.com

Customer ID:		Billing ID:	
Company Name: TTI Environmental, Inc		Company Name: Same	
Contact Name: Tim Popp		Billing Contact: Jean Smith	
Street Address: 1253 N Church St		Street Address:	
City, State, Zip: Moorestown, NJ 08054		City, State, Zip:	
Phone: 856-840-8800		Phone:	
Email(s) for Report: timp@ttienv.com		Email(s) for Invoice: jeans@ttienv.com	

Project Name/No: 25-190 Piscataway Regional Day School		Purchase Order: 041272	
EMSL LIMS Project ID: (If applicable, EMSL will provide)		State of Connecticut (CT) must select project location:	
		Commercial (Taxable) ☐ Residential (Non-Taxable) ☐	
Samples for Compliance? ☒ Yes ☐ No		PWS ID: ☐ State Reporting Required? ☐ Yes ☐ No	
Samples Collected by (Check One): ☐ EMSL ☒ CLIENT		Sample(s) Temperature Upon Receipt (LAB ONLY) ☐ Yes ☐ No	
Sampled By Name: Miguel Lopez		No. of Samples In Shipment: 323	
Turn-Around-Time (TAT): Standard Turn-Around-Time: ☒ 2 Weeks		The following TAT's are subject to Lab approval. Call lab to confirm TAT before submittal:	
		1 Week ☐ 2 Days ☐ 3 Days ☐ 4 Days ☐ 1 Day ☐	

Client Sample ID	Comp	Grab	Date / Time Collected	Matrix	Preservative	List Test(s) Needed (Write in test below, then check on sample line:)								Comments			
						Test 1:	Test 2:	Test 3:	Test 4:	Test 5:	Test 6:	Test 7:	Test 8:				
See attached		☒		DW=Drinking Water WW=Wastewater S=Soil A=Air SL=Sludge O=Other	1 HCL 2 HNO3 3 H2SO4 4 ICE 5 Other Describe below in Special Instructions	Lead											
		☒		W	None	☒											
		☐															
		☐															

Special Instructions and/or Regulatory Requirements (Sample Specifications, Processing Methods, Limits of Detection, etc.)

HNO3 added @ 1:55pm on 5/15/25 PG

Reporting Requirements: ☒ Results Only ☐ Results and QC ☐ Reduced Deliverables ☐ Hzresults EDD ☒ Excel ☐ Other (Describe Above)	
Method of Shipment:	
Relinquished by: Miguel Lopez	
Date/Time: 05/03/25	Date/Time: 5/05/25 0900
Relinquished by: Miguel Lopez	
Date/Time: 05/03/25	Date/Time: 5/05/25 0900



1253 North Church Street, Moorestown, NJ 08057
856-840-8800 Fax 856-840-8815

AD19610

LEAD IN WATER SAMPLING DATA AND CHAIN OF CUSTODY

PROJECT #: 25-190		CLIENT: Educational Services Commission of New Jersey		FACILITY: Piscataway Regional Day School		
PO #: 041272		SAMPLE(S): <i>Niguel Jena</i>		DATE: 05/03/25	ADDRESS: 1670 Stelton Road, Piscataway, NJ 08854	
Sample ID	Location/Description	Time	Sample Type: Initial Flush (30sec / 15min)	Outlet Type:	Volume	Notes: Discolored, Odor, Low Flow, Etc...
1	OT/PT	6:34	Initial	Water Bubbler	250mL	
2	Main Hall	6:08	Initial	Sink	250mL	PRDS9 label
3	Behind Faculty Rm	6:05	Initial	Sink	250mL	PRDS3 label
4	Behind Faculty Rm	6:04	Initial	Sink	250mL	PRDS6 label
5	Main Hall	6:06	Initial	Sink	250mL	PRDS10 label
6	Center	6:10	Initial	Sink	250mL	
7	A1	6:12	Initial	Sink Bathrm	250mL	PRDS14 label
8	A2	6:13	Initial	Sink Bathrm	250mL	PRDS15 label
9	A3	6:14	Initial	Sink Bathrm	250mL	PRDS16 label
10	A4	6:15	Initial	Sink Bathrm	250mL	PRDS17 label
11	Sink	6:17	Initial	Sink	250mL	PRDS19 label
12	Center	6:19	Initial	Sink	250mL	PRDS21 label
13	Bathrm	6:20	Initial	Sink	250mL	PRDS22 label
14	Bathrm	6:21	Initial	Sink	250mL	PRDS23 label
15	Bathrm	6:22	Initial	Sink	250mL	PRDS24 label
16	Bathrm	6:22	Initial	Sink	250mL	PRDS25 label
17	Main Hall	6:24	Initial	Sink	250mL	PRDS20 label
18	Center	6:26	Initial	Sink	250mL	PRDS26 label
19	Center	6:27	Initial	Sink	250mL	



Ad 1961 D

LEAD IN WATER SAMPLING DATA AND CHAIN OF CUSTODY

[illegible]