



**ENVIRONMENTAL
Transactions, Inc.**

PO Box 279
River Edge, NJ 07661

December 14, 2023

Bill McMinn
Madison School District
Department of Facilities
284 Green Hill Rd.
Madison, CT 06443


Dear Bill:

I have enclosed results for radon testing for your District. As you can see, the results are below the EPA action level of 4.0 pCi/L. Based on these results, no further action need be taken. Re-testing should take place again in 2 years.

All rooms tested were done under closed conditions, with all windows shut and the HVAC system running under normal school use conditions in accordance with EPA and CT State guidelines.

Please call if you have questions. Thank you for using Environmental Transactions, Inc.

Sincerely,



Louis G. Esposito



RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

ENVIRONMENTAL TRANSACTION
35 Mill Rd
WOODCLIFF LAKE, NJ 07677

EXPOSED FOR: 12/05/2023-12/07/2023
REPORT DATE: 12/15/2023

TEST LOCATION
WALTER POLSON MIDDLE SCHOOL
302 GREEN HILL RD
MADISON, CT 06443

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method. This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (pCi/L) OR HIGHER

Please read the EPA Citizen's Guide to Radon at www.epa.gov/radon/pubs/citguide.html. Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office.**

LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

Jose Figueroa, RMS
NRPP CERT # 109347 RT
NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028
PRO-LAB NEHA ID # 101461AL

James E. McDonnell IV



RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>LOCATION</u>	<u>RADON LEVEL</u>
5341087	1ST FLOOR-ASSISTANT PRINCIPAL OFFICE	0.9 pCi/L
5341049	1ST FLOOR-ASSISTANT OFFICE DUP	1.1 pCi/L
5341137	1ST FLOOR-AUDITORIUM CENTER	0.4 pCi/L
5341424	1ST FLOOR-AUDITORIUM FRONT LEFT	< 0.3 pCi/L **
5341139	1ST FLOOR-AUDITORIUM FRONT RIGHT	< 0.3 pCi/L **
5340995	1ST FLOOR-AUDITORIUM REAR RIGHT	< 0.3 pCi/L **
5341081	1ST FLOOR-AUDITORIUM REAR LEFT	0.5 pCi/L
5341069	1ST FLOOR-HEAD CUSTODIAN OFFICE	< 0.3 pCi/L **
5341031	1ST FLOOR-RM 23	0.4 pCi/L
5341109	1ST FLOOR-RM 24	0.9 pCi/L
5341171	1ST FLOOR-RM 24 BLANK	< 0.3 pCi/L **
5341226	1ST FLOOR-RM 26A	1.9 pCi/L
5341108	1ST FLOOR-RM 26A LEFT REAR RM	1.9 pCi/L
5341219	1ST FLOOR-RM 26A RIGHT REAR RM	2.3 pCi/L
5341126	1ST FLOOR-RM 28	1.4 pCi/L
5341061	1ST FLOOR-RM 28 DUP	1.3 pCi/L
5341196	1ST FLOOR-RM 29	2.1 pCi/L
5341172	1ST FLOOR-RM 29 BLANK	< 0.3 pCi/L **
5341179	1ST FLOOR-RM 30	2.7 pCi/L
5340989	1ST FLOOR-RM 30 DUP	2.4 pCi/L
5327827	1ST FLOOR-RM 31	1.5 pCi/L
5341037	1ST FLOOR-RM 32	1.3 pCi/L
5341131	1ST FLOOR-RM 39	0.6 pCi/L
5341088	1ST FLOOR-RM 42	1.6 pCi/L
5341204	1ST FLOOR-STAGE LEFT	< 0.3 pCi/L **
5341230	1ST FLOOR-STAGE RIGHT	< 0.3 pCi/L **
5341418	1ST FLOOR-WRESTLING ROOM FRONT	2.4 pCi/L



RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

ENVIRONMENTAL TRANSACTION
35 Mill Rd
WOODCLIFF LAKE, NJ 07677

EXPOSED FOR: 12/05/2023-12/07/2023
REPORT DATE: 12/15/2023

TEST LOCATION
JEFFREY ELEMENTARY SCHOOL
331 COPSE RD
MADISON, CT 06443

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method. This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCI/L) OR HIGHER

Please read the EPA Citizen's Guide to Radon at www.epa.gov/radon/pubs/citguide.html. Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office.**

LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

Jose Figueroa, RMS
NRPP CERT # 109347 RT
NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028
PRO-LAB NEHA ID # 101461AL

James E. McDonnell IV



RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>LOCATION</u>	<u>RADON LEVEL</u>
5341170	1ST FLOOR-RM 9	2.0 pCi/L
5341002	1ST FLOOR-RM 9 DUP	2.1 pCi/L
5341104	1ST FLOOR-RM 9 BLANK	< 0.3 pCi/L **



RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

ENVIRONMENTAL TRANSACTION
35 Mill Rd
WOODCLIFF LAKE, NJ 07677

EXPOSED FOR: 12/05/2023-12/07/2023
REPORT DATE: 12/14/2023

TEST LOCATION
DANIEL HAND HIGH SCHOOL
286 GREEN HILL RD
MADISON, CT 06443

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method. This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCI/L) OR HIGHER

Please read the EPA Citizen's Guide to Radon at www.epa.gov/radon/pubs/citguide.html. Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office.**

LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

Jose Figueroa, RMS
NRPP CERT # 109347 RT
NRSB CERT # 18SS007

James E. McDonnell IV

PRO-LAB NRSB # ARL0028
PRO-LAB NEHA ID # 101461AL



RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>LOCATION</u>	<u>RADON LEVEL</u>
5341041	1ST FLOOR-RM 105F	< 0.3 pCi/L **
5341214	1ST FLOOR-RM 105F DUP	0.5 pCi/L
5341141	1ST FLOOR-RM 105F BLANK	< 0.3 pCi/L **



RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

ENVIRONMENTAL TRANSACTION
35 Mill Rd
WOODCLIFF LAKE, NJ 07677

EXPOSED FOR: 12/05/2023-12/07/2023
REPORT DATE: 12/14/2023

TEST LOCATION
ROBERT BROWN MIDDLE SCHOOL
980 DURHAM RD
MADISON, CT 06443

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method. This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (pCi/L) OR HIGHER

Please read the EPA Citizen's Guide to Radon at www.epa.gov/radon/pubs/citguide.html. Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office.

LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

Jose Figueroa, RMS
NRPP CERT # 109347 RT
NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028
PRO-LAB NEHA ID # 101461AL

James E. McDonnell IV



RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>LOCATION</u>	<u>RADON LEVEL</u>
5341112	1ST FLOOR-RM 258	< 0.3 pCi/L **
5341158	1ST FLOOR-RM 258 DUP	0.5 pCi/L
5341198	1ST FLOOR-RM 258 BLANK	< 0.3 pCi/L **
5341033	1ST FLOOR-RM 267	< 0.3 pCi/L **
5341216	1ST FLOOR-RM 267 LEFT RM	< 0.3 pCi/L **
5341153	1ST FLOOR-RM 267 RIGHT RM	< 0.3 pCi/L **
5341044	1ST FLOOR-RM 261	0.3 pCi/L