



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: [www.nrclabs.com](http://www.nrclabs.com)

July 21, 2025

Andy Chasteen  
Medford School District  
900 Kenyon St  
Medford, OR 97501  
TEL: 541-842-3646  
FAX 541-842-1160

RE: Griffin Creek Lead Testing-AMENDED

Order No.: 25050620

Dear Andy Chasteen:

Neilson Research Corporation received 27 sample(s) on 5/13/2025 for the analyses presented in the following report.

The results relate only to the parameters tested or to the sample as received by the laboratory. This report shall not be reproduced except in full, without the written approval of Neilson Research Corporation. If you have any questions regarding these test results, please feel free to call.

Sincerely,  
Neilson Research Corporation

Tamra Schmedemann  
Director of Project Management  
245 S Grape St  
Medford, OR 97501



Revision v1



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: [www.nrclabs.com](http://www.nrclabs.com)

## Case Narrative

WO#: 25050620  
Date: 7/21/2025

---

**CLIENT:** Medford School District

**Project:** Griffin Creek Lead Testing-AMENDED

---

The analyses were performed according to the guidelines in the Neilson Research Corporation Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory.

Neilson Research Corporation certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

The report has been amended to include the accreditation status, which was omitted from the original version due to a clerical error. Neilson Research Corporation is, and has been, accredited by ORELAP for the analysis of lead in drinking water.

---

Revision v1



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## Analytical Report

WO#: 25050620

Date Reported: 7/21/2025

Medford School District  
900 Kenyon St  
Medford, OR 97501

**Lab Order:** 25050620  
**Received Date:** 5/13/2025 9:19:00 AM  
**Reported Date:** 7/21/2025 11:43:19 AM

Sample Information:

**Lab ID:** 25050620-01      Client Sample ID: Rm 16-Sink  
Collection Date: 5/13/2025 5:28:00 AM      Collected By: Roger M  
Matrix: Drinking Water      Sample Location: Rm 16-Sink

| Trace Metals by EPA 200.8 ICP-MS |        |      |       |       |    | Analyst; KN   |      |              |
|----------------------------------|--------|------|-------|-------|----|---------------|------|--------------|
| Analyses                         | Result | Qual | MRL   | Units | DF | Date Analyzed | MCL  | NELAP Status |
| Lead                             | ND     |      | 0.500 | ppb   | 1  | 5/14/2025     | 15.0 | A            |

**Lab ID:** 25050620-02      Client Sample ID: Rm 17-DF  
Collection Date: 5/13/2025 5:30:00 AM      Collected By: Roger M  
Matrix: Drinking Water      Sample Location: Rm 17-DF

| Trace Metals by EPA 200.8 ICP-MS |        |      |       |       |    | Analyst; CJS  |      |              |
|----------------------------------|--------|------|-------|-------|----|---------------|------|--------------|
| Analyses                         | Result | Qual | MRL   | Units | DF | Date Analyzed | MCL  | NELAP Status |
| Lead                             | ND     |      | 0.500 | ppb   | 1  | 6/10/2025     | 15.0 | A            |

**Lab ID:** 25050620-03      Client Sample ID: Rm 17-Sink  
Collection Date: 5/13/2025 5:30:00 AM      Collected By: Roger M  
Matrix: Drinking Water      Sample Location: Rm 17-Sink

| Trace Metals by EPA 200.8 ICP-MS |        |      |       |       |    | Analyst; CJS  |      |              |
|----------------------------------|--------|------|-------|-------|----|---------------|------|--------------|
| Analyses                         | Result | Qual | MRL   | Units | DF | Date Analyzed | MCL  | NELAP Status |
| Lead                             | ND     |      | 0.500 | ppb   | 1  | 6/10/2025     | 15.0 | A            |

|            |    |                                                            |    |                                                                       |
|------------|----|------------------------------------------------------------|----|-----------------------------------------------------------------------|
| QUALIFIERS | *  | Value exceeds Maximum or Minimum Contaminant Level.        | C1 | Sample container temperature is out of limit as specified at testcode |
|            | DF | Dilution Factor                                            | E  | Value above quantitation range                                        |
|            | H  | Holding times for preparation or analysis exceeded         | J  | Analyte detected below quantitation limits                            |
|            | MI | Recovery outside control limits due to Matrix Interference | ND | Not Detected at the Reporting Limit                                   |
|            | R  | RPD outside accepted recovery limits                       | RL | Reporting Limit                                                       |
|            |    |                                                            |    |                                                                       |

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Revision v1



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## Analytical Report

WO#: 25050620

Date Reported: 7/21/2025

Medford School District  
900 Kenyon St  
Medford, OR 97501

**Lab Order:** 25050620  
**Received Date:** 5/13/2025 9:19:00 AM  
**Reported Date:** 7/21/2025 11:43:19 AM

Sample Information:

**Lab ID:** 25050620-04      Client Sample ID: Rm 18-DF  
Collection Date: 5/13/2025 5:31:00 AM      Collected By: Roger M  
Matrix: Drinking Water      Sample Location: Rm 18-DF

| Trace Metals by EPA 200.8 ICP-MS |        |      |       |       |    | Analyst: CJS  |      |              |
|----------------------------------|--------|------|-------|-------|----|---------------|------|--------------|
| Analyses                         | Result | Qual | MRL   | Units | DF | Date Analyzed | MCL  | NELAP Status |
| Lead                             | ND     |      | 0.500 | ppb   | 1  | 6/10/2025     | 15.0 | A            |

**Lab ID:** 25050620-05      Client Sample ID: Rm 18-Sink  
Collection Date: 5/13/2025 5:32:00 AM      Collected By: Roger M  
Matrix: Drinking Water      Sample Location: Rm 18-Sink

| Trace Metals by EPA 200.8 ICP-MS |        |      |       |       |    | Analyst: CJS  |      |              |
|----------------------------------|--------|------|-------|-------|----|---------------|------|--------------|
| Analyses                         | Result | Qual | MRL   | Units | DF | Date Analyzed | MCL  | NELAP Status |
| Lead                             | ND     |      | 0.500 | ppb   | 1  | 6/10/2025     | 15.0 | A            |

**Lab ID:** 25050620-06      Client Sample ID: Rm 19-DF  
Collection Date: 5/13/2025 5:34:00 AM      Collected By: Roger M  
Matrix: Drinking Water      Sample Location: Rm 19-DF

| Trace Metals by EPA 200.8 ICP-MS |        |      |       |       |    | Analyst: CJS  |      |              |
|----------------------------------|--------|------|-------|-------|----|---------------|------|--------------|
| Analyses                         | Result | Qual | MRL   | Units | DF | Date Analyzed | MCL  | NELAP Status |
| Lead                             | 1.77   |      | 0.500 | ppb   | 1  | 6/10/2025     | 15.0 | A            |

| QUALIFIERS | *  | Value exceeds Maximum or Minimum Contaminant Level.        | C1 | Sample container temperature is out of limit as specified at testcode |
|------------|----|------------------------------------------------------------|----|-----------------------------------------------------------------------|
|            | DF | Dilution Factor                                            | E  | Value above quantitation range                                        |
|            | H  | Holding times for preparation or analysis exceeded         | J  | Analyte detected below quantitation limits                            |
|            | MI | Recovery outside control limits due to Matrix Interference | ND | Not Detected at the Reporting Limit                                   |
|            | R  | RPD outside accepted recovery limits                       | RL | Reporting Limit                                                       |
|            |    |                                                            |    |                                                                       |

**NELAP** A Accredited in accordance with NELAP ORELAP 100016, OR-028

Revision v1



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## Analytical Report

WO#: 25050620

Date Reported: 7/21/2025

Medford School District  
900 Kenyon St  
Medford, OR 97501

**Lab Order:** 25050620  
**Received Date:** 5/13/2025 9:19:00 AM  
**Reported Date:** 7/21/2025 11:43:19 AM

Sample Information:

**Lab ID:** 25050620-07 **Client Sample ID:** Rm 19-Sink  
**Collection Date:** 5/13/2025 5:34:00 AM **Collected By:** Roger M  
**Matrix:** Drinking Water **Sample Location:** Rm 19-Sink

| Trace Metals by EPA 200.8 ICP-MS |        |      |       |       |    | Analyst; CJS  |      |              |
|----------------------------------|--------|------|-------|-------|----|---------------|------|--------------|
| Analyses                         | Result | Qual | MRL   | Units | DF | Date Analyzed | MCL  | NELAP Status |
| Lead                             | ND     |      | 0.500 | ppb   | 1  | 6/10/2025     | 15.0 | A            |

**Lab ID:** 25050620-08 **Client Sample ID:** Rm 20-DF  
**Collection Date:** 5/13/2025 5:35:00 AM **Collected By:** Roger M  
**Matrix:** Drinking Water **Sample Location:** Rm 20-DF

| Trace Metals by EPA 200.8 ICP-MS |        |      |       |       |    | Analyst; CJS  |      |              |
|----------------------------------|--------|------|-------|-------|----|---------------|------|--------------|
| Analyses                         | Result | Qual | MRL   | Units | DF | Date Analyzed | MCL  | NELAP Status |
| Lead                             | ND     |      | 0.500 | ppb   | 1  | 6/10/2025     | 15.0 | A            |

**Lab ID:** 25050620-09 **Client Sample ID:** Rm 20-Sink  
**Collection Date:** 5/13/2025 5:35:00 AM **Collected By:** Roger M  
**Matrix:** Drinking Water **Sample Location:** Rm 20-Sink

| Trace Metals by EPA 200.8 ICP-MS |        |      |       |       |    | Analyst; CJS  |      |              |
|----------------------------------|--------|------|-------|-------|----|---------------|------|--------------|
| Analyses                         | Result | Qual | MRL   | Units | DF | Date Analyzed | MCL  | NELAP Status |
| Lead                             | ND     |      | 0.500 | ppb   | 1  | 6/10/2025     | 15.0 | A            |

|            |    |                                                            |    |                                                                       |
|------------|----|------------------------------------------------------------|----|-----------------------------------------------------------------------|
| QUALIFIERS | *  | Value exceeds Maximum or Minimum Contaminant Level.        | C1 | Sample container temperature is out of limit as specified at testcode |
|            | DF | Dilution Factor                                            | E  | Value above quantitation range                                        |
|            | H  | Holding times for preparation or analysis exceeded         | J  | Analyte detected below quantitation limits                            |
|            | MI | Recovery outside control limits due to Matrix Interference | ND | Not Detected at the Reporting Limit                                   |
|            | R  | RPD outside accepted recovery limits                       | RL | Reporting Limit                                                       |
|            |    |                                                            |    |                                                                       |

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Revision v1



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## Analytical Report

WO#: 25050620  
Date Reported: 7/21/2025

Medford School District  
900 Kenyon St  
Medford, OR 97501

**Lab Order:** 25050620  
**Received Date:** 5/13/2025 9:19:00 AM  
**Reported Date:** 7/21/2025 11:43:19 AM

Sample Information:

**Lab ID:** 25050620-10 **Client Sample ID:** Mens RR By Cafeteria-Sink (L)  
**Collection Date:** 5/13/2025 5:37:00 AM **Collected By:** Roger M  
**Matrix:** Drinking Water **Sample Location:** Mens RR By Cafeteria-Sink (L)

| Trace Metals by EPA 200.8 ICP-MS |        |      |       |       |    | Analyst; CJS  |      |              |
|----------------------------------|--------|------|-------|-------|----|---------------|------|--------------|
| Analyses                         | Result | Qual | MRL   | Units | DF | Date Analyzed | MCL  | NELAP Status |
| Lead                             | ND     |      | 0.500 | ppb   | 1  | 6/10/2025     | 15.0 | A            |

**Lab ID:** 25050620-11 **Client Sample ID:** Mens RR By Cafeteria-Sink (R)  
**Collection Date:** 5/13/2025 5:37:00 AM **Collected By:** Roger M  
**Matrix:** Drinking Water **Sample Location:** Mens RR By Cafeteria-Sink (R)

| Trace Metals by EPA 200.8 ICP-MS |        |      |       |       |    | Analyst; CJS  |      |              |
|----------------------------------|--------|------|-------|-------|----|---------------|------|--------------|
| Analyses                         | Result | Qual | MRL   | Units | DF | Date Analyzed | MCL  | NELAP Status |
| Lead                             | 0.558  |      | 0.500 | ppb   | 1  | 6/10/2025     | 15.0 | A            |

**Lab ID:** 25050620-12 **Client Sample ID:** Womens RR By Cafeteria-Sink (L)  
**Collection Date:** 5/13/2025 5:38:00 AM **Collected By:** Roger M  
**Matrix:** Drinking Water **Sample Location:** Womens RR By Cafeteria-Sink (L)

| Trace Metals by EPA 200.8 ICP-MS |        |      |       |       |    | Analyst; CJS  |      |              |
|----------------------------------|--------|------|-------|-------|----|---------------|------|--------------|
| Analyses                         | Result | Qual | MRL   | Units | DF | Date Analyzed | MCL  | NELAP Status |
| Lead                             | 1.13   |      | 0.500 | ppb   | 1  | 6/10/2025     | 15.0 | A            |

|            |    |                                                            |    |                                                                       |
|------------|----|------------------------------------------------------------|----|-----------------------------------------------------------------------|
| QUALIFIERS | *  | Value exceeds Maximum or Minimum Contaminant Level.        | C1 | Sample container temperature is out of limit as specified at testcode |
|            | DF | Dilution Factor                                            | E  | Value above quantitation range                                        |
|            | H  | Holding times for preparation or analysis exceeded         | J  | Analyte detected below quantitation limits                            |
|            | MI | Recovery outside control limits due to Matrix Interference | ND | Not Detected at the Reporting Limit                                   |
|            | R  | RPD outside accepted recovery limits                       | RL | Reporting Limit                                                       |
|            |    |                                                            |    |                                                                       |

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Revision v1



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## Analytical Report

WO#: 25050620

Date Reported: 7/21/2025

Medford School District  
900 Kenyon St  
Medford, OR 97501

**Lab Order:** 25050620  
**Received Date:** 5/13/2025 9:19:00 AM  
**Reported Date:** 7/21/2025 11:43:19 AM

Sample Information:

**Lab ID:** 25050620-13 **Client Sample ID:** Womens RR By Cafeteria-Sink (R)  
**Collection Date:** 5/13/2025 5:39:00 AM **Collected By:** Roger M  
**Matrix:** Drinking Water **Sample Location:** Womens RR By Cafeteria-Sink (R)

| Trace Metals by EPA 200.8 ICP-MS |        |      |       |       |    | Analyst; CJS  |      |              |
|----------------------------------|--------|------|-------|-------|----|---------------|------|--------------|
| Analyses                         | Result | Qual | MRL   | Units | DF | Date Analyzed | MCL  | NELAP Status |
| Lead                             | ND     |      | 0.500 | ppb   | 1  | 6/10/2025     | 15.0 | A            |

**Lab ID:** 25050620-14 **Client Sample ID:** Rm 1-DF  
**Collection Date:** 5/13/2025 5:40:00 AM **Collected By:** Roger M  
**Matrix:** Drinking Water **Sample Location:** Rm 1-DF

| Trace Metals by EPA 200.8 ICP-MS |        |      |       |       |    | Analyst; CJS  |      |              |
|----------------------------------|--------|------|-------|-------|----|---------------|------|--------------|
| Analyses                         | Result | Qual | MRL   | Units | DF | Date Analyzed | MCL  | NELAP Status |
| Lead                             | ND     |      | 0.500 | ppb   | 1  | 6/10/2025     | 15.0 | A            |

**Lab ID:** 25050620-15 **Client Sample ID:** Rm 1-Sink  
**Collection Date:** 5/13/2025 5:41:00 AM **Collected By:** Roger M  
**Matrix:** Drinking Water **Sample Location:** Rm 1-Sink

| Trace Metals by EPA 200.8 ICP-MS |        |      |       |       |    | Analyst; CJS  |      |              |
|----------------------------------|--------|------|-------|-------|----|---------------|------|--------------|
| Analyses                         | Result | Qual | MRL   | Units | DF | Date Analyzed | MCL  | NELAP Status |
| Lead                             | 1.08   |      | 0.500 | ppb   | 1  | 6/10/2025     | 15.0 | A            |

|            |    |                                                            |    |                                                                       |
|------------|----|------------------------------------------------------------|----|-----------------------------------------------------------------------|
| QUALIFIERS | *  | Value exceeds Maximum or Minimum Contaminant Level.        | C1 | Sample container temperature is out of limit as specified at testcode |
|            | DF | Dilution Factor                                            | E  | Value above quantitation range                                        |
|            | H  | Holding times for preparation or analysis exceeded         | J  | Analyte detected below quantitation limits                            |
|            | MI | Recovery outside control limits due to Matrix Interference | ND | Not Detected at the Reporting Limit                                   |
|            | R  | RPD outside accepted recovery limits                       | RL | Reporting Limit                                                       |
|            |    |                                                            |    |                                                                       |

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Revision v1



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## Analytical Report

WO#: 25050620

Date Reported: 7/21/2025

Medford School District  
900 Kenyon St  
Medford, OR 97501

**Lab Order:** 25050620  
**Received Date:** 5/13/2025 9:19:00 AM  
**Reported Date:** 7/21/2025 11:43:19 AM

Sample Information:

**Lab ID:** 25050620-16 **Client Sample ID:** Rm 1-Unisex RR Sink  
**Collection Date:** 5/13/2025 5:41:00 AM **Collected By:** Roger M  
**Matrix:** Drinking Water **Sample Location:** Rm 1-Unisex RR Sink

| Trace Metals by EPA 200.8 ICP-MS |        |      |       |       |    | Analyst; CJS  |      |              |
|----------------------------------|--------|------|-------|-------|----|---------------|------|--------------|
| Analyses                         | Result | Qual | MRL   | Units | DF | Date Analyzed | MCL  | NELAP Status |
| Lead                             | 0.715  |      | 0.500 | ppb   | 1  | 6/10/2025     | 15.0 | A            |

**Lab ID:** 25050620-17 **Client Sample ID:** Rm 2-DF  
**Collection Date:** 5/13/2025 5:41:00 AM **Collected By:** Roger M  
**Matrix:** Drinking Water **Sample Location:** Rm 2-DF

| Trace Metals by EPA 200.8 ICP-MS |        |      |       |       |    | Analyst; CJS  |      |              |
|----------------------------------|--------|------|-------|-------|----|---------------|------|--------------|
| Analyses                         | Result | Qual | MRL   | Units | DF | Date Analyzed | MCL  | NELAP Status |
| Lead                             | ND     |      | 0.500 | ppb   | 1  | 6/10/2025     | 15.0 | A            |

**Lab ID:** 25050620-18 **Client Sample ID:** Rm 2-Sink  
**Collection Date:** 5/13/2025 5:42:00 AM **Collected By:** Roger M  
**Matrix:** Drinking Water **Sample Location:** Rm 2-Sink

| Trace Metals by EPA 200.8 ICP-MS |        |      |       |       |    | Analyst; CJS  |      |              |
|----------------------------------|--------|------|-------|-------|----|---------------|------|--------------|
| Analyses                         | Result | Qual | MRL   | Units | DF | Date Analyzed | MCL  | NELAP Status |
| Lead                             | 0.945  |      | 0.500 | ppb   | 1  | 6/10/2025     | 15.0 | A            |

|            |    |                                                            |    |                                                                       |
|------------|----|------------------------------------------------------------|----|-----------------------------------------------------------------------|
| QUALIFIERS | *  | Value exceeds Maximum or Minimum Contaminant Level.        | C1 | Sample container temperature is out of limit as specified at testcode |
|            | DF | Dilution Factor                                            | E  | Value above quantitation range                                        |
|            | H  | Holding times for preparation or analysis exceeded         | J  | Analyte detected below quantitation limits                            |
|            | MI | Recovery outside control limits due to Matrix Interference | ND | Not Detected at the Reporting Limit                                   |
|            | R  | RPD outside accepted recovery limits                       | RL | Reporting Limit                                                       |
|            |    |                                                            |    |                                                                       |

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Revision v1



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## Analytical Report

WO#: 25050620

Date Reported: 7/21/2025

Medford School District  
900 Kenyon St  
Medford, OR 97501

**Lab Order:** 25050620  
**Received Date:** 5/13/2025 9:19:00 AM  
**Reported Date:** 7/21/2025 11:43:19 AM

Sample Information:

**Lab ID:** 25050620-19 **Client Sample ID:** Rm 2-Unisex RR Sink  
**Collection Date:** 5/13/2025 5:42:00 AM **Collected By:** Roger M  
**Matrix:** Drinking Water **Sample Location:** Rm 2-Unisex RR Sink

| Trace Metals by EPA 200.8 ICP-MS |        |      |       |       |    | Analyst; CJS  |      |              |
|----------------------------------|--------|------|-------|-------|----|---------------|------|--------------|
| Analyses                         | Result | Qual | MRL   | Units | DF | Date Analyzed | MCL  | NELAP Status |
| Lead                             | 0.649  |      | 0.500 | ppb   | 1  | 6/10/2025     | 15.0 | A            |

**Lab ID:** 25050620-20 **Client Sample ID:** Rm 3-DF  
**Collection Date:** 5/13/2025 5:45:00 AM **Collected By:** Roger M  
**Matrix:** Drinking Water **Sample Location:** Rm 3-DF

| Trace Metals by EPA 200.8 ICP-MS |        |      |       |       |    | Analyst; CJS  |      |              |
|----------------------------------|--------|------|-------|-------|----|---------------|------|--------------|
| Analyses                         | Result | Qual | MRL   | Units | DF | Date Analyzed | MCL  | NELAP Status |
| Lead                             | 0.724  |      | 0.500 | ppb   | 1  | 6/10/2025     | 15.0 | A            |

**Lab ID:** 25050620-21 **Client Sample ID:** Rm 3-Sink  
**Collection Date:** 5/13/2025 5:45:00 AM **Collected By:** Roger M  
**Matrix:** Drinking Water **Sample Location:** Rm 3-Sink

| Trace Metals by EPA 200.8 ICP-MS |        |      |       |       |    | Analyst; CJS  |      |              |
|----------------------------------|--------|------|-------|-------|----|---------------|------|--------------|
| Analyses                         | Result | Qual | MRL   | Units | DF | Date Analyzed | MCL  | NELAP Status |
| Lead                             | ND     |      | 0.500 | ppb   | 1  | 6/10/2025     | 15.0 | A            |

| QUALIFIERS | *  | Value exceeds Maximum or Minimum Contaminant Level.        | C1 | Sample container temperature is out of limit as specified at testcode |
|------------|----|------------------------------------------------------------|----|-----------------------------------------------------------------------|
|            | DF | Dilution Factor                                            | E  | Value above quantitation range                                        |
|            | H  | Holding times for preparation or analysis exceeded         | J  | Analyte detected below quantitation limits                            |
|            | MI | Recovery outside control limits due to Matrix Interference | ND | Not Detected at the Reporting Limit                                   |
|            | R  | RPD outside accepted recovery limits                       | RL | Reporting Limit                                                       |
|            |    |                                                            |    |                                                                       |

**NELAP** A Accredited in accordance with NELAP ORELAP 100016, OR-028

Revision v1



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## Analytical Report

WO#: 25050620

Date Reported: 7/21/2025

Medford School District  
900 Kenyon St  
Medford, OR 97501

**Lab Order:** 25050620  
**Received Date:** 5/13/2025 9:19:00 AM  
**Reported Date:** 7/21/2025 11:43:19 AM

Sample Information:

**Lab ID:** 25050620-22      Client Sample ID: Rm 4-DF  
Collection Date: 5/13/2025 5:45:00 AM      Collected By: Roger M  
Matrix: Drinking Water      Sample Location: Rm 4-DF

| Trace Metals by EPA 200.8 ICP-MS |        |      |       |       |    | Analyst: CJS  |      |              |
|----------------------------------|--------|------|-------|-------|----|---------------|------|--------------|
| Analyses                         | Result | Qual | MRL   | Units | DF | Date Analyzed | MCL  | NELAP Status |
| Lead                             | ND     |      | 0.500 | ppb   | 1  | 6/10/2025     | 15.0 | A            |

**Lab ID:** 25050620-23      Client Sample ID: Rm 4-Sink  
Collection Date: 5/13/2025 5:51:00 AM      Collected By: Roger M  
Matrix: Drinking Water      Sample Location: Rm 4-Sink

| Trace Metals by EPA 200.8 ICP-MS |        |      |       |       |    | Analyst: CJS  |      |              |
|----------------------------------|--------|------|-------|-------|----|---------------|------|--------------|
| Analyses                         | Result | Qual | MRL   | Units | DF | Date Analyzed | MCL  | NELAP Status |
| Lead                             | 0.799  |      | 0.500 | ppb   | 1  | 6/10/2025     | 15.0 | A            |

**Lab ID:** 25050620-24      Client Sample ID: Boys RR Next to Rm 4-Sink (L)  
Collection Date: 5/13/2025 5:51:00 AM      Collected By: Roger M  
Matrix: Drinking Water      Sample Location: Boys RR Next to Rm 4-Sink (L)

| Trace Metals by EPA 200.8 ICP-MS |        |      |       |       |    | Analyst: CJS  |      |              |
|----------------------------------|--------|------|-------|-------|----|---------------|------|--------------|
| Analyses                         | Result | Qual | MRL   | Units | DF | Date Analyzed | MCL  | NELAP Status |
| Lead                             | 2.93   |      | 0.500 | ppb   | 1  | 6/10/2025     | 15.0 | A            |

|            |    |                                                            |    |                                                                       |
|------------|----|------------------------------------------------------------|----|-----------------------------------------------------------------------|
| QUALIFIERS | *  | Value exceeds Maximum or Minimum Contaminant Level.        | C1 | Sample container temperature is out of limit as specified at testcode |
|            | DF | Dilution Factor                                            | E  | Value above quantitation range                                        |
|            | H  | Holding times for preparation or analysis exceeded         | J  | Analyte detected below quantitation limits                            |
|            | MI | Recovery outside control limits due to Matrix Interference | ND | Not Detected at the Reporting Limit                                   |
|            | R  | RPD outside accepted recovery limits                       | RL | Reporting Limit                                                       |
|            |    |                                                            |    |                                                                       |

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Revision v1



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## Analytical Report

WO#: 25050620

Date Reported: 7/21/2025

Medford School District  
900 Kenyon St  
Medford, OR 97501

**Lab Order:** 25050620  
**Received Date:** 5/13/2025 9:19:00 AM  
**Reported Date:** 7/21/2025 11:43:19 AM

Sample Information:

**Lab ID:** 25050620-25 **Client Sample ID:** Boys RR Next to Rm 4-Sink (R)  
**Collection Date:** 5/13/2025 5:51:00 AM **Collected By:** Roger M  
**Matrix:** Drinking Water **Sample Location:** Boys RR Next to Rm 4-Sink (R)

| Trace Metals by EPA 200.8 ICP-MS |        |      |       |       |    | Analyst; CJS  |      |              |
|----------------------------------|--------|------|-------|-------|----|---------------|------|--------------|
| Analyses                         | Result | Qual | MRL   | Units | DF | Date Analyzed | MCL  | NELAP Status |
| Lead                             | 0.574  |      | 0.500 | ppb   | 1  | 6/10/2025     | 15.0 | A            |

**Lab ID:** 25050620-26 **Client Sample ID:** Girls RR Next to Rm 4-Sink (L)  
**Collection Date:** 5/13/2025 5:52:00 AM **Collected By:** Roger M  
**Matrix:** Drinking Water **Sample Location:** Girls RR Next to Rm 4-Sink (L)

| Trace Metals by EPA 200.8 ICP-MS |        |      |       |       |    | Analyst; CJS  |      |              |
|----------------------------------|--------|------|-------|-------|----|---------------|------|--------------|
| Analyses                         | Result | Qual | MRL   | Units | DF | Date Analyzed | MCL  | NELAP Status |
| Lead                             | 0.845  |      | 0.500 | ppb   | 1  | 6/10/2025     | 15.0 | A            |

**Lab ID:** 25050620-27 **Client Sample ID:** Girls RR Next to Rm 4-Sink (R)  
**Collection Date:** 5/13/2025 5:52:00 AM **Collected By:** Roger M  
**Matrix:** Drinking Water **Sample Location:** Girls RR Next to Rm 4-Sink (R)

| Trace Metals by EPA 200.8 ICP-MS |        |      |       |       |    | Analyst; CJS  |      |              |
|----------------------------------|--------|------|-------|-------|----|---------------|------|--------------|
| Analyses                         | Result | Qual | MRL   | Units | DF | Date Analyzed | MCL  | NELAP Status |
| Lead                             | 0.720  |      | 0.500 | ppb   | 1  | 6/10/2025     | 15.0 | A            |

| QUALIFIERS | *  | Value exceeds Maximum or Minimum Contaminant Level.        | C1 | Sample container temperature is out of limit as specified at testcode |
|------------|----|------------------------------------------------------------|----|-----------------------------------------------------------------------|
|            | DF | Dilution Factor                                            | E  | Value above quantitation range                                        |
|            | H  | Holding times for preparation or analysis exceeded         | J  | Analyte detected below quantitation limits                            |
|            | MI | Recovery outside control limits due to Matrix Interference | ND | Not Detected at the Reporting Limit                                   |
|            | R  | RPD outside accepted recovery limits                       | RL | Reporting Limit                                                       |
|            |    |                                                            |    |                                                                       |

**NELAP** A Accredited in accordance with NELAP ORELAP 100016, OR-028

Revision v1



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## QC SUMMARY REPORT

WO#: 25050620  
21-Jul-25

**Client:** Medford School District  
**Project:** Griffin Creek Lead Testing-AMENDED

**TestCode:** LEAD\_SCHOOLS

|                            |                        |                            |                   |                                 |                      |          |           |             |      |          |      |
|----------------------------|------------------------|----------------------------|-------------------|---------------------------------|----------------------|----------|-----------|-------------|------|----------|------|
| Sample ID: <b>MB-31271</b> | SampType: <b>MBLK</b>  | TestCode: <b>LEAD_SCHO</b> | Units: <b>ppb</b> | Prep Date: <b>5/14/2025</b>     | RunNo: <b>59458</b>  |          |           |             |      |          |      |
| Client ID: <b>PBW</b>      | Batch ID: <b>31271</b> | TestNo: <b>E200.8</b>      | <b>E200.8</b>     | Analysis Date: <b>5/14/2025</b> | SeqNo: <b>971540</b> |          |           |             |      |          |      |
| Analyte                    | Result                 | PQL                        | SPK value         | SPK Ref Val                     | %REC                 | LowLimit | HighLimit | RPD Ref Val | %RPD | RPDLimit | Qual |

|      |    |       |  |  |  |  |  |  |  |  |  |
|------|----|-------|--|--|--|--|--|--|--|--|--|
| Lead | ND | 0.500 |  |  |  |  |  |  |  |  |  |
|------|----|-------|--|--|--|--|--|--|--|--|--|

|                             |                        |                            |                   |                                 |                      |          |           |             |      |          |      |
|-----------------------------|------------------------|----------------------------|-------------------|---------------------------------|----------------------|----------|-----------|-------------|------|----------|------|
| Sample ID: <b>LCS-31271</b> | SampType: <b>LCS</b>   | TestCode: <b>LEAD_SCHO</b> | Units: <b>ppb</b> | Prep Date: <b>5/14/2025</b>     | RunNo: <b>59458</b>  |          |           |             |      |          |      |
| Client ID: <b>LCSW</b>      | Batch ID: <b>31271</b> | TestNo: <b>E200.8</b>      | <b>E200.8</b>     | Analysis Date: <b>5/14/2025</b> | SeqNo: <b>971541</b> |          |           |             |      |          |      |
| Analyte                     | Result                 | PQL                        | SPK value         | SPK Ref Val                     | %REC                 | LowLimit | HighLimit | RPD Ref Val | %RPD | RPDLimit | Qual |

|      |     |       |     |   |     |    |     |  |  |  |  |
|------|-----|-------|-----|---|-----|----|-----|--|--|--|--|
| Lead | 100 | 0.500 | 100 | 0 | 100 | 85 | 115 |  |  |  |  |
|------|-----|-------|-----|---|-----|----|-----|--|--|--|--|

|                                  |                        |                            |                   |                                 |                      |          |           |             |      |          |      |
|----------------------------------|------------------------|----------------------------|-------------------|---------------------------------|----------------------|----------|-----------|-------------|------|----------|------|
| Sample ID: <b>25050539-01AMS</b> | SampType: <b>MS</b>    | TestCode: <b>LEAD_SCHO</b> | Units: <b>ppb</b> | Prep Date: <b>5/14/2025</b>     | RunNo: <b>59458</b>  |          |           |             |      |          |      |
| Client ID: <b>BatchQC</b>        | Batch ID: <b>31271</b> | TestNo: <b>E200.8</b>      | <b>E200.8</b>     | Analysis Date: <b>5/14/2025</b> | SeqNo: <b>971543</b> |          |           |             |      |          |      |
| Analyte                          | Result                 | PQL                        | SPK value         | SPK Ref Val                     | %REC                 | LowLimit | HighLimit | RPD Ref Val | %RPD | RPDLimit | Qual |

|      |     |       |     |      |      |    |     |  |  |  |  |
|------|-----|-------|-----|------|------|----|-----|--|--|--|--|
| Lead | 100 | 0.500 | 100 | 3.28 | 96.7 | 70 | 130 |  |  |  |  |
|------|-----|-------|-----|------|------|----|-----|--|--|--|--|

|                                   |                        |                            |                   |                                 |                      |          |           |             |      |          |      |
|-----------------------------------|------------------------|----------------------------|-------------------|---------------------------------|----------------------|----------|-----------|-------------|------|----------|------|
| Sample ID: <b>25050539-01AMSD</b> | SampType: <b>MSD</b>   | TestCode: <b>LEAD_SCHO</b> | Units: <b>ppb</b> | Prep Date: <b>5/14/2025</b>     | RunNo: <b>59458</b>  |          |           |             |      |          |      |
| Client ID: <b>BatchQC</b>         | Batch ID: <b>31271</b> | TestNo: <b>E200.8</b>      | <b>E200.8</b>     | Analysis Date: <b>5/14/2025</b> | SeqNo: <b>971544</b> |          |           |             |      |          |      |
| Analyte                           | Result                 | PQL                        | SPK value         | SPK Ref Val                     | %REC                 | LowLimit | HighLimit | RPD Ref Val | %RPD | RPDLimit | Qual |

|      |     |       |     |      |      |    |     |     |       |    |  |
|------|-----|-------|-----|------|------|----|-----|-----|-------|----|--|
| Lead | 100 | 0.500 | 100 | 3.28 | 96.8 | 70 | 130 | 100 | 0.172 | 20 |  |
|------|-----|-------|-----|------|------|----|-----|-----|-------|----|--|

|                    |    |                                                                       |    |                                     |    |                                                  |
|--------------------|----|-----------------------------------------------------------------------|----|-------------------------------------|----|--------------------------------------------------|
| <b>Qualifiers:</b> | C1 | Sample container temperature is out of limit as specified at testcode | DF | Dilution Factor                     | H  | Holding times for preparation or analysis exceed |
|                    | MI | Recovery outside control limits due to Matrix Interference            | ND | Not Detected at the Reporting Limit | RL | Reporting Limit                                  |

Revision v1



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## QC SUMMARY REPORT

WO#: 25050620  
21-Jul-25

**Client:** Medford School District  
**Project:** Griffin Creek Lead Testing-AMENDED

**TestCode:** LEAD\_SCHOOLS

|                            |                        |                            |                   |                                 |                                                        |
|----------------------------|------------------------|----------------------------|-------------------|---------------------------------|--------------------------------------------------------|
| Sample ID: <b>MB-31625</b> | SampType: <b>MBLK</b>  | TestCode: <b>LEAD_SCHO</b> | Units: <b>ppb</b> | Prep Date: <b>6/10/2025</b>     | RunNo: <b>60162</b>                                    |
| Client ID: <b>PBW</b>      | Batch ID: <b>31625</b> | TestNo: <b>E200.8</b>      | <b>E200.8</b>     | Analysis Date: <b>6/10/2025</b> | SeqNo: <b>985323</b>                                   |
| Analyte                    | Result                 | PQL                        | SPK value         | SPK Ref Val                     | %REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual |

Lead ND 0.500

|                             |                        |                            |                   |                                 |                                                        |
|-----------------------------|------------------------|----------------------------|-------------------|---------------------------------|--------------------------------------------------------|
| Sample ID: <b>LCS-31625</b> | SampType: <b>LCS</b>   | TestCode: <b>LEAD_SCHO</b> | Units: <b>ppb</b> | Prep Date: <b>6/10/2025</b>     | RunNo: <b>60162</b>                                    |
| Client ID: <b>LCSW</b>      | Batch ID: <b>31625</b> | TestNo: <b>E200.8</b>      | <b>E200.8</b>     | Analysis Date: <b>6/10/2025</b> | SeqNo: <b>985324</b>                                   |
| Analyte                     | Result                 | PQL                        | SPK value         | SPK Ref Val                     | %REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual |

Lead 98.8 0.500 100 0 98.8 85 115

|                                  |                        |                            |                   |                                 |                                                        |
|----------------------------------|------------------------|----------------------------|-------------------|---------------------------------|--------------------------------------------------------|
| Sample ID: <b>25050620-02AMS</b> | SampType: <b>MS</b>    | TestCode: <b>LEAD_SCHO</b> | Units: <b>ppb</b> | Prep Date: <b>6/10/2025</b>     | RunNo: <b>60162</b>                                    |
| Client ID: <b>Rm 17-DF</b>       | Batch ID: <b>31625</b> | TestNo: <b>E200.8</b>      | <b>E200.8</b>     | Analysis Date: <b>6/10/2025</b> | SeqNo: <b>985326</b>                                   |
| Analyte                          | Result                 | PQL                        | SPK value         | SPK Ref Val                     | %REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual |

Lead 99.1 0.500 100 0.234 98.8 70 130

|                                   |                        |                            |                   |                                 |                                                        |
|-----------------------------------|------------------------|----------------------------|-------------------|---------------------------------|--------------------------------------------------------|
| Sample ID: <b>25050620-02AMSD</b> | SampType: <b>MSD</b>   | TestCode: <b>LEAD_SCHO</b> | Units: <b>ppb</b> | Prep Date: <b>6/10/2025</b>     | RunNo: <b>60162</b>                                    |
| Client ID: <b>Rm 17-DF</b>        | Batch ID: <b>31625</b> | TestNo: <b>E200.8</b>      | <b>E200.8</b>     | Analysis Date: <b>6/10/2025</b> | SeqNo: <b>985327</b>                                   |
| Analyte                           | Result                 | PQL                        | SPK value         | SPK Ref Val                     | %REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual |

Lead 98.7 0.500 100 0.234 98.4 70 130 99.1 0.406 20

**Qualifiers:** C1 Sample container temperature is out of limit as specified at testcode DF Dilution Factor H Holding times for preparation or analysis exceed  
MI Recovery outside control limits due to Matrix Interference ND Not Detected at the Reporting Limit RL Reporting Limit

Revision v1



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## QC SUMMARY REPORT

WO#: 25050620  
21-Jul-25

**Client:** Medford School District  
**Project:** Griffin Creek Lead Testing-AMENDED

**TestCode:** LEAD\_SCHOOLS

|                            |                        |                            |                   |                                 |                      |          |           |             |      |          |      |
|----------------------------|------------------------|----------------------------|-------------------|---------------------------------|----------------------|----------|-----------|-------------|------|----------|------|
| Sample ID: <b>MB-31627</b> | SampType: <b>MBLK</b>  | TestCode: <b>LEAD_SCHO</b> | Units: <b>ppb</b> | Prep Date: <b>6/10/2025</b>     | RunNo: <b>60162</b>  |          |           |             |      |          |      |
| Client ID: <b>PBW</b>      | Batch ID: <b>31627</b> | TestNo: <b>E200.8</b>      | <b>E200.8</b>     | Analysis Date: <b>6/10/2025</b> | SeqNo: <b>985351</b> |          |           |             |      |          |      |
| Analyte                    | Result                 | PQL                        | SPK value         | SPK Ref Val                     | %REC                 | LowLimit | HighLimit | RPD Ref Val | %RPD | RPDLimit | Qual |

|      |    |       |  |  |  |  |  |  |  |  |  |
|------|----|-------|--|--|--|--|--|--|--|--|--|
| Lead | ND | 0.500 |  |  |  |  |  |  |  |  |  |
|------|----|-------|--|--|--|--|--|--|--|--|--|

|                             |                        |                            |                   |                                 |                      |          |           |             |      |          |      |
|-----------------------------|------------------------|----------------------------|-------------------|---------------------------------|----------------------|----------|-----------|-------------|------|----------|------|
| Sample ID: <b>LCS-31627</b> | SampType: <b>LCS</b>   | TestCode: <b>LEAD_SCHO</b> | Units: <b>ppb</b> | Prep Date: <b>6/10/2025</b>     | RunNo: <b>60162</b>  |          |           |             |      |          |      |
| Client ID: <b>LCSW</b>      | Batch ID: <b>31627</b> | TestNo: <b>E200.8</b>      | <b>E200.8</b>     | Analysis Date: <b>6/10/2025</b> | SeqNo: <b>985352</b> |          |           |             |      |          |      |
| Analyte                     | Result                 | PQL                        | SPK value         | SPK Ref Val                     | %REC                 | LowLimit | HighLimit | RPD Ref Val | %RPD | RPDLimit | Qual |

|      |     |       |     |   |     |    |     |  |  |  |  |
|------|-----|-------|-----|---|-----|----|-----|--|--|--|--|
| Lead | 101 | 0.500 | 100 | 0 | 101 | 85 | 115 |  |  |  |  |
|------|-----|-------|-----|---|-----|----|-----|--|--|--|--|

|                                  |                        |                            |                   |                                 |                      |          |           |             |      |          |      |
|----------------------------------|------------------------|----------------------------|-------------------|---------------------------------|----------------------|----------|-----------|-------------|------|----------|------|
| Sample ID: <b>25050620-22AMS</b> | SampType: <b>MS</b>    | TestCode: <b>LEAD_SCHO</b> | Units: <b>ppb</b> | Prep Date: <b>6/10/2025</b>     | RunNo: <b>60162</b>  |          |           |             |      |          |      |
| Client ID: <b>Rm 4-DF</b>        | Batch ID: <b>31627</b> | TestNo: <b>E200.8</b>      | <b>E200.8</b>     | Analysis Date: <b>6/10/2025</b> | SeqNo: <b>985354</b> |          |           |             |      |          |      |
| Analyte                          | Result                 | PQL                        | SPK value         | SPK Ref Val                     | %REC                 | LowLimit | HighLimit | RPD Ref Val | %RPD | RPDLimit | Qual |

|      |      |       |     |       |      |    |     |  |  |  |  |
|------|------|-------|-----|-------|------|----|-----|--|--|--|--|
| Lead | 95.8 | 0.500 | 100 | 0.439 | 95.4 | 70 | 130 |  |  |  |  |
|------|------|-------|-----|-------|------|----|-----|--|--|--|--|

|                                   |                        |                            |                   |                                 |                      |          |           |             |      |          |      |
|-----------------------------------|------------------------|----------------------------|-------------------|---------------------------------|----------------------|----------|-----------|-------------|------|----------|------|
| Sample ID: <b>25050620-22AMSD</b> | SampType: <b>MSD</b>   | TestCode: <b>LEAD_SCHO</b> | Units: <b>ppb</b> | Prep Date: <b>6/10/2025</b>     | RunNo: <b>60162</b>  |          |           |             |      |          |      |
| Client ID: <b>Rm 4-DF</b>         | Batch ID: <b>31627</b> | TestNo: <b>E200.8</b>      | <b>E200.8</b>     | Analysis Date: <b>6/10/2025</b> | SeqNo: <b>985355</b> |          |           |             |      |          |      |
| Analyte                           | Result                 | PQL                        | SPK value         | SPK Ref Val                     | %REC                 | LowLimit | HighLimit | RPD Ref Val | %RPD | RPDLimit | Qual |

|      |      |       |     |       |      |    |     |      |      |    |  |
|------|------|-------|-----|-------|------|----|-----|------|------|----|--|
| Lead | 98.6 | 0.500 | 100 | 0.439 | 98.1 | 70 | 130 | 95.8 | 2.85 | 20 |  |
|------|------|-------|-----|-------|------|----|-----|------|------|----|--|

|                    |    |                                                                       |    |                                     |    |                                                  |
|--------------------|----|-----------------------------------------------------------------------|----|-------------------------------------|----|--------------------------------------------------|
| <b>Qualifiers:</b> | C1 | Sample container temperature is out of limit as specified at testcode | DF | Dilution Factor                     | H  | Holding times for preparation or analysis exceed |
|                    | MI | Recovery outside control limits due to Matrix Interference            | ND | Not Detected at the Reporting Limit | RL | Reporting Limit                                  |

Revision v1



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## Sample Log-In Check List

Client Name: MedfordSchoolDist

Work Order Number: 25050620

RcptNo: 1

Logged by: Ashley Spiegelberg 5/13/2025 9:19:00 AM

Completed By: Coni Boyko 5/16/2025 12:51:26 PM

Reviewed By: Dorie Evans 6/12/2025 12:47:59 PM

*Am*  
*Coni Boyko*  
*Dorie Evans*

### Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐  
2. How was the sample delivered? Client

### Log In

3. Coolers are present? Yes ☐ No ☐ NA ☒  
4. Shipping container/cooler in good condition? Yes ☒ No ☐  
Custody seals intact on shipping container/cooler? Yes ☐ No ☐ Not Present ☒ NA ☐  
No. Seal Date: Signed By:  
5. Was an attempt made to cool the samples? Yes ☐ No ☐ NA ☒  
6. Were all samples received at a temperature of  $>0^{\circ}\text{C}$  to  $6.0^{\circ}\text{C}$ ? Yes ☐ No ☐ NA ☒  
7. Sample(s) in proper container(s)? Yes ☒ No ☐  
8. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐  
9. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐  
10. Was preservative added to bottles? Yes ☐ No ☒ NA ☐  
11. Is the headspace in the VOA vials less than 1/4 inch or 6 mm? Yes ☐ No ☐ No VOA Vials ☒  
12. Were any sample containers received broken? Yes ☐ No ☒  
13. Does paperwork match bottle labels?  
(Note discrepancies on chain of custody) Yes ☒ No ☐  
14. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐  
15. Is it clear what analyses were requested? Yes ☒ No ☐  
16. Were all holding times able to be met?  
(If no, notify customer for authorization.) Yes ☒ No ☐

### Special Handling (if applicable)

17. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified:  Date:   
By Whom:  Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person  
Regarding:   
Client Instructions:

18. Additional remarks:

### Cooler Information

| Cooler No | Temp $^{\circ}\text{C}$ | Condition | Seal Intact | Seal No | Seal Date | Signed By |
|-----------|-------------------------|-----------|-------------|---------|-----------|-----------|
|-----------|-------------------------|-----------|-------------|---------|-----------|-----------|

## Chain of Custody Record

Page 1 of 3

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

### Section A

#### Required Client Information

Company: MSD 549C  
Address: 900 Kenyon  
Medford, OR 97501  
Email: [andy.chasteen@medford.k12.or.us](mailto:andy.chasteen@medford.k12.or.us)  
Phone: 541-840-4315 Fax:

Collected By (Print): *Roger McLaughlin*

Collected By (Sign): *[Signature]*

Email Report ☐ Yes ☒ No Mail Report ☐ Yes ☒ No

Fax Report ☐ Yes ☒ No

### Section B

#### Required Project Information

Project Name: **Griffin Creek**  
Project Number:  
Report To: [andy.chasteen@medford.k12.or.us](mailto:andy.chasteen@medford.k12.or.us)  
Copy To: [seth.barry@medford.k12.or.us](mailto:seth.barry@medford.k12.or.us)

### Section C

#### Invoice Information

Attention: Accounting  
Company Name: Medford School District  
Address: 900 Kenyon  
Medford, OR 97501  
P.O. #

### Section D

#### Rush Status (Subject to Scheduling)

☐ Standard 10-14 Days  
☐ 5 Business Days (50% surcharge)  
☐ 3 Business Days (75% surcharge)  
☐ 24 - 48 hours (100% surcharge)  
Other

Authorized ☐ Yes ☒ No

### Section E

#### Sample Information

| Sample ID                                         | Matrix* | Date Collected | Time Collected | No. of Containers | Analysis Requested |  |  |  |  |  |  |  |  |  | NRC Workorder #<br>(Lab Use Only) <b>25050620</b> |                                |
|---------------------------------------------------|---------|----------------|----------------|-------------------|--------------------|--|--|--|--|--|--|--|--|--|---------------------------------------------------|--------------------------------|
|                                                   |         |                |                |                   |                    |  |  |  |  |  |  |  |  |  | Remarks/Field Data                                | NRC Sample #<br>(Lab Use Only) |
| Room 16 - Sink                                    | DW      | 5/13/25        | 5:28           | 1                 |                    |  |  |  |  |  |  |  |  |  |                                                   | 01                             |
| Room 17 - Drinking Fountain                       | DW      |                | 5:30           | 1                 |                    |  |  |  |  |  |  |  |  |  |                                                   | 02                             |
| Room 17 - Sink                                    | DW      |                | 5:30           | 1                 |                    |  |  |  |  |  |  |  |  |  |                                                   | 03                             |
| Room 18 - Drinking Fountain                       | DW      |                | 5:31           | 1                 |                    |  |  |  |  |  |  |  |  |  |                                                   | 04                             |
| Room 18 - Sink                                    | DW      |                | 5:32           | 1                 |                    |  |  |  |  |  |  |  |  |  |                                                   | 05                             |
| Room 19 - Drinking Fountain                       | DW      |                | 5:34           | 1                 |                    |  |  |  |  |  |  |  |  |  |                                                   | 06                             |
| Room 19 - Sink                                    | DW      |                | 5:34           | 1                 |                    |  |  |  |  |  |  |  |  |  |                                                   | 07                             |
| Room 20 - Drinking Fountain                       | DW      |                | 5:35           | 1                 |                    |  |  |  |  |  |  |  |  |  |                                                   | 08                             |
| Room 20 - Sink                                    | DW      |                | 5:35           | 1                 |                    |  |  |  |  |  |  |  |  |  |                                                   | 09                             |
| Men's Restroom Outside Cafeteria - Sink (Left)    | DW      |                | 5:37           | 1                 |                    |  |  |  |  |  |  |  |  |  |                                                   | 10                             |
| Men's Restroom Outside Cafeteria - Sink (Right)   | DW      |                | 5:37           | 1                 |                    |  |  |  |  |  |  |  |  |  |                                                   | 11                             |
| Women's Restroom Outside Cafeteria - Sink (Left)  | DW      |                | 5:38           | 1                 |                    |  |  |  |  |  |  |  |  |  |                                                   | 12                             |
| Women's Restroom Outside Cafeteria - Sink (Right) | DW      |                | 5:39           | 1                 |                    |  |  |  |  |  |  |  |  |  |                                                   | 13                             |
|                                                   | DW      |                | 5:40           | 1                 |                    |  |  |  |  |  |  |  |  |  |                                                   | 14                             |
| Room 1 - Drinking Fountain                        | DW      |                | 5:40           | 1                 |                    |  |  |  |  |  |  |  |  |  |                                                   | 15                             |
| Room 1 - Sink                                     | DW      |                | 5:41           | 1                 |                    |  |  |  |  |  |  |  |  |  |                                                   | 16                             |
| Room 1 Unisex Restroom - Sink                     | DW      |                | 5:41           | 1                 |                    |  |  |  |  |  |  |  |  |  |                                                   | 17                             |
| Room 2 - Drinking Fountain                        | DW      |                | 5:41           | 1                 |                    |  |  |  |  |  |  |  |  |  |                                                   | 18                             |
| Room 2 - Sink                                     | DW      |                | 5:42           | 1                 |                    |  |  |  |  |  |  |  |  |  |                                                   | 19                             |
| Room 2 Unisex Restroom - Sink                     | DW      |                | 5:42           | 1                 |                    |  |  |  |  |  |  |  |  |  |                                                   | 20                             |
| Room 3 - Drinking Fountain                        | DW      |                | 5:45           | 1                 |                    |  |  |  |  |  |  |  |  |  |                                                   | 21                             |
| Room 3 - Sink                                     | DW      |                | 5:45           | 1                 |                    |  |  |  |  |  |  |  |  |  |                                                   | 22                             |
| Room 4 - Drinking Fountain                        | DW      |                | 5:45           | 1                 |                    |  |  |  |  |  |  |  |  |  |                                                   | 23                             |

\*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe OT - Other

|                         |
|-------------------------|
| Relinquished By:        |
| Received By:            |
| Relinquished By:        |
| Received By:            |
| Relinquished By:        |
| Received By Laboratory: |

Print

Date \_\_\_\_\_

Time

Section G  
Lab Use Only

Temp:

 $4^{\circ}\text{C} \pm 2^{\circ}\text{C}$ 

|                  |     |    |
|------------------|-----|----|
| Received on Ice: | Yes | No |
|------------------|-----|----|

Number of Bottles Received:

pH Checked:

|                   |     |    |    |
|-------------------|-----|----|----|
| COC Seals Intact: | Yes | No | NA |
|-------------------|-----|----|----|

|                       |     |    |
|-----------------------|-----|----|
| Field Blank Included: | Yes | No |
|-----------------------|-----|----|

|              |     |       |       |      |
|--------------|-----|-------|-------|------|
| Received Via | UPS | FedEX | Other | Hand |
|--------------|-----|-------|-------|------|

| Payment: | Invoice | Cash | VISA, M/C | Check # | Amount |
|----------|---------|------|-----------|---------|--------|
|----------|---------|------|-----------|---------|--------|

## Page 17 of 17