



July 31, 2025

DO NOT USE
H2O Innovation
PO Box 3148
Poughkeepsie, NY 12603

RE: Project: Broadalbin Perth MS
Pace Project No.: 70368538

Dear DO USE:

Enclosed are the analytical results for sample(s) received by the laboratory on July 22, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Newburgh

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Diane Streit
diane.streit@pacelabs.com
(518)884-0800
Project Manager

Enclosures

cc: Mike Carney, Broadalbin Perth CSD
Kameryn Curtis, Broadalbin Perth CSD
Rich Kane, H2O Innovation



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: Broadalbin Perth MS

Pace Project No.: 70368538

Pace Analytical Services, LLC- Newburgh, NY

315 Fullerton Avenue, Newburgh, NY 12550

New York Certification #: 10142 Primary Accrediting Body

New Jersey Certification #: NY015

Connecticut Certification #: PH-0823

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: Broadalbin Perth MS
Pace Project No.: 70368538

Lab ID	Sample ID	Matrix	Date Collected	Date Received
70368538001	J 110	Drinking Water	07/22/25 09:00	07/22/25 10:20
70368538002	J 112	Drinking Water	07/22/25 09:00	07/22/25 10:20
70368538003	J 114	Drinking Water	07/22/25 09:00	07/22/25 10:20
70368538004	J 115	Drinking Water	07/22/25 09:00	07/22/25 10:20
70368538005	J 116	Drinking Water	07/22/25 09:00	07/22/25 10:20
70368538006	J 118	Drinking Water	07/22/25 09:00	07/22/25 10:20
70368538007	J 119	Drinking Water	07/22/25 09:00	07/22/25 10:20
70368538008	J 120	Drinking Water	07/22/25 09:00	07/22/25 10:20
70368538009	J 121	Drinking Water	07/22/25 09:00	07/22/25 10:20
70368538010	WF Wenu J 102	Drinking Water	07/22/25 09:00	07/22/25 10:20
70368538011	WF Near Rm J 202	Drinking Water	07/22/25 09:00	07/22/25 10:20
70368538012	2nd Fl Tenchor Rm JH	Drinking Water	07/22/25 09:00	07/22/25 10:20
70368538013	JH Norse OFF	Drinking Water	07/22/25 09:00	07/22/25 10:20
70368538014	JH Main OFF	Drinking Water	07/22/25 09:00	07/22/25 10:20
70368538015	Kitchen 1	Drinking Water	07/22/25 09:00	07/22/25 10:20
70368538016	Kitchen 2	Drinking Water	07/22/25 09:00	07/22/25 10:20
70368538017	Kitchen 3	Drinking Water	07/22/25 09:00	07/22/25 10:20
70368538018	Kitchen 4	Drinking Water	07/22/25 09:00	07/22/25 10:20

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

**SAMPLE ANALYTE COUNT**

Project: Broadalbin Perth MS

Pace Project No.: 70368538

Lab ID	Sample ID	Method	Analysts	Analytes Reported
70368538001	J 110	EPA 200.8, Rev. 5.4	MZ	2
70368538002	J 112	EPA 200.8, Rev. 5.4	MZ	2
70368538003	J 114	EPA 200.8, Rev. 5.4	MZ	2
70368538004	J 115	EPA 200.8, Rev. 5.4	MZ	2
70368538005	J 116	EPA 200.8, Rev. 5.4	MZ	2
70368538006	J 118	EPA 200.8, Rev. 5.4	MZ	2
70368538007	J 119	EPA 200.8, Rev. 5.4	MZ	2
70368538008	J 120	EPA 200.8, Rev. 5.4	MZ	2
70368538009	J 121	EPA 200.8, Rev. 5.4	MZ	2
70368538010	WF Wenu J 102	EPA 200.8, Rev. 5.4	MZ	2
70368538011	WF Near Rm J 202	EPA 200.8, Rev. 5.4	MZ	2
70368538012	2nd Fl Tenchor Rm JH	EPA 200.8, Rev. 5.4	MZ	2
70368538013	JH Norse OFF	EPA 200.8, Rev. 5.4	MZ	2
70368538014	JH Main OFF	EPA 200.8, Rev. 5.4	MZ	2
70368538015	Kitchen 1	EPA 200.8, Rev. 5.4	MZ	2
70368538016	Kitchen 2	EPA 200.8, Rev. 5.4	MZ	2
70368538017	Kitchen 3	EPA 200.8, Rev. 5.4	MZ	2
70368538018	Kitchen 4	EPA 200.8, Rev. 5.4	MZ	2

PASI-NB = Pace Analytical Services - Newburgh

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Broadalbin Perth MS
Pace Project No.: 70368538

Sample: J 110		Lab ID: 70368538001		Collected: 07/22/25 09:00		Received: 07/22/25 10:20		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS, DW Digestion		Analytical Method: EPA 200.8, Rev. 5.4 Preparation Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Copper	664	ug/L	50.0	5	07/28/25 09:15	07/30/25 13:04	7440-50-8		
Lead	3.4	ug/L	1.0	1	07/28/25 09:15	07/29/25 17:27	7439-92-1		
Sample: J 112		Lab ID: 70368538002		Collected: 07/22/25 09:00		Received: 07/22/25 10:20		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Copper	163	ug/L	10.0	1		07/28/25 10:49	7440-50-8		
Lead	ND	ug/L	1.0	1		07/28/25 10:49	7439-92-1		
Sample: J 114		Lab ID: 70368538003		Collected: 07/22/25 09:00		Received: 07/22/25 10:20		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Copper	153	ug/L	10.0	1		07/28/25 10:58	7440-50-8		
Lead	ND	ug/L	1.0	1		07/28/25 10:58	7439-92-1		
Sample: J 115		Lab ID: 70368538004		Collected: 07/22/25 09:00		Received: 07/22/25 10:20		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Copper	183	ug/L	10.0	1		07/28/25 11:00	7440-50-8		
Lead	ND	ug/L	1.0	1		07/28/25 11:00	7439-92-1		
Sample: J 116		Lab ID: 70368538005		Collected: 07/22/25 09:00		Received: 07/22/25 10:20		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Copper	168	ug/L	10.0	1		07/28/25 11:03	7440-50-8		
Lead	ND	ug/L	1.0	1		07/28/25 11:03	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Broadalbin Perth MS

Pace Project No.: 70368538

Sample: J 118		Lab ID: 70368538006		Collected: 07/22/25 09:00		Received: 07/22/25 10:20		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Copper	160	ug/L	10.0	1		07/28/25 11:10	7440-50-8		
Lead	ND	ug/L	1.0	1		07/28/25 11:10	7439-92-1		

Sample: J 119		Lab ID: 70368538007		Collected: 07/22/25 09:00		Received: 07/22/25 10:20		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Copper	168	ug/L	10.0	1		07/28/25 11:12	7440-50-8		
Lead	ND	ug/L	1.0	1		07/28/25 11:12	7439-92-1		

Sample: J 120		Lab ID: 70368538008		Collected: 07/22/25 09:00		Received: 07/22/25 10:20		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Copper	162	ug/L	10.0	1		07/28/25 11:14	7440-50-8		
Lead	ND	ug/L	1.0	1		07/28/25 11:14	7439-92-1		

Sample: J 121		Lab ID: 70368538009		Collected: 07/22/25 09:00		Received: 07/22/25 10:20		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Copper	156	ug/L	10.0	1		07/28/25 11:17	7440-50-8		
Lead	ND	ug/L	1.0	1		07/28/25 11:17	7439-92-1		

Sample: WF Wenu J 102		Lab ID: 70368538010		Collected: 07/22/25 09:00		Received: 07/22/25 10:20		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Copper	159	ug/L	10.0	1		07/28/25 11:19	7440-50-8		
Lead	ND	ug/L	1.0	1		07/28/25 11:19	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Broadalbin Perth MS
Pace Project No.: 70368538

Sample: WF Near Rm J 202		Lab ID: 70368538011		Collected: 07/22/25 09:00		Received: 07/22/25 10:20		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Copper	175	ug/L	10.0	1		07/28/25 11:21	7440-50-8		
Lead	ND	ug/L	1.0	1		07/28/25 11:21	7439-92-1		

Sample: 2nd FI Tenchor Rm JH		Lab ID: 70368538012		Collected: 07/22/25 09:00		Received: 07/22/25 10:20		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Copper	182	ug/L	10.0	1		07/28/25 11:24	7440-50-8		
Lead	ND	ug/L	1.0	1		07/28/25 11:24	7439-92-1		

Sample: JH Norse OFF		Lab ID: 70368538013		Collected: 07/22/25 09:00		Received: 07/22/25 10:20		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Copper	248	ug/L	10.0	1		07/28/25 11:28	7440-50-8		
Lead	ND	ug/L	1.0	1		07/28/25 11:28	7439-92-1		

Sample: JH Main OFF		Lab ID: 70368538014		Collected: 07/22/25 09:00		Received: 07/22/25 10:20		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Copper	260	ug/L	10.0	1		07/28/25 11:31	7440-50-8		
Lead	ND	ug/L	1.0	1		07/28/25 11:31	7439-92-1		

Sample: Kitchen 1		Lab ID: 70368538015		Collected: 07/22/25 09:00		Received: 07/22/25 10:20		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Copper	85.9	ug/L	10.0	1		07/28/25 11:38	7440-50-8		
Lead	ND	ug/L	1.0	1		07/28/25 11:38	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Broadalbin Perth MS

Pace Project No.: 70368538

Sample: Kitchen 2		Lab ID: 70368538016	Collected: 07/22/25 09:00	Received: 07/22/25 10:20	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh						
Copper	72.4	ug/L	10.0	1		07/28/25 11:40	7440-50-8	
Lead	ND	ug/L	1.0	1		07/28/25 11:40	7439-92-1	

Sample: Kitchen 3		Lab ID: 70368538017	Collected: 07/22/25 09:00	Received: 07/22/25 10:20	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh						
Copper	70.6	ug/L	10.0	1		07/28/25 11:42	7440-50-8	
Lead	ND	ug/L	1.0	1		07/28/25 11:42	7439-92-1	

Sample: Kitchen 4		Lab ID: 70368538018	Collected: 07/22/25 09:00	Received: 07/22/25 10:20	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh						
Copper	60.2	ug/L	10.0	1		07/28/25 11:45	7440-50-8	
Lead	ND	ug/L	1.0	1		07/28/25 11:45	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Broadalbin Perth MS
Pace Project No.: 70368538

QC Batch:	411158	Analysis Method:	EPA 200.8, Rev. 5.4
QC Batch Method:	EPA 200.8, Rev. 5.4	Analysis Description:	NB 200.8 ICPMS, DW Digestion
Associated Lab Samples:	70368538001	Laboratory:	Pace Analytical Services - Newburgh

METHOD BLANK: 2181077 Matrix: Drinking Water
Associated Lab Samples: 70368538001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Copper	ug/L	ND	10.0	07/29/25 17:15	
Lead	ug/L	ND	1.0	07/29/25 17:15	

LABORATORY CONTROL SAMPLE: 2181078

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Copper	ug/L	50	51.6	103	85-115	
Lead	ug/L	50	49.3	99	85-115	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS



QUALITY CONTROL DATA

Project: Broadalbin Perth MS

Pace Project No.: 70368538

QC Batch:	411069	Analysis Method:	EPA 200.8, Rev. 5.4
QC Batch Method:	EPA 200.8, Rev. 5.4	Analysis Description:	NB 200.8 ICPMS DW No Prep
		Laboratory:	Pace Analytical Services - Newburgh
Associated Lab Samples:	70368538002, 70368538003, 70368538004, 70368538005, 70368538006, 70368538007, 70368538008, 70368538009, 70368538010, 70368538011, 70368538012, 70368538013, 70368538014, 70368538015, 70368538016, 70368538017, 70368538018		

METHOD BLANK:	2180682	Matrix:	Water
Associated Lab Samples:	70368538002, 70368538003, 70368538004, 70368538005, 70368538006, 70368538007, 70368538008, 70368538009, 70368538010, 70368538011, 70368538012, 70368538013, 70368538014, 70368538015, 70368538016, 70368538017, 70368538018		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Copper	ug/L	ND	10.0	07/28/25 10:44	
Lead	ug/L	ND	1.0	07/28/25 10:44	

LABORATORY CONTROL SAMPLE: 2180683

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Copper	ug/L	50	50.8	102	85-115	
Lead	ug/L	50	48.1	96	85-115	

MATRIX SPIKE SAMPLE: 2180685

Parameter	Units	70368538002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Copper	ug/L	163	50	205	84	70-130	
Lead	ug/L	ND	50	49.5	99	70-130	

MATRIX SPIKE SAMPLE: 2180687

Parameter	Units	70368538012 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Copper	ug/L	182	50	226	88	70-130	
Lead	ug/L	ND	50	48.4	97	70-130	

SAMPLE DUPLICATE: 2180684

Parameter	Units	70368538002 Result	Dup Result	RPD	Max RPD	Qualifiers
Copper	ug/L	163	165	2	20	
Lead	ug/L	ND	ND		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: Broadalbin Perth MS
Pace Project No.: 70368538

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

**QUALITY CONTROL DATA CROSS REFERENCE TABLE**

Project: Broadalbin Perth MS

Pace Project No.: 70368538

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70368538001	J 110	EPA 200.8, Rev. 5.4	411158	EPA 200.8, Rev. 5.4	411369
70368538002	J 112	EPA 200.8, Rev. 5.4	411069		
70368538003	J 114	EPA 200.8, Rev. 5.4	411069		
70368538004	J 115	EPA 200.8, Rev. 5.4	411069		
70368538005	J 116	EPA 200.8, Rev. 5.4	411069		
70368538006	J 118	EPA 200.8, Rev. 5.4	411069		
70368538007	J 119	EPA 200.8, Rev. 5.4	411069		
70368538008	J 120	EPA 200.8, Rev. 5.4	411069		
70368538009	J 121	EPA 200.8, Rev. 5.4	411069		
70368538010	WF Wenu J 102	EPA 200.8, Rev. 5.4	411069		
70368538011	WF Near Rm J 202	EPA 200.8, Rev. 5.4	411069		
70368538012	2nd FI Tenchor Rm JH	EPA 200.8, Rev. 5.4	411069		
70368538013	JH Norse OFF	EPA 200.8, Rev. 5.4	411069		
70368538014	JH Main OFF	EPA 200.8, Rev. 5.4	411069		
70368538015	Kitchen 1	EPA 200.8, Rev. 5.4	411069		
70368538016	Kitchen 2	EPA 200.8, Rev. 5.4	411069		
70368538017	Kitchen 3	EPA 200.8, Rev. 5.4	411069		
70368538018	Kitchen 4	EPA 200.8, Rev. 5.4	411069		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CHAIN OF CUSTODY

WO#: 70368538

Pace



Lab Name: PAS - Ballston Spa NYS DOH LAB # 11534 ISO # AT-2136
 Lab Address: 27 Kent Street, Ballston Spa, NY 12020
 Phone (518) 884-0800 Hours M-F 8am to 4:30pm
 172 Ridge St, Glens Falls, NY 12801
 Drop Off Location: Phone (518) 884-0800 Ext 408 Hours M-F 9am to 2pm

CUSTOMER #:

43 -

ANALYTICAL SERVICES		CLIENT NAME:		Bromdalkin - Per 12 <i>ms</i>		PWS NUMBER:		NY 1702602		COOLER TEMPERATURE: 19.5°C		PAGE 1 OF 2	
CLIENT ADDRESS:		20 Pine St, Broadalbin NY 12025		SAMPLED BY: Mike / Bill		P.O. # / PROJECT MANAGER:		NY 1702602		REQUIRED CONTAINERS		RECEIVED FOR PAS-BALLSTON SPA BY: <i>ms</i>	
CLIENT PHONE:		518-454-2570		BILLING ADDRESS:		Same as Above				DATE / TIME RECEIVED:		7/22/25 1020	
EMAIL (TO SEND REPORT):		Pawley@bysco.org								CUSTODY INTACT? (Mark Y/N)		YES: 7 NO: 4	
PROJECT LOCATION:										ICE (Y/N)		PRESERVED WITH: NaOH / H2SO4 / HCL	
SAMPLE		DATE		TIME		LOCATION SAMPLED / SAMPLE POINT:				CHLORINE RESIDUAL		125 mL Sterile Plastic	
1		7-22-25		9am		J 110		CDN		SODIUM THIOSULFATE ADDED (Y OR N)		1 Liter Plastic	
2						J 112						250 mL Plastic	
3						J 114						250 Amber	
4						J 115						1 liter Amber	
5						J 116						40ml Vials	
6						J 118						NUMBER OF CONTAINERS SUBMITTED	
7						J 119						ANALYSIS REQUESTED	
8						J 120						LEAD + Copper	
9						J 121							
10						J 122							
RELINQUISHED BY: (SIGNATURE)		DATE		TIME		RECEIVED BY: (SIGNATURE)		DATE		TIME		DATE	
RELINQUISHED BY: (SIGNATURE)		DATE		TIME		RECEIVED BY: (SIGNATURE)		DATE		TIME		DATE	
METHOD OF PAYMENT: (Check / Credit Card Only):		Bill		IF APPLICABLE SUBCONTRACTED TO:		N/A							

CHAIN OF CUSTODY

Lab Name: PAS - Ballston Spa Lab Address: 27 Kent Street, Ballston Spa, NY 12020 Drop Off Location: 172 Ridge St, Glens Falls, NY 12801		PAS - Ballston Spa NY DOH LAB # 11534 ISO # AT-2136		CUSTOMER #: 43 -		REPORT # (LAB Use Only)	
ANALYTICAL SERVICES CLIENT NAME: <i>Bromdalsin - Per 12</i>		COOLER TEMPERATURE:		PAGE 2 OF 2		RECEIVED FOR PAS-BALLSTON SPA BY:	
CLIENT ADDRESS: 20 Pine St, Broadalbin NY 12025		PWS NUMBER: NY 1702602		MATRIX REQUIRED Containers		DATE / TIME RECEIVED:	
CLIENT PHONE: 518-954-2570		SAMPLED BY: Mike / Bud		COMPOSITE (C) OR GRAB (G) SODIUM THIOSULFATE ADDED (Y OR N)		NUMBER OF CONTAINERS SUBMITTED	
EMAIL (TO SEND REPORT): pavdeym@broadalbin.org		BILLING ADDRESS: Same As Above		CHLORINE RESIDUAL		ANALYSIS REQUESTED Lead & Copper	
PROJECT LOCATION:		LOCATION SAMPLED / SAMPLE POINT:		COMPOSITE (C) OR GRAB (G)		DATE / TIME RECEIVED:	
SAMPLE # DATE TIME		1 2-22-25 9am		2 2-22-25 9am		3 2-22-25 9am	
4 2-22-25 9am		5 2-22-25 9am		6 2-22-25 9am		7 2-22-25 9am	
8 2-22-25 9am		9 2-22-25 9am		10 2-22-25 9am		11 2-22-25 9am	
12 2-22-25 9am		13 2-22-25 9am		14 2-22-25 9am		15 2-22-25 9am	
16 2-22-25 9am		17 2-22-25 9am		18 2-22-25 9am		19 2-22-25 9am	
20 2-22-25 9am		21 2-22-25 9am		22 2-22-25 9am		23 2-22-25 9am	
24 2-22-25 9am		25 2-22-25 9am		26 2-22-25 9am		27 2-22-25 9am	
28 2-22-25 9am		29 2-22-25 9am		30 2-22-25 9am		31 2-22-25 9am	
32 2-22-25 9am		33 2-22-25 9am		34 2-22-25 9am		35 2-22-25 9am	
36 2-22-25 9am		37 2-22-25 9am		38 2-22-25 9am		39 2-22-25 9am	
40 2-22-25 9am		41 2-22-25 9am		42 2-22-25 9am		43 2-22-25 9am	
44 2-22-25 9am		45 2-22-25 9am		46 2-22-25 9am		47 2-22-25 9am	
48 2-22-25 9am		49 2-22-25 9am		50 2-22-25 9am		51 2-22-25 9am	
52 2-22-25 9am		53 2-22-25 9am		54 2-22-25 9am		55 2-22-25 9am	
56 2-22-25 9am		57 2-22-25 9am		58 2-22-25 9am		59 2-22-25 9am	
60 2-22-25 9am		61 2-22-25 9am		62 2-22-25 9am		63 2-22-25 9am	
64 2-22-25 9am		65 2-22-25 9am		66 2-22-25 9am		67 2-22-25 9am	
68 2-22-25 9am		69 2-22-25 9am		70 2-22-25 9am		71 2-22-25 9am	
72 2-22-25 9am		73 2-22-25 9am		74 2-22-25 9am		75 2-22-25 9am	
76 2-22-25 9am		77 2-22-25 9am		78 2-22-25 9am		79 2-22-25 9am	
80 2-22-25 9am		81 2-22-25 9am		82 2-22-25 9am		83 2-22-25 9am	
84 2-22-25 9am		85 2-22-25 9am		86 2-22-25 9am		87 2-22-25 9am	
88 2-22-25 9am		89 2-22-25 9am		90 2-22-25 9am		91 2-22-25 9am	
92 2-22-25 9am		93 2-22-25 9am		94 2-22-25 9am		95 2-22-25 9am	
96 2-22-25 9am		97 2-22-25 9am		98 2-22-25 9am		99 2-22-25 9am	
100 2-22-25 9am		101 2-22-25 9am		102 2-22-25 9am		103 2-22-25 9am	
104 2-22-25 9am		105 2-22-25 9am		106 2-22-25 9am		107 2-22-25 9am	
108 2-22-25 9am		109 2-22-25 9am		110 2-22-25 9am		111 2-22-25 9am	
112 2-22-25 9am		113 2-22-25 9am		114 2-22-25 9am		115 2-22-25 9am	
116 2-22-25 9am		117 2-22-25 9am		118 2-22-25 9am		119 2-22-25 9am	
120 2-22-25 9am		121 2-22-25 9am		122 2-22-25 9am		123 2-22-25 9am	
124 2-22-25 9am		125 2-22-25 9am		126 2-22-25 9am		127 2-22-25 9am	
128 2-22-25 9am		129 2-22-25 9am		130 2-22-25 9am		131 2-22-25 9am	
132 2-22-25 9am		133 2-22-25 9am		134 2-22-25 9am		135 2-22-25 9am	
136 2-22-25 9am		137 2-22-25 9am		138 2-22-25 9am		139 2-22-25 9am	
140 2-22-25 9am		141 2-22-25 9am		142 2-22-25 9am		143 2-22-25 9am	
144 2-22-25 9am		145 2-22-25 9am		146 2-22-25 9am		147 2-22-25 9am	
148 2-22-25 9am		149 2-22-25 9am		150 2-22-25 9am		151 2-22-25 9am	
152 2-22-25 9am		153 2-22-25 9am		154 2-22-25 9am		155 2-22-25 9am	
156 2-22-25 9am		157 2-22-25 9am		158 2-22-25 9am		159 2-22-25 9am	
160 2-22-25 9am		161 2-22-25 9am		162 2-22-25 9am		163 2-22-25 9am	
164 2-22-25 9am		165 2-22-25 9am		166 2-22-25 9am		167 2-22-25 9am	
168 2-22-25 9am		169 2-22-25 9am		170 2-22-25 9am		171 2-22-25 9am	
172 2-22-25 9am		173 2-22-25 9am		174 2-22-25 9am		175 2-22-25 9am	
176 2-22-25 9am		177 2-22-25 9am		178 2-22-25 9am		179 2-22-25 9am	
180 2-22-25 9am		181 2-22-25 9am		182 2-22-25 9am		183 2-22-25 9am	
184 2-22-25 9am		185 2-22-25 9am		186 2-22-25 9am		187 2-22-25 9am	
188 2-22-25 9am		189 2-22-25 9am		190 2-22-25 9am		191 2-22-25 9am	
192 2-22-25 9am		193 2-22-25 9am		194 2-22-25 9am		195 2-22-25 9am	
196 2-22-25 9am		197 2-22-25 9am		198 2-22-25 9am		199 2-22-25 9am	
200 2-22-25 9am		201 2-22-25 9am		202 2-22-25 9am		203 2-22-25 9am	
204 2-22-25 9am		205 2-22-25 9am		206 2-22-25 9am		207 2-22-25 9am	
208 2-22-25 9am		209 2-22-25 9am		210 2-22-25 9am		211 2-22-25 9am	
212 2-22-25 9am		213 2-22-25 9am		214 2-22-25 9am		215 2-22-25 9am	
216 2-22-25 9am		217 2-22-25 9am		218 2-22-25 9am		219 2-22-25 9am	
220 2-22-25 9am		221 2-22-25 9am		222 2-22-25 9am		223 2-22-25 9am	
224 2-22-25 9am		225 2-22-25 9am		226 2-22-25 9am		227 2-22-25 9am	
228 2-22-25 9am		229 2-22-25 9am		230 2-22-25 9am		231 2-22-25 9am	
232 2-22-25 9am		233 2-22-25 9am		234 2-22-25 9am		235 2-22-25 9am	
236 2-22-25 9am		237 2-22-25 9am		238 2-22-25 9am		239 2-22-25 9am	
240 2-22-25 9am		241 2-22-25 9am		242 2-22-25 9am		243 2-22-25 9am	
244 2-22-25 9am		245 2-22-25 9am		246 2-22-25 9am		247 2-22-25 9am	
248 2-22-25 9am		249 2-22-25 9am		250 2-22-25 9am		251 2-22-25 9am	
252 2-22-25 9am		253 2-22-25 9am		254 2-22-25 9am		255 2-22-25 9am	
256 2-22-25 9am		257 2-22-25 9am		258 2-22-25 9am		259 2-22-25 9am	
260 2-22-25 9am		261 2-22-25 9am		262 2-22-25 9am		263 2-22-25 9am	
264 2-22-25 9am		265 2-22-25 9am		266 2-22-25 9am		267 2-22-25 9am	
268 2-22-25 9am		269 2-22-25 9am		270 2-22-25 9am		271 2-22-25 9am	
272 2-22-25 9am		273 2-22-25 9am		274 2-22-25 9am		275 2-22-25 9am	
276 2-22-25 9am		277 2-22-25 9am		278 2-22-25 9am		279 2-22-25 9am	
280 2-22-25 9am		281 2-22-25 9am		282 2-22-25 9am		283 2-22-25 9am	
284 2-22-25 9am		285 2-22-25 9am		286 2-22-25 9am		287 2-22-25 9am	
288 2-22-25 9am		289 2-22-25 9am		290 2-22-25 9am		291 2-22-25 9am	
292 2-22-25 9am		293 2-22-25 9am		294 2-22-25 9am		295 2-22-25 9am	
296 2-22-25 9am		297 2-22-25 9am		298 2-22-25 9am		299 2-22-25 9am	
300 2-22-25 9am		301 2-22-25 9am		302 2-22-25 9am		303 2-22-25 9am	
304 2-22-25 9am		305 2-22-25 9am		306 2-22-25 9am		307 2-22-25 9am	
308 2-22-25 9am		309 2-22-25 9am		310 2-22-25 9am		311 2-22-25 9am	
312 2-22-25 9am		313 2-22-25 9am		314 2-22-25 9am		315 2-22-25 9am	
316 2-22-25 9am		317 2-22-25 9am		318 2-22-25 9am		319 2-22-25 9am	
320 2-22-25 9am		321 2-22-25 9am		322 2-22-25 9am		323 2-22-25 9am	
324 2-22-25 9am		325 2-22-25 9am		326 2-22-25 9am		327 2-22-25 9am	
328 2-22-25 9am		329 2-22-25 9am		330 2-22-25 9am		331 2-22-25 9am	
332 2-22-25 9am		333 2-22-25 9am		334 2-22-25 9am		335 2-22-25 9am	
336 2-22-25 9am		337 2-22-25 9am		338 2-22-25 9am		339 2-22-25 9am	
340 2-22-25 9am		341 2-22-25 9am		342 2-22-25 9am		343 2-22-25 9am	
344 2-22-25 9am		345 2-22-25 9am		346 2-22-25 9am		347 2-22-25 9am	
348 2-22-25 9am		349 2-22-25 9am		350 2-22-25 9am		351 2-22-25 9am	
352 2-22-25 9am		353 2-22-25 9am		354 2-22-25 9am		355 2-22-25 9am	
356 2-22-25 9am		357 2-22-25 9am		358 2-22-25 9am		359 2-22-25 9am	
360 2-22-25 9am		361 2-22-25 9am		362 2-22-25 9am		363 2-22-25 9am	
364 2-22-25 9am		365 2-22-25 9am		366 2-22-25 9am		367 2-22-25 9am	
368 2-22-25 9am		369 2-22-25 9am		370 2-22-25 9am		371 2-22-25 9am	
372 2-22-25 9am		373 2-22-25 9am		374 2-22-25 9am		375 2-22-25 9am	
376 2-22-25 9am		377 2-22-25 9am		378 2-22-25 9am		379 2-22-25 9am	
380 2-22-25 9am		381 2-22-25 9am		382 2-22-25 9am		383 2-22-25 9am	
384 2-22-25 9am		385 2-22-25 9am		386 2-22-25 9am		387 2-22-25 9am	
388 2-22-25 9am		389 2-22-25 9am		390 2-22-25 9am </			

WO#: 70368538

PM: DWS

Due Date: 08/05/25

Condition Upon Receipt Form (SCUR)

CLIENT: BA-BroadPart

Page 15 of 15

Client: BroadPart - Perth HS

Date and Initials of person:

Examining contents: _____

Label: _____

Deliver to location: _____

pH: _____

Thermometer Used: Chem 1R

Date: 7/22/25

Time: 1028

Initials: SK

State of Origin: NY

Cooler #1 Temp: 19.8 (Visual) 0.0 (Correction Factor) 19.8 (Actual)

☐ Samples on ice, cooling process has begun

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☐ Pace

☐ Other _____

Shipping Method: ☐ First Overnight ☐ Priority Overnight ☐ Standard Overnight ☐ Ground

☐ Other _____

Tracking # _____

Custody Seal on Cooler/Box Present: ☐ Yes ☐ No

Seals intact: ☐ Yes ☐ No

Ice: Wet Blue Melted None

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ None

☐ Other _____

Samples were collected by Pace employee

☐ Yes

☒ No

☐ N/A

Comments:

Chain of Custody Present	☒ Yes ☐ No ☐ N/A	
Chain of Custody Filled Out	☒ Yes ☐ No ☐ N/A	
Relinquished Signature on COC	☒ Yes ☐ No ☐ N/A	
Sampler Name and Signature on COC	☒ Yes ☐ No ☐ N/A	
Samples Arrived within Hold Time	☒ Yes ☐ No ☐ N/A	
Rush TAT requested on COC	☐ Yes ☒ No ☐ N/A	
Sufficient Volume	☒ Yes ☐ No ☐ N/A	
Correct Containers Used	☒ Yes ☐ No ☐ N/A	
Containers Intact	☒ Yes ☐ No ☐ N/A	
Sample Labels match COC (sample IDs & date/time of collection)	☒ Yes ☐ No ☐ N/A	
All containers needing acid/base preservation have been checked.	☐ Yes ☐ No ☒ N/A	Preservation Information:
All Containers needing preservation are found to be in compliance with EPA recommendation:	☐ Yes ☐ No ☒ N/A	Preservative: _____
Exceptions: Vials, Microbiology, O&G, Metals		Lot #/Trace #: _____
		Date: _____ Time: _____
		Initials: _____
Headspace in VOA Vials? (>6mm):	☐ Yes ☐ No ☒ N/A	
Trip Blank Present:	☐ Yes ☐ No ☒ N/A	

Additional Login Comments:

Client notification/ Resolution

Person Contacted: _____

Date/Time: _____

Comments/Resolution: _____



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 07/22/2025 09:00 AM Point

Received : 07/22/2025 10:20 AM Location

Collected By

Lab No. : 70368538001

Client Sample ID.: J 110

Analytical Method: EPA 200.8, Rev. 5.4		Prep Method: EPA 200.8, Rev. 5.4			Prep Date: 07/28/2025 9:15 AM		
Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	664		5	ug/L	1300	07/30/2025 1:04 PM	001 BP1N1/1
Lead	3.4		1	ug/L	15	07/29/2025 5:27 PM	001 BP1N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/31/2025



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 07/22/2025 09:00 AM Point

Received : 07/22/2025 10:20 AM Location

Collected By

Lab No. : 70368538002

Client Sample ID.: J 112

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	163		1	ug/L	1300	07/28/2025 10:49	002 BP1N1/1
Lead	ND		1	ug/L	15	07/28/2025 10:49	002 BP1N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/31/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 07/22/2025 09:00 AM Point

Received : 07/22/2025 10:20 AM Location

Collected By

Lab No. : 70368538003

Client Sample ID.: J 114

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	153		1	ug/L	1300	07/28/2025 10:58	003 BP1N1/1
Lead	ND		1	ug/L	15	07/28/2025 10:58	003 BP1N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/31/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 07/22/2025 09:00 AM Point

Received : 07/22/2025 10:20 AM Location

Collected By

Lab No. : 70368538004

Client Sample ID.: J 115

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	183		1	ug/L	1300	07/28/2025 11:00	004 BP1N1/1
Lead	ND		1	ug/L	15	07/28/2025 11:00	004 BP1N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/31/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

H2O Innovation
PO Box 3148
Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 07/22/2025 09:00 AM Point

Received : 07/22/2025 10:20 AM Location

Collected By

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

Lab No. : 70368538005

Client Sample ID.: J 116

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	168		1	ug/L	1300	07/28/2025 11:03	005 BP1N1/1
Lead	ND		1	ug/L	15	07/28/2025 11:03	005 BP1N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/31/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 07/22/2025 09:00 AM Point

Received : 07/22/2025 10:20 AM Location

Collected By

Lab No. : 70368538006

Client Sample ID.: J 118

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	160		1	ug/L	1300	07/28/2025 11:10	006 BP1N1/1
Lead	ND		1	ug/L	15	07/28/2025 11:10	006 BP1N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/31/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

H2O Innovation
PO Box 3148
Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 07/22/2025 09:00 AM Point

Received : 07/22/2025 10:20 AM Location

Collected By

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

Lab No. : 70368538007

Client Sample ID.: J 119

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	168		1	ug/L	1300	07/28/2025 11:12	007 BP1N1/1
Lead	ND		1	ug/L	15	07/28/2025 11:12	007 BP1N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/31/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 07/22/2025 09:00 AM Point

Received : 07/22/2025 10:20 AM Location

Collected By

Lab No. : 70368538008

Client Sample ID.: J 120

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	162		1	ug/L	1300	07/28/2025 11:14	008 BP1N1/1
Lead	ND		1	ug/L	15	07/28/2025 11:14	008 BP1N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/31/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

H2O Innovation
PO Box 3148
Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 07/22/2025 09:00 AM Point

Received : 07/22/2025 10:20 AM Location

Collected By

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

Lab No. : 70368538009

Client Sample ID.: J 121

Analytical Method:EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	156		1	ug/L	1300	07/28/2025 11:17	009 BP1N1/1
Lead	ND		1	ug/L	15	07/28/2025 11:17	009 BP1N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/31/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 07/22/2025 09:00 AM Point

Received : 07/22/2025 10:20 AM Location

Collected By

Lab No. : 70368538010

Client Sample ID.: WF Wenu J 102

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	159		1	ug/L	1300	07/28/2025 11:19	010 BP1N1/1
Lead	ND		1	ug/L	15	07/28/2025 11:19	010 BP1N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/31/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

H2O Innovation
PO Box 3148
Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 07/22/2025 09:00 AM Point

Received : 07/22/2025 10:20 AM Location

Collected By

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

Lab No. : 70368538011

Client Sample ID.: WF Near Rm J 202

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	175		1	ug/L	1300	07/28/2025 11:21	011 BP1N1/1
Lead	ND		1	ug/L	15	07/28/2025 11:21	011 BP1N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/31/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 07/22/2025 09:00 AM Point

Received : 07/22/2025 10:20 AM Location

Collected By

Lab No. : 70368538012

Client Sample ID.: 2nd FI Tenchor Rm JH

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	182		1	ug/L	1300	07/28/2025 11:24	012 BP1N1/1
Lead	ND		1	ug/L	15	07/28/2025 11:24	012 BP1N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/31/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 07/22/2025 09:00 AM Point

Received : 07/22/2025 10:20 AM Location

Collected By

Lab No. : 70368538013

Client Sample ID.: JH Norse OFF

Analytical Method:EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	248		1	ug/L	1300	07/28/2025 11:28	013 BP1N1/1
Lead	ND		1	ug/L	15	07/28/2025 11:28	013 BP1N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/31/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 07/22/2025 09:00 AM Point

Received : 07/22/2025 10:20 AM Location

Collected By

Lab No. : 70368538014

Client Sample ID.: JH Main OFF

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	260		1	ug/L	1300	07/28/2025 11:31	014 BP1N1/1
Lead	ND		1	ug/L	15	07/28/2025 11:31	014 BP1N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/31/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

H2O Innovation
PO Box 3148
Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 07/22/2025 09:00 AM Point

Received : 07/22/2025 10:20 AM Location

Collected By

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

Lab No. : 70368538015

Client Sample ID.: Kitchen 1

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	85.9		1	ug/L	1300	07/28/2025 11:38	015 BP1N1/1
Lead	ND		1	ug/L	15	07/28/2025 11:38	015 BP1N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/31/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 07/22/2025 09:00 AM Point

Received : 07/22/2025 10:20 AM Location

Collected By

Lab No. : 70368538016

Client Sample ID.: Kitchen 2

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	72.4		1	ug/L	1300	07/28/2025 11:40	016 BP1N1/1
Lead	ND		1	ug/L	15	07/28/2025 11:40	016 BP1N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/31/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

H2O Innovation
PO Box 3148
Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 07/22/2025 09:00 AM Point

Received : 07/22/2025 10:20 AM Location

Collected By

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

Lab No. : 70368538017

Client Sample ID.: Kitchen 3

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	70.6		1	ug/L	1300	07/28/2025 11:42	017 BP1N1/1
Lead	ND		1	ug/L	15	07/28/2025 11:42	017 BP1N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/31/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 07/22/2025 09:00 AM Point

Received : 07/22/2025 10:20 AM Location

Collected By

Lab No. : 70368538018

Client Sample ID.: Kitchen 4

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	60.2		1	ug/L	1300	07/28/2025 11:45	018 BP1N1/1
Lead	ND		1	ug/L	15	07/28/2025 11:45	018 BP1N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/31/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747
TEL: (516) 370-6000 FAX: (516) 886-5526
www.pacelabs.com

WorkOrder :
70368538

Laboratory Certifications

Pace Analytical Services, LLC- Newburgh, NY
315 Fullerton Avenue, Newburgh, NY 12550
New York Certification #: 10142 Primary Accrediting Body
New Jersey Certification #: NY015
Connecticut Certification #: PH-0823

CHAIN OF CUSTODY

WO#: 70368538

Pace



70368538

Lab Name: PAS - Ballston Spa NYS DOH LAB # 11534 ISO # AT-2136
 27 Kent Street, Ballston Spa, NY 12020
 Lab Address: Phone (518) 884-0800 Hours M-F 8am to 4:30pm
 172 Ridge St, Glens Falls, NY 12801
 Drop Off Location: Phone (518) 884-0800 Ext 408 Hours M-F 9am to 2pm

CUSTOMER #:

43 -

ANALYTICAL SERVICES

CLIENT NAME:

Bromdahlson - Per 12 *MS*

CLIENT ADDRESS:

20 Pine St, Broadalbin NY 12025 NW 1702602

CLIENT PHONE:

518-954-2570

SAMPLED BY:

Mike / Bill

EMAIL (TO SEND REPORT):

pauley@bepco.org

BILLING ADDRESS:

Same As Above

PROJECT LOCATION:

SAMPLE

DATE

TIME

LOCATION SAMPLED / SAMPLE POINT:

1 7-22-25 9am

J 110

2

J 112

3

J 114

4

J 115

5

J 116

6

J 118

7

J 119

8

J 120

9

J 121

10

J 122

RELINQUISHED BY:

(SIGNATURE)

DATE:

TIME:

RELINQUISHED BY:

(SIGNATURE)

DATE:

TIME:

RECEIVED BY: (SIGNATURE)

DATE:

TIME:

RECEIVED BY: (SIGNATURE)

DATE:

TIME:

METHOD OF PAYMENT: (Check / Credit Card Only):

Bill

IF APPLICABLE SUBCONTRACTED TO:

NO

COOLER

TEMPERATURE: 19.5°C

MATRIX

REQUIRED Containers

COMPOSITE (C) OR GRAB (G)

D (DRINKING WATER) OR W (WASTE WATER)

SODIUM THIOSULFATE ADDED (Y OR N)

CHLORINE RESIDUAL

1 liter Amber

250 mL Plastic

250 mL Plastic

1 Liter Plastic

125 mL Sterile Plastic

NUMBER OF CONTAINERS SUBMITTED

ANALYSIS REQUESTED

LEAD - COPPER

PAGE

1 OF 2

RECEIVED FOR PAS-BALLSTON SPA BY:

MS

DATE / TIME RECEIVED:

7/22/25 1020

CUSTODY INTACT? (Mark Y/N)

YES: 7 NO:

ICE (Y/N) PRESERVED WITH: NaOH / H2SO4 / HCL

4

CHAIN OF CUSTODY

Lab Name: PAS - Ballston Spa Lab Address: 27 Kent Street, Ballston Spa, NY 12020 Phone (518) 884-0800 Hours M-F 8am to 4:30pm 172 Ridge St, Glens Falls, NY 12801 Drop Off Location: Phone (518) 884-0800 Ext 408 Hours M-F 9am to 2pm		CUSTOMER #: 43 -		REPORT # (LAB Use Only)	
ANALYTICAL SERVICES CLIENT NAME: <i>Bromdablu - Per 12</i>		COOLER TEMPERATURE:		PAGE <i>2</i> OF <i>2</i>	
CLIENT ADDRESS: <i>20 Pine St, Broadalbin NY 12025</i>		MATRIX		REQUIRED CONTAINERS	
CLIENT PHONE: <i>518-934-2570</i>		SODIUM THIOSULFATE ADDED (Y OR N)		125 ml Sterile Plastic	
EMAIL (TO SEND REPORT): <i>Paul@ymc-labs.com</i>		COMPOSITE (C) OR GRAB (G)		250 ml Plastic	
BILLING ADDRESS: <i>Same As Above</i>		D (DRINKING WATER) OR W (WASTE WATER)		1 liter Amber	
PROJECT LOCATION:		CHLORINE RESIDUAL		40ml Vials	
SAMPLE		NUMBER OF CONTAINERS SUBMITTED		ANALYSIS REQUESTED	
#	DATE	TIME	LOCATION SAMPLED / SAMPLE POINT:		
11	7-22-25	9 AM	LOT NEAR Rm J202	CDN	Lead & Copper
12		9 AM	2nd Fl Teacher Rm JH		
13		9 AM	JH Nurse OFF		
14		9 AM	JH MCM OFF		
15			Kitchen 1		
16			Kitchen 2		
17			Kitchen 3		
18			Kitchen 4		
RELINQUISHED BY: (SIGNATURE) <i>[Signature]</i>			RECEIVED BY: (SIGNATURE)	DATE:	TIME:
RELINQUISHED BY: (SIGNATURE) <i>[Signature]</i>			RECEIVED BY: (SIGNATURE)	DATE:	TIME:
METHOD OF PAYMENT: (Check / Credit Card Only):					

WO#: 70368538

PM: DWS

Due Date: 08/05/25

Condition Upon Receipt Form (SCUR)

CLIENT: BA-BroadPer

Client: Broadalbin - Pentl HS

Date and Initials of person:

Examining contents: _____

Label: _____

Deliver to location: _____

pH: _____

Thermometer Used: Chem 1R

Date: 7/22/25

Time: 1028

Initials: JH

State of Origin: NY

Cooler #1 Temp: 19.8 (Visual) 0.0 (Correction Factor) 19.8 (Actual)

☐ Samples on ice, cooling process has begun

Courier: ☐ FedEx ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☐ Pace

Shipping Method: ☐ First Overnight ☐ Priority Overnight ☐ Standard Overnight ☐ Ground

☐ Other

Tracking #

Custody Seal on Cooler/Box Present: ☐ Yes ☐ No

Seals intact: ☐ Yes ☐ No

Ice: Wet Blue Melted None

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ None

☐ Other

Samples were collected by Pace employee

☐ Yes

☒ No

☐ N/A

Comments:

Chain of Custody Present	☒ Yes ☐ No ☐ N/A	
Chain of Custody Filled Out	☒ Yes ☐ No ☐ N/A	
Relinquished Signature on COC	☒ Yes ☐ No ☐ N/A	
Sampler Name and Signature on COC	☒ Yes ☐ No ☐ N/A	
Samples Arrived within Hold Time	☒ Yes ☐ No ☐ N/A	
Rush TAT requested on COC	☐ Yes ☒ No ☐ N/A	
Sufficient Volume	☒ Yes ☐ No ☐ N/A	
Correct Containers Used	☒ Yes ☐ No ☐ N/A	
Containers Intact	☒ Yes ☐ No ☐ N/A	
Sample Labels match COC (sample IDs & date/time of collection)	☒ Yes ☐ No ☐ N/A	
All containers needing acid/base preservation have been checked.	☐ Yes ☐ No ☒ N/A	Preservation Information:
All Containers needing preservation are found to be in compliance with EPA recommendation:	☐ Yes ☐ No ☒ N/A	Preservative: _____
Exceptions: Vials, Microbiology, O&G, Metals		Lot #/Trace #: _____
		Date: _____ Time: _____
		Initials: _____
Headspace in VOA Vials? (>6mm):	☐ Yes ☐ No ☒ N/A	
Trip Blank Present:	☐ Yes ☐ No ☒ N/A	

Additional Login Comments:

Client notification/ Resolution

Person Contacted:

Date/Time:

Comments/Resolution:

page 22 of 22



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

H2O Innovation
PO Box 3148
Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:00 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

Lab No. : 70360710001

Client Sample ID.: Kitchen 1

<u>Analytical Method:</u> EPA 200.8, Rev. 5.4		<u>Prep Method:</u> EPA 200.8, Rev. 5.4			<u>Prep Date:</u> 07/07/2025 10:55		
<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	2490*		5	ug/L	1300	07/08/2025 4:53 PM	001 BP3N1/1
Lead	9.8		1	ug/L	15	07/08/2025 2:20 PM	001 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:00 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710002

Client Sample ID.: Kitchen 2

Analytical Method:EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	241		1	ug/L	1300	07/03/2025 10:39	002 BP3N1/1
Lead	6.4		1	ug/L	15	07/03/2025 10:39	002 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747
TEL: (516) 370-6000 FAX: (516) 886-5526
www.pacelabs.com

H2O Innovation
PO Box 3148
Poughkeepsie, NY 12603
Attn To : DO USE

Federal ID : NY1330035
Collected : 06/10/2025 01:00 PM Point
Received : 06/13/2025 08:48 AM Location
Collected By

Laboratory Results

Results for the samples and analytes requested
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water
Origin:

Lab No. : 70360710003

Client Sample ID.: Kitchen

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	291		1	ug/L	1300	07/03/2025 10:53	003 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 10:53	003 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
ND - Not Detected at or above adjusted reporting limit.
J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).
Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:00 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710004

Client Sample ID.: Kitchen 4

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	104		1	ug/L	1300	07/03/2025 10:55	004 BP3N1/1
Lead	1.9		1	ug/L	15	07/03/2025 10:55	004 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:00 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710005

Client Sample ID.: Kitchen 5

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	184		1	ug/L	1300	07/03/2025 10:57	005 BP3N1/1
Lead	35.0*		1	ug/L	15	07/03/2025 10:57	005 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:00 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710006

Client Sample ID.: Kitchen 6

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	1320*		5	ug/L	1300	07/03/2025 5:11 PM	006 BP3N1/1
Lead	9.3		1	ug/L	15	07/03/2025 11:00	006 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

H2O Innovation
PO Box 3148
Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:15 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

Lab No. : 70360710007

Client Sample ID.: Kitchen 7

Analytical Method:EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	852		2	ug/L	1300	07/03/2025 5:15 PM	007 BP3N1/1
Lead	4.1		1	ug/L	15	07/03/2025 11:02	007 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:15 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710008

Client Sample ID.: Kitchen 8

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	566		2	ug/L	1300	07/03/2025 5:19 PM	008 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 11:04	008 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:15 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710009

Client Sample ID.: Kitchen 9

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	395		1	ug/L	1300	07/03/2025 11:06	009 BP3N1/1
Lead	2.7		1	ug/L	15	07/03/2025 11:06	009 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:15 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710010

Client Sample ID.: Kitchen 10

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	313		1	ug/L	1300	07/03/2025 11:09	010 BP3N1/1
Lead	1.5		1	ug/L	15	07/03/2025 11:09	010 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:15 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710011

Client Sample ID.: Kitchen 11

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	405		1	ug/L	1300	07/03/2025 11:11	011 BP3N1/1
Lead	1.5		1	ug/L	15	07/03/2025 11:11	011 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:15 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710012

Client Sample ID.: Kitchen 12

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	265		1	ug/L	1300	07/03/2025 11:18	012 BP3N1/1
Lead	3.4		1	ug/L	15	07/03/2025 11:18	012 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747
TEL: (516) 370-6000 FAX: (516) 886-5526
www.pacelabs.com

H2O Innovation
PO Box 3148
Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:15 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Laboratory Results

Results for the samples and analytes requested
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

Lab No. : 70360710013

Client Sample ID.: Kitchen 13

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	52.3		1	ug/L	1300	07/03/2025 11:22	013 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 11:22	013 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:15 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710014

Client Sample ID.: 100

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	634		2	ug/L	1300	07/03/2025 5:23 PM	014 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 11:25	014 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:15 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710015

Client Sample ID.: 101

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	598		2	ug/L	1300	07/03/2025 5:27 PM	015 BP3N1/1
Lead	1.4		1	ug/L	15	07/03/2025 11:27	015 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:15 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710016

Client Sample ID.: 102

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	741		2	ug/L	1300	07/03/2025 5:31 PM	016 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 11:29	016 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

H2O Innovation
PO Box 3148
Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:15 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

Lab No. : 70360710017

Client Sample ID.: 103

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	617		2	ug/L	1300	07/03/2025 5:34 PM	017 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 11:32	017 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747
TEL: (516) 370-6000 FAX: (516) 886-5526
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water
Origin:

H2O Innovation
PO Box 3148
Poughkeepsie, NY 12603
Attn To : DO USE

Lab No. : 70360710018
Client Sample ID.: 104

Federal ID : NY1330035
Collected : 06/10/2025 01:15 PM Point
Received : 06/13/2025 08:48 AM Location
Collected By

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	764		2	ug/L	1300	07/03/2025 5:38 PM	018 BP3N1/1
Lead	1.1		1	ug/L	15	07/03/2025 11:34	018 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
ND - Not Detected at or above adjusted reporting limit.
J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).
Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747
TEL: (516) 370-6000 FAX: (516) 886-5526
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water
Origin:

H2O Innovation
PO Box 3148
Poughkeepsie, NY 12603
Attn To : DO USE

Lab No. : 70360710019
Client Sample ID.: 106

Federal ID : NY1330035
Collected : 06/10/2025 01:15 PM Point
Received : 06/13/2025 08:48 AM Location
Collected By

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	651		2	ug/L	1300	07/03/2025 5:42 PM	019 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 11:36	019 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
ND - Not Detected at or above adjusted reporting limit.
J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).
Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747
TEL: (516) 370-6000 FAX: (516) 886-5526
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water
Origin:

H2O Innovation
PO Box 3148
Poughkeepsie, NY 12603

Lab No. : 70360710020
Client Sample ID.: 107

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:15 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	554		2	ug/L	1300	07/03/2025 5:54 PM	020 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 11:39	020 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:15 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710021

Client Sample ID.: 108

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	680		2	ug/L	1300	07/03/2025 5:58 PM	021 BP3N1/1
Lead	1.5		1	ug/L	15	07/03/2025 11:45	021 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:15 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710022

Client Sample ID.: 109

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	705	M1	2	ug/L	1300	07/03/2025 6:02 PM	022 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 11:52	022 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

See qualifiers page for additional qualifier definitions.

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

H2O Innovation
PO Box 3148
Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:15 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

Lab No. : 70360710023

Client Sample ID.: 110

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	743		2	ug/L	1300	07/03/2025 6:14 PM	023 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 12:02	023 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 07:35 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710025

Client Sample ID.: Custodial Office

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	369		1	ug/L	1300	07/03/2025 12:04	025 BP3N1/1
Lead	1.2		1	ug/L	15	07/03/2025 12:04	025 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 07:40 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710026

Client Sample ID.: New Art Room

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	480		1	ug/L	1300	07/03/2025 12:06	026 BP3N1/1
Lead	1.6		1	ug/L	15	07/03/2025 12:06	026 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 07:45 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710027

Client Sample ID.: Gym Hallway Fountain

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	472		1	ug/L	1300	07/03/2025 12:13	027 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 12:13	027 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 07:50 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710028

Client Sample ID.: Water LM Side

Water LM Side

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	46.9		1	ug/L	1300	07/03/2025 12:15	028 BP3N1/1
Lead	10.6		1	ug/L	15	07/03/2025 12:15	028 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 07:53 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710029

Client Sample ID.: Sp Ed Cont Room

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	142		1	ug/L	1300	07/03/2025 12:18	029 BP3N1/1
Lead	1.5		1	ug/L	15	07/03/2025 12:18	029 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:00 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710030

Client Sample ID.: Water Fountain K-1 Hallway

Analytical Method:EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	487		1	ug/L	1300	07/03/2025 12:20	030 BP3N1/1
Lead	2.4		1	ug/L	15	07/03/2025 12:20	030 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:05 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710031

Client Sample ID.: Cafe BR Founatin

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	259		1	ug/L	1300	07/03/2025 12:22	031 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 12:22	031 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:10 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710032

Client Sample ID.: New Nurses Office

Analytical Method:EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	ND		1	ug/L	1300	07/03/2025 12:24	032 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 12:24	032 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710033

Client Sample ID.: Social Worker

Analytical Method:EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	430		1	ug/L	1300	07/03/2025 12:27	033 BP3N1/1
Lead	1.1		1	ug/L	15	07/03/2025 12:27	033 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710034

Client Sample ID.: 111

Analytical Method:EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	990		5	ug/L	1300	07/03/2025 6:18 PM	034 BP3N1/1
Lead	1.2		1	ug/L	15	07/03/2025 12:31	034 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710035

Client Sample ID.: 112

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	656		2	ug/L	1300	07/03/2025 6:22 PM	035 BP3N1/1
Lead	1.0		1	ug/L	15	07/03/2025 12:34	035 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

H2O Innovation
PO Box 3148
Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Laboratory Results

Results for the samples and analytes requested
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

Lab No. : 70360710036

Client Sample ID.: 113

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	953		2	ug/L	1300	07/03/2025 6:26 PM	036 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 12:41	036 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710037

Client Sample ID.: 105

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	703		2	ug/L	1300	07/03/2025 6:29 PM	037 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 12:43	037 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710038

Client Sample ID.: 115

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	704		5	ug/L	1300	07/03/2025 6:41 PM	038 BP3N1/1
Lead	2.3		1	ug/L	15	07/03/2025 12:45	038 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710039

Client Sample ID.: Media Center

Analytical Method:EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	495		1	ug/L	1300	07/03/2025 12:47	039 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 12:47	039 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710040

Client Sample ID.: 116

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	592		2	ug/L	1300	07/03/2025 6:45 PM	040 BP3N1/1
Lead	10.2		1	ug/L	15	07/03/2025 12:50	040 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710041

Client Sample ID.: 117

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	388		1	ug/L	1300	07/03/2025 12:52	041 BP3N1/1
Lead	9.5		1	ug/L	15	07/03/2025 12:52	041 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710042

Client Sample ID.: 118

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	483		1	ug/L	1300	07/03/2025 12:54	042 BP3N1/1
Lead	12.0		1	ug/L	15	07/03/2025 12:54	042 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710043

Client Sample ID.: 119

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	373		1	ug/L	1300	07/03/2025 1:01 PM	043 BP3N1/1
Lead	12.2		1	ug/L	15	07/03/2025 1:01 PM	043 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710044

Client Sample ID.: 120

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	465		1	ug/L	1300	07/03/2025 1:15 PM	044 BP3N1/1
Lead	14.1		1	ug/L	15	07/03/2025 1:15 PM	044 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710045

Client Sample ID.: 121

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	277		1	ug/L	1300	07/03/2025 1:17 PM	045 BP3N1/1
Lead	2.8		1	ug/L	15	07/03/2025 1:17 PM	045 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

H2O Innovation
PO Box 3148
Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

Lab No. : 70360710046

Client Sample ID.: 122

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	391		1	ug/L	1300	07/03/2025 1:20 PM	046 BP3N1/1
Lead	4.3		1	ug/L	15	07/03/2025 1:20 PM	046 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710047

Client Sample ID.: 123

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	324		1	ug/L	1300	07/03/2025 1:22 PM	047 BP3N1/1
Lead	3.1		1	ug/L	15	07/03/2025 1:22 PM	047 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710048

Client Sample ID.: 124

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	377		1	ug/L	1300	07/03/2025 1:24 PM	048 BP3N1/1
Lead	1.5		1	ug/L	15	07/03/2025 1:24 PM	048 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Date Reported: 07/09/2025



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710049

Client Sample ID.: 125

Analytical Method:EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	269		2	ug/L	1300	07/03/2025 6:49 PM	049 BP3N1/1
Lead	4.6		1	ug/L	15	07/03/2025 1:26 PM	049 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710050

Client Sample ID.: 126

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	290		1	ug/L	1300	07/03/2025 1:29 PM	050 BP3N1/1
Lead	1.4		1	ug/L	15	07/03/2025 1:29 PM	050 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710051

Client Sample ID.: 129

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	386		1	ug/L	1300	07/03/2025 1:36 PM	051 BP3N1/1
Lead	1.3		1	ug/L	15	07/03/2025 1:36 PM	051 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710053

Client Sample ID.: 1st Floor WF 1 by Cafe

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	707		2	ug/L	1300	07/03/2025 6:53 PM	053 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 1:38 PM	053 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Date Reported: 07/09/2025



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710054

Client Sample ID.: 1st Floor WF 2 by Cafe

Analytical Method:EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	141	M1	1	ug/L	1300	07/03/2025 1:40 PM	054 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 1:40 PM	054 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

See qualifiers page for additional qualifier definitions.

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

H2O Innovation
PO Box 3148
Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

Lab No. : 70360710055

Client Sample ID.: 1st Floor WF by Bathrooms

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	231		1	ug/L	1300	07/03/2025 1:45 PM	055 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 1:45 PM	055 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710057

Client Sample ID.: 2nd Floor WF 1 by BR

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	31.9		1	ug/L	1300	07/03/2025 1:47 PM	057 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 1:47 PM	057 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

WorkOrder :

70360710

Laboratory Certifications

Pace Analytical Services, LLC- Newburgh, NY

315 Fullerton Avenue, Newburgh, NY 12550

New York Certification #: 10142 Primary Accrediting Body

New Jersey Certification #: NY015

Connecticut Certification #: PH-0823



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710058

Client Sample ID.: 2nd Floor WF 2 by BR

Analytical Method:EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	57.3		1	ug/L	1300	07/03/2025 1:49 PM	058 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 1:49 PM	058 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



13475 Line 2
CNA Env
27 Kent Street
Ballston Spa, NY 12025
(518) 884-0800

116
WO#: 70360710
70360710

Main Office and Lab
M-F 8:00 AM - 4:30 PM Sat 10:00 AM - Noon

M-F 8:00 AM - 3:30 PM

Chain of Custody Form

Owner Name & Property Address of Site Sampled

Breadalbin CSD
20 Pine St.
Breadalbin, NY 12025

Contact Phone:

518-954-2570

Person taking sample(s)

Mike / Bob

E-mail:

Carney.m@bpsd.org

Sample description/matrix:

water / food / other

Lab ID (CNA Use Only)	Sample Point	Date and Time Collected	AM PM	Sample Type (If applicable)	# of containers	Analysis Required
1	Kitchen 1	6/10/25 1	A/P	G D N	1	lead & copper
2	Kitchen 2	6/10/25 1	A/P	G D N	1	" "
3	Kitchen 3	6/10/25 1	A/P	G D N	1	" "
4	Kitchen 4	6/10/25 1	A/P	G D N	1	" "
5	Kitchen 5	6/10/25 1	A/P	G D N	1	" "
6	Kitchen 6	6/10/25 1	A/P	G D N	1	" "
7	Kitchen 7	6/10/25 1:15	A/P	G D N	1	" "
8	Kitchen 8	6/10/25 1:15	A/P	G D N	1	" "
9	Kitchen 9	6/10/25 1:15	A/P	G D N	1	" "
10	Kitchen 10	6/10/25 1:15	A/P	G D N	1	" "
11	Kitchen 11	6/10/25 1:15	A/P	G D N	1	" "
12	Kitchen 12	6/10/25 1:15	A/P	G D N	1	" "
13	Kitchen 13	6/10/25 1:15	A/P	G D N	1	" "
			A/P			" "

Relinquished by:

Received by:

Date/Time:

Relinquished by:

Received by Laboratory in Ballston Spa:

Date/Time:

CNA Environmental LLC's mission is to be certified by the New York State Dept. of Health to perform the following analyses:

Potable water: alkalinity, calcium hardness, chloride, coliform, color, conductivity, copper, corrosivity, e. Coli, fluoride, iron, lead, manganese, nitrate, nitrite, odor, pH, silver, sodium, solids (total dissolved), standard plate count, sulfate, turbidity and zinc.

Non-Potable water: ammonia, BOD, CBOD, coliform (fecal and total), chromium, e. Coli, hardness (total), iron, lead, manganese, nickel, nitrate, nitrite, pH, phenols, silver, solids (dissolved, settleable and suspended), specific conductance, sulfate, sulfide, turbidity, and zinc.

CNA also conducts hardness (total) and sulfide on potable water and dissolved oxygen on non-potable water.

All other analyses will be forwarded to an NYS DOH ELAP/NELAC approved laboratory. CNA reserves the right to use an approved laboratory for any and all analyses in the event that CNA is unable to perform an analysis.

Sample Retention Times: Finished products are kept until code date unless otherwise specified. Environmental sponges, water, and any other samples that have a 'hold time' will not be saved after testing is complete, unless otherwise instructed by the regulatory body or the customer. Any atypical results: the client is contacted ASAP and CNA retains the sample based on the directions given.

CNA USE ONLY

COC Complete: ☒ Y ☐ N

Temp. Upon Receipt: 20.7

Samples were: Ship / Hand / Drop

Properly Preserved: ☒ Y ☐ N

On Ice/Cooling: Y ☒ N

Containers Intact: ☒ Y ☐ N

Labels Match COC: ☒ Y ☐ N

Method of Payment: Bill

Mailing/Billing Address:

Comments:

Chlorine Residual (mg/l):

Water samples

Na₂S₂O₃ Used: Y / N



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

WorkOrder :

70360710

Additional Qualifiers

M1 - Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

CHAIN OF CUSTODY

Face

ANALYTICAL SERVICES

Lab Name: PAS - Ballston Spa
 Lab Address: 27 Kent Street, Ballston Spa, NY 12020
 Phone (518) 884-0800 Hours M-F 8am to 4:30pm
 172 Ridge St, Glens Falls, NY 12801
 Phone (518) 884-0800 Ext 408 Hours M-F 9am to 2pm

CLIENT NAME:

Broadalbin - Pearl Elm

CLIENT ADDRESS:

PWS NUMBER:

20 P.oe st, Broadalbin NY 12025

CLIENT PHONE:

SAMPLED BY:

P.O. # / PROJECT MANAGER:

518-934-2570

Mike / Bill

EMAIL(To send report):

BILLING ADDRESS:

Pamperny & Speed, org Same AS Above

PROJECT LOCATION:

SAMPLE DATE TIME

LOCATION SAMPLED / SAMPLE POINT:

COMPOSITE (C) OR GRAB (G)

D (DRINKING WATER) OR W (WASTE WATER)

SODIUM THIOSULFATE ADDED (Y OR N)

CHLORINE RESIDUAL

40ml Vials

1 liter Amber

250 Amber

250 mL Plastic

1 Liter Plastic

125 mL Sterile Plastic

MATRIX

REQUIRED Containers

COOLER TEMPERATURE:

43 -

CUSTOMER #:

REPORT # (Lab Use Only)

PAGE 2 OF 6
 RECEIVED FOR PAS-BALLSTON SPA BY:

DATE / TIME RECEIVED:

CUSTODY INTACT? (Mark Y/N)

YES: NO:

ICE (Y/N) PRESERVED WITH: NaOH / H2SO4 / HCL

NUMBER OF CONTAINERS SUBMITTED

ANALYSIS REQUESTED

Lead + Copper

#	DATE	TIME	LOCATION SAMPLED / SAMPLE POINT:	COMPOSITE (C) OR GRAB (G)	D (DRINKING WATER) OR W (WASTE WATER)	SODIUM THIOSULFATE ADDED (Y OR N)	CHLORINE RESIDUAL	NUMBER OF CONTAINERS SUBMITTED	ANALYSIS REQUESTED
14	<i>6/10/25</i>		<i>100</i>		<i>CDN</i>				
15			<i>101</i>						
16			<i>102</i>						
17			<i>103</i>						
18			<i>104</i>						
19			<i>106</i>						
20			<i>107</i>						
21			<i>108</i>						
22			<i>109</i>						
23			<i>110</i>						

RELINQUISHED BY: (SIGNATURE)

DATE: TIME:

RECEIVED BY: (SIGNATURE)

DATE: TIME:

RELINQUISHED BY: (SIGNATURE)

DATE: TIME:

RECEIVED BY: (SIGNATURE)

DATE: TIME:

METHOD OF PAYMENT: (Check / Credit Card Only):

IF APPLICABLE SUBCONTRACTED TO:

Annual Testing 2025

CHAIN OF CUSTODY

		Lab Name: PAS - Ballston Spa NYS DOH LAB # 11534 ISO # AT-2136		CUSTOMER #: 43 -		REPORT # (Lab Use Only)	
ANALYTICAL SERVICES Drop Off Location: 27 Kent Street, Ballston Spa, NY 12020 Phone (518) 884-0800 Hours M-F 8am to 4:30pm 172 Ridge St, Glens Falls, NY 12801 Phone (518) 884-0800 Ext 408 Hours M-F 9am to 2pm				COOLER TEMPERATURE:		PAGE 3 OF 0 RECEIVED FOR PAS-BALLSTON SPA BY:	
CLIENT NAME: Broadalbin-Peetle Elm				MATRIX		REQUIRED CONTAINERS	
CLIENT ADDRESS: 20 Pine St, Broadalbin NY 12025		PWS NUMBER: NY1702602				DATE / TIME RECEIVED:	
CLIENT PHONE: 518-954-2570		SAMPLED BY: Mike / Bob		P.O. # / PROJECT MANAGER:		CUSTODY INTACT? (Mark Y/N)	
EMAIL (TO SEND REPORT):		BILLING ADDRESS:		YES:		NO:	
PROJECT LOCATION: Parapym & Speed, org		Same AS Above		ICE (Y/N)		PRESERVED WITH: NaOH / H2SO4 / HCL	
SAMPLE # DATE TIME LOCATION SAMPLED / SAMPLE POINT:		COMPOSITE (C) OR GRAB (G) D (DRINKING WATER) OR W (WASTE WATER)		SODIUM THIOSULFATE ADDED (Y OR N)		CHLORINE RESIDUAL	
				NUMBER OF CONTAINERS SUBMITTED		ANALYSIS REQUESTED	
24	6/10/25	7:30 A	Kitchen	G	1		Lead + Copper
25	6/10/25	7:35 A	Custodial Office	D	1		" "
26	6/10/25	7:40 A	New Aet Room				" "
27	6/10/25	7:45 A	Gym / Training Room				" "
28	6/10/25	7:50 A	Maroon Room / Water				" "
29	6/10/25	7:55 A	SP Ed Cont Room				" "
30	6/10/25	8:00 A	Water Fountain K-1 hallway				" "
31	6/10/25	8:05 A	Cafe BP Fountain				" "
32	6/10/25	8:10 AM	New Nurses Office				" "
33	6/10/25	8:05 AM	Social Media Rm				" "
RELINQUISHED BY: (SIGNATURE)		DATE:		RECEIVED BY: (SIGNATURE)		DATE:	
RELINQUISHED BY: (SIGNATURE)		DATE:		RECEIVED BY: (SIGNATURE)		DATE:	
METHOD OF PAYMENT: (check / Credit Card Only):				IF APPLICABLE SUBCONTRACTED TO:			

Peace

CLIENT NAME:	RECEIVED FOR PAS-BALLSTON SPA BY:
--------------	-----------------------------------

CHAIN OF CUSTODY

		Lab Name: PAS - Ballston Spa NYS DOH LAB # 11534 ISO # AT-2136				CUSTOMER #:		REPORT # (Lab Use Only)	
		Lab Address: 27 Kent Street, Ballston Spa, NY 12020 Phone (518) 884-0800 Hours M-F 8am to 4:30pm 172 Ridge St, Glens Falls, NY 12801 Phone (518) 884-0800 Ext 408 Hours M-F 9am to 2pm				43 -			
ANALYTICAL SERVICES		Drop Off Location:				COOLER TEMPERATURE:		PAGE 5 OF 6	
CLIENT NAME:		CLIENT ADDRESS:				PWS NUMBER:		RECEIVED FOR PAS-BALLSTON SPA BY:	
CLIENT PHONE:		SAMPLED BY:		P.O. # / PROJECT MANAGER:		DATE / TIME RECEIVED:		CUSTODY INTACT? (Mark Y/N)	
EMAIL (TO SEND REPORT):		BILLING ADDRESS:		YES:		NO:		PRESERVED WITH: NaOH / H2SO4 / HCL	
PROJECT LOCATION:		PROJECT LOCATION:		COMPOSITE (C) OR GRAB (G)		D (DRINKING WATER) OR W (WASTE WATER)		SODIUM THIOSULFATE ADDED (Y OR N)	
SAMPLE #		DATE		LOCATION SAMPLED / SAMPLE POINT:		CHLORINE RESIDUAL		NUMBER OF CONTAINERS SUBMITTED	
43		6-10-21		119		40ml Vials		LEAD + COPPER	
44		1		120		1 liter Amber			
45		1		121		250 Amber			
46		1		122		250 mL Plastic			
47		1		123		1 liter Plastic			
48		1		124		125 mL Sterile Plastic			
49		1		125					
50		1		126					
51		1		129					
52		1		129					
RELINQUISHED BY:		DATE:		TIME:		RECEIVED BY: (SIGNATURE)		DATE:	
RELINQUISHED BY: (SIGNATURE)		DATE:		TIME:		RECEIVED BY: (SIGNATURE)		DATE:	
METHOD OF PAYMENT: (Check / Credit Card Only):		IF APPLICABLE SUBCONTRACTED TO:							

CHAIN OF CUSTODY

		Lab Name: PAS - Ballston Spa NYS DOH LAB # 11534 ISO # AT-2136		CUSTOMER #:		REPORT # (Lab Use Only)	
		Lab Address: 27 Kent Street, Ballston Spa, NY 12020 Phone (518) 884-0800 Hours M-F 8am to 4:30pm 172 Ridge St, Glens Falls, NY 12801 Phone (518) 884-0800 Ext 408 Hours M-F 9am to 2pm		43 -			
ANALYTICAL SERVICES		Drop Off Location:		COOLER TEMPERATURE:		PAGE 6 OF 6	
CLIENT NAME:		CLIENT ADDRESS:		PWS NUMBER:		RECEIVED FOR PAS-BALLSTON SPA BY:	
20 P.O.E St, Broadalbin NY 12025		SAMPLED BY:		P.O. # / PROJECT MANAGER:		DATE / TIME RECEIVED:	
518-934-2570		Mike / Bill		BILLING ADDRESS:		CUSTODY INTACT? (Mark Y/N)	
EMAIL TO SEND REPORT:		PROJECT LOCATION:		LOCATION SAMPLED / SAMPLE POINT:		YES: NO:	
Panned by E Speed, org		Same as above		COMPOSITE (C) OR GRAB (G)		ICE (Y/N) PRESERVED WITH: NaOH / H2SO4 / HCL	
PROJECT LOCATION:		SAMPLE # DATE TIME		D (DRINKING WATER) OR W (WASTE WATER)		NUMBER OF CONTAINERS SUBMITTED	
ANALYSIS REQUESTED		SODIUM THIOSULFATE ADDED (Y OR N)		CHLORINE RESIDUAL		ANALYSIS REQUESTED	
52 10/14/25		MAIN OFFICE		40ml Vials		LEAD + COPPER	
53		1st Floor W/F 1 by CAFE		1 liter Amber		125 mL Sterile Plastic	
54		1st Floor W/F 2 by CAFE		250 Amber		125 mL Sterile Plastic	
55		1st Floor W/F by Bathrooms		250 mL Plastic		125 mL Sterile Plastic	
56		2nd Floor W/F by Rm 319		1 liter Plastic		125 mL Sterile Plastic	
57		2nd Floor W/F by BR		125 mL Sterile Plastic		125 mL Sterile Plastic	
58		2nd Floor W/F 2 by BR		125 mL Sterile Plastic		125 mL Sterile Plastic	
RELINQUISHED BY: (SIGNATURE)		DATE:		TIME:		RECEIVED BY: (SIGNATURE)	
RELINQUISHED BY: (SIGNATURE)		DATE:		TIME:		RECEIVED BY: (SIGNATURE)	
METHOD OF PAYMENT: (Check / Credit Card Only):		IF APPLICABLE SUBCONTRACTED TO:		DATE:		TIME:	

WO#: 70360710

PM: BRM

Due Date: 06/27/25

CLIENT: BA-BroadPart

Condition Upon Receipt Form

Sample Condition Upon Receipt Form (SCUR)

Project #

Client: Broadalbin CSD

Date and Initials of person:

Examining contents: _____

Label: _____

Deliver to location: _____

pH: _____

Thermometer Used: Chem

Date: 6/13/25

Time: 8:48

Initials: EC

State of Origin: NY

Cooler #1 Temp. °C _____ (Usual) _____ (Correction Factor) 20.7 (Actual)

☐ Samples on Ice, cooling process has begun

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Commercial ☐ Pace

Shipping Method: ☐ First Overnight ☐ Priority Overnight ☐ Standard Overnight ☐ Ground

☐ Other _____

Tracking # _____

Custody Seal on Cooler/Box Present: ☒ Yes ☐ No

Seals Intact: ☒ Yes ☐ No

Ice: Wet Blue Melted None

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☒ None

☐ Other _____

Samples were collected by Pace employee

☐ Yes

☐ No

☒ N/A

Chain of Custody Present	☒ Yes ☐ No ☐ N/A	Comments:
Chain of Custody Filled Out	☒ Yes ☐ No ☐ N/A	
Relinquished Signature on COC	☒ Yes ☐ No ☐ N/A	
Sampler Name and Signature on COC	☒ Yes ☐ No ☐ N/A	
Samples Arrived within Hold Time	☒ Yes ☐ No ☐ N/A	
Rush TAT requested on COC	☐ Yes ☐ No ☒ N/A	
Sufficient Volume	☒ Yes ☐ No ☐ N/A	
Correct Containers Used	☒ Yes ☐ No ☐ N/A	
Containers Intact	☒ Yes ☐ No ☐ N/A	
Sample Labels match COC (sample IDs & date/time of collection)	☒ Yes ☐ No ☐ N/A	
All containers needing acid/base preservation have been checked.	☐ Yes ☐ No ☒ N/A	Preservation Information:
All Containers needing preservation are found to be in compliance with EPA recommendation:	☐ Yes ☐ No ☒ N/A	Preservative: _____
Exceptions: Vials, Microbiology, O&G, Metals		Lot #/Trace #: _____
		Date: _____ Time: _____
		Initials: _____
Headspace in VOA Vials? (>5 mm):	☐ Yes ☐ No ☒ N/A	
Trip Blank Present:	☐ Yes ☐ No ☒ N/A	

Additional Login Comments: _____

Client notification/ Resolution

Person Contacted: _____

Date/Time: _____

Comments/Resolution: _____



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

H2O Innovation
PO Box 3148
Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:00 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

Lab No. : 70360710001

Client Sample ID.: Kitchen 1

<u>Analytical Method:</u> EPA 200.8, Rev. 5.4		<u>Prep Method:</u> EPA 200.8, Rev. 5.4			<u>Prep Date:</u> 07/07/2025 10:55		
<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	2490*		5	ug/L	1300	07/08/2025 4:53 PM	001 BP3N1/1
Lead	9.8		1	ug/L	15	07/08/2025 2:20 PM	001 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:00 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710002

Client Sample ID.: Kitchen 2

Analytical Method:EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	241		1	ug/L	1300	07/03/2025 10:39	002 BP3N1/1
Lead	6.4		1	ug/L	15	07/03/2025 10:39	002 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:00 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710003

Client Sample ID.: Kitchen

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	291		1	ug/L	1300	07/03/2025 10:53	003 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 10:53	003 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:00 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710004

Client Sample ID.: Kitchen 4

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	104		1	ug/L	1300	07/03/2025 10:55	004 BP3N1/1
Lead	1.9		1	ug/L	15	07/03/2025 10:55	004 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:00 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710005

Client Sample ID.: Kitchen 5

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	184		1	ug/L	1300	07/03/2025 10:57	005 BP3N1/1
Lead	35.0*		1	ug/L	15	07/03/2025 10:57	005 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:00 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710006

Client Sample ID.: Kitchen 6

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	1320*		5	ug/L	1300	07/03/2025 5:11 PM	006 BP3N1/1
Lead	9.3		1	ug/L	15	07/03/2025 11:00	006 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

H2O Innovation
PO Box 3148
Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:15 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Laboratory Results

Results for the samples and analytes requested
The lab is not directly responsible for the integrity of the sample before
receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

Lab No. : 70360710007

Client Sample ID.: Kitchen 7

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	852		2	ug/L	1300	07/03/2025 5:15 PM	007 BP3N1/1
Lead	4.1		1	ug/L	15	07/03/2025 11:02	007 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC
unless otherwise noted.

This report shall not be reproduced except in full,
without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:15 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710008

Client Sample ID.: Kitchen 8

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	566		2	ug/L	1300	07/03/2025 5:19 PM	008 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 11:04	008 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:15 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710009

Client Sample ID.: Kitchen 9

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	395		1	ug/L	1300	07/03/2025 11:06	009 BP3N1/1
Lead	2.7		1	ug/L	15	07/03/2025 11:06	009 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:15 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710010

Client Sample ID.: Kitchen 10

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	313		1	ug/L	1300	07/03/2025 11:09	010 BP3N1/1
Lead	1.5		1	ug/L	15	07/03/2025 11:09	010 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:15 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710011

Client Sample ID.: Kitchen 11

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	405		1	ug/L	1300	07/03/2025 11:11	011 BP3N1/1
Lead	1.5		1	ug/L	15	07/03/2025 11:11	011 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:15 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710012

Client Sample ID.: Kitchen 12

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	265		1	ug/L	1300	07/03/2025 11:18	012 BP3N1/1
Lead	3.4		1	ug/L	15	07/03/2025 11:18	012 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747
TEL: (516) 370-6000 FAX: (516) 886-5526
www.pacelabs.com

H2O Innovation
PO Box 3148
Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:15 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Laboratory Results

Results for the samples and analytes requested
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

Lab No. : 70360710013

Client Sample ID.: Kitchen 13

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	52.3		1	ug/L	1300	07/03/2025 11:22	013 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 11:22	013 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:15 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710014

Client Sample ID.: 100

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	634		2	ug/L	1300	07/03/2025 5:23 PM	014 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 11:25	014 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:15 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710015

Client Sample ID.: 101

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	598		2	ug/L	1300	07/03/2025 5:27 PM	015 BP3N1/1
Lead	1.4		1	ug/L	15	07/03/2025 11:27	015 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:15 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710016

Client Sample ID.: 102

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	741		2	ug/L	1300	07/03/2025 5:31 PM	016 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 11:29	016 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

H2O Innovation
PO Box 3148
Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:15 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

Lab No. : 70360710017

Client Sample ID.: 103

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	617		2	ug/L	1300	07/03/2025 5:34 PM	017 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 11:32	017 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747
TEL: (516) 370-6000 FAX: (516) 886-5526
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water
Origin:

H2O Innovation
PO Box 3148
Poughkeepsie, NY 12603
Attn To : DO USE

Lab No. : 70360710018
Client Sample ID.: 104

Federal ID : NY1330035
Collected : 06/10/2025 01:15 PM Point
Received : 06/13/2025 08:48 AM Location
Collected By

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	764		2	ug/L	1300	07/03/2025 5:38 PM	018 BP3N1/1
Lead	1.1		1	ug/L	15	07/03/2025 11:34	018 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
ND - Not Detected at or above adjusted reporting limit.
J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).
Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747
TEL: (516) 370-6000 FAX: (516) 886-5526
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water
Origin:

H2O Innovation
PO Box 3148
Poughkeepsie, NY 12603
Attn To : DO USE

Lab No. : 70360710019
Client Sample ID.: 106

Federal ID : NY1330035
Collected : 06/10/2025 01:15 PM Point
Received : 06/13/2025 08:48 AM Location
Collected By

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	651		2	ug/L	1300	07/03/2025 5:42 PM	019 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 11:36	019 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
ND - Not Detected at or above adjusted reporting limit.
J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).
Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747
TEL: (516) 370-6000 FAX: (516) 886-5526
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water
Origin:

H2O Innovation
PO Box 3148
Poughkeepsie, NY 12603

Lab No. : 70360710020
Client Sample ID.: 107

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:15 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	554		2	ug/L	1300	07/03/2025 5:54 PM	020 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 11:39	020 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:15 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710021

Client Sample ID.: 108

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	680		2	ug/L	1300	07/03/2025 5:58 PM	021 BP3N1/1
Lead	1.5		1	ug/L	15	07/03/2025 11:45	021 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:15 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710022

Client Sample ID.: 109

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	705	M1	2	ug/L	1300	07/03/2025 6:02 PM	022 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 11:52	022 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

See qualifiers page for additional qualifier definitions.

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

H2O Innovation
PO Box 3148
Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 01:15 PM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

Lab No. : 70360710023

Client Sample ID.: 110

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	743		2	ug/L	1300	07/03/2025 6:14 PM	023 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 12:02	023 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 07:35 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710025

Client Sample ID.: Custodial Office

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	369		1	ug/L	1300	07/03/2025 12:04	025 BP3N1/1
Lead	1.2		1	ug/L	15	07/03/2025 12:04	025 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 07:40 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710026

Client Sample ID.: New Art Room

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	480		1	ug/L	1300	07/03/2025 12:06	026 BP3N1/1
Lead	1.6		1	ug/L	15	07/03/2025 12:06	026 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 07:45 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710027

Client Sample ID.: Gym Hallway Fountain

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	472		1	ug/L	1300	07/03/2025 12:13	027 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 12:13	027 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 07:50 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710028

Client Sample ID.: Water LM Side

Water LM Side

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	46.9		1	ug/L	1300	07/03/2025 12:15	028 BP3N1/1
Lead	10.6		1	ug/L	15	07/03/2025 12:15	028 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 07:53 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710029

Client Sample ID.: Sp Ed Cont Room

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	142		1	ug/L	1300	07/03/2025 12:18	029 BP3N1/1
Lead	1.5		1	ug/L	15	07/03/2025 12:18	029 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:00 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710030

Client Sample ID.: Water Fountain K-1 Hallway

Analytical Method:EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	487		1	ug/L	1300	07/03/2025 12:20	030 BP3N1/1
Lead	2.4		1	ug/L	15	07/03/2025 12:20	030 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:05 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710031

Client Sample ID.: Cafe BR Founatin

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	259		1	ug/L	1300	07/03/2025 12:22	031 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 12:22	031 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:10 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710032

Client Sample ID.: New Nurses Office

Analytical Method:EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	ND		1	ug/L	1300	07/03/2025 12:24	032 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 12:24	032 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710033

Client Sample ID.: Social Worker

Analytical Method:EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	430		1	ug/L	1300	07/03/2025 12:27	033 BP3N1/1
Lead	1.1		1	ug/L	15	07/03/2025 12:27	033 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710034

Client Sample ID.: 111

Analytical Method:EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	990		5	ug/L	1300	07/03/2025 6:18 PM	034 BP3N1/1
Lead	1.2		1	ug/L	15	07/03/2025 12:31	034 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710035

Client Sample ID.: 112

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	656		2	ug/L	1300	07/03/2025 6:22 PM	035 BP3N1/1
Lead	1.0		1	ug/L	15	07/03/2025 12:34	035 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

H2O Innovation
PO Box 3148
Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Laboratory Results

Results for the samples and analytes requested
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

Lab No. : 70360710036

Client Sample ID.: 113

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	953		2	ug/L	1300	07/03/2025 6:26 PM	036 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 12:41	036 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710037

Client Sample ID.: 105

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	703		2	ug/L	1300	07/03/2025 6:29 PM	037 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 12:43	037 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710038

Client Sample ID.: 115

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	704		5	ug/L	1300	07/03/2025 6:41 PM	038 BP3N1/1
Lead	2.3		1	ug/L	15	07/03/2025 12:45	038 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710039

Client Sample ID.: Media Center

Analytical Method:EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	495		1	ug/L	1300	07/03/2025 12:47	039 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 12:47	039 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710040

Client Sample ID.: 116

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	592		2	ug/L	1300	07/03/2025 6:45 PM	040 BP3N1/1
Lead	10.2		1	ug/L	15	07/03/2025 12:50	040 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710041

Client Sample ID.: 117

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	388		1	ug/L	1300	07/03/2025 12:52	041 BP3N1/1
Lead	9.5		1	ug/L	15	07/03/2025 12:52	041 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710042

Client Sample ID.: 118

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	483		1	ug/L	1300	07/03/2025 12:54	042 BP3N1/1
Lead	12.0		1	ug/L	15	07/03/2025 12:54	042 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710043

Client Sample ID.: 119

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	373		1	ug/L	1300	07/03/2025 1:01 PM	043 BP3N1/1
Lead	12.2		1	ug/L	15	07/03/2025 1:01 PM	043 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710044

Client Sample ID.: 120

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	465		1	ug/L	1300	07/03/2025 1:15 PM	044 BP3N1/1
Lead	14.1		1	ug/L	15	07/03/2025 1:15 PM	044 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710045

Client Sample ID.: 121

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	277		1	ug/L	1300	07/03/2025 1:17 PM	045 BP3N1/1
Lead	2.8		1	ug/L	15	07/03/2025 1:17 PM	045 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

H2O Innovation
PO Box 3148
Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

Lab No. : 70360710046

Client Sample ID.: 122

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	391		1	ug/L	1300	07/03/2025 1:20 PM	046 BP3N1/1
Lead	4.3		1	ug/L	15	07/03/2025 1:20 PM	046 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710047

Client Sample ID.: 123

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	324		1	ug/L	1300	07/03/2025 1:22 PM	047 BP3N1/1
Lead	3.1		1	ug/L	15	07/03/2025 1:22 PM	047 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710048

Client Sample ID.: 124

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	377		1	ug/L	1300	07/03/2025 1:24 PM	048 BP3N1/1
Lead	1.5		1	ug/L	15	07/03/2025 1:24 PM	048 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710049

Client Sample ID.: 125

Analytical Method:EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	269		2	ug/L	1300	07/03/2025 6:49 PM	049 BP3N1/1
Lead	4.6		1	ug/L	15	07/03/2025 1:26 PM	049 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710050

Client Sample ID.: 126

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	290		1	ug/L	1300	07/03/2025 1:29 PM	050 BP3N1/1
Lead	1.4		1	ug/L	15	07/03/2025 1:29 PM	050 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710051

Client Sample ID.: 129

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	386		1	ug/L	1300	07/03/2025 1:36 PM	051 BP3N1/1
Lead	1.3		1	ug/L	15	07/03/2025 1:36 PM	051 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710053

Client Sample ID.: 1st Floor WF 1 by Cafe

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	707		2	ug/L	1300	07/03/2025 6:53 PM	053 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 1:38 PM	053 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Date Reported: 07/09/2025



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710054

Client Sample ID.: 1st Floor WF 2 by Cafe

Analytical Method:EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	141	M1	1	ug/L	1300	07/03/2025 1:40 PM	054 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 1:40 PM	054 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

See qualifiers page for additional qualifier definitions.

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

H2O Innovation
PO Box 3148
Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

Lab No. : 70360710055

Client Sample ID.: 1st Floor WF by Bathrooms

Analytical Method: EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	231		1	ug/L	1300	07/03/2025 1:45 PM	055 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 1:45 PM	055 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710057

Client Sample ID.: 2nd Floor WF 1 by BR

Analytical Method: EPA 200.8, Rev. 5.4

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Copper	31.9		1	ug/L	1300	07/03/2025 1:47 PM	057 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 1:47 PM	057 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

WorkOrder :

70360710

Laboratory Certifications

Pace Analytical Services, LLC- Newburgh, NY

315 Fullerton Avenue, Newburgh, NY 12550

New York Certification #: 10142 Primary Accrediting Body

New Jersey Certification #: NY015

Connecticut Certification #: PH-0823



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water

Origin:

H2O Innovation

PO Box 3148

Poughkeepsie, NY 12603

Attn To : DO USE

Federal ID : NY1330035

Collected : 06/10/2025 08:15 AM Point

Received : 06/13/2025 08:48 AM Location

Collected By

Lab No. : 70360710058

Client Sample ID.: 2nd Floor WF 2 by BR

Analytical Method:EPA 200.8, Rev. 5.4

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Copper	57.3		1	ug/L	1300	07/03/2025 1:49 PM	058 BP3N1/1
Lead	ND		1	ug/L	15	07/03/2025 1:49 PM	058 BP3N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 07/09/2025

Diane Streit

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



13475 Line 2
CNA Env
27 Kent Street
Ballston Spa, NY 12025
(518) 884-0800

116
WO#: 70360710
70360710

Main Office and Lab
M-F 8:00 AM - 4:30 PM Sat 10:00 AM - Noon

M-F 8:00 AM - 3:30 PM

Chain of Custody Form

Owner Name & Property Address of Site Sampled

Breadalbin CSD
20 Pine St.
Breadalbin, NY 12025

Contact Phone:

518-954-2570

Person taking sample(s)

Mike / Bob

E-mail:

Carney.m@bpcsd.org

Sample description/matrix:

water / food / other

Lab ID (CNA Use Only)	Sample Point	Date and Time Collected	AM PM	Sample Type (If applicable)	# of containers	Analysis Required
1	Kitchen 1	6/10/25 1	A/P	G D N	1	lead & copper
2	Kitchen 2	6/10/25 1	A/P	G D N	1	" "
3	Kitchen 3	6/10/25 1	A/P	G D N	1	" "
4	Kitchen 4	6/10/25 1	A/P	G D N	1	" "
5	Kitchen 5	6/10/25 1	A/P	G D N	1	" "
6	Kitchen 6	6/10/25 1	A/P	G D N	1	" "
7	Kitchen 7	6/10/25 1:15	A/P	G D N	1	" "
8	Kitchen 8	6/10/25 1:15	A/P	G D N	1	" "
9	Kitchen 9	6/10/25 1:15	A/P	G D N	1	" "
10	Kitchen 10	6/10/25 1:15	A/P	G D N	1	" "
11	Kitchen 11	6/10/25 1:15	A/P	G D N	1	" "
12	Kitchen 12	6/10/25 1:15	A/P	G D N	1	" "
13	Kitchen 13	6/10/25 1:15	A/P	G D N	1	" "
			A/P			" "

Relinquished by:

Received by:

Date/Time:

Relinquished by:

Received by Laboratory in Ballston Spa:

Date/Time:

CNA Environmental LLC's mission is to be certified by the New York State Dept. of Health to perform the following analyses:

Potable water: alkalinity, calcium hardness, chloride, coliform, color, conductivity, copper, corrosivity, *e. coli*, fluoride, iron, lead, manganese, nitrate, nitrite, odor, pH, silver, sodium, solids (total dissolved), standard plate count, sulfate, turbidity and zinc.

Non-Potable water: ammonia, BOD, CBOD, coliform (fecal and total), chromium, *e. coli*, hardness (total), iron, lead, manganese, nickel, nitrate, nitrite, pH, phenols, silver, solids (dissolved, settleable and suspended), specific conductance, sulfate, sulfide, turbidity, and zinc.

CNA also conducts hardness (total) and sulfide on potable water and dissolved oxygen on non-potable water.

All other analyses will be forwarded to an NYS DOH ELAP/NELAC approved laboratory. CNA reserves the right to use an approved laboratory for any and all analyses in the event that CNA is unable to perform an analysis.

Sample Retention Times: Finished products are kept until code date unless otherwise specified. Environmental sponges, water, and any other samples that have a 'hold time' will not be saved after testing is complete, unless otherwise instructed by the regulatory body or the customer. Any atypical results: the client is contacted ASAP and CNA retains the sample based on the directions given.

CNA USE ONLY

COC Complete: ☒ Y ☐ N

Temp. Upon Receipt: 20.7

Samples were: Ship / Hand / Drop

Properly Preserved: ☒ Y ☐ N

On Ice/Cooling: Y ☒ N

Containers Intact: ☒ Y ☐ N

Labels Match COC: ☒ Y ☐ N

Method of Payment: Bill

Mailing/Billing Address:

Comments:

Chlorine Residual (mg/l):

Water samples

Na₂S₂O₃ Used: Y / N



575 Broad Hollow Road, Melville, NY 11747

TEL: (516) 370-6000 FAX: (516) 886-5526

www.pacelabs.com

WorkOrder :

70360710

Additional Qualifiers

M1 - Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

pace

page 59 of 64

Annual Testing 2025

CHAIN OF CUSTODY

		Lab Name: PAS - Ballston Spa NYS DOH LAB # 11534 ISO # AT-2136		CUSTOMER #: 43 -		REPORT # (Lab Use Only)	
ANALYTICAL SERVICES Drop Off Location: 27 Kent Street, Ballston Spa, NY 12020 Phone (518) 884-0800 Hours M-F 8am to 4:30pm 172 Ridge St, Glens Falls, NY 12801 Phone (518) 884-0800 Ext 408 Hours M-F 9am to 2pm				COOLER TEMPERATURE:		PAGE 3 OF 0 RECEIVED FOR PAS-BALLSTON SPA BY:	
CLIENT NAME: Broadalbin-Peetle Elm				MATRIX		REQUIRED CONTAINERS	
CLIENT ADDRESS: 20 Pine St, Broadalbin NY 12025		PWS NUMBER: NY1702602				DATE / TIME RECEIVED:	
CLIENT PHONE: 518-954-2570		SAMPLED BY: Mike / Bob		P.O. # / PROJECT MANAGER:		CUSTODY INTACT? (Mark Y/N)	
EMAIL (TO SEND REPORT):		BILLING ADDRESS:				YES: NO:	
PROJECT LOCATION: Parapym & Speed, org		Same AS Above				ICE (Y/N) PRESERVED WITH: NaOH / H2SO4 / HCL	
SAMPLE # DATE TIME LOCATION SAMPLED / SAMPLE POINT:				COMPOSITE (C) OR GRAB (G) D (DRINKING WATER) OR W (WASTE WATER) SODIUM THIOSULFATE ADDED (Y OR N) CHLORINE RESIDUAL 40ml Vials 1 liter Amber 250 Amber 250 mL Plastic 1 liter Plastic 125 mL Sterile Plastic		NUMBER OF CONTAINERS SUBMITTED ANALYSIS REQUESTED	
24	6/10/25	7:30 A	Kitchen				Lead + Copper
25	6/10/25	7:35 A	Custodial Office				" "
26	6/10/25	7:40 A	New Aet Room				" "
27	6/10/25	7:45 A	Gym / Training Room				" "
28	6/10/25	7:50 A	Maroon Room / Water				" "
29	6/10/25	7:55 A	SP Ed Cont Room				" "
30	6/10/25	8:00 A	Water Fountain K-1 hallway				" "
31	6/10/25	8:05 A	Cafe / PE Fountain				" "
32	6/10/25	8:10 AM	New Nurses Office				" "
33	6/10/25	8:05 AM	Social Media				" "
RELINQUISHED BY: (SIGNATURE)		DATE:		RECEIVED BY: (SIGNATURE)		DATE:	
RELINQUISHED BY: (SIGNATURE)		DATE:		RECEIVED BY: (SIGNATURE)		DATE:	
METHOD OF PAYMENT: (check / Credit Card Only):				IF APPLICABLE SUBCONTRACTED TO:			

CHAIN OF CUSTODY

		Lab Name: PAS - Ballston Spa NYS DOH LAB # 11534 ISO # AT-2136		CUSTOMER #: 43 -		REPORT # (Lab Use Only)	
ANALYTICAL SERVICES Lab Address: 27 Kent Street, Ballston Spa, NY 12020 Phone (518) 884-0800 Hours M-F 8am to 4:30pm 172 Ridge St, Glens Falls, NY 12801 Phone (518) 884-0800 Ext. 408 Hours M-F 9am to 2pm		Drop Off Location:		COOLER TEMPERATURE:		PAGE 4 OF 6	
CLIENT NAME: BIODALISIN - Bell ELM		CLIENT ADDRESS: 20 P.O. St, Ballston Spa, NY 12025		PWS NUMBER:		DATE / TIME RECEIVED:	
CLIENT PHONE: 518-934-2570		SAMPLED BY: Mike / Bell		P.O. # / PROJECT MANAGER:		CUSTODY INTACT? (Mark Y/N)	
EMAIL (TO SEND REPORT):		BILLING ADDRESS:		YES:		NO:	
PROJECT LOCATION: David's Speedway		SHORE AS ABOVE		ICE (Y/N)		PRESERVED WITH: NaOH / H2SO4 / HCL	
SAMPLE #		DATE		TIME		ANALYSIS REQUESTED	
LOCATION SAMPLED / SAMPLE POINT:		COMPOSITE (C) OR GRAB (G)		D (DRINKING WATER) OR W (WASTE WATER)		SODIUM THIOSULFATE ADDED (Y OR N)	
CHLORINE RESIDUAL		40ml Vials		1 liter Amber		250 Amber	
250 mL Plastic		1 Liter Plastic		125 mL Sterile Plastic		NUMBER OF CONTAINERS SUBMITTED	
34 6-10-25		111		CDN		LEAD + COPPER	
35		112					
36		113					
37		105					
38		115					
39		Media Collee					
40		116					
41		117					
42		118					
RELINQUISHED BY:		DATE:		TIME:		RECEIVED BY: (SIGNATURE)	
RELINQUISHED BY: (SIGNATURE)		DATE:		TIME:		RECEIVED BY: (SIGNATURE)	
METHOD OF PAYMENT: (Check / Credit Card Only):		IF APPLICABLE SUBCONTRACTED TO:					

CHAIN OF CUSTODY

		Lab Name: PAS - Ballston Spa NYS DOH LAB # 11534 ISO # AT-2136				CUSTOMER #:		REPORT # (Lab Use Only)	
		Lab Address: 27 Kent Street, Ballston Spa, NY 12020 Phone (518) 884-0800 Hours M-F 8am to 4:30pm 172 Ridge St, Glens Falls, NY 12801 Phone (518) 884-0800 Ext 408 Hours M-F 9am to 2pm				43 -			
ANALYTICAL SERVICES		Drop Off Location:				COOLER TEMPERATURE:		PAGE 5 OF 6	
CLIENT NAME:		CLIENT ADDRESS:				PWS NUMBER:		RECEIVED FOR PAS-BALLSTON SPA BY:	
CLIENT PHONE:		SAMPLED BY:		P.O. # / PROJECT MANAGER:		DATE / TIME RECEIVED:		CUSTODY INTACT? (Mark Y/N)	
EMAIL (TO SEND REPORT):		BILLING ADDRESS:		YES:		NO:		PRESERVED WITH: NaOH / H2SO4 / HCL	
PROJECT LOCATION:		PROJECT LOCATION:		COMPOSITE (C) OR GRAB (G)		D (DRINKING WATER) OR W (WASTE WATER)		SODIUM THIOSULFATE ADDED (Y OR N)	
SAMPLE #		DATE		LOCATION SAMPLED / SAMPLE POINT:		CHLORINE RESIDUAL		NUMBER OF CONTAINERS SUBMITTED	
43		6-10-21		119		40ml Vials		LEAD + COPPER	
44		1		120		1 liter Amber			
45		1		121		250 Amber			
46		1		122		250 mL Plastic			
47		1		123		1 liter Plastic			
48		1		124		125 mL Sterile Plastic			
49		1		125					
50		1		126					
51		1		129					
52		1		129					
RELINQUISHED BY:		DATE:		TIME:		RECEIVED BY: (SIGNATURE)		DATE:	
RELINQUISHED BY: (SIGNATURE)		DATE:		TIME:		RECEIVED BY: (SIGNATURE)		DATE:	
METHOD OF PAYMENT: (Check / Credit Card Only):		IF APPLICABLE SUBCONTRACTED TO:							

CHAIN OF CUSTODY

		Lab Name: PAS - Ballston Spa NYS DOH LAB # 11534 ISO # AT-2136		CUSTOMER #:		REPORT # (Lab Use Only)	
		Lab Address: 27 Kent Street, Ballston Spa, NY 12020 Phone (518) 884-0800 Hours M-F 8am to 4:30pm 172 Ridge St, Glens Falls, NY 12801 Phone (518) 884-0800 Ext 408 Hours M-F 9am to 2pm		43 -			
ANALYTICAL SERVICES		Drop Off Location:		COOLER TEMPERATURE:		PAGE 6 OF 6	
CLIENT NAME:		CLIENT ADDRESS:		PWS NUMBER:		RECEIVED FOR PAS-BALLSTON SPA BY:	
20 P.O.E St, Broadalbin NY 12025		SAMPLED BY:		P.O. # / PROJECT MANAGER:		DATE / TIME RECEIVED:	
518-934-2570		Mike / Bill		BILLING ADDRESS:		CUSTODY INTACT? (mark Y/N)	
EMAIL TO SEND REPORT:		PROJECT LOCATION:		LOCATION SAMPLED / SAMPLE POINT:		YES: NO:	
Panned by E Speed, org		Same as above		COMPOSITE (C) OR GRAB (G)		ICE (Y/N) PRESERVED WITH: NaOH / H2SO4 / HCL	
PROJECT LOCATION:		SAMPLE #		DATE		TIME	
SAMPLE #		DATE		TIME		ANALYSIS REQUESTED	
52 10/14/25		1st Floor W/F 1 by CAFE		COMPOSITE (C) OR GRAB (G)		40ml Vials	
53		1st Floor W/F 2 by CAFE		D (DRINKING WATER) OR W (WASTE WATER)		1 liter Amber	
54		1st Floor W/F 2 by CAFE		SODIUM THIOSULFATE ADDED (Y OR N)		250 Amber	
55		1st Floor W/F by Bathrooms		CHLORINE RESIDUAL		250 mL Plastic	
56		2nd Floor W/F by Rm 319		NUMBER OF CONTAINERS SUBMITTED		1 liter Plastic	
57		2nd Floor W/F by BR		125 mL Sterile Plastic		DATE / TIME RECEIVED:	
58		2nd Floor W/F 2 by BR		LEAD + COPPER		RECEIVED FOR PAS-BALLSTON SPA BY:	
RELINQUISHED BY: (SIGNATURE)		DATE:		TIME:		RECEIVED BY: (SIGNATURE)	
RELINQUISHED BY: (SIGNATURE)		DATE:		TIME:		RECEIVED BY: (SIGNATURE)	
METHOD OF PAYMENT: (Check / Credit Card Only):		IF APPLICABLE SUBCONTRACTED TO:		DATE:		TIME:	

Condition Upon Receipt Form

Page 1 of 1