

Harding Elementary School

2023-2024 School Accountability Report Card (Published During the 2024-2025 School Year)



General Information about the School Accountability Report Card (SARC)

SARC Overview



By February 1 of each year, every school in California is required by state law to publish a School Accountability Report Card (SARC). The SARC contains information about the condition and performance of each California public school. Under the Local Control Funding Formula (LCFF) all local educational agencies (LEAs) are required to prepare a Local Control and Accountability Plan (LCAP), which describes how they intend to meet annual school-specific goals for all pupils, with specific activities to address state and local priorities. Additionally, data reported in an LCAP is to be consistent with data reported in the SARC.

- For more information about SARC requirements and access to prior year reports, see the California Department of Education (CDE) SARC web page at <https://www.cde.ca.gov/ta/ac/sa/>.
- For more information about the LCFF or the LCAP, see the CDE LCFF web page at <https://www.cde.ca.gov/fg/aa/lc/>.
- For additional information about the school, parents/guardians and community members should contact the school principal or the district office.

A hard copy of the School Accountability Report Card is available at your School Office, upon request.

DataQuest



DataQuest is an online data tool located on the CDE DataQuest web page at <https://dq.cde.ca.gov/dataquest/> that contains additional information about this school and comparisons of the school to the district and the county. Specifically, DataQuest is a dynamic system that provides reports for accountability (e.g., test data, enrollment, high school graduates, dropouts, course enrollments, staffing, and data regarding English learners).

California School Dashboard



The California School Dashboard (Dashboard) <https://www.caschooldashboard.org/> reflects California's new accountability and continuous improvement system and provides information about how LEAs and schools are meeting the needs of California's diverse student population. The Dashboard contains reports that display the performance of LEAs, schools, and student groups on a set of state and local measures to assist in identifying strengths, challenges, and areas in need of improvement.

Internet Access

Internet access is available at public libraries and other locations that are publicly accessible (e.g., the California State Library). Access to the Internet at libraries and public locations is generally provided on a first-come, first-served basis. Other use restrictions may include the hours of operation, the length of time that a workstation may be used (depending on availability), the types of software programs available on a workstation, and the ability to print documents.

Admission Requirements for the University of California (UC)	Admission requirements for the UC follow guidelines set forth in the Master Plan, which requires that the top one-eighth of the state’s high school graduates, as well as those transfer students who have successfully completed specified college course work, be eligible for admission to the UC. These requirements are designed to ensure that all eligible students are adequately prepared for University-level work. For general admissions requirements, please visit the UC Admissions Information website at https://admission.universityofcalifornia.edu/ .
Admission Requirements for the California State University (CSU)	Eligibility for admission to the CSU is determined by three factors: (1) Specific high school courses, (2) Grades in specified courses and test scores, and (3) Graduation from high school. Some campuses have higher standards for particular majors or students who live outside the local campus area. Because of the number of students who apply, a few campuses have higher standards (supplementary admission criteria) for all applicants. Most CSU campuses have local admission guarantee policies for students who graduate or transfer from high schools and colleges that are historically served by a CSU campus in that region. For admission, application, and fee information, see the CSU website at https://www2.calstate.edu/ .

2024-25 School Contact Information

School Name	Harding Elementary School
Street	7230 Fairmount Ave.
City, State, Zip	El Cerrito, CA 94530-3797
Phone Number	(510) 231-1413
Principal	Indira Bell
Email Address	indira.bell@wccusd.net
School Website	www.wccusd.net/harding
Grade Span	K-6
County-District-School (CDS) Code	07617966004782

2024-25 District Contact Information

District Name	West Contra Costa Unified School District
Phone Number	(510) 231-1101
Superintendent	Kim Moses
Email Address	KMoses@wccusd.net
District Website	www.wccusd.net

2024-25 School Description and Mission Statement

Harding Elementary School is a cooperative partnership of students, parents and caregivers, teachers and staff, and administration working together to create equitable outcomes, a rigorous learning environment, and a safe and caring school community. The school has developed and maintains active leadership groups, representing all stakeholders, who communicate routinely for continued growth and progress toward goals. Using the four “Cs” 21st Century Skills, Collaboration, Communication, Critical Thinking, and Creativity, the Harding community has developed and aligned school-wide systems and programs that are learner-centered and aligned with Common Core teaching and learning. Community expectations for working together are focused on student engagement, and specific and positive feedback that includes Responsive Classroom and

2024-25 School Description and Mission Statement

Teachers College Units of Study for Writing and Reading. All classes participate in workshops with English Language Development and Math for Universal Access blocked daily by grade level. PE and Visual and Performing Arts are embedded in all disciplines throughout the instructional day with a credentialed performing arts teacher. We take pride in our diversity, which includes racial, language, socioeconomic, and ability. Harding offers three special education programs, Counseling Enriched, Resource/Instructional Support (RSP), and Full Inclusion, with a school-wide culture that values and supports understanding, accommodation, and inclusion. All special education students are included in the general education classrooms. All students start each day with Social Emotional Learning in classroom morning meetings.

Core Values: Kindness, Curiosity, Courage, Perseverance

Vision: Harding students will flourish in the global community.

Mission: Harding is a safe and supportive learning community where we empower each other to excel in and shape the future.

About this School

2023-24 Student Enrollment by Grade Level

Grade Level	Number of Students
Kindergarten	88
Grade 1	61
Grade 2	66
Grade 3	87
Grade 4	62
Grade 5	54
Grade 6	56
Total Enrollment	474

2023-24 Student Enrollment by Student Group

Student Group	Percent of Total Enrollment
Female	44.5
Male	55.3
Non-Binary	0.2
Asian	21.5
Black or African American	5.3
Filipino	1.1
Hispanic or Latino	23.4
Native Hawaiian or Pacific Islander	0.2
Two or More Races	18.1
White	30.4
English Learners	17.3
Foster Youth	0.2
Homeless	1.5
Socioeconomically Disadvantaged	31
Students with Disabilities	11.6

A. Conditions of Learning **State Priority: Basic**

The SARC provides the following information relevant to the State priority: Basic (Priority 1):

- Degree to which teachers are appropriately assigned and fully credentialed in the subject area and for the pupils they are teaching;
- Pupils have access to standards-aligned instructional materials; and
- School facilities are maintained in good repair.

2020-21 Teacher Preparation and Placement

Authorization/Assignment	School Number	School Percent	District Number	District Percent	State Number	State Percent
Fully (Preliminary or Clear) Credentialed for Subject and Student Placement (properly assigned)	19.70	95.18	1159.10	82.56	228366.10	83.12
Intern Credential Holders Properly Assigned	0.50	2.41	62.20	4.43	4205.90	1.53
Teachers Without Credentials and Misassignments (“ineffective” under ESSA)	0.00	0.00	106.60	7.60	11216.70	4.08
Credentialed Teachers Assigned Out-of-Field (“out-of-field” under ESSA)	0.50	2.41	49.60	3.54	12115.80	4.41
Unknown/Incomplete/NA	0.00	0.00	26.30	1.87	18854.30	6.86
Total Teaching Positions	20.70	100.00	1403.90	100.00	274759.10	100.00

Note: The data in this table is based on full-time equivalent (FTE) status. One FTE equals one staff member working full-time; one FTE could also represent two staff members who each work 50 percent of full-time. Additionally, an assignment is defined as a position that an educator is assigned based on setting, subject, and grade level. An authorization is defined as the services that an educator is authorized to provide to students.

2021-22 Teacher Preparation and Placement

Authorization/Assignment	School Number	School Percent	District Number	District Percent	State Number	State Percent
Fully (Preliminary or Clear) Credentialed for Subject and Student Placement (properly assigned)	20.10	86.09	1150.10	75.53	234405.20	84.00
Intern Credential Holders Properly Assigned	0.50	2.14	59.40	3.90	4853.00	1.74
Teachers Without Credentials and Misassignments (“ineffective” under ESSA)	1.70	7.49	171.60	11.27	12001.50	4.30
Credentialed Teachers Assigned Out-of-Field (“out-of-field” under ESSA)	0.00	0.00	50.30	3.30	11953.10	4.28
Unknown/Incomplete/NA	1.00	4.28	91.20	5.99	15831.90	5.67
Total Teaching Positions	23.30	100.00	1522.80	100.00	279044.80	100.00

Note: The data in this table is based on Full-Time Equivalent (FTE) status. One FTE equals one staff member working full time; one FTE could also represent two staff members who each work 50 percent of full time. Additionally, an assignment is defined as a position that an educator is assigned based on setting, subject, and grade level. An authorization is defined as the services that an educator is authorized to provide to students.

2022-23 Teacher Preparation and Placement

Authorization/Assignment	School Number	School Percent	District Number	District Percent	State Number	State Percent
Fully (Preliminary or Clear) Credentialed for Subject and Student Placement (properly assigned)	23.10	98.93	1081.70	75.48	231142.40	100.00
Intern Credential Holders Properly Assigned	0.20	1.07	45.20	3.16	5566.40	2.00
Teachers Without Credentials and Misassignments (“ineffective” under ESSA)	0.00	0.00	155.30	10.84	14938.30	5.38
Credentialed Teachers Assigned Out-of-Field (“out-of-field” under ESSA)	0.00	0.00	56.40	3.94	11746.90	4.23
Unknown/Incomplete/NA	0.00	0.00	94.30	6.58	14303.80	5.15
Total Teaching Positions	23.30	100.00	1433.20	100.00	277698	100

Note: The data in this table is based on Full-Time Equivalent (FTE) status. One FTE equals one staff member working full time; one FTE could also represent two staff members who each work 50 percent of full time. Additionally, an assignment is defined as a position that an educator is assigned based on setting, subject, and grade level. An authorization is defined as the services that an educator is authorized to provide to students.

Teachers Without Credentials and Misassignments (considered “ineffective” under ESSA)

Authorization/Assignment	2020-21	2021-22	2022-23
Permits and Waivers	0.00	1.00	0
Misassignments	0.00	0.70	0
Vacant Positions	0.00	0.00	0
Total Teachers Without Credentials and	0.00	1.70	0

Credentialed Teachers Assigned Out-of-Field (considered “out-of-field” under ESSA)

Indicator	2020-21	2021-22	2022-23
Credentialed Teachers Authorized on a Permit or Waiver	0.00	0.00	0
Local Assignment Options	0.50	0.00	0
Total Out-of-Field Teachers	0.50	0.00	0

Class Assignments

Indicator	2020-21	2021-22	2022-23
Misassignments for English Learners (a percentage of all the classes with English learners taught by teachers that are misassigned)	0.00	2.3	0
No credential, permit or authorization to teach (a percentage of all the classes taught by teachers with no record of an authorization to teach)	4.80	0	0

Note: For more information refer to the Updated Teacher Equity Definitions web page at <https://www.cde.ca.gov/pd/ee/teacherequitydefinitions.asp>.

2024-25 Quality, Currency, Availability of Textbooks and Other Instructional Materials

Year and month in which the data were collected: October 2024

Subject	Textbooks and Other Instructional Materials/year of Adoption	From Most Recent Adoption ?	Percent Students Lacking Own Assigned Copy
Reading/Language Arts	Teachers College Reading, Writing & Phonics, c2015 - adopted 2019 Benchmark Advancing Language Learning for Designated ELD, c2017 - adopted 2022	Yes	0%
Mathematics	McGraw Hill My Math, grades TK-5, c2013 - adopted 2016 Larsen Brothers Big Ideas Math, grade 6, c2015 adopted 2017	Yes	0%
Science	Twig Science, grades TK-5, c2023 - adopted 2023 Amplify Science, grade 6, c2020 - adopted 2020	Yes	0%
History-Social Science	Seesaw Lessons, grade TK, c2022 - adopted 2022 McGraw Hill California Vistas, grades K-5, c2007 - adopted 2007 TCI History Alive, grade 6, c2017 - adopted 2020	Yes	0 %
Foreign Language	N/A		
Health	N/A		
Visual and Performing Arts	N/A		

Note: Cells with N/A values do not require data.

School Facility Conditions and Planned Improvements

WCCUSD takes great effort to ensure that all schools are clean, safe, and functional. To assist in this effort, the school uses the Facility Inspection Tool (FIT) developed by the State of California OPSC. Maintenance staff ensures that the repairs necessary to keep the school in good repair and working order are completed in a timely manner. A work order process is used

School Facility Conditions and Planned Improvements

to ensure efficient service and that emergency repairs are given the highest priority. The school personnel also works daily with the custodial staff to develop cleaning schedules to ensure a clean and safe school.

Year and month of the most recent FIT report

8/18/2024

System Inspected	Rate Good	Rate Fair	Rate Poor	Repair Needed and Action Taken or Planned
Systems: Gas Leaks, Mechanical/HVAC, Sewer	X			:
Interior: Interior Surfaces			X	116: 4. FLOOR TILES ARE BROKEN AT ENTRY. 5. UNSECURED ITEMS ARE STORED TOO HIGH. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED. 15. DOOR CLOSER COVER IS MISSING. 117: 4. CEILING TILES HAVE WATER STAINS (HALLWAY). 5. UNSECURED ITEMS ARE STORED TOO HIGH. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED. 12. CRACK IN EXTERIOR WALL. 15. DOOR CLOSER COVER IS MISSING (HALLWAY). 142: 4. CEILING TILE HAS A WATER STAIN (HALLWAY). 5. . EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 7. TWO LIGHT PANELS ARE OUT. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED. 213: 4. CEILING TILE HAS A WATER STAIN. 5. UNSECURED ITEMS ARE STORED TOO HIGH. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED. CAFETERIA: 4. FLOOR TILES ARE BROKEN. 7. ELECTRICAL COVER IS MISSING. MOTION SENSOR IS LOOSE FROM CONDUIT. MULTIPLE LIGHT BULBS ARE OUT. 11. PAINT IS PEELING ON INTERIOR WALL. COMPUTER LAB: 4. CEILING TILES HAVE WATER STAINS. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED. GIRLS REST ROOM: 4. CEILING TILES HAVE WATER STAINS (HALLWAY). 15. DOOR CLOSER COVER IS MISSING. (MENSTRUAL NOTICE NOT POSTED) MEDIA CENTER: 4. CEILING TILES HAVE WATER STAINS (ALSO IN HALLWAY). 5. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. EVACUATION MAP NOT POSTED. 15. DOOR CLOSER COVER IS MISSING (HALLWAY). PRINCIPAL: 4. WALL PAPER IS TORN. CEILING TILE IS TORN (HALLWAY). WOMENS REST ROOM: 4. CEILING TILE HAS A WATER STAIN (HALLWAY). (MENSTRUAL NOTICE NOT POSTED) WORKROOM: 4. FORMICA TRIM IS MISSING ON COUNTERTOP. 5. UNSECURED ITEMS ARE STORED TOO HIGH. 12. CRACK IN INTERIOR WALL (HALLWAY).

School Facility Conditions and Planned Improvements

Cleanliness:

Overall Cleanliness, Pest/Vermin Infestation

X

116: 4. FLOOR TILES ARE BROKEN AT ENTRY. 5. UNSECURED ITEMS ARE STORED TOO HIGH. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED. 15. DOOR CLOSER COVER IS MISSING.

117: 4. CEILING TILES HAVE WATER STAINS (HALLWAY). 5. UNSECURED ITEMS ARE STORED TOO HIGH. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED. 12. CRACK IN EXTERIOR WALL. 15. DOOR CLOSER COVER IS MISSING (HALLWAY).

118: 5. UNSECURED ITEMS ARE STORED TOO HIGH. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED.

140: 5. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED.

141: 4. CABINET DOORS ARE MISSING. PENCIL SHARPENER COVER IS MISSING. 5. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED.

142: 4. CEILING TILE HAS A WATER STAIN (HALLWAY). 5. . EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 7. TWO LIGHT PANELS ARE OUT. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED.

143: 5. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. FIRE EXTINGUISHER IS MISSING.

144: 4. PENCIL SHARPENER COVER IS MISSING. 5. UNSECURED ITEMS ARE STORED TOO HIGH. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED.

145: 5. UNSECURED ITEMS ARE STORED TOO HIGH. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 7. ONE LIGHT PANEL IS BAD (PINK BULBS). 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED.

146: 5. UNSECURED ITEMS ARE STORED TOO HIGH. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 9. DRINKING FOUNTAIN HAS A HIGH FLOW. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED.

147: 5. UNSECURED ITEMS ARE STORED TOO HIGH. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED. 15. DOOR CLOSER COVER IS MISSING.

200: 5. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 7. LIGHT DIFFUSER IS MISSING (HALLWAY). 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED.

203: 5. UNSECURED ITEMS ARE STORED TOO HIGH. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS.

School Facility Conditions and Planned Improvements

			<p>10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED. 204: 5. UNSECURED ITEMS ARE STORED TOO HIGH. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED. 205: 5. UNSECURED ITEMS ARE STORED TOO HIGH. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED. 207: 5. UNSECURED ITEMS ARE STORED TOO HIGH. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED. 209: 5. UNSECURED ITEMS ARE STORED TOO HIGH. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED. 213: 4. CEILING TILE HAS A WATER STAIN. 10. UNSECURED ITEMS ARE STORED TOO HIGH. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED. K110: 5. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED. K115: 5. UNSECURED ITEMS ARE STORED TOO HIGH. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED. MEDIA CENTER: 4. CEILING TILES HAVE WATER STAINS (ALSO IN HALLWAY). 5. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. EVACUATION MAP NOT POSTED. 15. DOOR CLOSER COVER IS MISSING (HALLWAY). NURSE: 5. UNSECURED ITEMS ARE STORED TOO HIGH. 10. NO ROOM ID. STAFF LOUNGE: 5. UNSECURED ITEMS ARE STORED TOO HIGH. 10. EVACUATION MAP IS NOT POSTED. TEXTBOOK STORAGE: 5. UNSECURED ITEMS ARE STORED TOO HIGH. UNISEX REST ROOM: 5. FLOORING IS DIRTY. (MENSTRUAL NOTICE NOT POSTED) UNISEX REST ROOM: 5. FLOORING IS DIRTY. 8. MENSTRUAL PRODUCTS ARE NOT READILY AVAILABLE. (MENSTRUAL NOTICE NOT POSTED) WORKROOM: 4. FORMICA TRIM IS MISSING ON COUNTERTOP. 5. UNSECURED ITEMS ARE STORED TOO HIGH. 12. CRACK IN INTERIOR WALL (HALLWAY). WORKROOM: 5. UNSECURED ITEMS ARE STORED TOO HIGH.</p>
<p>Electrical</p>		<p>X</p>	<p>142: 4. CEILING TILE HAS A WATER STAIN (HALLWAY). 5. . EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 7. TWO LIGHT PANELS ARE OUT. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED. 145: 5. UNSECURED ITEMS ARE STORED TOO HIGH. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS.</p>

School Facility Conditions and Planned Improvements

			<p>7. ONE LIGHT PANEL IS BAD (PINK BULBS). 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED.</p> <p>200: 5. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 7. LIGHT DIFFUSER IS MISSING (HALLWAY). 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED.</p> <p>210: 7. ELECTRICAL COVER IS MISSING. 9. FAUCET HAS NO FLOW. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED. 12. CRACKS IN EXTERIOR WALL.</p> <p>ADMIN: 7. ONE LIGHT PANEL NIS OUT. 10. EVACUATION MAP IS NOT POSTED.</p> <p>AUDITORIUM: 7. TWO LIGHT FIXTURES ARE OUT. 10. EVACUATION MAP IS NOT POSTED.</p> <p>CAFETERIA: 4. FLOOR TILES ARE BROKEN. 7. ELECTRICAL COVER IS MISSING. MOTION SENSOR IS LOOSE FROM CONDUIT. MULTIPLE LIGHT BULBS ARE OUT. 11. PAINT IS PEELING ON INTERIOR WALL.</p> <p>GIRLS REST ROOM: 7. ONE LIGHT PANEL IS OUT. 8. ONE TOILET LEAKS AT FITTING.(MENSTRUAL NOTICE NOT POSTED)</p> <p>KITCHEN: 7. ONE LIGHT DIFFUSER IS MISSING.</p> <p>SPEED LINE: 7. ONE LIGHT PANEL IS OUT.</p> <p>STORAGE: 7. NO LIGHT BULBS IN LIGHTING FIXTURE.</p> <p>STORAGE: 7. ONE OF TWO LIGHT BULBS IS OUT.</p> <p>UNISEX REST ROOM: 7. ONE OF TWO LIGHT BULBS IS OUT. (MENSTRUAL NOTICE NOT POSTED)</p>
<p>Restrooms/Fountains: Restrooms, Sinks/ Fountains</p>		X	<p>146: 5. UNSECURED ITEMS ARE STORED TOO HIGH. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 9. DRINKING FOUNTAIN HAS A HIGH FLOW. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED.</p> <p>148: 4. CEILING TILE HAS A WATER STAIN (HALLWAY). CABINET DOORS ARE MISSING. PENCIL SHARPENER COVER IS MISSING. 9. DRINKING FOUNTAIN HAS NO FLOW. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED.</p> <p>210: 7. ELECTRICAL COVER IS MISSING. 9. FAUCET HAS NO FLOW. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED. 12. CRACKS IN EXTERIOR WALL.</p> <p>GIRLS REST ROOM: 7. ONE LIGHT PANEL IS OUT. 8. ONE TOILET LEAKS AT FITTING.(MENSTRUAL NOTICE NOT POSTED)</p> <p>UNISEX REST ROOM: 5. FLOORING IS DIRTY. 8. MENSTRUAL PRODUCTS ARE NOT READILY AVAILABLE. (MENSTRUAL NOTICE NOT POSTED)</p> <p>UNISEX REST ROOM: 8. MENSTRUAL PRODUCTS ARE NOT READILY AVAILABLE.</p> <p>UNISEX REST ROOM: 8. MENSTRUAL PRODUCTS ARE NOT READILY AVAILABLE. (MENSTRUAL NOTICE NOT POSTED)</p> <p>UNISEX REST ROOM: 8. MENSTRUAL PRODUCTS ARE NOT READILY AVAILABLE. 11. PAINT IS</p>

School Facility Conditions and Planned Improvements

			<p>PEELING ON CEILING. (MENSTRUAL NOTICE NOT POSTED) UNISEX REST ROOM: 9. FAUCET HAS A LOW FLOW. (MENSTRUAL NOTICE NOT POSTED)</p>
<p>Safety: Fire Safety, Hazardous Materials</p>		<p>X</p>	<p>116: 4. FLOOR TILES ARE BROKEN AT ENTRY. 5. UNSECURED ITEMS ARE STORED TOO HIGH. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED. 15. DOOR CLOSER COVER IS MISSING. 117: 4. CEILING TILES HAVE WATER STAINS (HALLWAY). 5. UNSECURED ITEMS ARE STORED TOO HIGH. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED. 12. CRACK IN EXTERIOR WALL. 15. DOOR CLOSER COVER IS MISSING (HALLWAY). 118: 5. UNSECURED ITEMS ARE STORED TOO HIGH. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED. 140: 5. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED. 141: 4. CABINET DOORS ARE MISSING. PENCIL SHARPENER COVER IS MISSING. 5. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED. 142: 4. CEILING TILE HAS A WATER STAIN (HALLWAY). 5. . EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 7. TWO LIGHT PANELS ARE OUT. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED. 143: 5. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. FIRE EXTINGUISHER IS MISSING. 144: 4. PENCIL SHARPENER COVER IS MISSING. 5. UNSECURED ITEMS ARE STORED TOO HIGH. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED. 145: 5. UNSECURED ITEMS ARE STORED TOO HIGH. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 7. ONE LIGHT PANEL IS BAD (PINK BULBS). 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED. 146: 5. UNSECURED ITEMS ARE STORED TOO HIGH. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 9. DRINKING FOUNTAIN HAS A HIGH FLOW. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED. 147: 5. UNSECURED ITEMS ARE STORED TOO HIGH. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED. 15. DOOR CLOSER COVER IS MISSING. 148: 4. CEILING TILE HAS A WATER STAIN (HALLWAY). CABINET DOORS ARE MISSING. PENCIL SHARPENER COVER IS MISSING. 9.</p>

School Facility Conditions and Planned Improvements

DRINKING FOUNTAIN HAS NO FLOW. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED.

200: 5. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 7. LIGHT DIFFUSER IS MISSING (HALLWAY). 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED.

203: 5. UNSECURED ITEMS ARE STORED TOO HIGH. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED.

204: 5. UNSECURED ITEMS ARE STORED TOO HIGH. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED.

205: 5. UNSECURED ITEMS ARE STORED TOO HIGH. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED.

206: 10. NO ROOM ID. EVACUATION MAP IS NOT POSTED.

207: 5. UNSECURED ITEMS ARE STORED TOO HIGH. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED.

209: 5. UNSECURED ITEMS ARE STORED TOO HIGH. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED.

210: 7. ELECTRICAL COVER IS MISSING. 9. FAUCET HAS NO FLOW. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED. 12. CRACKS IN EXTERIOR WALL.

211: 10. EVACUATION MAP IS NOT POSTED.

213: 4. CEILING TILE HAS A WATER STAIN. 5. UNSECURED ITEMS ARE STORED TOO HIGH. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED.

ADMIN: 7. ONE LIGHT PANEL IS OUT. 10. EVACUATION MAP IS NOT POSTED.

CAFETERIA: 4. FLOOR TILES ARE BROKEN. 7. ELECTRICAL COVER IS MISSING. MOTION SENSOR IS LOOSE FROM CONDUIT. MULTIPLE LIGHT BULBS ARE OUT. 11. PAINT IS PEELING ON INTERIOR WALL.

COMPUTER LAB: 4. CEILING TILES HAVE WATER STAINS. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED.

K110: 5. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED.

K115: 5. UNSECURED ITEMS ARE STORED TOO HIGH. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED.

MEDIA CENTER: 4. CEILING TILES HAVE WATER STAINS (ALSO IN HALLWAY). 5. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. EVACUATION MAP NOT POSTED. 15. DOOR CLOSER COVER IS MISSING (HALLWAY).

School Facility Conditions and Planned Improvements

			<p>NURSE: 5. UNSECURED ITEMS ARE STORED TOO HIGH. 10. NO ROOM ID.</p> <p>PSYCH (NURSE): 10. EVACUATION NAP NOT POSTED.</p> <p>SPEECH : 10. EVACUATION NAP NOT POSTED.</p> <p>STAFF LOUNGE: 5. UNSECURED ITEMS ARE STORED TOO HIGH. 10. EVACUATION MAP IS NOT POSTED.</p> <p>UNISEX REST ROOM: 8. MENSTRUAL PRODUCTS ARE NOT READILY AVAILABLE. 11. PAINT IS PEELING ON CEILING. (MENSTRUAL NOTICE NOT POSTED)</p>
<p>Structural: Structural Damage, Roofs</p>	X		<p>117: 4. CEILING TILES HAVE WATER STAINS (HALLWAY). 5. UNSECURED ITEMS ARE STORED TOO HIGH. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED. 12. CRACK IN EXTERIOR WALL. 15. DOOR CLOSER COVER IS MISSING (HALLWAY).</p> <p>210: 7. ELECTRICAL COVER IS MISSING. 9. FAUCET HAS NO FLOW. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED. 12. CRACKS IN EXTERIOR WALL.</p> <p>WORKROOM: 4. FORMICA TRIM IS MISSING ON COUNTERTOP. 5. UNSECURED ITEMS ARE STORED TOO HIGH. 12. CRACK IN INTERIOR WALL (HALLWAY).</p>
<p>External: Playground/School Grounds, Windows/ Doors/Gates/Fences</p>	X		<p>116: 4. FLOOR TILES ARE BROKEN AT ENTRY. 5. UNSECURED ITEMS ARE STORED TOO HIGH. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED. 15. DOOR CLOSER COVER IS MISSING.</p> <p>117: 4. CEILING TILES HAVE WATER STAINS (HALLWAY). 5. UNSECURED ITEMS ARE STORED TOO HIGH. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED. 12. CRACK IN EXTERIOR WALL. 15. DOOR CLOSER COVER IS MISSING (HALLWAY).</p> <p>147: 5. UNSECURED ITEMS ARE STORED TOO HIGH. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. FIRE EXTINGUISHER IS MISSING. EVACUATION MAP IS NOT POSTED. 15. DOOR CLOSER COVER IS MISSING.</p> <p>GIRLS REST ROOM: 4. CEILING TILES HAVE WATER STAINS (HALLWAY). 15. DOOR CLOSER COVER IS MISSING. (MENSTRUAL NOTICE NOT POSTED)</p> <p>MEDIA CENTER: 4. CEILING TILES HAVE WATER STAINS (ALSO IN HALLWAY). 5. EXCESSIVE DEBRIS IN LIGHT DIFFUSERS. 10. EVACUATION MAP NOT POSTED. 15. DOOR CLOSER COVER IS MISSING (HALLWAY).</p> <p>PLAYGROUNDS: 14. HOLES IN PIP. SURFACING TILES ARE SEPERATING AND LIFTING CAUSING</p>

School Facility Conditions and Planned Improvements

TRIP HAZARDS. VINYL IS SEPERATING THROUGHOUT STRUCTURE.

Overall Facility Rate

Exemplary	Good	Fair	Poor
		X	

B. Pupil Outcomes

State Priority: Pupil Achievement

The SARC provides the following information relevant to the State priority: Pupil Achievement (Priority 4):

Statewide Assessments

(i.e., California Assessment of Student Performance and Progress [CAASPP] System includes the Smarter Balanced Summative Assessments for students in the general education population and the California Alternate Assessments [CAAs] for English language arts/literacy [ELA] and mathematics given in grades three through eight and grade eleven. Only eligible students may participate in the administration of the CAAs. CAAs items are aligned with alternate achievement standards, which are linked with the Common Core State Standards [CCSS] for students with the most significant cognitive disabilities).

The CAASPP System encompasses the following assessments and student participation requirements:

1. **Smarter Balanced Summative Assessments and CAAs for ELA** in grades three through eight and grade eleven.
2. **Smarter Balanced Summative Assessments and CAAs for mathematics** in grades three through eight and grade eleven.
3. **California Science Test (CAST) and CAAs for Science** in grades five, eight, and once in high school (i.e., grade ten, eleven, or twelve).

College and Career Ready

The percentage of students who have successfully completed courses that satisfy the requirements for entrance to the University of California and the California State University, or career technical education sequences or programs of study.

Percentage of Students Meeting or Exceeding the State Standard on CAASPP

This table displays CAASPP test results in ELA and mathematics for all students grades three through eight and grade eleven taking and completing a state-administered assessment.

To protect student privacy, double dashes (--) are used in the table when the cell size within a selected student population is ten or fewer.

ELA and mathematics test results include the Smarter Balanced Summative Assessment and the CAA. The “Percent Met or Exceeded” is calculated by taking the total number of students who met or exceeded the standard on the Smarter Balanced Summative Assessment plus the total number of students who met the standard (i.e., achieved Level 3–Alternate) on the CAAs divided by the total number of students who participated in both assessments.

Subject	School 2022-23	School 2023-24	District 2022-23	District 2023-24	State 2022-23	State 2023-24
English Language Arts/Literacy (grades 3-8 and 11)	63	56	32	33	46	47
Mathematics (grades 3-8 and 11)	54	47	22	23	34	35

2023-24 CAASPP Test Results in ELA by Student Group

This table displays CAASPP test results in ELA by student group for students grades three through eight and grade eleven taking and completing a state-administered assessment.

ELA test results include the Smarter Balanced Summative Assessment and the CAA. The “Percent Met or Exceeded” is calculated by taking the total number of students who met or exceeded the standard on the Smarter Balanced Summative Assessment plus the total number of students who met the standard (i.e., achieved Level 3–Alternate) on the CAA divided by the total number of students who participated in both assessments.

To protect student privacy, double dashes (--) are used in the table when the cell size within a selected student population is ten or fewer.

Note: The number of students tested includes all students who participated in the test whether they received a score or not; however, the number of students tested is not the number that was used to calculate the achievement level percentages. The achievement level percentages are calculated using only students who received scores.

CAASPP Student Groups	CAASPP Total Enrollment	CAASPP Number Tested	CAASPP Percent Tested	CAASPP Percent Not Tested	CAASPP Percent Met or Exceeded
All Students	263	259	98.48	1.52	55.98
Female	110	108	98.18	1.82	58.33
Male	152	150	98.68	1.32	54.67
American Indian or Alaska Native	0	0	0	0	0
Asian	60	60	100.00	0.00	50.00
Black or African American	15	15	100.00	0.00	26.67
Filipino	--	--	--	--	--
Hispanic or Latino	63	61	96.83	3.17	40.98
Native Hawaiian or Pacific Islander	--	--	--	--	--
Two or More Races	41	41	100.00	0.00	65.85

White	80	79	98.75	1.25	72.15
English Learners	40	38	95.00	5.00	7.89
Foster Youth	0	0	0	0	0
Homeless	--	--	--	--	--
Military	0	0	0	0	0
Socioeconomically Disadvantaged	88	87	98.86	1.14	36.78
Students Receiving Migrant Education Services	0	0	0	0	0
Students with Disabilities	35	34	97.14	2.86	35.29

2023-24 CAASPP Test Results in Math by Student Group

This table displays CAASPP test results in Math by student group for students grades three through eight and grade eleven taking and completing a state-administered assessment.

Mathematics test results include the Smarter Balanced Summative Assessment and the CAA. The “Percent Met or Exceeded” is calculated by taking the total number of students who met or exceeded the standard on the Smarter Balanced Summative Assessment plus the total number of students who met the standard (i.e., achieved Level 3–Alternate) on the CAA divided by the total number of students who participated in both assessments.

To protect student privacy, double dashes (--) are used in the table when the cell size within a selected student population is ten or fewer.

Note: The number of students tested includes all students who participated in the test whether they received a score or not; however, the number of students tested is not the number that was used to calculate the achievement level percentages. The achievement level percentages are calculated using only students who received scores.

CAASPP Student Groups	CAASPP Total Enrollment	CAASPP Number Tested	CAASPP Percent Tested	CAASPP Percent Not Tested	CAASPP Percent Met or Exceeded
All Students	263	261	99.24	0.76	46.92
Female	110	109	99.09	0.91	44.04
Male	152	151	99.34	0.66	48.67
American Indian or Alaska Native	0	0	0	0	0
Asian	60	60	100.00	0.00	55.00
Black or African American	15	15	100.00	0.00	6.67
Filipino	--	--	--	--	--
Hispanic or Latino	63	62	98.41	1.59	17.74
Native Hawaiian or Pacific Islander	--	--	--	--	--
Two or More Races	41	41	100.00	0.00	56.10
White	80	79	98.75	1.25	66.67
English Learners	40	40	100.00	0.00	5.00
Foster Youth	0	0	0	0	0
Homeless	--	--	--	--	--
Military	0	0	0	0	0

Socioeconomically Disadvantaged	88	87	98.86	1.14	26.44
Students Receiving Migrant Education Services	0	0	0	0	0
Students with Disabilities	35	34	97.14	2.86	18.18

CAASPP Test Results in Science for All Students

This table displays the percentage of all students grades five, eight, and High School meeting or exceeding the State Standard.

Science test results include the CAST and the CAA for Science. The “Percent Met or Exceeded” is calculated by taking the total number of students who met or exceeded the standard on the CAST plus the total number of students who met the standard (i.e., achieved Level 3–Alternate) on the CAA for Science divided by the total number of students who participated in a science assessment.

To protect student privacy, double dashes (--) are used in the table when the cell size within a selected student population is ten or fewer.

The number of students tested includes all students who participated in the test whether they received a score or not; however, the number of students tested is not the number that was used to calculate the achievement level percentages. The achievement level percentages are calculated using only students who received scores.

Subject	School 2022-23	School 2023-24	District 2022-23	District 2023-24	State 2022-23	State 2023-24
Science (grades 5, 8 and high school)	44.83	41.82	20.56	20.89	30.29	30.73

2023-24 CAASPP Test Results in Science by Student Group

This table displays CAASPP test results in Science by student group for students grades five, eight, and High School. Double dashes (--) appear in the table when the number of students is ten or less, either because the number of students in this category is too small for statistical accuracy or to protect student privacy.

Student Group	Total Enrollment	Number Tested	Percent Tested	Percent Not Tested	Percent Met or Exceeded
All Students	56	55	98.21	1.79	41.82
Female	19	18	94.74	5.26	50.00
Male	37	37	100.00	0.00	37.84
American Indian or Alaska Native	0	0	0	0	0
Asian	12	12	100.00	0.00	75.00
Black or African American	--	--	--	--	--
Filipino	--	--	--	--	--
Hispanic or Latino	17	17	100.00	0.00	23.53
Native Hawaiian or Pacific Islander	--	--	--	--	--
Two or More Races	--	--	--	--	--
White	12	12	100.00	0.00	50.00
English Learners	--	--	--	--	--
Foster Youth	0	0	0	0	0
Homeless	--	--	--	--	--
Military	0	0	0	0	0
Socioeconomically Disadvantaged	19	19	100.00	0.00	36.84
Students Receiving Migrant Education Services	0	0	0	0	0
Students with Disabilities	--	--	--	--	--

B. Pupil Outcomes

State Priority: Other Pupil Outcomes

The SARC provides the following information relevant to the State priority: Other Pupil Outcomes (Priority 8): Pupil outcomes in the subject area of physical education.

2023-24 California Physical Fitness Test Results

This table displays the percentage of students participating in each of the five fitness components of the California Physical Fitness Test Results. The administration of the PFT requires only participation results for these five fitness areas. Percentages are not calculated and double dashes (--) appear in the table when the number of students tested is ten or less, either because the number of students in this category is too small for statistical accuracy or to protect student privacy.

Grade Level	Component 1: Aerobic Capacity	Component 2: Abdominal Strength and Endurance	Component 3: Trunk Extensor and Strength and Flexibility	Component 4: Upper Body Strength and Endurance	Component 5: Flexibility
Grade 5	100	100	100	100	100

C. Engagement

State Priority: Parental Involvement

The SARC provides the following information relevant to the State priority: Parental Involvement (Priority 3): Efforts the school district makes to seek parent input in making decisions regarding the school district and at each school site.

2024-25 Opportunities for Parental Involvement

Parent-Teacher Association (PTA): The PTA conducts fundraising to provide a garden program, a PE specialist, lunch games support, and a performing arts teacher, as well as supplies and programs as needed to support the school mission. It organizes and promotes events, activities, and meetings that build community and support student and parent education, such as the Fall Carnival, Walk and Read-a-thons, and dance/music/theater performances throughout the school year. The PTA recruits for and organizes the various volunteer opportunities that support all school programs and classroom instruction.

School Site Council (SSC): Harding's School Site Council is composed of elected parents or community members, classroom teachers, staff members, and the principal. This group gives input on the school plan and monitors its implementation throughout the school year. The SSC assures programs, systems, and budget are aligned to support students, teachers, and site goals.

African American Parent Advisory Council (AAPAC): Harding's African American Parent Advisory Council is an advocacy group of parents/guardians of African American students, along with school staff, coming together to ensure the success of their children, and ultimately all African American students. The AAPAC provides the SSC and site principal guidance on programs and services that will increase academic outcomes for African American students. The AAPAC also advises on how to create a welcoming school environment for all African American families.

English Learner Advisory Council (ELAC): Harding's English Learner Advisory Council is an elected parent group advising the site principal, SSC, and staff in the development of a site plan for English Learners. The ELAC provides the SSC and site principal guidance on programs and services that will increase academic achievement, outcomes, and reclassification for English Learners.

Harding After School Enhancement Program (HASEP): In coordination with the City of El Cerrito Recreation Department, a parent group plans a variety of ever-changing after school enrichment classes for all students. In addition, the on-site after school program is free to participating students and is run by Bay Area Community Resources (BACR).

2023-24 Chronic Absenteeism by Student Group

Student Group	Cumulative Enrollment	Chronic Absenteeism Eligible Enrollment	Chronic Absenteeism Count	Chronic Absenteeism Rate
All Students	500	489	71	14.5
Female	220	215	37	17.2
Male	279	273	34	12.5
Non-Binary	--	--	--	--
American Indian or Alaska Native	--	--	--	--
Asian	111	106	15	14.2
Black or African American	31	30	9	30.0
Filipino	--	--	--	--
Hispanic or Latino	115	114	20	17.5
Native Hawaiian or Pacific Islander	--	--	--	--
Two or More Races	90	88	9	10.2
White	146	145	18	12.4
English Learners	94	90	18	20.0
Foster Youth	--	--	--	--
Homeless	--	--	--	--
Socioeconomically Disadvantaged	170	165	37	22.4
Students Receiving Migrant Education Services	--	--	--	--
Students with Disabilities	63	62	11	17.7

Note: To protect student privacy, double dashes (--) are used in the table when the cell size within a selected student population is ten or fewer.

C. Engagement

State Priority: School Climate

The SARC provides the following information relevant to the State priority: School Climate (Priority 6):

- Pupil suspension rates;
- Pupil expulsion rates; and
- Other local measures on the sense of safety

Suspensions and Expulsions

This table displays suspensions data.

Suspensions								
School 2021-22	School 2022-23	School 2023-24	District 2021-22	District 2022-23	District 2023-24	State 2021-22	State 2022-23	State 2023-24
0.2	0.41	0.8	3.97	4.81	4.82	3.17	3.6	3.28

This table displays expulsions data.

Expulsions								
School 2021-22	School 2022-23	School 2023-24	District 2021-22	District 2022-23	District 2023-24	State 2021-22	State 2022-23	State 2023-24
0	0	0	0.04	0.02	0.01	0.07	0.08	0.07

2023-24 Suspensions and Expulsions by Student Group

Student Group	Suspensions Rate	Expulsions Rate
All Students	0.80	0.00
Female	0.00	0.00
Male	1.43	0.00
Non-Binary	0.00	0.00
American Indian or Alaska Native	0.00	0.00
Asian	0.00	0.00
Black or African American	6.45	0.00
Filipino	0.00	0.00
Hispanic or Latino	0.87	0.00
Native Hawaiian or Pacific Islander	0.00	0.00
Two or More Races	0.00	0.00
White	0.68	0.00
English Learners	0.00	0.00
Foster Youth	0.00	0.00
Homeless	0.00	0.00
Socioeconomically Disadvantaged	1.76	0.00
Students Receiving Migrant Education Services	0.00	0.00
Students with Disabilities	1.59	0.00

Note: To protect student privacy, double dashes (--) are used in the table when the cell size within a selected student population is ten or fewer.

2024-25 School Safety Plan

The purpose of the School Site Safety Plan is to provide a unified template for school sites to respond and recover from an emergency, disaster, or event resulting in the disruption of normal school operations.

2024-25 School Safety Plan

The School Site Safety Plan guides a coordinated school staff response to an emergency, disaster, or event and aids in directing emergency response activities toward reaching an agreed-upon goal. School Site Safety Plan procedures are scalable in order to address incidents that may develop over time and those that may occur without warning.

The objectives of the School Site Safety Plan are as follows:

1. Protect the safety and welfare of students, school staff, and visitors.
2. Provide a safe and coordinated response to emergencies.
3. Protect the District's facilities and properties.
4. Enable the District to restore normal conditions with minimal confusion in the shortest time possible.
5. Provide for the interface and coordination between sites and the District Emergency Operations Center (DEOC).
6. Provide for the interface and coordination between the District EOC and the Cities of Richmond, El Cerrito, San Pablo, Pinole, Hercules, and Contra Costa County Emergency Operations Center (EOC).
7. Provide for the orderly conversion of pre-designated District sites to mass care sites, when necessary.

The Comprehensive School Safety Plan is updated annually. Our school safety plan was last annually reviewed, updated, and discussed with school faculty and a student representative in 2024. A copy of the Comprehensive School Safety Plan is available by request through the district's website.

D. Other SARC Information Information Required in the SARC

The information in this section is required to be in the SARC but is not included in the state priorities for LCFF.

2021-22 Elementary Average Class Size and Class Size Distribution

This table displays the 2021-22 average class size and class size distribution. The columns titled "Number of Classes" indicates how many classes fall into each size category (a range of total students per class). The "Other" category is for multi-grade level classes.

Grade Level	Average Class Size	Number of Classes with 1-20 Students	Number of Classes with 21-32 Students	Number of Classes with 33+ Students
K	20	6	2	
1	20	4	4	
2	22		6	
3	21		6	
4	45		2	2
5	28		4	
6	29		4	
Other	5	1		

2022-23 Elementary Average Class Size and Class Size Distribution

This table displays the 2022-23 average class size and class size distribution. The columns titled “Number of Classes” indicates how many classes fall into each size category (a range of total students per class). The “Other” category is for multi-grade level classes.

Grade Level	Average Class Size	Number of Classes with 1-20 Students	Number of Classes with 21-32 Students	Number of Classes with 33+ Students
K	21		8	
1	21		6	
2	22		8	
3	21		6	
4	44		2	2
5	29		4	
6	30		4	
Other	7	1		

2023-24 Elementary Average Class Size and Class Size Distribution

This table displays the 2023-24 average class size and class size distribution. The columns titled “Number of Classes” indicates how many classes fall into each size category (a range of total students per class). The “Other” category is for multi-grade level classes.

Grade Level	Average Class Size	Number of Classes with 1-20 Students	Number of Classes with 21-32 Students	Number of Classes with 33+ Students
K	22		3	
1	20	2	1	
2	22		3	
3	22		4	
4	31		2	
5	27		2	
6	28		2	

2023-24 Ratio of Pupils to Academic Counselor

This table displays the ratio of pupils to Academic Counselor. One Full Time Equivalent (FTE) equals one staff member working full time; one FTE could also represent two staff members who each work 50 percent of full time.

Title	Ratio
Pupils to Academic Counselor	0

2023-24 Student Support Services Staff

This table displays the number of FTE support staff assigned to this school. One Full Time Equivalent (FTE) equals one staff member working full time; one FTE could also represent two staff members who each work 50 percent of full time. The "Other" category is for all other student support services staff positions not listed.

Title	Number of FTE Assigned to School
Counselor (Academic, Social/Behavioral or Career Development)	
Library Media Teacher (Librarian)	
Library Media Services Staff (Paraprofessional)	
Psychologist	
Social Worker	
Nurse	
Speech/Language/Hearing Specialist	2
Resource Specialist (non-teaching)	
Other	1

Fiscal Year 2022-23 Expenditures Per Pupil and School Site Teacher Salaries

This table displays the 2022-23 expenditures per pupil and average teacher salary for this school. Cells with N/A values do not require data.

Level	Total Expenditures Per Pupil	Expenditures Per Pupil (Restricted)	Expenditures Per Pupil (Unrestricted)	Average Teacher Salary
School Site	7112.35	1250.87	5861.47	82472.04
District	N/A	N/A	5706.02	\$84,356
Percent Difference - School Site and District	N/A	N/A	2.7	-2.3
State	N/A	N/A	\$10,771	\$94,625
Percent Difference - School Site and State	N/A	N/A	-59.0	-13.7

Fiscal Year 2023-24 Types of Services Funded

The following are programs/services available at the school that support and assist students:

AMAZON
 FOLLETT CONTENT SOLUTIONS LLC
 HEINEMANN COMPANY
 KBA DOCUMENT SOLUTIONS, LLC
 SOUTHWEST SCHOOL & OFFICE SUPPLY

Fiscal Year 2022-23 Teacher and Administrative Salaries

This table displays the 2022-23 Teacher and Administrative salaries. For detailed information on salaries, see the CDE Certification Salaries & Benefits web page at <http://www.cde.ca.gov/ds/fd/cs/>.

Category	District Amount	State Average for Districts in Same Category
Beginning Teacher Salary	\$54,486	\$56,573
Mid-Range Teacher Salary	\$85,479	\$87,186
Highest Teacher Salary	\$111,065	\$119,665
Average Principal Salary (Elementary)	\$131,244	\$148,486
Average Principal Salary (Middle)	\$138,034	\$154,835
Average Principal Salary (High)	\$156,078	\$170,008
Superintendent Salary	\$280,908	\$338,699
Percent of Budget for Teacher Salaries	27.28	31.41
Percent of Budget for Administrative Salaries	5.21	4.86

Professional Development

Quality instruction and teacher leadership are at the heart of our efforts. To ensure this, teachers, administrators, and other personnel engage in ongoing professional development focused on improving teaching and learning. Training includes data use and sharing, which guides teaching, learning, and goal-setting. The principal and trained teacher leads, in turn, provide support to teachers and staff through a variety of professional learning communities, opportunities for collaborative study and planning, and individual coaching based on ongoing classroom observations with Race and Equity as the overarching lens.

Teachers and other staff are provided with both on and off-site professional development that aligns with and supports our theory of action goals—currently Teachers College-Columbia University, PlayWorks, and Responsive Classroom. State and District assessment data drives the current professional development focus on reading using Columbia University's Teachers College Units of Study, Zearn and Desmos math, and iReady, with a goal for deeper learning and increasing student voice and agency through lesson study development of the workshop model and math instruction. A primary goal of the professional development program is ensuring that all students are served by skilled, highly qualified staff and that teachers are supported by strong, knowledgeable instructional leaders.

This table displays the number of school days dedicated to staff development and continuous improvement.

Subject	2022-23	2023-24	2024-25
Number of school days dedicated to Staff Development and Continuous Improvement	20	53	2