



part of
ALS Limited

Specialists in Drinking Water Testing Technologies ■ Residential ■ Industrial ■ Municipal

York Analytical Laboratory A Division of ALS Limited

2161 WHITESVILLE ROAD TOMS RIVER, NJ 08755 PHONE 732-914-1515 FAX 732-914-1616

NJ Lab Cert. # 15001

CERTIFICATE OF ANALYSIS

Customer : Garden State Environmental
555 South Broad Street, Suite K
Glen Rock, NJ 07452

Project ID : Randolph High School (9176), 511 Millbrook Ave, Randolph, NJ
PAS Project ID : P25-04417

Matrix : Drinking Water
Report Date : 6/6/2025

| PAS Sample ID | Client ID | Analysis | Results | Units | DF | PQL | MDL | MCL | Method | Date Sampled | Date Analyzed |
|---------------|-------------|----------|---------|-------|----|------|-------|--------|-----------|---------------|---------------|
| P25-04417-01 | RHS-2-S01A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 09:19 | 6/2/25 15:13 |
| P25-04417-02 | RHS-2-IM01A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 09:23 | 6/2/25 15:30 |
| P25-04417-03 | RHS-2-S02A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 09:26 | 6/2/25 15:44 |
| P25-04417-04 | RHS-2-S03A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 09:28 | 6/2/25 15:48 |
| P25-04417-05 | RHS-2-S04A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 09:30 | 6/2/25 15:53 |
| P25-04417-06 | RHS-2-S05A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 09:33 | 6/2/25 15:57 |
| P25-04417-07 | RHS-2-S06A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 09:35 | 6/2/25 16:01 |
| P25-04417-08 | RHS-2-WC01A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 09:40 | 6/2/25 16:06 |
| P25-04417-09 | RHS-2-BF01A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 09:42 | 6/2/25 16:10 |
| P25-04417-10 | RHS-2-WC02A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 09:44 | 6/2/25 16:15 |
| P25-04417-11 | RHS-2-BF02A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 09:45 | 6/2/25 16:19 |
| P25-04417-12 | RHS-2-S07A | Lead | 1.34 J | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 09:47 | 6/2/25 16:33 |
| P25-04417-13 | RHS-2-BF03A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 09:51 | 6/2/25 16:36 |
| P25-04417-14 | RHS-2-WC05A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 09:55 | 6/2/25 16:42 |
| P25-04417-15 | RHS-2-WC04A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 09:58 | 6/2/25 16:47 |
| P25-04417-16 | RHS-2-WC06A | Lead | 1.34 J | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 10:01 | 6/2/25 16:51 |
| P25-04417-17 | RHS-2-WC07A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 10:03 | 6/2/25 16:56 |
| P25-04417-18 | RHS-2-BF04A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 10:05 | 6/2/25 17:00 |
| P25-04417-19 | RHS-2-S08A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 10:12 | 6/2/25 17:05 |
| P25-04417-20 | RHS-2-S09A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 10:14 | 6/2/25 17:09 |
| P25-04417-21 | RHS-2-S10A | Lead | 1.77 J | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 10:15 | 6/3/25 15:53 |
| P25-04417-22 | RHS-2-S11A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 10:18 | 6/3/25 16:11 |
| P25-04417-23 | RHS-2-S12A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 10:19 | 6/3/25 16:24 |
| P25-04417-24 | RHS-2-S13A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 10:21 | 6/3/25 16:29 |
| P25-04417-25 | RHS-2-S14A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 10:24 | 6/3/25 16:33 |
| P25-04417-26 | RHS-2-S15A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 10:27 | 6/3/25 16:37 |
| P25-04417-27 | RHS-2-S16A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 10:30 | 6/3/25 16:42 |
| P25-04417-28 | RHS-2-S17A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 10:31 | 6/3/25 16:46 |
| P25-04417-29 | RHS-2-S18A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 10:34 | 6/3/25 16:51 |
| P25-04417-30 | RHS-2-H01A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 10:36 | 6/3/25 16:55 |
| P25-04417-31 | RHS-2-WC08A | Lead | 1.24 J | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 10:39 | 6/3/25 17:00 |
| P25-04417-32 | RHS-2-WC09A | Lead | 2.30 | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 10:41 | 6/3/25 17:13 |
| P25-04417-33 | RHS-2-S19A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 10:46 | 6/3/25 17:18 |
| P25-04417-34 | RHS-2-WC10A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 10:49 | 6/3/25 17:22 |
| P25-04417-35 | RHS-2-WC11A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 10:51 | 6/2/25 19:04 |
| P25-04417-36 | RHS-1-WC12A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 11:04 | 6/2/25 19:22 |
| P25-04417-37 | RHS-1-BF05A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 11:06 | 6/2/25 19:26 |
| P25-04417-38 | RHS-1-WC15A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 11:08 | 6/2/25 19:31 |
| P25-04417-39 | RHS-1-BF06A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 11:10 | 6/2/25 19:35 |
| P25-04417-40 | RHS-1-WC17A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 11:13 | 6/2/25 19:40 |
| P25-04417-41 | RHS-1-WC18A | Lead | 3.80 | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 11:15 | 6/2/25 19:53 |
| P25-04417-42 | RHS-1-WC19A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 11:17 | 6/2/25 19:57 |
| P25-04417-43 | RHS-1-WC20A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 11:19 | 6/2/25 20:02 |
| P25-04417-44 | RHS-1-WC21A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 11:27 | 6/2/25 20:06 |
| P25-04417-45 | RHS-1-BF07A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 11:29 | 6/2/25 20:11 |
| P25-04417-46 | RHS-1-S20A | Lead | 1.15 J | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 11:32 | 6/2/25 20:15 |
| P25-04417-47 | RHS-1-S21A | Lead | 1.91 J | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 11:35 | 6/2/25 20:20 |

Except for the parameters tested, York Analytical makes no representation as to the fitness or quality of the water sample taken.

PQL = Practical Quantitation Limit
MDL = Minimum Detection Limit
MCL = Maximum Contaminant Level
DF = Dilution Factor
ND = Analyzed for but not detected
J = Estimated result

* NJ Dept of Education & Dept of Children & Families Action Level

All samples are analyzed in accordance with
New Jersey Department of Environmental
Protection Protocol

Kelly Hogan - Quality Assurance Officer



part of
ALS Limited

Specialists in Drinking Water Testing Technologies ■ Residential ■ Industrial ■ Municipal

York Analytical Laboratory A Division of ALS Limited

2161 WHITESVILLE ROAD TOMS RIVER, NJ 08755 PHONE 732-914-1515 FAX 732-914-1616

NJ Lab Cert. # 15001

CERTIFICATE OF ANALYSIS

Customer : Garden State Environmental
555 South Broad Street, Suite K
Glen Rock, NJ 07452

Project ID : Randolph High School (9176), 511 Millbrook Ave, Randolph, NJ
PAS Project ID : P25-04417

Matrix : Drinking Water
Report Date : 6/6/2025

| PAS Sample ID | Client ID | Analysis | Results | Units | DF | PQL | MDL | MCL | Method | Date Sampled | Date Analyzed |
|---------------|--------------|----------|---------|-------|----|------|-------|--------|-----------|---------------|---------------|
| P25-04417-48 | RHS-1-S22A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 11:39 | 6/2/25 20:25 |
| P25-04417-49 | RHS-1-H02A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 11:41 | 6/2/25 20:29 |
| P25-04417-50 | RHS-1-S23A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 11:44 | 6/2/25 20:43 |
| P25-04417-51 | RHS-1-S24A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 11:46 | 6/2/25 20:47 |
| P25-04417-52 | RHS-1-S28A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 13:11 | 6/2/25 20:52 |
| P25-04417-53 | RHS-1-IM05A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 13:12 | 6/2/25 20:57 |
| P25-04417-54 | RHS-1-S29A | Lead | 4.18 | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 13:21 | 6/2/25 21:01 |
| P25-04417-55 | RHS-5-18-FBA | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 5/18/25 13:22 | 6/2/25 21:06 |

Except for the parameters tested, York Analytical makes no representation as to the fitness or quality of the water sample taken.

PQL = Practical Quantitation Limit
MDL = Minimum Detection Limit
MCL = Maximum Contaminant Level
DF = Dilution Factor
ND = Analyzed for but not detected
J = Estimated result

* NJ Dept of Education & Dept of Children & Families Action Level

All samples are analyzed in accordance with
New Jersey Department of Environmental
Protection Protocol

Kelly Hogan - Quality Assurance Officer



part of
ALS Limited

**CHAIN
OF
CUSTODY**

WLL

Customer: Garden State Environmental
 Address: 555 S. Broad St.
 Glen Rock, NJ 07452
 Phone: (201) 652-1119 Office

School Name: **Randolph High School (9176)**
 School Address: **511 Millbrook Ave, Randolph, NJ**
 Sampled By: *[Signature]*
 Print Name: **Javier Sanchez**
 RESULTS TO: **labreports@gseconsultants.com**

| Sample ID Location | Date / Time Sampled | Matrix Code | Grab or Comp | Flush Sample | Filter Present | # Container | Glass or Plastic | Analysis | LAB ID |
|------------------------------------|---------------------|-------------|--------------|--------------|----------------|-------------|------------------|----------|--------------------|
| RHS-2-S01A (Kitchen By Ice) | 5/18/2025 09:19 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | <i>25-04417-01</i> |
| RHS-2-IM01A (Kitchen Ice Machine) | 5/18/2025 09:23 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | <i>02</i> |
| RHS-2-S02A (Kitchen 2-Comp L) | 5/18/2025 09:26 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | <i>03</i> |
| RHS-2-S03A (Kitchen 2-Comp R) | 5/18/2025 09:28 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | <i>04</i> |
| RHS-2-S04A (Kitchen Back Right) | 5/18/2025 09:30 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | <i>05</i> |
| RHS-2-S05A (Kitchen Middle Island) | 5/18/2025 09:33 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | <i>06</i> |
| RHS-2-S06A (Kitchen Front) | 5/18/2025 09:35 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | <i>07</i> |
| RHS-2-WC01A (Cafeteria Corner R) | 5/18/2025 09:40 | DW | Grab | No | Yes | 1 | 250 ml Plastic | Lead | <i>08</i> |
| RHS-2-BF01A (Cafeteria Corner R) | 5/18/2025 09:42 | DW | Grab | No | Yes | 1 | 250 ml Plastic | Lead | <i>09</i> |
| RHS-2-WC02A (Cafeteria Corner L) | 5/18/2025 09:44 | DW | Grab | No | Yes | 1 | 250 ml Plastic | Lead | <i>10</i> |
| RHS-2-BF02A (Cafeteria Corner L) | 5/18/2025 09:45 | DW | Grab | No | Yes | 1 | 250 ml Plastic | Lead | <i>11</i> |
| RHS-2-S07A (Room 343) | 5/18/2025 09:47 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | <i>12</i> |
| RHS-2-BF03A (Loading Dock) | 5/18/2025 09:51 | DW | Grab | No | Yes | 1 | 250 ml Plastic | Lead | <i>13</i> |
| RHS-2-WC05A (By Rm 286 R) | 5/18/2025 09:55 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | <i>14</i> |
| RHS-2-WC04A (By Rm 286 L) | 5/18/2025 09:58 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | <i>25-04417-15</i> |

SAMPLES REC'D UNPRESERVED. PRESERVED IN LAB.

PDF Std. PDF Reduce PDF Full EDD

Deliverables:

X

Date/Time Preserved with (MND): *5/29/25 14:39*

MATRIX CODES: GW = Ground Water, WW = Waste Water, SW = Surface Water, DW = Drinking Water, S = Soil, L = Liquid, SD = Sludge, B = Blank, K = Solid (specify):

PRESERVATION CODES: 0 = Ice, 1 = HCl, 2 = H2SO4, 3 = NaOH, 4 = HNO3, 5 = Other

| | Print Name: | Signature: | Company: | Date + Time |
|---------------|--------------------|--------------------|----------|----------------------|
| Relinquished: | Javier Sanchez | <i>[Signature]</i> | | 5/23/2025 4:46pm |
| Received: | <i>[Signature]</i> | <i>[Signature]</i> | | <i>5/20/25 15:51</i> |
| Relinquished: | <i>[Signature]</i> | <i>[Signature]</i> | | <i>5/20/25 20:15</i> |
| Received: | Michael Lunn | <i>[Signature]</i> | YAL | 5/29/25 9:15 |
| Relinquished: | | | | |
| Received: | | | | |

JH

Customer: Garden State Environmental
Address: 555 S. Broad St.
Glen Rock, NJ 07452
Phone: (201) 652-1119 Office

School Name: **Randolph High School (9176)**
School Address: **511 Millbrook Ave, Randolph, NJ**
Sampled By: *Javier Sanchez*
Print Name: **Javier Sanchez**
RESULTS TO: **labreports@gseconsultants.com**

| Sample ID Location | Date / Time Sampled | Matrix Code | Grab or Comp | Flash Sample | Filter Present | # Container | Glass or Plastic | Analysis | LAB ID |
|----------------------------------|---------------------|-------------|--------------|--------------|----------------|-------------|------------------|----------|--------------|
| RHS-2-WC06A (By Rm 211 L) | 5/18/2025 10:01 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | P25-04417-16 |
| RHS-2-WC07A (By Rm 211 R) | 5/18/2025 10:03 | DW | Grab | No | Yes | 1 | 250 ml Plastic | Lead | 17 |
| RHS-2-BF04A (By Rm 211 R) | 5/18/2025 10:05 | DW | Grab | No | Yes | 1 | 250 ml Plastic | Lead | 18 |
| RHS-2-S08A (Rm 241 Kit 3) | 5/18/2025 10:12 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | 19 |
| RHS-2-S09A (Rm 241 Kit 6) | 5/18/2025 10:14 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | 20 |
| RHS-2-S10A (Rm 241 Kit 2) | 5/18/2025 10:15 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | 21 |
| RHS-2-S11A (Rm 241 Front Island) | 5/18/2025 10:18 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | 22 |
| RHS-2-S12A (Rm 241 Kit 5) | 5/18/2025 10:19 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | 23 |
| RHS-2-S13A (Rm 241 Kit 1) | 5/18/2025 10:21 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | 24 |
| RHS-2-S14A (Rm 241 Back Island) | 5/18/2025 10:24 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | 25 |
| RHS-2-S15A (Rm 241 Kit 4) | 5/18/2025 10:27 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | 26 |
| RHS-2-S16A (Rm 241 Back) | 5/18/2025 10:30 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | 27 |
| RHS-2-S17A (Rm 241 Kit 3 Comp L) | 5/18/2025 10:31 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | 28 |
| RHS-2-S18A (Rm 241 Kit 3 Comp R) | 5/18/2025 10:34 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | 29 |
| RHS-2-H01A (Rm 241 Kit 3 Comp) | 5/18/2025 10:36 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | P25-04417-30 |

SAMPLES REC'D UNPRESERVED. PRESERVED IN LAB.

Page 2 of 4

Deliverables: PDF Std. PDF Reduce PDF Full EDD Date/Time Preserved with: HNO3: **5/29/25 14:30**

MATRIX CODES: GW = Ground Water, WW = Waste Water, SW = Surface Water, DW = Drinking Water, S = Soil, L = Liquid, SD = Sludge, B = Blank, K = Solid (specify):

PRESERVATIVE CODES: 0 = Ice, 1 = HCl, 2 = H2SO4, 3 = NaOH, 4 = HNO3, 5 = Other.

| | Print Name: | Signature: | Category | Date + Time |
|---------------|----------------------|-----------------------|----------|------------------|
| Relinquished: | Javier Sanchez | <i>Javier Sanchez</i> | | 5/23/2025 4:46pm |
| Received: | <i>Ferry Higgins</i> | <i>Ferry Higgins</i> | | 5/28/25 1:55 |
| Relinquished: | <i>Ferry Higgins</i> | <i>Ferry Higgins</i> | | 5/28/25 2:15 |
| Received: | Michael Gunn | <i>Michael Gunn</i> | YAL | 5/29/25 9:15 |
| Relinquished: | | | | |
| Received: | | | | |



part of
ALS Limited

**CHAIN
OF
CUSTODY**

Vick

Customer: Garden State Environmental
 Address: 555 S. Broad St.
 Glen Rock, NJ 07452
 Phone: (201) 652-1119 Office

School Name: **Randolph High School (9176)**
 School Address: **511 Millbrook Ave, Randolph, NJ**
 Sampled By: *[Signature]*
 Print Name: **Javier Sanchez**
 RESULTS TO: **labreports@gseconsultants.com**

| Sample ID Location | Date / Time Sampled | Matrix Code | Grab or Comp | Flush Sample | Filter Pretest | # Container | Glass or Plastic | Analysis | LAB ID |
|---------------------------|---------------------|-------------|--------------|--------------|----------------|-------------|------------------|----------|--------------|
| RHS-2-WC08A (By Rm 235 L) | 5/18/2025 10:39 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | P25-04417-31 |
| RHS-2-WC09A (By Rm 235 R) | 5/18/2025 10:41 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | 32 |
| RHS-2-S19A (Rm 275) | 5/18/2025 10:46 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | 33 |
| RHS-2-WC10A (By Rm 275 R) | 5/18/2025 10:49 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | 34 |
| RHS-2-WC11A (By Rm 275 L) | 5/18/2025 10:51 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | 35 |
| RHS-1-WC12A (By Rm 129) | 5/18/2025 11:04 | DW | Grab | No | Yes | 1 | 250 ml Plastic | Lead | 36 |
| RHS-1-BF05A (By Rm 129) | 5/18/2025 11:06 | DW | Grab | No | Yes | 1 | 250 ml Plastic | Lead | 37 |
| RHS-1-WC15A (By Rm 113 L) | 5/18/2025 11:08 | DW | Grab | No | Yes | 1 | 250 ml Plastic | Lead | 38 |
| RHS-1-BF06A (By Rm 113 R) | 5/18/2025 11:10 | DW | Grab | No | Yes | 1 | 250 ml Plastic | Lead | 39 |
| RHS-1-WC17A (By Rm 135 L) | 5/18/2025 11:13 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | 40 |
| RHS-1-WC18A (By Rm 135 R) | 5/18/2025 11:15 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | 41 |
| RHS-1-WC19A (By Rm 174 R) | 5/18/2025 11:17 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | 42 |
| RHS-1-WC20A (By Rm 174 L) | 5/18/2025 11:19 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | 43 |
| RHS-1-WC21A (By Nurse) | 5/18/2025 11:27 | DW | Grab | No | Yes | 1 | 250 ml Plastic | Lead | 44 |
| RHS-1-BF07A (By Nurse) | 5/18/2025 11:29 | DW | Grab | No | Yes | 1 | 250 ml Plastic | Lead | P25-04417-45 |

SAMPLES REC'D UNPRESERVED. PRESERVED IN LAB.

PDF Std. PDF Reduce PDF Full EDD

Date/Time Preserved with HNO3: **5/29/25 14:39**

Page 3 of 4

Deliverables:

MATRIX CODES: GW = Ground Water, WW = Waste Water, SW = Surface Water, OW = Drinking Water, S = Soil, L = Liquid, SD = Sludge, B = Blank, K = Solid (specify):

PRESERVATION: 0 = Ice, 1 = HCl, VE, 2 = H2SO4, 3 = NaOH, CODES: 4 = HNO3, 5 = Other

| | Print Name: | Signature: | Quantity | Date + Time |
|---------------|--------------------|--------------------|----------|------------------|
| Relinquished: | Javier Sanchez | <i>[Signature]</i> | | 5/23/2025 4:46pm |
| Received: | <i>[Signature]</i> | <i>[Signature]</i> | | 5/20/25 1:55 |
| Relinquished: | <i>[Signature]</i> | <i>[Signature]</i> | | 5/20/25 2:05 |
| Received: | Michael King | <i>[Signature]</i> | YAL | 5/29/25 9:15 |
| Relinquished: | | | | |
| Received: | | | | |



part of
ALS Limited

**CHAIN
OF
CUSTODY**

VJ

Customer: Garden State Environmental
 Address: 555 S. Broad St.
 Glen Rock, NJ 07452
 Phone: (201) 652-1119 Office

School Name: **Randolph High School (9176)**
 School Address: **511 Millbrook Ave, Randolph, NJ**
 Sampled By: *[Signature]*
 Print Name: **Javier Sanchez**
 RESULTS TO: **labreports@gseconsultants.com**

| Sample ID Location | Date / Time Sampled | Matrix Code | Grab or Comp | Flush Sample | Filter Present | # Containers | Glass or Plastic | Analysis | LAB ID |
|----------------------------------|---------------------|-------------|--------------|--------------|----------------|--------------|------------------|----------|--------------|
| RHS-1-S20A (Nurse L) | 5/18/2025 11:32 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | P25-04417-46 |
| RHS-1-S21A (Nurse R) | 5/18/2025 11:35 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | 47 |
| RHS-1-S22A (Concession Stand) | 5/18/2025 11:39 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | 48 |
| RHS-1-H02A (Concession Stand) | 5/18/2025 11:41 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | 49 |
| RHS-1-S23A (Athletic Trainer R) | 5/18/2025 11:44 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | 50 |
| RHS-1-S24A (Athletic Trainer L) | 5/18/2025 11:46 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | 51 |
| RHS-1-S28A (DaSilva Concession) | 5/18/2025 13:11 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | 52 |
| RHS-1-IM05A (DaSilva Concession) | 5/18/2025 13:12 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | 53 |
| RHS-1-S29A (DaSilva Cofee) | 5/18/2025 13:21 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | 54 |
| RHS-5-18-FBA (Field Blank) | 5/18/2025 13:22 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | P25-04417-55 |
| | | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | |
| | | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | |
| | | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | |
| | | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | |

SAMPLES REC'D UNPRESERVED. PRESERVED IN LAB.

Page 4 of 4
 Deliverables: PDF Std. PDF Reduce PDF Full EDD Date/Time Preserved with (HMO): 5/29/25 14:3

MATRIX CODES: GW = Ground Water, WW = Waste Water, SW = Surface Water, DW = Drinking Water, S = Soil, L = Liquid, SD = Sludge, B = Blank, K = Solid (specify):

PRESERVATIVE CODES: 0 = Ice, 1 = HCl, 2 = H2SO4, 3 = NaOH, 4 = HNO3, 5 = Other

| | Print Name: | Signature: | Company: | Date + Time |
|---------------|--------------------|--------------------|----------|------------------|
| Relinquished: | Javier Sanchez | <i>[Signature]</i> | | 5/23/2025 4:46pm |
| Received: | <i>[Signature]</i> | <i>[Signature]</i> | | 5/28/25 1:54 |
| Relinquished: | <i>[Signature]</i> | <i>[Signature]</i> | | 5/28/25 2:28 |
| Received: | Michael Lunn | <i>[Signature]</i> | YAL | 5/29/25 9:15 |
| Relinquished: | | | | |
| Received: | | | | |



part of
ALS Limited

Specialists in Drinking Water Testing Technologies ■ Residential ■ Industrial ■ Municipal

York Analytical Laboratory A Division of ALS Limited

2161 WHITESVILLE ROAD TOMS RIVER, NJ 08755 PHONE 732-914-1515 FAX 732-914-1616

NJ Lab Cert. # 15001

CERTIFICATE OF ANALYSIS

Customer : Garden State Environmental
555 South Broad Street, Suite K
Glen Rock, NJ 07452

Project ID : Randolph High School, 511 Millbrook Ave., Randolph, NJ
PAS Project ID : P25-06259

Matrix : Drinking Water
Report Date : 7/23/2025

| PAS Sample ID | Client ID | Analysis | Results | Units | DF | PQL | MDL | MCL | Method | Date Sampled | Date Analyzed |
|---------------|--------------|----------|---------|-------|----|------|-------|--------|-----------|---------------|---------------|
| P25-06259-01 | RHS-2-WC30A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 6/19/25 09:27 | 7/17/25 13:59 |
| P25-06259-02 | RHS-2-WC31A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 6/19/25 09:28 | 7/17/25 14:15 |
| P25-06259-03 | RHS-1-WC29A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 6/19/25 09:34 | 7/17/25 14:19 |
| P25-06259-04 | RHS-1-BF15A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 6/19/25 09:36 | 7/17/25 14:23 |
| P25-06259-05 | RHS-1-B01A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 6/19/25 09:40 | 7/17/25 14:26 |
| P25-06259-06 | RHS-1-B02A | Lead | 1.37 J | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 6/19/25 09:41 | 7/17/25 14:30 |
| P25-06259-07 | RHS-1-H03A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 6/19/25 09:48 | 7/17/25 14:43 |
| P25-06259-08 | RHS-1-S25A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 6/19/25 09:50 | 7/17/25 14:47 |
| P25-06259-09 | RHS-1-S26A | Lead | 1.02 J | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 6/19/25 09:53 | 7/17/25 14:51 |
| P25-06259-10 | RHS-1-S27A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 6/19/25 09:54 | 7/17/25 14:55 |
| P25-06259-11 | RHS-1-IM04A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 6/19/25 09:57 | 7/17/25 14:59 |
| P25-06259-12 | RHS-1-IM03A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 6/19/25 10:01 | 7/17/25 15:03 |
| P25-06259-13 | RHS-1-WC22A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 6/19/25 10:05 | 7/17/25 15:07 |
| P25-06259-14 | RHS-1-BF08A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 6/19/25 10:14 | 7/17/25 15:11 |
| P25-06259-15 | RHS-1-WC23A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 6/19/25 10:16 | 7/17/25 15:15 |
| P25-06259-16 | RHS-1-BF09A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 6/19/25 10:32 | 7/17/25 15:27 |
| P25-06259-17 | RHS-1-WC24A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 6/19/25 10:35 | 7/17/25 15:32 |
| P25-06259-18 | RHS-1-BF10A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 6/19/25 10:37 | 7/17/25 15:36 |
| P25-06259-19 | RHS-1-WC25A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 6/19/25 10:39 | 7/17/25 15:40 |
| P25-06259-20 | RHS-1-BF11A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 6/19/25 10:41 | 7/17/25 15:44 |
| P25-06259-21 | RHS-2-WC26A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 6/19/25 10:47 | 7/17/25 15:48 |
| P25-06259-22 | RHS-2-BF12A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 6/19/25 10:49 | 7/17/25 15:52 |
| P25-06259-23 | RHS-2-WC27A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 6/19/25 10:50 | 7/17/25 15:56 |
| P25-06259-24 | RHS-2-BF13A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 6/19/25 11:24 | 7/17/25 16:00 |
| P25-06259-25 | RHS-2-WC28A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 6/19/25 11:25 | 7/17/25 16:12 |
| P25-06259-26 | RHS-2-BF14A | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 6/19/25 11:25 | 7/17/25 16:16 |
| P25-06259-27 | RHS-6-19-FBA | Lead | ND | ug/L | 1 | 2.00 | 0.900 | 15.0 * | SM 3113 B | 6/19/25 11:26 | 7/17/25 16:20 |

Except for the parameters tested, York Analytical makes no representation as to the fitness or quality of the water sample taken.

PQL = Practical Quantitation Limit
MDL = Minimum Detection Limit
MCL = Maximum Contaminant Level
DF = Dilution Factor
ND = Analyzed for but not detected
J = Estimated result

* NJ Dept of Education & Dept of Children & Families Action Level

All samples are analyzed in accordance with
New Jersey Department of Environmental
Protection Protocol

Kelly Hogan - Quality Assurance Officer



part of
ALS Limited

**CHAIN
OF
CUSTODY**

Customer: Garden State Environmental
 Address: 555 S. Broad St.
 Glen Rock, NJ 07452
 Phone: (201) 652-1119 Office

School Name: **Randolph High School (9176)**
 School Address: **511 Millbrook Ave, Randolph, NJ**
 Sampled By: *[Signature]*
 Print Name: **Javier Sanchez**
 RESULTS TO: **labreports@gseconsultants.com**

| Sample ID Location | Date / Time Sampled | Matrix Code | Grab or Comp | Flash Sample | Filter Present | # Containers | Glass or Plastic | Analyst | LAB ID |
|--|---------------------|-------------|--------------|--------------|----------------|--------------|------------------|---------|--------------|
| RHS-2-WC30A (By Room 341 Right) | 6/19/2025 09:27 | DW | Grab | No | Yes | 1 | 250 ml Plastic | Lead | P25-06259-01 |
| RHS-2-WC31A (By Room 341 Left) | 6/19/2025 09:28 | DW | Grab | No | Yes | 1 | 250 ml Plastic | Lead | -02 |
| RHS-1-WC29A (High School Girls Locker) | 6/19/2025 09:34 | DW | Grab | No | Yes | 1 | 250 ml Plastic | Lead | -03 |
| RHS-1-BF15A (High School Girls Locker) | 6/19/2025 09:36 | DW | Grab | No | Yes | 1 | 250 ml Plastic | Lead | -04 |
| RHS-1-B01A (High School Boys Locker Right) | 6/19/2025 09:40 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | -05 |
| RHS-1-B02A (High School Boys Locker Left) | 6/19/2025 09:41 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | -06 |
| RHS-1-H03A (Training Office Hose) | 6/19/2025 09:48 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | -07 |
| RHS-1-S25A (Training Office) | 6/19/2025 09:50 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | -08 |
| RHS-1-S26A (Concessions Field Right) | 6/19/2025 09:53 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | -09 |
| RHS-1-S27A (Concessions Field Left) | 6/19/2025 09:54 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | -10 |
| RHS-1-IM04A (Concessions Field) | 6/19/2025 09:57 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | -11 |
| RHS-1-IM03A (Training Office Field) | 6/19/2025 10:01 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | -12 |
| RHS-1-WC22A (By Women Locker Field Left) | 6/19/2025 10:05 | DW | Grab | No | Yes | 1 | 250 ml Plastic | Lead | -13 |
| RHS-1-BF08A (By Women Locker Field Left) | 6/19/2025 10:14 | DW | Grab | No | Yes | 1 | 250 ml Plastic | Lead | -14 |
| RHS-1-WC23A (By Women Locker Field Right) | 6/19/2025 10:16 | DW | Grab | No | Yes | 1 | 250 ml Plastic | Lead | P25-06259-15 |

SAMPLES REC'D UNPRESERVED. PRESERVED IN LAB.

Page 1 of 2

Deliverables: PDF Std. PDF Reduce PDF Full EDD Date/Time Preserved with MNO3: 7/1/25 12:35

MATRIX CODES: GW = Ground Water, WW = Waste Water, SW = Surface Water, DW = Drinking Water, S = Soil, L = Liquid, SD = Sludge, B = Blank, K = Solid (specify):

PRESERVATION CODES: 0 = Ice, 1 = HCl, 2 = H2SO4, 3 = NaOH, 4 = HNO3, 5 = Other

| Print Name: | Signature: | Company: | Date + Time |
|----------------------------------|--------------------|----------|-------------------|
| Relinquished: Javier Sanchez | <i>[Signature]</i> | | 6/24/2025 11:00am |
| Received: Noel Nieves | <i>[Signature]</i> | ALS | 6/26/25 1300 |
| Relinquished: Noel Nieves | <i>[Signature]</i> | ALS | 6/26/25 2005 |
| Received: <i>[Signature]</i> | <i>[Signature]</i> | ALS | 6/27/25 1100 |
| Relinquished: <i>[Signature]</i> | <i>[Signature]</i> | ALS | 6/27/25 1800 |
| Received: <i>[Signature]</i> | <i>[Signature]</i> | ALS | 6/27/25 19:30 |



part of
ALS Limited

**CHAIN
OF
CUSTODY**

Customer: Garden State Environmental
 Address: 555 S. Broad St.
 Glen Rock, NJ 07452
 Phone: (201) 652-1119 Office

School Name: **Randolph High School (9176)**
 School Address: **511 Millbrook Ave, Randolph, NJ**
 Sampled By:
 Print Name: **Javier Sanchez**
 RESULTS TO: **labreports@gseconsultants.com**

| Sample ID Location | Date / Time Sampled | Matrix Code | Grab or Comp | Flash Sample | Filter Present | # Containers | Glass or Plastic | Analysis | LAB ID |
|---|---------------------|-------------|--------------|--------------|----------------|--------------|------------------|----------|-------------|
| RHS-1-BF09A (By Women Locker Field Right) | 6/19/2025 10:32 | DW | Grab | No | Yes | 1 | 250 ml Plastic | Lead | 25-06259-16 |
| RHS-1-WC24A (By Boys Locker Field Left) | 6/19/2025 10:35 | DW | Grab | No | Yes | 1 | 250 ml Plastic | Lead | -17 |
| RHS-1-BF10A (By Boys Locker Field Left) | 6/19/2025 10:37 | DW | Grab | No | Yes | 1 | 250 ml Plastic | Lead | -18 |
| RHS-1-WC25A (By Boys Locker Field Right) | 6/19/2025 10:39 | DW | Grab | No | Yes | 1 | 250 ml Plastic | Lead | -19 |
| RHS-1-BF11A (By Boys Locker Field Right) | 6/19/2025 10:41 | DW | Grab | No | Yes | 1 | 250 ml Plastic | Lead | -20 |
| RHS-2-WC26A (2nd Floor Field Right) | 6/19/2025 10:47 | DW | Grab | No | Yes | 1 | 250 ml Plastic | Lead | -21 |
| RHS-2-BF12A (2nd Floor Field Right) | 6/19/2025 10:49 | DW | Grab | No | Yes | 1 | 250 ml Plastic | Lead | -22 |
| RHS-2-WC27A (2nd Floor Field Middle) | 6/19/2025 10:50 | DW | Grab | No | Yes | 1 | 250 ml Plastic | Lead | -23 |
| RHS-2-BF13A (2nd Floor Field Middle) | 6/19/2025 11:24 | DW | Grab | No | Yes | 1 | 250 ml Plastic | Lead | -24 |
| RHS-2-WC28A (2nd Floor Field Left) | 6/19/2025 11:25 | DW | Grab | No | Yes | 1 | 250 ml Plastic | Lead | -25 |
| RHS-2-BF14A (2nd Floor Field Left) | 6/19/2025 11:25 | DW | Grab | No | Yes | 1 | 250 ml Plastic | Lead | -26 |
| RHS-6-19-FBA (Field Blank) | 6/19/2025 11:26 | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | 25-06259-27 |
| | | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | |
| | | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | |
| | | DW | Grab | No | No | 1 | 250 ml Plastic | Lead | |

SAMPLES REC'D UNPRESERVED. PRESERVED IN LAB.

Deliverables: PDF Std. PDF Reduce PDF Full EDD Date/Time Preserved with HNO3: 7/1/25 12:35

MATRIX CODES: GW = Ground Water, WW = Waste Water, SW = Surface Water, DW = Drinking Water, S = Soil, L = Liquid, SD = Sludge, B = Blank, K = Solid (specify):

PRESERVATION: 0 = Ice, 1 = HCl, 2 = H2SO4, 3 = NaOH, 4 = HNO3, 5 = Other

| | Print Name: | Signature: | Company: | Date + Time |
|---------------|----------------|-------------|----------|-------------------|
| Relinquished: | Javier Sanchez | | | 6/24/2025 11:00am |
| Received: | Noel Nieves | Noel Nieves | ALS | 6/26/25 1300 |
| Relinquished: | Noel Nieves | Noel Nieves | ALS | 6/26/25 2005 |
| Received: | King Fargas | King Fargas | ALS | 6/27/25 1100 |
| Relinquished: | King Fargas | King Fargas | ALS | 6/27/25 1500 |
| Received: | Michaelum | Michaelum | ALS | 6/27/25 19:36 |