



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

May 28, 2025

Andy Chasteen
Medford School District
900 Kenyon St
Medford, OR 97501
TEL: 541-842-3646
FAX 541-842-1160

RE: North High Lead Testing

Order No.: 25050652

Dear Andy Chasteen:

Neilson Research Corporation received 67 sample(s) on 5/14/2025 for the analyses presented in the following report.

The results relate only to the parameters tested or to the sample as received by the laboratory. This report shall not be reproduced except in full, without the written approval of Neilson Research Corporation. If you have any questions regarding these test results, please feel free to call.

Sincerely,
Neilson Research Corporation

Tamra Schmedemann
Director of Project Management
245 S Grape St
Medford, OR 97501



Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Case Narrative

WO#: 25050652
Date: 5/28/2025

CLIENT: Medford School District

Project: North High Lead Testing

The analyses were performed according to the guidelines in the Neilson Research Corporation Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory.

Neilson Research Corporation certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 25050652
Date Reported: 5/28/2025

Medford School District
900 Kenyon St
Medford, OR 97501

Lab Order: 25050652
Received Date: 5/14/2025 9:51:00 AM
Reported Date: 5/28/2025 10:34:16 AM

Sample Information:

Lab ID: 25050652-01 Client Sample ID: A-Main Office Bottle Filler
Collection Date: 5/14/2025 5:18:00 AM Collected By: Roger Moulard
Matrix: Drinking Water Sample Location: A-Main Office Bottle Filler

Trace Metals by EPA 200.8 ICP-MS								Analyst; KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/19/2025	15.0	

Lab ID: 25050652-02 Client Sample ID: A-Main Office DF
Collection Date: 5/14/2025 5:18:00 AM Collected By: Roger Moulard
Matrix: Drinking Water Sample Location: A-Main Office DF

Trace Metals by EPA 200.8 ICP-MS								Analyst; KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/19/2025	15.0	

Lab ID: 25050652-03 Client Sample ID: A-Tornado Conf Rm Sink
Collection Date: 5/14/2025 5:19:00 AM Collected By: Roger Moulard
Matrix: Drinking Water Sample Location: A-Tornado Conf Rm Sink

Trace Metals by EPA 200.8 ICP-MS								Analyst; KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.959		0.515	ppb	1	5/19/2025	15.0	

QUALIFIERS	*	Value exceeds Maximum or Minimum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	DF	Dilution Factor	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	RL	Reporting Limit

NELAP

Original

Results are out of the EPA limits



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 25050652

Date Reported: 5/28/2025

Medford School District
900 Kenyon St
Medford, OR 97501

Lab Order: 25050652
Received Date: 5/14/2025 9:51:00 AM
Reported Date: 5/28/2025 10:34:16 AM

Sample Information:

Lab ID: 25050652-04 Client Sample ID: A-Courtyard DF Upper
Collection Date: 5/14/2025 5:21:00 AM Collected By: Roger Moulard
Matrix: Drinking Water Sample Location: A-Courtyard DF Upper

Trace Metals by EPA 200.8 ICP-MS							Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/19/2025	15.0	

Lab ID: 25050652-05 Client Sample ID: A-Courtyard DF Lwr
Collection Date: 5/14/2025 5:21:00 AM Collected By: Roger Moulard
Matrix: Drinking Water Sample Location: A-Courtyard DF Lwr

Trace Metals by EPA 200.8 ICP-MS							Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/19/2025	15.0	

Lab ID: 25050652-06 Client Sample ID: A-West Men's RR Sink
Collection Date: 5/14/2025 5:25:00 AM Collected By: Roger Moulard
Matrix: Drinking Water Sample Location: A-West Men's RR Sink

Trace Metals by EPA 200.8 ICP-MS							Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/19/2025	15.0	

QUALIFIERS	*	Value exceeds Maximum or Minimum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	DF	Dilution Factor	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	RL	Reporting Limit

NELAP

Original

Results are out of the EPA limits



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 25050652

Date Reported: 5/28/2025

Medford School District
900 Kenyon St
Medford, OR 97501

Lab Order: 25050652
Received Date: 5/14/2025 9:51:00 AM
Reported Date: 5/28/2025 10:34:16 AM

Sample Information:

Lab ID: 25050652-07 **Client Sample ID:** A-West Women's RR L Sink
Collection Date: 5/14/2025 5:33:00 AM **Collected By:** Roger Moulard
Matrix: Drinking Water **Sample Location:** A-West Women's RR L Sink

Trace Metals by EPA 200.8 ICP-MS								Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	23.0	*	0.500	ppb	1	5/21/2025	15.0		

Lab ID: 25050652-08 **Client Sample ID:** A-West Women's RR R Sink
Collection Date: 5/14/2025 5:37:00 AM **Collected By:** Roger Moulard
Matrix: Drinking Water **Sample Location:** A-West Women's RR R Sink

Trace Metals by EPA 200.8 ICP-MS								Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	0.659		0.500	ppb	1	5/19/2025	15.0		

Lab ID: 25050652-09 **Client Sample ID:** A-Health Rm Unisex RR Sink
Collection Date: 5/14/2025 5:38:00 AM **Collected By:** Roger Moulard
Matrix: Drinking Water **Sample Location:** A-Health Rm Unisex RR Sink

Trace Metals by EPA 200.8 ICP-MS								Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	0.673		0.515	ppb	1	5/19/2025	15.0		

QUALIFIERS	*	Value exceeds Maximum or Minimum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	DF	Dilution Factor	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	RL	Reporting Limit

NELAP

Original

Results are out of the EPA limits



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 25050652
Date Reported: 5/28/2025

Medford School District
900 Kenyon St
Medford, OR 97501

Lab Order: 25050652
Received Date: 5/14/2025 9:51:00 AM
Reported Date: 5/28/2025 10:34:16 AM

Sample Information:

Lab ID: 25050652-10 Client Sample ID: A-South Men's RR Sink
Collection Date: 5/14/2025 5:42:00 AM Collected By: Roger Moulard
Matrix: Drinking Water Sample Location: A-South Men's RR Sink

Trace Metals by EPA 200.8 ICP-MS							Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	4.98		0.500	ppb	1	5/22/2025	15.0	

Lab ID: 25050652-11 Client Sample ID: A-South Women's RR Sink
Collection Date: 5/14/2025 5:43:00 AM Collected By: Roger Moulard
Matrix: Drinking Water Sample Location: A-South Women's RR Sink

Trace Metals by EPA 200.8 ICP-MS							Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.500	ppb	1	5/19/2025	15.0	

Lab ID: 25050652-12 Client Sample ID: A-East Men's RR Sink
Collection Date: 5/14/2025 5:51:00 AM Collected By: Roger Moulard
Matrix: Drinking Water Sample Location: A-East Men's RR Sink

Trace Metals by EPA 200.8 ICP-MS							Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.500	ppb	1	5/19/2025	15.0	

QUALIFIERS	*	Value exceeds Maximum or Minimum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	DF	Dilution Factor	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	RL	Reporting Limit

NELAP

Original

Results are out of the EPA limits



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 25050652

Date Reported: 5/28/2025

Medford School District
900 Kenyon St
Medford, OR 97501

Lab Order: 25050652
Received Date: 5/14/2025 9:51:00 AM
Reported Date: 5/28/2025 10:34:16 AM

Sample Information:

Lab ID: 25050652-13 Client Sample ID: A-East Women's RR Sink
Collection Date: 5/14/2025 5:50:00 AM Collected By: Roger Moulard
Matrix: Drinking Water Sample Location: A-East Women's RR Sink

Trace Metals by EPA 200.8 ICP-MS								Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	18.1	*	0.515	ppb	1	5/21/2025	15.0		

Lab ID: 25050652-14 Client Sample ID: A-Staff Break Rm Sink
Collection Date: 5/14/2025 5:46:00 AM Collected By: Roger Moulard
Matrix: Drinking Water Sample Location: A-Staff Break Rm Sink

Trace Metals by EPA 200.8 ICP-MS								Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	5/21/2025	15.0		

Lab ID: 25050652-15 Client Sample ID: A-Staff Break Rm Ice Maker
Collection Date: 5/14/2025 5:46:00 AM Collected By: Roger Moulard
Matrix: Drinking Water Sample Location: A-Staff Break Rm Ice Maker

Trace Metals by EPA 200.8 ICP-MS								Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	4.82		0.500	ppb	1	5/22/2025	15.0		

QUALIFIERS	*	Value exceeds Maximum or Minimum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	DF	Dilution Factor	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	RL	Reporting Limit

NELAP

Original

Results are out of the EPA limits



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 25050652
Date Reported: 5/28/2025

Medford School District
900 Kenyon St
Medford, OR 97501

Lab Order: 25050652
Received Date: 5/14/2025 9:51:00 AM
Reported Date: 5/28/2025 10:34:16 AM

Sample Information:

Lab ID: 25050652-16
Collection Date: 5/14/2025 5:38:00 AM
Matrix: Drinking Water
Client Sample ID: A-Health Rm Sink
Collected By: Roger Moulard
Sample Location: A-Health Rm Sink

Trace Metals by EPA 200.8 ICP-MS							Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/21/2025	15.0	

Lab ID: 25050652-17
Collection Date: 5/14/2025 5:54:00 AM
Matrix: Drinking Water
Client Sample ID: FA-Lobby Bottle Filler
Collected By: Roger Moulard
Sample Location: FA-Lobby Bottle Filler

Trace Metals by EPA 200.8 ICP-MS							Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/21/2025	15.0	

Lab ID: 25050652-18
Collection Date: 5/14/2025 5:54:00 AM
Matrix: Drinking Water
Client Sample ID: FA-Lobby DF
Collected By: Roger Moulard
Sample Location: FA-Lobby DF

Trace Metals by EPA 200.8 ICP-MS							Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/21/2025	15.0	

QUALIFIERS	*	Value exceeds Maximum or Minimum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	DF	Dilution Factor	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	RL	Reporting Limit

NELAP

Original

Results are out of the EPA limits



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 25050652

Date Reported: 5/28/2025

Medford School District
900 Kenyon St
Medford, OR 97501

Lab Order: 25050652
Received Date: 5/14/2025 9:51:00 AM
Reported Date: 5/28/2025 10:34:16 AM

Sample Information:

Lab ID: 25050652-19 **Client Sample ID:** FA-Lobby Men's RR Sink L
Collection Date: 5/14/2025 5:56:00 AM **Collected By:** Roger Moulard
Matrix: Drinking Water **Sample Location:** FA-Lobby Men's RR Sink L

Trace Metals by EPA 200.8 ICP-MS							Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/21/2025	15.0	

Lab ID: 25050652-20 **Client Sample ID:** FA-Lobby Men's RR Sink R
Collection Date: 5/14/2025 5:56:00 AM **Collected By:** Roger Moulard
Matrix: Drinking Water **Sample Location:** FA-Lobby Men's RR Sink R

Trace Metals by EPA 200.8 ICP-MS							Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/21/2025	15.0	

Lab ID: 25050652-21 **Client Sample ID:** FA-Lobby Women's RR Sink L
Collection Date: 5/14/2025 5:59:00 AM **Collected By:** Roger Moulard
Matrix: Drinking Water **Sample Location:** FA-Lobby Women's RR Sink L

Trace Metals by EPA 200.8 ICP-MS							Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	2.32		0.500	ppb	1	5/20/2025	15.0	

QUALIFIERS	*	Value exceeds Maximum or Minimum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	DF	Dilution Factor	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	RL	Reporting Limit

NELAP

Original

Results are out of the EPA limits



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 25050652
Date Reported: 5/28/2025

Medford School District
900 Kenyon St
Medford, OR 97501

Lab Order: 25050652
Received Date: 5/14/2025 9:51:00 AM
Reported Date: 5/28/2025 10:34:16 AM

Sample Information:

Lab ID: 25050652-22 Client Sample ID: FA-Lobby Women's RR Sink R
Collection Date: 5/14/2025 5:59:00 AM Collected By: Roger Moulard
Matrix: Drinking Water Sample Location: FA-Lobby Women's RR Sink R

Trace Metals by EPA 200.8 ICP-MS								Analyst; KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/21/2025	15.0	

Lab ID: 25050652-23 Client Sample ID: FA-Lobby Unisex RR Sink
Collection Date: 5/14/2025 6:01:00 AM Collected By: Roger Moulard
Matrix: Drinking Water Sample Location: FA-Lobby Unisex RR Sink

Trace Metals by EPA 200.8 ICP-MS								Analyst; KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	2.21		0.515	ppb	1	5/21/2025	15.0	

Lab ID: 25050652-24 Client Sample ID: IDF Rm Next to FA-3 Sink
Collection Date: 5/14/2025 6:04:00 AM Collected By: Roger Moulard
Matrix: Drinking Water Sample Location: IDF Rm Next to FA-3 Sink

Trace Metals by EPA 200.8 ICP-MS								Analyst; KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	2.99		0.515	ppb	1	5/21/2025	15.0	

QUALIFIERS	*	Value exceeds Maximum or Minimum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	DF	Dilution Factor	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	RL	Reporting Limit

NELAP

Original

Results are out of the EPA limits



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 25050652

Date Reported: 5/28/2025

Medford School District
900 Kenyon St
Medford, OR 97501

Lab Order: 25050652
Received Date: 5/14/2025 9:51:00 AM
Reported Date: 5/28/2025 10:34:16 AM

Sample Information:

Lab ID: 25050652-25 Client Sample ID: IDF Rm Next to FA-3 Spray
Collection Date: 5/14/2025 6:04:00 AM Collected By: Roger Moulard
Matrix: Drinking Water Sample Location: IDF Rm Next to FA-3 Spray

Trace Metals by EPA 200.8 ICP-MS							Analyst: KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	62.0	*	0.500	ppb	1	5/20/2025	15.0	

Lab ID: 25050652-26 Client Sample ID: Outside FA-3 DF
Collection Date: 5/14/2025 6:05:00 AM Collected By: Roger Moulard
Matrix: Drinking Water Sample Location: Outside FA-3 DF

Trace Metals by EPA 200.8 ICP-MS							Analyst: KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.759		0.515	ppb	1	5/21/2025	15.0	

Lab ID: 25050652-27 Client Sample ID: Outside FA-3 Unisex RR Sink
Collection Date: 5/14/2025 6:06:00 AM Collected By: Roger Moulard
Matrix: Drinking Water Sample Location: Outside FA-3 Unisex RR Sink

Trace Metals by EPA 200.8 ICP-MS							Analyst: KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.12		0.515	ppb	1	5/21/2025	15.0	

QUALIFIERS	*	Value exceeds Maximum or Minimum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	DF	Dilution Factor	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	RL	Reporting Limit

NELAP

Original

Results are out of the EPA limits



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 25050652

Date Reported: 5/28/2025

Medford School District
900 Kenyon St
Medford, OR 97501

Lab Order: 25050652
Received Date: 5/14/2025 9:51:00 AM
Reported Date: 5/28/2025 10:34:16 AM

Sample Information:

Lab ID: 25050652-28 Client Sample ID: FA-5 Sink South Wall
Collection Date: 5/14/2025 6:08:00 AM Collected By: Roger Moulard
Matrix: Drinking Water Sample Location: FA-5 Sink South Wall

Trace Metals by EPA 200.8 ICP-MS							Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.25		0.515	ppb	1	5/21/2025	15.0	

Lab ID: 25050652-29 Client Sample ID: FA-5 Sink North Wall
Collection Date: 5/14/2025 6:08:00 AM Collected By: Roger Moulard
Matrix: Drinking Water Sample Location: FA-5 Sink North Wall

Trace Metals by EPA 200.8 ICP-MS							Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/21/2025	15.0	

Lab ID: 25050652-30 Client Sample ID: FA-5 Kiln Area-Sink Lft Fxt
Collection Date: 5/14/2025 6:11:00 AM Collected By: Roger Moulard
Matrix: Drinking Water Sample Location: FA-5 Kiln Area-Sink Lft Fxt

Trace Metals by EPA 200.8 ICP-MS							Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/21/2025	15.0	

QUALIFIERS	*	Value exceeds Maximum or Minimum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	DF	Dilution Factor	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	RL	Reporting Limit

NELAP

Original

Results are out of the EPA limits



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 25050652

Date Reported: 5/28/2025

Medford School District
900 Kenyon St
Medford, OR 97501

Lab Order: 25050652
Received Date: 5/14/2025 9:51:00 AM
Reported Date: 5/28/2025 10:34:16 AM

Sample Information:

Lab ID: 25050652-31 **Client Sample ID:** FA-5 Kiln Area-Sink Rt Fxt
Collection Date: 5/14/2025 6:11:00 AM **Collected By:** Roger Moulard
Matrix: Drinking Water **Sample Location:** FA-5 Kiln Area-Sink Rt Fxt

Trace Metals by EPA 200.8 ICP-MS								Analyst; KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/21/2025	15.0	

Lab ID: 25050652-32 **Client Sample ID:** FA-6 NE Island Sink 1
Collection Date: 5/14/2025 6:13:00 AM **Collected By:** Roger Moulard
Matrix: Drinking Water **Sample Location:** FA-6 NE Island Sink 1

Trace Metals by EPA 200.8 ICP-MS								Analyst; KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.628		0.515	ppb	1	5/21/2025	15.0	

Lab ID: 25050652-33 **Client Sample ID:** FA-6 SE Island Sink 2
Collection Date: 5/14/2025 6:18:00 AM **Collected By:** Roger Moulard
Matrix: Drinking Water **Sample Location:** FA-6 SE Island Sink 2

Trace Metals by EPA 200.8 ICP-MS								Analyst; KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/21/2025	15.0	

QUALIFIERS	*	Value exceeds Maximum or Minimum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	DF	Dilution Factor	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	RL	Reporting Limit

NELAP

Original

Results are out of the EPA limits



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 25050652
Date Reported: 5/28/2025

Medford School District
900 Kenyon St
Medford, OR 97501

Lab Order: 25050652
Received Date: 5/14/2025 9:51:00 AM
Reported Date: 5/28/2025 10:34:16 AM

Sample Information:

Lab ID: 25050652-34 Client Sample ID: FA-6 NW Island Sink 3
Collection Date: 5/14/2025 6:14:00 AM Collected By: Roger Moulard
Matrix: Drinking Water Sample Location: FA-6 NW Island Sink 3

Trace Metals by EPA 200.8 ICP-MS							Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.916		0.515	ppb	1	5/21/2025	15.0	

Lab ID: 25050652-35 Client Sample ID: FA-6 SW Island Sink 4
Collection Date: 5/14/2025 6:14:00 AM Collected By: Roger Moulard
Matrix: Drinking Water Sample Location: FA-6 SW Island Sink 4

Trace Metals by EPA 200.8 ICP-MS							Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/21/2025	15.0	

Lab ID: 25050652-36 Client Sample ID: FA-6 Sink South Wall
Collection Date: 5/14/2025 6:14:00 AM Collected By: Roger Moulard
Matrix: Drinking Water Sample Location: FA-6 Sink South Wall

Trace Metals by EPA 200.8 ICP-MS							Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	8.77		0.515	ppb	1	5/21/2025	15.0	

QUALIFIERS	*	Value exceeds Maximum or Minimum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	DF	Dilution Factor	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	RL	Reporting Limit

NELAP

Original

Results are out of the EPA limits



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 25050652

Date Reported: 5/28/2025

Medford School District
900 Kenyon St
Medford, OR 97501

Lab Order: 25050652
Received Date: 5/14/2025 9:51:00 AM
Reported Date: 5/28/2025 10:34:16 AM

Sample Information:

Lab ID: 25050652-37 **Client Sample ID:** FA-7 Entrance Men's RR Sink
Collection Date: 5/14/2025 6:17:00 AM **Collected By:** Roger Moulard
Matrix: Drinking Water **Sample Location:** FA-7 Entrance Men's RR Sink

Trace Metals by EPA 200.8 ICP-MS								Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	73.5	*	0.500	ppb	1	5/20/2025	15.0		

Lab ID: 25050652-38 **Client Sample ID:** FA-7 Entrance Women's RR Sink
Collection Date: 5/14/2025 6:17:00 AM **Collected By:** Roger Moulard
Matrix: Drinking Water **Sample Location:** FA-7 Entrance Women's RR Sink

Trace Metals by EPA 200.8 ICP-MS								Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	5/21/2025	15.0		

Lab ID: 25050652-39 **Client Sample ID:** FA-7 Entrance DF
Collection Date: 5/14/2025 6:17:00 AM **Collected By:** Roger Moulard
Matrix: Drinking Water **Sample Location:** FA-7 Entrance DF

Trace Metals by EPA 200.8 ICP-MS								Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	1.82		0.515	ppb	1	5/21/2025	15.0		

QUALIFIERS	*	Value exceeds Maximum or Minimum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	DF	Dilution Factor	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	RL	Reporting Limit

NELAP

Original

Results are out of the EPA limits



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 25050652

Date Reported: 5/28/2025

Medford School District
900 Kenyon St
Medford, OR 97501

Lab Order: 25050652
Received Date: 5/14/2025 9:51:00 AM
Reported Date: 5/28/2025 10:34:16 AM

Sample Information:

Lab ID: 25050652-40 Client Sample ID: FA-8 Sink
Collection Date: 5/14/2025 6:20:00 AM Collected By: Roger Moulard
Matrix: Drinking Water Sample Location: FA-8 Sink

Trace Metals by EPA 200.8 ICP-MS							Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	4.65		0.515	ppb	1	5/21/2025	15.0	

Lab ID: 25050652-41 Client Sample ID: FA-OS Dress Rm-Paint Sink
Collection Date: 5/14/2025 6:21:00 AM Collected By: Roger Moulard
Matrix: Drinking Water Sample Location: FA-OS Dress Rm-Paint Sink

Trace Metals by EPA 200.8 ICP-MS							Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	42.7	*	0.515	ppb	1	5/21/2025	15.0	

Lab ID: 25050652-42 Client Sample ID: FA-Girl's Dress Rm Sink
Collection Date: 5/14/2025 6:22:00 AM Collected By: Roger Moulard
Matrix: Drinking Water Sample Location: FA-Girl's Dress Rm Sink

Trace Metals by EPA 200.8 ICP-MS							Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	390	*	5.15	ppb	10	5/22/2025	15.0	

QUALIFIERS	*	Value exceeds Maximum or Minimum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	DF	Dilution Factor	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	RL	Reporting Limit

NELAP

Original

Results are out of the EPA limits



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 25050652

Date Reported: 5/28/2025

Medford School District
900 Kenyon St
Medford, OR 97501

Lab Order: 25050652
Received Date: 5/14/2025 9:51:00 AM
Reported Date: 5/28/2025 10:34:16 AM

Sample Information:

Lab ID: 25050652-43 Client Sample ID: FA-Girl's Dress Rm RR Sink
Collection Date: 5/14/2025 6:22:00 AM Collected By: Roger Moulard
Matrix: Drinking Water Sample Location: FA-Girl's Dress Rm RR Sink

Trace Metals by EPA 200.8 ICP-MS							Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.20		0.515	ppb	1	5/21/2025	15.0	

Lab ID: 25050652-44 Client Sample ID: FA-Boy's Dress Rm Sink
Collection Date: 5/14/2025 6:24:00 AM Collected By: Roger Moulard
Matrix: Drinking Water Sample Location: FA-Boy's Dress Rm Sink

Trace Metals by EPA 200.8 ICP-MS							Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.971		0.515	ppb	1	5/21/2025	15.0	

Lab ID: 25050652-45 Client Sample ID: FA-Boy's Dress Rm RR Sink
Collection Date: 5/14/2025 6:24:00 AM Collected By: Roger Moulard
Matrix: Drinking Water Sample Location: FA-Boy's Dress Rm RR Sink

Trace Metals by EPA 200.8 ICP-MS							Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	2.08		0.515	ppb	1	5/21/2025	15.0	

QUALIFIERS	*	Value exceeds Maximum or Minimum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	DF	Dilution Factor	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	RL	Reporting Limit

NELAP

Original

Results are out of the EPA limits



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 25050652

Date Reported: 5/28/2025

Medford School District
900 Kenyon St
Medford, OR 97501

Lab Order: 25050652
Received Date: 5/14/2025 9:51:00 AM
Reported Date: 5/28/2025 10:34:16 AM

Sample Information:

Lab ID: 25050652-46
Collection Date: 5/14/2025 6:29:00 AM
Matrix: Drinking Water
Client Sample ID: Outside H-21 DF
Collected By: Roger Moulard
Sample Location: Outside H-21 DF

Trace Metals by EPA 200.8 ICP-MS						Analyst; KN		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.675		0.515	ppb	1	5/21/2025	15.0	

Lab ID: 25050652-47
Collection Date: 5/14/2025 6:30:00 AM
Matrix: Drinking Water
Client Sample ID: Outside H-13 DF
Collected By: Roger Moulard
Sample Location: Outside H-13 DF

Trace Metals by EPA 200.8 ICP-MS						Analyst; KN		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/21/2025	15.0	

Lab ID: 25050652-48
Collection Date: 5/14/2025 6:32:00 AM
Matrix: Drinking Water
Client Sample ID: Outside H-9 Women's RR Sink
Collected By: Roger Moulard
Sample Location: Outside H-9 Women's RR Sink

Trace Metals by EPA 200.8 ICP-MS						Analyst; KN		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.21		0.515	ppb	1	5/21/2025	15.0	

QUALIFIERS	*	Value exceeds Maximum or Minimum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	DF	Dilution Factor	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	RL	Reporting Limit

NELAP

Original

Results are out of the EPA limits



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 25050652

Date Reported: 5/28/2025

Medford School District
900 Kenyon St
Medford, OR 97501

Lab Order: 25050652
Received Date: 5/14/2025 9:51:00 AM
Reported Date: 5/28/2025 10:34:16 AM

Sample Information:

Lab ID: 25050652-49 **Client Sample ID:** Outside H-4 Men's RR Sink
Collection Date: 5/14/2025 6:33:00 AM **Collected By:** Roger Moulard
Matrix: Drinking Water **Sample Location:** Outside H-4 Men's RR Sink

Trace Metals by EPA 200.8 ICP-MS								Analyst; KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/21/2025	15.0	

Lab ID: 25050652-50 **Client Sample ID:** Across H-38 Men's RR L N Sink 1
Collection Date: 5/14/2025 6:48:00 AM **Collected By:** Roger Moulard
Matrix: Drinking Water **Sample Location:** Across H-38 Men's RR L N Sink 1

Trace Metals by EPA 200.8 ICP-MS								Analyst; KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/21/2025	15.0	

Lab ID: 25050652-51 **Client Sample ID:** Across H-38 Men's RR 2
Collection Date: 5/14/2025 6:49:00 AM **Collected By:** Roger Moulard
Matrix: Drinking Water **Sample Location:** Across H-38 Men's RR 2

Trace Metals by EPA 200.8 ICP-MS								Analyst; KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/21/2025	15.0	

QUALIFIERS	*	Value exceeds Maximum or Minimum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	DF	Dilution Factor	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	RL	Reporting Limit

NELAP

Original

Results are out of the EPA limits



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 25050652

Date Reported: 5/28/2025

Medford School District
900 Kenyon St
Medford, OR 97501

Lab Order: 25050652
Received Date: 5/14/2025 9:51:00 AM
Reported Date: 5/28/2025 10:34:16 AM

Sample Information:

Lab ID: 25050652-52 Client Sample ID: Across H-38 Men's RR 3
Collection Date: 5/14/2025 6:48:00 AM Collected By: Roger Moulard
Matrix: Drinking Water Sample Location: Across H-38 Men's RR 3

Trace Metals by EPA 200.8 ICP-MS								Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	68.3	*	0.500	ppb	1	5/20/2025	15.0		

Lab ID: 25050652-53 Client Sample ID: Across H-38 Men's RR Rt N 4
Collection Date: 5/14/2025 6:48:00 AM Collected By: Roger Moulard
Matrix: Drinking Water Sample Location: Across H-38 Men's RR Rt N 4

Trace Metals by EPA 200.8 ICP-MS								Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	5/21/2025	15.0		

Lab ID: 25050652-54 Client Sample ID: Across H-38 Men's RR Lft S 5
Collection Date: 5/14/2025 6:48:00 AM Collected By: Roger Moulard
Matrix: Drinking Water Sample Location: Across H-38 Men's RR Lft S 5

Trace Metals by EPA 200.8 ICP-MS								Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	5/21/2025	15.0		

QUALIFIERS	*	Value exceeds Maximum or Minimum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	DF	Dilution Factor	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	RL	Reporting Limit

NELAP

Original

Results are out of the EPA limits



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 25050652

Date Reported: 5/28/2025

Medford School District
900 Kenyon St
Medford, OR 97501

Lab Order: 25050652
Received Date: 5/14/2025 9:51:00 AM
Reported Date: 5/28/2025 10:34:16 AM

Sample Information:

Lab ID: 25050652-55 Client Sample ID: Across H-38 Men's RR 6
Collection Date: 5/14/2025 6:48:00 AM Collected By: Roger Moulard
Matrix: Drinking Water Sample Location: Across H-38 Men's RR 6

Trace Metals by EPA 200.8 ICP-MS								Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	5/21/2025	15.0		

Lab ID: 25050652-56 Client Sample ID: Across H-38 Men's RR 7
Collection Date: 5/14/2025 6:48:00 AM Collected By: Roger Moulard
Matrix: Drinking Water Sample Location: Across H-38 Men's RR 7

Trace Metals by EPA 200.8 ICP-MS								Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	5/21/2025	15.0		

Lab ID: 25050652-57 Client Sample ID: Across H-38 Men's RR R S 8
Collection Date: 5/14/2025 6:48:00 AM Collected By: Roger Moulard
Matrix: Drinking Water Sample Location: Across H-38 Men's RR R S 8

Trace Metals by EPA 200.8 ICP-MS								Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	5/21/2025	15.0		

QUALIFIERS	*	Value exceeds Maximum or Minimum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	DF	Dilution Factor	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	RL	Reporting Limit

NELAP

Original

Results are out of the EPA limits



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 25050652

Date Reported: 5/28/2025

Medford School District
900 Kenyon St
Medford, OR 97501

Lab Order: 25050652
Received Date: 5/14/2025 9:51:00 AM
Reported Date: 5/28/2025 10:34:16 AM

Sample Information:

Lab ID: 25050652-58 **Client Sample ID:** Across H-38 Women's RR R W 1
Collection Date: 5/14/2025 6:48:00 AM **Collected By:** Roger Moulard
Matrix: Drinking Water **Sample Location:** Across H-38 Women's RR R W 1

Trace Metals by EPA 200.8 ICP-MS								Analyst; CJS	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	39.0	*	0.515	ppb	1	5/23/2025	15.0		

Lab ID: 25050652-59 **Client Sample ID:** Across H-38 Women's RR 2
Collection Date: 5/14/2025 6:48:00 AM **Collected By:** Roger Moulard
Matrix: Drinking Water **Sample Location:** Across H-38 Women's RR 2

Trace Metals by EPA 200.8 ICP-MS								Analyst; CJS	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	5/23/2025	15.0		

Lab ID: 25050652-60 **Client Sample ID:** Across H-38 Women's RR 3
Collection Date: 5/14/2025 6:48:00 AM **Collected By:** Roger Moulard
Matrix: Drinking Water **Sample Location:** Across H-38 Women's RR 3

Trace Metals by EPA 200.8 ICP-MS								Analyst; CJS	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	5/23/2025	15.0		

QUALIFIERS	*	Value exceeds Maximum or Minimum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	DF	Dilution Factor	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	RL	Reporting Limit

NELAP

Original

Results are out of the EPA limits



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 25050652

Date Reported: 5/28/2025

Medford School District
900 Kenyon St
Medford, OR 97501

Lab Order: 25050652
Received Date: 5/14/2025 9:51:00 AM
Reported Date: 5/28/2025 10:34:16 AM

Sample Information:

Lab ID: 25050652-61 **Client Sample ID:** Across H-38 Women's RR Lft W 4
Collection Date: 5/14/2025 6:48:00 AM **Collected By:** Roger Moulard
Matrix: Drinking Water **Sample Location:** Across H-38 Women's RR Lft W 4

Trace Metals by EPA 200.8 ICP-MS								Analyst; KN	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	40.1	*	0.500	ppb	1	5/21/2025	15.0		

Lab ID: 25050652-62 **Client Sample ID:** Across H-38 Women's RR Rt E 5
Collection Date: 5/14/2025 6:48:00 AM **Collected By:** Roger Moulard
Matrix: Drinking Water **Sample Location:** Across H-38 Women's RR Rt E 5

Trace Metals by EPA 200.8 ICP-MS								Analyst; CJS	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	5/23/2025	15.0		

Lab ID: 25050652-63 **Client Sample ID:** Across H-38 Women's RR 6
Collection Date: 5/14/2025 6:48:00 AM **Collected By:** Roger Moulard
Matrix: Drinking Water **Sample Location:** Across H-38 Women's RR 6

Trace Metals by EPA 200.8 ICP-MS								Analyst; CJS	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	5/23/2025	15.0		

QUALIFIERS	*	Value exceeds Maximum or Minimum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	DF	Dilution Factor	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	RL	Reporting Limit

NELAP

Original

Results are out of the EPA limits



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 25050652

Date Reported: 5/28/2025

Medford School District
900 Kenyon St
Medford, OR 97501

Lab Order: 25050652
Received Date: 5/14/2025 9:51:00 AM
Reported Date: 5/28/2025 10:34:16 AM

Sample Information:

Lab ID: 25050652-64 **Client Sample ID:** Across H-38 Women's RR 7
Collection Date: 5/14/2025 6:48:00 AM **Collected By:** Roger Moulard
Matrix: Drinking Water **Sample Location:** Across H-38 Women's RR 7

Trace Metals by EPA 200.8 ICP-MS							Analyst; CJS	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/23/2025	15.0	

Lab ID: 25050652-65 **Client Sample ID:** Across H-38 Women's RR Lft E 8
Collection Date: 5/14/2025 6:48:00 AM **Collected By:** Roger Moulard
Matrix: Drinking Water **Sample Location:** Across H-38 Women's RR Lft E 8

Trace Metals by EPA 200.8 ICP-MS							Analyst; CJS	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/23/2025	15.0	

Lab ID: 25050652-66 **Client Sample ID:** Outside H-38 DF Lft Fixture
Collection Date: 5/14/2025 6:48:00 AM **Collected By:** Roger Moulard
Matrix: Drinking Water **Sample Location:** Outside H-38 DF Lft Fixture

Trace Metals by EPA 200.8 ICP-MS							Analyst; CJS	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.32		0.515	ppb	1	5/23/2025	15.0	

QUALIFIERS	*	Value exceeds Maximum or Minimum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	DF	Dilution Factor	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	RL	Reporting Limit

NELAP

Original

Results are out of the EPA limits



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 25050652
Date Reported: 5/28/2025

Medford School District
900 Kenyon St
Medford, OR 97501

Lab Order: 25050652
Received Date: 5/14/2025 9:51:00 AM
Reported Date: 5/28/2025 10:34:16 AM

Sample Information:

Lab ID:	25050652-67	Client Sample ID:	Outside H-38 DF Rt Fixture
Collection Date:	5/14/2025 6:48:00 AM	Collected By:	Roger Moulard
Matrix:	Drinking Water	Sample Location:	Outside H-38 DF Rt Fixture

Trace Metals by EPA 200.8 ICP-MS						Analyst: CJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	5/23/2025	15.0	

QUALIFIERS	*	Value exceeds Maximum or Minimum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	DF	Dilution Factor	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	RL	Reporting Limit

NELAP

Original

Results are out of the EPA limits



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

QC SUMMARY REPORT

WO#: 25050652

28-May-25

Client: Medford School District
Project: North High Lead Testing

TestCode: LEAD_SCHOOLS

Sample ID: MB-31335	SampType: MBLK	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/19/2025	RunNo: 59575						
Client ID: PBW	Batch ID: 31335	TestNo: E200.8	E200.8	Analysis Date: 5/19/2025	SeqNo: 974163						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead	ND	0.515									
------	----	-------	--	--	--	--	--	--	--	--	--

Sample ID: LCS-31335	SampType: LCS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/19/2025	RunNo: 59575						
Client ID: LCSW	Batch ID: 31335	TestNo: E200.8	E200.8	Analysis Date: 5/19/2025	SeqNo: 974164						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead	102	0.520	100	0	102	85	115				
------	-----	-------	-----	---	-----	----	-----	--	--	--	--

Sample ID: 25050396-61AMS	SampType: MS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/19/2025	RunNo: 59575						
Client ID: BatchQC	Batch ID: 31335	TestNo: E200.8	E200.8	Analysis Date: 5/19/2025	SeqNo: 974166						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead	94.1	0.520	100	0	94.1	70	130				
------	------	-------	-----	---	------	----	-----	--	--	--	--

Sample ID: 25050396-61AMSD	SampType: MSD	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/19/2025	RunNo: 59575						
Client ID: BatchQC	Batch ID: 31335	TestNo: E200.8	E200.8	Analysis Date: 5/19/2025	SeqNo: 974167						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead	100	0.520	100	0	100	70	130	94.1	6.23	20	
------	-----	-------	-----	---	-----	----	-----	------	------	----	--

Qualifiers:

*	Value exceeds Maximum or Minimum Contaminant Level.
E	Value above quantitation range
ND	Not Detected at the Reporting Limit

C1	Sample container temperature is out of limit as specified at testcode
H	Holding times for preparation or analysis exceeded
RL	Reporting Limit

DF	Dilution Factor
MI	Recovery outside control limits due to Matrix In

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

QC SUMMARY REPORT

WO#: 25050652

28-May-25

Client: Medford School District

Project: North High Lead Testing

TestCode: LEAD_SCHOOLS

Sample ID: MB-31357	SampType: MBLK	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/20/2025	RunNo: 59615						
Client ID: PBW	Batch ID: 31357	TestNo: E200.8	E200.8	Analysis Date: 5/20/2025	SeqNo: 974825						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead	ND	0.500									
------	----	-------	--	--	--	--	--	--	--	--	--

Sample ID: LCS-31357	SampType: LCS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/20/2025	RunNo: 59615						
Client ID: LCSW	Batch ID: 31357	TestNo: E200.8	E200.8	Analysis Date: 5/20/2025	SeqNo: 974826						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead	102	0.500	100	0	102	85	115				
------	-----	-------	-----	---	-----	----	-----	--	--	--	--

Sample ID: 25050875-01BMS	SampType: MS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/20/2025	RunNo: 59615						
Client ID: BatchQC	Batch ID: 31357	TestNo: E200.8	E200.8	Analysis Date: 5/20/2025	SeqNo: 974828						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead	102	0.500	100	3.64	98.6	70	130				
------	-----	-------	-----	------	------	----	-----	--	--	--	--

Sample ID: 25050875-01BMSD	SampType: MSD	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/20/2025	RunNo: 59615						
Client ID: BatchQC	Batch ID: 31357	TestNo: E200.8	E200.8	Analysis Date: 5/20/2025	SeqNo: 974829						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead	103	0.500	100	3.64	99.2	70	130	102	0.577	20	
------	-----	-------	-----	------	------	----	-----	-----	-------	----	--

Qualifiers:

*	Value exceeds Maximum or Minimum Contaminant Level.
E	Value above quantitation range
ND	Not Detected at the Reporting Limit

C1	Sample container temperature is out of limit as specified at testcode
H	Holding times for preparation or analysis exceeded
RL	Reporting Limit

DF	Dilution Factor
MI	Recovery outside control limits due to Matrix In

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

QC SUMMARY REPORT

WO#: 25050652

28-May-25

Client: Medford School District

Project: North High Lead Testing

TestCode: LEAD_SCHOOLS

Sample ID: MB-31374	SampType: MBLK	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/21/2025	RunNo: 59659						
Client ID: PBW	Batch ID: 31374	TestNo: E200.8	E200.8	Analysis Date: 5/21/2025	SeqNo: 975810						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead	ND	0.500									
------	----	-------	--	--	--	--	--	--	--	--	--

Sample ID: LCS-31374	SampType: LCS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/21/2025	RunNo: 59659						
Client ID: LCSW	Batch ID: 31374	TestNo: E200.8	E200.8	Analysis Date: 5/21/2025	SeqNo: 975811						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead	106	0.500	100	0	106	85	115				
------	-----	-------	-----	---	-----	----	-----	--	--	--	--

Sample ID: 25050879-01AMS	SampType: MS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/21/2025	RunNo: 59659						
Client ID: BatchQC	Batch ID: 31374	TestNo: E200.8	E200.8	Analysis Date: 5/21/2025	SeqNo: 975813						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead	101	0.500	100	2.45	98.1	70	130				
------	-----	-------	-----	------	------	----	-----	--	--	--	--

Sample ID: 25050879-01AMSD	SampType: MSD	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/21/2025	RunNo: 59659						
Client ID: BatchQC	Batch ID: 31374	TestNo: E200.8	E200.8	Analysis Date: 5/21/2025	SeqNo: 975814						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead	100	0.500	100	2.45	97.9	70	130	101	0.121	20	
------	-----	-------	-----	------	------	----	-----	-----	-------	----	--

Qualifiers:

*	Value exceeds Maximum or Minimum Contaminant Level.
E	Value above quantitation range
ND	Not Detected at the Reporting Limit

C1	Sample container temperature is out of limit as specified at testcode
H	Holding times for preparation or analysis exceeded
RL	Reporting Limit

DF	Dilution Factor
MI	Recovery outside control limits due to Matrix In

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

QC SUMMARY REPORT

WO#: 25050652

28-May-25

Client: Medford School District

Project: North High Lead Testing

TestCode: LEAD_SCHOOLS

Sample ID: MB-31375	SampType: MBLK	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/21/2025	RunNo: 59659						
Client ID: PBW	Batch ID: 31375	TestNo: E200.8	E200.8	Analysis Date: 5/21/2025	SeqNo: 975821						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	ND	0.515									

Sample ID: LCS-31375	SampType: LCS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/21/2025	RunNo: 59659						
Client ID: LCSW	Batch ID: 31375	TestNo: E200.8	E200.8	Analysis Date: 5/21/2025	SeqNo: 975822						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	107	0.520	100	0	107	85	115				

Sample ID: 25050652-20AMS	SampType: MS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/21/2025	RunNo: 59659						
Client ID: FA-Lobby Men's RR	Batch ID: 31375	TestNo: E200.8	E200.8	Analysis Date: 5/21/2025	SeqNo: 975829						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	100	0.520	100	0.238	99.8	70	130				

Sample ID: 25050652-20AMSD	SampType: MSD	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/21/2025	RunNo: 59659						
Client ID: FA-Lobby Men's RR	Batch ID: 31375	TestNo: E200.8	E200.8	Analysis Date: 5/21/2025	SeqNo: 975830						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	107	0.520	100	0.238	107	70	130	100	6.57	20	

Qualifiers:

- * Value exceeds Maximum or Minimum Contaminant Level.
- E Value above quantitation range
- ND Not Detected at the Reporting Limit

- C1 Sample container temperature is out of limit as specified at testcode
- H Holding times for preparation or analysis exceeded
- RL Reporting Limit

- DF Dilution Factor
- MI Recovery outside control limits due to Matrix In

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

QC SUMMARY REPORT

WO#: 25050652

28-May-25

Client: Medford School District
Project: North High Lead Testing

TestCode: LEAD_SCHOOLS

Sample ID: MB-31376	SampType: MBLK	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/21/2025	RunNo: 59659						
Client ID: PBW	Batch ID: 31376	TestNo: E200.8	E200.8	Analysis Date: 5/21/2025	SeqNo: 975850						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead	ND	0.515									
------	----	-------	--	--	--	--	--	--	--	--	--

Sample ID: LCS-31376	SampType: LCS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/21/2025	RunNo: 59659						
Client ID: LCSW	Batch ID: 31376	TestNo: E200.8	E200.8	Analysis Date: 5/21/2025	SeqNo: 975851						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead	105	0.520	100	0	105	85	115				
------	-----	-------	-----	---	-----	----	-----	--	--	--	--

Sample ID: 25050652-36AMS	SampType: MS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/21/2025	RunNo: 59659						
Client ID: FA-6 Sink South Wal	Batch ID: 31376	TestNo: E200.8	E200.8	Analysis Date: 5/21/2025	SeqNo: 975853						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead	106	0.520	100	8.77	97.0	70	130				
------	-----	-------	-----	------	------	----	-----	--	--	--	--

Sample ID: 25050652-36AMSD	SampType: MSD	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/21/2025	RunNo: 59659						
Client ID: FA-6 Sink South Wal	Batch ID: 31376	TestNo: E200.8	E200.8	Analysis Date: 5/21/2025	SeqNo: 975854						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead	111	0.520	100	8.77	102	70	130	106	4.49	20	
------	-----	-------	-----	------	-----	----	-----	-----	------	----	--

Qualifiers:

*	Value exceeds Maximum or Minimum Contaminant Level.
E	Value above quantitation range
ND	Not Detected at the Reporting Limit

C1	Sample container temperature is out of limit as specified at testcode
H	Holding times for preparation or analysis exceeded
RL	Reporting Limit

DF	Dilution Factor
MI	Recovery outside control limits due to Matrix In

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

QC SUMMARY REPORT

WO#: 25050652

28-May-25

Client: Medford School District
Project: North High Lead Testing

TestCode: LEAD_SCHOOLS

Sample ID: MB-31395	SampType: MBLK	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/22/2025	RunNo: 59704						
Client ID: PBW	Batch ID: 31395	TestNo: E200.8	E200.8	Analysis Date: 5/22/2025	SeqNo: 976684						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	ND	0.500									

Sample ID: LCS-31395	SampType: LCS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/22/2025	RunNo: 59704						
Client ID: LCSW	Batch ID: 31395	TestNo: E200.8	E200.8	Analysis Date: 5/22/2025	SeqNo: 976685						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	100	0.500	100	0	100	85	115				

Sample ID: 25050562-01AMS	SampType: MS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/22/2025	RunNo: 59704						
Client ID: BatchQC	Batch ID: 31395	TestNo: E200.8	E200.8	Analysis Date: 5/22/2025	SeqNo: 976692						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	98.6	0.500	100	0	98.6	70	130				

Sample ID: 25050562-01AMSD	SampType: MSD	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/22/2025	RunNo: 59704						
Client ID: BatchQC	Batch ID: 31395	TestNo: E200.8	E200.8	Analysis Date: 5/22/2025	SeqNo: 976693						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	102	0.500	100	0	102	70	130	98.6	3.16	20	

Qualifiers: * Value exceeds Maximum or Minimum Contaminant Level.
E Value above quantitation range
ND Not Detected at the Reporting Limit

C1 Sample container temperature is out of limit as specified at testcode
H Holding times for preparation or analysis exceeded
RL Reporting Limit

DF Dilution Factor
MI Recovery outside control limits due to Matrix In

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

QC SUMMARY REPORT

WO#: 25050652

28-May-25

Client: Medford School District

Project: North High Lead Testing

TestCode: LEAD_SCHOOLS

Sample ID: MB-31377	SampType: MBLK	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/21/2025	RunNo: 59740
Client ID: PBW	Batch ID: 31377	TestNo: E200.8	E200.8	Analysis Date: 5/23/2025	SeqNo: 977481
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual

Lead ND 0.515

Sample ID: MB-31377	SampType: MBLK	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/21/2025	RunNo: 59740
Client ID: PBW	Batch ID: 31377	TestNo: E200.8	E200.8	Analysis Date: 5/23/2025	SeqNo: 977482
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual

Lead ND 0.515

Sample ID: LCS-31377	SampType: LCS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/21/2025	RunNo: 59740
Client ID: LCSW	Batch ID: 31377	TestNo: E200.8	E200.8	Analysis Date: 5/23/2025	SeqNo: 977483
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual

Lead 106 0.520 100 0 106 85 115

Sample ID: 25050652-58AMS	SampType: MS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/21/2025	RunNo: 59740
Client ID: Across H-38 Women	Batch ID: 31377	TestNo: E200.8	E200.8	Analysis Date: 5/23/2025	SeqNo: 977485
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual

Lead 139 0.520 100 39.0 100 70 130

Qualifiers: * Value exceeds Maximum or Minimum Contaminant Level.
E Value above quantitation range
ND Not Detected at the Reporting Limit

C1 Sample container temperature is out of limit as specified at testcode
H Holding times for preparation or analysis exceeded
RL Reporting Limit

DF Dilution Factor
MI Recovery outside control limits due to Matrix In

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

QC SUMMARY REPORT

WO#: 25050652

28-May-25

Client: Medford School District

Project: North High Lead Testing

TestCode: LEAD_SCHOOLS

Sample ID: 25050652-58AMSD	SampType: MSD	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 5/21/2025	RunNo: 59740						
Client ID: Across H-38 Women	Batch ID: 31377	TestNo: E200.8	E200.8	Analysis Date: 5/23/2025	SeqNo: 977486						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	140	0.520	100	39.0	101	70	130	139	0.735	20	

Qualifiers:

- * Value exceeds Maximum or Minimum Contaminant Level.
- E Value above quantitation range
- ND Not Detected at the Reporting Limit

- C1 Sample container temperature is out of limit as specified at testcode
- H Holding times for preparation or analysis exceeded
- RL Reporting Limit

- DF Dilution Factor
- MI Recovery outside control limits due to Matrix In

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Sample Log-In Check List

Client Name: MedfordSchoolDist

Work Order Number: 25050652

RcptNo: 1

Logged by: Tamra Schmedemann 5/14/2025 9:51:00 AM

Completed By: Coni Boyko 5/16/2025 1:02:03 PM

Reviewed By: Ashley Spiegelberg 5/28/2025 10:27:43 AM

Tamra Schmedemann

Coni Boyko

Ashley Spiegelberg

Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Client

Log In

3. Coolers are present? Yes ☐ No ☐ NA ☒
4. Shipping container/cooler in good condition? Yes ☒ No ☐
Custody seals intact on shipping container/cooler? Yes ☐ No ☐ Not Present ☒ NA ☐
No. Seal Date: Signed By:
5. Was an attempt made to cool the samples? Yes ☐ No ☐ NA ☒
6. Were all samples received at a temperature of $>0^{\circ}\text{C}$ to 6.0°C ? Yes ☐ No ☐ NA ☒
7. Sample(s) in proper container(s)? Yes ☒ No ☐
8. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
9. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
10. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
11. Is the headspace in the VOA vials less than 1/4 inch or 6 mm? Yes ☐ No ☐ No VOA Vials ☒
12. Were any sample containers received broken? Yes ☐ No ☒
13. Does paperwork match bottle labels?
(Note discrepancies on chain of custody) Yes ☒ No ☐
14. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
15. Is it clear what analyses were requested? Yes ☒ No ☐
16. Were all holding times able to be met?
(If no, notify customer for authorization.) Yes ☒ No ☐

Special Handling (if applicable)

17. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified: Date:
By Whom: Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person
Regarding:
Client Instructions:

18. Additional remarks:

Cooler Information

Cooler No	Temp $^{\circ}\text{C}$	Condition	Seal Intact	Seal No	Seal Date	Signed By
-----------	-------------------------	-----------	-------------	---------	-----------	-----------

Chain of Custody Record

Page 1 of 3

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

Section A Required Client Information				Section B Required Project Information				Section C Invoice Information				Section D Rush Status (Subject to Scheduling)			
Company: MSD 549C				Project Name: North High				Attention: Accounting				☐ Standard 10-14 Days ☐ 5 Business Days (50% surcharge) ☐ 3 Business Days (75% surcharge) ☐ 24 - 48 hours (100% surcharge) ☐ Other _____			
Address: 900 Kenyon Medford, OR 97501				Project Number:				Company Name: Medford School District							
Email: <u>andy.chasteen@medford.k12.or.us</u>				Report To: <u>andy.chasteen@medford.k12.or.us</u>				Address: 900 Kenyon Medford, OR 97501							
Phone: 541-840-4315 Fax:				Copy To: <u>seth.barry@medford.k12.or.us</u>				P.O. #							
Collected By (Print): <u>ROBERT MULLAR</u>												Authorized ☐ Yes ☐ No			
Collected By (Sign): <u>[Signature]</u>															
Email Report ☐ Yes ☐ No				Mail Report ☐ Yes ☐ No											
Fax Report ☐ Yes ☐ No															

Section E Sample Information										Analysis Requested										NRC Workorder # (Lab Use Only) <u>25050652</u>	
Sample ID	Matrix*	Date Collected	Time Collected	No. of Containers													Remarks/Field Data	NRC Sample # (Lab Use Only)			
(A) Main Office - Bottle Filler	DW	5/14/2025	5:15															01			
(A) Main Office - Drinking Fountain	DW	5/14/2025	5:15															02			
(A) Tornado Conference Room - Sink	DW	5/14/2025	5:19															03			
(A) Courtyard Behind Main Office - Drinking Fountain (Upper)	DW	5/14/2025	5:21															04			
(A) Courtyard Behind Main Office - Drinking Fountain (Lower)	DW	5/14/2025	5:21															05			
(A) West Men's Rest Room - Sink	DW	5/14/2025	5:25															06			
(A) West Women's Rest Room - Sink (Left)	DW	5/14/2025	5:37															07			
(A) West Women's Rest Room - Sink (Right)	DW	5/14/2025	5:37															08			
(A) Health Room Unisex Rest Room - Sink	DW	5/14/2025	5:38															09			
(A) South Men's Rest Room - Sink	DW	5/14/2025	5:42															10			
(A) South Women's Rest Room - Sink	DW	5/14/2025	5:43															11			
(A) East Men's Rest Room - Sink	DW	5/14/2025	5:51															12			
(A) East Women's Rest Room - Sink	DW	5/14/2025	5:50															13			
(A) Staff Break Room - Sink	DW	5/14/2025	5:46															14			
(A) Staff Break Room - Ice Maker	DW	5/14/2025	5:46															15			
(A) <u>Health Room Sink</u>	DW	5/14/25	5:38	1													<u>Bottle # 17544</u>	16			
FA - Lobby - Bottle Filler	DW	5/14/2025	5:54	1														17			
FA - Lobby - Drinking Fountain	DW	5/14/2025	5:54	1														18			
FA - Lobby - Men's Restroom - Sink (Left)	DW	5/14/2025	5:54	1														19			
FA - Lobby - Men's Restroom - Sink (Right)	DW	5/14/2025	5:56	1														20			
FA - Lobby - Women's Restroom - Sink (Left)	DW	5/14/2025	5:59	1														21			
FA - Lobby - Women's Restroom - Sink (Right)	DW	5/14/2025	5:59	1														22			

NRC# 25050652

[illegible]

[illegible]

	Date	Time
Relinquished By:		
Received By:		
Relinquished By:		
Received By:		
Relinquished By:		
Received By Laboratory:		

Temp:	21.1		
4°C +/- 2°C:	Yes	No	
Received on Ice:	Yes	No	
Number of Bottles Received:	1		
pH Checked:	7.1		
COC Seals Intact:	Yes	No	NA
Field Blank Included:	Yes	No	

Received Via	UPS	FedEX	Other	<u>Hand</u>
--------------	-----	-------	-------	-------------

Payment:	Invoice	Cash	VISA, M/C	Check #	Amount
----------	---------	------	-----------	---------	--------

Page 3 of 3

-
- A Total Alkalinity and Bicarbonate Alkalinity results are to a pH endpoint of 4.5. Carbonate Alkalinity result is to a pH endpoint of 8.3.
 - A-LL The total low level alkalinity results are to a pH endpoint of 4.3-4.7 pH units per SM 2320 B.
 - B Analyte detected in the associated method blank.
 - C Sample(s) does not meet NELAP/ORELAP sample acceptance criteria. See Case Narrative.
 - C1 Sample(s) does not meet NELAP/ORELAP sample acceptance criteria for temperature.
 - CF Results confirmed by re-analysis.
 - CU Cleanup performed as specified by method.
 - E Estimated value.
 - ER Elevated reporting limit due to matrix. Report limits (MDLs, MRLs & PQLs) are adjusted based on variations in sample preparation amounts, analytical dilutions, and percent solids, where applicable.
 - FC Fecal Coliforms: Sample(s) received past 40 CFR Part 136 specified holding time. Results reported as estimated values.
 - HP Sample re-analysis performed outside of method specified holding time.
 - HR Sample received outside of method specified holding time.
 - HS Sample analyzed for volatile organics contained headspace.
 - HT At the client's request, the sample was analyzed outside of method specified holding time.
 - H Analysis performed outside of method specified holding time.
 - J Analyte detected below the Minimum Reporting Limit (MRL) and above the Method Detection Limit (MDL). The J flag result is an estimated value and the user should be aware that this data is of limited reliability.
 - L Dissolved metals were not filtered within 15 minutes of collection per 40 CFR Part 136.
 - MI Surrogate, Duplicate Sample (DUP) or Matrix Spikes recoveries are out of control limits due to matrix interference. Sample results may be biased.
 - N See Case Narrative on page 2 of report.
 - Q Initial calibration verification (ICV), continuing calibration verification (CCV) or laboratory control sample (LCS), and/or matrix spikes exceeded high recovery limits, but associated samples are non-detect and the sample results are not affected. Data meets EPA/NELAP requirements.
 - R Relative percent difference (RPD) is outside of the accepted recovery limits.
 - R1 The numerical difference between the parent sample and the duplicate (DUP) is outside of the accepted recovery limits. Greater than 5 degrees for Flashpoint, or greater than 0.1 pH units for pH.
 - R3 The relative percent difference (RPD) and/or percent recovery for the duplicate (DUP) or matrix spike (MS)/matrix spike duplicate (MSD) cannot be accurately calculated due to the concentration of analyte already present in the sample.
 - R4 The Relative percent difference (RPD) is not within control limits because the concentration of the sample result is too low to represent proper statistical error.
 - R5 The difference between the BOD/CBOD results for the highest and lowest dilution used for the calculation is >30% because the results are too low to represent proper statistical error. The BOD/CBOD sample result is an average of all qualified bottles for each dilution series. The sample results are not affected.
 - R6 The difference between the BOD/CBOD results for the highest and lowest dilution used for the calculation is >30%. This may indicate a possible matrix interference. The BOD/CBOD sample result is an average of all qualified bottles for each dilution series.
 - S Surrogate and/or matrix spike recovery is outside of the accepted recovery limits. Sample results may be biased.
 - S1 Surrogate or matrix spike recovery is outside of control limits due to dilution necessary for analysis.
 - SC Sub-contracted to another laboratory for analysis.
 - SP Sample(s) were not collected per EPA Method 5035A protocols. The results are considered minimum values.
 - * Value exceeds Maximum Contaminant Level or is outside the acceptable range.<<>>
 - 1 Value exceeds one half of the Maximum Contaminant Level.