

Profile and Plan Essentials

LEA Name		AUN	
Pennridge SD		122098103	
Address 1			
1200 N 5th St			
Address 2			
City	State	Zip	
Perkasie	PA	18944	
Director of Special Education Name			
Mr. Ernest Johnson			
Director of Special Education Email			
ejohnson@pennridge.org			
Director of Special Education Phone Number		Director of Special Education Ext	
2154532785			
Chief Administrator Name			
Mr Angelo G Berrios III			
Chief Administrator Email			
aberrios@pennridge.org			

Special Education Students

Total Number of Students Receiving Special Education 1347

School District Total Student Enrollment 6293

Percent of Students Receiving Special Education 21.4

Steering Committee

Name	Position/Role	Building	Email
Mr. Ernest Johnson	Director of Special Education	Pennridge SD	ejohnson@pennridge.org
Mr. Angelo Berrios	Superintendent	Pennridge SD	aberrios@pennridge.org
Dr. Kathy Scheid	Other	Pennridge SD	kbrewster@pennridge.org
Mr. Bradley Palmer	Other	Pennridge SD	bpalmer@pennridge.org
Ms. Kelsey Davis	Special Education Teacher	Pennridge SD	keldavis@pennridge.org
Jennifer Brittain	General Education Teacher	Pennridge SD	jbrittain@pennridge.org
Mr. Chris Kaufman	Board Member	Pennridge SD	ckaufman@pennridge.org
Christina Lopez	Parent	Pennridge SD	clopez815@hotmail.com
Mrs. Deana McCann	Other	Pennridge SD	deamccann@pennridge.org
Mr. Scott Ware	Other	Pennridge SD	sware@pennridge.org

School District Areas of Improvement and Planning - Indicators

Suspension/Expulsion by Race/Ethnicity (Indicator 4B)

Indicator not flagged at this time.

Disproportionate Representation by Race/Ethnicity (Indicator 9)

Indicator not flagged at this time.

Disproportionate Representation by Race/Ethnicity/Disability (Indicator 10)

Indicator not flagged at this time.

Timely Initial Evaluations (Indicator 11)

Indicator not flagged at this time.

Secondary Transition (Indicator 13)

Indicator not flagged at this time.

Graduation (Indicator 1)

Indicator not flagged at this time.

Drop Out (Indicator 2)

Indicator not flagged at this time.

Assessment (Indicator 3)

Indicator not flagged at this time.

Education Environments (Indicator 5)

Indicator not flagged at this time.

Parent Involvement (Indicator 8)

Indicator not flagged at this time.

Early Childhood Transition (Indicator 12)

Indicator not flagged at this time.

Post-School Outcomes (Indicator 14)

Indicator not flagged at this time.

Resolution Sessions (Indicator 15)

Indicator not flagged at this time.

Mediation (Indicator 16)

Indicator not flagged at this time.

School District Areas of Improvement and Planning - Monitoring

District has completed all monitoring corrective action/improvement plans.

Identification Method

Identify the District's method for identifying students with specific learning disabilities

Discrepancy Model

Building Name	AUN	Branch Number	RTI	Approved RTI Use
---------------	-----	---------------	-----	------------------

Non-Resident Students Oversight

1. Is your district currently a host district for a 1306 facility?

Yes

24 P.S. §1306 facilities

Facility Name	Facility Type	Facility Type: Other	Services Provided By	Total Students in Facility
Ridgecrest	Residential Setting		District	9

1. Describe the host's educational oversight to ensure students with disabilities are educated in the least restrictive environment while in the 1306 facility? (If not a host, answer as if you were.)

The District provides oversight as per the BEC 24 P.S. 13-1306. The District works with the Bucks County Intermediate Unit and Ridgecrest to ensure FAPE is provided in the Least Restrictive Environment. Child Find-When a new student is enrolled at Ridgecrest, the facility contacts the IU and the school district. An IEP meeting is scheduled and the district and IU work together to ensure that a certified special education teachers provides FAPE for the identified student. Most students are able to attend one of the IU operated MDS classrooms that are provided within the Pennridge School District. If a student is unable to attend a classroom setting due to significant medical needs, then services are provided at the Ridgecrest facility. Most students require nursing services and Ridgecrest provides a nurse that accompanies the child to school.

2. Describe the district's procedures for communicating with 1306 facilities and how the district ensures a successful transition back to school?

If students leave Ridgecrest to return to their families, the District and or the Bucks County IU communicates with the district of residence to share the current information about the child's educational needs in order to facilitate a smooth transition back to their home district. When a new student enrolls at Ridgecrest, the facility notifies the district and the IU. PSD completes form PDE-4605. The student is immediately provided a FAPE within PSD in conjunction with support from the IU.

Incarcerated Students Oversight

1. **Does the district have an adult correctional facility that houses juveniles within its geographical boundaries?**

No

1. **Describe the system of oversight the District would implement to ensure that all incarcerated students who may be eligible for special education are located, identified, evaluated and when deemed eligible, are offered a free appropriate public education (FAPE).**

We do not have any adult correctional facilities within our geographical boundaries. If we would receive the PDE 4605 form from the educating district when one of our students is placed in a facility, we acknowledge that the student is a resident of Pennridge and ensure that the student receives any evaluation, services, and a FAPE by the educating district.

Least Restrictive Environment

1. Review the district's data for Least Restrictive Environment. Highlight areas of improvement.

According to the data provided for the 2021-2022 school year, 63% of Pennridge students with IEPs are served 80% or more of the time in the general education environment. This is 1.2% below the state average of 61.8%. 6.3% of Pennridge students with IEPs are served less than 40% of the time in the general education environment. This is 3.6% below the state average of 9.9%. 1.9% of Pennridge students with IEPs are served in other settings. This is 2.5% below the state average of 4.4%. Based on all of the data, Pennridge School District during the 2021-2022 school year has not only been below the state average but also met all three target areas. 91.8% of Pennridge students receive services within the general education environment 40-100% of the time versus the state average of 85.7%, this is 6.7% above the state goal. Pennridge continues to increase the number of students served within the general education environment. We continue to monitor students' progress and ensure that they are being instructed in the least restrictive environment to meet their social and academic needs.

2. What universal practices does the district utilize to address the academic and social/emotional needs of all students in need of accommodations to their learning environments?

The Pennridge School District utilizes a "child study" model to identify students who are at risk academically, socially, and emotionally. Child Study teams (guidance counselors, administrators, instructional support teachers, and input from general education teachers) meet weekly at every elementary and middle school building to review students demonstrating needs and tier one, two, and three supports are identified to support the individual needs of each student. If the tiered supports are not successful, the student is referred for a MDE. A student can be referred at any time in the process if it is determined that special education supports and services may be required. At the high school level, grade level, "house" meetings are held with administrators, guidance counselors, social workers, and the special education supervisor to discuss any student of concern and review any parent request for testing. Additionally we have an intensive K-12 Guidance (339) Plan that provides support to students. This plan also provides various tiers of support including district-wide supports such as the School-wide PBIS programs at Elementary, TAKES PRIDE District-wide monthly themes, Student Assistance Program (SAP), NOVA Encourage: Upstander Peer Education Program (Bullying Prevention), Anti-Bullying Lessons, Special Programs: LINK Crew, Lakeside Counselor at the High School, and the Safe to Say Reporting System.

3. Describe the academic programming and training efforts the LEA utilizes to ensure meaningful participation of students with disabilities in the general education curriculum.

The Pennridge School District employs a comprehensive approach to ensure meaningful participation of students with disabilities, including those in Autistic Support, Emotional Support, Learning Support, and Life Skills Support programs, in the general education curriculum. Academic programming is tailored to individual student needs through individualized education plans (IEPs) that outline specific goals, accommodations, and modifications. Additionally, the district provides ongoing training and professional development opportunities for educators and staff to enhance their understanding of inclusive practices and effective instructional strategies for students with diverse needs. In addition, the Pennridge School District actively promotes inclusion and participation in extracurricular activities such as Special Olympics and Unified Sports. These programs offer students with disabilities opportunities to engage in sports and recreational activities alongside their peers, fostering socialization, teamwork, and physical well-being. By integrating students with disabilities into various aspects of school life, Pennridge School District promotes a culture of inclusivity, respect, and support for all learners.

4. Describe the supplementary aids and services the LEA utilizes to ensure meaningful participation of students with disabilities in extracurricular activities.

Pennridge School District encourages the participation of students with IEPs in all extracurricular activities. Teachers provide information to coaches and facilitators of extracurricular activities in order to help students meet with success. They provide accommodations and modifications when necessary and as outlined in the student's IEP. We have provided PCA support for students when necessary. Pennridge also participates in Unified Sports through Special Olympics. At the high school we have Bocce and Track teams where our students participate together

(students with and without IEPs). A new course at the high school was also added, Unified PE, where general education and unified athletes participate in a gym class together. Pennridge High School has received designation as a Unified Sports Banner School. All 3 Middle Schools have also added Unified Bocce teams.

5. **Describe the District procedures, which ensure that, to the maximum extent appropriate, children with disabilities placed in private institutions are educated with non-disabled children and have the opportunity to participate in district lead extracurricular activities?**

We continuously monitor the IEPs of students that require an out-of-district placement. We have been successful at bringing students back into district programs and encouraging participation in extracurricular activities. We have worked with transportation to ensure that students who have an interest in extracurricular activities have the access they need to participate.

6. **Discuss the district's need to build capacity and expand programs and services in an effort to provide a continuum of services. (Consider the out of district placement chart)**

The Pennridge School District recognizes the importance of building capacity and expanding programs and services to provide a comprehensive continuum of services to its students. One critical aspect of this effort involves the rebuilding of the Autistic Support (AS) and Emotional Support (ES) programs. By revitalizing these programs, the district aims to create a supportive environment that meets the diverse needs of all learners. This includes implementing innovative teaching strategies, incorporating technology to enhance learning experiences, and fostering a culture of inclusivity and collaboration among students, educators, and parents. Additionally, the district is focused on enhancing professional development opportunities for teachers and staff to ensure they have the skills and resources necessary to effectively support students across all programs.

Out of District Placements

Facility Name	Facility Type	Other	Operated By	Service Type	Number of Students Placed
The Vanguard School	Approved Private School (APS)		The Vanguard School	Emotional Support	1
Centennial School	Approved Private School (APS)		Lehigh University	Emotional Support	4
Keystone Freedom Academy	Other		Keystone Freedom Academy	Emotional Support	9
Buxmont Academy	Licensed Private Academic		Buxmont Academy and Community Service Foundation	Emotional Support	3
Lifeworks Academy	Licensed Private Academic		Lifeworks	Autistic Support	4
Lakeside School	Other		Lakeside	Emotional Support	13
ATG	Other		ATG	Emotional Support	1
Bucks Learning Academy	Approved Private School (APS)		Bucks Learning Academy	Autistic Support	3
New Hope Academy	Other		New Hope Academy	Emotional Support	1

Positive Behavior Support

Date of Approval

2021-08-23

Uploaded Files

113.2 Behavior Support-Restraint.pdf

1. How does the district support the emotional, social needs of students with disabilities?

The Pennridge School District services students K-12 in the emotional support and autistic support programs by providing at least weekly direct instruction in social skills and/or executive functioning skills. Additionally, individual students who demonstrate a need for social skills and executive functioning, will also receive direct instruction in social skills and/or executive functioning skills. At the elementary level, guidance counselors offer “lunch bunch” sessions for students who struggle with peer interactions. Every elementary building is staffed with 1 guidance counselor to cover grades K-5. At the middle level, each building is staffed with 2 guidance counselors for grades 6-8. At the high school level, there are 2 guidance counselors per grade level, making 8 total in the building. In addition to the guidance counselors Pennridge contracts with Lakeside Counseling for additional student support.

2. Describe training provided to staff in the use of positive behavior supports, de-escalation techniques and responses to behavior that may require immediate intervention.

The district offers CPI training to staff to provide the skills in the area of de-escalation techniques and interventions that are appropriate at the earliest stages of behavior. Our 3 district Board Certified Behavioral Analysts are trained CPI trainers who provide professional development each year for our support staff and regional special education teachers. They also provide training for administrators at each building and various general education teachers who require it. Each building has its own CPI team to respond to a crisis as it occurs. PBS trainings are offered at various times throughout the summer and school year.

3. Describe the district positive school wide support programs.

All seven elementary school buildings implement a school-wide positive behavior support program. The School-wide positive behavior supports are individualized per school building with celebrations of good behaviors throughout the school year; both as an entire school, per class, and individually with students. All 3 of the middle schools implement a school-wide positive behavior support program. Similarly, each school implements school-wide awards and individual awards for students who demonstrate positive behaviors. Classrooms that support students with emotional support need to implement class-wide and student-specific positive behavior support plans. At the high school, positive behavior supports are individually implemented through student IEPs and positive behavior supports. Additionally, the high school promotes positive school-wide behaviors through its quarterly RAMS breakfast for both students and staff. Furthermore, the high school implements a “Caught Me at My Best” where students are caught doing positive behaviors and rewarded for being good school citizens.

4. Describe the district school-based behavior health services.

Pennridge School District utilizes Lakeside counseling services within student’s IEPs. Services are provided on a weekly, bi-weekly, or monthly basis, based on student needs. There are also opportunities for students to participate in group counseling sessions should that fit their IEP goals and needs. Pennridge School District has 2.5 crisis counselors available for all students K-12 who may be in need of support. The district offers K-12 SAP services to support students and their families. Pennridge has employed 3 Board Certified Behavior Analysts to support students through the FBA and PBSP process. The district BCBAs will provide support to classroom teachers (special education and general education) through observations, push-in supports, professional development, and school-wide presentations to staff.

5. Describe the district restraint procedure.

Staff is trained in de-escalation techniques. De-escalation techniques, individual student safety/crisis plans, and

individual student positive behavior support plans are followed as the first response to an incident. The district only uses a restraint when there is a situation where the student is a danger to themselves or others. If a restraint is required, it follows the CPI training guidelines for a restraint. Prone restraints are never used and the least intrusive restraint is always the first option. Parents are notified as soon as possible following the use of a restraint and the team debriefs with the family. An IEP meeting is held. Revisions are made to the IEP and PBSP if there is one. If needed an FBA is scheduled and a PBSP developed. We report all restraints to the Restraint Information System Collection (RISC). Supervisors monitor the use of restraints and any patterns that may develop in the use of restraints and then plan professional development as necessary for staff based on those findings.

Intensive Interagency

Please address any areas of concern with students who are placed on Instruction Conducted in the Home or who are at a substantial risk of waiting more than 30 days for an appropriate educational placement.

We do not have any areas of concern. The Pennridge School District has provided appropriate programming for all students. The District provides a wealth of support and services; however, when the need for additional support and services is indicated, the district utilizes a variety of outside resources. These resources include but are not limited to: PATTAN, BCIU, Grandview Hospital, Private Psychologists, Penn Foundation, Approved Private Schools, and other private and public agencies. The Pennridge School District is fortunate to house many of its own programs for low incident populations as well as for students with emotional and behavioral disorders. In the event that a student needs services from an outside agency, the district will hold a team meeting to develop an action plan to access the services needed. Interagency collaboration has been helpful in assisting families in accessing mental health and wraparound services, partial hospitalizations, and in several cases residential treatment facilities. If a student presents as a child that would fit the category as a hard-to-place or as a student at-risk, the District would interface with the interagency coordinator. The interagency coordinator functions as the liaison between the various agencies and the District. A local and regional team meeting would be requested that includes representatives of agencies supporting the student. The district has found the Interagency Team collaboration process to be highly effective.

Special Education Facilities

Building Name		Room #
Pennridge HS		A325
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
26 feet, 0 inches x 34 feet, 0 inches	884sqft	31
Implementation Date		
2022-05-31		
Uploaded Files		

1Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Seylar El Sch		20
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
36 feet, 0 inches x 26 feet, 0 inches	936sqft	33
Implementation Date		
2022-05-31		
Uploaded Files		

2Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school	Yes	

activities		
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Grasse El Sch		13
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
32 feet, 0 inches x 27 feet, 0 inches	864sqft	30
Implementation Date		
2022-05-31		
Uploaded Files		

3Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		Room #
Seylar El Sch		19
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
36 feet, 0 inches x 26 feet, 0 inches	936sqft	33
Implementation Date		
2022-05-31		

Uploaded Files

4Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
West Rockhill El Sch		202
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
33 feet, 0 inches x 25 feet, 0 inches	825sqft	29
Implementation Date		
2022-05-31		
Uploaded Files		

5Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Pennridge Central MS		203
School Building		Building Description

		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
37 feet, 0 inches x 32 feet, 0 inches	1184sqft	42
Implementation Date		
2022-05-31		
Uploaded Files		

6Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Pennridge HS		247
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
32 feet, 0 inches x 26 feet, 0 inches	832sqft	29
Implementation Date		
2022-05-31		
Uploaded Files		

7Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	

The location of the class has been maintained for at least 3 school years.	Yes	
--	-----	--

Building Name		Room #
Grasse El Sch		23
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
24 feet, 0 inches x 11 feet, 0 inches	264sqft	9
Implementation Date		
2022-05-31		
Uploaded Files		

8Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		Room #
Deibler El Sch		131
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
15 feet, 2 inches x 30 feet, 0 inches	455sqft	16
Implementation Date		
2022-05-31		
Uploaded Files		

9Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Grasse El Sch		3
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
34 feet, 0 inches x 28 feet, 0 inches	952sqft	34
Implementation Date		
2022-05-31		
Uploaded Files		

10Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		Room #
West Rockhill El Sch		203
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
33 feet, 0 inches x 23 feet, 0 inches	759sqft	27

Implementation Date
2022-05-31
Uploaded Files

11 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Pennridge Central MS		200
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
32 feet, 0 inches x 24 feet, 0 inches	768sqft	27
Implementation Date		
2022-05-31		
Uploaded Files		

12 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name	Room #
----------------------	---------------

Pennridge North MS		207
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
31 feet, 0 inches x 26 feet, 6 inches	821sqft	29
Implementation Date		
2022-05-31		
Uploaded Files		

13Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Pennridge Central MS		201
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
37 feet, 0 inches x 32 feet, 0 inches	1184sqft	42
Implementation Date		
2022-05-31		
Uploaded Files		

14Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	

The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Pennridge HS		368
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
23 feet, 0 inches x 32 feet, 0 inches	736sqft	26
Implementation Date		
2022-05-31		
Uploaded Files		

15Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Seylar El Sch		9
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
42 feet, 0 inches x 25 feet, 0 inches	1050sqft	37
Implementation Date		
2022-05-31		
Uploaded Files		

16Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Grasse El Sch		24
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
24 feet, 0 inches x 17 feet, 0 inches	408sqft	14
Implementation Date		
2022-05-31		
Uploaded Files		

17Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name	Room #
West Rockhill El Sch	126
School Building	Building Description
	A building in which general education programs are operated

Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
31 feet, 0 inches x 23 feet, 0 inches	713sqft	25
Implementation Date		
2022-05-31		
Uploaded Files		

18Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Pennridge North MS		216
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
26 feet, 10 inches x 28 feet, 0 inches	751sqft	26
Implementation Date		
2022-05-31		
Uploaded Files		

19Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Pennridge Central MS		202
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
37 feet, 0 inches x 22 feet, 0 inches	814sqft	29
Implementation Date		
2022-05-31		
Uploaded Files		

20Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Sellersville El Sch		15
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
31 feet, 0 inches x 30 feet, 0 inches	930sqft	33
Implementation Date		
2022-05-31		
Uploaded Files		

21Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Bedminster El Sch		5
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
31 feet, 0 inches x 21 feet, 0 inches	651sqft	23
Implementation Date		
2022-05-31		
Uploaded Files		

22Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Pennridge HS		352
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
24 feet, 0 inches x 35 feet, 0 inches	840sqft	30

Implementation Date
2022-05-31
Uploaded Files

23Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
West Rockhill El Sch		303
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
33 feet, 0 inches x 23 feet, 0 inches	759sqft	27
Implementation Date		
2022-05-31		
Uploaded Files		

24Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name	Room #
----------------------	---------------

Patricia A Guth El Sch		27
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
19 feet, 0 inches x 24 feet, 0 inches	456sqft	16
Implementation Date		
2022-05-31		
Uploaded Files		

25Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Deibler El Sch		114
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
32 feet, 2 inches x 31 feet, 4 inches	1007sqft	35
Implementation Date		
2022-05-31		
Uploaded Files		

26Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	

The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Pennridge HS		324
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
25 feet, 0 inches x 29 feet, 0 inches	725sqft	25
Implementation Date		
2022-05-31		
Uploaded Files		

27Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Pennridge North MS		218
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
27 feet, 0 inches x 35 feet, 0 inches	945sqft	33
Implementation Date		
2022-05-31		
Uploaded Files		

28Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Pennridge Central MS		100
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
32 feet, 0 inches x 29 feet, 0 inches	928sqft	33
Implementation Date		
2022-05-31		
Uploaded Files		

29Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name	Room #
Sellersville El Sch	7
School Building	Building Description
	A building in which general education programs are operated

Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
31 feet, 0 inches x 30 feet, 0 inches	930sqft	33
Implementation Date		
2022-05-31		
Uploaded Files		

30Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Seylar El Sch		11
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
42 feet, 0 inches x 25 feet, 0 inches	1050sqft	37
Implementation Date		
2022-05-31		
Uploaded Files		

31Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Bedminster El Sch		2
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
31 feet, 0 inches x 21 feet, 0 inches	651sqft	23
Implementation Date		
2022-05-31		
Uploaded Files		

32Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Deibler El Sch		118
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
28 feet, 8 inches x 25 feet, 2 inches	721sqft	25
Implementation Date		
2022-05-31		
Uploaded Files		

33Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Seylar El Sch		27
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
36 feet, 0 inches x 26 feet, 0 inches	936sqft	33
Implementation Date		
2022-05-31		
Uploaded Files		

34Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Pennridge South MS		109
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
38 feet, 6 inches x 27 feet, 0 inches	1039sqft	37

Implementation Date
2022-05-31
Uploaded Files

35 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Sellersville El Sch		17
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
31 feet, 0 inches x 30 feet, 0 inches	930sqft	33
Implementation Date		
2022-05-31		
Uploaded Files		

36 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name	Room #
----------------------	---------------

Pennridge HS		340
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
21 feet, 0 inches x 34 feet, 0 inches	714sqft	25
Implementation Date		
2022-05-31		
Uploaded Files		

37Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Bedminster El Sch		7
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
31 feet, 0 inches x 21 feet, 0 inches	651sqft	23
Implementation Date		
2022-05-31		
Uploaded Files		

38Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	

The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Grasse El Sch		14
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
30 feet, 0 inches x 26 feet, 0 inches	780sqft	27
Implementation Date		
2022-05-31		
Uploaded Files		

39Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		Room #
Pennridge HS		365
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
21 feet, 0 inches x 26 feet, 0 inches	546sqft	19
Implementation Date		
2022-05-31		
Uploaded Files		

40Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Pennridge North MS		119
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
39 feet, 0 inches x 35 feet, 0 inches	1365sqft	48
Implementation Date		
2022-05-31		
Uploaded Files		

41Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name	Room #
West Rockhill El Sch	125
School Building	Building Description
	A building in which general education programs are operated

Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
32 feet, 0 inches x 23 feet, 0 inches	736sqft	26
Implementation Date		
2022-05-31		
Uploaded Files		

42Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Pennridge HS		226
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
19 feet, 0 inches x 32 feet, 0 inches	608sqft	21
Implementation Date		
2022-05-31		
Uploaded Files		

43Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Seylar El Sch		2
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
41 feet, 0 inches x 25 feet, 0 inches	1025sqft	36
Implementation Date		
2022-05-31		
Uploaded Files		

44Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Patricia A Guth El Sch		20
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
29 feet, 0 inches x 30 feet, 0 inches	870sqft	31
Implementation Date		
2022-05-31		
Uploaded Files		

45Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Bedminster El Sch		19
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
31 feet, 0 inches x 31 feet, 0 inches	961sqft	34
Implementation Date		
2022-05-31		
Uploaded Files		

46Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
West Rockhill El Sch		201
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
33 feet, 0 inches x 25 feet, 0 inches	825sqft	29

Implementation Date
2022-05-31
Uploaded Files

47Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Pennridge North MS		210
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
31 feet, 6 inches x 26 feet, 6 inches	834sqft	29
Implementation Date		
2022-05-31		
Uploaded Files		

48Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name	Room #
----------------------	---------------

Pennridge HS		354
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
26 feet, 0 inches x 37 feet, 0 inches	962sqft	34
Implementation Date		
2024-05-07		
Uploaded Files		

49Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Pennridge HS		363
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
35 feet, 0 inches x 20 feet, 0 inches	700sqft	25
Implementation Date		
2024-05-07		
Uploaded Files		

50Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	

The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Pennridge HS		364
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
36 feet, 0 inches x 20 feet, 0 inches	720sqft	25
Implementation Date		
2024-05-07		
Uploaded Files		

51Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Pennridge HS		367
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
38 feet, 0 inches x 17 feet, 0 inches	646sqft	23
Implementation Date		
2024-05-07		
Uploaded Files		

52Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Pennridge HS		341
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
20 feet, 0 inches x 34 feet, 0 inches	680sqft	24
Implementation Date		
2024-05-07		
Uploaded Files		

53Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name	Room #
Pennridge Central MS	100.1
School Building	Building Description
	A building in which general education programs are operated

Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
18 feet, 0 inches x 36 feet, 0 inches	648sqft	23
Implementation Date		
2024-05-07		
Uploaded Files		

54Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		Room #
Pennridge Central MS		221
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
27 feet, 0 inches x 30 feet, 0 inches	810sqft	28
Implementation Date		
2024-05-07		
Uploaded Files		

55Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		Room #
Pennridge South MS		102
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
21 feet, 9 inches x 29 feet, 8 inches	645sqft	23
Implementation Date		
2024-05-07		
Uploaded Files		

56 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		Room #
Pennridge South MS		104
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
21 feet, 9 inches x 36 feet, 6 inches	793sqft	28
Implementation Date		
2024-05-07		
Uploaded Files		

57 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		Room #
Pennridge South MS		103
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
21 feet, 9 inches x 36 feet, 6 inches	793sqft	28
Implementation Date		
2024-05-07		
Uploaded Files		

58Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		Room #
Pennridge South MS		105
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
21 feet, 9 inches x 36 feet, 6 inches	793sqft	28

Implementation Date
2024-05-07
Uploaded Files

59 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		Room #
Pennridge South MS		106
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
21 feet, 9 inches x 30 feet, 3 inches	657sqft	23
Implementation Date		
2024-05-07		
Uploaded Files		

60 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name	Room #
----------------------	---------------

Deibler El Sch		132
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
15 feet, 0 inches x 30 feet, 0 inches	450sqft	16
Implementation Date		
2024-05-08		
Uploaded Files		

61Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		Room #
Deibler El Sch		102
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
23 feet, 0 inches x 38 feet, 0 inches	874sqft	31
Implementation Date		
2024-05-08		
Uploaded Files		

62Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	

The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		Room #
Grasse El Sch		21
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
27 feet, 0 inches x 22 feet, 0 inches	594sqft	21
Implementation Date		
2024-05-08		
Uploaded Files		

63Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		Room #
Grasse El Sch		3
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
33 feet, 0 inches x 26 feet, 0 inches	858sqft	30
Implementation Date		
2024-05-08		
Uploaded Files		

64 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		Room #
Sellersville El Sch		29
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
31 feet, 0 inches x 29 feet, 0 inches	899sqft	32
Implementation Date		
2024-05-08		
Uploaded Files		

65 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name	Room #
Sellersville El Sch	2
School Building	Building Description
	A building in which general education programs are operated

Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
34 feet, 0 inches x 28 feet, 0 inches	952sqft	34
Implementation Date		
2024-05-08		
Uploaded Files		

66Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		Room #
Sellersville El Sch		3
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
33 feet, 0 inches x 28 feet, 0 inches	924sqft	33
Implementation Date		
2024-05-08		
Uploaded Files		

67Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Special Education Support Services

68Special Education Support Services

Special Education Support Services	Numerical Value	Primary Location	Contractor or District
Director of Pupil Services	1	District Wide	District
Other	4	District Wide	District
School Psychologist	6	District Wide	District
Occupational Therapist	1	District Wide	District
Occupational Therapist	6	District Wide	Contractor
Physical Therapist	2	District Wide	Contractor
Behavior Specialist	3	District Wide	District
Paraprofessionals	160	District Wide	District
Other	1	District Wide	District
Other	10	District Wide	District

Special Education Personnel Development

Autism

Description of Training			
Autism Training for Special Education and General Education Staff			
Lead Person/Position		Year of Training	
Supervisors/Coach/BCBAs		2024	
		2025	
		2026	
		2027	
Hours Per Training	Number of Sessions	Provider	Audience
2-6	2 per year	District Intermediate Unit PaTTAN Other	Building Administrators Central Office Administrators General Education Teachers Parents Paraprofessionals Special Education Teachers

Positive Behavior Support

Description of Training			
PBS training for Special Education and General Education Staff			
Lead Person/Position		Year of Training	
Supervisors/Coach/BCBAs		2024	
		2025	
		2026	
		2027	
Hours Per Training	Number of Sessions	Provider	Audience
2-6	minimum of 2 per year	District Intermediate Unit PaTTAN Other	Building Administrators General Education Teachers Paraprofessionals Special Education Teachers

Paraprofessional

Description of Training	
Strategies to support students in the LRE	
Lead Person/Position	Year of Training
Supervisors/Coach/BCBAs/OT	2024
	2025
	2026
	2027

Hours Per Training	Number of Sessions	Provider	Audience
2-6	5 days per year	District Intermediate Unit PaTTAN Other	Paraprofessionals

Transition

Description of Training			
Indicator 13 Training			
Lead Person/Position		Year of Training	
Supervisors		2024 2025 2026 2027	
Hours Per Training	Number of Sessions	Provider	Audience
2-6	1 per year	District Intermediate Unit PaTTAN Other	Special Education Teachers

Science of Literacy

Description of Training			
Structured Literacy (Chapter 49)			
Lead Person/Position		Year of Training	
Supervisors		2024 2025	
Hours Per Training	Number of Sessions	Provider	Audience
4	1	Intermediate Unit	Building Administrators General Education Teachers Paraprofessionals Special Education Teachers

Parent Training

Description of Training
Transition Resources

Lead Person/Position		Year of Training	
Supervisors		2024 2025 2026 2027	
Hours Per Training	Number of Sessions	Provider	Audience
1-2	1	District Intermediate Unit PaTTAN Other	Parents

IEP Development

Description of Training			
IEP Training regarding CMCI feedback			
Lead Person/Position		Year of Training	
Supervisors		2024 2025 2026 2027	
Hours Per Training	Number of Sessions	Provider	Audience
2-6	minimum of 2 per year	District Intermediate Unit PaTTAN Other	Special Education Teachers

Signatures & Affirmations

Approval Date

Uploaded Files

- x There are a full range of services, programs and alternative placements available to the school district for placement and implementation of the special education programs in the school district.
- x The school district has adopted a child find system to locate, identify and evaluate young children and children who are thought to be a child with a disability eligible for special education residing within the school district's jurisdiction. Child find data is collected, maintained, and used in decision-making. Child find process and procedures are evaluated for its effectiveness. The school district implements mechanisms to disseminate child find information to the public, organizations, agencies, and individuals on at least an annual basis.
- x The school district has adopted policies and procedures that assure that students with disabilities are included in general education programs and extracurricular and non-academic programs and activities to the maximum extent appropriate in accordance with an Individualized Education Program.
- x The school district will comply with the PA Department of Education, Bureau of Special Education's revision notice process.
- x The school district follows the state and federal guidelines for participation of students with disabilities in state and district-wide assessments including the determination of participation, the need for accommodations, and the methods of assessing students for whom regular assessment is not appropriate.
- x The school district affirms the Pennsylvania Department of Education that funds received through participation in the medical assistance reimbursement program, ACCESS, will be used to enhance or expand the current level of services and programs provided to students with disabilities in this local education agency.

Superintendent/Chief Executive Officer

Date