





## Seizure Care Plan

This student is being treated for a seizure disorder. The information below should assist you if a seizure occurs during school hours.

Student Name:	DOB:	Grade:
Parent Name:	Phone Number:	
Emergency Contact:	Phone Number:	
Treating Physician:	Phone Number:	

### **Significant Medical History:**

#### **Seizure Information**

Seizure Type	Length	Frequency	Description

Seizure triggers or warning signs:

Student's response after a seizure:



# Peyton Manning Children's Hospital





#### **Medication Plan (Daily and Emergency Medications)**

Medication	Dosage/Frequency	Special Instructions	Common Side Effects	
Diastat: No: Yes: Administer Diastat Acudial (Diazepam rectal gel)mg rectally for seizure> minutes or for or more seizures in hours  Valtoco: No: Yes: Spray mg nasally via atomizer for seizure > minutes or for or more seizures in hours  Nayzilam(Midazolam): No: Yes: Spray mg nasally via atomizer for seizure > minutes or for or more seizures in hours  Does the student have a VNS(Vagus nerve stimulation implant)? No: Yes:  Is the student on a Keto diet? No: Yes:  Does the student wear a seizure identification bracelet/necklace? No: Yes:				
Basic First Aid/Emergency Response				
Does the student need to le	eave school after a seizure? Yes	: No: *may return to class once	e child returns to baseline	

#### **Basic Seizure First Aid**

- Stay calm and track time
- Keep child safe
- Do not restrain
- Do not put anything in mouth
- Stay with child until fully conscious
- Record seizure in log

#### For Tonic-Clonic seizure:

- Protect head
- Keep airway open/monitor breathing
- Turn child on side

# A seizure is generally considered an emergency when:

- Convulsive (Tonic-Clonic) seizure lasts longer than 5 minutes
- Student has repeated seizures without regaining consciousness
- Student is injured or has Diabetes
- Student has a first-time seizure
- Student has breathing difficulties
- Student has a seizure in water





**Ascension St. Vincent** 

•	A "seizure emergency'	' for this student	is defined	as:	
				•	

#### **Emergency Protocol**

- Administer emergency medication as indicated
- Call 911 for transport if:
  - Seizure does not stop within 3-5 minutes of giving rescue medication, if available
  - Child does not respond or start waking up after seizure
  - Child has difficult breathing after seizure, or any concern for child's safety during/after seizure
  - Child has sign of injury
- Notify parent or emergency contact

Physician Signature	Date
	, authorize the release and exchange of medical information re providers and St. Vincent. I understand that this is for continuity of care without any prior notification or additional authorization throughout my
Parent Name/Guardian Signature	Date