

North Plainfield Public Schools
63 Greenbrook Road
North Plainfield, New Jersey 07060

Kelvin White, Sr.
Director of Operations

908-769-6058
Fax: 908-226-0023

North Plainfield Public Schools – AHERA 2025-2026 Annual Notification

September 28, 2025

Dear Parent(s)/Guardian(s) and Staff of the North Plainfield School District:

Each year, the Environmental Protection Agency (EPA) requires notification to parents, teachers, and school employees of the response actions taken to safely maintain the asbestos containing materials (ACM) in our school. As you may know, "asbestos" is a generic term for six naturally occurring fibrous minerals, which have been widely used in construction and friction materials because of their excellent insulative and resilient qualities.

When ACM begins to deteriorate, it becomes friable, a condition in which individual asbestos fibers can be released into the air, be breathed in by people, and potentially increase the risks to human health. Although all epidemiological evidence suggests that only heavy, occupational exposures to asbestos fibers over long periods of time (20+ years) lead to health effects, the EPA and The North Plainfield School District is committed to eliminating asbestos fiber exposures within school buildings. To accomplish this, we've engaged the services of an environmental consulting firm.

New Wave Engineering, Inc., is a certified environmental consultant company, who. performed a six-month periodic surveillance inspection on February 12, 2025, as per AHERA regulations. The next inspection will take place within the next six months. The 3 year AHERA inspection took place on August 23, 2025. Copies of all semi-annual and 3 Year inspection reports are filed in the school's Asbestos Management Plan, located in the Main Office of each school and the central file of the school district, which you are welcome to review any time during normal business hours.

Sincerely,

Kelvin White

Director of Operations

**North Plainfield Public Schools
63 Greenbrook Road
North Plainfield, New Jersey 07060**

*Kelvin White, Sr.
Director of Operations*

908-769-6058
Fax: 908-226-0023

North Plainfield Public Schools – AHERA 2025-2026 Annual Notification

28 de septiembre de 2025

Estimados padres / tutores y personal del Distrito Escolar de North Plainfield:

Cada año, la Agencia de Protección Ambiental (EPA) requiere que se notifique a los padres, maestros y empleados de la escuela sobre las acciones de respuesta tomadas para mantener los materiales que contienen asbesto (ACM) en nuestra escuela. Como sabrá, "asbesto" es un término genérico para seis minerales fibrosos naturales, que se han utilizado ampliamente en materiales de construcción y fricción debido a sus excelentes cualidades aislantes y resilientes.

Cuando el ACM comienza a deteriorarse, se vuelve friable, una condición en la que las fibras individuales de asbesto pueden liberarse al aire, ser inhaladas por las personas y aumentar potencialmente los riesgos para la salud humana. Aunque toda la evidencia epidemiológica sugiere que solo las exposiciones ocupacionales intensas a las fibras de asbesto durante períodos prolongados (más de 20 años) provocan efectos en la salud, la EPA y el distrito escolar de North Plainfield se comprometen a eliminar las exposiciones a las fibras de asbesto dentro de los edificios escolares. Para lograr esto, hemos contratado los servicios de una empresa de consultoría ambiental.

New Wave Engineering, Inc., es una empresa consultora ambiental certificada, que realizó una inspección de vigilancia periódica semestral el 12 de febrero de 2025, de acuerdo con las regulaciones de AHERA. La próxima inspección se llevará a cabo dentro de los próximos seis meses. La inspección AHERA de 3 años tuvo lugar el 23 de Agosto de 2025. Se archivan copias de todos los informes de inspección semestrales en el Plan de Manejo de Asbesto de la escuela, ubicado en la Oficina Principal de cada escuela y en el archivo central del distrito escolar, que puede revisar en cualquier momento durante el horario laboral normal.

Atentamente,

Kelvin White

Director of Operations

