

October 14, 2025

Mr. Jeff Beardsley
Pittsford Central School District
100 Mendon Center Road
Pittsford, New York 14534

Re: Lead in Drinking Water Sampling – Pittsford Central School District | Pittsford, New York

Dear Mr. Beardsley,

On August 26, 2025, Paradigm Environmental Services, Inc. was contracted to conduct lead in drinking water sampling and analysis within the following schools:

- Sutherland High School
- Mendon High School
- Calkins Road Middle School
- Barker Road Middle School
- Thornell Road Elementary School
- Allen Creek Elementary School
- Park Road Elementary School.
- Jefferson Road Elementary School

The sampling was conducted in accordance with the NYS Department of Health Regulation, Lead Testing in School Drinking Water (10 NYCRR Subpart 67-4) and the United States Environmental Protection Agency's ("USEPA") guidance as per the 3Ts for Reducing Lead in Drinking Water in Schools.

The NYSDOH Regulation addresses lead in drinking water for Public School Districts and BOCES. The NYSDOH Regulation states that schools must take remedial measures when lead levels are shown to be above 5 parts per billion (ppb); this is the NYSDOH Action Level for lead in drinking water.

Water Sampling Protocols:

As per NYSDOH Regulation and the USEPA 3Ts Guidance Document, schools are required to collect 250 milliliters ("mL") first-draw samples from water fountains, bubblers, and other outlets used for consumption. First draw samples are defined as a sample of tap water, collected in accordance with the NYSDOH Regulation, that has been standing in plumbing pipes at least 8 hours and not more than 18 hours and is collected without prior flushing of the tap.

Laboratory Analysis:

The water samples were submitted to Accurate Analytical Testing Lab LLC ("AAT") for analyses and were analyzed by lead in drinking water EPA Method 200.5. AAT is an environmental laboratory certified by the NYSDOH Environmental Laboratory Approval Program (ELAP)- Lab ID# 11864.

Drinking Water Samples Results:

The samples results are detailed in the laboratory reports from ATT. Each table below identifies outlets at each school with lead above 5.0 ppb:

Sutherland High School:

A total of eight (8) drinking water samples were collected. Six (6) were found to be below the NYSDOH Action Level.

Lead in Drinking Water Results above NYSDOH Action Level				
Sample ID	Location	Results (ppm)	Results (ppb)	NYSDOH Action Level
1-HS-KS-05	D218 Kitchen Sink	0.0145	14.5	Above
1-HS-KS-08	F200 Drinking Fountain	0.0139	13.9	Above

Mendon High School:

A total of three (3) drinking water samples were collected. Two (2) were found to be below the NYSDOH Action Level.

Lead in Drinking Water Results above NYSDOH Action Level				
Sample ID	Location	Results (ppm)	Results (ppb)	NYSDOH Action Level
1-HS-NS-02	Nurse Suite Back Nurse Sink	0.1519	151.9	Above

Calkins Road Middle School:

A total of four (4) drinking water samples were collected, and none were found above the NYSDOH Action level.

Barker Road Middle School:

A total of fourteen (14) drinking water samples were collected. Thirteen (13) were found to be below the NYSDOH Action Level.

Lead in Drinking Water Results above NYSDOH Action Level				
Sample ID	Location	Results (ppm)	Results (ppb)	NYSDOH Action Level
1-MS-KS-14	408 Kitchen Sink	0.0077	7.7	Above

Thornell Road Elementary School:

A total of three (3) drinking water samples were collected, and none were found above the NYSDOH Action level.

Allen Creek Elementary School:

A total of two (2) drinking water samples were collected, and none were found above the NYSDOH Action level.

Park Road Elementary School:

A total of six (6) drinking water samples were collected. Two (2) were found to be below the NYSDOH Action Level

Lead in Drinking Water Results above NYSDOH Action Level				
Sample ID	Location	Results (ppm)	Results (ppb)	NYSDOH Action Level
1-ES-NS-01	Nurse Suite Nurse Sink	0.4716	471.6	Above
1-ES-CS-03	A1 Classroom Sink	0.0524	52.4	Above
1-ES-CS-04	A3 Classroom Sink	0.0112	11.2	Above
1-ES-KS-06	D6 Kitchen Sink	0.0113	11.3	Above

Jefferson Road Elementary School:

A total of three (3) drinking water samples were collected. Two (2) were found to be below the NYSDOH Action Level.

Lead in Drinking Water Results above NYSDOH Action Level				
Sample ID	Location	Results (ppm)	Results (ppb)	NYSDOH Action Level
1-ES-KS-03	123 Kitchen Sink by Oven	0.0074	7.4	Above

Please refer to the attached laboratory reports for specific analytical data and sample locations throughout the school. If you have any questions, please contact me at (585) 454-1060. We appreciate the opportunity to provide you with our professional services.

Sincerely,



Angela Liddell
Director of Field Operations



30105 Beverly Road
Romulus, MI 48174
Ph: 734-629-8161; Fax: 734-629-8431

Certificate of Analysis: Lead In Drinking Water by EPA Method 200.5

Client : Paradigm Enviromental Inc.
179 Lake Avenue
Rochester, NY 14608

Attn : Brad Arthur
Phone : 585-254-4126
Email : barthur@paradigmenv.com
Fax :

AAT Project : 1202167
Sampling Date : 09/02/2025
Date Received : 09/03/2025
Date Analyzed : 09/09/2025
Date Reported : 09/10/2025

Client Project : P25-2493

Collected By: GEOFFREY SIEBERT

WSSN : NP

Project Location : PITTSFORD SUTHERLAND H.S. PSHS

Sample ID	Client Code	Sample Description	Purpose	Collection Time	Results Lead mg/L (ppm)	Reporting Limit	Pb Threshold
10761114	1-HS-KS-01	A102 KIT SINK	NA	0510	<0.0020	0.0020	Below
10761115	1-HS-KS-02	KIT 2 BAY KIT SINK	NA	0511	0.0039	0.0020	Below
10761116	1-HS-KS-03	KIT SINK BY OVEN	NA	0512	0.0023	0.0020	Below
10761117	1-HS-CS-04	D218 CLASSRM SINK	NA	0513	<0.0020	0.0020	Below
10761118	1-HS-KS-05	D203 KIT SINK	NA	0514	0.0145	0.0020	Below
10761119	1-HS-DF-06	131 DRNKNG FNTN	NA	0515	<0.0020	0.0020	Below
10761120	1-HS-KS-07	CONSN STND KIT SINK	NA	0518	<0.0020	0.0020	Below
10761121	1-HS-KS-08	F200 DRNKNG FNTN	NA	0521	0.0139	0.0020	Below

Analyst Signature

Joseph Kenwabikise

ND = Not Detected, N/A = Not Available, NP = Not Provided, RL = Reporting Limit, The Analytical Reporting Limit for Pb is: 0.002 mg/L (ppm) and for Cu is 0.0025 mg/L (ppm). A '<' indicates the reported result is below AAT's reporting limit. For true values assume (2) significant figures. AAT internal SOP S230. The method and batch QC are acceptable unless otherwise stated. EPA Regulatory Limits: 0.015 mg/L for Pb and 1.3 mg/L for Cu ; MI Regulatory Limits: 0.012 µg/L for Pb and 1.3 µg/L for Cu. The laboratory operates in accord with NELAC guidelines and holds accreditation under the NY State DOH ELAP program. These results are submitted pursuant to AAT, LLC current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. Analytical results relate to the samples as received by the lab. AAT will not assume any liability or responsibility for the manner in which the results are used or interpreted. All Quality control requirements for the samples this report contains have been met. Sample data apply only to items analyzed. Reproduction of this document other than in its entirety is not authorized by AAT, LLC. Samples are stored for 15 days following report date.



NY State DOH ELAP - Lab ID # 11864, Michigan State Lab # 9996

Date Printed: 09/10/2025

AAT Project: 1202167



30105 Beverly Road
Romulus, MI 48174
Ph: 734-629-8161; Fax: 734-629-8431

To : Paradigm Environmental Inc.
179 Lake Avenue
Rochester, NY 14608

Attn : Brad Arthur

Email : barthur@paradigmenv.com

Phone : 585-254-4126

Project Location : PITTSFORD SUTHERLAND H.S. PSHS

AAT Project : 1202167

Client Project : P25-2493

Date Reported 09/10/2025

Sample	Client Code	Analysis Requested	Completed	Analyst
10761114	1-HS-KS-01	Pb/Cu in Drinking Water	09/09/2025	Joseph Kenwabikise
10761115	1-HS-KS-02	Pb/Cu in Drinking Water	09/09/2025	Joseph Kenwabikise
10761116	1-HS-KS-03	Pb/Cu in Drinking Water	09/09/2025	Joseph Kenwabikise
10761117	1-HS-CS-04	Pb/Cu in Drinking Water	09/09/2025	Joseph Kenwabikise
10761118	1-HS-KS-05	Pb/Cu in Drinking Water	09/09/2025	Joseph Kenwabikise
10761119	1-HS-DF-06	Pb/Cu in Drinking Water	09/09/2025	Joseph Kenwabikise
10761120	1-HS-KS-07	Pb/Cu in Drinking Water	09/09/2025	Joseph Kenwabikise
10761121	1-HS-KS-08	Pb/Cu in Drinking Water	09/09/2025	Joseph Kenwabikise

Reviewed By

Elyse Bidle
Quality Assurance Coordinator

This report is intended for use solely by the individual or entity to which it is addressed. It may contain information that is privileged, confidential and otherwise exempt by law from disclosure. If the reader of this information is not the intended recipient or an employee of its intended recipient, you are herewith notified that any dissemination, distribution or copying of this information is strictly prohibited. If you have received this information in error, please notify AAT immediately. Thank you.





30105 Beverly Road
Romulus, MI 48174
Ph: 734-629-8161; Fax: 734-629-8431

Certificate of Analysis: Lead In Drinking Water by EPA Method 200.5

Client : Paradigm Enviromental Inc.
179 Lake Avenue
Rochester, NY 14608

Attn : Brad Arthur **Email :** barthur@paradigmenv.com
Phone : 585-254-4126 **Fax :**

AAT Project : 1202172

Sampling Date : 09/02/2025

Date Received : 09/03/2025

Date Analyzed : 09/10/2025

Date Reported : 09/11/2025

Client Project : P25-2493

Collected By: GEOFFREY SIEBERT

WSSN : NP

Project Location : PITTSFORD MENDON H.S. PMHS

Sample ID	Client Code	Sample Description	Purpose	Collection Time	Results Lead mg/L (ppm)	Reporting Limit	Pb Threshold
10761132	1-HS-NS-01	NURSE SUITE NURSE SINK	NA	0458	0.0039	0.0020	Below
10761133	1-HS-NS-02	NURSE SUITE BACK NURSE SINK	NA	0459	0.1519	0.0020	Above
10761134	1-HS-CS-03	VP OFFICE CLASSRM SINK	NA	0500	<0.0020	0.0020	Below

Analyst Signature

Nathan Ditty

ND = Not Detected, N/A = Not Available, NP = Not Provided, RL = Reporting Limit, The Analytical Reporting Limit for Pb is: 0.002 mg/L (ppm) and for Cu is 0.0025 mg/L (ppm). A '<' indicates the reported result is below AAT's reporting limit. For true values assume (2) significant figures. AAT internal SOP S230. The method and batch QC are acceptable unless otherwise stated. EPA Regulatory Limits: 0.015 mg/L for Pb and 1.3 mg/L for Cu ; MI Regulatory Limits: 0.012 µg/L for Pb and 1.3 µg/L for Cu. The laboratory operates in accord with NELAC guidelines and holds accreditation under the NY State DOH ELAP program. These results are submitted pursuant to AAT, LLC current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. Analytical results relate to the samples as received by the lab. AAT will not assume any liability or responsibility for the manner in which the results are used or interpreted. All Quality control requirements for the samples this report contains have been met. Sample data apply only to items analyzed. Reproduction of this document other than in its entirety is not authorized by AAT, LLC. Samples are stored for 15 days following report date.



NY State DOH ELAP - Lab ID # 11864, Michigan State Lab # 9996

Date Printed: 09/11/2025

AAT Project: 1202172



30105 Beverly Road
Romulus, MI 48174
Ph: 734-629-8161; Fax: 734-629-8431

To : Paradigm Enviromental Inc.
179 Lake Avenue
Rochester, NY 14608

Attn : Brad Arthur

Email : barthur@paradigmenv.com

Phone : 585-254-4126

AAT Project : 1202172

Client Project : P25-2493

Date Reported : 09/11/2025

Project Location : PITTSFORD MENDON H.S. PMHS

Sample	Client Code	Analysis Requested	Completed	Analyst
10761132	1-HS-NS-01	Pb/Cu in Drinking Water	09/10/2025	Nathan Ditty
10761133	1-HS-NS-02	Pb/Cu in Drinking Water	09/10/2025	Nathan Ditty
10761134	1-HS-CS-03	Pb/Cu in Drinking Water	09/10/2025	Nathan Ditty

Reviewed By

Elyse Bidle
Quality Assurance Coordinator

This report is intended for use solely by the individual or entity to which it is addressed. It may contain information that is privileged, confidential and otherwise exempt by law from disclosure. If the reader of this information is not the intended recipient or an employee of its intended recipient, you are herewith notified that any dissemination, distribution or copying of this information is strictly prohibited. If you have received this information in error, please notify AAT immediately. Thank you.



Email: customersupport@accurate-test.biz

PERSON COLLECTING the SAMPLES: Geoffrey Siebert

REQUESTED ANALYSIS

Drinking Water

WSSN

☒ LEAD

COPPER

☐ BOTH

TURNAROUND TIME (please check one)

24 Hour () 48 Hour ()

72 Hour () 5 Days (✓)

If no TAT is indicated, default is 5 Days

CLIENT COMMENTS

SAMPLES SHIPPED

SAMPLES ACIDIFIED

NY STATE SAMPLES

'Check here)

SAMPLE CONDITION

Y

LABELED Y N

ACCEPTED MANUSCRIPT

INDIEN
Y
N

LAB REMARKS

**LAB PROJECT
NUMBER**

SAMPLES RECEIVED BY

SAMPLES RELINQUISHED BY

DATE _____

TIME

9.2.25

SEP 03 2025

By submitting samples to AAT the client agrees to AAT's terms and conditions.

AAT is not responsible for shipping delays

* Sample Type or Purpose -- Key: Routine Distribution (RD) Check Sample (CS) Raw Water (RW) Process Water (PW) Investigation Number (IN)

AAT



F041C-Drinking Water



30105 Beverly Road
Romulus, MI 48174
Ph: 734-629-8161; Fax: 734-629-8431

Certificate of Analysis: Lead In Drinking Water by EPA Method 200.5

Client : Paradigm Enviromental Inc.
179 Lake Avenue
Rochester, NY 14608

Attn : Brad Arthur **Email :** barthur@paradigmenv.com
Phone : 585-254-4126 **Fax :**

AAT Project : 1202171
Sampling Date : 09/02/2025
Date Received : 09/03/2025
Date Analyzed : 09/09/2025
Date Reported : 09/10/2025

Client Project : P25-2493

Collected By: GEOFFREY SIEBERT

WSSN : NP

Project Location : CALKINS ROAD M.S. CRMS

Sample ID	Client Code	Sample Description	Purpose	Collection Time	Results Lead mg/L (ppm)	Reporting Limit	Pb Threshold
10761128	1-MS-CS-01	E13 CLASSRM SINK	NA	0435	<0.0020	0.0020	Below
10761129	1-MS-CS-02	H14 CLASSRM SINK	NA	0436	0.0036	0.0020	Below
10761130	1-MS-CS-03	H24 CLASSRM SINK	NA	0437	0.0033	0.0020	Below
10761131	1-MS-CS-04	D10 CLASSRM SINK	NA	0438	0.0073	0.0020	Below

Analyst Signature

Joseph Kenwabikise

ND = Not Detected, N/A = Not Available, NP = Not Provided, RL = Reporting Limit, The Analytical Reporting Limit for Pb is: 0.002 mg/L (ppm) and for Cu is 0.0025 mg/L (ppm). A '<' indicates the reported result is below AAT's reporting limit. For true values assume (2) significant figures. AAT internal SOP S230. The method and batch QC are acceptable unless otherwise stated. EPA Regulatory Limits: 0.015 mg/L for Pb and 1.3 mg/L for Cu ; MI Regulatory Limits: 0.012 µg/L for Pb and 1.3 µg/L for Cu. The laboratory operates in accord with NELAC guidelines and holds accreditation under the NY State DOH ELAP program. These results are submitted pursuant to AAT, LLC current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. Analytical results relate to the samples as received by the lab. AAT will not assume any liability or responsibility for the manner in which the results are used or interpreted. All Quality control requirements for the samples this report contains have been met. Sample data apply only to items analyzed. Reproduction of this document other than in its entirety is not authorized by AAT, LLC. Samples are stored for 15 days following report date.



NY State DOH ELAP - Lab ID # 11864, Michigan State Lab # 9996

Date Printed: 09/10/2025

AAT Project: 1202171



30105 Beverly Road
Romulus, MI 48174
Ph: 734-629-8161; Fax: 734-629-8431

To : Paradigm Enviromental Inc.
179 Lake Avenue
Rochester, NY 14608

Attn : Brad Arthur

Email : barthur@paradigmenv.com

Phone : 585-254-4126

Project Location : CALKINS ROAD M.S. CRMS

AAT Project : 1202171

Client Project : P25-2493

Date Reported 09/10/2025

Sample	Client Code	Analysis Requested	Completed	Analyst
10761128	1-MS-CS-01	Pb/Cu in Drinking Water	09/09/2025	Joseph Kenwabikise
10761129	1-MS-CS-02	Pb/Cu in Drinking Water	09/09/2025	Joseph Kenwabikise
10761130	1-MS-CS-03	Pb/Cu in Drinking Water	09/09/2025	Joseph Kenwabikise
10761131	1-MS-CS-04	Pb/Cu in Drinking Water	09/09/2025	Joseph Kenwabikise

Reviewed By

Elyse Bidle
Quality Assurance Coordinator

This report is intended for use solely by the individual or entity to which it is addressed. It may contain information that is privileged, confidential and otherwise exempt by law from disclosure. If the reader of this information is not the intended recipient or an employee of its intended recipient, you are herewith notified that any dissemination, distribution or copying of this information is strictly prohibited. If you have received this information in error, please notify AAT immediately. Thank you.

NY State DOH ELAP -Lab ID #11864, Michigan State Lab # 9996

Date Printed: 09/10/2025 12:16PM

AAT Project: 1202171



SUBMITTING COMPANY
Paradigm Environmental, Inc.
179 Lake Ave.
Rochester NY 14608

CONTACT INFORMATION

Office: 585-454-1060

Fax:

Website: www.accurate-test.com

Email: customersupport@accurate-test.biz

Email: Galebert@paradiemenv.com

PROJECT NUMBER: P25-2493

SAMPLING DATE: 9/2/2025

PROJECT ADDRESS:

Callkins Road M.S. (CRMS)

PERSON COLLECTING the SAMPLES: Geoffrey Siebert

TURNAROUND TIME (please check one)

24 Hour () 48 Hour ()

72 Hour () 5 Days (☒)

If no TAT is indicated, default is 5 Days

If no TAT is indicated, default is 5 Days

[illegible]

By submitting samples to AAT, the client agrees to AAT's terms and conditions.
AAT is not responsible for shipping delays

* Sample Type or Purpose -- Key: Routine Distribution (RD) Check Sample (CS) Raw Water (RW) Process Water (PW) Investigation Number (IN)

AAT



113814



30105 Beverly Road
Romulus, MI 48174
Ph: 734-629-8161; Fax: 734-629-8431

Certificate of Analysis: Lead In Drinking Water by EPA Method 200.5

Client : Paradigm Enviromental Inc.
179 Lake Avenue
Rochester, NY 14608

Attn : Brad Arthur **Email :** barthur@paradigmenv.com
Phone : 585-254-4126 **Fax :**

AAT Project : 1202166
Sampling Date : 09/02/2025
Date Received : 09/03/2025
Date Analyzed : 09/10/2025
Date Reported : 09/10/2025

Client Project : P25-2493

Collected By: GEOFFREY SIEBERT

WSSN : NP

Project Location : BARKER ROAD M.S. BRMS

Sample ID	Client Code	Sample Description	Purpose	Collection Time	Results Lead mg/L (ppm)	Reporting Limit	Pb Threshold
10761100	1-MS-KS-01	MO 100A KIT SINK	NA	0530	<0.0020	0.0020	Below
10761101	1-MS-NS-02	106 NURSE SINK	NA	0531	<0.0020	0.0020	Below
10761102	1-MS-KS-03	110B KIT SINK	NA	0533	<0.0020	0.0020	Below
10761103	1-MS-KS-04	KIT SINK BY OVEN	NA	0534	<0.0020	0.0020	Below
10761104	1-MS-KS-05	KIT SINK BY CAFE	NA	0535	<0.0020	0.0020	Below
10761105	1-MS-CS-06	M13 CLASSRM SINK	NA	0536	0.0047	0.0020	Below
10761106	1-MS-CS-07	M13 CLASSRM SINK	NA	0536	0.0036	0.0020	Below
10761107	1-MS-CS-08	411 CLASSRM SINK	NA	0537	<0.0020	0.0020	Below
10761108	1-MS-CS-09	411 CLASSRM SINK	NA	0537	0.0025	0.0020	Below
10761109	1-MS-CS-10	411 CLASSRM SINK	NA	0538	<0.0020	0.0020	Below
10761110	1-MS-CS-11	411 CLASSRM SINK	NA	0538	<0.0020	0.0020	Below
10761111	1-MS-CS-12	411 CLASSRM SINK	NA	0539	0.0020	0.0020	Below
10761112	1-MS-CS-13	411 CLASSRM SINK	NA	0539	0.0020	0.0020	Below
10761113	1-MS-KS-14	408 KIT SINK	NA	0541	0.0077	0.0020	Below

ND = Not Detected, N/A = Not Available, NP = Not Provided, RL = Reporting Limit, The Analytical Reporting Limit for Pb is: 0.002 mg/L (ppm) and for Cu is 0.0025 mg/L (ppm). A '<' indicates the reported result is below AAT's reporting limit. For true values assume (2) significant figures. AAT internal SOP S230. The method and batch QC are acceptable unless otherwise stated. EPA Regulatory Limits: 0.015 mg/L for Pb and 1.3 mg/L for Cu ; MI Regulatory Limits: 0.012 µg/L for Pb and 1.3 µg/L for Cu. The laboratory operates in accord with NELAC guidelines and holds accreditation under the NY State DOH ELAP program. These results are submitted pursuant to AAT, LLC current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. Analytical results relate to the samples as received by the lab. AAT will not assume any liability or responsibility for the manner in which the results are used or interpreted. All Quality control requirements for the samples this report contains have been met. Sample data apply only to items analyzed. Reproduction of this document other than in its entirety is not authorized by AAT, LLC. Samples are stored for 15 days following report date.



NY State DOH ELAP - Lab ID # 11864, Michigan State Lab # 9996

Date Printed: 09/10/2025

AAT Project: 1202166

Sample ID	Client Code	Sample Description	Purpose	Collection Time	Results Lead mg/L (ppm)	Reporting Limit	Pb Threshold
-----------	-------------	--------------------	---------	-----------------	-------------------------	-----------------	--------------

Analyst Signature

Nathan Ditty

ND = Not Detected, N/A = Not Available, NP = Not Provided, RL = Reporting Limit, The Analytical Reporting Limit for Pb is: 0.002 mg/L (ppm) and for Cu is 0.0025 mg/L (ppm). A '<' indicates the reported result is below AAT's reporting limit. For true values assume (2) significant figures. AAT internal SOP S230. The method and batch QC are acceptable unless otherwise stated. EPA Regulatory Limits: 0.015 mg/L for Pb and 1.3 mg/L for Cu ; MI Regulatory Limits: 0.012 µg/L for Pb and 1.3 µg/L for Cu. The laboratory operates in accord with NELAC guidelines and holds accreditation under the NY State DOH ELAP program. These results are submitted pursuant to AAT, LLC current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. Analytical results relate to the samples as received by the lab. AAT will not assume any liability or responsibility for the manner in which the results are used or interpreted. All Quality control requirements for the samples this report contains have been met. Sample data apply only to items analyzed. Reproduction of this document other than in its entirety is not authorized by AAT, LLC. Samples are stored for 15 days following report date.



NY State DOH ELAP - Lab ID # 11864, Michigan State Lab # 9996

Date Printed: 09/10/2025

AAT Project: 1202166



30105 Beverly Road
Romulus, MI 48174
Ph: 734-629-8161; Fax: 734-629-8431

To : Paradigm Environmental Inc.
179 Lake Avenue
Rochester, NY 14608

Attn : Brad Arthur

Email : barthur@paradigmenv.com

Phone : 585-254-4126

AAT Project : 1202166

Client Project : P25-2493

Date Reported 09/10/2025

Project Location : BARKER ROAD M.S. BRMS

Sample	Client Code	Analysis Requested	Completed	Analyst
10761100	1-MS-KS-01	Pb/Cu in Drinking Water	09/10/2025	Nathan Ditty
10761101	1-MS-NS-02	Pb/Cu in Drinking Water	09/10/2025	Nathan Ditty
10761102	1-MS-KS-03	Pb/Cu in Drinking Water	09/10/2025	Nathan Ditty
10761103	1-MS-KS-04	Pb/Cu in Drinking Water	09/10/2025	Nathan Ditty
10761104	1-MS-KS-05	Pb/Cu in Drinking Water	09/10/2025	Nathan Ditty
10761105	1-MS-CS-06	Pb/Cu in Drinking Water	09/10/2025	Nathan Ditty
10761106	1-MS-CS-07	Pb/Cu in Drinking Water	09/10/2025	Nathan Ditty
10761107	1-MS-CS-08	Pb/Cu in Drinking Water	09/10/2025	Nathan Ditty
10761108	1-MS-CS-09	Pb/Cu in Drinking Water	09/10/2025	Nathan Ditty
10761109	1-MS-CS-10	Pb/Cu in Drinking Water	09/10/2025	Nathan Ditty
10761110	1-MS-CS-11	Pb/Cu in Drinking Water	09/10/2025	Nathan Ditty
10761111	1-MS-CS-12	Pb/Cu in Drinking Water	09/10/2025	Nathan Ditty
10761112	1-MS-CS-13	Pb/Cu in Drinking Water	09/10/2025	Nathan Ditty
10761113	1-MS-KS-14	Pb/Cu in Drinking Water	09/10/2025	Nathan Ditty

Reviewed By

Elyse Bidle
Quality Assurance Coordinator

This report is intended for use solely by the individual or entity to which it is addressed. It may contain information that is privileged, confidential and otherwise exempt by law from disclosure. If the reader of this information is not the intended recipient or an employee of its intended recipient, you are herewith notified that any dissemination, distribution or copying of this information is strictly prohibited. If you have received this information in error, please notify AAT immediately. Thank you.

NY State DOH ELAP -Lab ID #11864, Michigan State Lab # 9996

Date Printed: 09/10/2025 1:11PM

AAT Project: 1202166



30105 BEVERLY RD.
ROMULUS MI 48174
(734) 699-LABS (5227)
FAX: (734) 699-8407

Website: www.accurate-test.com

Email: customersupport@accurate-test.biz



SUBMITTING COMPANY
Paradigm Environmental, Inc.
179 Lake Ave.
Rochester NY 14608

CONTACT INFORMATION

Office: 585-454-1060
Fax:
Cell:
Email: GeoffreySiebert@paradigmenv.com

PROJECT NUMBER: P25-2493	SAMPLING DATE: 9/2/2025
PROJECT ADDRESS: Barker Road M.S. (BRMS)	
PERSON COLLECTING THE SAMPLES: Geoffrey Siebert	
REQUESTED ANALYSIS Drinking Water WSSN	
☒ LEAD ☐ COPPER ☐ BOTH	TURNAROUND TIME (please check one) 24 Hour () 48 Hour () 72 Hour () 5 Days (✓) If no TAT is indicated, default is 5 Days

LAB ID #	CLIENT SAMPLE ID	DESCRIPTION	SAMPLE TYPE or PURPOSE *	TIME	VOLUME	CLIENT COMMENTS
158410	1.MS-KS-01	MO 100A - Kitchen Sink		0530	250 ml	SAMPLES SHIPPED SAMPLES ACIDIFIED Y <u>(N)</u> NY STATE SAMPLES ☒ (Check here)
	1.MS-KS-02	106 - Nurse Sink		0531		
	1.MS-KS-03	110B - Kitchen Sink		0533		
	1.MS-KS-04	Kitchen - Sink by oven		0534		
	1.MS-KS-05	Kitchen - Sink by cafe		0535		
	1.MS-CS-06	M13 - classroom sink		0536		
	1.MS-CS-07	M13 - classroom sink		0536		
	1.MS-CS-08	411 - classroom sink		0537		
	1.MS-CS-09	- classroom sink		0537		
	1.MS-CS-10	- classroom sink		0538		
	1.MS-CS-11	- classroom sink		0538		
	1.MS-CS-12	- classroom sink		0539		
	1.MS-CS-13	- classroom sink		0539		
	1.MS-KS-14	40B - Kitchen Sink		0541		
LAB PROJECT NUMBER 1202166						
SAMPLES RELINQUISHED BY				DATE 9-2-25 AM 330 PM		
SAMPLES RECEIVED BY				DATE SEP 03 2025 AM 9		

By submitting samples to AAT, the client agrees to AAT's terms and conditions.
AAT is not responsible for shipping delays

* Sample Type or Purpose -- Key: Routine Distribution (RD) Check Sample (CS) Raw Water (RW) Process Water (PW) Investigation Number (IN)





30105 Beverly Road
Romulus, MI 48174
Ph: 734-629-8161; Fax: 734-629-8431

Certificate of Analysis: Lead In Drinking Water by EPA Method 200.5

Client : Paradigm Enviromental Inc.
179 Lake Avenue
Rochester, NY 14608

Attn : Brad Arthur **Email :** barthur@paradigmenv.com
Phone : 585-254-4126 **Fax :**

AAT Project : 1202174
Sampling Date : 09/02/2025
Date Received : 09/03/2025
Date Analyzed : 09/09/2025
Date Reported : 09/10/2025

Client Project : P25-2493

Collected By: GEOFFREY SIEBERT

WSSN : NP

Project Location : THORNELL ROAD E.S. TRES

Sample ID	Client Code	Sample Description	Purpose	Collection Time	Results Lead mg/L (ppm)	Reporting Limit	Pb Threshold
10761135	1-ES-KS-01	125 KIT SINK	NA	0401	<0.0020	0.0020	Below
10761136	1-ES-NS-02	129 NURSE SINK	NA	0402	<0.0020	0.0020	Below
10761137	1-ES-NS-03	129 NURSE SINK	NA	0403	<0.0020	0.0020	Below

Analyst Signature

Joseph Kenwabikise

ND = Not Detected, N/A = Not Available, NP = Not Provided, RL = Reporting Limit, The Analytical Reporting Limit for Pb is: 0.002 mg/L (ppm) and for Cu is 0.0025 mg/L (ppm). A '<' indicates the reported result is below AAT's reporting limit. For true values assume (2) significant figures. AAT internal SOP S230. The method and batch QC are acceptable unless otherwise stated. EPA Regulatory Limits: 0.015 mg/L for Pb and 1.3 mg/L for Cu ; MI Regulatory Limits: 0.012 µg/L for Pb and 1.3 µg/L for Cu. The laboratory operates in accord with NELAC guidelines and holds accreditation under the NY State DOH ELAP program. These results are submitted pursuant to AAT, LLC current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. Analytical results relate to the samples as received by the lab. AAT will not assume any liability or responsibility for the manner in which the results are used or interpreted. All Quality control requirements for the samples this report contains have been met. Sample data apply only to items analyzed. Reproduction of this document other than in its entirety is not authorized by AAT, LLC. Samples are stored for 15 days following report date.



NY State DOH ELAP - Lab ID # 11864, Michigan State Lab # 9996

Date Printed: 09/10/2025

AAT Project: 1202174



30105 Beverly Road
Romulus, MI 48174
Ph: 734-629-8161; Fax: 734-629-8431

To : Paradigm Enviromental Inc.
179 Lake Avenue
Rochester, NY 14608

Attn : Brad Arthur

Email : barthur@paradigmenv.com

Phone : 585-254-4126

Project Location : THORNELL ROAD E.S. TRES

AAT Project : 1202174

Client Project : P25-2493

Date Reported 09/10/2025

Sample	Client Code	Analysis Requested	Completed	Analyst
10761135	1-ES-KS-01	Pb/Cu in Drinking Water	09/09/2025	Joseph Kenwabikise
10761136	1-ES-NS-02	Pb/Cu in Drinking Water	09/09/2025	Joseph Kenwabikise
10761137	1-ES-NS-03	Pb/Cu in Drinking Water	09/09/2025	Joseph Kenwabikise

Reviewed By

Elyse Bidle
Quality Assurance Coordinator

This report is intended for use solely by the individual or entity to which it is addressed. It may contain information that is privileged, confidential and otherwise exempt by law from disclosure. If the reader of this information is not the intended recipient or an employee of its intended recipient, you are herewith notified that any dissemination, distribution or copying of this information is strictly prohibited. If you have received this information in error, please notify AAT immediately. Thank you.

NY State DOH ELAP -Lab ID #11864, Michigan State Lab # 9996

Date Printed: 09/10/2025 12:16PM

AAT Project: 1202174





30105 Beverly Road
Romulus, MI 48174
Ph: 734-629-8161; Fax: 734-629-8431

Certificate of Analysis: Lead In Drinking Water by EPA Method 200.5

Client : Paradigm Enviromental Inc.
179 Lake Avenue
Rochester, NY 14608

Attn : Brad Arthur **Email :** barthur@paradigmenv.com
Phone : 585-254-4126 **Fax :**

AAT Project : 1202177
Sampling Date : 09/02/2025
Date Received : 09/03/2025
Date Analyzed : 09/09/2025
Date Reported : 09/10/2025

Client Project : P25-2493

Collected By: GEOFFREY SIEBERT

WSSN : NP

Project Location : ALLEN CREEK E.S. ACES

Sample ID	Client Code	Sample Description	Purpose	Collection Time	Results Lead mg/L (ppm)	Reporting Limit	Pb Threshold
10761141	M-ES-CS-01	42 CLASSRM SINK	NA	0415	<0.0020	0.0020	Below
10761142	L-ES-KS-02	02 KIT SINK CNTR	NA	0416	0.0045	0.0020	Below

Analyst Signature

Joseph Kenwabikise

ND = Not Detected, N/A = Not Available, NP = Not Provided, RL = Reporting Limit, The Analytical Reporting Limit for Pb is: 0.002 mg/L (ppm) and for Cu is 0.0025 mg/L (ppm). A '<' indicates the reported result is below AAT's reporting limit. For true values assume (2) significant figures. AAT internal SOP S230. The method and batch QC are acceptable unless otherwise stated. EPA Regulatory Limits: 0.015 mg/L for Pb and 1.3 mg/L for Cu ; MI Regulatory Limits: 0.012 µg/L for Pb and 1.3 µg/L for Cu. The laboratory operates in accord with NELAC guidelines and holds accreditation under the NY State DOH ELAP program. These results are submitted pursuant to AAT, LLC current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. Analytical results relate to the samples as received by the lab. AAT will not assume any liability or responsibility for the manner in which the results are used or interpreted. All Quality control requirements for the samples this report contains have been met. Sample data apply only to items analyzed. Reproduction of this document other than in its entirety is not authorized by AAT, LLC. Samples are stored for 15 days following report date.



NY State DOH ELAP - Lab ID # 11864, Michigan State Lab # 9996

Date Printed: 09/10/2025

AAT Project: 1202177



30105 Beverly Road
Romulus, MI 48174
Ph: 734-629-8161; Fax: 734-629-8431

To : Paradigm Enviromental Inc.
179 Lake Avenue
Rochester, NY 14608

Attn : Brad Arthur

Email : barthur@paradigmenv.com

Phone : 585-254-4126

Project Location : ALLEN CREEK E.S. ACES

AAT Project : 1202177

Client Project : P25-2493

Date Reported 09/10/2025

Sample	Client Code	Analysis Requested	Completed	Analyst
10761141	M-ES-CS-01	Pb/Cu in Drinking Water	09/09/2025	Joseph Kenwabikise
10761142	L-ES-KS-02	Pb/Cu in Drinking Water	09/09/2025	Joseph Kenwabikise

Reviewed By

Elyse Bidle
Quality Assurance Coordinator

This report is intended for use solely by the individual or entity to which it is addressed. It may contain information that is privileged, confidential and otherwise exempt by law from disclosure. If the reader of this information is not the intended recipient or an employee of its intended recipient, you are herewith notified that any dissemination, distribution or copying of this information is strictly prohibited. If you have received this information in error, please notify AAT immediately. Thank you.

NY State DOH ELAP -Lab ID #11864, Michigan State Lab # 9996

Date Printed: 09/10/2025 4:13AM

AAT Project: 1202177



30105 BEVERLY RD.
ROMULUS MI 48174
(734) 699-LABS (5227)
FAX: (734) 699-8407

Website: www.accurate-test.com

Email: customersupport@accurate-test.biz



PROJECT NUMBER: P25-2493
PROJECT ADDRESS: Allen Creek E.S. (ACES)
PERSON COLLECTING THE SAMPLES: Geoffrey Siebert

SAMPLING DATE: 9/2/2025

CONTACT INFORMATION

SUBMITTING COMPANY
Paradigm Environmental, Inc.
179 Lake Ave.
Rochester NY 14608

Office: 585-454-1060

Fax:

Cell:

Email: Geoffrey@paradigmenv.com

TURNAROUND TIME (please check one)	
24 Hour () 48 Hour ()	72 Hour () 5 Days (✓)
If no TAT is indicated, default is 5 Days	

REQUESTED ANALYSIS	LEAD ☒ COPPER ☐ BOTH ☐
Drinking Water	
WSSN	

LAB ID #	CLIENT SAMPLE ID	DESCRIPTION
102011	M-ES-QS-01	42 - Classroom Sink
	L-ES-KS-02	02 - Kitchen Sink Center

LAB ID #	CLIENT SAMPLE ID	DESCRIPTION	SAMPLE TYPE or PURPOSE *	TIME	VOLUME	CLIENT COMMENTS	
						SAMPLES SHIPPED	SAMPLES ACIDIFIED
							Y
						NY STATE SAMPLES	✓
						(Check here)	

SAMPLE CONDITION	
SEALS INTACT	Y N
CONTAINERS LABELED	Y N
RECVD & ACCEPTED	Y N
SAMPLES ACIDIFIED	Y N
LAB REMARKS	

LAB PROJECT NUMBER	DATE	TIME
120217	9-2-25	AM
SAMPLES RECEIVED BY		SEP 03 2025
SAMPLES RELINQUISHED BY		

By submitting samples to AAT, the client agrees to AAT's terms and conditions.
AAT is not responsible for shipping delays

* Sample Type or Purpose -- Key: Routine Distribution (RD) Check Sample (CS) Raw Water (RW) Process Water (PW) Investigation Number (IN)





30105 Beverly Road
Romulus, MI 48174
Ph: 734-629-8161; Fax: 734-629-8431

Certificate of Analysis: Lead In Drinking Water by EPA Method 200.5

Client : Paradigm Enviromental Inc.
179 Lake Avenue
Rochester, NY 14608

Attn : Brad Arthur **Email :** barthur@paradigmenv.com
Phone : 585-254-4126 **Fax :**

AAT Project : 1202168
Sampling Date : 09/02/2025
Date Received : 09/03/2025
Date Analyzed : 09/09/2025
Date Reported : 09/10/2025

Client Project : P25-2493

Collected By: GEOFFREY SIEBERT

WSSN : NP

Project Location : PARK ROAD E.S. PRES

Sample ID	Client Code	Sample Description	Purpose	Collection Time	Results Lead mg/L (ppm)	Reporting Limit	Pb Threshold
10761122	1-ES-NS-01	NURSE SUITE NURSE SINK	NA	0445	0.4716	0.0020	Above
10761123	1-ES-KS-02	C118A KIT SINK	NA	0446	0.0038	0.0020	Below
10761124	1-ES-CS-03	A 1 CLASSRM SINK	NA	0446	0.0524	0.0020	Above
10761125	1-ES-CS-04	A 3 CLASSRM SINK	NA	0447	0.0112	0.0020	Below
10761126	1-ES-KS-05	KIT WEST SINK	NA	0449	0.0026	0.0020	Below
10761127	1-ES-KS-06	D6 KIT SINK	NA	0450	0.0113	0.0020	Below

Analyst Signature

Joseph Kenwabikise

ND = Not Detected, N/A = Not Available, NP = Not Provided, RL = Reporting Limit, The Analytical Reporting Limit for Pb is: 0.002 mg/L (ppm) and for Cu is 0.0025 mg/L (ppm). A '<' indicates the reported result is below AAT's reporting limit. For true values assume (2) significant figures. AAT internal SOP S230. The method and batch QC are acceptable unless otherwise stated. EPA Regulatory Limits: 0.015 mg/L for Pb and 1.3 mg/L for Cu ; MI Regulatory Limits: 0.012 µg/L for Pb and 1.3 µg/L for Cu. The laboratory operates in accord with NELAC guidelines and holds accreditation under the NY State DOH ELAP program. These results are submitted pursuant to AAT, LLC current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. Analytical results relate to the samples as received by the lab. AAT will not assume any liability or responsibility for the manner in which the results are used or interpreted. All Quality control requirements for the samples this report contains have been met. Sample data apply only to items analyzed. Reproduction of this document other than in its entirety is not authorized by AAT, LLC. Samples are stored for 15 days following report date.



NY State DOH ELAP - Lab ID # 11864, Michigan State Lab # 9996

Date Printed: 09/10/2025

AAT Project: 1202168



30105 Beverly Road
Romulus, MI 48174
Ph: 734-629-8161; Fax: 734-629-8431

To : Paradigm Environmental Inc.
179 Lake Avenue
Rochester, NY 14608

Attn : Brad Arthur

Email : barthur@paradigmenv.com

Phone : 585-254-4126

AAT Project : 1202168

Client Project : P25-2493

Date Reported 09/10/2025

Project Location : PARK ROAD E.S. PRES

Sample	Client Code	Analysis Requested	Completed	Analyst
10761122	1-ES-NS-01	Pb/Cu in Drinking Water	09/09/2025	Joseph Kenwabikise
10761123	1-ES-KS-02	Pb/Cu in Drinking Water	09/09/2025	Joseph Kenwabikise
10761124	1-ES-CS-03	Pb/Cu in Drinking Water	09/09/2025	Joseph Kenwabikise
10761125	1-ES-CS-04	Pb/Cu in Drinking Water	09/09/2025	Joseph Kenwabikise
10761126	1-ES-KS-05	Pb/Cu in Drinking Water	09/09/2025	Joseph Kenwabikise
10761127	1-ES-KS-06	Pb/Cu in Drinking Water	09/09/2025	Joseph Kenwabikise

Reviewed By

Elyse Bidle
Quality Assurance Coordinator

This report is intended for use solely by the individual or entity to which it is addressed. It may contain information that is privileged, confidential and otherwise exempt by law from disclosure. If the reader of this information is not the intended recipient or an employee of its intended recipient, you are herewith notified that any dissemination, distribution or copying of this information is strictly prohibited. If you have received this information in error, please notify AAT immediately. Thank you.

NY State DOH ELAP -Lab ID #11864, Michigan State Lab # 9996

Date Printed: 09/10/2025 12:16PM

AAT Project: 1202168



Email: customersupport@accurate-test.biz

PERSON COLLECTING the SAMPLES: Geoffroy Siebert

Park Zoed E.S. (PRES)

PERSON COLLECTING the SAMPLES: Geoffrey Siebert

Email: Geisbert@gradlenny.com

Gaibant@paradismanv.com

If no TAT is indicated, default is 5 Days

Drinking Water

☒ LEAD

COPPER

☐ BOTH

WSSN

[illegible]

By submitting samples to AAT, the client agrees to AAT's terms and conditions.
AAT is not responsible for shipping delays

* Sample Type or Purpose -- Key: Routine Distribution (RD) Check Sample (CS) Raw Water (RW) Process Water (PW) Investigation Number (IN)

AAT



113813



30105 Beverly Road
Romulus, MI 48174
Ph: 734-629-8161; Fax: 734-629-8431

Certificate of Analysis: Lead In Drinking Water by EPA Method 200.5

Client : Paradigm Enviromental Inc.
179 Lake Avenue
Rochester, NY 14608

Attn : Brad Arthur **Email :** barthur@paradigmenv.com
Phone : 585-254-4126 **Fax :**

AAT Project : 1202176
Sampling Date : 09/02/2025
Date Received : 09/03/2025
Date Analyzed : 09/10/2025
Date Reported : 09/10/2025

Client Project : P25-2493

Collected By: GEOFFREY SIEBERT

WSSN : NP

Project Location : JEFFERSON ROAD E.S. JRES

Sample ID	Client Code	Sample Description	Purpose	Collection Time	Results Lead mg/L (ppm)	Reporting Limit	Pb Threshold
10761138	1-ES-KS-01	123 KIT SINK	NA	0425	<0.0020	0.0020	Below
10761139	1-ES-KS-02	123 KIT SINK BY EXIT	NA	0426	0.0040	0.0020	Below
10761140	1-ES-KS-03	123 KIT SINK BY OVEN	NA	0427	0.0074	0.0020	Below

Analyst Signature

Nathan Ditty

ND = Not Detected, N/A = Not Available, NP = Not Provided, RL = Reporting Limit, The Analytical Reporting Limit for Pb is: 0.002 mg/L (ppm) and for Cu is 0.0025 mg/L (ppm). A '<' indicates the reported result is below AAT's reporting limit. For true values assume (2) significant figures. AAT internal SOP S230. The method and batch QC are acceptable unless otherwise stated. EPA Regulatory Limits: 0.015 mg/L for Pb and 1.3 mg/L for Cu ; MI Regulatory Limits: 0.012 µg/L for Pb and 1.3 µg/L for Cu. The laboratory operates in accord with NELAC guidelines and holds accreditation under the NY State DOH ELAP program. These results are submitted pursuant to AAT, LLC current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. Analytical results relate to the samples as received by the lab. AAT will not assume any liability or responsibility for the manner in which the results are used or interpreted. All Quality control requirements for the samples this report contains have been met. Sample data apply only to items analyzed. Reproduction of this document other than in its entirety is not authorized by AAT, LLC. Samples are stored for 15 days following report date.



NY State DOH ELAP - Lab ID # 11864, Michigan State Lab # 9996

Date Printed: 09/10/2025

AAT Project: 1202176



30105 Beverly Road
Romulus, MI 48174
Ph: 734-629-8161; Fax: 734-629-8431

To : Paradigm Enviromental Inc.
179 Lake Avenue
Rochester, NY 14608

Attn : Brad Arthur

Email : barthur@paradigmenv.com

Phone : 585-254-4126

Project Location : JEFFERSON ROAD E.S. JRES

AAT Project : 1202176

Client Project : P25-2493

Date Reported 09/10/2025

Sample	Client Code	Analysis Requested	Completed	Analyst
10761138	1-ES-KS-01	Pb/Cu in Drinking Water	09/10/2025	Nathan Ditty
10761139	1-ES-KS-02	Pb/Cu in Drinking Water	09/10/2025	Nathan Ditty
10761140	1-ES-KS-03	Pb/Cu in Drinking Water	09/10/2025	Nathan Ditty

Reviewed By

Elyse Bidle
Quality Assurance Coordinator

This report is intended for use solely by the individual or entity to which it is addressed. It may contain information that is privileged, confidential and otherwise exempt by law from disclosure. If the reader of this information is not the intended recipient or an employee of its intended recipient, you are herewith notified that any dissemination, distribution or copying of this information is strictly prohibited. If you have received this information in error, please notify AAT immediately. Thank you.



30105 BEVERLY RD.
ROMULUS MI 48174
(734) 699-LABS (5227)
FAX: (734) 699-8407

Website: www.accurate-test.com

Email: customersupport@accurate-test.biz



SUBMITTING COMPANY
Paradigm Environmental, Inc.
179 Lake Ave.
Rochester NY 14608

CONTACT INFORMATION

Office: 585-454-1060

Fax:

Cell:

Email: gsahbert@paradigmny.com

PROJECT NUMBER: P25-2493		SAMPLING DATE: 9/2/2025	
PROJECT ADDRESS: Jefferson Road E.S.		(JRES)	
PERSON COLLECTING THE SAMPLES: Geoffrey Siebert			
LAB ID #	CLIENT SAMPLE ID	DESCRIPTION	REQUESTED ANALYSIS
1020125	1-ES-KS-01	123. Kitchen Sink	Drinking Water
	1-ES-KS-02	123. Kitchen Sink by exit	
	1-ES-KS-03	123. Kitchen Sink by oven	
SAMPLES RELINQUISHED BY: [Signature]		WSSN	
SAMPLES RECEIVED BY: [Signature]		WSSN	
LAB PROJECT NUMBER		DATE	
120276		9-2-25	
TIME		AM PM	
330		AM	
LAB REMARKS		LAB REMARKS	
SEALS INTACT		Y N	
CONTAINERS LABELED		Y N	
RECVD & ACCEPTED		Y N	
SAMPLES ACIDIFIED		Y N	
LAB REMARKS		LAB REMARKS	
SAMPLES SHIPPED		SAMPLES SHIPPED	
SAMPLES ACIDIFIED		Y N	
NY STATE SAMPLES		V (Check here)	
TURNAROUND TIME (please check one)		24 Hour () 48 Hour () 72 Hour () 5 Days ()	
If no TAT is indicated, default is 5 Days			

By submitting samples to AAT, the client agrees to AAT's terms and conditions.
AAT is not responsible for shipping delays

* Sample Type or Purpose -- Key: Routine Distribution (RD) Check Sample (CS) Raw Water (RW) Process Water (PW) Investigation Number (IN)

