



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

July 22, 2025

John Harding
Eagle Point School District #9
PO Box 548
Eagle Point, OR 97524
TEL: (541) 830-1240
FAX (541) 830-6375

RE: Shady Cove School Lead-AMENDED

Order No.: 25060667

Dear John Harding:

Neilson Research Corporation received 64 sample(s) on 6/12/2025 for the analyses presented in the following report.

The results relate only to the parameters tested or to the sample as received by the laboratory. This report shall not be reproduced except in full, without the written approval of Neilson Research Corporation. If you have any questions regarding these test results, please feel free to call.

Sincerely,
Neilson Research Corporation

Tamra Schmedemann
Director of Project Management
245 S Grape St
Medford, OR 97501



Revision v1



**NEILSON
RESEARCH
CORPORATION**

*Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com*

Case Narrative

WO#: 25060667
Date: 7/22/2025

CLIENT: Eagle Point School District #9

Project: Shady Cove School Lead-AMENDED

The analyses were performed according to the guidelines in the Neilson Research Corporation Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory.

Neilson Research Corporation certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

The report has been amended to include the accreditation status, which was omitted from the original version due to a clerical error. Neilson Research Corporation is, and has been, accredited by ORELAP for the analysis of lead in drinking water.

Revision v1



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 25060667
 Date Reported: 7/22/2025

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 25060667
Received Date: 6/12/2025 12:35:00 PM
Reported Date: 7/22/2025 9:54:55 AM

Sample Information:

Lab ID: 25060667-01 Client Sample ID: 2043393-001CF-25A
 Collection Date: 6/12/2025 5:57:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-001CF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst: CJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.82		0.500	ppb	1	6/24/2025	15.0	A

Lab ID: 25060667-02 Client Sample ID: 2043393-002DW-25A
 Collection Date: 6/12/2025 5:57:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-002DW-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst: CJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	2.56		0.500	ppb	1	6/24/2025	15.0	A

Lab ID: 25060667-03 Client Sample ID: 2043393-003CF-25A
 Collection Date: 6/12/2025 6:00:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-003CF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst: CJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.74		0.500	ppb	1	6/24/2025	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Revision v1



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 25060667
 Date Reported: 7/22/2025

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 25060667
Received Date: 6/12/2025 12:35:00 PM
Reported Date: 7/22/2025 9:54:55 AM

Sample Information:

Lab ID: 25060667-04 Client Sample ID: 2043393-004DW-25A
 Collection Date: 6/12/2025 6:00:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-004DW-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst: CJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.78		0.500	ppb	1	6/24/2025	15.0	A

Lab ID: 25060667-05 Client Sample ID: 2043393-005NS-25A
 Collection Date: 6/12/2025 6:00:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-005NS-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst: CJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	2.62		0.500	ppb	1	6/24/2025	15.0	A

Lab ID: 25060667-06 Client Sample ID: 2043393-006CF-25A
 Collection Date: 6/12/2025 6:00:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-006CF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst: CJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.65		0.500	ppb	1	6/24/2025	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Revision v1



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 25060667
 Date Reported: 7/22/2025

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 25060667
Received Date: 6/12/2025 12:35:00 PM
Reported Date: 7/22/2025 9:54:55 AM

Sample Information:

Lab ID: 25060667-07 Client Sample ID: 2043393-007DW-25A
 Collection Date: 6/12/2025 6:00:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-007DW-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst:	CJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	1.32		0.500	ppb	1	6/24/2025	15.0	A	

Lab ID: 25060667-08 Client Sample ID: 2043393-008WB-25A
 Collection Date: 6/12/2025 7:50:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-008WB-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst:	CJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.500	ppb	1	6/24/2025	15.0	A	

Lab ID: 25060667-09 Client Sample ID: 2043393-009SF-25A
 Collection Date: 6/12/2025 6:10:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-009SF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst:	CJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	0.884		0.500	ppb	1	6/24/2025	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Revision v1



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 25060667
 Date Reported: 7/22/2025

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 25060667
Received Date: 6/12/2025 12:35:00 PM
Reported Date: 7/22/2025 9:54:55 AM

Sample Information:

Lab ID: 25060667-10 Client Sample ID: 2043393-010BF-25A
 Collection Date: 6/12/2025 6:00:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-010BF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst:	CJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.500	ppb	1	6/24/2025	15.0	A	

Lab ID: 25060667-11 Client Sample ID: 2043393-011BF-25A
 Collection Date: 6/12/2025 6:00:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-011BF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst:	CJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	0.509		0.500	ppb	1	6/24/2025	15.0	A	

Lab ID: 25060667-12 Client Sample ID: 2043393-012BF-25A
 Collection Date: 6/12/2025 6:00:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-012BF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst:	CJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	0.850		0.500	ppb	1	6/24/2025	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Revision v1



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 25060667
 Date Reported: 7/22/2025

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 25060667
Received Date: 6/12/2025 12:35:00 PM
Reported Date: 7/22/2025 9:54:55 AM

Sample Information:

Lab ID: 25060667-13 Client Sample ID: 2043393-014BF-25A
 Collection Date: 6/12/2025 6:00:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-014BF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst:	CJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	1.42		0.500	ppb	1	6/24/2025	15.0	A	

Lab ID: 25060667-14 Client Sample ID: 2043393-013BF-25A
 Collection Date: 6/12/2025 6:00:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-013BF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst:	CJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.500	ppb	1	6/24/2025	15.0	A	


Lab ID: 25060667-15 Client Sample ID: 2043393-015BF-25A
 Collection Date: 6/12/2025 6:00:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-015BF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst:	CJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.500	ppb	1	6/24/2025	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Revision v1



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 25060667
 Date Reported: 7/22/2025

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 25060667
Received Date: 6/12/2025 12:35:00 PM
Reported Date: 7/22/2025 9:54:55 AM

Sample Information:

Lab ID: 25060667-16 Client Sample ID: 2043393-016CF-25A
 Collection Date: 6/12/2025 6:00:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-016CF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst:	CJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	0.507		0.500	ppb	1	6/24/2025	15.0	A	

Lab ID: 25060667-17 Client Sample ID: 2043393-017CF-25A
 Collection Date: 6/12/2025 6:15:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-017CF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst:	CJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	2.07		0.500	ppb	1	6/24/2025	15.0	A	

Lab ID: 25060667-18 Client Sample ID: 2043393-018CF-25A
 Collection Date: 6/12/2025 6:15:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-018CF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst:	CJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	2.23		0.500	ppb	1	6/24/2025	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Revision v1



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 25060667
 Date Reported: 7/22/2025

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 25060667
Received Date: 6/12/2025 12:35:00 PM
Reported Date: 7/22/2025 9:54:55 AM

Sample Information:

Lab ID: 25060667-19 Client Sample ID: 2043393-019CF-25A
 Collection Date: 6/12/2025 6:15:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-019CF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst:	CJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	4.92		0.500	ppb	1	6/24/2025	15.0	A	

Lab ID: 25060667-20 Client Sample ID: 2043393-020CF-25A
 Collection Date: 6/12/2025 6:15:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-020CF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst:	CJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	4.36		0.500	ppb	1	6/24/2025	15.0	A	


Lab ID: 25060667-21 Client Sample ID: 2043393-021CF-25A
 Collection Date: 6/12/2025 6:20:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-021CF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst:	KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	1.88		0.515	ppb	1	6/25/2025	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Revision v1



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 25060667
 Date Reported: 7/22/2025

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 25060667
Received Date: 6/12/2025 12:35:00 PM
Reported Date: 7/22/2025 9:54:55 AM

Sample Information:

Lab ID: 25060667-22 Client Sample ID: 2043393-022DW-25A
 Collection Date: 6/12/2025 6:20:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-022DW-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst:	KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	1.38		0.515	ppb	1	6/25/2025	15.0	A	

Lab ID: 25060667-23 Client Sample ID: 2043393-023CF-25A
 Collection Date: 6/12/2025 6:30:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-023CF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst:	KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	1.95		0.515	ppb	1	6/25/2025	15.0	A	

Lab ID: 25060667-24 Client Sample ID: 2043393-024DW-25A
 Collection Date: 6/12/2025 6:30:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-024DW-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst:	KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	1.85		0.515	ppb	1	6/25/2025	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Revision v1



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 25060667
 Date Reported: 7/22/2025

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 25060667
Received Date: 6/12/2025 12:35:00 PM
Reported Date: 7/22/2025 9:54:55 AM

Sample Information:

Lab ID: 25060667-25 Client Sample ID: 2043393-025CF-25A
 Collection Date: 6/12/2025 6:30:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-025CF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst:	KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	6.49		0.515	ppb	1	6/25/2025	15.0	A	

Lab ID: 25060667-26 Client Sample ID: 2043393-026DW-25A
 Collection Date: 6/12/2025 6:30:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-026DW-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst:	KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	1.59		0.515	ppb	1	6/25/2025	15.0	A	


Lab ID: 25060667-27 Client Sample ID: 2043393-027CF-25A
 Collection Date: 6/12/2025 6:30:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-027CF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst:	KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	0.542		0.515	ppb	1	6/25/2025	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Revision v1



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 25060667
 Date Reported: 7/22/2025

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 25060667
Received Date: 6/12/2025 12:35:00 PM
Reported Date: 7/22/2025 9:54:55 AM

Sample Information:

Lab ID: 25060667-28 Client Sample ID: 2043393-028DW-25A
 Collection Date: 6/12/2025 6:30:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-028DW-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst: KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.958		0.515	ppb	1	6/25/2025	15.0	A

Lab ID: 25060667-29 Client Sample ID: 2043393-029BF-25A
 Collection Date: 6/12/2025 6:50:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-029BF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst: KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	6/25/2025	15.0	A

Lab ID: 25060667-30 Client Sample ID: 2043393-030BF-25A
 Collection Date: 6/12/2025 6:50:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-030BF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst: KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	6/25/2025	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Revision v1



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 25060667
 Date Reported: 7/22/2025

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 25060667
Received Date: 6/12/2025 12:35:00 PM
Reported Date: 7/22/2025 9:54:55 AM

Sample Information:

Lab ID: 25060667-31 Client Sample ID: 2043393-031BF-25A
 Collection Date: 6/12/2025 6:50:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-031BF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst: KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	6/25/2025	15.0	A

Lab ID: 25060667-32 Client Sample ID: 2043393-032BF-25A
 Collection Date: 6/12/2025 6:50:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-032BF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst: KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.553		0.515	ppb	1	6/25/2025	15.0	A

Lab ID: 25060667-33 Client Sample ID: 2043393-033WB-25A
 Collection Date: 6/12/2025 6:45:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-033WB-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst: KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	6/25/2025	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Revision v1



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 25060667
 Date Reported: 7/22/2025

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 25060667
Received Date: 6/12/2025 12:35:00 PM
Reported Date: 7/22/2025 9:54:55 AM

Sample Information:

Lab ID: 25060667-34 Client Sample ID: 2043393-034KF-25A
 Collection Date: 6/12/2025 6:45:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-034KF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst: KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	3.46		0.515	ppb	1	6/25/2025	15.0	A

Lab ID: 25060667-35 Client Sample ID: 2043393-035KF-25A
 Collection Date: 6/12/2025 6:45:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-035KF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst: KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.56		0.515	ppb	1	6/25/2025	15.0	A

Lab ID: 25060667-36 Client Sample ID: 2043393-036KF-25A
 Collection Date: 6/12/2025 6:45:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-036KF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst: KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	6/25/2025	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Revision v1



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 25060667
 Date Reported: 7/22/2025

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 25060667
Received Date: 6/12/2025 12:35:00 PM
Reported Date: 7/22/2025 9:54:55 AM

Sample Information:

Lab ID: 25060667-37 Client Sample ID: 2043393-037KF-25A
 Collection Date: 6/12/2025 6:45:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-037KF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst:	KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	0.570		0.515	ppb	1	6/25/2025	15.0	A	

Lab ID: 25060667-38 Client Sample ID: 2043393-038CF-25A
 Collection Date: 6/12/2025 7:00:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-038CF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst:	KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	1.97		0.515	ppb	1	6/25/2025	15.0	A	


Lab ID: 25060667-39 Client Sample ID: 2043393-039DW-25A
 Collection Date: 6/12/2025 7:00:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-039DW-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst:	KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	2.41		0.515	ppb	1	6/25/2025	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Revision v1



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 25060667
 Date Reported: 7/22/2025

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 25060667
Received Date: 6/12/2025 12:35:00 PM
Reported Date: 7/22/2025 9:54:55 AM

Sample Information:

Lab ID: 25060667-40 Client Sample ID: 2043393-040BF-25A
 Collection Date: 6/12/2025 7:00:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-040BF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst: KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.87		0.515	ppb	1	6/25/2025	15.0	A

Lab ID: 25060667-41 Client Sample ID: 2043393-041BF-25A
 Collection Date: 6/12/2025 7:00:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-041BF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst: KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	6/25/2025	15.0	A

Lab ID: 25060667-42 Client Sample ID: 2043393-042BF-25A
 Collection Date: 6/12/2025 7:00:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-042BF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst: KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	6/25/2025	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Revision v1



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 25060667
 Date Reported: 7/22/2025

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 25060667
Received Date: 6/12/2025 12:35:00 PM
Reported Date: 7/22/2025 9:54:55 AM

Sample Information:

Lab ID: 25060667-43 Client Sample ID: 2043393-043BF-25A
 Collection Date: 6/12/2025 7:00:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-043BF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst:	KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	6/25/2025	15.0	A	

Lab ID: 25060667-44 Client Sample ID: 2043393-044CF-25A
 Collection Date: 6/12/2025 6:35:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-044CF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst:	KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	12.0	1	0.515	ppb	1	6/25/2025	15.0	A	

Lab ID: 25060667-45 Client Sample ID: 2043393-045DW-25A
 Collection Date: 6/12/2025 6:35:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-045DW-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst:	KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	7.74	1	0.515	ppb	1	6/25/2025	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Revision v1



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 25060667
 Date Reported: 7/22/2025

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 25060667
Received Date: 6/12/2025 12:35:00 PM
Reported Date: 7/22/2025 9:54:55 AM

Sample Information:

Lab ID: 25060667-46 Client Sample ID: 2043393-046BF-25A
 Collection Date: 6/12/2025 6:35:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-046BF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst: KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	5.80		0.515	ppb	1	6/25/2025	15.0	A

Lab ID: 25060667-47 Client Sample ID: 2043393-047BF-25A
 Collection Date: 6/12/2025 6:35:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-047BF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst: KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	5.58		0.515	ppb	1	6/25/2025	15.0	A


Lab ID: 25060667-48 Client Sample ID: 2043393-048BF-25A
 Collection Date: 6/12/2025 6:35:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-048BF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst: KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	4.17		0.515	ppb	1	6/25/2025	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Revision v1



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 25060667
 Date Reported: 7/22/2025

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 25060667
Received Date: 6/12/2025 12:35:00 PM
Reported Date: 7/22/2025 9:54:55 AM

Sample Information:

Lab ID: 25060667-49 Client Sample ID: 2043393-049BF-25A
 Collection Date: 6/12/2025 6:35:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-049BF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst: KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	4.86		0.515	ppb	1	6/25/2025	15.0	A

Lab ID: 25060667-50 Client Sample ID: 2043393-050BF-25A
 Collection Date: 6/12/2025 7:10:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-050BF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst: KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.599		0.515	ppb	1	6/25/2025	15.0	A

Lab ID: 25060667-51 Client Sample ID: 2043393-051BF-25A
 Collection Date: 6/12/2025 7:10:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-051BF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst: KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	6/25/2025	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Revision v1



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 25060667
 Date Reported: 7/22/2025

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 25060667
Received Date: 6/12/2025 12:35:00 PM
Reported Date: 7/22/2025 9:54:55 AM

Sample Information:

Lab ID: 25060667-52 Client Sample ID: 2043393-052BF-25A
 Collection Date: 6/12/2025 7:10:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-052BF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst: KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	6/25/2025	15.0	A

Lab ID: 25060667-53 Client Sample ID: 2043393-053BF-25A
 Collection Date: 6/12/2025 7:10:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-053BF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst: KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.36		0.515	ppb	1	6/25/2025	15.0	A

Lab ID: 25060667-54 Client Sample ID: 2043393-054WB-25A
 Collection Date: 6/12/2025 7:10:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-054WB-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst: KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	6/25/2025	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Revision v1



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 25060667
 Date Reported: 7/22/2025

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 25060667
Received Date: 6/12/2025 12:35:00 PM
Reported Date: 7/22/2025 9:54:55 AM

Sample Information:

Lab ID: 25060667-55 Client Sample ID: 2043393-055DW-25A
 Collection Date: 6/12/2025 6:15:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-055DW-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst:	KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	3.67		0.515	ppb	1	6/26/2025	15.0	A	

Lab ID: 25060667-56 Client Sample ID: 2043393-056BF-25A
 Collection Date: 6/12/2025 7:10:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-056BF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst:	KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	6/26/2025	15.0	A	

Lab ID: 25060667-57 Client Sample ID: 2043393-057DW-25A
 Collection Date: 6/12/2025 7:10:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-057DW-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst:	KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	6/26/2025	15.0	A	

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Revision v1



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 25060667
 Date Reported: 7/22/2025

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 25060667
Received Date: 6/12/2025 12:35:00 PM
Reported Date: 7/22/2025 9:54:55 AM

Sample Information:

Lab ID: 25060667-58 Client Sample ID: 2043393-058CF-25A
 Collection Date: 6/12/2025 7:15:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-058CF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst: KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	6/26/2025	15.0	A

Lab ID: 25060667-59 Client Sample ID: 2043393-059DW-25A
 Collection Date: 6/12/2025 7:15:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-059DW-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst: KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	6/26/2025	15.0	A

Lab ID: 25060667-60 Client Sample ID: 2043393-060CF-25A
 Collection Date: 6/12/2025 7:15:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-060CF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst: KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.548		0.515	ppb	1	6/26/2025	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Revision v1



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 25060667
 Date Reported: 7/22/2025

Eagle Point School District #9
 PO Box 548
 Eagle Point, OR 97524

Lab Order: 25060667
Received Date: 6/12/2025 12:35:00 PM
Reported Date: 7/22/2025 9:54:55 AM

Sample Information:

Lab ID: 25060667-61 Client Sample ID: 2043393-061DW-25A
 Collection Date: 6/12/2025 7:15:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-061DW-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst: KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.551		0.515	ppb	1	6/26/2025	15.0	A

Lab ID: 25060667-62 Client Sample ID: 2043393-062CF-25A
 Collection Date: 6/12/2025 7:20:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-062CF-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst: KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.898		0.515	ppb	1	6/26/2025	15.0	A

Lab ID: 25060667-63 Client Sample ID: 2043393-063DW-25A
 Collection Date: 6/12/2025 7:20:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-063DW-25A

Trace Metals by EPA 200.8 ICP-MS								Analyst: KN
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.585		0.515	ppb	1	6/26/2025	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Revision v1



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Analytical Report

WO#: 25060667
 Date Reported: 7/22/2025

Eagle Point School District #9
 PO Box 548
 Eagle Point , OR 97524

Lab Order: 25060667
Received Date: 6/12/2025 12:35:00 PM
Reported Date: 7/22/2025 9:54:55 AM

Sample Information:

Lab ID: 25060667-64 Client Sample ID: 2043393-064BF-25A
 Collection Date: 6/12/2025 7:10:00 AM Collected By: Steve Lambert
 Matrix: Drinking Water Sample Location: 2043393-064BF-25A

Trace Metals by EPA 200.8 ICP-MS						Analyst: KN		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	6/26/2025	15.0	A

QUALIFIERS	* Value exceeds Maximum or Minimum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	DF Dilution Factor	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
	R RPD outside accepted recovery limits	RL Reporting Limit

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Revision v1



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

QC SUMMARY REPORT

WO#: 25060667
 22-Jul-25

Client: Eagle Point School District #9

Project: Shady Cove School Lead-AMENDED

TestCode: LEAD_SCHOOLS

Sample ID: 25060667-01AMSD	SampType: MSD	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/24/2025	RunNo: 60570						
Client ID: 2043393-001CF-25A	Batch ID: 31858	TestNo: E200.8	E200.8	Analysis Date: 6/24/2025	SeqNo: 993970						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	103	0.500	100	1.82	102	70	130	103	0.640	20	

Sample ID: MB-31858	SampType: MBLK	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/24/2025	RunNo: 60570						
Client ID: PBW	Batch ID: 31858	TestNo: E200.8	E200.8	Analysis Date: 6/24/2025	SeqNo: 994016						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	ND	0.500									

Sample ID: LCS-31858	SampType: LCS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/24/2025	RunNo: 60570						
Client ID: LCSW	Batch ID: 31858	TestNo: E200.8	E200.8	Analysis Date: 6/24/2025	SeqNo: 994017						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	106	0.500	100	0	106	85	115				

Sample ID: 25060667-01AMS	SampType: MS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/24/2025	RunNo: 60570						
Client ID: 2043393-001CF-25A	Batch ID: 31858	TestNo: E200.8	E200.8	Analysis Date: 6/24/2025	SeqNo: 994019						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	103	0.500	100	1.82	101	70	130				

Qualifiers: C1 Sample container temperature is out of limit as specified at testcode DF Dilution Factor H Holding times for preparation or analysis exceed
 MI Recovery outside control limits due to Matrix Interference ND Not Detected at the Reporting Limit RL Reporting Limit

Revision v1



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

QC SUMMARY REPORT

WO#: 25060667
 22-Jul-25

Client: Eagle Point School District #9

Project: Shady Cove School Lead-AMENDED

TestCode: LEAD_SCHOOLS

Sample ID: MB-31867	SampType: MBLK	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/24/2025	RunNo: 60610						
Client ID: PBW	Batch ID: 31867	TestNo: E200.8	E200.8	Analysis Date: 6/25/2025	SeqNo: 994915						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead ND 0.515

Sample ID: LCS-31867	SampType: LCS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/24/2025	RunNo: 60610						
Client ID: LCSW	Batch ID: 31867	TestNo: E200.8	E200.8	Analysis Date: 6/25/2025	SeqNo: 994916						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 102 0.520 100 0 102 85 115

Sample ID: 25060565-37AMS	SampType: MS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/24/2025	RunNo: 60610						
Client ID: BatchQC	Batch ID: 31867	TestNo: E200.8	E200.8	Analysis Date: 6/25/2025	SeqNo: 994918						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 113 0.520 100 13.2 99.6 70 130

Sample ID: 25060565-37AMSD	SampType: MSD	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/24/2025	RunNo: 60610						
Client ID: BatchQC	Batch ID: 31867	TestNo: E200.8	E200.8	Analysis Date: 6/25/2025	SeqNo: 994919						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 113 0.520 100 13.2 100 70 130 113 0.465 20

Qualifiers: CI Sample container temperature is out of limit as specified at testcode DF Dilution Factor H Holding times for preparation or analysis exceed
 MI Recovery outside control limits due to Matrix Interference ND Not Detected at the Reporting Limit RL Reporting Limit

Revision v1



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

QC SUMMARY REPORT

WO#: 25060667
 22-Jul-25

Client: Eagle Point School District #9

Project: Shady Cove School Lead-AMENDED

TestCode: LEAD_SCHOOLS

Sample ID: MB-31868	SampType: MBLK	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/24/2025	RunNo: 60610						
Client ID: PBW	Batch ID: 31868	TestNo: E200.8	E200.8	Analysis Date: 6/25/2025	SeqNo: 994943						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead ND 0.515

Sample ID: LCS-31868	SampType: LCS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/24/2025	RunNo: 60610						
Client ID: LCSW	Batch ID: 31868	TestNo: E200.8	E200.8	Analysis Date: 6/25/2025	SeqNo: 994944						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 98.4 0.520 100 0 98.4 85 115

Sample ID: 25060667-32AMS	SampType: MS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/24/2025	RunNo: 60610						
Client ID: 2043393-032BF-25A	Batch ID: 31868	TestNo: E200.8	E200.8	Analysis Date: 6/25/2025	SeqNo: 994946						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual


Lead 96.0 0.520 100 0.553 95.4 70 130

Sample ID: 25060667-32AMSD	SampType: MSD	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/24/2025	RunNo: 60610						
Client ID: 2043393-032BF-25A	Batch ID: 31868	TestNo: E200.8	E200.8	Analysis Date: 6/25/2025	SeqNo: 994957						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 94.7 0.520 100 0.553 94.1 70 130 96.0 1.37 20

Qualifiers: C1 Sample container temperature is out of limit as specified at testcode DF Dilution Factor H Holding times for preparation or analysis exceed
 MI Recovery outside control limits due to Matrix Interference ND Not Detected at the Reporting Limit RL Reporting Limit

Revision v1



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

QC SUMMARY REPORT

WO#: 25060667
 22-Jul-25

Client: Eagle Point School District #9

Project: Shady Cove School Lead-AMENDED

TestCode: LEAD_SCHOOLS

Sample ID: MB-31869	SampType: MBLK	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/24/2025	RunNo: 60610						
Client ID: PBW	Batch ID: 31869	TestNo: E200.8	E200.8	Analysis Date: 6/25/2025	SeqNo: 994981						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead ND 0.515

Sample ID: LCS-31869	SampType: LCS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/24/2025	RunNo: 60610						
Client ID: LCSW	Batch ID: 31869	TestNo: E200.8	E200.8	Analysis Date: 6/25/2025	SeqNo: 994982						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 96.8 0.520 100 0 96.8 85 115

Sample ID: 25060667-52AMS	SampType: MS	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/24/2025	RunNo: 60610						
Client ID: 2043393-052BF-25A	Batch ID: 31869	TestNo: E200.8	E200.8	Analysis Date: 6/25/2025	SeqNo: 994984						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 95.1 0.520 100 0.347 94.8 70 130

Sample ID: 25060667-52AMSD	SampType: MSD	TestCode: LEAD_SCHO	Units: ppb	Prep Date: 6/24/2025	RunNo: 60610						
Client ID: 2043393-052BF-25A	Batch ID: 31869	TestNo: E200.8	E200.8	Analysis Date: 6/25/2025	SeqNo: 994985						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 96.0 0.520 100 0.347 95.7 70 130 95.1 0.945 20

Qualifiers: C1 Sample container temperature is out of limit as specified at testcode DF Dilution Factor H Holding times for preparation or analysis exceed
 MI Recovery outside control limits due to Matrix Interference ND Not Detected at the Reporting Limit RL Reporting Limit

Revision v1



Neilson Research Corporation
 245 S Grape St
 Medford, OR 97501
 TEL: (541) 770-5678 FAX: (541) 770-2901
 Website: www.nrclabs.com

Sample Log-In Check List

Client Name: EAGLEPTSCHOOL

Work Order Number: 25060667

RcptNo: 1

Logged by: Danielle Garten	6/12/2025 12:35:00 PM	<i>Danielle Garten</i>
Completed By: Victoria Schleicher	6/16/2025 11:58:52 AM	<i>V Schleicher</i>
Reviewed By: Dorie Evans	6/30/2025 10:10:29 AM	<i>D. Evans</i>

Chain of Custody

1. Is Chain of Custody complete? Yes No Not Present
 2. How was the sample delivered? Client

Log In

3. Coolers are present? Yes No NA
 4. Shipping container/cooler in good condition? Yes No
 Custody seals intact on shipping container/cooler? Yes No Not Present NA
 No. Seal Date: Signed By:
 5. Was an attempt made to cool the samples? Yes No NA
 6. Were all samples received at a temperature of >0° C to 6.0°C Yes No NA
 7. Sample(s) in proper container(s)? Yes No
 8. Sufficient sample volume for indicated test(s)? Yes No
 9. Are samples (except VOA and ONG) properly preserved? Yes No
 10. Was preservative added to bottles? Yes No NA
 11. Is the headspace in the VOA vials less than 1/4 inch or 6 mm? Yes No No VOA Vials
 12. Were any sample containers received broken? Yes No
 13. Does paperwork match bottle labels? Yes No
 (Note discrepancies on chain of custody)
 14. Are matrices correctly identified on Chain of Custody? Yes No
 15. Is it clear what analyses were requested? Yes No
 16. Were all holding times able to be met? Yes No
 (If no, notify customer for authorization.)

Special Handling (if applicable)

17. Was client notified of all discrepancies with this order? Yes No NA

Person Notified:	<input type="text"/>	Date:	<input type="text"/>
By Whom:	<input type="text"/>	Via:	<input type="checkbox"/> eMail <input type="checkbox"/> Phone <input type="checkbox"/> Fax <input type="checkbox"/> In Person
Regarding:	<input type="text"/>		
Client Instructions:	<input type="text"/>		

18. Additional remarks:

Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
-----------	---------	-----------	-------------	---------	-----------	-----------

Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

Section A

Required Client Information

Company: Shady Cove School
 Address: 37 School House Ln Shady Cove, DR 97539
 Email: _____
 Phone: 830-6378 Fax: _____
 Collected By (Print): Steve Lambert
 Collected By (Sign): [Signature]
 Email Report Mail Report Fax Report

Section B

Required Project Information

Project Name: Shady Cove School
 Project Number: 2013393
 Report To: _____
 Copy To: _____

Section C

Invoice Information

Attention: John Harding
 Company Name: ICSD9
 Address: P.O. Box 548 Eagle Point, OR 97524
 P.O. # _____

Section D

Rush Status (Subject to Scheduling)

Standard: 10 Business Days
 Priority: 5 Business Days (List x 1.50)
 Express: 3 Business Days (List x 1.75)
 Rush: 2 Business Days (List x 2.00)
 Rush: 1 Business Day (List x 2.50)
 Rush: Same Day (List x 3.00)
 Authorized Yes No

Section E

Sample Information

Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers	Analysis Requested	NRC Workorder # (Lab Use Only)	Remarks / Field Data	NRC Sample # (Use Only)	(Lab)
2013393-001CF-25A	19517		6/12/25	5:57	1	lead				
-002DW-25A	19521		6/12/25	5:57	1	✓			01	
-003CF-25A	19516				1	✓			02	
-004DW-25A	19551			6:00	1	✓			03	
-005NS-25A	19513			6:00	1	✓			04	
-006CF-25A	19523			6:00	1	✓			05	
-007DW-25A	19555			6:00	1	✓			06	
-008WB-25A	19457			7:50	1	✓			07	
-009SF-25A	19519			6:10	1	✓			08	
-010BF-25A	19507			6:10	1	✓			09	
									10	

*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe OT - Other

Section F

Relinquish/Receive

Relinquished By:	Sign	Print	Date	Time
Relinquished By:	<u>[Signature]</u>	<u>Steve Lambert</u>	<u>6/12/25</u>	<u>12:35</u>
Received By:				
Relinquished By:				
Received By:				
Relinquished By:				
Received By Laboratory:	<u>Danille Garton</u>	<u>Danille Garton</u>	<u>6/12/25</u>	<u>12:35</u>

Section G

Lab Use Only

Temp: Amb IR Therm ID: _____
 ≤6°C: Yes No
 Received on Ice: Yes No
 Number of Bottles Received: _____
 pH Checked: _____
 COC Seals Intact: Yes No NA
 Field Blank Included: Yes No
 Received Via UPS FedEx Other Hand
 Payment: Invoice Cash VISA, M/C Check # _____ Amount _____

Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

Section A

Required Client Information

Company: Shady Cove School
 Address: 37 School House Ln Shady Cove, OR 97537
 Email: _____
 Phone: 830-6378 Fax: _____
 Collected By (Print): Steve Lambert
 Collected By (Sign): [Signature]
 Email Report Mail Report Fax Report

Section B

Required Project Information

Project Name: Shady Cove School
 Project Number: 20433913
 Report To: _____
 Copy To: _____

Section C

Invoice Information

Attention: John Harding
 Company Name: JCSDF
 Address: P.O. Box 548 Shady Cove, OR
 P.O. # Eagle Point, OR

Section D

Rush Status (Subject to Scheduling)

Standard: 10 Business Days
 Priority: 5 Business Days (List x 1.50)
 Express: 3 Business Days (List x 1.75)
 Rush: 2 Business Days (List x 2.00)
 Rush: 1 Business Day (List x 2.50)
 Rush: Same Day (List x 3.00)
 Authorized Yes No

Section E

Sample Information

Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers	Analysis Requested	Remarks / Field Data	NRC Sample # (Lab Use Only)	(Lab Use Only)
<u>20433913-031BF-25A</u>	<u>19459</u>		<u>6:25</u>	<u>6:50</u>	<u>1</u>	<u>Lead</u>		<u>25060667</u>	
<u>-032BF-25A</u>	<u>19458</u>			<u>6:50</u>	<u>1</u>	<input checked="" type="checkbox"/>		<u>31</u>	
<u>-033WB-25A</u>	<u>19477</u>			<u>6:45</u>	<u>1</u>	<input checked="" type="checkbox"/>		<u>32</u>	
<u>-034KF-25A</u>	<u>19484</u>			<u>6:45</u>	<u>1</u>	<input checked="" type="checkbox"/>		<u>33</u>	
<u>-035KF-25A</u>	<u>19500</u>			<u>6:45</u>	<u>1</u>	<input checked="" type="checkbox"/>		<u>34</u>	
<u>-036KF-25A</u>	<u>19496</u>			<u>6:45</u>	<u>1</u>	<input checked="" type="checkbox"/>		<u>35</u>	
<u>-037KF-25A</u>	<u>19561</u>			<u>6:45</u>	<u>1</u>	<input checked="" type="checkbox"/>		<u>36</u>	
<u>-038CF-25A</u>	<u>19463</u>			<u>7:00</u>	<u>1</u>	<input checked="" type="checkbox"/>		<u>37</u>	
<u>-039DW-25A</u>	<u>19471</u>			<u>7:00</u>	<u>1</u>	<input checked="" type="checkbox"/>		<u>38</u>	
<u>-040BF-25A</u>	<u>19466</u>			<u>7:00</u>	<u>1</u>	<input checked="" type="checkbox"/>		<u>39</u>	
								<u>40</u>	

*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge Q - Oil WP - Wipe OT - Other

Section F

Relinquish/Receive

Relinquished By: [Signature] Sign
 Received By: Steve Lambert Print
 Date: 6/12/25 Time: 12:35
 Relinquished By: _____
 Received By: _____
 Relinquished By: _____
 Received By Laboratory: Danielle Gartin 6/12/25 12:35

Section G

Lab Use Only

Temp: Amb IR Therm ID: _____
 ≤6°C: Yes No
 Received on Ice: Yes No
 Number of Bottles Received: _____
 pH Checked: _____
 COC Seals Intact: Yes No NA
 Field Blank Included: Yes No
 Received Via UPS FedEx Other Hand
 Payment: Invoice Cash VISA, M/C Check # _____ Amount _____

Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

Section A

Required Client Information

Company: Shady Cove School
 Address: 37 Schoolhouse Ln Shady Cove, OR 97539
 Email: _____
 Phone: 830-6378 Fax: _____
 Collected By (Print): Steve Lambert
 Collected By (Sign): [Signature]
 Email Report Mail Report Fax Report

Section B

Required Project Information

Project Name: Shady Cove School
 Project Number: 2043393
 Report To: _____
 Copy To: _____

Section C

Invoice Information

Attention: John Harding
 Company Name: JCSDFI
 Address: P.O. Box 548 Eagle Point, OR 97524
 P.O. # 77524

Section D

Rush Status (Subject to Scheduling)

Standard: 10 Business Days
 Priority: 5 Business Days (List x 1.50)
 Express: 3 Business Days (List x 1.75)
 Rush: 2 Business Days (List x 2.00)
 Rush: 1 Business Day (List x 2.50)
 Rush: Same Day (List x 3.00)
 Authorized Yes No

Section E

Sample Information

Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers	Analysis Requested	NRC Workorder # (Lab Use Only)	Remarks / Field Data	NRC Sample # (Use Only)	(Lab)
<u>2043393-041BF-25A</u>	<u>19428</u>		<u>6/12/25</u>	<u>7:00</u>	<u>1</u>	<u>lead</u>	<u>25060667</u>			
<u>-042BF-25A</u>	<u>19465</u>			<u>7:00</u>	<u>1</u>				<u>41</u>	
<u>-043BF-25A</u>	<u>19973</u>			<u>7:00</u>	<u>1</u>				<u>42</u>	
<u>-044CF-25A</u>	<u>19475</u>			<u>6:35</u>	<u>1</u>				<u>43</u>	
<u>-045DW-25A</u>	<u>19502</u>			<u>6:35</u>	<u>1</u>				<u>44</u>	
<u>-046BF-25A</u>	<u>19499</u>			<u>6:35</u>	<u>1</u>				<u>45</u>	
<u>-047BF-25A</u>	<u>19479</u>			<u>6:35</u>	<u>1</u>				<u>46</u>	
<u>-048BF-25A</u>	<u>19503</u>			<u>6:35</u>	<u>1</u>				<u>47</u>	
<u>-049BF-25A</u>	<u>19498</u>			<u>6:35</u>	<u>1</u>				<u>48</u>	
<u>-050BF-25A</u>	<u>19478</u>			<u>7:10</u>	<u>1</u>				<u>49</u>	
									<u>50</u>	

*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe OT - Other

Section F

Relinquish/Receive

Relinquished By: <u>[Signature]</u>	Print: <u>Steve Lambert</u>	Date: <u>6/12/25</u>	Time: <u>12:35</u>
Received By: _____			
Relinquished By: _____			
Received By: _____			
Relinquished By: _____			
Received By Laboratory: <u>Danielle Gatten</u>	<u>Danielle Gatten</u>	<u>6/12/25</u>	<u>12:35</u>

Section G

Lab Use Only

Temp: Amb IR Therm ID: _____
 ≤6°C: Yes No
 Received on Ice: Yes No
 Number of Bottles Received: _____
 pH Checked: _____
 COC Seals Intact: Yes No N/A
 Field Blank Included: Yes No
 Received Via UPS FedEx Other Hand
 Payment: Invoice Cash VISA, M/C Check # _____ Amount _____

Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

Section A

Required Client Information

Company: Shady Cove School
 Address: 37 School House Ln Shady Cove, OR 97539
 Email: _____
 Phone: 838-6318 Fax: _____
 Collected By (Print): Steve Lambert
 Collected By (Sign): [Signature]
 Email Report Mail Report Fax Report

Section B

Required Project Information

Project Name: Shady Cove School
 Project Number: 2043393
 Report To: _____
 Copy To: _____

Section C

Invoice Information

Attention: John Harding
 Company Name: J.C.D.I.
 Address: P.O. Box 548 Eagle Point, OR 97521
 P.O. #: _____

Section D

Rush Status (Subject to Scheduling)

Standard: 10 Business Days
 Priority: 5 Business Days (List x 1.50)
 Express: 3 Business Days (List x 1.75)
 Rush: 2 Business Days (List x 2.00)
 Rush: 1 Business Day (List x 2.50)
 Rush: Same Day (List x 3.00)
 Authorized Yes No

Section E

Sample Information

Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers	Analysis Requested	Remarks / Field Data	NRC Sample # (Lab Use Only)	(Lab Use Only)
<u>2043393-251BF-25A</u>	<u>19480</u>		<u>6/22/25</u>	<u>7:10</u>	<u>1</u>	<u>lead</u>		<u>25060667</u>	
<u>-052BF-25A</u>	<u>19462</u>			<u>7:10</u>	<u>1</u>	<u>✓</u>		<u>51</u>	
<u>-053BF-25A</u>	<u>19469</u>			<u>7:10</u>	<u>1</u>	<u>✓</u>		<u>52</u>	
<u>-054WB-25A</u>	<u>19474</u>			<u>7:10</u>	<u>1</u>	<u>✓</u>		<u>53</u>	
<u>-055DW-25A</u>	<u>19505</u>			<u>6:15</u>	<u>1</u>	<u>✓</u>		<u>54</u>	
<u>-056BF-25A</u>	<u>19487</u>			<u>7:10</u>	<u>1</u>	<u>✓</u>		<u>55</u>	
<u>-057DW-25A</u>	<u>19461</u>			<u>7:10</u>	<u>1</u>	<u>✓</u>		<u>56</u>	
<u>-058CF-25A</u>	<u>19464</u>			<u>7:15</u>	<u>1</u>	<u>✓</u>		<u>57</u>	
<u>-059DW-25A</u>	<u>19490</u>			<u>7:15</u>	<u>1</u>	<u>✓</u>		<u>58</u>	
<u>-060CF-25A</u>	<u>19467</u>			<u>7:15</u>	<u>1</u>	<u>✓</u>		<u>59</u>	
								<u>60</u>	

*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe OT - Other

Section F

Relinquish/Receive

Relinquished By:	Sign	Print	Date	Time
<u>[Signature]</u>	<u>[Signature]</u>	<u>Steve Lambert</u>	<u>6/22/25</u>	<u>12:35</u>
Received By:				
Relinquished By:				
Received By:				
Relinquished By:				
Received By Laboratory:	<u>Remitt</u>	<u>Aceto</u>	<u>6/12/25</u>	<u>12:35</u>

Section G

Lab Use Only

Temp: AMB IR Therm ID: _____
 ≤6°C: Yes No
 Received on Ice: Yes No
 Number of Bottles Received: -
 pH Checked: -
 COC Seals Intact: Yes No NA
 Field Blank Included: Yes No
 Received Via UPS FedEx Other Hand
 Payment: Invoice Cash VISA, M/C Check # _____ Amount _____

Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

Section A

Required Client Information

Company: Shady Cove School
 Address: 37 School house Ln Shady Cove OR 97539
 Email: _____
 Phone: 888-6378 Fax: _____
 Collected By (Print): Steve Lambert
 Collected By (Sign): [Signature]
 Email Report Mail Report Fax Report

Section B

Required Project Information

Project Name: Shady Cove School
 Project Number: 2043393
 Report To: _____
 Copy To: _____

Section C

Invoice Information

Attention: John Harding
 Company Name: JCSDF
 Address: P.O. Box 548 Eagle Point, OR 97524
 P.O. #: _____

Section D

Rush Status (Subject to Scheduling)

Standard: 10 Business Days
 Priority: 5 Business Days (List x 1.50)
 Express: 3 Business Days (List x 1.75)
 Rush: 2 Business Days (List x 2.00)
 Rush: 1 Business Day (List x 2.50)
 Rush: Same Day (List x 3.00)
 Authorized Yes No

Section E

Sample Information

Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers	Analysis Requested	NRC Workorder # (Lab Use Only)	Remarks / Field Data	NRC Sample # (Use Only)	(Lab)
<u>2043393-061DW-25A</u>	<u>19456</u>		<u>6/12/25</u>	<u>7:15</u>	<u>1</u>	<u>lead</u>	<u>25060667</u>		<u>61</u>	
<u>-062CF-25A</u>	<u>19472</u>		<u>6/12/25</u>	<u>7:20</u>	<u>1</u>				<u>62</u>	
<u>-063DW-25A</u>	<u>19470</u>		<u>7</u>	<u>7:20</u>	<u>1</u>				<u>63</u>	
<u>-064BF-25A</u>	<u>19565</u>		<u>7</u>	<u>7:10</u>	<u>1</u>				<u>64</u>	

*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe OT - Other

Section F

Relinquish/Receive

Relinquished By:	Sign	Print	Date	Time
<u>Steve Lambert</u>	<u>[Signature]</u>	<u>Steve Lambert</u>	<u>6/17/25</u>	<u>12:35</u>
Received By:				
Relinquished By:				
Received By:				
Relinquished By:				
Received By Laboratory:	<u>[Signature]</u>	<u>Danielle Gorton</u>	<u>6/17/25</u>	<u>12:35</u>

Section G

Lab Use Only

Temp: Amb IR Therm ID: _____
 ≤6°C: Yes No
 Received on Ice: Yes No
 Number of Bottles Received: _____
 pH Checked: _____
 COC Seals Intact: Yes No NA
 Field Blank Included: Yes No
 Received Via UPS FedEx Other Hand
 Payment: Invoice Cash VISA, M/C Check # _____ Amount _____