



December 02, 2025

Mikayla Higgins
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

RE: Project: Warwick Middle School
Pace Project No.: 70392583

Dear Mikayla Higgins:

Enclosed are the analytical results for sample(s) received by the laboratory on November 20, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Newburgh

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads 'Felicia Morgan-Nichols'.

Felicia Morgan-Nichols
felicia.morgan-nichols@pacelabs.com
(845)562-0890
Project Manager

Enclosures

cc: Ashley Kimiecik, Orange-Ulster BOCES
Juliana Lennon, Orange-Ulster BOCES
Halina Redner, Orange-Ulster BOCES



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: Warwick Middle School

Pace Project No.: 70392583

Pace Analytical Services, LLC- Newburgh, NY

315 Fullerton Avenue, Newburgh, NY 12550

New York Certification #: 10142 Primary Accrediting Body

New Jersey Certification #: NY015

Connecticut Certification #: PH-0823

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: Warwick Middle School
Pace Project No.: 70392583

Method: EPA 200.8, Rev. 5.4
Description: NB 200.8 ICPMS DW No Prep
Client: Orange-Ulster BOCES
Date: December 02, 2025

General Information:

47 samples were analyzed for EPA 200.8, Rev. 5.4 by Pace Analytical Services Newburgh. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Warwick Middle School

Pace Project No.: 70392583

Sample: Kitchen Single Sink		Lab ID: 70392583001		Collected: 11/20/25 05:06		Received: 11/20/25 12:31		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	ND	ug/L	1.0	1		12/01/25 17:50	7439-92-1		
Sample: Home Ec KS 1		Lab ID: 70392583002		Collected: 11/20/25 05:12		Received: 11/20/25 12:31		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	ND	ug/L	1.0	1		12/01/25 18:00	7439-92-1		
Sample: Home Ec KS 2		Lab ID: 70392583003		Collected: 11/20/25 05:12		Received: 11/20/25 12:31		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	ND	ug/L	1.0	1		12/01/25 18:03	7439-92-1		
Sample: Home Ec KS 3		Lab ID: 70392583004		Collected: 11/20/25 05:13		Received: 11/20/25 12:31		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	ND	ug/L	1.0	1		12/01/25 18:05	7439-92-1		
Sample: Home Ec KS 4		Lab ID: 70392583005		Collected: 11/20/25 05:13		Received: 11/20/25 12:31		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	ND	ug/L	1.0	1		12/01/25 18:13	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Warwick Middle School

Pace Project No.: 70392583

Sample: Home Ec KS 5		Lab ID: 70392583006	Collected: 11/20/25 05:14	Received: 11/20/25 12:31	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	ND	ug/L	1.0	1		12/01/25 18:16	7439-92-1	
------	----	------	-----	---	--	----------------	-----------	--

Sample: Home Ec KS 6		Lab ID: 70392583007	Collected: 11/20/25 05:15	Received: 11/20/25 12:31	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	ND	ug/L	1.0	1		12/01/25 18:19	7439-92-1	
------	----	------	-----	---	--	----------------	-----------	--

Sample: Delta Faculty Room KS		Lab ID: 70392583008	Collected: 11/20/25 05:46	Received: 11/20/25 12:31	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	ND	ug/L	1.0	1		12/01/25 18:21	7439-92-1	
------	----	------	-----	---	--	----------------	-----------	--

Sample: Delta Faculty BF CU		Lab ID: 70392583009	Collected: 11/20/25 05:48	Received: 11/20/25 12:31	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	ND	ug/L	1.0	1		12/01/25 18:24	7439-92-1	
------	----	------	-----	---	--	----------------	-----------	--

Sample: Alpha Nurse Main Sink		Lab ID: 70392583010	Collected: 11/20/25 05:51	Received: 11/20/25 12:31	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	ND	ug/L	1.0	1		12/01/25 18:27	7439-92-1	
------	----	------	-----	---	--	----------------	-----------	--

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Warwick Middle School

Pace Project No.: 70392583

Sample: Alpha Nurse Office Sink		Lab ID: 70392583011	Collected: 11/20/25 05:51		Received: 11/20/25 12:31		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	ND	ug/L	1.0	1		12/01/25 18:29	7439-92-1	
------	----	------	-----	---	--	----------------	-----------	--

Sample: Alpha Faculty Room KS		Lab ID: 70392583012	Collected: 11/20/25 05:30		Received: 11/20/25 12:31		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	ND	ug/L	1.0	1		12/01/25 18:34	7439-92-1	
------	----	------	-----	---	--	----------------	-----------	--

Sample: Alpha Faculty BF		Lab ID: 70392583013	Collected: 11/20/25 05:31		Received: 11/20/25 12:31		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	ND	ug/L	1.0	1		12/01/25 18:37	7439-92-1	
------	----	------	-----	---	--	----------------	-----------	--

Sample: Kitchen KS 3		Lab ID: 70392583014	Collected: 11/20/25 05:11		Received: 11/20/25 12:31		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	ND	ug/L	1.0	1		12/01/25 18:45	7439-92-1	
------	----	------	-----	---	--	----------------	-----------	--

Sample: Delta Teachers Break Room Ice		Lab ID: 70392583015	Collected: 11/20/25 05:48		Received: 11/20/25 12:31		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	ND	ug/L	1.0	1		12/01/25 18:48	7439-92-1	
------	----	------	-----	---	--	----------------	-----------	--

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Warwick Middle School

Pace Project No.: 70392583

Sample: Across Gamma 7 CU DF Left **Lab ID:** 70392583016 **Collected:** 11/20/25 05:40 **Received:** 11/20/25 12:31 **Matrix:** Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh								
Lead	ND	ug/L	1.0	1		12/01/25 18:50	7439-92-1	

Sample: Across Gamma 7 CU DF Right **Lab ID:** 70392583017 **Collected:** 11/20/25 05:39 **Received:** 11/20/25 12:31 **Matrix:** Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh								
Lead	ND	ug/L	1.0	1		12/01/25 18:53	7439-92-1	

Sample: Across Gamma 7 CU BF Left **Lab ID:** 70392583018 **Collected:** 11/20/25 05:40 **Received:** 11/20/25 12:31 **Matrix:** Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh								
Lead	ND	ug/L	1.0	1		12/01/25 18:55	7439-92-1	

Sample: District Office KS Left **Lab ID:** 70392583019 **Collected:** 11/20/25 05:59 **Received:** 11/20/25 12:31 **Matrix:** Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh								
Lead	ND	ug/L	1.0	1		12/01/25 18:58	7439-92-1	

Sample: District Office CU BF Right **Lab ID:** 70392583020 **Collected:** 11/20/25 05:57 **Received:** 11/20/25 12:31 **Matrix:** Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh								
Lead	ND	ug/L	1.0	1		12/01/25 19:01	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Warwick Middle School

Pace Project No.: 70392583

Sample: District Office CU DF Right		Lab ID: 70392583021	Collected: 11/20/25 05:58	Received: 11/20/25 12:31	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	ND	ug/L	1.0	1		12/01/25 19:09	7439-92-1	
------	----	------	-----	---	--	----------------	-----------	--

Sample: District Office CU DF Left		Lab ID: 70392583022	Collected: 11/20/25 05:58	Received: 11/20/25 12:31	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	ND	ug/L	1.0	1		12/01/25 19:24	7439-92-1	
------	----	------	-----	---	--	----------------	-----------	--

Sample: Gym Hall BF		Lab ID: 70392583023	Collected: 11/20/25 05:16	Received: 11/20/25 12:31	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	ND	ug/L	1.0	1		12/01/25 19:27	7439-92-1	
------	----	------	-----	---	--	----------------	-----------	--

Sample: Cafe Hall Locker Side CU BF		Lab ID: 70392583024	Collected: 11/20/25 05:22	Received: 11/20/25 12:31	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	ND	ug/L	1.0	1		12/01/25 19:30	7439-92-1	
------	----	------	-----	---	--	----------------	-----------	--

Sample: Cafe Hall Locker Side CU DF		Lab ID: 70392583025	Collected: 11/20/25 05:22	Received: 11/20/25 12:31	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	ND	ug/L	1.0	1		12/01/25 19:32	7439-92-1	
------	----	------	-----	---	--	----------------	-----------	--

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Warwick Middle School

Pace Project No.: 70392583

Sample: Cafe Hall Stage Side CU BF **Lab ID:** 70392583026 Collected: 11/20/25 05:22 Received: 11/20/25 12:31 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep								
Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh								
Lead	ND	ug/L	1.0	1		12/01/25 19:35	7439-92-1	

Sample: Cafe Hall Stage Side CU DF **Lab ID:** 70392583027 Collected: 11/20/25 05:25 Received: 11/20/25 12:31 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep								
Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh								
Lead	ND	ug/L	1.0	1		12/01/25 19:38	7439-92-1	

Sample: Kitchen Single Sink Sprayer **Lab ID:** 70392583028 Collected: 11/20/25 05:09 Received: 11/20/25 12:31 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep								
Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh								
Lead	ND	ug/L	1.0	1		12/01/25 19:40	7439-92-1	

Sample: Gym Girls Alcove CU BF **Lab ID:** 70392583029 Collected: 11/20/25 05:20 Received: 11/20/25 12:31 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep								
Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh								
Lead	ND	ug/L	1.0	1		12/01/25 19:48	7439-92-1	

Sample: Gym Girls Alcove CU DF **Lab ID:** 70392583030 Collected: 11/20/25 05:20 Received: 11/20/25 12:31 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep								
Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh								
Lead	ND	ug/L	1.0	1		12/01/25 19:51	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Warwick Middle School

Pace Project No.: 70392583

Sample: Gym Boys Alcove CU BF		Lab ID: 70392583031	Collected: 11/20/25 05:18	Received: 11/20/25 12:31	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	ND	ug/L	1.0	1		12/01/25 19:53	7439-92-1	
------	----	------	-----	---	--	----------------	-----------	--

Sample: Gym Boys Alcove CU DF		Lab ID: 70392583032	Collected: 11/20/25 05:18	Received: 11/20/25 12:31	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	ND	ug/L	1.0	1		12/01/25 19:59	7439-92-1	
------	----	------	-----	---	--	----------------	-----------	--

Sample: Band Room CS		Lab ID: 70392583033	Collected: 11/20/25 05:24	Received: 11/20/25 12:31	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	1.9	ug/L	1.0	1		12/01/25 20:01	7439-92-1	
------	-----	------	-----	---	--	----------------	-----------	--

Sample: Across A3 DF Left		Lab ID: 70392583034	Collected: 11/20/25 05:35	Received: 11/20/25 12:31	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	ND	ug/L	1.0	1		12/01/25 20:04	7439-92-1	
------	----	------	-----	---	--	----------------	-----------	--

Sample: Across A3 DF Right		Lab ID: 70392583035	Collected: 11/20/25 05:34	Received: 11/20/25 12:31	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	ND	ug/L	1.0	1		12/01/25 20:06	7439-92-1	
------	----	------	-----	---	--	----------------	-----------	--

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Warwick Middle School

Pace Project No.: 70392583

Sample: Across A3 BF		Lab ID: 70392583036	Collected: 11/20/25 05:34	Received: 11/20/25 12:31	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	ND	ug/L	1.0	1		12/01/25 20:09	7439-92-1	
------	----	------	-----	---	--	----------------	-----------	--

Sample: CU DF Next to Stem		Lab ID: 70392583037	Collected: 11/20/25 05:49	Received: 11/20/25 12:31	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	ND	ug/L	1.0	1		12/01/25 20:12	7439-92-1	
------	----	------	-----	---	--	----------------	-----------	--

Sample: BF Across Delta 3		Lab ID: 70392583038	Collected: 11/20/25 05:43	Received: 11/20/25 12:31	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	ND	ug/L	1.0	1		12/01/25 20:20	7439-92-1	
------	----	------	-----	---	--	----------------	-----------	--

Sample: CU DF O/S Science 2		Lab ID: 70392583039	Collected: 11/20/25 05:38	Received: 11/20/25 12:31	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	ND	ug/L	1.0	1		12/01/25 20:22	7439-92-1	
------	----	------	-----	---	--	----------------	-----------	--

Sample: CU BF O/S Science 2		Lab ID: 70392583040	Collected: 11/20/25 05:37	Received: 11/20/25 12:31	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	ND	ug/L	1.0	1		12/01/25 20:25	7439-92-1	
------	----	------	-----	---	--	----------------	-----------	--

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Warwick Middle School

Pace Project No.: 70392583

Sample: Main Office KS		Lab ID: 70392583041		Collected: 11/20/25 05:28		Received: 11/20/25 12:31		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	ND	ug/L	1.0	1		12/01/25 20:33	7439-92-1		
Sample: CU DF Next to Book/Electrical		Lab ID: 70392583042		Collected: 11/20/25 05:42		Received: 11/20/25 12:31		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	ND	ug/L	1.0	1		12/01/25 20:43	7439-92-1		
Sample: CU BF Next to Book/Electrical		Lab ID: 70392583043		Collected: 11/20/25 05:42		Received: 11/20/25 12:31		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	ND	ug/L	1.0	1		12/01/25 20:51	7439-92-1		
Sample: Delta Faculty DF CU		Lab ID: 70392583044		Collected: 11/20/25 05:46		Received: 11/20/25 12:31		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	ND	ug/L	1.0	1		12/01/25 20:54	7439-92-1		
Sample: UA Tech 2 L CS		Lab ID: 70392583045		Collected: 11/20/25 05:27		Received: 11/20/25 12:31		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	ND	ug/L	1.0	1		12/01/25 20:56	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Warwick Middle School

Pace Project No.: 70392583

Sample: Alpha Faculty DF CU		Lab ID: 70392583046		Collected: 11/20/25 05:31		Received: 11/20/25 12:31		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	ND	ug/L	1.0	1		12/01/25 20:59	7439-92-1		

Sample: District Office KS right		Lab ID: 70392583047		Collected: 11/20/25 06:00		Received: 11/20/25 12:31		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	ND	ug/L	1.0	1		12/01/25 21:02	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Warwick Middle School
Pace Project No.: 70392583

QC Batch: 430287 Analysis Method: EPA 200.8, Rev. 5.4
QC Batch Method: EPA 200.8, Rev. 5.4 Analysis Description: NB 200.8 ICPMS DW No Prep
Laboratory: Pace Analytical Services - Newburgh
Associated Lab Samples: 70392583001, 70392583002, 70392583003, 70392583004, 70392583005, 70392583006, 70392583007, 70392583008, 70392583009, 70392583010, 70392583011, 70392583012, 70392583013, 70392583014, 70392583015, 70392583016, 70392583017, 70392583018, 70392583019, 70392583020

METHOD BLANK: 2302081 Matrix: Water
Associated Lab Samples: 70392583001, 70392583002, 70392583003, 70392583004, 70392583005, 70392583006, 70392583007, 70392583008, 70392583009, 70392583010, 70392583011, 70392583012, 70392583013, 70392583014, 70392583015, 70392583016, 70392583017, 70392583018, 70392583019, 70392583020

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	ND	1.0	12/01/25 17:44	

LABORATORY CONTROL SAMPLE: 2302082

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	48.2	96	85-115	

MATRIX SPIKE SAMPLE: 2302084

Parameter	Units	70392583001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	ND	50	52.4	104	70-130	

MATRIX SPIKE SAMPLE: 2302086

Parameter	Units	70392583011 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	ND	50	52.1	103	70-130	

SAMPLE DUPLICATE: 2302083

Parameter	Units	70392583001 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	ND	.26J		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Warwick Middle School

Pace Project No.: 70392583

QC Batch:	430288	Analysis Method:	EPA 200.8, Rev. 5.4
QC Batch Method:	EPA 200.8, Rev. 5.4	Analysis Description:	NB 200.8 ICPMS DW No Prep
		Laboratory:	Pace Analytical Services - Newburgh
Associated Lab Samples:	70392583021, 70392583022, 70392583023, 70392583024, 70392583025, 70392583026, 70392583027, 70392583028, 70392583029, 70392583030, 70392583031, 70392583032, 70392583033, 70392583034, 70392583035, 70392583036, 70392583037, 70392583038, 70392583039, 70392583040		

METHOD BLANK:	2302087	Matrix:	Water
Associated Lab Samples:	70392583021, 70392583022, 70392583023, 70392583024, 70392583025, 70392583026, 70392583027, 70392583028, 70392583029, 70392583030, 70392583031, 70392583032, 70392583033, 70392583034, 70392583035, 70392583036, 70392583037, 70392583038, 70392583039, 70392583040		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	ND	1.0	12/01/25 19:03	

LABORATORY CONTROL SAMPLE:	2302088					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	49.6	99	85-115	

MATRIX SPIKE SAMPLE:		2302090					
		70392583021	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	ND	50	51.6	103	70-130	

MATRIX SPIKE SAMPLE:		2302092					
		70392583031	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	ND	50	51.9	104	70-130	

SAMPLE DUPLICATE: 2302089

Parameter	Units	70392583021 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	ND	ND		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Warwick Middle School

Pace Project No.: 70392583

QC Batch:	430290	Analysis Method:	EPA 200.8, Rev. 5.4
QC Batch Method:	EPA 200.8, Rev. 5.4	Analysis Description:	NB 200.8 ICPMS DW No Prep
		Laboratory:	Pace Analytical Services - Newburgh

Associated Lab Samples: 70392583041, 70392583042, 70392583043, 70392583044, 70392583045, 70392583046, 70392583047

METHOD BLANK: 2302093 Matrix: Water

Associated Lab Samples: 70392583041, 70392583042, 70392583043, 70392583044, 70392583045, 70392583046, 70392583047

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	ND	1.0	12/01/25 20:28	

LABORATORY CONTROL SAMPLE: 2302094

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	49.8	100	85-115	

MATRIX SPIKE SAMPLE: 2302096

Parameter	Units	70392583041 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	ND	50	54.3	108	70-130	

MATRIX SPIKE SAMPLE: 2302098

Parameter	Units	70393155001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	53.0	106	70-130	

SAMPLE DUPLICATE: 2302095

Parameter	Units	70392583041 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	ND	.19J		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: Warwick Middle School
Pace Project No.: 70392583

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Warwick Middle School

Pace Project No.: 70392583

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70392583001	Kitchen Single Sink	EPA 200.8, Rev. 5.4	430287		
70392583002	Home Ec KS 1	EPA 200.8, Rev. 5.4	430287		
70392583003	Home Ec KS 2	EPA 200.8, Rev. 5.4	430287		
70392583004	Home Ec KS 3	EPA 200.8, Rev. 5.4	430287		
70392583005	Home Ec KS 4	EPA 200.8, Rev. 5.4	430287		
70392583006	Home Ec KS 5	EPA 200.8, Rev. 5.4	430287		
70392583007	Home Ec KS 6	EPA 200.8, Rev. 5.4	430287		
70392583008	Delta Faculty Room KS	EPA 200.8, Rev. 5.4	430287		
70392583009	Delta Faculty BF CU	EPA 200.8, Rev. 5.4	430287		
70392583010	Alpha Nurse Main Sink	EPA 200.8, Rev. 5.4	430287		
70392583011	Alpha Nurse Office Sink	EPA 200.8, Rev. 5.4	430287		
70392583012	Alpha Faculty Room KS	EPA 200.8, Rev. 5.4	430287		
70392583013	Alpha Faculty BF	EPA 200.8, Rev. 5.4	430287		
70392583014	Kitchen KS 3	EPA 200.8, Rev. 5.4	430287		
70392583015	Delta Teachers Break Room Ice	EPA 200.8, Rev. 5.4	430287		
70392583016	Across Gamma 7 CU DF Left	EPA 200.8, Rev. 5.4	430287		
70392583017	Across Gamma 7 CU DF Right	EPA 200.8, Rev. 5.4	430287		
70392583018	Across Gamma 7 CU BF Left	EPA 200.8, Rev. 5.4	430287		
70392583019	District Office KS Left	EPA 200.8, Rev. 5.4	430287		
70392583020	District Office CU BF Right	EPA 200.8, Rev. 5.4	430287		
70392583021	District Office CU DF Right	EPA 200.8, Rev. 5.4	430288		
70392583022	District Office CU DF Left	EPA 200.8, Rev. 5.4	430288		
70392583023	Gym Hall BF	EPA 200.8, Rev. 5.4	430288		
70392583024	Cafe Hall Locker Side CU BF	EPA 200.8, Rev. 5.4	430288		
70392583025	Cafe Hall Locker Side CU DF	EPA 200.8, Rev. 5.4	430288		
70392583026	Cafe Hall Stage Side CU BF	EPA 200.8, Rev. 5.4	430288		
70392583027	Cafe Hall Stage Side CU DF	EPA 200.8, Rev. 5.4	430288		
70392583028	Kitchen Single Sink Sprayer	EPA 200.8, Rev. 5.4	430288		
70392583029	Gym Girls Alcove CU BF	EPA 200.8, Rev. 5.4	430288		
70392583030	Gym Girls Alcove CU DF	EPA 200.8, Rev. 5.4	430288		
70392583031	Gym Boys Alcove CU BF	EPA 200.8, Rev. 5.4	430288		
70392583032	Gym Boys Alcove CU DF	EPA 200.8, Rev. 5.4	430288		
70392583033	Band Room CS	EPA 200.8, Rev. 5.4	430288		
70392583034	Across A3 DF Left	EPA 200.8, Rev. 5.4	430288		
70392583035	Across A3 DF Right	EPA 200.8, Rev. 5.4	430288		
70392583036	Across A3 BF	EPA 200.8, Rev. 5.4	430288		
70392583037	CU DF Next to Stem	EPA 200.8, Rev. 5.4	430288		
70392583038	BF Across Delta 3	EPA 200.8, Rev. 5.4	430288		
70392583039	CU DF O/S Science 2	EPA 200.8, Rev. 5.4	430288		
70392583040	CU BF O/S Science 2	EPA 200.8, Rev. 5.4	430288		
70392583041	Main Office KS	EPA 200.8, Rev. 5.4	430290		
70392583042	CU DF Next to Book/Electrical	EPA 200.8, Rev. 5.4	430290		
70392583043	CU BF Next to Book/Electrical	EPA 200.8, Rev. 5.4	430290		
70392583044	Delta Faculty DF CU	EPA 200.8, Rev. 5.4	430290		
70392583045	UA Tech 2 L CS	EPA 200.8, Rev. 5.4	430290		
70392583046	Alpha Faculty DF CU	EPA 200.8, Rev. 5.4	430290		
70392583047	District Office KS right	EPA 200.8, Rev. 5.4	430290		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace® Location Requested (City/State):
Pace Newburgh, NY

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Contact/Report to: Mikayla Higgins

Phone #: 845-781-4887

E-Mail: Mikayla.higgins@ouboces.org

Cell E-Mail: Hallina.redner@ouboces.org

Invoice to: Hallina Redner

Invoice E-Mail: hallina.redner@ouboces.org

Purchase Order # (if applicable): A26-00316

Quote #: Orange County / New York

Timezone collected: [] AK [] PT [] MT [] CT ☒ ET
Data Deliverables: Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [] Yes [] No

[] Level II [] Level III [] Level IV
Rush (Pre-approval required): [] Same Day [] 1 Day [] 2 Day [] 3 Day Other _____

[] EQUS Date Results: _____ Field Filtered (if applicable): [] Yes [] No

[] Other _____ Analysis: _____

* Matrix codes (insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW), Sediment (SED), Sludge (SL), Cask (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Time	Collected or Composite End Date	Time	# Cont.	Residual Chlorine Result	Units
1 Alpha Nurse Office Sink	DW	G			11/20/25	5:51			
2 Alpha Faculty Room KS	DW	G			11/20/25	5:30			
3 Alpha Faculty BF	DW	G			11/20/25	5:31			
4 Kitchen KS 3	DW	G			11/20/25	5:11			
5 Delta Teachers Break Room Ice Machine	DW	G			11/20/25	5:48			
6 Across Gamma 7 CU DF Left	DW	G			11/20/25	5:40			
7 Across Gamma 7 CU DF Right	DW	G			11/20/25	5:39			
8 Across Gamma 7 CU BF Left	DW	G			11/20/25	5:40			
9 District Office KS Left	DW	G			11/20/25	5:59			
10 District Office CU BF Right	DW	G			11/20/25	5:57			

Additional instructions from Pace®:

Collected by: J. Lennon
Printed Name
Signature

Customer Remarks / Special Conditions / Possible Hazards:

Coolers:

Thermometer ID:

Obs. Temp (°C):

Relinquished by Company: (Signature)

Date/Time: 11/20/25, 10:31

Received by Company: (Signature)

Pace

Date/Time:

11/20/25 10:31

Tracking Number:

Delivered by: [] In-Person [] Courier

Relinquished by Company: (Signature)

Date/Time:

Received by Company: (Signature)

Pace

Date/Time:

11/20/25 10:31

Tracking Number:

Delivered by: [] In-Person [] Courier

Relinquished by Company: (Signature)

Date/Time:

Received by Company: (Signature)

Pace

Date/Time:

11/20/25 10:31

Tracking Number:

Delivered by: [] In-Person [] Courier

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at <https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/>

ENV-FRM-CORR-0019_v02_110123 ©

Pace® Location Requested (City/State): **CHAIN-OF-CUSTODY Analytical Request Document**

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Company Name: Orange-Ulster BOCES
Street Address:
53 Gibson Road
Goshen, NY 10924

Contact/Report To: Mikayla Higgins
Phone #: 845-781-4887
E-Mail: Mikayla.higgins@ouboces.org
Cc E-Mail: Halina.redner@ouboces.org

Customer Project #:

Invoice to: Halina Redner

Project Name:
Warwick Middle School Lead Drinking Water

Invoice Email:
halina.redner@ouboces.org

Site Collection Info/Facility ID (as applicable):

Purchase Order # (if applicable): A2B-00316

Warwick Middle School

County / State of origin of sample(s): Orange County / New York

Timezone collected: [] AK [] PT [] MT [] CT ☒ ET

Regulatory Program (DW, RCRA, etc.) as applicable:

Reportable [] Yes [] No

Data Deliverables:

[] Level II [] Level III [] Level IV

Rush (Pre-approval required):
[] Same Day [] 1 Day [] 2 Day [] 3 Day Other _____

[] EQUIS

Date Results Requested:

Field Filtered (if applicable): [] Yes [] No

[] Other _____

* Matrix Codes (insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk (CR), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID

Matrix *

Comp / Grab

Composite Start

Collected or Composite End

Cont.

Residue Chloride

Result

Units

Lead

Analysis Requested

Profil. Mgr:

Act/Num / Client ID:

Table #:

Profile / Template:

Prodlog / Bottle Ord. ID:

Sample Comment

Preservation non-conformance identified for sample.

W0#: 70392583

PM: FMN Due Date: 12/08/25

CLIENT: NB-0U BOCES

Specify Container Size **

Identify Container Preservative Type **

Analysis Requested

Profil. Mgr:

Act/Num / Client ID:

Table #:

Profile / Template:

Prodlog / Bottle Ord. ID:

Sample Comment

Preservation non-conformance identified for sample.

Additional Instructions from Pace®:

Collected By: J. Lennon

Customer Remarks / Special Conditions / Possible Hazards:

Coolers:

Thermometer ID:

Correction Factor (°C):

Obs. Temp (°C):

Corrected Temp (°C):

[] On Ice

Relinquished by/Company: (Signature)

Date/Time: 11/20/25 12:31

Received by/Company: (Signature)

Date/Time: 11/20/25 12:31

Tracking Number:

Delivered by: [] In-Person [] Courier

Relinquished by/Company: (Signature)

Date/Time: 11/20/25 12:31

Received by/Company: (Signature)

Date/Time: 11/20/25 12:31

Tracking Number:

Delivered by: [] In-Person [] Courier

Relinquished by/Company: (Signature)

Date/Time: 11/20/25 12:31

Received by/Company: (Signature)

Date/Time: 11/20/25 12:31

Tracking Number:

Delivered by: [] In-Person [] Courier

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at <https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/>

ENV-FRM-CORQ-0019_v02_110123 ©

PACE® Location Requested (City/State): **CHAIN-OF-CUSTODY Analytical Request Document**

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Company Name: Orange-Ulster BOCES

Street Address:

53 Gibson Road
Goshen, NY 10924

Customer Project #:

Project Name:
Warwick Middle School Lead Drinking Water

Site Collection Info/Facility ID (as applicable):

Warwick Middle School

Contact/Report To: Mikayla Higgins

Phone #: 845-781-4887

E-Mail: Mikayla.higgins@ouboces.org

CC E-Mail: Halina.redner@ouboces.org

Invoice to: Halina Redner

Invoice E-mail:

halina.redner@ouboces.org

Purchase Order # (if applicable): A26-00316

Quote #:

County / State origin of sample(s): Orange County / New York

Time Zone collected: [] AK [] PT [] MT [] CT ☒ ET

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [] Yes [] No

[] Level II [] Level III [] Level IV
Rush! (Pre-approval required):
[] Same Day [] 1 Day [] 2 Day [] 3 Day Other _____

[] EQUS Date Results: _____

[] Other: _____

* Matrix Codes (insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Biosolid (BS), Other (OT)

Sludge (SL), Cask (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID

CU DF Next to Stem

CU BF Next to Stem

BF Across Delta 3

CU DF O/S Science 2

CU BF O/S Science 2

Main Office KS

CU DF Next to Book/Electrical

CU BF Next to Book/Electrical

Delta Faculty DF CU

UA Tech 2 L CS

Additional instructions from Pace®:

Collected By: J. Lennon

Printed Name: J. Lennon

Signature: J. Lennon

Received by Company: (Signature)

Date/Time: 11/20/25 12:31

Received by Company: (Signature)

Date/Time: 11/20/25 12:31

Received by Company: (Signature)

Date/Time: 11/20/25 12:31

Received by Company: (Signature)

Date/Time: 11/20/25 12:31

Received by Company: (Signature)

Date/Time: 11/20/25 12:31

Received by Company: (Signature)

Date/Time: 11/20/25 12:31

MO# : 70392583

PM: FMN

Due Date: 12/08/25

CLIENT: NB-00 BOCES

Specify Container Size **

(4) 125mL, (9) 100mL, (6) 50mL, (7) 250mL, (8) 150mL, (9) 50mL, (10) 250mL, (11) 500mL, (12) 1000mL, (13) 2000mL, (14) 4000mL, (15) 8000mL, (16) 16000mL, (17) 32000mL, (18) 64000mL, (19) 128000mL, (20) 256000mL, (21) 512000mL, (22) 1024000mL, (23) 2048000mL, (24) 4096000mL, (25) 8192000mL, (26) 16384000mL, (27) 32768000mL, (28) 65536000mL, (29) 131072000mL, (30) 262144000mL, (31) 524288000mL, (32) 1048576000mL, (33) 2097152000mL, (34) 4194304000mL, (35) 8388608000mL, (36) 16777216000mL, (37) 33554432000mL, (38) 67108864000mL, (39) 134217728000mL, (40) 268435456000mL, (41) 536870912000mL, (42) 1073741824000mL, (43) 2147483648000mL, (44) 4294967296000mL, (45) 8589934592000mL, (46) 17179869184000mL, (47) 34359738368000mL, (48) 68719476736000mL, (49) 137438953472000mL, (50) 274877906944000mL, (51) 549755813888000mL, (52) 1099511627776000mL, (53) 2199023255552000mL, (54) 4398046511104000mL, (55) 8796093022208000mL, (56) 17592186044416000mL, (57) 35184372088832000mL, (58) 70368744177664000mL, (59) 140737488355328000mL, (60) 281474976710656000mL, (61) 562949953421312000mL, (62) 1125899906842624000mL, (63) 2251799813685248000mL, (64) 4503599627370496000mL, (65) 9007199254740992000mL, (66) 18014398509481984000mL, (67) 36028797018963968000mL, (68) 72057594037927936000mL, (69) 144115188075855872000mL, (70) 288230376151711744000mL, (71) 576460752303423488000mL, (72) 1152921504606846976000mL, (73) 2305843009213693952000mL, (74) 4611686018427387904000mL, (75) 9223372036854775808000mL, (76) 18446744073709551616000mL, (77) 36893488147419103232000mL, (78) 73786976294838206464000mL, (79) 147573952589676412928000mL, (80) 295147905179352825856000mL, (81) 590295810358705651712000mL, (82) 1180591620717411303424000mL, (83) 2361183241434822606848000mL, (84) 4722366482869645213696000mL, (85) 9444732965739290427392000mL, (86) 18889465931478580854784000mL, (87) 37778931862957161709568000mL, (88) 75557863725914323419136000mL, (89) 151115727451828646838272000mL, (90) 302231454903657293676544000mL, (91) 604462909807314587353088000mL, (92) 1208925819614629174706176000mL, (93) 2417851639229258349412352000mL, (94) 4835703278458516698824704000mL, (95) 9671406556917033397649408000mL, (96) 19342813113834066795298816000mL, (97) 38685626227668133590597632000mL, (98) 77371252455336267181195264000mL, (99) 154742504910672534362390528000mL, (100) 309485009821345068724781056000mL, (101) 618970019642690137449562112000mL, (102) 1237940039285380274899124224000mL, (103) 2475880078570760549798248448000mL, (104) 4951760157141521099596496896000mL, (105) 9903520314283042199192993792000mL, (106) 19807040628566084398385987584000mL, (107) 39614081257132168796771975168000mL, (108) 79228162514264337593543950336000mL, (109) 158456325028528675187087900672000mL, (110) 316912650057057350374175801344000mL, (111) 633825300114114700748351602688000mL, (112) 1267650600228229401496703205376000mL, (113) 2535301200456458802993406410752000mL, (114) 5070602400912917605986812821504000mL, (115) 10141204801825835211973625643008000mL, (116) 20282409603651670423947251286016000mL, (117) 40564819207303340847894502572032000mL, (118) 81129638414606681695789005144064000mL, (119) 162259276829213363391578010288128000mL, (120) 324518553658426726783156020576256000mL, (121) 649037107316853453566312041152512000mL, (122) 1298074214633706907132624082305024000mL, (123) 2596148429267413814265248164610048000mL, (124) 5192296858534827628530496329220096000mL, (125) 10384593717069655257060992658440192000mL, (126) 20769187434139310514121985316880384000mL, (127) 41538374868278621028243970633760768000mL, (128) 83076749736557242056487941267521536000mL, (129) 166153499473114484112975882535043072000mL, (130) 332306998946228968225951765070086144000mL, (131) 664613997892457936451903530140172288000mL, (132) 1329227995784915872903807060280344576000mL, (133) 2658455991569831745807614120560689152000mL, (134) 5316911983139663491615228241121378304000mL, (135) 10633823966279326983230456482242756608000mL, (136) 21267647932558653966460912964485513216000mL, (137) 42535295865117307932921825928971026432000mL, (138) 85070591730234615865843651857942052864000mL, (139) 170141183460469231731687303715884105728000mL, (140) 340282366920938463463374607431768211456000mL, (141) 680564733841876926926749214863536422912000mL, (142) 1361129467683753853853498429727072845824000mL, (143) 2722258935367507707706996859454145691648000mL, (144) 5444517870735015415413993718908291383296000mL, (145) 10889035741470030830827987437816582766592000mL, (146) 21778071482940061661655974875633165533184000mL, (147) 43556142965880123323311949751266331066368000mL, (148) 87112285931760246646623899502532662132736000mL, (149) 174224571863520493293247799005065324265472000mL, (150) 348449143727040986586495598010130648530944000mL, (151) 696898287454081973172991196020261291061888000mL, (152) 1393796574908163946345982392040522582123776000mL, (153) 2787593149816327892691964784081045164247552000mL, (154) 5575186299632655785383929568162090328495104000mL, (155) 11150372599265311570767859136324180656990208000mL, (156) 22300745198530623141535718272648361313980416000mL, (157) 44601490397061246283071436545296722627960832000mL, (158) 89202980794122492566142873090593445255921664000mL, (159) 178405961588244985132285746181186890511843328000mL, (160) 356811923176489970264571492362373781023686656000mL, (161) 713623846352979940529142984724747562047373312000mL, (162) 1427247692705959881058285969449495124094746624000mL, (163) 2854495385411919762116571938898990248189493248000mL, (164) 5708990770823839524233143877797980496378986496000mL, (165) 11417981541647679048466287755595960992757972992000mL, (166) 22835963083295358096932575511191921985515945984000mL, (167) 45671926166590716193865151022383843971031891968000mL, (168) 91343852333181432387730302044767687942063783936000mL, (169) 182687704666362864775460604089535375884127667872000mL, (170) 365375409332725729550921208179070751768255335744000mL, (171) 730750818665451459101842416358141503536510671488000mL, (172) 1461501637330902918203684832716283007073021342976000mL, (173) 2923003274661805836407369665432566014146042685952000mL, (174) 5846006549323611672814739330865132028292085371904000mL, (175) 11692013098647223345629478661730264056584170743808000mL, (176) 23384026197294446691258957323460528113168341487616000mL, (177) 46768052394588893382517914646921056226336682975232000mL, (178) 93536104789177786765035829293842112452673365950464000mL, (179) 187072209578355573530071658587684224905346731900928000mL, (180) 374144419156711147060143317175368449810693463801856000mL, (181) 748288838313422294120286634350736899621386927603712000mL, (182) 1496577676626844588240573268701473799242773855207424000mL, (183) 2993155353253689176481146537402947598485547710414848000mL, (184) 5986310706507378352962293074805895196971095420829792000mL, (185) 11972621413014756705924586149611790393942190841659584000mL, (186) 23945242826029513411849172299223580787884381683319168000mL, (187) 47890485652059026823698344598447161575768763366638336000mL, (188) 95780971304118053647396689196894323151537526733276672000mL, (189) 191561942608236107294793378393788646303075053466553344000mL, (190) 383123885216472214589586756787577292606150106933106688000mL, (191) 766247770432944429179173513575154585212300213866213216000mL, (192) 1532495440865888858358347027150309170424600427732426432000mL, (193) 3064990881731777716716694054300618340849200855464852864000mL, (194) 6129981763463555433433388108601236681698401710929705728000mL, (195) 12259963526927110866866776217202473363396803421859411456000mL, (196) 24519927053854221733733552434404946726793606843718822912000mL, (197) 49039854107708443467467104868809893453587213687437645824000mL, (198) 98079708215416886934934209737619786907174427374875291648000mL, (199) 196159416430833773869868419475239573814348854749750583296000mL, (200) 392318832861667547739736838950479147628697709499501166592000mL, (201) 784637665723335095479473677900958295257395418999002333184000mL, (202) 1569275331446670190958947355801916590514790837998004666368000mL, (203) 3138550662893340381917894711603833181029581675996009332736000mL, (204) 6277101325786680763835789423207666362059163351992018665472000mL, (205) 12554202655773361527671578846415332724118326703984037330944000mL, (206) 25108405311546723055343157692830665448236653407968074661888000mL, (207) 50216810623093446110686315385661330896473306815936149333776000mL, (208) 100433621246186892221372630771322661792946613631872298667552000mL, (209) 200867242492373784442745261542645323585893227263744597335104000mL, (210) 401734484984747568885490523085290647171786454527489194670208000mL, (211) 803468969969495137770981046170581294343572909054978389340416000mL, (212) 1606937939938990275541962092341162588687145818109956778680832000mL, (213) 3213875879877980551083924184682325177374291636219913557361664000mL, (214) 6427751759755961102167848369364650354748583272439827114723328000mL, (215) 12855503519511922204335696738729300709497166544879654229446656000mL, (216) 25711007039023844408671393477458601418994333089759308458893312000mL, (217) 51422014078047688817342786954917202837988666179518616917786624000mL, (218) 102844028156095377634685573909834405675977332359037233835573248000mL, (219) 205688056312190755269371147819668811351954664718074467671146496000mL, (220) 411376112624381510538742295639337622703909329436148935342292992000mL, (221) 822752225248763021077484591278675245407818658872297870684585984000mL, (222) 1645504450497526042154969182557350490815637317744595741369171776000mL, (223) 3291008900995052084309938365114700981631274635489191482738343552000mL, (224) 6582017801990104168619876730229401963262549270978382965476687104000mL, (225) 13164035603980208337239753460458803926525098541956765930953374208000mL, (226) 26328071207960416674479506920917607853050197083913531861906748416000mL, (227) 5265614241592083334895901384183521570610039416782706372381386832000mL, (228) 10531228483184166669791802768367043141220078833565412744762773664000mL, (229) 21062456966368333339583605536734086282440157667130825489525547328000mL, (2

Sample Condition Upon Receipt Form (SCUR)

Project # 70392583
Client: OU-BOCES

Date and Initials of person:

Examining contents: _____

Label: _____

Deliver to location: _____

pH: _____

Thermometer Used: IRG4

Date: 11/20

Time: 1231

Initials: _____

State of Origin: NY

Cooler #1 Temp. °C 18.7 (Visual) 0.1@0°C, -0.1@20°C (Correction Factor) _____ (Actual) ☐ Samples on ice, cooling process has begun

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Commercial ☐ Pace ☐ Other _____

Shipping Method: ☐ First Overnight ☐ Priority Overnight ☐ Standard Overnight ☐ Ground
☐ Other _____

Tracking # _____

Custody Seal on Cooler/Box Present: ☐ Yes ☐ No

Seals intact: ☐ Yes ☐ No

Ice: Wet Blue Melted None

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ None ☐ Other _____

Samples were collected by Pace employee ☐ Yes ☐ No ☐ N/A

Comments:

Chain of Custody Present	☒ Yes ☐ No ☐ N/A	
Chain of Custody Filled Out	☒ Yes ☐ No ☐ N/A	
Relinquished Signature on COC	☒ Yes ☐ No ☐ N/A	
Sampler Name and Signature on COC	☒ Yes ☐ No ☐ N/A	
Samples Arrived within Hold Time	☒ Yes ☐ No ☐ N/A	
Rush TAT requested on COC	☐ Yes ☐ No ☐ N/A	
Sufficient Volume	☒ Yes ☐ No ☐ N/A	
Correct Containers Used	☒ Yes ☐ No ☐ N/A	
Containers Intact	☒ Yes ☐ No ☐ N/A	
Sample Labels match COC (sample IDs & date/time of collection)	☒ Yes ☐ No ☐ N/A	
All containers needing acid/base preservation have been checked.	☐ Yes ☐ No ☒ N/A	Preservation Information:
All Containers needing preservation are found to be in compliance with EPA recommendation:	☐ Yes ☐ No ☒ N/A	Preservative: _____
Exceptions: Vials, Microbiology, O&G, Metals		Lot #/Trace #: _____
		Date: _____ Time: _____
		Initials: _____
Headspace in VOA Vials? (>6mm):	☐ Yes ☐ No ☒ N/A	
Trip Blank Present:	☐ Yes ☐ No ☒ N/A	

Additional Login Comments:

Client notification/ Resolution

Person Contacted:

Date/Time:

Comments/Resolution: