



November 20, 2025

Lauren Doherty
Intertek PSI
17 British American Boulevard
Latham, NY 12110

RE: Project: GLEN FALLS MIDDLE SCHOOL 11/1
Pace Project No.: 70389870

Dear Lauren Doherty:

Enclosed are the analytical results for sample(s) received by the laboratory on November 05, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads 'Lori Beyer'.

Lori A. Beyer
lori.beyer@pacelabs.com
516-370-6014
Project Manager

Enclosures

cc: Lauren Doherty, Intertek PSI



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: GLEN FALLS MIDDLE SCHOOL 11/1

Pace Project No.: 70389870

Pace Analytical Services, LLC - Melville, NY

575 Broad Hollow Rd, Melville, NY 11747

Connecticut Certification #: PH-0435

Delaware Certification # NY 10478

Maryland Certification #: 208

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

New Jersey Certification #: NY158

New York Certification #: 10478 Primary Accrediting Body

Pennsylvania Certification #: 68-00350

Rhode Island Certification #: LAO00340

Texas Certification #: T104704582

Florida Certification #: E871198

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: GLEN FALLS MIDDLE SCHOOL 11/1

Pace Project No.: 70389870

Lab ID	Sample ID	Matrix	Date Collected	Date Received
70389870001	MS1-02 FTN	Drinking Water	11/01/25 09:47	11/05/25 06:00
70389870002	MS1-02 FILL	Drinking Water	11/01/25 09:47	11/05/25 06:00
70389870003	MS1-13	Drinking Water	11/01/25 10:04	11/05/25 06:00
70389870004	MS1-44	Drinking Water	11/01/25 10:02	11/05/25 06:00
70389870005	MS1-48	Drinking Water	11/01/25 09:56	11/05/25 06:00
70389870006	MS2-16 FTN	Drinking Water	11/01/25 10:09	11/05/25 06:00
70389870007	MS2-16 FILL	Drinking Water	11/01/25 10:09	11/05/25 06:00
70389870008	MS2-26	Drinking Water	11/01/25 10:11	11/05/25 06:00
70389870009	MS2-17	Drinking Water	11/01/25 09:56	11/05/25 06:00
70389870010	MS2-18	Drinking Water	11/01/25 09:56	11/05/25 06:00
70389870011	MS2-19	Drinking Water	11/01/25 09:56	11/05/25 06:00
70389870012	MS2-20	Drinking Water	11/01/25 09:56	11/05/25 06:00
70389870013	MS2-21	Drinking Water	11/01/25 09:56	11/05/25 06:00
70389870014	MS2-22	Drinking Water	11/01/25 09:56	11/05/25 06:00
70389870015	MS2-27	Drinking Water	11/01/25 10:11	11/05/25 06:00
70389870016	MS3-15 FILL	Drinking Water	11/01/25 10:16	11/05/25 06:00
70389870017	MS3-15 FTN	Drinking Water	11/01/25 10:16	11/05/25 06:00
70389870018	MSX-22	Drinking Water	11/01/25 09:52	11/05/25 06:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: GLEN FALLS MIDDLE SCHOOL 11/1

Pace Project No.: 70389870

Lab ID	Sample ID	Method	Analysts	Analytes Reported
70389870001	MS1-02 FTN	EPA 200.8	JP2	1
70389870002	MS1-02 FILL	EPA 200.8	JP2	1
70389870003	MS1-13	EPA 200.8	JP2	1
70389870004	MS1-44	EPA 200.8	JP2	1
70389870005	MS1-48	EPA 200.8	JP2	1
70389870006	MS2-16 FTN	EPA 200.8	JP2	1
70389870007	MS2-16 FILL	EPA 200.8	JP2	1
70389870008	MS2-26	EPA 200.8	JP2	1
70389870009	MS2-17	EPA 200.8	JP2	1
70389870010	MS2-18	EPA 200.8	JP2	1
70389870011	MS2-19	EPA 200.8	JP2	1
70389870012	MS2-20	EPA 200.8	JP2	1
70389870013	MS2-21	EPA 200.8	JP2	1
70389870014	MS2-22	EPA 200.8	JP2	1
70389870015	MS2-27	EPA 200.8	JP2	1
70389870016	MS3-15 FILL	EPA 200.8	JP2	1
70389870017	MS3-15 FTN	EPA 200.8	JP2	1
70389870018	MSX-22	EPA 200.8	JP2	1

PACE-MV = Pace Analytical Services - Melville

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GLEN FALLS MIDDLE SCHOOL 11/1
Pace Project No.: 70389870

Sample: MS1-02 FTN		Lab ID: 70389870001		Collected: 11/01/25 09:47		Received: 11/05/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/19/25 19:34	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: GLEN FALLS MIDDLE SCHOOL 11/1
Pace Project No.: 70389870

Sample: MS1-02 FILL		Lab ID: 70389870002		Collected: 11/01/25 09:47		Received: 11/05/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/19/25 19:35	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: GLEN FALLS MIDDLE SCHOOL 11/1
Pace Project No.: 70389870

Sample: MS1-13		Lab ID: 70389870003		Collected: 11/01/25 10:04		Received: 11/05/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/19/25 19:37	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: GLEN FALLS MIDDLE SCHOOL 11/1
Pace Project No.: 70389870

Sample: MS1-44		Lab ID: 70389870004		Collected: 11/01/25 10:02		Received: 11/05/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/19/25 19:38	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: GLEN FALLS MIDDLE SCHOOL 11/1
Pace Project No.: 70389870

Sample: MS1-48		Lab ID: 70389870005		Collected: 11/01/25 09:56		Received: 11/05/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/19/25 19:40	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: GLEN FALLS MIDDLE SCHOOL 11/1

Pace Project No.: 70389870

Sample: MS2-16 FTN		Lab ID: 70389870006		Collected: 11/01/25 10:09		Received: 11/05/25 06:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/19/25 19:41	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GLEN FALLS MIDDLE SCHOOL 11/1
Pace Project No.: 70389870

Sample: MS2-16 FILL		Lab ID: 70389870007		Collected: 11/01/25 10:09		Received: 11/05/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/19/25 19:46	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: GLEN FALLS MIDDLE SCHOOL 11/1
Pace Project No.: 70389870

Sample: MS2-26		Lab ID: 70389870008		Collected: 11/01/25 10:11		Received: 11/05/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/19/25 19:53	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: GLEN FALLS MIDDLE SCHOOL 11/1
Pace Project No.: 70389870

Sample: MS2-17		Lab ID: 70389870009		Collected: 11/01/25 09:56		Received: 11/05/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/19/25 19:57	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: GLEN FALLS MIDDLE SCHOOL 11/1
Pace Project No.: 70389870

Sample: MS2-18		Lab ID: 70389870010		Collected: 11/01/25 09:56		Received: 11/05/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/19/25 19:59	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: GLEN FALLS MIDDLE SCHOOL 11/1
Pace Project No.: 70389870

Sample: MS2-19		Lab ID: 70389870011		Collected: 11/01/25 09:56		Received: 11/05/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/19/25 20:00	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: GLEN FALLS MIDDLE SCHOOL 11/1
Pace Project No.: 70389870

Sample: MS2-20		Lab ID: 70389870012		Collected: 11/01/25 09:56		Received: 11/05/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/19/25 20:02	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: GLEN FALLS MIDDLE SCHOOL 11/1
Pace Project No.: 70389870

Sample: MS2-21		Lab ID: 70389870013		Collected: 11/01/25 09:56		Received: 11/05/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/19/25 20:03	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: GLEN FALLS MIDDLE SCHOOL 11/1
Pace Project No.: 70389870

Sample: MS2-22		Lab ID: 70389870014		Collected: 11/01/25 09:56		Received: 11/05/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/19/25 20:08	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: GLEN FALLS MIDDLE SCHOOL 11/1
Pace Project No.: 70389870

Sample: MS2-27		Lab ID: 70389870015		Collected: 11/01/25 10:11		Received: 11/05/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/19/25 20:09	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: GLEN FALLS MIDDLE SCHOOL 11/1
Pace Project No.: 70389870

Sample: MS3-15 FILL		Lab ID: 70389870016		Collected: 11/01/25 10:16		Received: 11/05/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/19/25 20:11	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: GLEN FALLS MIDDLE SCHOOL 11/1
Pace Project No.: 70389870

Sample: MS3-15 FTN		Lab ID: 70389870017		Collected: 11/01/25 10:16		Received: 11/05/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/19/25 20:12	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: GLEN FALLS MIDDLE SCHOOL 11/1
Pace Project No.: 70389870

Sample: MSX-22		Lab ID: 70389870018		Collected: 11/01/25 09:52		Received: 11/05/25 06:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.2	ug/L	1.0	1		11/19/25 20:14	7439-92-1		

REPORT OF LABORATORY ANALYSIS



QUALITY CONTROL DATA

Project: GLEN FALLS MIDDLE SCHOOL 11/1

Pace Project No.: 70389870

QC Batch: 429076 Analysis Method: EPA 200.8
QC Batch Method: EPA 200.8 Analysis Description: 200.8 MET No Prep Drinking Water
Laboratory: Pace Analytical Services - Melville
Associated Lab Samples: 70389870001, 70389870002, 70389870003, 70389870004, 70389870005, 70389870006

METHOD BLANK: 2292928 Matrix: Water
Associated Lab Samples: 70389870001, 70389870002, 70389870003, 70389870004, 70389870005, 70389870006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/19/25 18:58	

LABORATORY CONTROL SAMPLE: 2292929

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	48.1	96	85-115	

MATRIX SPIKE SAMPLE: 2292931

Parameter	Units	70389868002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	48.0	96	70-130	

MATRIX SPIKE SAMPLE: 2292933

Parameter	Units	70389868003 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	48.1	96	70-130	

SAMPLE DUPLICATE: 2292930

Parameter	Units	70389868002 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

SAMPLE DUPLICATE: 2292932

Parameter	Units	70389868003 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GLEN FALLS MIDDLE SCHOOL 11/1

Pace Project No.: 70389870

QC Batch:	429112	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70389870007, 70389870008, 70389870009, 70389870010, 70389870011, 70389870012, 70389870013, 70389870014, 70389870015, 70389870016, 70389870017, 70389870018		

METHOD BLANK:	2293172	Matrix:	Water
Associated Lab Samples:	70389870007, 70389870008, 70389870009, 70389870010, 70389870011, 70389870012, 70389870013, 70389870014, 70389870015, 70389870016, 70389870017, 70389870018		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/19/25 19:43	

LABORATORY CONTROL SAMPLE:	2293173					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	52.5	105	85-115	

MATRIX SPIKE SAMPLE:		2293175					
		70389870007	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	<1.0	50	51.6	103	70-130	

MATRIX SPIKE SAMPLE:		2293177					
		70389870008	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	<1.0	50	50.8	101	70-130	

SAMPLE DUPLICATE:	2293174					
Parameter	Units	70389870007 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

SAMPLE DUPLICATE:	2293176					
Parameter	Units	70389870008 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: GLEN FALLS MIDDLE SCHOOL 11/1

Pace Project No.: 70389870

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: GLEN FALLS MIDDLE SCHOOL 11/1

Pace Project No.: 70389870

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70389870001	MS1-02 FTN	EPA 200.8	429076		
70389870002	MS1-02 FILL	EPA 200.8	429076		
70389870003	MS1-13	EPA 200.8	429076		
70389870004	MS1-44	EPA 200.8	429076		
70389870005	MS1-48	EPA 200.8	429076		
70389870006	MS2-16 FTN	EPA 200.8	429076		
70389870007	MS2-16 FILL	EPA 200.8	429112		
70389870008	MS2-26	EPA 200.8	429112		
70389870009	MS2-17	EPA 200.8	429112		
70389870010	MS2-18	EPA 200.8	429112		
70389870011	MS2-19	EPA 200.8	429112		
70389870012	MS2-20	EPA 200.8	429112		
70389870013	MS2-21	EPA 200.8	429112		
70389870014	MS2-22	EPA 200.8	429112		
70389870015	MS2-27	EPA 200.8	429112		
70389870016	MS3-15 FILL	EPA 200.8	429112		
70389870017	MS3-15 FTN	EPA 200.8	429112		
70389870018	MSX-22	EPA 200.8	429112		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Scan QR Code for instructions

Company Name: Intertek-PSI		Contact/Report To: William Kotas (518) 377-9841 william.kotas@intertek.com	
Street Address: 17 British American Blvd, Latham, NY 12110		C c E-Mail:	
Customer Project #:		PSI Latham Accounts Payable	
Project Name: Glens Falls City School District		Invoice E-Mail: LathamAR@intertek.com	
Site Collection Info/Facility ID (as applicable): MIDDLE SCHOOL		Purchase Order # (if applicable):	
Time Zone Collected: [] AK [] PT [] MT [] CT [] ET		Quote #: CR-BOCES	
Data Deliverables:		County / State origin of sample(s): New York	
[] Level II [] Level III [] Level IV		Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW	
[] EQUIS		Rush (Pre-approval required):	
[] Other		[] 2 Day [] 3 day [] 5 day [] Other	
Date Results Requested:		Standard 10 business day	
Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk		Field Filtered (if applicable): [] Yes [] No	
Customer Sample ID		Analysis:	
MS2-19	Matrix *	Collected (or Composite Start) Date	Time
MS2-20	DW	9:36	
MS2-21	G		
MS2-22			
MS2-27		10:11	
MS3-15 FILL		10:16	
MS3-15 FTN			
MSX-22		9:32	
Customer Remarks / Special Conditions / Possible Hazards:		Number & Type of Containers	
Lead		Plastic 1	
Relinquished by/Company: (Signature)		Collected By:	
Relinquished by/Company: (Signature)		Printed Name: WILLIAM A KOTAS	
Relinquished by/Company: (Signature)		Signature: [Signature]	
Relinquished by/Company: (Signature)		Received by/Company: (Signature)	
Relinquished by/Company: (Signature)		Received by/Company: (Signature)	
Relinquished by/Company: (Signature)		Received by/Company: (Signature)	
Relinquished by/Company: (Signature)		Received by/Company: (Signature)	

WO#: 70389870

PM: LAB Due Date: 11/19/25

CLIENT: INTER-LATHAM

Client Name:

Inter-Latham

Project #

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☒ Pace ☐ Other

Tracking #:

Custody Seal on Cooler/Box Present: ☐ Yes ☒ No Seals Intact: ☐ Yes ☒ No Temperature Blank Present: ☐ Yes ☒ No

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ Ziploc ☒ None ☐ Other Type of Ice: Wet Blue None

Thermometer Used: 11/24 Correction Factor: -1 Date/Time 5035A kits placed in freezer: 22.3
Cooler Temperature (°C): 20.2 Cooler Temperature Corrected (°C): 22.3
Temp should be above freezing to 5.2°C

USDA Regulated Soil ☒ N/A, water sample

Did samples originate in a quarantine zone within the United States AL AR CA FL GA ID LA MS NC NM NY OK OR SC TN TX or VA (check map)? ☐ Yes ☒ No

Did samples originate from a foreign source including Hawaii and Puerto Rico? ☐ Yes ☒ No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.

Date and Initials of person examining contents:

		COMMENTS:
Chain of Custody Present	☒ Yes ☐ No	1
Chain of Custody Filled Out	☒ Yes ☐ No	2
Chain of Custody Relinquished	☒ Yes ☐ No	3
Sampler Name & Signature on COC	☒ Yes ☐ No ☐ N/A	4
Samples Arrived within Hold Time	☒ Yes ☐ No	5
Short Hold Time Analysis (<72hr):	☒ Yes ☐ No	6
Rush Turn Around Time Requested:	☐ Yes ☒ No	7
Sufficient Volume (Triple volume provided for MS/MSD)	☒ Yes ☐ No	8
Correct Containers Used	☒ Yes ☐ No	9
Pace Containers Used	☒ Yes ☐ No	10
Containers Intact	☒ Yes ☐ No ☐ N/A	11
Filtered volume received for Dissolved tests	☐ Yes ☒ No	Note: if sediment is visible in the dissolved container
Sample Labels match COC	☒ Yes ☐ No	12
Includes date/time/ID/Analysis Matrix SL WT OIL OTHER		

Date and Initials of person checking preservation:

All containers needing preservation have been pH paper Lot # <u>251224</u>	☒ Yes ☐ No ☐ N/A	13	☐ HNO ₃ ☐ H ₂ SO ₄ ☐ NaOH ☐ HCl
All containers needing preservation are found to be in compliance with method recommendation? (HNO ₃ H ₂ SO ₄ HCl NaOH > 9 Sulfide > 12 Cyanide)	☒ Yes ☐ No ☐ N/A	Sample #	
Exceptions VOA Coliform TOC/DOC Oil and Grease DRO/8015 (water)		Initial when completed	Lot # of added preservative
Per Method VOA pH is checked after analysis		Date/Time preservative added	
Samples checked for dechlorination	☐ Yes ☒ No ☐ N/A	14	
KI starch test strips Lot #		Positive for Res Chlorine?	Y N
Residual chlorine strips Lot #		15	
SM 4500 CN samples checked for sulf	☐ Yes ☒ No ☐ N/A	Positive for Sulfide?	Y N
Lead Acetate Strips Lot #		16	
Headspace in ALK Bottle (>6mm)	☐ Yes ☒ No ☐ N/A	17	
Headspace in VOA Vials (>6mm)	☐ Yes ☒ No ☐ N/A		
Trip Blank Present	☐ Yes ☒ No ☐ N/A		
Trip Blank Custody Seals Present	☐ Yes ☒ No ☐ N/A		

Client Notification/ Resolution:

Person Contacted:

Comments/ Resolution:

Field Data Required?

Y / N

Date/Time:

* PM (Project Manager) review (which includes the SCUR) is documented electronically in LIMS.