

Radon Tests - North High School									
Administration (A)									
#	Location/Type	Placement Description	Serial #	Dated Opened	Time Opened	Date Closed	Time Closed	Radon Test Results pCi/L	Remarks
1 ①	Main Office	North Wall - Desk Behind Computer	4882352	12/02/25	5:25 AM	12/04/25	6:21 AM	0.9	
2 ②	A-17	North Wall - File Cabinet	4882436	12/02/25	5:27 AM	12/04/25	6:22 AM	1.9	
3 ③	A-16	North Wall - Desk	4883906	12/02/25	5:29 AM	12/04/25	6:24 AM	1.1	
4 ④	A-15	North Wall - Desk Behind Computer	4882398	12/02/25	5:29 AM	12/04/25	6:24 AM	0.5	
5 ⑤	Student Services	South Wall - Desk	4881336	12/02/25	5:31 AM	12/04/25	6:24 AM	1.1	
6 ⑥	A-14	South Wall - Counter	4882346	12/02/25	5:32 AM	12/04/25	6:26 AM	1.2	
7 ⑦	A-13	South Wall - Table	4882400	12/02/25	5:32 AM	12/04/25	6:26 AM	0.9	
8 ⑦	A-13 Blank	South Wall - Table	4882404	12/02/25	5:32 AM	12/04/25	6:24 AM	0.8	
9 ⑧	A-12	North Wall - Bookcase	4881457	12/02/25	5:34 AM	12/04/25	6:25 AM	1.0	
10 ⑨	A-11	West Wall - Bookcase	4882373	12/02/25	5:35 AM	12/04/25	6:28 AM	1.2	
11 ⑩	A-10	West Wall - Bookcase	4882473	12/02/25	5:36 AM	12/04/25	6:28 AM	1.3	
12 ⑪	A-9	East Wall - Desk	4882456	12/02/25	5:37 AM	12/04/25	6:29 AM	1.1	
13 ⑫	A-8	West Wall - Bookcase	4881337	12/02/25	5:37 AM	12/04/25	6:29 AM	0.9	
14 ⑬	A-7	West Wall - Bookcase	4882468	12/02/25	5:38 AM	12/04/25	6:31 AM	0.9	
15 ⑭	A-20	West Wall - Table	4882379	12/02/25	5:40 AM	12/04/25	6:31 AM	1.7	
16	A-19	North Wall - Filing Cabinet	4881510	12/02/25	5:42 AM	12/04/25	6:35 AM	1.5	
17 ⑮	A-19 Duplicate	North Wall - Filing Cabinet	4882348	12/02/25	5:42 AM	12/04/25	6:35 AM	1.7	
18 ⑯	A-22	North Wall - Desk	4881421	12/02/25	5:44 AM	12/04/25	6:33 AM	1.3	
19 ⑯	A-22 Duplicate	North Wall - Desk	4881450	12/02/25	5:44 AM	12/04/25	6:33 AM	1.1	
20 ⑰	A-21	West Wall - Desk	4882414	12/02/25	5:44 AM	12/04/25	6:34 AM	1.4	
21 ⑱	Lobby	Southwest Wall - Behind TV	4882314	12/02/25	5:46 AM	12/04/25	6:36 AM	1.6	
22 ⑲	A-23	East Wall - Counter	4882360	12/02/25	5:46 AM	12/04/25	6:36 AM	1.6	
23 ⑳	A-24	South Wall - Filing Cabinet	4881403	12/02/25	5:47 AM	12/04/25	6:37 AM	1.2	
24 ㉑	A-26	East Wall - Desk	4882411	12/02/25	5:48 AM	12/04/25	6:37 AM	1.0	
25 ㉒	A-27	East Wall - Desk	4882378	12/02/25	5:49 AM	12/04/25	6:38 AM	1.1	
26 ㉓	A-25	East Wall - Bookcase	4881438	12/02/25	5:50 AM	12/04/25	6:40 AM	0.7	
27 ㉔	A-25.1 Health	South Desk	4882392	12/02/25	5:50 AM	12/04/25	6:40 AM	0.9	
28 ㉕	A-28	North Wall - Desk	4881364	12/02/25	5:51 AM	12/04/25	6:40 AM	1.2	
29 ㉕	A-28 Duplicate	North Wall - Desk	4882422	12/02/25	5:51 AM	12/04/25	6:40 AM	0.8	
30 ㉖	A-29	North Wall - Bookcase	4882475	12/02/25	5:52 AM	12/04/25	6:41 AM	1.2	
31	A-30	South Wall - Bookcase	4882368	12/02/25	5:55 AM	12/04/25	6:41 AM	0.8	
32 ㉗	A-31	West Wall - Desk	4881444	12/02/25	5:53 AM	12/04/25	6:41 AM	0.9	
33 ㉘	A-32	North Wall - Bookcase	4882428	12/02/25	5:55 AM	12/04/25	6:43 AM	1.3	
34 ㉙	A-4	East Wall - Bookcase	4882355	12/02/25	6:00 AM	12/04/25	6:42 AM	0.3	
35 ㉙	A-4 Blank	East Wall - Bookcase	4881401	12/02/25	6:00 AM	12/04/25	6:42 AM	0.1	
36 ㉚	A-5	Southeast Wall - Desk	4882474	12/02/25	6:01 AM	12/04/25	6:49 AM	0.7	
37 ㉛	A-6	South Wall - Bookcase	4881399	12/02/25	6:02 AM	12/04/25	6:49 AM	0.9	
38 ㉜	A-6.1	Desk	4882381	12/02/25	6:02 AM	12/04/25	6:49 AM	0.8	
39	A-3 Staff Workroom	East Wall - Bookcase	4883893	12/02/25	6:05 AM	12/04/25	6:49 AM	1.0	
40	A-2	South Wall - Bookcase	4881415	12/02/25	6:06 AM	12/04/25	6:50 AM	0.8	
41	A-2 Duplicate	South Wall - Bookcase	4882330	12/02/25	6:06 AM	12/04/25	6:50 AM	0.5	
42	A-1	West Wall - Desk	4881361	12/02/25	6:08 AM	12/04/25	6:53 AM	0.6	
Cafeteria (C)									
#	Location/Type	Placement Description	Serial #	Dated Opened	Time Opened	Date Closed	Time Closed	Radon Test Results	Remarks
1 ①	Cafeteria # 1	West Wall - 5'	4882477	12/02/25	6:15 AM	12/04/25	6:57 AM	0.8	
2 ②	Cafeteria # 2	Southeast Wall - Corner	4881432	12/02/25	6:17 AM	12/04/25	6:58 AM	0.8	
3 ③	Cafeteria # 3	North Wall	4882403	12/02/25	6:22 AM	12/04/25	6:57 AM	0.8	
4 ④	Cafeteria # 4	Southeast Wall	4882328	12/02/25	6:24 AM	12/04/25	6:59 AM	1.0	
5	Classroom C-1	East Wall - By Sink	4882327	12/02/25	6:27 AM	12/04/25	6:59 AM	1.4	
6	Classroom C-1 - Duplicate	East Wall - By Sink Counter	4882396	12/02/25	6:27 AM	12/04/25	6:59 AM	0.9	
7 ①	North Office A	Left Wall - Shelf	4882393	12/02/25	6:27 AM	12/04/25	7:02 AM	1.1	
8 ②	South Office B	Right Shelf	4881443	12/02/25	6:30 AM	12/04/25	7:03 AM	0.5	
9 ②	South Office B - Blank	Right Shelf	4882354	12/02/25	6:30 AM	12/04/25	7:03 AM	0.1	
Health and Culinary Art (HC) and Child Care Center									
#	Location/Type	Placement Description	Serial #	Dated Opened	Time Opened	Date Closed	Time Closed	Radon Test Results	Remarks
1	HC-1	Southwest Wall - Filing Cabinet	4881458	12/02/25	6:10 AM	12/04/25	6:46 AM	0.8	
2	HC-1 - Duplicate	Southwest Wall - Filing Cabinet	4883606	12/02/25	6:10 AM	12/04/25	6:46 AM	0.7	

3	(A)	HC- 1 - Office A	Filing Cabinet	4881452	12/02/25	6:12 AM	12/04/25	6:47 AM	0.8	
4	(B)	HC-1 - Office B	North Wall	4883537	12/02/25	6:13 AM	12/04/25	6:48 AM	0.6	
5		HC-2	South Wall - Desk	4883558	12/02/25	6:14 AM	12/04/25	6:49 AM	0.8	
6		HC-3	Northwest Wall	4883574	12/02/25	6:15 AM	12/04/25	6:50 AM	0.6	
7		HC-4	Desktop	4883551	12/02/25	6:16 AM	12/04/25	6:51 AM	0.3	
8		HC-5	East Wall - Middle Counter	4883583	12/02/25	6:17 AM	12/04/25	6:52 AM	0.7	
9		HC-5 - Blank	East Wall - Middle Counter	4883570	12/02/25	6:18 AM	12/04/25	6:53 AM	0.2	
10		HC-8	Behind Screen	4883541	12/02/25	6:19 AM	12/04/25	6:54 AM	0.5	
11		CDC - Pre-School Room	North Wall - Middle	4883568	12/02/25	6:20 AM	12/04/25	6:55 AM	0.9	
12	(C)	CDC - Office C	Northeast Bbookshelf	4881334	12/02/25	6:21 AM	12/04/25	6:57 AM	0.3	
13	(C)	CDC - Office C - Duplicate	Northeast Wall - Bookshelf	4883486	12/02/25	6:21 AM	12/04/25	6:57 AM	0.9	
14		CDC - Infant Room	Northwest Wall	4881412	12/02/25	6:23 AM	12/04/25	6:58 AM	0.5	
15	(D)	CDC - Office D	Southwest Wall - Desk	4881416	12/02/25	6:24 AM	12/04/25	6:59 AM	0.3	
16	(D)	CDC - Office D - Blank	South Wall - Desk	4883508	12/02/25	6:25 AM	12/04/25	7:00 AM	0.2	
17	(E)	CDC - Infant Room - E	Southwest Wall - Bookcase	4883547	12/02/25	6:26 AM	12/04/25	7:01 AM	0.9	
Fine Arts (FA)										
#		Location/Type	Placement Description	Serial #	Dated Opened	Time Opened	Date Closed	Time Closed	Radon Test Results	Remarks
1	(1)	Auditorium # 1	Southwest Wall	4883502	12/02/25	5:30 AM	12/04/25	6:30 AM	0.7	
2	(2)	Auditorium # 2	Southeast Wall	4883482	12/02/25	5:31 AM	12/04/25	6:31 AM	0.5	
3	(3)	Auditorium # 3	Northeast Wall	4883566	12/02/25	5:32 AM	12/04/25	6:32 AM	1.4	
4	(5)	Auditorium # 4	Northwest Wall	4883543	12/02/25	5:33 AM	12/04/25	6:33 AM	1.2	
5		Stage	Microphone Stand	4883530	12/02/25	5:34 AM	12/04/25	6:34 AM	0.9	
6		Stage # 2	Storage Box	4883549	12/02/25	5:35 AM	12/04/25	6:36 AM	1.3	
7		Stage - Duplicate	Microphone Stand	4883561	12/02/25	5:35 AM	12/04/25	6:36 AM	0.7	
8		FA - 8	North Wall - Cart	4883546	12/02/25	5:50 AM	12/04/25	6:50 AM	0.6	
9		FA - 7	Southwest - Bookshelf	4883582	12/02/25	5:49 AM	12/04/25	6:49 AM	0.4	
10		FA - 6	West Wall - Countertop	4883509	12/02/25	5:47 AM	12/04/25	6:47 AM	1.2	
11		FA - 6 - Blank	West Wall - Countertop	4883523	12/02/25	5:48 AM	12/04/25	6:48 AM	0.3	
12		FA - 5	Southwest Wall - Corner Counter	4883603	12/02/25	5:46 AM	12/04/25	6:46 AM	0.7	
13	(1)	FA - 4 # 1	Northwest Wall - Counter	4883533	12/02/25	5:44 AM	12/04/25	6:44 AM	1.1	
14	(2)	FA - 4 # 2	Southeast - Table	4881405	12/02/25	5:45 AM	12/04/25	6:45 AM	1.3	
15	(A)	Office A	Southwest Wall - Counter	4883534	12/02/25	5:41 AM	12/04/25	6:41 AM	1.1	
16	(B)	Office B	West Wall	4881460	12/02/25	5:42 AM	12/04/25	6:42 AM	0.9	
17	(C)	Office C	Filing Cabinet	4881406	12/02/25	5:43 AM	12/04/25	6:53 AM	0.8	
18		FA - 3	North Wall	4881400	12/02/25	5:39 AM	12/04/25	6:40 AM	0.8	
19		FA - 3 - Duplicate	North Wall	4883528	12/02/25	5:39 AM	12/04/25	6:40 AM	0.3	
20		FA - 1	East Wall	4882386	12/02/25	5:37 AM	12/04/25	6:37 AM	1.2	
21		FA - 2	West Wall	4882387	12/02/25	5:38 AM	12/04/25	6:38 AM	?	Lost by lab?
Humanities (H)										
#		Location/Type	Placement Description	Serial #	Dated Opened	Time Opened	Date Closed	Time Closed	Radon Test Results	Remarks
1		H-1	Southwest - Corner	4882803	12/02/25	5:31 AM	12/04/25	6:24 AM	0.9	
2		Student Store	South - Wall Shelf	4882349	12/02/25	5:33 AM	12/04/25	6:25 AM	0.4	
3		H-1 Office	Southeast Wall - Filing Cabinet	4881391	12/02/25	5:34 AM	12/04/25	6:26 AM	0.4	
4		H-2	South Wall - Computer Cart	4881370	12/02/25	5:37 AM	12/04/25	6:29 AM	0.7	
5		H-2 - Duplicate	South Wall - Computer Cart	4882783	12/02/25	5:37 AM	12/04/25	6:29 AM	0.4	
6		H-3	West Wall - Filing Cabinet	4882351	12/02/25	5:42 AM	12/04/25	6:30 AM	0.2	
7		Office Outside H-3	North Wall - Bookshelf	4882347	12/02/25	5:42 AM	12/04/25	6:32 AM	0.3	
8		H-4	Northeast - Corner Filing Cabinet	4881451	12/02/25	5:46 AM	12/04/25	6:33 AM	0.4	
9		H-5	Northeast Wall - Filing Cabinet	4882315	12/02/25	5:48 AM	12/04/25	6:35 AM	0.9	
10		H-6	Northwest Wall - Shelf	4881368	12/02/25	5:51 AM	12/04/25	6:36 AM	0.8	
11		H-7	Southwest - Bookshelf	4881440	12/02/25	5:52 AM	12/04/25	6:37 AM	0.4	
12		H-8	Northeast Wall - Filing Cabinet	4881374	12/02/25	5:53 AM	12/04/25	6:39 AM	0.1	
13		H-9	Southeast Wall - Filing Cabinet	4881360	12/02/25	5:54 AM	12/04/25	6:42 AM	0.9	
14		H-9 - Duplicate	Southeast Wall - Filing Cabinet	4882888	12/02/25	5:54 AM	12/04/25	6:42 AM	0.3	
15		H-10A	Northeast Bookshelf	4881396	12/02/25	5:58 AM	12/04/25	6:45 AM	0.9	
16		H-10B	Desk By Phone	4882350	12/02/25	6:00 AM	12/04/25	6:47 AM	0.7	
17		H-10C	Southeast Corner	4883888	12/02/25	6:02 AM	12/04/25	6:47 AM	0.6	
18		H-10D	Northeast - Bookshelf	4882434	12/02/25	6:03 AM	12/04/25	6:48 AM	0.4	
19		H-11	West Wall - Top Shelf Cabinet	4882467	12/02/25	6:06 AM	12/04/25	6:51 AM	0.3	
20		H-12	Northeast Wall - Bookshelf	4882459	12/02/25	6:08 AM	12/04/25	6:53 AM	1.1	

21	H-12 - Duplicate	Northeast Wall - Bookshelf	4882848	12/02/25	6:08 AM	12/04/25	6:53 AM	0.8	
22	H-13	West Wall - Green Counter	4881418	12/02/25	6:11 AM	12/04/25	6:55 AM	0.9	
23	H-14	South Wall - Cabinet	4881417	12/02/25	6:13 AM	12/04/25	6:57 AM	0.4	
24	H-15	Southwest Wall - Corner Desk	4881446	12/02/25	6:14 AM	12/04/25	6:58 AM	1.0	
25	H-17	West Wall - Shelf	4881426	12/02/25	6:20 AM	12/04/25	7:00 AM	0.7	
26	H-17 Blank	West Wall - Shelf	4881383	12/02/25	6:20 AM	12/04/25	7:00 AM	0.4	
27	H-18	East Wall - Middle Counter	4882817	12/02/25	6:22 AM	12/04/25	7:02 AM	0.7	
28	H-19	East Wall - Bookshelf	4882409	12/02/25	6:23 AM	12/04/25	7:04 AM	0.7	
29	H-20	Southwest Wall - Filing Cabinet	4883507	12/02/25	6:24 AM	12/04/25	7:04 AM	0.8	
30	H-21	West Wall - TA desk	4881397	12/02/25	6:27 AM	12/04/25	7:06 AM	0.8	
31	H-21 - Duplicate	West Wall - TA desk	4883616	12/02/25	6:27 AM	12/04/25	7:06 AM	0.6	
32	H-22	South Wall - Filing Cabinet	4883503	12/02/25	6:33 AM	12/04/25	7:08 AM	0.6	
33	H-41	Filing Cabinet	4883596	12/02/25	6:35 AM	12/04/25	7:09 AM	1.0	
34	H-42	Filing Cabinet	4883584	12/02/25	6:35 AM	12/04/25	7:11 AM	0.6	
35	H-43	Top of Bookcase	4883604	12/02/25	6:35 AM	12/04/25	7:11 AM	1.2	
36	H-44	Corner Table	4881359	12/02/25	6:35 AM	12/04/25	7:12 AM	0.9	
37	H-25	West Wall - Table	4881514	12/02/25	6:38 AM	12/04/25	7:13 AM	0.6	
38	H-23	North Wall - Middle Counter	4881413	12/02/25	6:39 AM	12/04/25	7:15 AM	0.9	
39	H-26	Southeast Wall - Bookshelf	4883559	12/02/25	6:40 AM	12/04/25	7:16 AM	0.5	
40	H-27	East Wall - Center Cabinet	4881422	12/02/25	6:47 AM	12/04/25	7:17 AM	0.8	
41	H-24	South Wall - Filing Cabinet	4881371	12/02/25	6:44 AM	12/04/25	7:18 AM	0.8	
42	H-24 - Blank	South Wall - Filing Cabinet	4882801	12/02/25	6:44 AM	12/04/25	7:18 AM	0.1	
43	H-28	Northwest - Corner	4882457	12/02/25	6:47 AM	12/04/25	7:17 AM	0.5	
44	H-31	Northwest Corner - Filing Cabinet	4883539	12/02/25	6:48 AM	12/04/25	7:18 AM	0.8	
45	H-31 - Duplicate	Northwest Corner - Filing Cabinet	4883926	12/02/25	6:48 AM	12/04/25	7:18 AM	0.7	
46	H-29	Northwest - Bookshelf	4882790	12/02/25	6:49 AM	12/04/25	7:22 AM	0.4	
47	H-30	Northwest - Filing Cabinet	4882885	12/02/25	6:50 AM	12/04/25	7:23 AM	0.8	
48	H-32	South Wall - Bookshelf	4882884	12/02/25	6:51 AM	12/04/25	7:24 AM	1.1	
49	H-33	Southwest - Corner	4882889	12/02/25	6:55 AM	12/04/25	7:25 AM	0.3	
50	H-34	West Wall - Desk	4881377	12/02/25	6:57 AM	12/04/25	7:26 AM	0.5	
51	H-34 - Blank	West Wall - Desk	4881448	12/02/25	6:57 AM	12/04/25	7:26 AM	0.1	
52	H-38	Filing Cabinet	4882887	12/02/25	6:58 AM	12/04/25	7:28 AM	0.6	
53	H-39	Bookshelf	4882890	12/02/25	6:59 AM	12/04/25	7:29 AM	0.9	
54	H-40	West Wall - Counter	4883900	12/02/25	7:00 AM	12/04/25	7:30 AM	0.2	
55	H-35	Southeast Wall - Filing Cabinet	4883527	12/02/25	7:01 AM	12/04/25	7:31 AM	1.0	
56	H-37	Desk	4883485	12/02/25	7:03 AM	12/04/25	7:32 AM	1.0	
57	H-36	Northwest Wall - Bookshelf	4883572	12/02/25	7:03 AM	12/04/25	7:33 AM	0.9	

Media Center (M) and Commons									
#	Location/Type	Placement Description	Serial #	Dated Opened	Time Opened	Date Closed	Time Closed	Radon Test Results	Remarks
1 ①	Media Center # 1	South Wall - Bookcase	4882376	12/02/25	5:50 AM	12/04/25	6:59 AM	1.3	
2 ②	Media Center # 2	South Wall - Center - Bookcase	4881384	12/02/25	5:50 AM	12/04/25	6:59 AM	0.8	
3 ③	Media Center # 3	Northeast Wall - Bookcase	4881459	12/02/25	5:51 AM	12/04/25	6:59 AM	1.6	
4 ④	Media Center # 4	North Wall - Bookcase	4881428	12/02/25	5:52 AM	12/04/25	6:59 AM	1.3	
5	Media Center Computer Room	Southeast - Corner	4881387	12/02/25	5:53 AM	12/04/25	7:01 AM	1.2	
6 ①	Commons # 1	Northeast - Pillar	4881379	12/02/25	5:46 AM	12/04/25	6:56 AM	1.2	
7 ②	Commons # 2	Southwest Wall	4881357	12/02/25	5:47 AM	12/04/25	6:56 AM	0.9	
8 ③	Commons # 3	Southeast - Pillar	4881404	12/02/25	5:48 AM	12/04/25	6:56 AM	0.6	
9 ④	Commons # 4	Southeast Counter	4881441	12/02/25	5:49 AM	x	x	x	Missing after deployment
10	M-3	Northeast Wall - Desk	4881433	12/02/25	5:53 AM	12/04/25	7:04 AM	1.2	
11	M-3 - Duplicate	Northeast Wall - Desk	4882369	12/02/25	5:53 AM	12/04/25	7:04 AM	1.4	
12	M-2	West Wall - Center Counter	4882361	12/02/25	5:55 AM	12/04/25	7:04 AM	0.2	
13	M-2 Blank	West Wall - Center Counter	4881429	12/02/25	5:55 AM	12/04/25	7:04 AM	1.4	
14	M-1	East Wall - Center Desk	4881407	12/02/25	5:52 AM	12/04/25	7:03 AM	1.5	
15	M-1 - Duplicate	East Wall - Center Desk	4882367	12/02/25	5:52 AM	12/04/25	7:03 AM	1.1	

Gym (G)									
#	Location/Type	Placement Description	Serial #	Dated Opened	Time Opened	Date Closed	Time Closed	Radon Test Results	Remarks
1 ①	Gymnasium # 1	Southwest Corner of Gym							
2 ②	Gymnasium # 2	Southeast Corner On AED							
3 ③	Gymnasium # 3	Southeast Corner of Gym - On Face of Eequipment Room							
4 ④	Gymnasium # 4	Northeast Corner of Gym on Equipment Room							

5	5	Gymnasium # 5	Northwest Corner of Gym - By Bleachers							
6	6	Gymnasium # 6	West Wall - 8' From North End							
7	7	Gymnasium # 7	West Wall - Center of Gym							
8	8	Gymnasium # 8	West Wall - 8' From South Door							
9		Gymnasium - Duplicate	West Wall - 8' From South Door							
10		Gymnasium - Blank	Northeast Corner of Gym - On Equipment Room By Bleachers							
Athletic Facility										
#		Location/Type	Placement Description	Serial #	Dated Opened	Time Opened	Date Closed	Time Closed	Radon Test Results	Remarks
1	1	Athletic Facility #1	Taped to metal supports clockwise from South side doo	4881390	12/02/25	5:25 AM	12/04/25	6:23 AM	0.8	
2	2	Athletic Facility #2		4881456	12/02/25	5:26 AM	12/04/25	6:24 AM	0.8	
3	3	Athletic Facility #3		4881420	12/02/25	5:27 AM	12/04/25	6:29 AM	1.2	
4	4	Athletic Facility #4		4881434	12/02/25	5:28 AM	12/04/25	6:25 AM	1.0	
5	5	Athletic Facility #5		4881442	12/02/25	5:30 AM	12/04/25	6:27 AM	1.0	
6	6	Athletic Facility #6		4881423	12/02/25	5:33 AM	12/04/25	6:27 AM	0.9	
7	7	Athletic Facility #7		4881454	12/02/25	5:34 AM	12/04/25	6:28 AM	1.0	
8	8	Athletic Facility #8		4881435	12/02/25	5:35 AM	12/04/25	6:29 AM	1.1	
9		Athletic Facility - Duplicate		4882383	12/02/25	5:35 AM	12/04/25	6:29 AM	1.4	
10		Athletic Facility - Blank		4881509	12/02/25	5:37 AM	12/04/25	6:29 AM	0.1	
Science (S)										
#		Location/Type	Placement Description	Serial #	Dated Opened	Time Opened	Date Closed	Time Closed	Radon Test Results	Remarks
1		Planetarium	Southeast Corner - On Desk	4883483	12/02/25	6:30 AM	12/04/25	7:05 AM	0.5	
2		Planetarium - Office	Southeast Wall - Filing Cabinet	4883535	12/02/25	6:31 AM	12/04/25	7:06 AM	0.9	
3		S-7	Northeast Wall - Center Filing Cabinet	4883525	12/02/25	6:32 AM	12/04/25	7:08 AM	0.9	
4		S-7 - Duplicate	Northeast Wall - Center On Filing Cabinet	4883563	12/02/25	6:32 AM	12/04/25	7:08 AM	0.8	
5		S-9	North Wall	4883540	12/02/25	6:34 AM	12/04/25	7:09 AM	0.6	
6		S-8	South Wall - Center Desk	4883538	12/02/25	6:35 AM	12/04/25	7:10 AM	0.7	
7		S-6	West Wall - Center Desk	4883565	12/02/25	6:36 AM	12/04/25	7:11 AM	0.9	
8		S-4	West Wall - Center Desk	4883567	12/02/25	6:37 AM	12/04/25	7:12 AM	1.7	
9		S-3	West Wall - Corner File Cabinet	4883552	12/02/25	6:38 AM	12/04/25	7:13 AM	0.4	
10		S-3 - Blank	West Wall - Corner File Cabinet	4883529	12/02/25	6:38 AM	12/04/25	7:13 AM	0.1	
11		S-2	East Wall - Center Desk	4883522	12/02/25	6:40 AM	12/04/25	7:15 AM	0.8	
12		S-5	North Wall - Desk	4883517	12/02/25	6:41 AM	12/04/25	7:16 AM	0.5	
13		S-1	East Wall - Desk	4881445	12/02/25	6:42 AM	12/04/25	7:17 AM	0.9	
Tech Arts (TA)										
#		Location/Type	Placement Description	Serial #	Dated Opened	Time Opened	Date Closed	Time Closed	Radon Test Results	Remarks
1		TA-11	East Wall - Bookshelf	4881449	12/02/25	6:01 AM	12/04/25	6:42 AM	0.1	
2		TA-11 - Blank	East Wall - Bookshelf	4882377	12/02/25	6:02 AM	12/04/25	6:42 AM	0.9	
3		TA - 12	Southeast Wall - Corner Counter	4882345	12/02/25	6:03 AM	12/04/25	6:43 AM	0.8	
4		TA - 12 - Duplicate	Southeast Wall - Corner Counter	4882370	12/02/25	6:03 AM	12/04/25	6:43 AM	0.7	
5		Custodial Office	West Wall - Upper Shelf	4881409	12/02/25	6:05 AM	12/04/25	6:44 AM	0.7	
6	1	Wood Shop # 1	North Wall - Filing Cabinet	4882382	12/02/25	6:05 AM	12/04/25	6:45 AM	0.7	
7	2	Wood Shop # 2	East Wall - Filing Cabinet	4881354	12/02/25	6:06 AM	12/04/25	6:45 AM	0.9	
8	3	Wood Shop # 3	West Wall - Behind White Board	4881430	12/02/25	6:06 AM	12/04/25	6:45 AM	1.2	
9		Wood Shop - Office	West Wall	4881427	12/02/25	6:07 AM	12/04/25	6:46 AM	1.0	
10	1	Auto Shop # 1	Bookshelf By Door	4882374	12/02/25	6:08 AM	12/04/25	6:47 AM	0.6	
11	2	Auto Shop # 2	East Wall - Yellow Cabinet	4881508	12/02/25	6:09 AM	12/04/25	6:47 AM	0.8	
12		Auto Shop - Office	Filing Cabinet - Left of Desk	4881385	12/02/25	6:10 AM	12/04/25	6:46 AM	1.1	
13		Auto Shop - Classroom	West Wall - Cabinet	4881431	12/02/25	6:10 AM	12/04/25	6:48 AM	0.2	
14		Auto Shop Classroom - Blank	West Wall - Cabinet	4882358	12/02/25	6:10 AM	12/04/25	6:48 AM	0.2	
15		CTE - Shop	East Wall - Wire Tool Cabinet	4881447	12/02/25	6:13 AM	12/04/25	6:49 AM	0.5	
16		TA - 8	CNC Machine	4881411	12/02/25	6:14 AM	12/04/25	6:50 AM	0.8	
17		TA - 7	North Wall Behind Computer	4881402	12/02/25	6:15 AM	12/04/25	6:50 AM	0.6	
18		TA - 1	Southeast Wall - Shelf	4881439	12/02/25	6:19 AM	12/04/25	6:51 AM	0.9	
19		TA - 1 - Duplicate	Southeast Wall - Shelf	4881507	12/02/25	6:19 AM	12/04/25	6:51 AM	1.2	
20		TA - 2	East Wall - Shelf	4881455	12/02/25	6:18 AM	12/04/25	6:52 AM	0.7	
21		TA - 3	Northeast Wall - Cabinet	4881453	12/02/25	6:20 AM	12/04/25	6:52 AM	0.3	
22		TA - 4	Northwest Wall - Corner Bookshelf	4882325	12/02/25	6:22 AM	12/04/25	6:52 AM	0.8	
23		TA - 6	East Wall - Filing Cabinet	4881511	12/02/25	6:24 AM	12/04/25	6:54 AM	1.0	
24		TA - 6 Duplicate	East Wall - Wall Filing Cabinet	4881513	12/02/25	6:24 AM	12/04/25	6:54 AM	0.9	
25		TA - 5	South Wall - By Paper Towel	4881437	12/02/25	6:23 AM	12/04/25	6:53 AM	1.3	

Spikes

#	Type	Description	Serial #	Dated Opened	Time Opened	Date Closed	Time Closed	Radon Test Results	Remarks
1	Spike # 1 (Café Office C)	KSU Radon Chamber Spiked This To 44.5 pCi/L	4882471	12/02/25	8:55 AM	12/04/25	9:10 AM	45.6	
2	Spike # 2 (Café Office D)	KSU Radon Chamber Spiked This To 44.5 pCi/L	4883909	12/02/25	8:55 AM	12/04/25	9:10 AM	40.4	
3	Spike # 3 (H 45)	KSU Radon Chamber Spiked This To 44.5 pCi/L	4882419	12/02/25	8:55 AM	12/04/25	9:10 AM	39.5	
4	Spike # 4 (H 46)	KSU Radon Chamber Spiked This To 44.5 pCi/L	4882390	12/02/25	8:55 AM	12/04/25	9:10 AM	43.7	
5	Spike # 5 (FA 09)	KSU Radon Chamber Spiked This To 44.5 pCi/L	4883904	12/02/25	8:55 AM	12/04/25	9:10 AM	40.0	
6	Spike # 6 (FA 10)	KSU Radon Chamber Spiked This To 44.5 pCi/L	4882421	12/02/25	8:55 AM	12/04/25	9:10 AM	42.2	

***The E.P.A.'s recommended action level for radon is 4.0 pCi/L.**

***This is not a health based number.**

*Outdoor radon levels across the country average 0.4 pCi/L.

***If an RPD test result over 4.0 pCi/L differs by 28% or more, the data quality should be questioned.**

***A trend in RPE values that are more than ± 30% should be investigated**