



**TURF REPLACEMENT AT WEBSTER & EDISON HIGH SCHOOLS**

12.16.25

**Addendum # 1**

This addendum is hereby a part of those documents and contracts, the same as if bound therein and it shall supersede anything contained in the original bid manual with which it might conflict.

1. SECTION 2.1 ACCEPTABLE MANUFACTURER  
Xtreme Turf DXF50

The end

Xtreme Turf is found in over 2,000 installations in over 90 countries. The system is installed over a suitable substrate in accordance with designs and specifications recommended by Act Global.

### PRODUCT SPECIFICATIONS

CHARACTERISTICS	SPECIFICATIONS
YARN	Polyethylene with Exclusive 300/360 Micron Monofilament + 110 Micron Slit Film
FILM TYPE	MN Global (Monofilament) & FB Global (Slit Film)
PILE WEIGHT	50 oz/sy
DENIER	11,500 Monofilament + 10,000 FB (Slit Film)
PRIMARY BACKING WEIGHT	8 oz/sy
SECONDARY BACKING WEIGHT	20 oz/sy
TOTAL WEIGHT	78 oz/sy
PILE HEIGHT	2" or 50 mm
TUFTING GAUGE	3/8" AB Stitch
PRIMARY BACKING	Multi-Layer
SECONDARY BACKING	Polyurethane Coating
WIDTH	15'
PERFORATION	Yes
BACKING LAYERS	2
SHOCK PAD	Brock Sp17XL
INFILL	4 lbs:1 lbs Sand & Brock Fill - Recommended 75% or greater than the pile height

\*These are typical specifications, subject to standard manufacturing tolerances and customer options  
Central and McLain High Schools



Xtreme Turf is found in over 2,000 installations in over 90 countries. The system is installed over a suitable substrate in accordance with designs and specifications recommended by Act Global.

## PRODUCT SPECIFICATIONS

CHARACTERISTICS	SPECIFICATIONS
YARN	Polyethylene with Exclusive 300/360 Micron Monofilament + 110 Micron Slit Film
FILM TYPE	MN Global (Monofilament) & FB Global (Slit Film)
PILE WEIGHT	48 oz/sy
DENIER	11,500 Monofilament + 10,000 FB (Slit Film)
PRIMARY BACKING WEIGHT	8 oz/sy
SECONDARY BACKING WEIGHT	20 oz/sy
TOTAL WEIGHT	78 oz/sy
PILE HEIGHT	2" or 50 mm
TUFTING GAUGE	3/8" AB Stitch
PRIMARY BACKING	Multi-Layer
SECONDARY BACKING	Polyurethane Coating
WIDTH	15'
PERFORATION	Yes
BACKING LAYERS	2
SHOCK PAD	Brock Sp17XL
INFILL	4 lbs:1 lbs Sand & Brock Fill - Recommended 75% or greater than the pile height

\*These are typical specifications, subject to standard manufacturing tolerances and customer options  
Central and McLain High Schools

