Special Education Facilities

Building Name		**Room #**
Boyertown Area SHS		421C
School Building		**Building Description**
Senior High		A building in which general education programs are operated
Classroom Measurements	**Classroom Area Measurement**	**Max # of students in classroom**
8 feet, 0 inches x 8 feet, 0 inches	64sqft	2
Implementation Date		
2017-08-14		
Uploaded Files		

1Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		**Room #**
Boyertown Area SHS		421D
School Building		**Building Description**
Senior High		A building in which general education programs are operated
Classroom Measurements	**Classroom Area Measurement**	**Max # of students in classroom**

10 feet, 0 inches x 8 feet, 0 inches	80sqft	2
Implementation Date		
2017-08-14		
Uploaded Files		

2Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		**Room #**
Earl El Sch		44
School Building		**Building Description**
Elementary		A building in which general education programs are operated
Classroom Measurements	**Classroom Area Measurement**	**Max # of students in classroom**
13 feet, 0 inches x 40 feet, 0 inches	520sqft	18
Implementation Date		
2020-08-10		
Uploaded Files		

3Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		**Room #**
Earl El Sch		37
School Building		**Building Description**
Elementary		A building in which general education programs are operated
Classroom Measurements	**Classroom Area Measurement**	**Max # of students in classroom**
13 feet, 0 inches x 40 feet, 0 inches	520sqft	18
Implementation Date		
2022-08-15		
Uploaded Files		

4Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		**Room #**
Washington El Sch		56
School Building		**Building Description**
Elementary		A building in which general education programs are operated
Classroom Measurements	**Classroom Area Measurement**	**Max # of students in classroom**
21 feet, 0 inches x 8 feet, 0 inches	168sqft	6
Implementation Date		
2021-08-16		
Uploaded Files		

5Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name	**Room #**
Washington El Sch	143
School Building	**Building Description**
Elementary	A building in which general education programs are operated

Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
35 feet, 0 inches x 17 feet, 5 inches	609sqft	21
Implementation Date		
2022-08-15		
Uploaded Files		

6Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		Room #
Colebrookdale El Sch		202
School Building		**Building Description**
Elementary		A building in which general education programs are operated
Classroom Measurements	**Classroom Area Measurement**	**Max # of students in classroom**
34 feet, 0 inches x 23 feet, 0 inches	782sqft	27
Implementation Date		
2024-11-01		
Uploaded Files		

7Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		**Room #**
Gilbertsville El Sch		137
School Building		**Building Description**
Elementary		A building in which general education programs are operated
Classroom Measurements	**Classroom Area Measurement**	**Max # of students in classroom**
14 feet, 0 inches x 24 feet, 0 inches	336sqft	12
Implementation Date		
2024-08-12		
Uploaded Files		

8Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		**Room #**
Boyertown Area MS-West		21
School Building		**Building Description**
		A building in which general education programs are operated
Classroom Measurements	**Classroom Area Measurement**	**Max # of students in classroom**
32 feet, 0 inches x 25 feet, 0 inches	800sqft	28
Implementation Date		
2024-08-12		
Uploaded Files		

9Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name	**Room #**
Boyertown Area MS-West	27
School Building	**Building Description**
	A building in which general education programs are operated

Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
32 feet, 0 inches x 25 feet, 0 inches	800sqft	28
Implementation Date		
2015-08-10		
Uploaded Files		

10Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Boyertown Area MS-West		29
School Building		**Building Description**
		A building in which general education programs are operated
Classroom Measurements	**Classroom Area Measurement**	**Max # of students in classroom**
29 feet, 0 inches x 15 feet, 0 inches	435sqft	15
Implementation Date		
2015-08-10		
Uploaded Files		

11Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		**Room #**
Boyertown Area MS-West		43
School Building		**Building Description**
		A building in which general education programs are operated
Classroom Measurements	**Classroom Area Measurement**	**Max # of students in classroom**
32 feet, 0 inches x 25 feet, 0 inches	800sqft	28
Implementation Date		
2024-08-12		
Uploaded Files		

12Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		**Room #**
Boyertown Area MS-West		52
School Building		**Building Description**
		A building in which general education programs are operated
Classroom Measurements	**Classroom Area Measurement**	**Max # of students in classroom**
32 feet, 0 inches x 25 feet, 0 inches	800sqft	28
Implementation Date		
2016-08-15		
Uploaded Files		

13Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name	**Room #**
Boyertown Area MS-West	85
School Building	**Building Description**
	A building in which general education programs are operated

Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
32 feet, 0 inches x 25 feet, 0 inches	800sqft	28
Implementation Date		
2024-08-12		
Uploaded Files		

14Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		Room #
Boyertown Area MS-West		87
School Building		**Building Description**
		A building in which general education programs are operated
Classroom Measurements	**Classroom Area Measurement**	**Max # of students in classroom**
32 feet, 0 inches x 25 feet, 0 inches	800sqft	28
Implementation Date		
2022-08-15		
Uploaded Files		

15Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		**Room #**
Boyertown El Sch		173
School Building		**Building Description**
Elementary		A building in which general education programs are operated
Classroom Measurements	**Classroom Area Measurement**	**Max # of students in classroom**
27 feet, 0 inches x 25 feet, 0 inches	675sqft	24
Implementation Date		
2023-08-14		
Uploaded Files		

16Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		**Room #**
Boyertown El Sch		115
School Building		**Building Description**
Elementary		A building in which general education programs are operated
Classroom Measurements	**Classroom Area Measurement**	**Max # of students in classroom**
17 feet, 0 inches x 17 feet, 0 inches	289sqft	10
Implementation Date		
2024-08-12		
Uploaded Files		

17Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name	**Room #**
Boyertown El Sch	256
School Building	**Building Description**
Elementary	A building in which general education programs are operated

Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
12 feet, 0 inches x 13 feet, 0 inches	156sqft	5
Implementation Date		
2025-01-27		
Uploaded Files		

18Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		Room #
Boyertown El Sch		257
School Building		**Building Description**
Elementary		A building in which general education programs are operated
Classroom Measurements	**Classroom Area Measurement**	**Max # of students in classroom**
12 feet, 0 inches x 13 feet, 0 inches	156sqft	5
Implementation Date		
2024-08-12		
Uploaded Files		

19Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No