

Special Education Facilities

Building Name		Room #
Boyertown El Sch		118
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
25 feet, 0 inches x 35 feet, 0 inches	875sqft	31
Implementation Date		
2021-08-16		
Uploaded Files		

1Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Earl El Sch		52
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom

24 feet, 0 inches x 32 feet, 6 inches	780sqft	27
Implementation Date		
2021-08-16		
Uploaded Files		

2Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Boyertown Area MS-West		15
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
34 feet, 6 inches x 27 feet, 6 inches	948sqft	33
Implementation Date		
2021-08-16		
Uploaded Files		

3Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Boyertown Area SHS		809
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
32 feet, 6 inches x 20 feet, 0 inches	650sqft	23
Implementation Date		
2021-08-16		
Uploaded Files		

4Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Boyertown Area MS-East		204
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
46 feet, 0 inches x 30 feet, 0 inches	1380sqft	49
Implementation Date		
2021-08-16		
Uploaded Files		

5Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Washington El Sch		6
School Building		Building Description
		A building in which general education programs are operated

Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
20 feet, 0 inches x 35 feet, 5 inches	708sqft	25
Implementation Date		
2021-08-16		
Uploaded Files		

6Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
New Hanover-Upper Frederick El		312B
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
20 feet, 0 inches x 13 feet, 0 inches	260sqft	9
Implementation Date		
2021-08-16		
Uploaded Files		

7Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Colebrookdale El Sch		204
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
36 feet, 0 inches x 22 feet, 10 inches	822sqft	29
Implementation Date		
2021-08-16		
Uploaded Files		

8Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Gilbertsville El Sch		30
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
21 feet, 0 inches x 26 feet, 0 inches	546sqft	19
Implementation Date		
2021-08-16		
Uploaded Files		

9Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Washington El Sch		57
School Building		Building Description
		A building in which general education programs are operated

Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
17 feet, 5 inches x 21 feet, 0 inches	365sqft	13
Implementation Date		
2021-08-16		
Uploaded Files		

10Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Boyertown Area SHS		706
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
35 feet, 4 inches x 34 feet, 6 inches	1219sqft	43
Implementation Date		
2021-08-16		
Uploaded Files		

11Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Gilbertsville El Sch		27
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
24 feet, 0 inches x 23 feet, 0 inches	552sqft	19
Implementation Date		
2021-08-16		
Uploaded Files		

12Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Boyertown Area MS-East		125
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
23 feet, 0 inches x 17 feet, 0 inches	391sqft	13
Implementation Date		
2021-08-16		
Uploaded Files		

13Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Boyertown El Sch		189
School Building		Building Description
		A building in which general education programs are operated

Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
27 feet, 3 inches x 33 feet, 0 inches	899sqft	32
Implementation Date		
2021-08-16		
Uploaded Files		

14Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Boyertown Area SHS		516
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
35 feet, 0 inches x 18 feet, 7 inches	650sqft	23
Implementation Date		
2021-08-16		
Uploaded Files		

15 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Boyertown Area SHS		421A
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
11 feet, 3 inches x 8 feet, 8 inches	97sqft	3
Implementation Date		
2021-08-16		
Uploaded Files		

16 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Boyertown Area MS-East		323
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
22 feet, 10 inches x 18 feet, 4 inches	418sqft	14
Implementation Date		
2021-08-16		
Uploaded Files		

17Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name	Room #
Boyertown El Sch	121
School Building	Building Description
	A building in which general education programs are operated

Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
25 feet, 0 inches x 35 feet, 0 inches	875sqft	31
Implementation Date		
2021-08-16		
Uploaded Files		

18Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Boyertown Area MS-East		120
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
14 feet, 8 inches x 13 feet, 6 inches	198sqft	7
Implementation Date		
2021-08-16		
Uploaded Files		

19 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Gilbertsville El Sch		131
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
32 feet, 0 inches x 30 feet, 0 inches	960sqft	34
Implementation Date		
2021-08-16		
Uploaded Files		

20 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

