

Special Education Facilities

Building Name		Room #
New Hanover-Upper Frederick El		110
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
19 feet, 0 inches x 32 feet, 0 inches	608sqft	21
Implementation Date		
2021-08-16		
Uploaded Files		

1Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Colebrookdale El Sch		215
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom

14 feet, 10 inches x 11 feet, 0 inches	163sqft	5
Implementation Date		
2021-08-16		
Uploaded Files		

2Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Boyertown Area MS-West		19
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
35 feet, 7 inches x 38 feet, 4 inches	1364sqft	48
Implementation Date		
2021-08-16		
Uploaded Files		

3Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Washington El Sch		58
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
16 feet, 5 inches x 13 feet, 5 inches	220sqft	7
Implementation Date		
2021-08-16		
Uploaded Files		

4Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Washington El Sch		49
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
36 feet, 0 inches x 27 feet, 0 inches	972sqft	34
Implementation Date		
2021-08-16		
Uploaded Files		

5Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Colebrookdale El Sch		206
School Building		Building Description
		A building in which general education programs are operated

Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
36 feet, 0 inches x 22 feet, 10 inches	822sqft	29
Implementation Date		
2021-08-16		
Uploaded Files		

6Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Boyertown Area MS-West		22
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
16 feet, 10 inches x 11 feet, 0 inches	185sqft	6
Implementation Date		
2021-08-16		
Uploaded Files		

7Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Boyertown Area SHS		414
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
44 feet, 0 inches x 30 feet, 6 inches	1342sqft	47
Implementation Date		
2021-08-16		
Uploaded Files		

8Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Boyertown Area MS-East		131
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
30 feet, 4 inches x 27 feet, 6 inches	834sqft	29
Implementation Date		
2021-08-16		
Uploaded Files		

9Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Colebrookdale El Sch		205
School Building		Building Description
		A building in which general education programs are operated

Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
36 feet, 0 inches x 24 feet, 0 inches	864sqft	30
Implementation Date		
2021-08-16		
Uploaded Files		

10Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Gilbertsville El Sch		31
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
19 feet, 0 inches x 13 feet, 0 inches	247sqft	8
Implementation Date		
2021-08-16		
Uploaded Files		

11Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
New Hanover-Upper Frederick El		108
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
18 feet, 0 inches x 33 feet, 0 inches	594sqft	21
Implementation Date		
2021-08-16		
Uploaded Files		

12Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Boyertown Area MS-West		41
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
16 feet, 10 inches x 11 feet, 0 inches	185sqft	6
Implementation Date		
2021-08-16		
Uploaded Files		

13Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name	Room #
Boyertown Area SHS	510
School Building	Building Description
	A building in which general education programs are operated

Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
23 feet, 0 inches x 32 feet, 6 inches	747sqft	26
Implementation Date		
2021-08-16		
Uploaded Files		

14Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Boyertown Area MS-East		208
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
43 feet, 0 inches x 27 feet, 0 inches	1161sqft	41
Implementation Date		
2021-08-16		
Uploaded Files		

15Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Washington El Sch		12
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
21 feet, 0 inches x 18 feet, 0 inches	378sqft	13
Implementation Date		
2021-08-16		
Uploaded Files		

16Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
New Hanover-Upper Frederick El		311
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
24 feet, 0 inches x 35 feet, 0 inches	840sqft	30
Implementation Date		
2021-08-16		
Uploaded Files		

17Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Boyertown Area SHS		421B
School Building		Building Description
		A building in which general education programs are operated

Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
11 feet, 0 inches x 8 feet, 8 inches	95sqft	3
Implementation Date		
2021-08-16		
Uploaded Files		

18Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Earl El Sch		50
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
24 feet, 0 inches x 11 feet, 0 inches	264sqft	9
Implementation Date		
2021-08-16		
Uploaded Files		

19Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Boyertown El Sch		106
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
25 feet, 0 inches x 36 feet, 0 inches	900sqft	32
Implementation Date		
2021-08-16		
Uploaded Files		

20Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

