

Special Education Facilities

Building Name		Room #
Earl El Sch		39
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
35 feet, 0 inches x 25 feet, 0 inches	875sqft	31
Implementation Date		
2021-08-16		
Uploaded Files		

1Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Boyertown Area MS-East		132
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom

30 feet, 4 inches x 27 feet, 6 inches	834sqft	29
Implementation Date		
2021-08-16		
Uploaded Files		

2Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Boyertown Area SHS		421A
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
8 feet, 0 inches x 11 feet, 0 inches	88sqft	3
Implementation Date		
2021-08-16		
Uploaded Files		

3Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Gilbertsville El Sch		OT
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
18 feet, 5 inches x 9 feet, 5 inches	173sqft	6
Implementation Date		
2021-08-16		
Uploaded Files		

4Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Boyertown Area MS-East		121
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
36 feet, 6 inches x 14 feet, 8 inches	535sqft	19
Implementation Date		
2021-08-16		
Uploaded Files		

5Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Washington El Sch		161
School Building		Building Description
		A building in which general education programs are operated

Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
35 feet, 0 inches x 17 feet, 5 inches	609sqft	21
Implementation Date		
2024-08-12		
Uploaded Files		

6Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		Room #
New Hanover-Upper Frederick El		301
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
24 feet, 0 inches x 35 feet, 0 inches	840sqft	30
Implementation Date		
2023-08-14		
Uploaded Files		

7Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		Room #
New Hanover-Upper Frederick El		109
School Building		Building Description
Elementary		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
18 feet, 0 inches x 33 feet, 0 inches	594sqft	21
Implementation Date		
2023-08-14		
Uploaded Files		

8Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		Room #
Boyertown Area SHS		205
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
32 feet, 0 inches x 20 feet, 0 inches	640sqft	22
Implementation Date		
2023-08-14		
Uploaded Files		

9Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		Room #
Boyertown Area SHS		814
School Building		Building Description
Senior High		A building in which general education programs are operated

Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
26 feet, 0 inches x 26 feet, 0 inches	676sqft	24
Implementation Date		
2023-08-14		
Uploaded Files		

10Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		Room #
Boyertown Area SHS		708
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
31 feet, 0 inches x 20 feet, 0 inches	620sqft	22
Implementation Date		
2024-08-12		
Uploaded Files		

11Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		Room #
Boyertown Area SHS		212
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
27 feet, 0 inches x 13 feet, 0 inches	351sqft	12
Implementation Date		
2025-03-25		
Uploaded Files		

12Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		Room #
Boyertown Area SHS		802
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
26 feet, 0 inches x 30 feet, 0 inches	780sqft	27
Implementation Date		
2023-08-14		
Uploaded Files		

13Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		Room #
Boyertown Area SHS		619
School Building		Building Description
Senior High		A building in which general education programs are operated

Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
32 feet, 0 inches x 14 feet, 0 inches	448sqft	16
Implementation Date		
2023-08-14		
Uploaded Files		

14Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		Room #
Boyertown Area SHS		604
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
29 feet, 0 inches x 22 feet, 0 inches	638sqft	22
Implementation Date		
2022-08-15		
Uploaded Files		

15Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		Room #
Boyertown Area SHS		524
School Building		Building Description
Senior High		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
20 feet, 0 inches x 14 feet, 0 inches	280sqft	10
Implementation Date		
2024-08-12		
Uploaded Files		

16Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		Room #
Boyertown Area MS-East		124
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
12 feet, 0 inches x 31 feet, 0 inches	372sqft	13
Implementation Date		
2021-08-16		
Uploaded Files		

17Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

Building Name		Room #
Boyertown Area MS-East		712
School Building		Building Description
Middle		A building in which general education programs are operated

Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
8 feet, 0 inches x 14 feet, 0 inches	112sqft	4
Implementation Date		
2022-08-15		
Uploaded Files		

18Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		Room #
Boyertown Area MS-East		328
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
13 feet, 0 inches x 36 feet, 0 inches	468sqft	16
Implementation Date		
2024-08-12		
Uploaded Files		

19Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

Building Name		Room #
Boyertown Area MS-East		327
School Building		Building Description
Middle		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
16 feet, 0 inches x 14 feet, 0 inches	224sqft	8
Implementation Date		
2024-08-12		
Uploaded Files		

20Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

