Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

September 05, 2024

Kevin Storsberg
OHM BOCES_Whitesboro Central School District
65 Oriskany Blvd (Suite 1)
Whitesboro, NY 13492

RE: Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Dear Kevin Storsberg:

Enclosed are the analytical results for sample(s) received by the laboratory on June 18, 2024. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Alexandria Correa

Alexandria Correa for
Jack M. Germano
jack.germano@pacelabs.com
516-370-6012
Project Manager

Enclosures

cc: OHM BOCES Safety Services, OHM BOCES_Whitesboro Central School District

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

CERTIFICATIONS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Pace Analytical Services, LLC - Melville, NY

575 Broad Hollow Rd, Melville, NY 11747
Connecticut Certification #: PH-0435
Delaware Certification # NY 10478
Maryland Certification #: 208
Massachusetts Certification #: M-NY026
New Hampshire Certification #: 2987
New Jersey Certification #: NY158
New York Certification #: 10478 Primary Accrediting Body
Pennsylvania Certification #: 68-00350
Rhode Island Certification #: LAO00340

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 1F1 **Lab ID: 70301844001** Collected: 06/05/24 04:35 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		06/24/24 15:47	7439-92-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 1F2 **Lab ID: 70301844002** Collected: 06/05/24 04:36 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		06/24/24 15:51	7439-92-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 1F3 **Lab ID: 70301844003** Collected: 06/05/24 04:37 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		06/24/24 15:53	7439-92-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 6C1 **Lab ID: 70301844004** Collected: 06/05/24 04:44 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**1.4**	ug/L	1.0	1		06/24/24 15:54	7439-92-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 6C2 **Lab ID: 70301844005** Collected: 06/05/24 04:45 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**7.8**	ug/L	1.0	1		06/24/24 15:56	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 6C3 **Lab ID: 70301844006** Collected: 06/05/24 04:46 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**5.2**	ug/L	1.0	1		06/24/24 15:58	7439-92-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 6C4 **Lab ID: 70301844007** Collected: 06/05/24 04:47 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**31.4**	ug/L	1.0	1		06/24/24 16:10	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 7F1 **Lab ID: 70301844008** Collected: 06/05/24 04:51 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		06/24/24 16:13	7439-92-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 7F2 **Lab ID: 70301844009** Collected: 06/05/24 04:52 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		06/25/24 17:05	7439-92-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 10B **Lab ID: 70301844010** Collected: 06/05/24 04:45 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**7.2**	ug/L	1.0	1		06/25/24 17:25	7439-92-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 11B **Lab ID: 70301844011** Collected: 06/05/24 04:56 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**9.6**	ug/L	1.0	1		06/25/24 17:45	7439-92-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 12B **Lab ID: 70301844012** Collected: 06/05/24 04:57 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**12.2**	ug/L	1.0	1		06/25/24 17:48	7439-92-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 13B **Lab ID: 70301844013** Collected: 06/05/24 04:58 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**7.8**	ug/L	1.0	1		06/25/24 18:01	7439-92-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 14B **Lab ID: 70301844014** Collected: 06/05/24 04:59 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**18.0**	ug/L	1.0	1		06/25/24 18:06	7439-92-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 15B **Lab ID: 70301844015** Collected: 06/05/24 05:00 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**24.0**	ug/L	1.0	1		06/25/24 18:13	7439-92-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 17FI **Lab ID: 70301844016** Collected: 06/05/24 05:07 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		06/25/24 18:23	7439-92-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 17F2 **Lab ID: 70301844017** Collected: 06/05/24 05:08 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		06/25/24 18:28	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 20B **Lab ID: 70301844018** Collected: 06/05/24 05:09 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**10.4**	ug/L	1.0	1		06/25/24 18:34	7439-92-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 21B **Lab ID: 70301844019** Collected: 06/05/24 05:10 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**5.1**	ug/L	1.0	1		06/25/24 18:39	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 22B **Lab ID: 70301844020** Collected: 06/05/24 05:11 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**33.1**	ug/L	1.0	1		06/25/24 18:48	7439-92-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 23B **Lab ID: 70301844021** Collected: 06/05/24 05:12 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**8.9**	ug/L	1.0	1		06/25/24 19:00	7439-92-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 24B **Lab ID: 70301844022** Collected: 06/05/24 05:13 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**2.8**	ug/L	1.0	1		06/25/24 19:02	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 25B **Lab ID: 70301844023** Collected: 06/05/24 05:14 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**3.2**	ug/L	1.0	1		06/25/24 19:03	7439-92-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 26C **Lab ID: 70301844024** Collected: 06/05/24 05:15 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**1.4**	ug/L	1.0	1		06/25/24 19:05	7439-92-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 28F1 **Lab ID: 70301844025** Collected: 06/05/24 05:19 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		06/25/24 19:07	7439-92-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 28F2 **Lab ID: 70301844026** Collected: 06/05/24 05:20 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		06/25/24 19:08	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 29B1 **Lab ID: 70301844027** Collected: 06/05/24 05:22 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**8.9**	ug/L	1.0	1		06/25/24 19:10	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 29B2 **Lab ID: 70301844028** Collected: 06/05/24 05:23 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**1.1**	ug/L	1.0	1		06/25/24 19:11	7439-92-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 29B3 **Lab ID: 70301844029** Collected: 06/05/24 05:24 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		06/25/24 19:16	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 31B **Lab ID: 70301844030** Collected: 06/05/24 05:30 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**2.8**	ug/L	1.0	1		06/25/24 19:18	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 31F **Lab ID: 70301844031** Collected: 06/05/24 05:32 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**1.5**	ug/L	1.0	1		06/25/24 19:19	7439-92-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 32B **Lab ID: 70301844032** Collected: 06/05/24 05:31 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**3.0**	ug/L	1.0	1		06/25/24 19:21	7439-92-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 32F **Lab ID: 70301844033** Collected: 06/05/24 05:33 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**2.2**	ug/L	1.0	1		06/25/24 19:22	7439-92-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 33B **Lab ID: 70301844034** Collected: 06/05/24 05:36 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**1.8**	ug/L	1.0	1		06/25/24 19:24	7439-92-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 34B **Lab ID: 70301844035** Collected: 06/05/24 05:37 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**1.7**	ug/L	1.0	1		06/25/24 19:26	7439-92-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 38B **Lab ID: 70301844036** Collected: 06/05/24 05:40 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		06/25/24 19:27	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 38F **Lab ID: 70301844037** Collected: 06/05/24 05:41 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		06/25/24 19:29	7439-92-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 39B **Lab ID: 70301844038** Collected: 06/05/24 05:42 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**1.2**	ug/L	1.0	1		06/25/24 19:30	7439-92-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 39F **Lab ID: 70301844039** Collected: 06/05/24 05:43 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**1.7**	ug/L	1.0	1		06/25/24 19:43	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 40B **Lab ID: 70301844040** Collected: 06/05/24 05:44 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		06/25/24 19:49	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 40F **Lab ID: 70301844041** Collected: 06/05/24 05:45 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		06/25/24 19:57	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 41B **Lab ID: 70301844042** Collected: 06/05/24 05:46 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**1.0**	ug/L	1.0	1		06/25/24 20:00	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 41F **Lab ID: 70301844043** Collected: 06/05/24 05:47 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**1.4**	ug/L	1.0	1		06/25/24 20:13	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 42B **Lab ID: 70301844044** Collected: 06/05/24 05:48 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		06/25/24 20:19	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 42F **Lab ID: 70301844045** Collected: 06/05/24 05:49 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**1.9**	ug/L	1.0	1		06/26/24 10:29	7439-92-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 43B **Lab ID: 70301844046** Collected: 06/05/24 05:50 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		06/26/24 10:42	7439-92-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 43F **Lab ID: 70301844047** Collected: 06/05/24 05:51 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		06/26/24 11:02	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 45B **Lab ID: 70301844048** Collected: 06/05/24 06:03 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**117**	ug/L	1.0	1		06/26/24 11:11	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 47F1 **Lab ID: 70301844049** Collected: 06/05/24 06:06 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		06/26/24 11:15	7439-92-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 47F2 **Lab ID: 70301844050** Collected: 06/05/24 06:07 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		06/26/24 11:20	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 51F1 **Lab ID: 70301844051** Collected: 06/05/24 06:09 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		06/26/24 11:37	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 51F2 **Lab ID: 70301844052** Collected: 06/05/24 06:10 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		06/26/24 11:52	7439-92-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 54B **Lab ID: 70301844053** Collected: 06/05/24 06:16 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**1.4**	ug/L	1.0	1		06/26/24 12:02	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 45B **Lab ID: 70301844054** Collected: 06/15/24 05:57 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**1.4**	ug/L	1.0	1		06/26/24 17:59	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Sample: HH 45F **Lab ID: 70301844055** Collected: 06/15/24 05:58 Received: 06/18/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	**<1.0**	ug/L	1.0	1		06/26/24 18:01	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

QUALITY CONTROL DATA

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

QC Batch: 352671
QC Batch Method: EPA 200.8
Analysis Method: EPA 200.8
Analysis Description: 200.8 MET No Prep Drinking Water
Laboratory: Pace Analytical Services - Melville
Associated Lab Samples: 70301844001, 70301844002, 70301844003, 70301844004, 70301844005, 70301844006, 70301844007, 70301844008

METHOD BLANK: 1826887
Matrix: Water
Associated Lab Samples: 70301844001, 70301844002, 70301844003, 70301844004, 70301844005, 70301844006, 70301844007, 70301844008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	06/24/24 15:34	

LABORATORY CONTROL SAMPLE: 1826888

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	49.4	99	85-115	

MATRIX SPIKE SAMPLE: 1826890

Parameter	Units	70301840062 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	2.9	50	52.9	100	70-130	

MATRIX SPIKE SAMPLE: 1826892

Parameter	Units	70301840063 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	1.9	50	50.9	98	70-130	

SAMPLE DUPLICATE: 1826889

Parameter	Units	70301840062 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	2.9	2.9	0	

SAMPLE DUPLICATE: 1826891

Parameter	Units	70301840063 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	1.9	1.9	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

QUALITY CONTROL DATA

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

QC Batch: 353000
QC Batch Method: EPA 200.8
Analysis Method: EPA 200.8
Analysis Description: 200.8 MET No Prep Drinking Water
Laboratory: Pace Analytical Services - Melville
Associated Lab Samples: 70301844009

METHOD BLANK: 1829261 Matrix: Water
Associated Lab Samples: 70301844009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	06/25/24 16:18	

LABORATORY CONTROL SAMPLE: 1829262

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	49.5	99	85-115	

MATRIX SPIKE SAMPLE: 1829264

Parameter	Units	70302386001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<2.0	100	116	116	70-130	

MATRIX SPIKE SAMPLE: 1829266

Parameter	Units	70302386002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<2.0	100	95.1	95	70-130	

SAMPLE DUPLICATE: 1829263

Parameter	Units	70302386001 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<2.0	<2.0		

SAMPLE DUPLICATE: 1829265

Parameter	Units	70302386002 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<2.0	<2.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

QUALITY CONTROL DATA

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

QC Batch: 353019
QC Batch Method: EPA 200.8
Analysis Method: EPA 200.8
Analysis Description: 200.8 MET No Prep Drinking Water
Laboratory: Pace Analytical Services - Melville
Associated Lab Samples: 70301844010, 70301844011, 70301844012

METHOD BLANK: 1829314 Matrix: Water
Associated Lab Samples: 70301844010, 70301844011, 70301844012

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	06/25/24 17:08	

LABORATORY CONTROL SAMPLE: 1829315

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.5	101	85-115	

MATRIX SPIKE SAMPLE: 1829317

Parameter	Units	70301846003 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	50.9	101	70-130	

MATRIX SPIKE SAMPLE: 1829319

Parameter	Units	70301845009 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	51.2	102	70-130	

SAMPLE DUPLICATE: 1829316

Parameter	Units	70301846003 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE: 1829318

Parameter	Units	70301845009 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

QUALITY CONTROL DATA

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

QC Batch: 353020
QC Batch Method: EPA 200.8
Analysis Method: EPA 200.8
Analysis Description: 200.8 MET No Prep Drinking Water
Laboratory: Pace Analytical Services - Melville
Associated Lab Samples: 70301844013, 70301844014, 70301844015, 70301844016, 70301844017, 70301844018, 70301844019

METHOD BLANK: 1829321
Matrix: Water
Associated Lab Samples: 70301844013, 70301844014, 70301844015, 70301844016, 70301844017, 70301844018, 70301844019

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	06/25/24 17:55	

LABORATORY CONTROL SAMPLE: 1829322

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	48.8	98	85-115	

MATRIX SPIKE SAMPLE: 1829324

Parameter	Units	70301844013 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	7.8	50	58.5	101	70-130	

MATRIX SPIKE SAMPLE: 1829326

Parameter	Units	70301844014 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	18.0	50	70.8	106	70-130	

SAMPLE DUPLICATE: 1829323

Parameter	Units	70301844013 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	7.8	7.9	1	

SAMPLE DUPLICATE: 1829325

Parameter	Units	70301844014 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	18.0	18.3	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

QUALITY CONTROL DATA

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

QC Batch: 353021
QC Batch Method: EPA 200.8
Analysis Method: EPA 200.8
Analysis Description: 200.8 MET No Prep Drinking Water
Laboratory: Pace Analytical Services - Melville

Associated Lab Samples: 70301844020, 70301844021, 70301844022, 70301844023, 70301844024, 70301844025, 70301844026, 70301844027, 70301844028, 70301844029, 70301844030, 70301844031, 70301844032, 70301844033, 70301844034, 70301844035, 70301844036, 70301844037, 70301844038

METHOD BLANK: 1829329
Matrix: Water
Associated Lab Samples: 70301844020, 70301844021, 70301844022, 70301844023, 70301844024, 70301844025, 70301844026, 70301844027, 70301844028, 70301844029, 70301844030, 70301844031, 70301844032, 70301844033, 70301844034, 70301844035, 70301844036, 70301844037, 70301844038

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	06/25/24 18:45	

LABORATORY CONTROL SAMPLE: 1829330

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	49.6	99	85-115	

MATRIX SPIKE SAMPLE: 1829332

Parameter	Units	70301844020 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	33.1	50	81.6	97	70-130	

MATRIX SPIKE SAMPLE: 1829334

Parameter	Units	70301845038 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	5.0	50	56.1	102	70-130	

SAMPLE DUPLICATE: 1829331

Parameter	Units	70301844020 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	33.1	32.7	1	

SAMPLE DUPLICATE: 1829333

Parameter	Units	70301845038 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	5.0	4.9	2	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

QUALITY CONTROL DATA

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

QC Batch: 353022
QC Batch Method: EPA 200.8
Analysis Method: EPA 200.8
Analysis Description: 200.8 MET No Prep Drinking Water
Laboratory: Pace Analytical Services - Melville
Associated Lab Samples: 70301844039, 70301844040, 70301844041, 70301844042, 70301844043, 70301844044

METHOD BLANK: 1829335 Matrix: Water
Associated Lab Samples: 70301844039, 70301844040, 70301844041, 70301844042, 70301844043, 70301844044

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	06/25/24 19:35	

LABORATORY CONTROL SAMPLE: 1829336

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.6	101	85-115	

MATRIX SPIKE SAMPLE: 1829338

Parameter	Units	70301848001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	50.8	102	70-130	

MATRIX SPIKE SAMPLE: 1829340

Parameter	Units	70301844039 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	1.7	50	53.2	103	70-130	

SAMPLE DUPLICATE: 1829337

Parameter	Units	70301848001 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE: 1829339

Parameter	Units	70301844039 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	1.7	1.8	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

QUALITY CONTROL DATA

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

QC Batch: 353154
QC Batch Method: EPA 200.8
Analysis Method: EPA 200.8
Analysis Description: 200.8 MET No Prep Drinking Water
Laboratory: Pace Analytical Services - Melville
Associated Lab Samples: 70301844045, 70301844046

METHOD BLANK: 1830082
Matrix: Water
Associated Lab Samples: 70301844045, 70301844046

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	06/26/24 09:57	

LABORATORY CONTROL SAMPLE: 1830083

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	51.0	102	85-115	

MATRIX SPIKE SAMPLE: 1830086

Parameter	Units	70302288001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	55.7	111	70-130	

MATRIX SPIKE SAMPLE: 1830088

Parameter	Units	70302288002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	58.3	116	70-130	

SAMPLE DUPLICATE: 1830085

Parameter	Units	70302288001 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE: 1830087

Parameter	Units	70302288002 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

QUALITY CONTROL DATA

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

QC Batch: 353155
QC Batch Method: EPA 200.8
Analysis Method: EPA 200.8
Analysis Description: 200.8 MET No Prep Drinking Water
Laboratory: Pace Analytical Services - Melville
Associated Lab Samples: 70301844047, 70301844048, 70301844049, 70301844050

METHOD BLANK: 1830089 Matrix: Water
Associated Lab Samples: 70301844047, 70301844048, 70301844049, 70301844050

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	06/26/24 10:45	

LABORATORY CONTROL SAMPLE: 1830090

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	51.2	102	85-115	

MATRIX SPIKE SAMPLE: 1830092

Parameter	Units	70301848012 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	52.6	105	70-130	

MATRIX SPIKE SAMPLE: 1830094

Parameter	Units	70301849012 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	56.8	114	70-130	

SAMPLE DUPLICATE: 1830091

Parameter	Units	70301848012 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE: 1830093

Parameter	Units	70301849012 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

QUALITY CONTROL DATA

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

QC Batch: 353156
QC Batch Method: EPA 200.8
Analysis Method: EPA 200.8
Analysis Description: 200.8 MET No Prep Drinking Water
Laboratory: Pace Analytical Services - Melville
Associated Lab Samples: 70301844051, 70301844052, 70301844053

METHOD BLANK: 1830095 Matrix: Water
Associated Lab Samples: 70301844051, 70301844052, 70301844053

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	06/26/24 11:34	

LABORATORY CONTROL SAMPLE: 1830096

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.2	100	85-115	

MATRIX SPIKE SAMPLE: 1830098

Parameter	Units	70301844051 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	55.6	111	70-130	

MATRIX SPIKE SAMPLE: 1830100

Parameter	Units	70301849020 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	11.8	50	67.7	112	70-130	

SAMPLE DUPLICATE: 1830097

Parameter	Units	70301844051 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE: 1830099

Parameter	Units	70301849020 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	11.8	11.8	0	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

QUALITY CONTROL DATA

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

QC Batch: 353181
QC Batch Method: EPA 200.8
Analysis Method: EPA 200.8
Analysis Description: 200.8 MET No Prep Drinking Water
Laboratory: Pace Analytical Services - Melville
Associated Lab Samples: 70301844054, 70301844055

METHOD BLANK: 1830217
Matrix: Water
Associated Lab Samples: 70301844054, 70301844055

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	06/26/24 17:28	

LABORATORY CONTROL SAMPLE: 1830218

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	51.2	102	85-115	

MATRIX SPIKE SAMPLE: 1830220

Parameter	Units	70302032001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	47.0	94	70-130	

MATRIX SPIKE SAMPLE: 1830222

Parameter	Units	70302032002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	54.6	109	70-130	

SAMPLE DUPLICATE: 1830219

Parameter	Units	70302032001 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE: 1830221

Parameter	Units	70302032002 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

QUALIFIERS

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

WORKORDER QUALIFIERS

WO: 70301844

[1] Additional sample containers provided for analyses not requested. Client notified, per client request proceed with analysis.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70301844001	**HH 1F1**	EPA 200.8	352671		
70301844002	**HH 1F2**	EPA 200.8	352671		
70301844003	**HH 1F3**	EPA 200.8	352671		
70301844004	**HH 6C1**	EPA 200.8	352671		
70301844005	**HH 6C2**	EPA 200.8	352671		
70301844006	**HH 6C3**	EPA 200.8	352671		
70301844007	**HH 6C4**	EPA 200.8	352671		
70301844008	**HH 7F1**	EPA 200.8	352671		
70301844009	**HH 7F2**	EPA 200.8	353000		
70301844010	**HH 10B**	EPA 200.8	353019		
70301844011	**HH 11B**	EPA 200.8	353019		
70301844012	**HH 12B**	EPA 200.8	353019		
70301844013	**HH 13B**	EPA 200.8	353020		
70301844014	**HH 14B**	EPA 200.8	353020		
70301844015	**HH 15B**	EPA 200.8	353020		
70301844016	**HH 17FI**	EPA 200.8	353020		
70301844017	**HH 17F2**	EPA 200.8	353020		
70301844018	**HH 20B**	EPA 200.8	353020		
70301844019	**HH 21B**	EPA 200.8	353020		
70301844020	**HH 22B**	EPA 200.8	353021		
70301844021	**HH 23B**	EPA 200.8	353021		
70301844022	**HH 24B**	EPA 200.8	353021		
70301844023	**HH 25B**	EPA 200.8	353021		
70301844024	**HH 26C**	EPA 200.8	353021		
70301844025	**HH 28F1**	EPA 200.8	353021		
70301844026	**HH 28F2**	EPA 200.8	353021		
70301844027	**HH 29B1**	EPA 200.8	353021		
70301844028	**HH 29B2**	EPA 200.8	353021		
70301844029	**HH 29B3**	EPA 200.8	353021		
70301844030	**HH 31B**	EPA 200.8	353021		
70301844031	**HH 31F**	EPA 200.8	353021		
70301844032	**HH 32B**	EPA 200.8	353021		
70301844033	**HH 32F**	EPA 200.8	353021		
70301844034	**HH 33B**	EPA 200.8	353021		
70301844035	**HH 34B**	EPA 200.8	353021		
70301844036	**HH 38B**	EPA 200.8	353021		
70301844037	**HH 38F**	EPA 200.8	353021		
70301844038	**HH 39B**	EPA 200.8	353021		
70301844039	**HH 39F**	EPA 200.8	353022		
70301844040	**HH 40B**	EPA 200.8	353022		
70301844041	**HH 40F**	EPA 200.8	353022		
70301844042	**HH 41B**	EPA 200.8	353022		
70301844043	**HH 41F**	EPA 200.8	353022		
70301844044	**HH 42B**	EPA 200.8	353022		
70301844045	**HH 42F**	EPA 200.8	353154		
70301844046	**HH 43B**	EPA 200.8	353154		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: HARTS HILL ELEMENTARY 6/5
Pace Project No.: 70301844

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70301844047	**HH 43F**	EPA 200.8	353155		
70301844048	**HH 45B**	EPA 200.8	353155		
70301844049	**HH 47F1**	EPA 200.8	353155		
70301844050	**HH 47F2**	EPA 200.8	353155		
70301844051	**HH 51F1**	EPA 200.8	353156		
70301844052	**HH 51F2**	EPA 200.8	353156		
70301844053	**HH 54B**	EPA 200.8	353156		
70301844054	**HH 45B**	EPA 200.8	353181		
70301844055	**HH 45F**	EPA 200.8	353181		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace® Location Requested (City/State):
Pace Analytical Long Island NY
575 Broad Hollow Rd, Melville, NY 11747

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

WO# : 70301844

70301844

Company Name: OHM Boces_Whitesboro CSD
Street Address: 65 Oriskany Blvd. Suite 1Whitesboro, NY 13492

Contact/Report To: Kevin Storsberg
Phone #:
E-Mail: Kevin Storsberg <kstorsberg@wboro.org>
Cc E-Mail:

Customer Project #: 08215507
Project Name: Whitesboro CSD
Site Collection Info/Facility ID (as applicable): * Harts Hill Elementary (HH)

Invoice To: Kevin Storsberg
Invoice E-Mail: Kevin Storsberg <kstorsberg@wboro.org>
Purchase Order # (if applicable):
Quote #:

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [X] ET
County / State origin of sample(s): New York

Data Deliverables:
[ ] Level II [ ] Level III [ ] Level IV
[ ] EQUIS
[ ] Other_____

Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead In School DW

Rush (Pre-approval required):
[ ] 2 Day [ ] 3 day [ ] 5 day [ ] Other_____
Date Results Requested: Standard 10 business day

DW PWSID # or WW Permit # as applicable:
Field Filtered (if applicable): [ ] Yes [ ] No
Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk

Specify Container Size **: 3
Identify Container Preservative Type***: 2
Analysis Requested

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) Other
*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only: Proj. Mgr: Jack Germano; AcctNum / Client ID:; Table #:; Profile / Template: x; Prelog / Bottle Ord. ID:

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start) Date	Collected (or Composite Start) Time	Composite End Date	Composite End Time	Res. CL2	Number & Type of Containers Plastic	Number & Type of Containers Glass	200.8 Drinking Water (Pb only)	Sample Comment	Preservation non-conformance identified for sample
HH 1F1	DW	G	6/5/24	0435				1		X		
1F2				0436								
1F3				0437								
6C1				0444								
6C2				0445								
6C3				0446								
6C4				0447								
7F1				0451								
7F2				0452								
10B				0745								

Customer Remarks / Special Conditions / Possible Hazards:
Lead
* 6 School Buildings & maintenance/ensessing stand Buildings on chain, see facility ID for example

Collected By:
Printed Name: Chris Putzer
Signature:

Additional Instructions from Pace®:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:
[signature] PSE	6-14/2353	[signature]	6/17 0830
[signature]	6/17 1700	[signature] Pace	6/18 4:00
[signature]	6/18 8:00	[signature] PACE	6/18/24 8:00

Tracking Number:
Delivered by: [ ] In-Person [ ] Courier [ ] FedEX [ ] UPS [ ] Other

Page: 1 of 27

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

ENV-FRM-CORQ-0019_v01_082123 ©

Pace® Location Requested (City/State):
Pace Analytical Long Island NY
575 Broad Hollow Rd, Melville, NY 11747

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

Scan QR Code for Instructions

Company Name: OHM Boces_Whitesboro CSD
Street Address: 65 Oriskany Blvd. Suite 1Whitesboro, NY 13492

Contact/Report To: Kevin Storsberg
Phone #:
E-Mail: Kevin Storsberg <kstorsberg@wboro.org>
Cc E-Mail:

Customer Project #: 08215507
Project Name: Whitesboro CSD

Invoice To: Kevin Storsberg
Invoice E-Mail: Kevin Storsberg <kstorsberg@wboro.org>
Purchase Order # (if applicable):
Quote #:

Site Collection Info/Facility ID (as applicable): HH1

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [X] ET

County / State origin of sample(s): New York

Data Deliverables:
[ ] Level II [ ] Level III [ ] Level IV
[ ] EQUIS
[ ] Other_____

Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW

Rush (Pre-approval required):
[ ] 2 Day [ ] 3 day [ ] 5 day [ ] Other_____
Date Results Requested: Standard 10 business day

DW PWSID # or WW Permit # as applicable:
Field Filtered (if applicable): [ ] Yes [ ] No
Analysis:

Specify Container Size **: 3
Identify Container Preservative Type***: 2
Analysis Requested: 200.8 Drinking Water (Pb only)

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only: Proj. Mgr: Jack Germano; AcctNum / Client ID:; Table #:; Profile / Template: ik; Prelog / Bottle Ord. ID:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start) Date	Collected (or Composite Start) Time	Composite End Date	Composite End Time	Res. CL2	Number & Type of Containers Plastic	Number & Type of Containers Glass	200.8 Drinking Water (Pb only)	Sample Comment	Preservation non-conformance identified for sample
HH 11 B	DW	G	6/5/24	0456				1		X		
12 B				0457								
13 B				0458								
14 B				0459								
15 B				0500								
17 F1				0507								
17 F2				0508								
20 B				0509								
21 B				0510								
22 B				0511								

Customer Remarks / Special Conditions / Possible Hazards:
Lead

Collected By:
Printed Name: Chris Putzer
Signature:

Additional Instructions from Pace®:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)
	TH211	-.1	22.1	22.0

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:
[signature] / PSI	6/4 2353	[signature]	6/17 0830
[signature]	6/17 1700	[signature] Pace	6/18 9:10
[signature]	6/18 8:00	[signature] PACELI	6/18/24 8:00

Tracking Number:

Delivered by: [ ] In-Person [ ] Courier [ ] FedEX [ ] UPS [ ] Other

Page: 2 of 27

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

ENV-FRM-CORQ-0019_v01_082123 ©

Pace® Location Requested (City/State):
Pace Analytical Long Island NY
575 Broad Hollow Rd, Melville, NY 11747

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

Scan QR Code for Instructions

Company Name: OHM Boces_Whitesboro CSD
Street Address: 65 Oriskany Blvd. Suite 1Whitesboro, NY 13492

Contact/Report To: Kevin Storsberg
Phone #:
E-Mail: Kevin Storsberg <kstorsberg@wboro.org>
Cc E-Mail:

Customer Project #: 08215507
Project Name: Whitesboro CSD
Site Collection Info/Facility ID (as applicable): HH

Invoice To: Kevin Storsberg
Invoice E-Mail: Kevin Storsberg <kstorsberg@wboro.org>
Purchase Order # (if applicable):
Quote #:

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [X] ET

County / State origin of sample(s): New York

Data Deliverables:
[ ] Level II [ ] Level III [ ] Level IV
[ ] EQUIS
[ ] Other_____

Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW

Rush (Pre-approval required):
[ ] 2 Day [ ] 3 day [ ] 5 day [ ] Other_____
Date Results Requested: Standard 10 business day

DW PWSID # or WW Permit # as applicable:
Field Filtered (if applicable): [ ] Yes [ ] No
Analysis:

Specify Container Size **: 3
Identify Container Preservative Type***: 2
Analysis Requested: 200.8 Drinking Water (Pb only)

**Container Sizes: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only: Proj. Mgr: Jack Germano; AcctNum / Client ID:; Table #:; Profile / Template: 8; Prelog / Bottle Ord. ID:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start) Date	Collected (or Composite Start) Time	Composite End Date	Composite End Time	Res. Cl2	Number & Type of Containers: Plastic	Number & Type of Containers: Glass	200.8 Drinking Water (Pb only)	Sample Comment	Preservation non-conformance identified for sample
HH 23 B	DW	G	6/5/24	0512				1		X		
24 B				0513								
25 B				0514								
26 C				0515								
28 F1				0519								
28 F2				0520								
29 B 1				0522								
29 B 2				0523								
29 B 3				0524								
31 B				0530								

Customer Remarks / Special Conditions / Possible Hazards:
Lead

Collected By:
Printed Name: Chris Putzer
Signature:

Additional Instructions from Pace®:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)
	TH211	-.1	22.1	22.0

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:
[signature] / PSI	6-14/2353	[signature]	6/17 0830
[signature]	6/17 1700	[signature] Pace	6/18 4:10
[signature]	6/18 8:00	[signature] PACE LI	6/18/24 8:00

Tracking Number:

Delivered by: [ ] In-Person [ ] Courier [ ] FedEX [ ] UPS [ ] Other

Page: 3 of 27

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

ENV-FRM-CORQ-0019_v01_082123 ©

Pace® Location Requested (City/State):
Pace Analytical Long Island NY
575 Broad Hollow Rd, Melville, NY 11747

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

Scan QR Code for Instructions

Company Name: OHM Boces_Whitesboro CSD
Street Address: 65 Oriskany Blvd. Suite 1Whitesboro, NY 13492

Contact/Report To: Kevin Storsberg
Phone #:
E-Mail: Kevin Storsberg <kstorsberg@wboro.org>
Cc E-Mail:

Customer Project #: 08215507
Project Name: Whitesboro CSD
Site Collection Info/Facility ID (as applicable): HH

Invoice To: Kevin Storsberg
Invoice E-Mail: Kevin Storsberg <kstorsberg@wboro.org>
Purchase Order # (if applicable):
Quote #:

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [X] ET

County / State origin of sample(s): New York

Data Deliverables: [ ] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other_____

Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW

Rush (Pre-approval required): [ ] 2 Day [ ] 3 day [ ] 5 day [ ] Other_____

Date Results Requested: Standard 10 business day

DW PWSID # or WW Permit # as applicable:

Field Filtered (if applicable): [ ] Yes [ ] No
Analysis:

Specify Container Size **: 3
Identify Container Preservative Type***: 2
Analysis Requested: 200.8 Drinking Water (Pb only)

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only: Proj. Mgr: Jack Germano; AcctNum / Client ID:; Table #:; Profile / Template: 8; Prelog / Bottle Ord. ID:

* Matrix Codes (insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start) Date	Collected (or Composite Start) Time	Composite End Date	Composite End Time	Res. Cl2	Number & Type of Containers Plastic	Number & Type of Containers Glass	200.8 Drinking Water (Pb only)	Sample Comment	Preservative non-conformance identified for sample
HH 31F	DW	G	6/5/24	0532				1		X		
32 B				0531								
32 F				0533								
33 B				0536								
34 B				0537								
38 B				0540								
38 F				0541								
39 B				0542								
39 F				0543								
40 B				0544								

Customer Remarks / Special Conditions / Possible Hazards:
Lead

Collected By:
Printed Name: Chris Putzer
Signature:

Additional Instructions from Pace®:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)
	PH24	-.1	22.1	22.0

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:
CS PS / PSI	6-14 / 2353		6/17 0830
	6/17 1700	Paul Sacco Pace	6/18 4:10
Paul Sacco	6/18 8:00	PACE 4	6/18/24 8:00

Tracking Number:

Delivered by: [ ] In-Person [ ] Courier [ ] FedEX [ ] UPS [ ] Other

Page: 4 of 27

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

ENV-FRM-CORQ-0019_v01_082123 ©

Pace® Location Requested (City/State):
Pace Analytical Long Island NY
575 Broad Hollow Rd, Melville, NY 11747

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

Scan QR Code for instructions

Company Name: OHM Boces_Whitesboro CSD
Street Address: 65 Oriskany Blvd. Suite 1Whitesboro, NY 13492

Contact/Report To: Kevin Storsberg
Phone #:
E-Mail: Kevin Storsberg <kstorsberg@wboro.org>
Cc E-Mail:

Customer Project #: 08215507
Project Name: Whitesboro CSD
Site Collection Info/Facility ID (as applicable): HH

Invoice To: Kevin Storsberg
Invoice E-Mail: Kevin Storsberg <kstorsberg@wboro.org>
Purchase Order # (if applicable):
Quote #:

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [X] ET

County / State origin of sample(s): New York

Data Deliverables:
[ ] Level II [ ] Level III [ ] Level IV
[ ] EQUIS
[ ] Other_____

Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW

Rush (Pre-approval required):
[ ] 2 Day [ ] 3 day [ ] 5 day [ ] Other_____
Date Results Requested: Standard 10 business day

DW PWSID # or WW Permit # as applicable:
Field Filtered (if applicable): [ ] Yes [ ] No
Analysis:

Specify Container Size **: 3
Identify Container Preservative Type***: 2
Analysis Requested: 200.8 Drinking Water (Pb only)

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only:
Proj. Mgr: Jack Germano
AcctNum / Client ID:
Table #:
Profile / Template:
Prelog / Bottle Ord. ID:

* Matrix Codes (insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start) Date	Collected (or Composite Start) Time	Composite End Date	Composite End Time	Res. CL2	Number & Type of Containers Plastic	Number & Type of Containers Glass	200.8 Drinking Water (Pb only)	Sample Comment	Preservation non-conformance identified for sample
HH 40F	DW	G	6/5/24	0545				1		X		
41B				0546								
41F				0547								
42B				0548								
42F				0549								
43B				0550								
43F				0551								
45B				0603								
47F1				0606								
47F2				0607								

Customer Remarks / Special Conditions / Possible Hazards:
Lead

Collected By:
Printed Name: Chris Putzer
Signature:

Additional Instructions from Pace®:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)
	47H211	-.1	22.1	22.0

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:
[signature]	6-14 2353	[signature]	6/17 0830
[signature]	6/17 1700	[signature] - Pace -	6/18 4:10
[signature]	6/18 8:00	[signature] PACE 4	6/18/24 8:00

Tracking Number:

Delivered by: [ ] In-Person [ ] Courier [ ] FedEX [ ] UPS [ ] Other

Page: 5 of 27

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

ENV-FRM-CORQ-0019_v01_082123 ©

Pace® Location Requested (City/State):
Pace Analytical Long Island NY
575 Broad Hollow Rd, Melville, NY 11747

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

Scan QR Code for Instructions

Company Name: OHM Boces_Whitesboro CSD
Street Address: 65 Oriskany Blvd. Suite 1Whitesboro, NY 13492

Contact/Report To: Kevin Storsberg
Phone #:
E-Mail: Kevin Storsberg <kstorsberg@wboro.org>
Cc E-Mail:

Customer Project #: 08215507
Project Name: Whitesboro CSD

Invoice To: Kevin Storsberg
Invoice E-Mail: Kevin Storsberg <kstorsberg@wboro.org>

Site Collection Info/Facility ID (as applicable): HH / Muriat/ concordia Sand (WCSD) Middle school (MS)

Purchase Order # (if applicable):
Quote #:

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [X] ET

County / State origin of sample(s): New York

Data Deliverables:
[ ] Level II [ ] Level III [ ] Level IV
[ ] EQUIS
[ ] Other_____

Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW

Rush (Pre-approval required):
[ ] 2 Day [ ] 3 day [ ] 5 day [ ] Other_____
Date Results Requested: Standard 10 business day

DW PWSID # or WW Permit # as applicable:
Field Filtered (if applicable): [ ] Yes [ ] No
Analysis:

Specify Container Size **: 3
Identify Container Preservative Type***: 2
Analysis Requested

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only: Proj. Mgr: Jack Germano; AcctNum / Client ID:; Table #:; Profile / Template: x; Prelog / Bottle Ord. ID:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start) Date	Collected (or Composite Start) Time	Composite End Date	Composite End Time	Res. CL2	Number & Type of Containers Plastic	Number & Type of Containers Glass	200.8 Drinking Water (Pb only)	Sample Comment	Preservation non-conformance identified for sample.
HH 5I F1	DW	G	6/5/24	0609				1		X		
5I F2				0610								
5H B				0616								
WCSD 2C			6/6/24	0745								
3E			6/4/24	0745								
3F				0747								
MS 2C1			6/6/24	0646								
2C2				0647								
2C3				0648								
2C4				0649								

Customer Remarks / Special Conditions / Possible Hazards:
Lead

Collected By:
Printed Name: Chris Putzer
Signature:

Additional Instructions from Pace®:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)
	TT121	-.1	22.1	22.0

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:
CP / PSI	6-14-24/353		6/17 0830
	6/17 1700	Paul Freene - Pace	6/18 4:30
Paul Freene	6/18 8:00	PACE 11	6/18/24 8:00

Tracking Number:
Delivered by: [ ] In-Person [ ] Courier [ ] FedEx [ ] UPS [ ] Other

Page: 6 of 27

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

ENV-FRM-CORQ-0019_v01_082123 ©

Client: WhitesboroCS Profile #: 106076

Work ID: (P) Harts Hill Elementary 6/5 COC Page ____ of ____

☐ Use Point Number Spreadsheet ☐ Multiday Project

☐ Add SCLOGFD to first sample for field charge

CCC Line Item	Matrix	VG9U	VG9C	VG9H	VG9S	VG9T	DG9Y	DG9P	DG9A	DG6T	DG9S	AG4U	AG3U	AG2U	AG1U	AG34	AG3S	AG4E	AG3T	AG2R	AG1T	AG1H	AG1A	AG5U	AG44	CG1U	WG9O	WG4O	BP4U	BP3U	BP2U	BP1U	BP3S	BP2S	BP4N	BP3N	BP2N	BP3C	BP3T	BP3S	BP3R	BP1Z	BP1N	BP1B	SP5T	R	WG2U	WGFU	WGKU	WGDU	ZPLC	GN	WP	TEDL	BGIH	LLHG	BG1N	IOC	SOC
1																																																													
2																																																													
3																																																													
4																																																													
5																																																													
6																																																													
7																																																													
8																																																													
9																																																													
10																																																													
11																																																													
12																																																													

53

WO#: 70301844
PM: JMG Due Date: 07/01/24
CLIENT: WhitesboroCS

Container Codes

Glass				Plastic	
VG9U	40mL unpres clear vial	AG4U	125mL unpres amber glass	BP4U	125mL unpreserved plastic
VG9C	40mL Ascorbic-HCl clear vial	AG3U	250mL unpres amber glass	BP3U	250mL unpreserved plastic
VG9H	40mL HCl clear vial	AG2U	500mL unpres amber glass	BP2U	500mL unpreserved plastic
VG9S	40mL Sulfuirc clear vial	AG1U	1liter unpres amber glass	BP1U	1L unpreserved plastic
VG9T	40mL Na Thiosulfate vial	AG34	Ammonium Cl 250mL bottle	BP4N	125mL HNO3 plastic
DG9Y	40mL Citrate-Na Thiosulfate	AG3S	250mL H2SO4 amber glass	BP3N	250mL HNO3 plastic
DG9P	40mL amber vial - TSP	AG4E	125mL EDA amber glass	BP2N	500mL HNO3 plastic
DG9A	Ascorbic/Maleic Acid 40mL	AG3T	250mL Na Thio amber glass	BP3S	250mL H2SO4 plastic
DG6T	Na Thio 60mL Vial	AG2R	Na Sulfite 500mL (blue Cap)	BP2S	500mL H2SO4 plastic
DG9S	Ammonium Cl/CuSO4 40mL	AG1T	Na Thiosulfate 1L bottle	BP3C	NaOH 250mL bottle
CG1U	1L Unpres Jar (Con Ed)	AG1H	1L HCl amber glass	BP3T	250mL Trizma
WG9O	8oz clear soil jar	AG1A	1L Ammonium Chloride	BP35	250mL Ammonium Acetate
WG4O	4oz clear soil jar	AG5U	100mL unpres Amber Glass	BP3R	250mL NH4SO4-NH4OH
		AG44	Ammonium Cl 120mL bottle	BP1Z	1L NaOH, Zn Acetate
				BP1N	1L HNO3 plastic
				BP1B	Na Thiosulfate Amber Bottle

Misc.	
SP5T	120mL Coliform Na Thio
R	Terracore Kit
WG2U	2oz Unpreserved Jar
WGFU	4oz Unpreserved Jar
WGKU	8oz Unpreserved Jar
WGDU	16oz Unpreserved Jar
ZPLC	Ziplock Bag
TEDL	Tedlar Bag
BG1H	1L HCL Clear Glass
GN	General
WP	Wipe
LLHG	Low Level Hg Bottles
BG1N	1L HNO3 Clear Glass

IOC	
BP1U	1L unpreserved plastic
BP3N*	250mL HNO3 plastic
BP3C	250mL Sodium Hydroxide
AG2U	500mL unpres amber glass
BP3U	250mL unpreserved plastic

* Can also be a BP4N

Matrix	
WT	Water
SL	Solid
NAL	Non-aqueous Liquid
OL	OIL
WP	Wipe
DW	Drinking Water

SOC	
VG9T	40mL Na Thio amber vial
DG9A	40mL Ascorbic acid/ maleic Acid vials
DG9Y	Citrate/Na Thiosulfate 40mL
DG6T	Na Thiosulfate 60mL vial
DG6M	MonoClAcletic/Na Thio 60mL
AG3U	250mL unpres amber glass
AG3T	Na Thiosulfate 250mL bottle
BP1B	Na Thiosulfate Amber bottle
AG1T	Na Thiosulfate 1L Amber
AG1A	525.3 Chemical Blend

Sender Initials AD

Additional Comments

last page only log highlighted samples
53 total samples

Pace® Analytical Services, LLC

Pace Analytical

Sample Receiving Non-Conform

Date: 6/18/24	Evaluated by: ADI
Client: Whitesboro	

Affix Wo

WO#: 70301844
PM: JMG **Due Date: 07/02/24**
CLIENT: WhitesboroCS

1. If Chain-of-Custody (COC) is not received: contact client and if necessary, fill out a COC and indicate that it was filled out by lab personnel. Note issues on this NCF.

2. If COC is incomplete, check applicable issues below and add details where appropriate:

✓	Collection date/time missing or incorrect		Analyses or analytes: missing or clarification needed	✓	Samples listed on COC do not match samples received (missing, additional, etc.)
	Sample IDs on COC do not match sample labels		Required trip blanks were not received		Required signatures are missing

Comments/Details/Other Issues not listed above:

received two additional samples not on chain HH 45B collected at 05:57 } logged at end of HH 45F collected at 05:58 } workorder based on info on bottles

3. Sample integrity issues: check applicable issues below and add details where appropriate:

	Samples: Past holding time		Samples: Condition needs to be brought to lab personnel's attention (details below)		Preservation: Improper
	Samples: Not field filtered		Containers: Broken or compromised		Temperature: not within acceptance criteria (typically 0-6C)
	Samples: Insufficient volume received		Containers: Incorrect		Temperature: Samples arrived frozen
	Samples: Cooler damaged or compromised		Custody Seals: Missing or compromised on samples, trip blanks or coolers		Vials received with improper headspace
	Samples: contain chlorine or sulfides		Packing Material: Insufficient/Improper		Other:

Comments/Details:

HH 10B time of collection on bottle 04:55 does not match chain (~~at~~ 04:45

4. If Samples not preserved properly and Sample Receiving adjusts pH, add details below:

Sample ID:	Date/Time:	Amount/type pres added:
Preserved by:	Initial and Final pH:	Lot # of pres added:
Sample ID:	Date/Time:	Amount/type pres added:
Preserved by:	Initial and Final pH:	Lot # of pres added:
Sample ID:	Date/Time:	Amount/type pres added:
Preserved by:	Initial and Final pH:	Lot # of pres added:

5. Client Contact: If client is contacted for any issue listed above, fill in details below:

Client:	Contacted per:	
PM Initials:	Date/Time:	

Client Comments/Instructions:

DC#_Title: Excel Form Template
Effective Date:

WO#: 70301844
PM: JMG **Due Date: 07/01/24**
CLIENT: WhitesboroCS

Client Name: Whites boroCS Project #

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☑ Pace ☐ Other

Tracking #:

Custody Seal on Cooler/Box Present: ☐ Yes ☑ No Seals intact: ☐ Yes ☐ No Temperature Blank Present: ☐ Yes ☑ No
Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ Ziplo ☑ None ☐ Other Type of Ice: Wet Blue None

Thermometer Used: TH211 Correction Factor: -.1 ☐ Samples on ice, cooling process has begun
Cooler Temperature(°C): 22.1 Cooler Temperature Corrected(°C): 22.0 Date/Time 5035A kits placed in freezer
Temp should be above freezing to 6.0°C

USDA Regulated Soil (☑ N/A, water sample)

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? ☐ Ye ☐ No

Did samples orignate from a foreign source including Hawaii and Puerto Rico)? ☐ Yes ☐ No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.

Date and Initials of person examining contents: HD 6/18/24

				COMMENTS:
Chain of Custody Present:	☑Yes	☐No		1.
Chain of Custody Filled Out:	☑Yes	☐No		2.
Chain of Custody Relinquished:	☑Yes	☐No		3.
Sampler Name & Signature on COC:	☑Yes	☐No	☐N/A	4.
Samples Arrived within Hold Time:	☑Yes	☐No		5.
Short Hold Time Analysis (<72hr):	☐Yes	☑No		6.
Rush Turn Around Time Requested	☐Yes	☑No		7.
Sufficient Volume: (Triple volume provided for MS/MSD)	☑Yes	☐No		8.
Correct Containers Used:	☑Yes	☐No		9.
-Pace Containers Used:	☑Yes	☐No		
Containers Intact:	☑Yes	☐No		10.
Filtered volume received for Dissolved tests	☐Yes	☐No	☑N/A	11. Note: if sediment is visible in the dissolved container.
Sample Labels match COC: -Includes date/time/ID/Analysis Matrix:	☑Yes	☑No		12. samples received not on chain
	SL	WT	OIL OTHER	

Date and Initials of person checking preservation: HD 6/18/24

All containers needing preservation have been pH paper Lot # 2006273	☑Yes	☐No	☐N/A	13. ☐ HNO_3 ☐ H_2SO_4 ☐ NaOH ☐ HCl Sample #
All containers needing preservation are found to be in compliance with method recommendation? (HNO_3, H_2SO_4, HCl, NaOH>9 Sulfide, NAOH>12 Cyanide)	☑Yes	☐No	☐N/A	
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water). Per Method, VOA pH is checked after analysis				Initial when completed: / Lot # of added preservative: / Date/Time preservative added:
Samples checked for dechlorination: KI starch test strips Lot # Residual chlorine strips Lot #	☐Yes	☐No	☑N/A	14. Positive for Res. Chlorine? Y N
SM 4500 CN samples checked for sul Lead Acetate Strips Lot #	☐Yes	☐No	☑N/A	15. Positive for Sulfide? Y N
Headspace in ALK Bottle (>6mm):	☐Yes	☐No	☑N/A	
Headspace in VOA Vials (>6mm):	☐Yes	☐No	☑N/A	16.
Trip Blank Present:	☐Yes	☐No	☑N/A	17.
Trip Blank Custody Seals Present	☐Yes	☐No	☑N/A	

Client Notification/ Resolution: Field Data Required? Y / N
Person Contacted: Date/Time:
Comments/ Resolution:

* PM (Project Manager) review (which includes the SCUR) is documented electronically in LIMS.