



June 27, 2024

Kevin Storsberg
OHM BOCES_Whitesboro Central School
District
65 Oriskany Blvd (Suite 1)
Whitesboro, NY 13492

RE: Project: WCSD 6/16
Pace Project No.: 70301846

Dear Kevin Storsberg:

Enclosed are the analytical results for sample(s) received by the laboratory on June 18, 2024. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Latoya Sobratie for
Jack M. Germano
jack.germano@pacelabs.com
516-370-6012
Project Manager

Enclosures

cc: OHM BOCES Safety Services, OHM BOCES_Whitesboro
Central School District



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: WCSD 6/16

Pace Project No.: 70301846

Pace Analytical Services Long Island

575 Broad Hollow Rd, Melville, NY 11747

Connecticut Certification #: PH-0435

Delaware Certification # NY 10478

Maryland Certification #: 208

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

New Jersey Certification #: NY158

New York Certification #: 10478 Primary Accrediting Body

Pennsylvania Certification #: 68-00350

Rhode Island Certification #: LAO00340

Virginia Certification # 460302

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WCSD 6/16

Pace Project No.: 70301846

Sample: WCSD 2C		Lab ID: 70301846001	Collected: 06/06/24 07:45	Received: 06/18/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	66.1	ug/L	1.0	1		06/24/24 16:02	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WCSD 6/16

Pace Project No.: 70301846

Sample: WCSD 3E		Lab ID: 70301846002	Collected: 06/04/24 07:45	Received: 06/18/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	2.3	ug/L	1.0	1		06/24/24 16:16	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WCSD 6/16

Pace Project No.: 70301846

Sample: WCSD 3F		Lab ID: 70301846003	Collected: 06/04/24 07:47	Received: 06/18/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		06/25/24 17:11	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: WCSD 6/16

Pace Project No.: 70301846

QC Batch:	352671	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville

Associated Lab Samples: 70301846001, 70301846002

METHOD BLANK: 1826887 Matrix: Water

Associated Lab Samples: 70301846001, 70301846002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	06/24/24 15:34	

LABORATORY CONTROL SAMPLE: 1826888

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	49.4	99	85-115	

MATRIX SPIKE SAMPLE: 1826890

Parameter	Units	70301840062 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	2.9	50	52.9	100	70-130	

MATRIX SPIKE SAMPLE: 1826892

Parameter	Units	70301840063 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	1.9	50	50.9	98	70-130	

SAMPLE DUPLICATE: 1826889

Parameter	Units	70301840062 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	2.9	2.9	0	

SAMPLE DUPLICATE: 1826891

Parameter	Units	70301840063 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	1.9	1.9	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: WCSD 6/16

Pace Project No.: 70301846

QC Batch: 353019

Analysis Method: EPA 200.8

QC Batch Method: EPA 200.8

Analysis Description: 200.8 MET No Prep Drinking Water

Laboratory: Pace Analytical Services - Melville

Associated Lab Samples: 70301846003

METHOD BLANK: 1829314

Matrix: Water

Associated Lab Samples: 70301846003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	06/25/24 17:08	

LABORATORY CONTROL SAMPLE: 1829315

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.5	101	85-115	

MATRIX SPIKE SAMPLE: 1829317

Parameter	Units	70301846003 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	50.9	101	70-130	

MATRIX SPIKE SAMPLE: 1829319

Parameter	Units	70301845009 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	51.2	102	70-130	

SAMPLE DUPLICATE: 1829316

Parameter	Units	70301846003 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE: 1829318

Parameter	Units	70301845009 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: WCSD 6/16

Pace Project No.: 70301846

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: WCSO 6/16

Pace Project No.: 70301846

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70301846001	WCSO 2C	EPA 200.8	352671		
70301846002	WCSO 3E	EPA 200.8	352671		
70301846003	WCSO 3F	EPA 200.8	353019		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CHAIN-OF-CUSTODY Analytical Request Document
 Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

WO#: 70301846



70301846

Company Name: OHM Boco_Whitesboro CSD
Street Address: 65 Oriskany Blvd, Suite 1 Whitesboro, NY 13492

Contact/Report To: Kevin Storsberg
Phone #:
E-Mail: Kevin.Storsberg_skt@storsberg.com
Cc E-Mail:
Invoice To: Kevin Storsberg
Invoice E-Mail: Kevin.Storsberg_skt@storsberg.com

Customer Project #: 08215507
Project Name: Whitesboro CSD

Site Collection Info/Facility ID (as applicable):
 H-H / Mount Pleasant School CMS

Purchase Order # (if applicable):
Quote #:

Specify Container Size **
 3
Identify Container Preservative Type ***
 2
Analysis Requested

** Container Size: (1) 1L, (2) 800mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) Encore, (8) TerraCon, (9) Other.
 *** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) MeHSO4, (8) Sod. Thioulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Time Zone Collected: [] AK [] PT [] MT [] CT [] ET
Data Deliverables:
 [] Level II [] Level III [] Level IV
 [] EQUIS
 [] Other

Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW
Ruth (Pre-approval required):
 ([] 2 Day [] 3 day [] 5 day [] Other)
Date Results Requested: Standard 30 business day
Field Filtered (if applicable): [] Yes [] No
Analysis:

200.0 Drinking Water (Pb only)
 X
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓

Customer Sample ID	Matrix *	Comp / Grab	Collected		Composite End	Res. CL2	Number & Type of Containers	Lab Use Only	Preservative non-conformance identified for sample
			Date	Time					
HV 51 FI	DW	G	6/5/24	0609			1		
↓ SI FX	↓	↓	↓	↓			↓		
↓ 54 B	↓	↓	↓	↓			↓		
WCSD 2C	↓	↓	6/6/24	0745			↓		
↓ 3 E	↓	↓	↓	↓			↓		
↓ 3 F	↓	↓	6/4/24	0745			↓		
MS 2C1	↓	↓	↓	↓			↓		
↓ 2C2	↓	↓	6/6/24	0646			↓		
↓ 2E3	↓	↓	↓	↓			↓		
↓ 2C7	↓	↓	↓	↓			↓		

Additional Instructions from Pace*:

Collected By: Chris Puffer
Signature: *Chris Puffer*

Received by/Company (Signature): *Paul Paine - Pace*
Date/Time: 6/17 1700

Received by/Company (Signature): *Paul Paine*
Date/Time: 6/18 8:00

Received by/Company (Signature): *Paul Paine*
Date/Time: 6/18 8:00

Received by/Company (Signature): *Paul Paine*
Date/Time: 6/18 8:00

Tracking Number: 0830
Correction Factor (C): 22.1
Oil Temp. (C): 22.1
Corrected Temp. (C): 22.0

Delivered by: [] In-Person [] Courier
 [] FedEx [] UPS [] Other

Page: 6 of 27

106760

Client: Whitesboro ~~CSA~~

Use Point Number Spreadsheet Multiday Project

Profile #: _____ of _____

Work ID: WCSP 616

COC Page _____ of _____
Add SCLGFD to first sample for field charge

COC Line Item	Matrix	Container	Container Colors
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			
61			
62			
63			
64			
65			
66			
67			
68			
69			
70			
71			
72			
73			
74			
75			
76			
77			
78			
79			
80			
81			
82			
83			
84			
85			
86			
87			
88			
89			
90			
91			
92			
93			
94			
95			
96			
97			
98			
99			
100			

WO#: 70301846
PM: JMG Due Date: 07/01/24
CLIENT: WhitesboroCS

Container	Glass	Plastic
VG9U	40mL unpres clear vial	BP4U 125mL unreserved plastic
VG9C	40mL Ascorbic-HCl clear vial	BP3U 250mL unreserved plastic
VG9H	40mL HCl clear vial	BP2U 500mL unreserved plastic
VG9S	40mL Sulfuric clear vial	BP1U 1L unreserved plastic
VG9T	40mL Na Thiosulfate vial	BP4N 125mL HNO3 plastic
DG9Y	40mL Citrate-Na Thiosulfate	BP3N 250mL HNO3 plastic
DG9P	40mL amber vial - TSP	BP2N 500mL HNO3 plastic
DG9A	Ascorbic/Maleic Acid 40mL	BP3S 250mL H2SO4 plastic
DG6T	Na Thio 60mL Vial	BP2S 500mL H2SO4 plastic
DG9S	Ammonium Cl/CuSO4 40mL	BP3C NaOH 250mL bottle
CG1U	1L Unpres Jar (Con Ed)	BP3T 250mL Trizma
WG9O	8oz clear soil jar	BP3R 250mL Ammonium Acetate
WG4O	4oz clear soil jar	BP1Z 1L NaOH Zn Acetate
		BP1N 1L HNO3 plastic
		BP1B Na Thiosulfate Amber Bottle

Misc
SPST 120mL Colliform Na Thio
R Terracore Kit
WG2U 2oz Unreserved Jar
WGKU 4oz Unreserved Jar
WGDU 16oz Unreserved Jar
ZPLC Ziplock Bag
TEDL Tedlar Bag
BG1H 1L HCL Clear Glass
GN General
WP Wipe
LLHG Low Level Hg Bottles
BG1N 1L HNO3 Clear Glass

Matrix
WT Water
SL Solid
NAL Non-aqueous Liquid
OL Oil
WP Wipe
DW Drinking Water

* Can also be a BP4N

SOC
VG9T 40mL Na Thio amber vial
DG9A 40mL Ascorbic acid/maleic acid vial
DG9Y Citrate/Na Thiosulfate 40mL
DG6T Na Thiosulfate 60mL vial
DG6M MonoChloride/Na Thio 60mL
AG3U 250mL unpres amber glass
AG3T Na Thiosulfate 250mL bottle
BP1B Na Thiosulfate Amber bottle
AG1T Na Thiosulfate 1L Amber
AG1A 525.3 Chemical Blend

Sender initials **VAD**

Additional Comments

only log highlighted samples
3 total samples

WO#: 70301846
PM: JMG Due Date: 07/01/24
CLIENT: WhitesboroCS

Client Name: WhitesboroCS Project # _____

Courier: Fed Ex UPS USPS Client Commercial Pacc Other

Tracking #: _____

Custody Seal on Cooler/Box Present: Yes No Seals intact: Yes No Temperature Blank Present: Yes No
 Packing Material: Bubble Wrap Bubble Bags Ziploc None Other Type of Ice: Wet Blue None

Thermometer Used: TH211 Correction Factor: -1 Samples on ice, cooling process has begun
 Cooler Temperature (°C): 22.1 Cooler Temperature Corrected (°C): 22.0 Date/Time 5035A kits placed in freezer _____

Temp should be above freezing to 6.0°C

USDA Regulated Soil N/A, water sample)

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? Yes No

Did samples originate from a foreign source including Hawaii and Puerto Rico)? Yes No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.

Date and Initials of person examining contents: ADG/18/24

		COMMENTS:
Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: (Triple volume provided for MS/MSD)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note: if sediment is visible in the dissolved container.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12.
-Includes date/time/ID/Analysis Matrix:	SL WT OIL OTHER	

Date and Initials of person checking preservation: ADG/18/24

All containers needing preservation have been	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
pH paper Lot # <u>200623</u>		Sample #
All containers needing preservation are found to be in compliance with method recommendation? (HNO ₃ , H ₂ SO ₄ , HCl, NaOH > 9 Sulfide, <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A NAOH > 12 Cyanide)		Initial when completed: Lot # of added preservative: Date/Time preservative added:
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water). Per Method, VOA pH is checked after analysis		
Samples checked for dechlorination:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
KI starch test strips Lot #		Positive for Res. Chlorine? Y N
Residual chlorine strips Lot #		15. Positive for Sulfide? Y N
SM 4500 CN samples checked for sul	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Lead Acetate Strips Lot #		
Headspace in ALK Bottle (>6mm):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16.
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	17.
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	

Client Notification/ Resolution: _____ Field Data Required? Y / N
 Person Contacted: _____ Date/Time: _____
 Comments/ Resolution: _____

* PM (Project Manager) review (which includes the SCUR) is documented electronically in LIMS.