



part of
ALS Limited

Specialists in Drinking Water Testing Technologies ■ Residential ■ Industrial ■ Municipal

York Analytical Laboratory A Division of ALS Limited

2161 WHITESVILLE ROAD TOMS RIVER, NJ 08755 PHONE 732-914-1515 FAX 732-914-1616

NJ Lab Cert. # 15001

CERTIFICATE OF ANALYSIS

Customer : Garden State Environmental
555 South Broad Street, Suite K
Glen Rock, NJ 07452

Project ID : Heritage Middle School #9058 Livingston BOE, 20 Foxcroft Drive, Livingston, NJ 07039

Matrix : Drinking Water

PAS Project ID : P25-03142

Report Date : 4/25/2025

PAS Sample ID	Client ID	Analysis	Results	Units	DF	PQL	MDL	MCL	Method	Date Sampled	Date Analyzed
P25-03142-01	LHER-B-S01A (Maintenance)	Lead	1.21 J	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:07	4/23/25 10:39
P25-03142-02	LHER-B-B04A (Girl's Locker Room)	Lead	2.53	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:10	4/23/25 10:54
P25-03142-03	LHER-B-B06A (Hall Boys Locker Room)	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:12	4/23/25 11:06
P25-03142-04	LHER-B-B01A (Boys Locker Rm Front)	Lead	2.53	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:13	4/23/25 11:10
P25-03142-05	LHER-B-B02A (Boys Locker Rm Back)	Lead	1.47 J	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:13	4/23/25 11:14
P25-03142-06	LHER-B-WC03A (Hall By Gym Right)	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:15	4/23/25 11:18
P25-03142-07	LHER-B-BF01A (Hall By Gym Right)	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:16	4/23/25 11:22
P25-03142-08	LHER-B-WC04A (Hall By Gym Left)	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:16	4/23/25 11:26
P25-03142-09	LHER-B-WC05A (Across Rm.118 Left)	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:18	4/23/25 11:30
P25-03142-10	LHER-B-WC06A (Across Rm.118 Right)	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:18	4/23/25 11:34
P25-03142-11	LHER-B-BF02A (Across Rm.118 Right)	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:19	4/23/25 11:38
P25-03142-12	LHER-1-WC07A (Hall By Rm.211 Right)	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:22	4/23/25 11:50
P25-03142-13	LHER-1-BF03A (Hall By Rm.211 Right)	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:23	4/23/25 11:54
P25-03142-14	LHER-1-WC08A (Hall By Rm.211 Left)	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:23	4/23/25 11:59
P25-03142-15	LHER-1-S15A (Room 219)	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:25	4/23/25 12:03
P25-03142-16	LHER-1-S02A (Rm.213 Far Left)	Lead	1.74 J	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:27	4/23/25 12:07
P25-03142-17	LHER-1-S03A (Rm.213 Right Of 02)	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:27	4/23/25 12:11
P25-03142-18	LHER-1-S04A (Rm.213 Right Of 03)	Lead	1.47 J	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:27	4/23/25 12:15
P25-03142-19	LHER-1-S05A (Rm.213 Right Of 04)	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:28	4/23/25 12:19
P25-03142-20	LHER-1-S06A (Rm.213 Right Of 05)	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:28	4/23/25 12:23
P25-03142-21	LHER-1-WC09A (Hall Rm.215 Left)	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:30	4/23/25 12:36
P25-03142-22	LHER-1-WC10A (Hall Rm.215 Right)	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:30	4/23/25 12:51
P25-03142-23	LHER-1-BF04A (Hall Rm.215 Right)	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:31	4/23/25 12:55
P25-03142-24	LHER-1-B12A (Faculty Room)	Lead	8.05	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:33	4/23/25 12:59
P25-03142-25	LHER-1-S07A (Faculty Room)	Lead	1.74 J	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:34	4/23/25 13:03
P25-03142-26	LHER-1-IM01A (Kitchen)	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:36	4/23/25 13:07
P25-03142-27	LHER-1-S08A (Kitchen Middle Island)	Lead	1.21 J	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:38	4/23/25 13:19
P25-03142-28	LHER-1-S11A (Kitchen Back Right)	Lead	3.84	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:39	4/23/25 13:23
P25-03142-29	LHER-1-S10A (Kitchen Back Middle)	Lead	1.74 J	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:40	4/23/25 13:27
P25-03142-30	LHER-1-H01A (Kitchen Back Left)	Lead	2.26	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:40	4/23/25 13:31
P25-03142-31	LHER-1-WC15A (Café Right Right)	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:44	4/23/25 13:35
P25-03142-32	LHER-1-BF07A (Café Right Right)	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:44	4/23/25 13:39
P25-03142-33	LHER-1-WC16A (Café Right Left)	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:45	4/23/25 13:43
P25-03142-34	LHER-1-WC14A (Café Left Right)	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:47	4/23/25 13:47
P25-03142-35	LHER-1-WC13A (Café Left Left)	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:48	4/23/25 14:05
P25-03142-36	LHER-1-BF06A (Café Left Left)	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:49	4/23/25 14:09
P25-03142-37	LHER-1-WC11A (Hall Rm.221 Right)	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:50	4/23/25 14:13
P25-03142-38	LHER-1-BF05A (Hall Rm.221 Right)	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:50	4/23/25 14:17
P25-03142-39	LHER-1-WC12A (Hall Rm.221 Left)	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:51	4/23/25 14:21
P25-03142-40	LHER-1-S09A (Main Office)	Lead	3.05	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:53	4/23/25 14:25
P25-03142-41	LHER-1-B14A (Nurse)	Lead	3.58	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:55	4/23/25 14:29
P25-03142-42	LHER-1-B03A (Room 228)	Lead	7.53	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 07:56	4/23/25 14:53
P25-03142-43	LHER-2-WC17A (Hall Rm.311 Left)	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 08:00	4/23/25 14:57
P25-03142-44	LHER-2-WC18A (Hall Rm.311 Right)	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 08:02	4/23/25 15:01
P25-03142-45	LHER-2-BF08A (Hall Rm.311 Right)	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 08:02	4/23/25 15:05
P25-03142-46	LHER-2-WC19A (Hall Rm.316 Left)	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 08:04	4/23/25 15:09
P25-03142-47	LHER-2-WC20A (Hall Rm.316 Right)	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 08:05	4/23/25 15:13

Except for the parameters tested, York Analytical makes no representation as to the fitness or quality of the water sample taken.

PQL = Practical Quantitation Limit

MDL = Minimum Detection Limit

MCL = Maximum Contaminant Level

DF = Dilution Factor

ND = Analyzed for but not detected

J = Estimated result

* NJ Dept of Education & Dept of Children & Families Action Level

All samples are analyzed in accordance with
New Jersey Department of Environmental
Protection Protocol

Kelly Hogan - Quality Assurance Officer



part of
ALS Limited

Specialists in Drinking Water Testing Technologies ■ Residential ■ Industrial ■ Municipal

York Analytical Laboratory A Division of ALS Limited

2161 WHITESVILLE ROAD TOMS RIVER, NJ 08755 PHONE 732-914-1515 FAX 732-914-1616

NJ Lab Cert. # 15001

CERTIFICATE OF ANALYSIS

Customer : Garden State Environmental
555 South Broad Street, Suite K
Glen Rock, NJ 07452

Project ID : Heritage Middle School #9058 Livingston BOE, 20 Foxcroft Drive, Livingston, NJ 07039

Matrix : Drinking Water

PAS Project ID : P25-03142

Report Date : 4/25/2025

PAS Sample ID	Client ID	Analysis	Results	Units	DF	PQL	MDL	MCL	Method	Date Sampled	Date Analyzed
P25-03142-48	LHER-2-BF09A (Hall Rm.316 Right)	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 08:06	4/23/25 15:17
P25-03142-49	LHER-4-16-FBA (Field Blank)	Lead	ND	ug/L	1	2.00	0.900	15.0 *	SM 3113 B	4/16/25 08:08	4/23/25 15:21

Except for the parameters tested, York Analytical makes no representation as to the fitness or quality of the water sample taken.

PQL = Practical Quantitation Limit

MDL = Minimum Detection Limit

MCL = Maximum Contaminant Level

DF = Dilution Factor

ND = Analyzed for but not detected

J = Estimated result

* NJ Dept of Education & Dept of Children & Families Action Level

All samples are analyzed in accordance with
New Jersey Department of Environmental
Protection Protocol

Kelly Hogan - Quality Assurance Officer



part of
ALS Limited

**CHAIN
OF
CUSTODY**

✓ LP

Customer:	Garden State Environmental
Address:	555 S. Broad St. Glen Rock, NJ 07452
Phone:	(201) 652-1119 Office

School Name:	Heritage Middle School #9058 Livingston BOE
School Address:	20 Foxcroft Drive, Livingston, NJ
Sampled By:	<i>Jim [Signature]</i>
Print Name:	Michael Blaney
RESULTS TO:	labreports@gseconsultants.com

Sample ID Location	Date / Time Sampled	Matrix Code	Grab or Comp	Flash Sample	Filter Present	# Containers	Glass or Plastic	Analysis	LAB ID
LHER-B-S01A (Maintenance)	4/16/2025 07:07	DW	Grab	no	no	1	250 ml Plastic	Lead	P25-03142-01
LHER-B-B04A (Girl's Locker Room)	4/16/2025 07:10	DW	Grab	no	no	1	250 ml Plastic	Lead	-02
LHER-B-B06A (Hall Boy's Locker Room)	4/16/2025 07:12	DW	Grab	no	no	1	250 ml Plastic	Lead	-03
LHER-B-B01A (Boy's Locker Rm front)	4/16/2025 07:13	DW	Grab	no	no	1	250 ml Plastic	Lead	-04
LHER-B-B02A (Boy's Locker Rm back)	4/16/2025 07:13	DW	Grab	no	no	1	250 ml Plastic	Lead	-05
LHER-B-WC03A (Hall by gym right)	4/16/2025 07:15	DW	Grab	no	yes	1	250 ml Plastic	Lead	-06
LHER-B-BF01A (Hall by gym right)	4/16/2025 07:16	DW	Grab	no	yes	1	250 ml Plastic	Lead	-07
LHER-B-WC04A (Hall by gym left)	4/16/2025 07:16	DW	Grab	no	no	1	250 ml Plastic	Lead	-08
LHER-B-WC05A (Across Rm.118 left)	4/16/2025 07:18	DW	Grab	no	no	1	250 ml Plastic	Lead	-09
LHER-B-WC06A (Across Rm.118 right)	4/16/2025 07:18	DW	Grab	no	yes	1	250 ml Plastic	Lead	-10
LHER-B-BF02A (Across Rm.118 right)	4/16/2025 07:19	DW	Grab	no	yes	1	250 ml Plastic	Lead	-11
LHER-1-WC07A (Hall by Rm.211 right)	4/16/2025 07:22	DW	Grab	no	yes	1	250 ml Plastic	Lead	-12
LHER-1-BF03A (Hall by Rm.211 right)	4/16/2025 07:23	DW	Grab	no	yes	1	250 ml Plastic	Lead	-13
LHER-1-WC08A (Hall by Rm.211 left)	4/16/2025 07:23	DW	Grab	no	no	1	250 ml Plastic	Lead	-14
LHER-1-S15A (Room 219)	4/16/2025 07:25	DW	Grab	no	no	1	250 ml Plastic	Lead	P25-03142-15

SAMPLES REC'D UNPRESERVED. PRESERVED IN LAB.

Page 1 of 4

Deliverables: PDF Std. PDF Reduce PDF Full EDD Date/Time Preserved with HNO3: 4/21 @ 20:50

MATRIX CODES: GW = Ground Water, WW = Waste Water, SW = Surface Water, DW = Drinking Water, S = Soil, L = Liquid, SD = Sludge, B = Blank, K = Solid (specify):

PRESERVATION CODES: 0 = Ice, 1 = HCl, 2 = H2SO4, 3 = NaOH, 4 = HNO3, 5 = Other

	Print Name:	Signature:	Company:	Date + Time
Relinquished:	Michael Blaney	<i>Jim [Signature]</i>	GSE	4/17/2025
Received:	Bob Gratta	<i>[Signature]</i>	Yak	4/18/25 14:20
Relinquished:	Bob Gratta	<i>[Signature]</i>	Yak	4/18/25 18:04
Received:	Lauren Palumbo	<i>[Signature]</i>	YAL	4/21/25 9:00
Relinquished:				
Received:				

Customer:	Garden State Environmental
Address:	555 S. Broad St. Glen Rock, NJ 07452
Phone:	(201) 652-1119 Office

School Name:	Heritage Middle School #9058 Livingston BOE
School Address:	20 Foxcroft Drive, Livingston, NJ
Sampled By:	<i>Michael Blaney</i>
Print Name:	Michael Blaney
RESULTS TO:	labreports@gseconsultants.com

Sample ID Location	Date / Time Sampled	Matrix Code	Grab or Comp	Flush Sample	Filter Present	# Containers	Glass or Plastic	Analysis	LAB ID
LHER-1-S02A (Rm.213 far left)	4/16/2025 07:27	DW	Grab	no	no	1	250 ml Plastic	Lead	P25-03142-16
LHER-1-S03A (Rm.213 right of 02)	4/16/2025 07:27	DW	Grab	no	no	1	250 ml Plastic	Lead	-17
LHER-1-S04A (Rm. 213 right of 03)	4/16/2025 07:27	DW	Grab	no	no	1	250 ml Plastic	Lead	-18
LHER-1-S05A (Rm.213 right of 04)	4/16/2025 07:28	DW	Grab	no	no	1	250 ml Plastic	Lead	-19
LHER-1-S06A (Rm.213 right of 05)	4/16/2025 07:28	DW	Grab	no	no	1	250 ml Plastic	Lead	-20
LHER-1-WC09A (Hall Rm.215 left)	4/16/2025 07:30	DW	Grab	no	no	1	250 ml Plastic	Lead	-21
LHER-1-WC10A (Hall Rm. 215 right)	4/16/2025 07:30	DW	Grab	no	yes	1	250 ml Plastic	Lead	-22
LHER-1-BF04A (Hall Rm.215 right)	4/16/2025 07:31	DW	Grab	no	yes	1	250 ml Plastic	Lead	-23
LHER-1-B12A (Faculty room)	4/16/2025 07:33	DW	Grab	no	no	1	250 ml Plastic	Lead	-24
LHER-1-S07A (Faculty room)	4/16/2025 07:34	DW	Grab	no	no	1	250 ml Plastic	Lead	-25
LHER-1-IM01A (Kitchen)	4/16/2025 07:36	DW	Grab	no	no	1	250 ml Plastic	Lead	-26
LHER-1-S08A (Kitchen middle island)	4/16/2025 07:38	DW	Grab	no	no	1	250 ml Plastic	Lead	-27
LHER-1-S11A (Kitchen back right)	4/16/2025 07:39	DW	Grab	no	no	1	250 ml Plastic	Lead	-28
LHER-1-S10A (Kitchen back middle)	4/16/2025 07:40	DW	Grab	no	no	1	250 ml Plastic	Lead	-29
LHER-1-H01A (Kitchen back left)	4/16/2025 07:41	DW	Grab	no	no	1	250 ml Plastic	Lead	P25-03142-30

SAMPLES REC'D UNPRESERVED. PRESERVED IN LAB.

Page 7 of 4	Deliverables:	PDF Std. X	PDF Reduce	PDF Full	EDD	Date/Time Preserved with HNO3: 4/21 @ 20:50
-------------	---------------	------------	------------	----------	-----	---

MATRIX CODES: GW = Ground Water, WW = Waste Water, SW = Surface Water, DW = Drinking Water, S = Soil, L = Liquid, SD = Sludge, B = Blank, K = Solid (specify):

PRESERVATION CODES: 0 = Ice, 1 = HCl, 2 = H2SO4, 3 = NaOH, 4 = HNO3, 5 = Other

	Print Name:	Signature:	Company:	Date + Time
Relinquished:	Michael Blaney	<i>Michael Blaney</i>	GSE	4/17/2025
Received:	Bob Gratta	<i>Bob Gratta</i>	YAK	4/18/25 14:20
Relinquished:	Bob Gratta	<i>Bob Gratta</i>	YAK	4/18/25 18:04
Received:	Lauren Palumbo	<i>Lauren Palumbo</i>	YAL	4/21/25 9:00
Relinquished:				
Received:				

Customer:	Garden State Environmental
Address:	555 S. Broad St. Glen Rock, NJ 07452
Phone:	(201) 652-1119 Office

School Name:	Heritage Middle School #9058 Livingston BOE
School Address:	20 Foxcroft Drive, Livingston, NJ
Sampled By:	<i>Michael Blaney</i>
Print Name:	Michael Blaney
RESULTS TO:	labreports@gseconsultants.com

Sample ID Location	Date / Time Sampled	Matrix Code	Grab or Comp	Flush Sample	Filter Present	# Containers	Glass or Plastic	Analysis	LAB ID
LHER-1-WC15A (Café right right)	4/16/2025 07:44	DW	Grab	no	yes	1	250 ml Plastic	Lead	P25-03142-31
LHER-1-BF07A (Café right right)	4/16/2025 07:44	DW	Grab	no	yes	1	250 ml Plastic	Lead	-32
LHER-1-WC16A (Café right left)	4/16/2025 07:45	DW	Grab	no	no	1	250 ml Plastic	Lead	-33
LHER-1-WC14A (Café left right)	4/16/2025 07:47	DW	Grab	no	no	1	250 ml Plastic	Lead	-34
LHER-1-WC13A (Café left left)	4/16/2025 07:48	DW	Grab	no	yes	1	250 ml Plastic	Lead	-35
LHER-1-BF06A (Café left left)	4/16/2025 07:49	DW	Grab	no	yes	1	250 ml Plastic	Lead	-36
LHER-1-WC11A (Hall Rm.221 right)	4/16/2025 07:50	DW	Grab	no	yes	1	250 ml Plastic	Lead	-37
LHER-1-BF05A (Hall Rm.221 right)	4/16/2025 07:50	DW	Grab	no	yes	1	250 ml Plastic	Lead	-38
LHER-1-WC12A (Hall Rm.221 left)	4/16/2025 07:51	DW	Grab	no	no	1	250 ml Plastic	Lead	-39
LHER-1-S09A (Main office)	4/16/2025 07:53	DW	Grab	no	no	1	250 ml Plastic	Lead	-40
LHER-1-B14A (nurse)	4/16/2025 07:55	DW	Grab	no	no	1	250 ml Plastic	Lead	41
LHER-1-B03A (Room 228)	4/16/2025 07:56	DW	Grab	no	no	1	250 ml Plastic	Lead	-42
LHER-2-WC17A (Hall Rm.311 left)	4/16/2025 08:00	DW	Grab	no	no	1	250 ml Plastic	Lead	✓ -43
LHER-2-WC18A (Hall Rm.311 right)	4/16/2025 08:02	DW	Grab	no	yes	1	250 ml Plastic	Lead	-44
LHER-2-BF08A (Hall Rm.311 right)	4/16/2025 08:02	DW	Grab	no	yes	1	250 ml Plastic	Lead	P25-03142-45

SAMPLES REC'D UNPRESERVED. PRESERVED IN LAB.

Page 3 of 4	Deliverables:	PDF Std. <input checked="" type="checkbox"/>	PDF Reduce <input type="checkbox"/>	PDF Full <input type="checkbox"/>	EDD <input type="checkbox"/>	Date/Time Preserved with HNO3: 4/21/2015
-------------	---------------	--	-------------------------------------	-----------------------------------	------------------------------	--

MATRIX CODES: GW = Ground Water, WW = Waste Water, SW = Surface Water, DW = Drinking Water, S = Soil, L = Liquid, SD = Sludge, B = Blank, K = Solid (specify):

PRESERVATION CODES: 0 = Ice, 1 = HCl, 2 = H2SO4, 3 = NaOH, 4 = HNO3, 5 = Other

	Print Name:	Signature:	Company:	Date + Time
Relinquished:	Michael Blaney	<i>Michael Blaney</i>	GSE	4/17/2025
Received:	Bob Greth	<i>Bob Greth</i>	Yok	4/18/25 14:20
Relinquished:	Bob Greth	<i>Bob Greth</i>	Yok	4/18/25 18:04
Received:	Lauren Falumbo	<i>Lauren Falumbo</i>	YAL	4/21/25 9:00

Customer: Garden State Environmental
Address: 555 S. Broad St.
Glen Rock, NJ 07452
Phone: (201) 652-1119 Office

School Name: **Heritage Middle School #9058 Livingston BOE**
School Address: **20 Foxcroft Drive, Livingston, NJ**
Sampled By: *Travis Blaney*
Print Name: **Michael Blaney**
RESULTS TO: **labreports@gseconsultants.com**

Sample ID Location	Date / / Time Sampled	Matrix Code	Grab or Comp	Flush Sample	Fiber Present	# Containers	Glass or Plastic	Analysis	LAB ID
LHER-2-WC19A (Hall Rm.316 left)	4/16/2025 08:04	DW	Grab	no	no	1	250 ml Plastic	Lead	<i>P25-03142-46</i>
LHER-2-WC20A (Hall Rm.316 right)	4/16/2025 08:05	DW	Grab	no	yes	1	250 ml Plastic	Lead	<i>-47</i>
LHER-2-BF09A (Hall Rm.316 right)	4/16/2025 08:06	DW	Grab	no	yes	1	250 ml Plastic	Lead	<i>↓ -48</i>
LHER-4-16-FBA (Field Blank)	4/16/2025 08:08	DW	Grab	no	no	1	250 ml Plastic	Lead	<i>P25-03142-49</i>
						1	250 ml Plastic	Lead	
						1	250 ml Plastic	Lead	
						1	250 ml Plastic	Lead	
						1	250 ml Plastic	Lead	
						1	250 ml Plastic	Lead	
						1	250 ml Plastic	Lead	
						1	250 ml Plastic	Lead	
						1	250 ml Plastic	Lead	
						1	250 ml Plastic	Lead	
						1	250 ml Plastic	Lead	
						1	250 ml Plastic	Lead	
						1	250 ml Plastic	Lead	
						1	250 ml Plastic	Lead	
						1	250 ml Plastic	Lead	

SAMPLES REC'D UNPRESERVED. PRESERVED IN LAB.

Deliverables: PDF Std. PDF Reduce PDF Full EDD Date/Time Preserved with HNO3: *4/21 @ 20:50*

MATRIX CODES: GW = Ground Water, WW = Waste Water, SW = Surface Water, DW = Drinking Water, S = Soil, L = Liquid, SD = Sludge, B = Blank, K = Solid (specify):

PRESERVATION CODES: 0 = Ice, 1 = HCl, VE, 2 = H2SO4, 3 = NaOH, 4 = HNO3, 5 = Other

	Print Name:	Signature:	Company:	Date + Time
Relinquished:	Michael Blaney	<i>Travis Blaney</i>	GSE	4/17/2025
Received:	<i>Bob Corth</i>	<i>[Signature]</i>	York	14:20 4/18/25
Relinquished:	<i>Bob Corth</i>	<i>[Signature]</i>	York	18:04 4/18/25
Received:	<i>Lauren Palumbo</i>	<i>[Signature]</i>	YAL	4/21/25 9:00
Relinquished:				
Received:				