



**EMSL Analytical, Inc.**

528 Mineola Avenue, Carle Place, NY, 11514  
Telephone: 516.997.7251 Fax:856-786-5974  
EMSL-CP-06

EMSL Order ID: 062557254

LIMS Reference ID: ED57254

EMSL Customer ID: ROCL63

**Attention:** Dawn Izenman  
Rockland Boces (Health & Safety Dept.) [ROCL63]  
65 Parrott Road Bldg. 4  
West Nyack, NY 10994  
(845) 627-4764  
dizenman@rboces.org

**Project Name:** 2025 South Orangetown, William O. Schaefer  
Elementary School  
**Project ID:** \_Master Project-ROCL63  
**Customer PO:**  
**Sales Rep:** Jeremy Bish  
**Received:** 11/19/2025 10:34  
**Reported:** 11/29/2025 14:41

**Analytical Results**

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
---------	--------	---	----	----	-------	--------------------	--------------------	------------------	-------------------------

**Sample:** 2025-SO-WS-1/Kitchen - Triple Sink/Double Faucet - Faucet 1 (left when facing)      **Lims Reference ID:** ED57254-01 **Matrix:** Drinking Water      **Sampled:** 11/15/25 00:00:00

**Metals**

**Lead**      8.8      1      1.0      µg/L      11/25/25 14:10      11/25/25 14:10      KT1      EPA 200.8 (DA)/EPA 200.8

**Sample:** 2025-SO-WS-2/Kitchen - Triple Sink/Double Faucet - Faucet 2 (right when facing)      **Lims Reference ID:** ED57254-02 **Matrix:** Drinking Water      **Sampled:** 11/15/25 00:00:00

**Metals**

**Lead**      12.0      1      1.0      µg/L      11/25/25 14:14      11/25/25 14:14      KT1      EPA 200.8 (DA)/EPA 200.8

**Sample:** 2025-SO-WS-3/Small/Single Kitchen Handwashing Sink Faucet      **Lims Reference ID:** ED57254-03 **Matrix:** Drinking Water      **Sampled:** 11/15/25 00:00:00

**Metals**

**Lead**      5.1      1      1.0      µg/L      11/25/25 14:16      11/25/25 14:16      KT1      EPA 200.8 (DA)/EPA 200.8

**Sample:** 2025-SO-WS-4/Hallway Across from Rooms 40/42 - Water Cooler (Combo Unit) - Mouth (left when facing)      **Lims Reference ID:** ED57254-04 **Matrix:** Drinking Water      **Sampled:** 11/15/25 00:00:00

**Metals**

**Lead**      < 1.0      1      1.0      µg/L      11/25/25 14:20      11/25/25 14:20      KT1      EPA 200.8 (DA)/EPA 200.8

**Sample:** 2025-SO-WS-5/Hallway Across from Rooms 40/42 - Water Cooler (Combo Unit) - Bottle Filler (left when facing)      **Lims Reference ID:** ED57254-05 **Matrix:** Drinking Water      **Sampled:** 11/15/25 00:00:00

**Metals**

**Lead**      < 1.0      1      1.0      µg/L      11/25/25 14:21      11/25/25 14:21      KT1      EPA 200.8 (DA)/EPA 200.8

**Sample:** 2025-SO-WS-6/Hallway Across from Rooms 40/42 - Water Cooler (Combo Unit) - Mouth (right when facing)      **Lims Reference ID:** ED57254-06 **Matrix:** Drinking Water      **Sampled:** 11/15/25 00:00:00

**Metals**

**Lead**      < 1.0      1      1.0      µg/L      11/25/25 14:22      11/25/25 14:22      KT1      EPA 200.8 (DA)/EPA 200.8

**Sample:** 2025-SO-WS-7/Hallway Across from Rooms 40/42 - Water Cooler (Combo Unit) - Bottle Filler (right when facing)      **Lims Reference ID:** ED57254-07 **Matrix:** Drinking Water      **Sampled:** 11/15/25 00:00:00

**Metals**



**EMSL Analytical, Inc.**

528 Mineola Avenue, Carle Place, NY, 11514  
Telephone: 516.997.7251 Fax:856-786-5974  
EMSL-CP-06

EMSL Order ID: 062557254

LIMS Reference ID: ED57254

EMSL Customer ID: ROCL63

**Attention:** Dawn Izenman  
Rockland Boces (Health & Safety Dept.) [ROCL63]  
65 Parrott Road Bldg. 4  
West Nyack, NY 10994  
(845) 627-4764  
dizenman@rboces.org

**Project Name:** 2025 South Orangetown, William O. Schaefer  
Elementary School  
**Project ID:** \_Master Project-ROCL63  
**Customer PO:**  
**Sales Rep:** Jeremy Bish  
**Received:** 11/19/2025 10:34  
**Reported:** 11/29/2025 14:41

**Analytical Results**  
(Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
---------	--------	---	----	----	-------	--------------------	--------------------	------------------	-------------------------

Sample: 2025-SO-WS-7/Hallway Across from Rooms 40/42 - Water Cooler (Combo Unit) - Bottle Filler (right when facing) (Continued)      Lims Reference ID: ED57254-07 Matrix: Drinking Water      Sampled: 11/15/25 00:00:00

**Metals (Continued)**

Lead      < 1.0      1      1.0      µg/L      11/25/25 14:24      11/25/25 14:24      KT1      EPA 200.8 (DA)/EPA 200.8

Sample: 2025-SO-WS-8/Classroom 44 Faucet      Lims Reference ID: ED57254-08 Matrix: Drinking Water      Sampled: 11/15/25 00:00:00

**Metals**

Lead      27.3      1      1.0      µg/L      11/25/25 14:25      11/25/25 14:25      KT1      EPA 200.8 (DA)/EPA 200.8

Sample: 2025-SO-WS-9/Hallway by Room 57 - Water Cooler (Combo Unit) - Mouth (left when facing)      Lims Reference ID: ED57254-09 Matrix: Drinking Water      Sampled: 11/15/25 00:00:00

**Metals**

Lead      < 1.0      1      1.0      µg/L      11/25/25 14:26      11/25/25 14:26      KT1      EPA 200.8 (DA)/EPA 200.8

Sample: 2025-SO-WS-10/Hallway by Room 57 - Water Cooler (Combo Unit) - Bottle Filler (left when facing)      Lims Reference ID: ED57254-10 Matrix: Drinking Water      Sampled: 11/15/25 00:00:00

**Metals**

Lead      < 1.0      1      1.0      µg/L      11/25/25 14:28      11/25/25 14:28      KT1      EPA 200.8 (DA)/EPA 200.8

Sample: 2025-SO-WS-11/Hallway by Room 57 - Water Cooler (Combo Unit) - Mouth (right when facing)      Lims Reference ID: ED57254-11 Matrix: Drinking Water      Sampled: 11/15/25 00:00:00

**Metals**

Lead      < 1.0      1      1.0      µg/L      11/25/25 14:29      11/25/25 14:29      KT1      EPA 200.8 (DA)/EPA 200.8

Sample: 2025-SO-WS-12/Hallway by Room 57 - Water Cooler (Combo Unit) - Bottle Filler (right when facing)      Lims Reference ID: ED57254-12 Matrix: Drinking Water      Sampled: 11/15/25 00:00:00

**Metals**

Lead      < 1.0      1      1.0      µg/L      11/25/25 14:36      11/25/25 14:36      KT1      EPA 200.8 (DA)/EPA 200.8

Sample: 2025-SO-WS-13/Classroom 69 Faucet      Lims Reference ID: ED57254-13 Matrix: Drinking Water      Sampled: 11/15/25 00:00:00

**Metals**



**EMSL Analytical, Inc.**

528 Mineola Avenue, Carle Place, NY, 11514  
Telephone: 516.997.7251 Fax:856-786-5974  
EMSL-CP-06

EMSL Order ID: 062557254

LIMS Reference ID: ED57254

EMSL Customer ID: ROCL63

**Attention:** Dawn Izenman  
Rockland Boces (Health & Safety Dept.) [ROCL63]  
65 Parrott Road Bldg. 4  
West Nyack, NY 10994  
(845) 627-4764  
dizenman@rboces.org

**Project Name:** 2025 South Orangetown, William O. Schaefer  
Elementary School  
**Project ID:** \_Master Project-ROCL63  
**Customer PO:**  
**Sales Rep:** Jeremy Bish  
**Received:** 11/19/2025 10:34  
**Reported:** 11/29/2025 14:41

**Analytical Results  
(Continued)**

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
---------	--------	---	----	----	-------	--------------------	--------------------	------------------	-------------------------

Sample: 2025-SO-WS-13/Classroom 69 Faucet (Continued) Lims Reference ID: ED57254-13 Matrix: Drinking Water Sampled: 11/15/25 00:00:00

**Metals (Continued)**

Lead < 1.0 1 1.0 µg/L 11/25/25 14:37 11/25/25 14:37 KT1 EPA 200.8 (DA)/EPA 200.8

Sample: 2025-SO-WS-14/Classroom 71 Faucet Lims Reference ID: ED57254-14 Matrix: Drinking Water Sampled: 11/15/25 00:00:00

**Metals**

Lead 1.6 1 1.0 µg/L 11/25/25 14:38 11/25/25 14:38 KT1 EPA 200.8 (DA)/EPA 200.8

Sample: 2025-SO-WS-15/Classroom 72 Faucet Lims Reference ID: ED57254-15 Matrix: Drinking Water Sampled: 11/15/25 00:00:00

**Metals**

Lead 2.2 1 1.0 µg/L 11/25/25 14:40 11/25/25 14:40 KT1 EPA 200.8 (DA)/EPA 200.8

Sample: 2025-SO-WS-16/Outside Room 67 Boy's Bathroom - Water Cooler (Combo Unit) - Mouth Lims Reference ID: ED57254-16 Matrix: Drinking Water Sampled: 11/15/25 00:00:00

**Metals**

Lead < 1.0 1 1.0 µg/L 11/25/25 14:41 11/25/25 14:41 KT1 EPA 200.8 (DA)/EPA 200.8

Sample: 2025-SO-WS-17/Outside Room 67 Boy's Bathroom - Water Cooler (Combo Unit) - Bottle Filler Lims Reference ID: ED57254-17 Matrix: Drinking Water Sampled: 11/15/25 00:00:00

**Metals**

Lead < 1.0 1 1.0 µg/L 11/25/25 14:42 11/25/25 14:42 KT1 EPA 200.8 (DA)/EPA 200.8

Sample: 2025-SO-WS-18/Outside Room 67 Girl's Bathroom - Water Cooler (Combo Unit) - Mouth Lims Reference ID: ED57254-18 Matrix: Drinking Water Sampled: 11/15/25 00:00:00

**Metals**

Lead < 1.0 1 1.0 µg/L 11/25/25 14:44 11/25/25 14:44 KT1 EPA 200.8 (DA)/EPA 200.8

Sample: 2025-SO-WS-19/Outside Room 67 Girl's Bathroom - Water Cooler (Combo Unit) - Bottle Filler Lims Reference ID: ED57254-19 Matrix: Drinking Water Sampled: 11/15/25 00:00:00

**Metals**

Lead < 1.0 1 1.0 µg/L 11/25/25 14:45 11/25/25 14:45 KT1 EPA 200.8 (DA)/EPA 200.8



**EMSL Analytical, Inc.**

528 Mineola Avenue, Carle Place, NY, 11514  
Telephone: 516.997.7251 Fax:856-786-5974  
EMSL-CP-06

EMSL Order ID: 062557254

LIMS Reference ID: ED57254

EMSL Customer ID: ROCL63

**Attention:** Dawn Izenman  
Rockland Boces (Health & Safety Dept.) [ROCL63]  
65 Parrott Road Bldg. 4  
West Nyack, NY 10994  
(845) 627-4764  
dizenman@rboces.org

**Project Name:** 2025 South Orangetown, William O. Schaefer  
Elementary School

**Project ID:** \_Master Project-ROCL63

**Customer PO:**

**Sales Rep:** Jeremy Bish

**Received:** 11/19/2025 10:34

**Reported:** 11/29/2025 14:41

**Analytical Results**  
(Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
---------	--------	---	----	----	-------	--------------------	--------------------	------------------	-------------------------

Sample: 2025-SO-WS-20/Classroom 101 Faucet      Lims Reference ID: ED57254-20 Matrix: Drinking Water      Sampled: 11/15/25 00:00:00

**Metals**

Lead      1.6      1      1.0      µg/L      11/25/25 14:46      11/25/25 14:46      KT1      EPA 200.8 (DA)/EPA 200.8

Sample: 2025-SO-WS-21/Classroom 102 Faucet      Lims Reference ID: ED57254-21 Matrix: Drinking Water      Sampled: 11/15/25 00:00:00

**Metals**

Lead      1.4      1      1.0      µg/L      11/26/25 22:44      11/26/25 22:44      DAZ      EPA 200.8 (DA)/EPA 200.8

Sample: 2025-SO-WS-22/Classroom 103 Faucet      Lims Reference ID: ED57254-22 Matrix: Drinking Water      Sampled: 11/15/25 00:00:00

**Metals**

Lead      2.8      1      1.0      µg/L      11/26/25 22:48      11/26/25 22:48      DAZ      EPA 200.8 (DA)/EPA 200.8

Sample: 2025-SO-WS-23/Across from Library Between Rooms 6 & 16 - Water Cooler (Combo Unit) - Mouth (left when facing)      Lims Reference ID: ED57254-23 Matrix: Drinking Water      Sampled: 11/15/25 00:00:00

**Metals**

Lead      < 1.0      1      1.0      µg/L      11/26/25 22:50      11/26/25 22:50      DAZ      EPA 200.8 (DA)/EPA 200.8

Sample: 2025-SO-WS-24/Across from Library Between Rooms 6 & 16 - Water Cooler (Combo Unit) - Bottle Filler (left when facing)      Lims Reference ID: ED57254-24 Matrix: Drinking Water      Sampled: 11/15/25 00:00:00

**Metals**

Lead      < 1.0      1      1.0      µg/L      11/26/25 22:51      11/26/25 22:51      DAZ      EPA 200.8 (DA)/EPA 200.8

Sample: 2025-SO-WS-25/Across from Library Between Rooms 6 & 16 - Water Cooler (Combo Unit) - Mouth (right when facing)      Lims Reference ID: ED57254-25 Matrix: Drinking Water      Sampled: 11/15/25 00:00:00

**Metals**

Lead      < 1.0      1      1.0      µg/L      11/26/25 22:55      11/26/25 22:55      DAZ      EPA 200.8 (DA)/EPA 200.8

Sample: 2025-SO-WS-26/Across from Library Between Rooms 6 & 16 - Water Cooler (Combo Unit) - Bottle Filler (right when facing)      Lims Reference ID: ED57254-26 Matrix: Drinking Water      Sampled: 11/15/25 00:00:00

**Metals**



**EMSL Analytical, Inc.**

528 Mineola Avenue, Carle Place, NY, 11514  
Telephone: 516.997.7251 Fax:856-786-5974  
EMSL-CP-06

**EMSL Order ID:** 062557254

**LIMS Reference ID:** ED57254

**EMSL Customer ID:** ROCL63

**Attention:** Dawn Izenman  
Rockland Boces (Health & Safety Dept.) [ROCL63]  
65 Parrott Road Bldg. 4  
West Nyack, NY 10994  
(845) 627-4764  
dizenman@rboces.org

**Project Name:** 2025 South Orangetown, William O. Schaefer  
Elementary School

**Project ID:** \_Master Project-ROCL63

**Customer PO:**

**Sales Rep:** Jeremy Bish

**Received:** 11/19/2025 10:34

**Reported:** 11/29/2025 14:41

**Analytical Results**  
(Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
---------	--------	---	----	----	-------	--------------------	--------------------	------------------	-------------------------

**Sample:** 2025-SO-WS-26/Across from Library Between Rooms 6 & 16 - Water Cooler (Combo Unit) - Bottle Filler (right when facing) (Continued)  
**Lims Reference ID:** ED57254-26 **Matrix:** Drinking Water  
**Sampled:** 11/15/25 00:00:00

**Metals (Continued)**

Lead	< 1.0		1	1.0	µg/L	11/26/25 22:56	11/26/25 22:56	DAZ	EPA 200.8 (DA)/EPA 200.8
------	-------	--	---	-----	------	----------------	----------------	-----	--------------------------



**EMSL Analytical, Inc.**

528 Mineola Avenue, Carle Place, NY, 11514  
Telephone: 516.997.7251 Fax:856-786-5974  
EMSL-CP-06

EMSL Order ID: 062557254

LIMS Reference ID: ED57254

EMSL Customer ID: ROCL63

**Attention:** Dawn Izenman  
Rockland Boces (Health & Safety Dept.) [ROCL63]  
65 Parrott Road Bldg. 4  
West Nyack, NY 10994  
(845) 627-4764  
dizenman@rboces.org

**Project Name:** 2025 South Orangetown, William O. Schaefer  
Elementary School

**Project ID:** \_Master Project-ROCL63

**Customer PO:**

**Sales Rep:** Jeromy Bish

**Received:** 11/19/2025 10:34

**Reported:** 11/29/2025 14:41

**Certified Analyses included in this Report**

Analyte	Certifications
<i>EPA 200.8 in Drinking Water</i>	
Lead	06-NYSELAP

**List of Certifications**

Code	Description	Number	Expires
06-NYSELAP	NY NYS ELAP	11469	04/01/2026
06-NYSDOH	New York State Department of Health	11469	04/01/2026
06-CTDPH	Connecticut Department of Public Health	PH-0249	03/31/2027
06-California ELAP	California Water Boards	2339	04/01/2026
06-AIHA LAP	American Industrial Hygiene Association (AIHA LAP, LLC) - ELLAP	102344	08/01/2026

Please see the specific Field of Testing (FOT) on [www.emsl.com](http://www.emsl.com) <<http://www.emsl.com>> for a complete listing of parameters for which EMSL is certified.



**EMSL Analytical, Inc.**

528 Mineola Avenue, Carle Place, NY, 11514  
Telephone: 516.997.7251 Fax:856-786-5974  
EMSL-CP-06

**EMSL Order ID:** 062557254

**LIMS Reference ID:** ED57254

**EMSL Customer ID:** ROCL63

**Attention:** Dawn Izenman  
Rockland Boces (Health & Safety Dept.) [ROCL63]  
65 Parrott Road Bldg. 4  
West Nyack, NY 10994  
(845) 627-4764  
dizenman@rboces.org

**Project Name:** 2025 South Orangetown, William O. Schaefer  
Elementary School  
**Project ID:** \_Master Project-ROCL63  
**Customer PO:**  
**Sales Rep:** Jeromy Bish  
**Received:** 11/19/2025 10:34  
**Reported:** 11/29/2025 14:41

**Notes and Definitions**

<b>Item</b>	<b>Definition</b>
(Dig)	For metals analysis, sample was digested.
[2C]	Reported from the second channel in dual column analysis.
DA	Direct Analysis
DF	Dilution Factor
MDL	Method Detection Limit.
ND	Analyte was NOT DETECTED at or above the detection limit.
NR	Spike/Surrogate showed no recovery.
Q	Qualifier
RCS	Respirable Crystalline Silica
RL	Reporting Limit
Wet	Sample is not dry weight corrected.

Measurement of uncertainty and any applicable definitions of method modifications are available upon request. Per EPA NLLAP policy, sample results are not blank corrected.

James Han Laboratory Manager or other approved signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted.



EMSL ANALYTICAL, INC.  
TESTING LABS • PRODUCTS • TRAINING

### Lead Chain of Custody

EMSL Order Number / Lab Use Only

EMSL Analytical, Inc.  
200 Route 130 North  
Cinnaminson, NJ 08077

# ED 57254

PHONE: (800) 220-3675

EMAIL: CinnaminsonLeadLab@emsl.com

Customer Information	Customer ID: ROCL63	Billing Information	Billing ID: ROCL63
	Company Name: William O. Schaefer Elementary School		Company Name: Rockland BOCES
	Contact Name: Dawn Izenman		Billing Contact: Dawn Izenman
	Street Address: 140 Lester Drive		Street Address: 65 Parrott Road
	City, State, Zip: Tappan, NY 10983 Country: USA		City, State, Zip: W. Nyack, NY 10994 Country: USA
Phone: 845-627-4764	Phone: 845-627-4764		
Email(s) for Report: dizenman@rboces.org	Email(s) for Invoice: dizenman@rboces.org		

**Project Information**

Project Name/No: 2025 South Orangetown Purchase Order: 26-00590

EMSL LIMS Project ID: (If applicable, EMSL will provide) US State where samples collected: NY State of Connecticut (CT) must select project location:  Commercial (Taxable)  Residential (Non-Taxable)

Sampled By Name: Dawn Izenman Sampled By Signature: No. of Samples in Shipment: 24

**Turn-Around-Time (TAT)**

3 Hour  6 Hour  24 Hour  32 Hour  48 Hour  72 Hour  96 Hour  1 Week  2 Week

Please call ahead for large projects and/or turnaround times 6 Hours or Less. \*32 Hour TAT available for select tests only; samples must be submitted by 11:30am.

MATRIX	METHOD	INSTRUMENT	REPORTING LIMIT	SELECTION
CHIPS <input type="checkbox"/> % by wt. <input type="checkbox"/> ppm (mg/kg) <input type="checkbox"/> mg/cm <sup>2</sup> *Reporting Limit based on a minimum 0.25g sample weight. **Not appropriate for Ceramic Tiles - XRF is recommended	SW 846-7000B	Flame Atomic Absorption	0.008% (80ppm)	<input type="checkbox"/>
	SW 846-6010D*	ICP-OES	0.0004% (4ppm)	<input type="checkbox"/>
	NIOSH 7082	Flame Atomic Absorption	4µg/filter	<input type="checkbox"/>
AIR	NIOSH 7303M	ICP-OES	1.0µg/filter	<input type="checkbox"/>
	NIOSH 7303M	ICP-MS	0.05µg/filter	<input type="checkbox"/>
	SW 846-7000B	Flame Atomic Absorption	10µg/wipe	<input type="checkbox"/>
WIPE <input type="checkbox"/> ASTM <input type="checkbox"/> NON-ASTM *If no box is checked, non-ASTM Wipe is assumed	SW 846-6010D*	ICP-OES	1.0µg/wipe	<input type="checkbox"/>
	SW 846-1311 / 7000B / SM 3111B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
TCLP	SW 846-1311 / SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	<input type="checkbox"/>
	SW 846-1312 / 7000B / SM 3111B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
SPLP	SW 846-1312 / SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	<input type="checkbox"/>
	22 CCR App. II, 7000B	Flame Atomic Absorption	40mg/kg (ppm)	<input type="checkbox"/>
TTLC	22 CCR App. II, SW 846-6010D*	ICP-OES	2mg/kg (ppm)	<input type="checkbox"/>
	22 CCR App. II, 7000B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
STLC	22 CCR App. II, SW 846-6010D*	ICP-OES	0.4 mg/L (ppm)	<input type="checkbox"/>
	SW 846-7000B	Flame Atomic Absorption	40mg/kg (ppm)	<input type="checkbox"/>
Soil	SW 846-6010D*	ICP-OES	2mg/kg (ppm)	<input type="checkbox"/>
	SM 3111B / SW 846-7000B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
Wastewater Unpreserved <input type="checkbox"/> Preserved with HNO3 <input type="checkbox"/> PH<2	EPA 200.7	ICP-OES	0.020 mg/L (ppm)	<input type="checkbox"/>
	EPA 200.5	ICP-OES	0.003 mg/L (ppm)	<input type="checkbox"/>
Drinking Water Unpreserved <input type="checkbox"/> Preserved with HNO3 <input checked="" type="checkbox"/> PH<2	EPA 200.8	ICP-MS	0.001 mg/L (ppm)	<input checked="" type="checkbox"/>
	40 CFR Part 50	ICP-OES	12 µg/filter	<input type="checkbox"/>
TSP/SPM Filter				<input type="checkbox"/>
Other:				<input type="checkbox"/>

Sample Number	Sample Location	Volume / Area	Date / Time Sampled
2025-SO-WS-1	Kitchen - Triple Sink/Double Faucet - Faucet 1 (left when facing)	250 ml.	11/15/25 8:42 am
2025-SO-WS-2	Kitchen - Triple Sink/Double Faucet - Faucet 2 (right when facing)	250 ml.	11/15/25 8:43 am
2025-SO-WS-3	Small/Single Kitchen Handwashing Sink Faucet	250 ml.	11/15/25 8:44 am
2025-SO-WS-4	Hallway Across from Rooms 40/42 - Water Cooler (Combo Unit) - Mouth (left when facing)	250 ml.	11/15/25 8:45 am
2025-SO-WS-5	Hallway Across from Rooms 40/42 - Water Cooler (Combo Unit) - Bottle Filler (left when facing)	250 ml.	11/15/25 8:46 am

Method of Shipment: Sample Condition Upon Receipt:

Relinquished by: Dawn Izenman Date/Time: 11/18/25 9am Received by: *Chaele* Date/Time: 11/19/25

Relinquished by: Date/Time: Received by: Date/Time: 10349

Controlled Document - COC-25 Lead R18 04/04/2024 \*6010C Available Upon Request

AGREE TO ELECTRONIC SIGNATURE (By signing this Chain of Custody document by electronic signature.)

EMSL Analytical, Inc.'s Laboratory Terms and Conditions are incorporated into this Chain of Custody document in their entirety. Submission of samples to EMSL Analytical, Inc. constitutes acceptance and acknowledgment of these conditions by Customer.



*Dawn Pbdoo.8 11/25/25*

*P6 200.8 Kathleen 11/25/25*



# Lead Chain of Custody


EMSL Order Number / Lab Use Only

EMSL Analytical, Inc.  
200 Route 130 North  
Cinnaminson, NJ 08077

PHONE: (800) 220-3675

EMAIL: CinnaminsonLeadLab@emsl.com

EMSL ANALYTICAL, INC.  
TESTING LABS • PRODUCTS • TRAINING



Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Special Instructions and/or Regulatory Requirements (Sample Specifications, Processing Methods, Limits of Detection, etc.)

Pb 200-B Kahlwiler 11/25/25

Sample Number	Sample Location	Volume / Area	Date / Time Sampled
2025-SO-WS-6	Hallway Across from Rooms 40/42 - Water Cooler (Combo Unit) - Mouth (right when facing)	250 ml.	11/15/25 8:47 am
2025-SO-WS-7	Hallway Across from Rooms 40/42 - Water Cooler (Combo Unit) - Bottle Filler (right when facing)	250 ml.	11/15/25 8:48 am
2025-SO-WS-8	Classroom 44 Faucet	250 ml.	11/15/25 8:49 am
2025-SO-WS-9	Hallway by Room 57 - Water Cooler (Combo Unit) - Mouth (left when facing)	250 ml.	11/15/25 8:50 am
2025-SO-WS-10	Hallway by Room 57 - Water Cooler (Combo Unit) - Bottle Filler (left when facing)	250 ml.	11/15/25 8:51 am
2025-SO-WS-11	Hallway by Room 57 - Water Cooler (Combo Unit) - Mouth (right when facing)	250 ml.	11/15/25 8:52 am
2025-SO-WS-12	Hallway by Room 57 - Water Cooler (Combo Unit) - Bottle Filler (right when facing)	250 ml.	11/15/25 8:53 am
2025-SO-WS-13	Classroom 69 Faucet	250 ml.	11/15/25 8:54 am
2025-SO-WS-14	Classroom 71 Faucet	250 ml.	11/15/25 8:56 am
2025-SO-WS-15	Classroom 72 Faucet	250 ml.	11/15/25 8:57 am
2025-SO-WS-16	Outside Room 67 Boy's Bathroom - Water Cooler (Combo Unit) - Mouth	250 ml.	11/15/25 8:58 am
2025-SO-WS-17	Outside Room 67 Boy's Bathroom - Water Cooler (Combo Unit) - Bottle Filler	250 ml.	11/15/25 9:00 am
2025-SO-WS-18	Outside Room 67 Girl's Bathroom - Water Cooler (Combo Unit) - Mouth	250 ml.	11/15/25 9:01 am
2025-SO-WS-19	Outside Room 67 Girl's Bathroom - Water Cooler (Combo Unit) - Bottle Filler	250 ml.	11/15/25 9:02 am
2025-SO-WS-20	Classroom 101 Faucet	250 ml.	11/15/25 9:05 am
2025-SO-WS-21	Classroom 102 Faucet	250 ml.	11/15/25 9:06 am
2025-SO-WS-22	Classroom 103 Faucet	250 ml.	11/15/25 9:07 am
2025-SO-WS-23	Across from Library Between Rooms 6 & 16 - Water Cooler (Combo Unit) - Mouth (left when facing)	250 ml.	11/15/25 9:09 am
2025-SO-WS-24	Across from Library Between Rooms 6 & 16 - Water Cooler (Combo Unit) - Bottle Filler (left when facing)	250 ml.	11/15/25 9:10 am
2025-SO-WS-25	Across from Library Between Rooms 6 & 16 - Water Cooler (Combo Unit) - Mouth (right when facing)	250 ml.	11/15/25 9:14 am
2025-SO-WS-26	Across from Library Between Rooms 6 & 16 - Water Cooler (Combo Unit) - Bottle Filler (right when facing)	250 ml.	11/15/25 9:12 am

Method of Shipment:		Sample Condition Upon Receipt:	
Relinquished by: Dawn Izenman	Date/Time: 11/18/25 9am	Received by: <i>Gael</i>	Date/Time: 11/19/25
Relinquished by:	Date/Time:	Received by:	Date/Time: 10349

Controlled Document - COC-25 Lead R18 04/04/2024

AGREE TO ELECTRONIC SIGNATURE (By checking, I consent to signing this Chain of Custody document by electronic signature.)

EMSL Analytical, Inc.'s Laboratory Terms and Conditions are incorporated into this Chain of Custody by reference in their entirety. Submission of samples to EMSL Analytical, Inc. constitutes acceptance and acknowledgment of all terms and conditions by Customer.