



EMSL Analytical, Inc.

528 Mineola Avenue, Carle Place, NY, 11514
Telephone: 516.997.7251 Fax:856-786-5974
EMSL-CP-06

EMSL Order ID: 062557252

LIMS Reference ID: ED57252

EMSL Customer ID: ROCL63

Attention: Dawn Izenman
Rockland Boces (Health & Safety Dept.) [ROCL63]
65 Parrott Road Bldg. 4
West Nyack, NY 10994
(845) 627-4764
dizenman@rboces.org

Project Name: 2025 South Orangetown NY, Cottage Lane
Elementary School

Project ID: _Master Project-ROCL63
Customer PO: 26-00590
Sales Rep: Jeromy Bish
Received: 11/19/2025 10:38
Reported: 12/02/2025 09:48

Analytical Results

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
---------	--------	---	----	----	-------	--------------------	--------------------	------------------	-------------------------

Sample: 2025-SO-CL-31/Classroom 307 Faucet Lims Reference ID: ED57252-01 Matrix: Drinking Water Sampled: 11/15/25 00:00:00

Metals

Lead 79.9 1 1.0 µg/L 12/01/25 15:12 12/01/25 15:12 KT1 EPA 200.8 (DA)/EPA 200.8

Sample: 2025-SO-CL-32/Classroom 308 Faucet Lims Reference ID: ED57252-02 Matrix: Drinking Water Sampled: 11/15/25 00:00:00

Metals

Lead 4.6 1 1.0 µg/L 12/01/25 15:13 12/01/25 15:13 KT1 EPA 200.8 (DA)/EPA 200.8

Sample: 2025-SO-CL-33/Classroom 309 Faucet Lims Reference ID: ED57252-03 Matrix: Drinking Water Sampled: 11/15/25 00:00:00

Metals

Lead 34.0 1 1.0 µg/L 12/01/25 15:17 12/01/25 15:17 KT1 EPA 200.8 (DA)/EPA 200.8

Sample: 2025-SO-CL-34/Classroom 310 Faucet Lims Reference ID: ED57252-04 Matrix: Drinking Water Sampled: 11/15/25 00:00:00

Metals

Lead 6.5 1 1.0 µg/L 12/01/25 15:21 12/01/25 15:21 KT1 EPA 200.8 (DA)/EPA 200.8

Sample: 2025-SO-CL-35/Modular Library - Upper Water Cooler Fountain (Left of Bottle Filler Unit) Lims Reference ID: ED57252-05 Matrix: Drinking Water Sampled: 11/15/25 00:00:00

Metals

Lead < 1.0 1 1.0 µg/L 12/01/25 15:22 12/01/25 15:22 KT1 EPA 200.8 (DA)/EPA 200.8

Sample: 2025-SO-CL-36/Modular Library - Water Cooler Fountain (Combo Unit) - Mouth Lims Reference ID: ED57252-06 Matrix: Drinking Water Sampled: 11/15/25 00:00:00

Metals

Lead < 1.0 1 1.0 µg/L 12/01/25 15:23 12/01/25 15:23 KT1 EPA 200.8 (DA)/EPA 200.8

Sample: 2025-SO-CL-37/Modular Library - Water Cooler Fountain - (Combo Unit) - Bottle Filler Lims Reference ID: ED57252-07 Matrix: Drinking Water Sampled: 11/15/25 00:00:00

Metals

Lead < 1.0 1 1.0 µg/L 12/01/25 15:25 12/01/25 15:25 KT1 EPA 200.8 (DA)/EPA 200.8



EMSL Analytical, Inc.

528 Mineola Avenue, Carle Place, NY, 11514
Telephone: 516.997.7251 Fax:856-786-5974
EMSL-CP-06

EMSL Order ID: 062557252

LIMS Reference ID: ED57252

EMSL Customer ID: ROCL63

Attention: Dawn Izenman
Rockland Boces (Health & Safety Dept.) [ROCL63]
65 Parrott Road Bldg. 4
West Nyack, NY 10994
(845) 627-4764
dizenman@rboces.org

Project Name: 2025 South Orangetown NY, Cottage Lane
Elementary School

Project ID: _Master Project-ROCL63

Customer PO: 26-00590

Sales Rep: Jeromy Bish

Received: 11/19/2025 10:38

Reported: 12/02/2025 09:48

Certified Analyses included in this Report

Analyte	Certifications
<i>EPA 200.8 in Drinking Water</i>	
Lead	06-NYSELAP

List of Certifications

Code	Description	Number	Expires
06-NYSELAP	NY NYS ELAP	11469	04/01/2026
06-NYSDOH	New York State Department of Health	11469	04/01/2026
06-CTDPH	Connecticut Department of Public Health	PH-0249	03/31/2027
06-California ELAP	California Water Boards	2339	04/01/2026
06-AIHA LAP	American Industrial Hygiene Association (AIHA LAP, LLC) - ELLAP	102344	08/01/2026

Please see the specific Field of Testing (FOT) on www.emsl.com <<http://www.emsl.com>> for a complete listing of parameters for which EMSL is certified.



EMSL Analytical, Inc.

528 Mineola Avenue, Carle Place, NY, 11514
Telephone: 516.997.7251 Fax:856-786-5974
EMSL-CP-06

EMSL Order ID: 062557252

LIMS Reference ID: ED57252

EMSL Customer ID: ROCL63

Attention: Dawn Izenman
Rockland Boces (Health & Safety Dept.) [ROCL63]
65 Parrott Road Bldg. 4
West Nyack, NY 10994
(845) 627-4764
dizenman@rboces.org

Project Name: 2025 South Orangetown NY, Cottage Lane
Elementary School

Project ID: _Master Project-ROCL63

Customer PO: 26-00590

Sales Rep: Jeromy Bish

Received: 11/19/2025 10:38

Reported: 12/02/2025 09:48

Notes and Definitions

Item	Definition
(Dig)	For metals analysis, sample was digested.
[2C]	Reported from the second channel in dual column analysis.
DA	Direct Analysis
DF	Dilution Factor
MDL	Method Detection Limit.
ND	Analyte was NOT DETECTED at or above the detection limit.
NR	Spike/Surrogate showed no recovery.
Q	Qualifier
RCS	Respirable Crystalline Silica
RL	Reporting Limit
Wet	Sample is not dry weight corrected.

Measurement of uncertainty and any applicable definitions of method modifications are available upon request. Per EPA NLLAP policy, sample results are not blank corrected.

James Han Laboratory Manager or other approved signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted.



Lead Chain of Custody

EMSL Order Number / Lab Use Only

EMSL Analytical, Inc.
200 Route 130 North
Cinnaminson, NJ 08077

EMSL ANALYTICAL, INC.
TESTING LABS • PRODUCTS • TRAINING

ED57252

PHONE: (800) 220-3675

EMAIL: CinnaminsonLeadLab@emsl.com

Customer Information	Customer ID: ROCL63	Billing Information	Billing ID: ROCL63
	Company Name: Cottage Lane Elementary School		Company Name: Rockland BOCES
	Contact Name: Dawn Izenman		Billing Contact: Dawn Izenman
	Street Address: 120 Cottage Lane		Street Address: 65 Parrott Road
	City, State, Zip: Blauevelt NY 10913 Country: USA		City, State, Zip: W. Nyack, NY 10994 Country: USA
Phone: 845-627-4764	Phone: 845-627-4764		
Email(s) for Report: dizenman@rboces.org	Email(s) for Invoice: dizenman@rboces.org		

Project Name/No: 2025 South Orangetown		Purchase Order: 26-00590
EMSL LIMS Project ID: <small>(If applicable, EMSL will provide)</small>	US State where samples collected: NY	State of Connecticut (CT) must select project location: <input type="checkbox"/> Commercial (Taxable) <input type="checkbox"/> Residential (Non-Taxable)
Sampled By Name: Dawn Izenman	Sampled By Signature:	No. of Samples in Shipment: 7

Turn-Around-Time (TAT)

3 Hour
 6 Hour
 24 Hour
 32 Hour
 48 Hour
 72 Hour
 96 Hour
 1 Week
 2 Week

Please call ahead for large projects and/or turnaround times 6 Hours or Less. *32 Hour TAT available for select tests only; samples must be submitted by 11:30am

MATRIX	METHOD	INSTRUMENT	REPORTING LIMIT	SELECTION
CHIPS <input type="checkbox"/> % by wt. <input type="checkbox"/> ppm (mg/kg) <input type="checkbox"/> mg/cm ² <small>*Reporting Limit based on a minimum 0.25g sample weight. **Not appropriate for Ceramic Tiles - XRF is recommended</small>	SW 846-7000B	Flame Atomic Absorption	0.008% (80ppm)	<input type="checkbox"/>
	SW 846-6010D*	ICP-OES	0.0004% (4ppm)	<input type="checkbox"/>
AIR	NIOSH 7082	Flame Atomic Absorption	4µg/filter	<input type="checkbox"/>
	NIOSH 7303M	ICP-OES	1.0µg/filter	<input type="checkbox"/>
	NIOSH 7303M	ICP-MS	0.05µg/filter	<input type="checkbox"/>
WIPE <input type="checkbox"/> ASTM <input type="checkbox"/> NON-ASTM <small>*If no box is checked, non-ASTM Wipe is assumed</small>	SW 846-7000B	Flame Atomic Absorption	10µg/wipe	<input type="checkbox"/>
	SW 846-6010D*	ICP-OES	1.0µg/wipe	<input type="checkbox"/>
TCPL	SW 846-1311 / 7000B / SM 3111B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
	SW 846-1311 / SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	<input type="checkbox"/>
SPLP	SW 846-1312 / 7000B / SM 3111B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
	SW 846-1312 / SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	<input type="checkbox"/>
TTLC	22 CCR App. II, 7000B	Flame Atomic Absorption	40mg/kg (ppm)	<input type="checkbox"/>
	22 CCR App. II, SW 846-6010D*	ICP-OES	2mg/kg (ppm)	<input type="checkbox"/>
STLC	22 CCR App. II, 7000B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
	22 CCR App. II, SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	<input type="checkbox"/>
Soil	SW 846-7000B	Flame Atomic Absorption	40mg/kg (ppm)	<input type="checkbox"/>
	SW 846-6010D*	ICP-OES	2mg/kg (ppm)	<input type="checkbox"/>
	SM 3111B / SW 846-7000B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
Wastewater <small>Unpreserved <input type="checkbox"/> PH<2</small>	EPA 200.7	ICP-OES	0.020 mg/L (ppm)	<input type="checkbox"/>
	EPA 200.5	ICP-OES	0.003 mg/L (ppm)	<input type="checkbox"/>
Drinking Water <small>Unpreserved <input type="checkbox"/> PH<2</small>	EPA 200.8	ICP-MS	0.001 mg/L (ppm)	<input checked="" type="checkbox"/>
	40 CFR Part 50	ICP-OES	12 µg/filter	<input type="checkbox"/>
Other:				<input type="checkbox"/>

Sample Number	Sample Location	Volume / Area	Date / Time Sampled
2025-SO-CL-31	Classroom 307 Faucet	250 ml.	11/15/25 7:54 am
2025-SO-CL-32	Classroom 308 Faucet	250 ml.	11/15/25 7:55 am
2025-SO-CL-33	Classroom 309 Faucet	250 ml.	11/15/25 7:56 am
2025-SO-CL-34	Classroom 310 Faucet	250 ml.	11/15/25 7:57am
2025-SO-CL-35	Modular Library - Upper Water Cooler Fountain (Left of Bottle Filler Unit)	250 ml.	11/15/25 8:21 am

Method of Shipment:	Sample Condition Upon Receipt:
Relinquished by: Dawn Izenman	Date/Time: 11/18/25 9am
Relinquished by:	Date/Time:
Received by: <i>Seema Cell</i>	Date/Time: 11/19/25 10:36AM
Received by:	Date/Time:

Controlled Document - COC-25 Lead R18 04/04/2024 *6010C Available Upon Request

AGREE TO ELECTRONIC SIGNATURE (By checking, I consent to signing this Chain of Custody document by electronic signature.)

EMSL Analytical, Inc.'s Laboratory Terms and Conditions are incorporated into this Chain of Custody by reference in their entirety. Your acceptance and acknowledgment of all terms and conditions by Customer constitutes acceptance and acknowledgment of all terms and conditions by Customer. EMSL Analytical, Inc. constitutes



*5811/15/25
Dawn Izenman 12/11/25*

