



The Identification Specialists

Analysis Report
prepared for
Boggs Environmental Consultants, Inc

Report Date: 1/18/2026

Project Name: Williamsport High School

Project #: MD25066

SanAir ID#: 26002772



NVLAP LAB CODE 200870-0



NELAP Accredited
NYSDOH ELAP Lab # 11983

10501 Trade Court, North Chesterfield, Virginia 23236
888.895.1177 | 804.897.1177 | fax: 804.897.0070 | LabReports@SanAir.com | SanAir.com



SanAir ID Number

26002772

FINAL REPORT

1/18/2026 4:57:08 PM

Name: Boggs Environmental Consultants, Inc
Address: 200 West Main Street
Middletown, MD 21769
Phone: 301-694-5687

Project Number: MD25066
P.O. Number:
Project Name: Williamsport High School
Collected Date: 1/18/2026
Received Date: 1/18/2026 1:50:00 PM

Dear Shaun Boggs,

We at SanAir would like to thank you for the work you recently submitted. The 18 sample(s) were received on Sunday, January 18, 2026 via Hand Delivered. The final report(s) is enclosed for the following sample(s):
IAQ-011826-RTU1-01, IAQ-011826-RTU2-02, IAQ-011826-RTU3-03, IAQ-011826-RTU4-04, IAQ-011826-RTU5-05, IAQ-011826-RTU6-06, IAQ-011826-RTU7-07, IAQ-011826-RTU8-08, IAQ-011826-AHU1-09, IAQ-011826-AHU1-10, IAQ-011826-AHU2-11, IAQ-011826-AHU3-12, IAQ-011826-AHU4-13, IAQ-011826-AHU4-14, IAQ-011826-AHU4-15, IAQ-011826-AHU5-16, IAQ-011826-QAQC-17, IAQ-011826-QAQC-18.

These results only pertain to this job and should not be used in the interpretation of any other job. This report is only complete in its entirety. Refer to the listing below of the pages included in a complete final report.

Sincerely,

A handwritten signature in black ink that reads "Sandra Sobrino". The signature is written in a cursive, flowing style.

Sandra Sobrino
Asbestos & Materials Laboratory Manager
SanAir Technologies Laboratory

Final Report Includes:

- Cover Letter
- Analysis Pages
- Disclaimers and Additional Information

Sample conditions:

- 18 samples in Good condition.



SanAir ID Number
26002772
FINAL REPORT
1/18/2026 4:57:08 PM

Name: Boggs Environmental Consultants, Inc
Address: 200 West Main Street
Middletown, MD 21769
Phone: 301-694-5687

Project Number: MD25066
P.O. Number:
Project Name: Williamsport High School
Collected Date: 1/18/2026
Received Date: 1/18/2026 1:50:00 PM

Analyst: Sobrino, Sandra | Hayes, Dillon

Asbestos Air TEM AHERA, 40 CFR Part 763 Subpart E

Sample	Volume (Liters)	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures ≥ 0.5μ < 5 ≥ 5μ	Analytical Sensitivity (S/cc)	Reporting	Asbestos Concentration (S/mm ²) (S/cc)
							Limits LCL - UCL (S/cc)	
26002772-001 IAQ-011826- RTU1-01 Gymnasium: Room 103	1235	0.0650 mm ²	0	None Detected		0.0048		<15.00 <0.0048
26002772-002 IAQ-011826- RTU2-02 Home Lockers: LL Room 114	1235	0.0650 mm ²	0	None Detected		0.0048		<15.00 <0.0048
26002772-003 IAQ-011826- RTU3-03 Kitchen: UL Room 202	1244.5	0.0650 mm ²	0	None Detected		0.0048		<15.00 <0.0048
26002772-004 IAQ-011826- RTU4-04 Small Gymnasium: LL Room 102	1235	0.0650 mm ²	0	None Detected		0.0048		<15.00 <0.0048
26002772-005 IAQ-011826- RTU5-05 Metal Shop: LL Room 141	1235	0.0650 mm ²	0	None Detected		0.0048		<15.00 <0.0048
26002772-006 IAQ-011826- RTU6-06 Wood Shop: LL Room 145	1235	0.0650 mm ²	0	None Detected		0.0048		<15.00 <0.0048
26002772-007 IAQ-011826- RTU7-07 Cafeteria: LL Room 201	1244.5	0.0650 mm ²	0	None Detected		0.0048		<15.00 <0.0048
Samples IAQ-011826-QAQC-017 and IAQ-011826-QAQC-018 (Blanks): No ACM Detected								

Analyst:

Sandra Sobrino

Approved Signatory:

Sandra Sobrino

Analysis Date: 1/18/2026

Date: 1/18/2026



SanAir ID Number
26002772
FINAL REPORT
1/18/2026 4:57:08 PM

Name: Boggs Environmental Consultants, Inc
Address: 200 West Main Street
Middletown, MD 21769
Phone: 301-694-5687

Project Number: MD25066
P.O. Number:
Project Name: Williamsport High School
Collected Date: 1/18/2026
Received Date: 1/18/2026 1:50:00 PM

Analyst: Sobrino, Sandra | Hayes, Dillon

Asbestos Air TEM AHERA, 40 CFR Part 763 Subpart E

Sample	Volume (Liters)	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures ≥ 0.5µ < 5 ≥ 5µ	Analytical	Reporting	Asbestos	
						Sensitivity (S/cc)	Limits LCL - UCL (S/cc)	Concentration (S/mm²)	(S/cc)
26002772-008 IAQ-011826- RTU8-08 Weight Room: LL Room 99	1235	0.0650 mm²	0	None Detected		0.0048		<15.00	<0.0048
26002772-009 IAQ-011826- AHU1-09 Art Work: UL Room 206	1235	0.0650 mm²	0	None Detected		0.0048		<15.00	<0.0048
26002772-010 IAQ-011826- AHU1-10 Language: UL Room 276	1254	0.0650 mm²	0	None Detected		0.0047		<15.00	<0.0047
26002772-011 IAQ-011826- AHU2-11 Science: LL Room 172	1235	0.0650 mm²	0	None Detected		0.0048		<15.00	<0.0048
26002772-012 IAQ-011826- AHU3-12 Stage: UL Room 220	1235	0.0650 mm²	0	None Detected		0.0048		<15.00	<0.0048
26002772-013 IAQ-011826- AHU4-13 Computer Lab: LL Room 179	1244.5	0.0650 mm²	0	None Detected		0.0048		<15.00	<0.0048
26002772-014 IAQ-011826- AHU4-14 Science Lab: LL Room 194	1235	0.0650 mm²	0	None Detected		0.0048		<15.00	<0.0048
Samples IAQ-011826-QAQC-017 and IAQ-011826-QAQC-018 (Blanks): No ACM Detected									

Analyst: *Sandra Sobrino*
Analysis Date: 1/18/2026

Approved Signatory: *Sandra Sobrino*
Date: 1/18/2026



SanAir ID Number
26002772
FINAL REPORT
1/18/2026 4:57:08 PM

Name: Boggs Environmental Consultants, Inc
Address: 200 West Main Street
Middletown, MD 21769
Phone: 301-694-5687

Project Number: MD25066
P.O. Number:
Project Name: Williamsport High School
Collected Date: 1/18/2026
Received Date: 1/18/2026 1:50:00 PM

Analyst: Sobrino, Sandra | Hayes, Dillon

Asbestos Air TEM AHERA, 40 CFR Part 763 Subpart E

Sample	Volume (Liters)	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures ≥ 0.5μ < 5 ≥ 5μ	Analytical Sensitivity (S/cc)	Reporting Limits		Asbestos Concentration	
							LCL - UCL	(S/cc)	(S/mm²)	(S/cc)
26002772-015 IAQ-011826- AHU4-15 Classroom: UL Room 232	1254	0.0650 mm²	0	None Detected		0.0047			<15.00	<0.0047

26002772-016 IAQ-011826- AHU5-16 Media Center: UL Room 240	1254	0.0650 mm²	0	None Detected		0.0047			<15.00	<0.0047
---	------	------------	---	---------------	--	--------	--	--	--------	---------

Samples IAQ-011826-QAQC-017 and IAQ-011826-QAQC-018 (Blanks): No ACM Detected



Analyst: *Sandra Sobrino*
Analysis Date: 1/18/2026

Approved Signatory: *Sandra Sobrino*
Date: 1/18/2026



SanAir ID Number

26002772

FINAL REPORT

1/18/2026 4:57:08 PM

Name: Boggs Environmental Consultants, Inc
Address: 200 West Main Street
Middletown, MD 21769
Phone: 301-694-5687

Project Number: MD25066
P.O. Number:
Project Name: Williamsport High School
Collected Date: 1/18/2026
Received Date: 1/18/2026 1:50:00 PM

Asbestos Air TEM AHERA, 40 CFR Part 763 Subpart E Worksheet

SanAir Sample ID: 26002772-001

Grid Box ID: 26-21

Grid Orientation

Client Sample ID: IAQ-011826-RTU1-01

G.O.A.: 0.013 mm sq.

Instrument ID: Hitachi TEM Scope #1


No. G.O. Analyzed: 5

Magnification: 20 K

Analyst: Sobrino, Sandra

AV: 100Kv

Date: 1/18/2026



Grid ID	G.O. ID	Structure Number	ED Observation			Sketch	Length		Width	Structure Type	EDX Fiber Type	SAED Film ID	QC
			Non Asbestos	Chrysotile	Amphibole		≥ 0.5um < 5um	≥ 5um					
a6	a3	NSD									None		
a6	a5	NSD									None		
a6	a7	NSD									None		
b6	h1	NSD									None		
b6	h3	NSD									None		
26002772-001		Total:	0	0	0	Count:	0	0					



SanAir ID Number

26002772

FINAL REPORT

1/18/2026 4:57:08 PM

Name: Boggs Environmental Consultants, Inc
Address: 200 West Main Street
Middletown, MD 21769
Phone: 301-694-5687

Project Number: MD25066
P.O. Number:
Project Name: Williamsport High School
Collected Date: 1/18/2026
Received Date: 1/18/2026 1:50:00 PM

Asbestos Air TEM AHERA, 40 CFR Part 763 Subpart E Worksheet

SanAir Sample ID: 26002772-002

Grid Box ID: 26-21

Grid Orientation

Client Sample ID: IAQ-011826-RTU2-02

G.O.A.: 0.013 mm sq.

Instrument ID: Hitachi TEM Scope #1


No. G.O. Analyzed: 5

Magnification: 20 K

Analyst: Sobrino, Sandra

AV: 100Kv

Date: 1/18/2026



Grid ID	G.O. ID	Structure Number	ED Observation			Sketch	Length		Width	Structure Type	EDX Fiber Type	SAED Film ID	QC
			Non Asbestos	Chrysotile	Amphibole		≥ 0.5um < 5um	≥ 5um					
a7	c1	NSD									None		
a7	c3	NSD									None		
a7	c5	NSD									None		
b7	i7	NSD									None		
b7	i9	NSD									None		
26002772-002		Total:	0	0	0	Count:	0	0					



SanAir ID Number

26002772

FINAL REPORT

1/18/2026 4:57:08 PM

Name: Boggs Environmental Consultants, Inc
Address: 200 West Main Street
Middletown, MD 21769
Phone: 301-694-5687

Project Number: MD25066
P.O. Number:
Project Name: Williamsport High School
Collected Date: 1/18/2026
Received Date: 1/18/2026 1:50:00 PM

Asbestos Air TEM AHERA, 40 CFR Part 763 Subpart E Worksheet

SanAir Sample ID: 26002772-003

Grid Box ID: 26-21

Grid Orientation

Client Sample ID: IAQ-011826-RTU3-03

G.O.A.: 0.013 mm sq.

Instrument ID: Hitachi TEM Scope #1


No. G.O. Analyzed: 5

Magnification: 20 K

Analyst: Sobrino, Sandra

AV: 100Kv

Date: 1/18/2026



Grid ID	G.O. ID	Structure Number	ED Observation			Sketch	Length		Width	Structure Type	EDX Fiber Type	SAED Film ID	QC
			Non Asbestos	Chrysotile	Amphibole		≥ 0.5um < 5um	≥ 5um					
a8	b2	NSD									None		
a8	b4	NSD									None		
a8	b6	NSD									None		
b8	j2	NSD									None		
b8	j4	NSD									None		
26002772-003		Total:	0	0	0	Count:	0	0					



SanAir ID Number

26002772

FINAL REPORT

1/18/2026 4:57:08 PM

Name: Boggs Environmental Consultants, Inc
Address: 200 West Main Street
Middletown, MD 21769
Phone: 301-694-5687

Project Number: MD25066
P.O. Number:
Project Name: Williamsport High School
Collected Date: 1/18/2026
Received Date: 1/18/2026 1:50:00 PM

Asbestos Air TEM AHERA, 40 CFR Part 763 Subpart E Worksheet

SanAir Sample ID: 26002772-004

Grid Box ID: 26-21

Grid Orientation

Client Sample ID: IAQ-011826-RTU4-04

G.O.A.: 0.013 mm sq.

Instrument ID: Hitachi TEM Scope #1


No. G.O. Analyzed: 5

Magnification: 20 K

Analyst: Sobrino, Sandra

AV: 100Kv

Date: 1/18/2026



Grid ID	G.O. ID	Structure Number	ED Observation			Sketch	Length		Width	Structure Type	EDX Fiber Type	SAED Film ID	QC
			Non Asbestos	Chrysotile	Amphibole		≥ 0.5um < 5um	≥ 5um					
a9	i2	NSD									None		
a9	i4	NSD									None		
a9	i6	NSD									None		
b9	j2	NSD									None		
b9	j4	NSD									None		
26002772-004		Total:	0	0	0	Count:	0	0					



SanAir ID Number

26002772

FINAL REPORT

1/18/2026 4:57:08 PM

Name: Boggs Environmental Consultants, Inc
Address: 200 West Main Street
Middletown, MD 21769
Phone: 301-694-5687

Project Number: MD25066
P.O. Number:
Project Name: Williamsport High School
Collected Date: 1/18/2026
Received Date: 1/18/2026 1:50:00 PM

Asbestos Air TEM AHERA, 40 CFR Part 763 Subpart E Worksheet

SanAir Sample ID: 26002772-005

Grid Box ID: 26-21

Grid Orientation

Client Sample ID: IAQ-011826-RTU5-05

G.O.A.: 0.013 mm sq.

Instrument ID: Hitachi TEM Scope #1

No. G.O. Analyzed: 5

Magnification: 20 K

Analyst: Sobrino, Sandra

AV: 100Kv

Date: 1/18/2026



Grid ID	G.O. ID	Structure Number	ED Observation			Sketch	Length		Width	Structure Type	EDX Fiber Type	SAED Film ID	QC
			Non Asbestos	Chrysotile	Amphibole		≥ 0.5um < 5um	≥ 5um					
a10	f2	NSD									None		
a10	h2	NSD									None		
a10	h4	NSD									None		
b10	i2	NSD									None		
b10	i4	NSD									None		
26002772-005		Total:	0	0	0	Count:	0	0					



SanAir ID Number

26002772

FINAL REPORT

1/18/2026 4:57:08 PM

Name: Boggs Environmental Consultants, Inc
Address: 200 West Main Street
Middletown, MD 21769
Phone: 301-694-5687

Project Number: MD25066
P.O. Number:
Project Name: Williamsport High School
Collected Date: 1/18/2026
Received Date: 1/18/2026 1:50:00 PM

Asbestos Air TEM AHERA, 40 CFR Part 763 Subpart E Worksheet

SanAir Sample ID: 26002772-006

Grid Box ID: 26-21

Grid Orientation

Client Sample ID: IAQ-011826-RTU6-06

G.O.A.: 0.013 mm sq.

Instrument ID: Hitachi TEM Scope #1


No. G.O. Analyzed: 5

Magnification: 20 K

Analyst: Sobrino, Sandra

AV: 100Kv

Date: 1/18/2026



Grid ID	G.O. ID	Structure Number	ED Observation			Sketch	Length		Width	Structure Type	EDX Fiber Type	SAED Film ID	QC
			Non Asbestos	Chrysotile	Amphibole		≥ 0.5um < 5um	≥ 5um					
c6	g1	NSD									None		
c6	g3	NSD									None		
c6	g5	NSD									None		
d6	g7	NSD									None		
d6	g9	NSD									None		
26002772-006		Total:	0	0	0	Count:	0	0					



SanAir ID Number

26002772

FINAL REPORT

1/18/2026 4:57:08 PM

Name: Boggs Environmental Consultants, Inc
Address: 200 West Main Street
Middletown, MD 21769
Phone: 301-694-5687

Project Number: MD25066
P.O. Number:
Project Name: Williamsport High School
Collected Date: 1/18/2026
Received Date: 1/18/2026 1:50:00 PM

Asbestos Air TEM AHERA, 40 CFR Part 763 Subpart E Worksheet

SanAir Sample ID: 26002772-007

Grid Box ID: 26-21

Grid Orientation

Client Sample ID: IAQ-011826-RTU7-07

G.O.A.: 0.013 mm sq.

F

Instrument ID: Hitachi TEM Scope #1

No. G.O. Analyzed: 5

Magnification: 20 K

Analyst: Sobrino, Sandra

AV: 100Kv

Date: 1/18/2026

Grid ID	G.O. ID	Structure Number	ED Observation			Sketch	Length		Width	Structure Type	EDX Fiber Type	SAED Film ID	QC
			Non Asbestos	Chrysotile	Amphibole		≥ 0.5um < 5um	≥ 5um					
c7	g10	NSD									None		
c7	g6	NSD									None		
c7	g8	NSD									None		
d7	a10	NSD									None		
d7	a8	NSD									None		
26002772-007		Total:	0	0	0	Count:	0	0					



SanAir ID Number

26002772

FINAL REPORT

1/18/2026 4:57:08 PM

Name: Boggs Environmental Consultants, Inc
Address: 200 West Main Street
Middletown, MD 21769
Phone: 301-694-5687

Project Number: MD25066
P.O. Number:
Project Name: Williamsport High School
Collected Date: 1/18/2026
Received Date: 1/18/2026 1:50:00 PM

Asbestos Air TEM AHERA, 40 CFR Part 763 Subpart E Worksheet

SanAir Sample ID: 26002772-008

Grid Box ID: 26-21

Grid Orientation

Client Sample ID: IAQ-011826-RTU8-08

G.O.A.: 0.013 mm sq.

Instrument ID: Hitachi TEM Scope #1


No. G.O. Analyzed: 5

Magnification: 20 K

Analyst: Sobrino, Sandra

AV: 100Kv

Date: 1/18/2026



Grid ID	G.O. ID	Structure Number	ED Observation			Sketch	Length		Width	Structure Type	EDX Fiber Type	SAED Film ID	QC
			Non Asbestos	Chrysotile	Amphibole		≥ 0.5um < 5um	≥ 5um					
c8	h10	NSD									None		
c8	h8	NSD									None		
c8	j10	NSD									None		
d8	i10	NSD									None		
d8	i8	NSD									None		
26002772-008		Total:	0	0	0	Count:	0	0					



Name: Boggs Environmental Consultants, Inc
Address: 200 West Main Street
Middletown, MD 21769
Phone: 301-694-5687

Project Number: MD25066
P.O. Number:
Project Name: Williamsport High School
Collected Date: 1/18/2026
Received Date: 1/18/2026 1:50:00 PM

Asbestos Air TEM AHERA, 40 CFR Part 763 Subpart E Worksheet

SanAir Sample ID: 26002772-009
Client Sample ID: IAQ-011826-AHU1-09
Instrument ID: Hitachi TEM Scope #1
Magnification: 20 K
AV: 100Kv

Grid Box ID: 26-21
G.O.A.: 0.013 mm sq.
No. G.O. Analyzed: 5
Analyst: Sobrino, Sandra
Date: 1/18/2026

Grid Orientation
F

Grid ID	G.O. ID	Structure Number	ED Observation			Sketch	Length		Width	Structure Type	EDX Fiber Type	SAED Film ID	QC
			Non Asbestos	Chrysotile	Amphibole		≥ 0.5um < 5um	≥ 5um					
c9	h5	NSD									None		
c9	h7	NSD									None		
c9	h9	NSD									None		
d9	i1	NSD									None		
d9	i3	NSD									None		
26002772-009		Total:	0	0	0	Count:	0	0					



Name: Boggs Environmental Consultants, Inc
Address: 200 West Main Street
Middletown, MD 21769
Phone: 301-694-5687

Project Number: MD25066
P.O. Number:
Project Name: Williamsport High School
Collected Date: 1/18/2026
Received Date: 1/18/2026 1:50:00 PM

Asbestos Air TEM AHERA, 40 CFR Part 763 Subpart E Worksheet

SanAir Sample ID: 26002772-010
Client Sample ID: IAQ-011826-AHU1-10
Instrument ID: Hitachi TEM Scope #1
Magnification: 20 K
AV: 100Kv

Grid Box ID: 26-21
G.O.A.: 0.013 mm sq.
No. G.O. Analyzed: 5
Analyst: Sobrino, Sandra
Date: 1/18/2026

Grid Orientation
F

Grid ID	G.O. ID	Structure Number	ED Observation			Sketch	Length		Width	Structure Type	EDX Fiber Type	SAED Film ID	QC
			Non Asbestos	Chrysotile	Amphibole		≥ 0.5um < 5um	≥ 5um					
c10	J10	NSD									None		
c10	J6	NSD									None		
c10	J8	NSD									None		
d10	c10	NSD									None		
d10	c8	NSD									None		
26002772-010		Total:	0	0	0	Count:	0	0					



SanAir ID Number

26002772

FINAL REPORT

1/18/2026 4:57:08 PM

Name: Boggs Environmental Consultants, Inc
Address: 200 West Main Street
Middletown, MD 21769
Phone: 301-694-5687

Project Number: MD25066
P.O. Number:
Project Name: Williamsport High School
Collected Date: 1/18/2026
Received Date: 1/18/2026 1:50:00 PM

Asbestos Air TEM AHERA, 40 CFR Part 763 Subpart E Worksheet

SanAir Sample ID: 26002772-011

Grid Box ID: 26-023

Grid Orientation

Client Sample ID: IAQ-011826-AHU2-11

G.O.A.: 0.013 mm sq.

Instrument ID: Hitachi TEM Scope #1

No. G.O. Analyzed: 5

Magnification: 20 K

Analyst: Sobrino, Sandra

AV: 100Kv

Date: 1/18/2026



Grid ID	G.O. ID	Structure Number	ED Observation			Sketch	Length		Width	Structure Type	EDX Fiber Type	SAED Film ID	QC
			Non Asbestos	Chrysotile	Amphibole		≥ 0.5um < 5um	≥ 5um					
a1	f1	NSD									None		
a1	f3	NSD									None		
a1	f5	NSD									None		
a2	i2	NSD									None		
a2	i4	NSD									None		
26002772-011		Total:	0	0	0	Count:	0	0					



SanAir ID Number

26002772

FINAL REPORT

1/18/2026 4:57:08 PM

Name: Boggs Environmental Consultants, Inc
Address: 200 West Main Street
Middletown, MD 21769
Phone: 301-694-5687

Project Number: MD25066
P.O. Number:
Project Name: Williamsport High School
Collected Date: 1/18/2026
Received Date: 1/18/2026 1:50:00 PM

Asbestos Air TEM AHERA, 40 CFR Part 763 Subpart E Worksheet

SanAir Sample ID: 26002772-012

Grid Box ID: 26-023

Grid Orientation

Client Sample ID: IAQ-011826-AHU3-12

G.O.A.: 0.013 mm sq.

Instrument ID: Hitachi TEM Scope #1

No. G.O. Analyzed: 5

Magnification: 20 K

Analyst: Sobrino, Sandra

AV: 100Kv

Date: 1/18/2026



Grid ID	G.O. ID	Structure Number	ED Observation			Sketch	Length		Width	Structure Type	EDX Fiber Type	SAED Film ID	QC
			Non Asbestos	Chrysotile	Amphibole		≥ 0.5um < 5um	≥ 5um					
a3	h10	NSD									None		
a3	h6	NSD									None		
a3	h8	NSD									None		
a4	b7	NSD									None		
a4	b9	NSD									None		
26002772-012		Total:	0	0	0	Count:	0	0					



SanAir ID Number

26002772

FINAL REPORT

1/18/2026 4:57:08 PM

Name: Boggs Environmental Consultants, Inc
Address: 200 West Main Street
Middletown, MD 21769
Phone: 301-694-5687

Project Number: MD25066
P.O. Number:
Project Name: Williamsport High School
Collected Date: 1/18/2026
Received Date: 1/18/2026 1:50:00 PM

Asbestos Air TEM AHERA, 40 CFR Part 763 Subpart E Worksheet

SanAir Sample ID: 26002772-013

Grid Box ID: 26-023

Grid Orientation

Client Sample ID: IAQ-011826-AHU4-13

G.O.A.: 0.013 mm sq.

Instrument ID: Hitachi TEM Scope #1

No. G.O. Analyzed: 5

Magnification: 20 K

Analyst: Sobrino, Sandra

AV: 100Kv

Date: 1/18/2026



Grid ID	G.O. ID	Structure Number	ED Observation			Sketch	Length		Width	Structure Type	EDX Fiber Type	SAED Film ID	QC
			Non Asbestos	Chrysotile	Amphibole		≥ 0.5um < 5um	≥ 5um					
a5	d1	NSD									None		
a5	d3	NSD									None		
a5	d5	NSD									None		
b1	a4	NSD									None		
b1	b1	NSD									None		
26002772-013		Total:	0	0	0	Count:	0	0					



SanAir ID Number

26002772

FINAL REPORT

1/18/2026 4:57:08 PM

Name: Boggs Environmental Consultants, Inc
Address: 200 West Main Street
Middletown, MD 21769
Phone: 301-694-5687

Project Number: MD25066
P.O. Number:
Project Name: Williamsport High School
Collected Date: 1/18/2026
Received Date: 1/18/2026 1:50:00 PM

Asbestos Air TEM AHERA, 40 CFR Part 763 Subpart E Worksheet

SanAir Sample ID: 26002772-014

Grid Box ID: 26-023

Grid Orientation

Client Sample ID: IAQ-011826-AHU4-14

G.O.A.: 0.013 mm sq.

Instrument ID: Hitachi TEM Scope #1


No. G.O. Analyzed: 5

Magnification: 20 K

Analyst: Sobrino, Sandra

AV: 100Kv

Date: 1/18/2026



Grid ID	G.O. ID	Structure Number	ED Observation			Sketch	Length		Width	Structure Type	EDX Fiber Type	SAED Film ID	QC
			Non Asbestos	Chrysotile	Amphibole		≥ 0.5um < 5um	≥ 5um					
b2	c5	NSD									None		
b2	c7	NSD									None		
b2	c9	NSD									None		
b3	i1	NSD									None		
b3	i3	NSD									None		
26002772-014		Total:	0	0	0	Count:	0	0					



SanAir ID Number

26002772

FINAL REPORT

1/18/2026 4:57:08 PM

Name: Boggs Environmental Consultants, Inc
Address: 200 West Main Street
Middletown, MD 21769
Phone: 301-694-5687

Project Number: MD25066
P.O. Number:
Project Name: Williamsport High School
Collected Date: 1/18/2026
Received Date: 1/18/2026 1:50:00 PM

Asbestos Air TEM AHERA, 40 CFR Part 763 Subpart E Worksheet

SanAir Sample ID: 26002772-015

Grid Box ID: 26-023

Grid Orientation

Client Sample ID: IAQ-011826-AHU4-15

G.O.A.: 0.013 mm sq.

Instrument ID: Hitachi TEM Scope #1


No. G.O. Analyzed: 5

Magnification: 20 K

Analyst: Sobrino, Sandra

AV: 100Kv

Date: 1/18/2026



Grid ID	G.O. ID	Structure Number	ED Observation			Sketch	Length		Width	Structure Type	EDX Fiber Type	SAED Film ID	QC
			Non Asbestos	Chrysotile	Amphibole		≥ 0.5um < 5um	≥ 5um					
b4	d2	NSD									None		
b4	d4	NSD									None		
b4	d6	NSD									None		
b5	a10	NSD									None		
b5	c10	NSD									None		
26002772-015		Total:	0	0	0	Count:	0	0					



SanAir ID Number

26002772

FINAL REPORT

1/18/2026 4:57:08 PM

Name: Boggs Environmental Consultants, Inc
Address: 200 West Main Street
Middletown, MD 21769
Phone: 301-694-5687

Project Number: MD25066
P.O. Number:
Project Name: Williamsport High School
Collected Date: 1/18/2026
Received Date: 1/18/2026 1:50:00 PM

Asbestos Air TEM AHERA, 40 CFR Part 763 Subpart E Worksheet

SanAir Sample ID: 26002772-016

Grid Box ID: 26-023

Grid Orientation

Client Sample ID: IAQ-011826-AHU5-16

G.O.A.: 0.013 mm sq.

Instrument ID: Hitachi TEM Scope #1


No. G.O. Analyzed: 5

Magnification: 20 K

Analyst: Sobrino, Sandra

AV: 100Kv

Date: 1/18/2026



Grid ID	G.O. ID	Structure Number	ED Observation			Sketch	Length		Width	Structure Type	EDX Fiber Type	SAED Film ID	QC
			Non Asbestos	Chrysotile	Amphibole		≥ 0.5um < 5um	≥ 5um					
c1	g5	NSD									None		
c1	g7	NSD									None		
c1	g9	NSD									None		
c2	i1	NSD									None		
c2	j4	NSD									None		
26002772-016		Total:	0	0	0	Count:	0	0					

Disclaimer

U.S. EPA's "Interim Transmission Electron Microscopy Analytical Methods – Mandatory and Nonmandatory- and Mandatory Section to Determine Completion of Response Actions" as found 40 CFR, Part 763, Subpart E, Appendix A.

This report is the sole property of the client named on the SanAir Technologies Laboratory, Inc. chain-of-custody (COC). Results in the report are confidential information intended only for the use by the customer listed on the COC. Neither results nor reports will be discussed with or released to any third party without our client's written permission. The final report shall not be reproduced except in full without written approval of the laboratory to assure that parts of the report are not taken out of context. This report and any information contained within shall not be edited, altered, or modified in any way by any persons or agencies receiving, viewing, distributing, or otherwise possessing a copy of this final report. The laboratory reserves the right to perform amendments to any finalized report, or which shall supersede and make obsolete any previous editions. Such changes, modifications, additions, or deletions shall be effective immediately upon notice thereof, which may be given by means including but not limited to posting on the SanAir client portal website, electronic or conventional mail, or by any other means. The information provided in this report applies only to the samples submitted and is relevant only for the date, time, and location of sampling. The accuracy of the results is dependent upon the client's sampling procedure, additions, exclusions, method deviations and information provided to the laboratory by the client. When the client requires samples to be tested that deviate from a specified method or condition, all reported results may be affected by the deviation. SanAir assumes no responsibility for the sampling procedure and will provide evaluation reports based solely on the sample(s) in the condition in which they arrived at the laboratory and information provided by the client on the COC, such as: project number, project name, collection dates, purchase order number, special instructions, samples collected by, sample numbers, sample identifications, sample type, selected analysis type, flow rate, total volume or area, and start - stop times that may affect the validity of the results in this report. Samples were received in good condition unless otherwise noted. SanAir assumes no responsibility or liability for the manner in which the results are used or interpreted. This report does not constitute and shall not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any other U.S. governmental agencies and may not be accredited by every local, state, and federal regulatory agency. Clearance test for AHERA samples from abatement projects requires a minimum of five samples inside the work site, five samples outside the work site, and three blanks. Samples are held for a period of 60 days. 95% Confidence levels are reported using the upper and lower concentrations limits.

Laboratory Relative Standard Deviation: 0.3

Analyst Relative Standard Deviation: D. Hayes 0.3, J. Tallert 0.3, S. Sobrino 0.2, B. Moore 0.3

Laboratory 1876 b Alternative Accuracy and Precision: 100%

Analyst 1876 b Alternative Accuracy and Precision: D. Hayes: 100%, J. Tallert: 100%, S. Sobrino: 100%, B. Moore 100%

Asbestos Accreditations

National Voluntary Laboratory Accreditation Program (NVLAP) Lab Code 200870-0

City of Philadelphia Department of Public Health Air Management Services, Certification#ALL-460

Commonwealth of Pennsylvania Department of Environmental Protection Number 68-05397

California State Environmental Laboratory Accreditation Program Certificate Number 2915

Colorado Department of Public Health and Environment Registration Number AL-23143

Connecticut Department of Public Health Environmental Laboratory Registration Number PH-0105

Massachusetts Department of Labor Standards Asbestos Analytical Services Lic Number: AA000222

State of Maine Department of Environmental Protection License Number: LB-0075, LA-0084

New Jersey Department of Environmental Protection VA-014

New York State Department of Health Laboratory ID: 11983

State of Rhode Island Department of Health Certification No.: PCM00126, PLM00126, TEM00126

Texas Department of State Health Services License Number: 300440

Virginia Department of Professional and Occupational Regulation Number: 3333000323

State of Washington Department of Ecology Laboratory ID: C989

State of Hawaii Department of Health L-23-005

State of West Virginia Bureau for Public Health Analytical Laboratory Number: LT000616

Vermont Department of Health License Number: Asb-Co-An-000006

Louisiana Department of Environmental Quality AI Number 212253, Certificate #05088

Revision Date: 1/8/2026



1551 Oakbridge Drive Suite B
Powhatan, VA 23139
804-897-1177 / 888-895-1177
Fax 804-897-0070
www.sanair.com

**Asbestos
Chain of Custody**

SanAir ID Number

26002772

Company: Boggs Environmental Consultants		Project #: MD25066	Collected by: Josh Faircloth
Address: 200 West Main Street		Project Name: Williamsport High School	Phone #: 301-694-5687
City, St., Zip: Middletown, MD 21769		Date Collected: 1/18/2026	Fax #: 301-694-9799
State of Collection: MD	Account#: 2845	P.O. Number: MD25066 <i>robinson</i>	Email: @boggsenvironmental.com

Bulk		Air		Soil/Vermiculite	
ABB	PLM EPA 600/R-93/116 ☐	ABA	PCM NIOSH 7400 ☐	ABSE	PLM EPA 600/R-93/116 (Qual.) ☐
	Positive Stop ☐	ABA-2	OSHA w/ TWA* ☐	ABSP	PLM CARB 435 (LOD <1%) ☐
ABEPA	PLM EPA 400 Point Count ☐	ABTEM	TEM AHERA ☒	ABSP1	PLM CARB 435 (LOD 0.25%) ☐
ABB1K	PLM EPA 1000 Point Count ☐	ABATN	TEM NIOSH 7402 ☐	ABSP2	PLM CARB 435 (LOD 0.1%) ☐
ABBEN	PLM EPA NOB ☐	ABT2	TEM Level II ☐		
ABBCH	TEM Chatfield ☐				
ABBTM	TEM EPA NOB ☐				

Water		New York ELAP		Dust	
ABHE	EPA 100.2 ☐	PLM NY	PLM EPA 600/M4-82-020 ☐	ABWA	TEM Wipe ASTM D-6480 ☐
		ABEPA2	NY ELAP 198.1 ☐	ABDMV	TEM Microvac ASTM D-5755 ☐
		ABENY	NY ELAP 198.6 PLM NOB ☐		
		ABBNY	NY ELAP 198.4 TEM NOB ☐		

Matrix		Other	

Turn Around Times	3 HR (4 HR TEM) ☒	6 HR (8HR TEM) ☐	12 HR ☐	24 HR ☐
	2 Days ☐	3 Days ☐	4 Days ☐	5 Days ☐

Special Instructions

Sample #	Sample Identification/Location	Volume or Area	Sample Type	Flow Rate*	Time* Start - Stop
	Please See BEC Sample Log				
	Please Report Results in S/cc as Previously Discussed.				

Relinquished by	Date	Time	Received by	Date	Time
<i>[Signature]</i>	1/18/26	1043	<i>[Signature]</i>	1/18/26	1043
<i>[Signature]</i>	1/18/24	1345	<i>[Signature]</i>	1.18.25	1:50 pm

Unless scheduled, the turn around time for all samples received after 3 pm EST Friday will begin at 8 am Monday morning. Weekend or Holiday work must be scheduled ahead of time and is charged for rush turn around time. Work with standard turn around time sent Priority Overnight and Billed to Recipient will be charged a \$10 shipping fee.

IAQ TEM - AIRBORNE ASBESTOS SURVEY

Date: 1/18/2026
 BEC Staff: Josh Faircloth, Jeremy Williamson, & Dillon Langston
 Project #: MD25066
 Abatement Contractor N/A

Project Location: Williamsport High School
5 S Clifton Drive, Williamsport, MD 21795
 Project Manager: Richard Robinson
 Abatement Contractor License #: N/A

Flow Rate Calibration (Rotameter, Dwyer Precision, Other): DryCal Defender 510

Calibration Test Performed (Technician/Date): /01/18/2026

SAMPLE INFORMATION

Sample Number	Sample Location	Sample Description	Flow Rate Liters Per Minute			Sampling Period			Total Volume (L)
			Pre	Post	Average	Begin	End	Total Minutes	
IAQ-011826-RTU1-01	Gymnasium: Room 103	TEM IAQ	9.5	9.5	9.5	0754	1004	130	1,235
IAQ-011826-RTU2-02	Home Lockers: LL Room 114	TEM IAQ	9.5	9.5	9.5	0758	1008	130	1,235
IAQ-011826-RTU3-03	Kitchen: UL Room 202	TEM IAQ	9.5	9.5	9.5	0742	0953	131	1,244.5
IAQ-011826-RTU4-04	Small Gymnasium: LL Room 102	TEM IAQ	9.5	9.5	9.5	0757	1007	130	1,235
IAQ-011826-RTU5-05	Metal Shop: LL Room 141	TEM IAQ	9.5	9.5	9.5	0803	1013	130	1,235
IAQ-011826-RTU6-06	Wood Shop: LL Room 145	TEM IAQ	9.5	9.5	9.5	0804	1014	130	1,235
IAQ-011826-RTU7-07	Cafeteria: LL Room 201	TEM IAQ	9.5	9.5	9.5	0740	0951	131	1,244.5
IAQ-011826-RTU8-08	Weight Room: LL Room 99	TEM IAQ	9.5	9.5	9.5	0800	1010	130	1,235
IAQ-011826-AHU1-09	Art Work: UL Room 206	TEM IAQ	9.5	9.5	9.5	0736	0946	130	1,235
IAQ-011826-AHU1-10	Language: UL Room 276	TEM IAQ	9.5	9.5	9.5	0743	0955	132	1,254
IAQ-011826-AHU2-11	Science: LL Room 172	TEM IAQ	9.5	9.5	9.5	0806	1016	130	1,235
IAQ-011826-AHU3-12	Stage: UL Room 220	TEM IAQ	9.5	9.5	9.5	0737	0947	130	1,235
IAQ-011826-AHU4-13	Computer Lab: LL Room 179	TEM IAQ	9.5	9.5	9.5	0809	1020	131	1,244.5

COMMENTS:


 BEC Staff Signature

1/18/2026
 Date

Rec'd A. Robinson Jan 18, 2026 1:50pm

IAQ TEM - AIRBORNE ASBESTOS SURVEY

Date: 1/18/2026

BEC Staff: Josh Faircloth, Jeremy Williamson, & Dillon Langston

Project #: MD25066

Abatement Contractor N/A

Flow Rate Calibration (Rotameter, Dwyer Precision, Other): DryCal Defender 510

Calibration Test Performed (Technician/Date): / 01/18/2026

Project Location: Williamsport High School
5 S Clifton Drive, Williamsport, MD 21795

Project Manager: Richard Robinson

Abatement Contractor License #: N/A

SAMPLE INFORMATION

Sample Number	Sample Location	Sample Description	Flow Rate Liters Per Minute			Sampling Period			Total Volume (L)
			Pre	Post	Average	Begin	End	Total Minutes	
IAQ-011826-AHU4-14	Science Lab: LL Room 194	TEM IAQ	9.5	9.5	9.5	0808	1018	130	1,235
IAQ-011826-AHU4-15	Classroom: UL Room 232	TEM IAQ	9.5	9.5	9.5	0746	0958	132	1,254
IAQ-011826-AHU5-16	Media Center: UL Room 240	TEM IAQ	9.5	9.5	9.5	0748	1000	132	1,254
IAQ-011826-QAQC-17	Cassette Media Box Lot: Blank	QA/QC	x	x	x	x	x	x	x
IAQ-011826-QAQC-18	Cassette Media: Field Blank	QA/QC	x	x	x	x	x	x	x

COMMENTS:

Jeremy Williamson
BEC Staff Signature

1/18/2026
Date

Vec'd D. Langston Jan 18-26 1:50pm

ENVIRONMENTAL SCIENCE, ENGINEERING & INDUSTRIAL HYGIENE SERVICES